



Open Source Used In AppDynamics Windows Agents 12.6(2)

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1487487267

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1487487267

Contents

1.1 libjpeg 6b

1.1.1 Notifications

1.1.2 Available under license

1.2 javax-inject 1

1.2.1 Available under license

1.3 commons-math 2.1

1.3.1 Available under license

1.4 slf4j 1.6.6

1.4.1 Available under license

1.5 resourcelocator 1.0.1

1.5.1 Available under license

1.6 javax-el 2.2.6

1.6.1 Available under license

1.7 commons-collections 3.2.2

1.7.1 Available under license

1.8 hk2-locator 2.5.0-b32

1.8.1 Available under license

1.9 hk2-api 2.5.0-b32

1.9.1 Available under license

1.10 jersey-common 2.25.1

1.10.1 Available under license

1.11 hk2-utils 2.5.0-b32

1.11.1 Available under license

1.12 tiger-types 1.4

1.12.1 Available under license

1.13 jersey-media-multipart 2.25.1

- 1.13.1 Available under license
- 1.14 httpcore-nio 4.4.5**
 - 1.14.1 Available under license
- 1.15 jsch 0.1.54**
 - 1.15.1 Available under license
- 1.16 annotations 13.0**
 - 1.16.1 Available under license
- 1.17 httpasyncclient 4.1.4**
 - 1.17.1 Available under license
- 1.18 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
- 1.19 commons-fileupload 1.4**
 - 1.19.1 Available under license
- 1.20 j2objc-annotations 1.3**
 - 1.20.1 Available under license
- 1.21 reflections 0.9.11**
 - 1.21.1 Available under license
- 1.22 okio 1.13.0**
 - 1.22.1 Available under license
- 1.23 libsigar 1.6.4**
 - 1.23.1 Available under license
- 1.24 libsigar 1.6.2**
 - 1.24.1 Available under license
- 1.25 zjsonpatch 0.3.0**
- 1.26 generex 1.0.2**
 - 1.26.1 Available under license
- 1.27 jsr311-api 1.1.1**
 - 1.27.1 Available under license
- 1.28 jaxb-api 2.3.1**
 - 1.28.1 Available under license
- 1.29 metrics-core 3.0.2**
- 1.30 argparse 0.8.1**
- 1.31 commons-digester 2.1**
 - 1.31.1 Available under license
- 1.32 guice 4.0**
 - 1.32.1 Available under license
- 1.33 j2objc-annotations 1.3**
 - 1.33.1 Available under license
- 1.34 mockito 1.10.19**
 - 1.34.1 Available under license

- 1.35 sigar 1.6.4**
 - 1.35.1 Available under license
- 1.36 jackson-datatype-joda 2.7.9**
 - 1.36.1 Available under license
- 1.37 compiler 0.8.15**
- 1.38 archaius-core 0.7.1**
- 1.39 guice-multibindings 4.0**
 - 1.39.1 Available under license
- 1.40 commons-beanutils 1.9.4**
 - 1.40.1 Available under license
- 1.41 bean-validation-api 2.0.1.Final**
 - 1.41.1 Available under license
- 1.42 jersey-bundle 1.19.4**
 - 1.42.1 Available under license
- 1.43 hamcrest 1.3**
 - 1.43.1 Available under license
- 1.44 jsr305 3.0.0**
 - 1.44.1 Available under license
- 1.45 libpng 1.6.37**
 - 1.45.1 Available under license
- 1.46 picocontainer 2.15**
 - 1.46.1 Available under license
- 1.47 javax-annotation-api 1.2**
 - 1.47.1 Available under license
- 1.48 jboss-logging 3.4.1.Final**
 - 1.48.1 Available under license
- 1.49 commons-codec 1.14**
 - 1.49.1 Available under license
- 1.50 reflections 0.9.12**
 - 1.50.1 Available under license
- 1.51 slf4j 1.7.30**
 - 1.51.1 Available under license
- 1.52 commons-compress 1.20**
 - 1.52.1 Available under license
- 1.53 jakarta-xml-soap-api 1.4.2**
 - 1.53.1 Available under license
- 1.54 jakarta-xml-ws-api 2.3.3**
 - 1.54.1 Available under license
- 1.55 jakarta-jws-api 2.1.0**

- 1.55.1 Available under license
- 1.56 commons-lang3 3.4**
 - 1.56.1 Available under license
- 1.57 commons-lang3 3.8.1**
 - 1.57.1 Available under license
- 1.58 args4j 2.32**
 - 1.58.1 Available under license
- 1.59 rxjava 1.1.2**
 - 1.59.1 Available under license
- 1.60 feign-core 8.15.1**
 - 1.60.1 Available under license
- 1.61 feign-jackson 8.15.1**
 - 1.61.1 Available under license
- 1.62 junixsocket-common 2.3.2**
 - 1.62.1 Available under license
- 1.63 feign-jackson 10.7.4**
 - 1.63.1 Available under license
- 1.64 junixsocket-native-common 2.3.2**
 - 1.64.1 Available under license
- 1.65 feign-core 10.7.4**
 - 1.65.1 Available under license
- 1.66 feign-jaxrs 10.7.4**
 - 1.66.1 Available under license
- 1.67 feign-slf4j 10.7.4**
 - 1.67.1 Available under license
- 1.68 guice 4.2.3**
 - 1.68.1 Available under license
- 1.69 error_prone_annotations 2.3.4**
 - 1.69.1 Available under license
- 1.70 guice-assistedinject 4.2.3**
 - 1.70.1 Available under license
- 1.71 guice-multibindings 4.2.3**
 - 1.71.1 Available under license
- 1.72 error_prone_annotations 2.0.2**
 - 1.72.1 Available under license
- 1.73 jersey 2.25.1**
 - 1.73.1 Available under license
- 1.74 jersey 1.19.4**
 - 1.74.1 Available under license

- 1.75 servlet-api 4.0.4**
 - 1.75.1 Available under license
- 1.76 jetty-setuid-java 1.0.4**
 - 1.76.1 Available under license
- 1.77 jaxb-core 2.3.3**
 - 1.77.1 Available under license
- 1.78 commons-io 2.8.0**
 - 1.78.1 Available under license
- 1.79 httpcomponents-client 4.5.13**
 - 1.79.1 Available under license
- 1.80 guava 30.1-jre**
 - 1.80.1 Available under license
- 1.81 annotations 3.0.0**
 - 1.81.1 Available under license
- 1.82 aop-alliance 1.0**
 - 1.82.1 Available under license
- 1.83 xerces-j 2.12.1**
 - 1.83.1 Available under license
- 1.84 hibernate-validator 6.1.6.Final**
 - 1.84.1 Available under license
- 1.85 mime-pull 1.9.6**
 - 1.85.1 Available under license
- 1.86 guava 2.25.1**
 - 1.86.1 Available under license
- 1.87 automation 1.11-8**
 - 1.87.1 Available under license
- 1.88 httpcomponents-core 4.4.13**
 - 1.88.1 Available under license
- 1.89 httpcore-nio 4.4.13**
 - 1.89.1 Available under license
- 1.90 commons-lang3 2.6**
 - 1.90.1 Available under license
- 1.91 mockito-all 1.10.19**
 - 1.91.1 Available under license
- 1.92 httpcomponents-mime 4.5.13**
 - 1.92.1 Available under license
- 1.93 commons-configuration 1.8**
 - 1.93.1 Available under license
- 1.94 httpclient-cache 4.5.13**

- 1.94.1 Available under license
- 1.95 commons-logging 1.2**
 - 1.95.1 Available under license
- 1.96 classmate 1.3.4**
 - 1.96.1 Available under license
- 1.97 isorelax 20090621**
 - 1.97.1 Available under license
- 1.98 stax 4.2.1**
 - 1.98.1 Available under license
- 1.99 commons-validator 1.7**
 - 1.99.1 Available under license
- 1.100 jul-to-slf4j 1.7.30**
 - 1.100.1 Available under license
- 1.101 commons-io 2.8.0**
 - 1.101.1 Available under license
- 1.102 javassist 3.25.0-GA**
 - 1.102.1 Available under license
- 1.103 httpcomponents-core 4.4.14**
 - 1.103.1 Available under license
- 1.104 jakarta-annotation-api 1.3.5**
 - 1.104.1 Available under license
- 1.105 commons-codec 1.14**
 - 1.105.1 Available under license
- 1.106 javassist 3.27.0-GA**
 - 1.106.1 Available under license
- 1.107 commons-logging 1.1.3**
 - 1.107.1 Available under license
- 1.108 zt 1.14**
 - 1.108.1 Available under license
- 1.109 httpcomponents-mime 4.5.12**
 - 1.109.1 Available under license
- 1.110 jcl-over-slf4j 1.7.30**
 - 1.110.1 Available under license
- 1.111 jakarta-validation-api 2.0.2**
 - 1.111.1 Available under license
- 1.112 jakarta-ws-rs-api 2.1.6**
 - 1.112.1 Available under license
- 1.113 javax-el 3.0.0**
 - 1.113.1 Available under license

- 1.114 aws-java-sdk-core 1.11.91**
 - 1.114.1 Available under license
- 1.115 joda-time 2.10.8**
 - 1.115.1 Available under license
- 1.116 javax-el-api 3.0.1-b06**
 - 1.116.1 Available under license
- 1.117 jmespath-java 1.11.91**
 - 1.117.1 Available under license
- 1.118 awsjavasdk 1.11.91**
 - 1.118.1 Available under license
- 1.119 javassist 3.21.0-GA**
 - 1.119.1 Available under license
- 1.120 javax-ejb-api 3.2**
 - 1.120.1 Available under license
- 1.121 joda-time 2.9**
 - 1.121.1 Available under license
- 1.122 checker-qual 3.1.0**
 - 1.122.1 Available under license
- 1.123 joda-time 2.8.1**
 - 1.123.1 Available under license
- 1.124 javax-ws-rs-api 2.0.1**
 - 1.124.1 Available under license
- 1.125 zt-process 1.3**
 - 1.125.1 Available under license
- 1.126 classmate 1.1.0**
 - 1.126.1 Available under license
- 1.127 commons-lang3 3.7**
 - 1.127.1 Available under license
- 1.128 jakarta-servlet-api 4.0.4**
 - 1.128.1 Available under license
- 1.129 commons-codec 1.15**
 - 1.129.1 Available under license
- 1.130 jersey-guava 2.25.1**
 - 1.130.1 Available under license
- 1.131 hk2-locator 2.6.1**
 - 1.131.1 Available under license
- 1.132 hk2-utils 2.6.1**
 - 1.132.1 Available under license
- 1.133 txw2 2.3.3**

- 1.133.1 Available under license
- 1.134 hk2-api 2.6.1**
 - 1.134.1 Available under license
- 1.135 resourcelocator 1.0.3**
 - 1.135.1 Available under license
- 1.136 jakarta-inject 2.6.1**
 - 1.136.1 Available under license
- 1.137 commons-net 3.7.2**
 - 1.137.1 Available under license
- 1.138 annotations 13.0**
 - 1.138.1 Available under license
- 1.139 javax-inject 2.5.0-b32**
 - 1.139.1 Available under license
- 1.140 servlet-api 3.0.1**
 - 1.140.1 Available under license
- 1.141 jta 1.2**
 - 1.141.1 Available under license
- 1.142 jeromq 0.3.5**
 - 1.142.1 Available under license
- 1.143 activation-api 1.2.0**
 - 1.143.1 Available under license
- 1.144 jakarta xml bind api 2.3.3**
 - 1.144.1 Available under license
- 1.145 istack-commons 3.0.11**
 - 1.145.1 Available under license
- 1.146 opentelemetry-proto 0.11.0**
 - 1.146.1 Available under license
- 1.147 kubernetes-model-common 4.13.3**
 - 1.147.1 Available under license
- 1.148 kubernetes-model-node 4.13.3**
 - 1.148.1 Available under license
- 1.149 kubernetes-client 4.13.3**
 - 1.149.1 Available under license
- 1.150 kubernetes-model 4.13.3**
 - 1.150.1 Available under license
- 1.151 hibernate-validator 6.2.0.Final**
 - 1.151.1 Available under license
- 1.152 jersey-hk2 2.35**
 - 1.152.1 Available under license

- 1.153 jakarta-el 3.0.4**
 - 1.153.1 Available under license
- 1.154 commons-io 2.11.0**
 - 1.154.1 Available under license
- 1.155 junit 4.13.2**
 - 1.155.1 Available under license
- 1.156 visual-studio-runtime 14.16.27033.0**
 - 1.156.1 Available under license
- 1.157 gethostname4j 0.0.3**
 - 1.157.1 Available under license
- 1.158 namespace 1.4.01**
 - 1.158.1 Available under license
- 1.159 jackson 2.13.2**
 - 1.159.1 Available under license
- 1.160 jersey-client 2.35**
 - 1.160.1 Available under license
- 1.161 jersey-container-servlet 2.35**
 - 1.161.1 Available under license
- 1.162 jersey-bean-validation 2.35**
 - 1.162.1 Available under license
- 1.163 jersey-container-servlet-core 2.35**
 - 1.163.1 Available under license
- 1.164 jersey 2.35**
 - 1.164.1 Available under license
- 1.165 jersey-common 2.35**
 - 1.165.1 Available under license
- 1.166 jersey-server 2.35**
 - 1.166.1 Available under license
- 1.167 okhttp 4.9.3**
 - 1.167.1 Available under license
- 1.168 ant 1.10.12**
 - 1.168.1 Available under license
- 1.169 jna-platform 5.9.0**
 - 1.169.1 Available under license
- 1.170 snake-yaml 1.28**
 - 1.170.1 Available under license
- 1.171 jackson 2.13.1**
 - 1.171.1 Available under license
- 1.172 log4j-api 2.17.1**

- 1.172.1 Available under license
- 1.173 apache-log4j 2.17.1**
 - 1.173.1 Available under license
- 1.174 log4j-slf4j-impl 2.17.1**
 - 1.174.1 Available under license
- 1.175 log4j-jcl 2.17.1**
 - 1.175.1 Available under license
- 1.176 woodstox-core 6.2.7**
 - 1.176.1 Available under license
- 1.177 ant-launcher 1.10.12**
 - 1.177.1 Available under license
- 1.178 jackson-dataformat-xml 2.13.1**
 - 1.178.1 Available under license
- 1.179 jackson-datatype-joda 2.13.1**
 - 1.179.1 Available under license
- 1.180 xsdlib 2013.6.1**
 - 1.180.1 Available under license
- 1.181 dom 1.0**
 - 1.181.1 Available under license
- 1.182 jackson-datatype-guava 2.13.1**
 - 1.182.1 Available under license
- 1.183 jackson-jaxrs 2.13.1**
 - 1.183.1 Available under license
- 1.184 jackson-module-parameter-names 2.13.1**
 - 1.184.1 Available under license
- 1.185 jackson-jaxrs-base 2.13.1**
 - 1.185.1 Available under license
- 1.186 jackson-xc 2.13.1**
 - 1.186.1 Available under license
- 1.187 jackson-annotations 2.13.1**
 - 1.187.1 Available under license
- 1.188 dagger 2.4**
 - 1.188.1 Available under license
- 1.189 jackson-datatype-jsr310 2.12.2**
 - 1.189.1 Available under license
- 1.190 paranamer 2.5.1**
 - 1.190.1 Available under license
- 1.191 jctools-core 3.3.0**
 - 1.191.1 Available under license

- 1.192 jackson-datatype-jdk8 2.12.2**
 - 1.192.1 Available under license
- 1.193 jackson-dataformat-yaml 2.13.1**
 - 1.193.1 Available under license
- 1.194 annotations 4.1.1.4**
 - 1.194.1 Available under license
- 1.195 animal-sniffer-annotation 1.19**
 - 1.195.1 Available under license
- 1.196 jackson-dataformat-cbor 2.13.1**
 - 1.196.1 Available under license
- 1.197 metrics-httpclient 4.0.2**
 - 1.197.1 Available under license
- 1.198 error_prone_annotations 2.3.3**
 - 1.198.1 Available under license
- 1.199 kotlin 1.6.10**
 - 1.199.1 Available under license
- 1.200 xerces-j 2.12.2**
 - 1.200.1 Available under license
- 1.201 error_prone_annotations 2.11.0**
 - 1.201.1 Available under license
- 1.202 jackson-module-afterburner 2.13.1**
 - 1.202.1 Available under license
- 1.203 jackson-module-guice 2.13.1**
 - 1.203.1 Available under license
- 1.204 aop-alliance 1.3.1.34-6.ph2**
 - 1.204.1 Available under license
- 1.205 aopalliance-repackaged 1.3.1.34-6.ph2**
 - 1.205.1 Available under license
- 1.206 xerces-j 2.12.2**
 - 1.206.1 Available under license
- 1.207 javax-annotation-api 1.3.2**
 - 1.207.1 Available under license
- 1.208 snake-yaml 1.26**
 - 1.208.1 Available under license
- 1.209 slf4j 1.7.36**
 - 1.209.1 Available under license
- 1.210 jul-to-slf4j 1.7.36**
 - 1.210.1 Available under license
- 1.211 log4j-over-slf4j 1.7.36**

- 1.211.1 Available under license
- 1.212 jackson-datatype-jsr310 2.13.2**
 - 1.212.1 Available under license
- 1.213 error_prone_annotations 2.10.0**
 - 1.213.1 Available under license
- 1.214 bouncycastle-fips 1.0.2.3**
 - 1.214.1 Available under license
- 1.215 jackson-datatype-jdk8 2.13.2**
 - 1.215.1 Available under license
- 1.216 jackson-annotations 2.13.2**
 - 1.216.1 Available under license
- 1.217 jackson-module-parameter-names 2.13.2**
 - 1.217.1 Available under license
- 1.218 jackson-dataformat-yaml 2.13.2**
 - 1.218.1 Available under license
- 1.219 jcl-over-slf4j 1.7.36**
 - 1.219.1 Available under license
- 1.220 jackson-dataformat-cbor 2.13.2**
 - 1.220.1 Available under license
- 1.221 jackson-jaxrs 2.13.2**
 - 1.221.1 Available under license
- 1.222 jackson-jaxrs-base 2.13.2**
 - 1.222.1 Available under license
- 1.223 jackson-xc 2.13.2**
 - 1.223.1 Available under license
- 1.224 jackson-datatype-guava 2.13.2**
 - 1.224.1 Available under license
- 1.225 jackson-module-afterburner 2.13.2**
 - 1.225.1 Available under license
- 1.226 gson 2.9.0**
 - 1.226.1 Available under license
- 1.227 jackson-databind 2.13.2.2**
 - 1.227.1 Available under license
- 1.228 logback-core 1.2.11**
 - 1.228.1 Available under license
- 1.229 guava 31.1-jre**
 - 1.229.1 Available under license
- 1.230 metrics-jmx 4.1.31**
 - 1.230.1 Available under license

1.231 metrics 3.2.5

1.231.1 Available under license

1.232 metrics-annotation 4.1.31

1.232.1 Available under license

1.233 metrics-health-checks 4.1.31

1.233.1 Available under license

1.234 metrics-httpsyncclient 3.2.5

1.234.1 Available under license

1.235 jna 5.11.0

1.235.1 Available under license

1.236 guava 31.0.1-android

1.236.1 Available under license

1.237 metrics-json 4.1.31

1.237.1 Available under license

1.238 xml-apis 1.4.01

1.238.1 Available under license

1.239 kotlin 1.6.20

1.239.1 Available under license

1.240 logback-access 1.2.11

1.240.1 Available under license

1.241 metrics-jetty 4.1.31

1.241.1 Available under license

1.242 metrics-servlets 4.1.31

1.242.1 Available under license

1.243 metrics-jvm 4.1.31

1.243.1 Available under license

1.244 metrics-jersey2 4.1.31

1.244.1 Available under license

1.245 metrics-logback 4.1.31

1.245.1 Available under license

1.246 dropwizard-lifecycle 2.0.29

1.246.1 Available under license

1.247 drop-wizard-metrics 2.0.29

1.247.1 Available under license

1.248 dropwizard-util 2.0.29

1.248.1 Available under license

1.249 dropwizard-validation 2.0.29

1.249.1 Available under license

1.250 dropwizard-jackson 2.0.29

- 1.250.1 Available under license
- 1.251 servlet-api 3.1.0**
 - 1.251.1 Available under license
- 1.252 ion-java 1.0.2**
 - 1.252.1 Available under license
- 1.253 gson 2.8.9**
 - 1.253.1 Available under license
- 1.254 simpleclient 0.15.0**
 - 1.254.1 Available under license
- 1.255 simpleclient-common 0.15.0**
 - 1.255.1 Available under license
- 1.256 jsr305 3.0.2**
 - 1.256.1 Available under license
- 1.257 simpleclient-servlet 0.15.0**
 - 1.257.1 Available under license
- 1.258 okhttp 4.10.0**
 - 1.258.1 Available under license
- 1.259 activation 1.2.2**
 - 1.259.1 Available under license
- 1.260 activation-api 1.2.2**
 - 1.260.1 Available under license
- 1.261 failureaccess 1.0.1**
 - 1.261.1 Available under license
- 1.262 guava 30.0-jre**
 - 1.262.1 Available under license
- 1.263 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
 - 1.263.1 Available under license
- 1.264 netty-codec 4.1.78.Final**
 - 1.264.1 Available under license
- 1.265 netty 4.1.78.Final**
 - 1.265.1 Available under license
- 1.266 netty-transport 4.1.78.Final**
 - 1.266.1 Available under license
- 1.267 jetty-continuation 9.4.48.v20220622**
 - 1.267.1 Available under license
- 1.268 zlib 1.2.11**
 - 1.268.1 Available under license
- 1.269 logback-throttling-appender 1.1.9**
 - 1.269.1 Available under license

1.270 dropwizard-request-logging 2.0.29

1.270.1 Available under license

1.271 dropwizard-servlets 2.0.29

1.271.1 Available under license

1.272 dropwizard-logging 2.0.29

1.272.1 Available under license

1.273 oshi-core 6.1.6

1.273.1 Available under license

1.274 simpleclient-dropwizard 0.15.0

1.274.1 Available under license

1.275 dropwizard-jetty 2.0.29

1.275.1 Available under license

1.276 dropwizard-jersey 2.0.29

1.276.1 Available under license

1.277 jna-platform 5.11.0

1.277.1 Available under license

1.278 dropwizard-configuration 2.0.29

1.278.1 Available under license

1.279 dropwizard-core 2.0.29

1.279.1 Available under license

1.280 openjdk-jre 11.0.16u8

1.280.1 Available under license

1.281 okio 3.0.0

1.281.1 Available under license

1.282 openjdk 11.0.16

1.282.1 Available under license

1.283 jetty-util-ajax 9.4.48.v20220622

1.283.1 Available under license

1.284 jetty-security 9.4.48.v20220622

1.284.1 Available under license

1.285 jetty-util 9.4.48.v20220622

1.285.1 Available under license

1.286 jetty-client 9.4.48.v20220622

1.286.1 Available under license

1.287 jackson-annotations 2.13.4

1.287.1 Available under license

1.288 jackson 2.13.4

1.288.1 Available under license

1.289 jackson-databind 2.13.4

- 1.289.1 Available under license
- 1.290 jackson-dataformat-yaml 2.13.4**
 - 1.290.1 Available under license
- 1.291 cglib 3.3.0**
 - 1.291.1 Available under license
- 1.292 snake-yaml 1.32**
 - 1.292.1 Available under license
- 1.293 jetty-servlets 9.4.48.v20220622**
 - 1.293.1 Available under license
- 1.294 snake-yaml 1.31**
 - 1.294.1 Available under license
- 1.295 jetty 9.4.48.v20220622**
 - 1.295.1 Available under license
- 1.296 free-type 11.0.16+8**
 - 1.296.1 Available under license
- 1.297 jersey-metainf-services 2.35**
 - 1.297.1 Available under license
- 1.298 slf4j 1.7.36**
 - 1.298.1 Available under license
- 1.299 protobuf-java 3.19.6**
 - 1.299.1 Available under license
- 1.300 apache-commons-text 1.2**
 - 1.300.1 Available under license
- 1.301 jetty-proxy 9.4.48.v20220622**
 - 1.301.1 Available under license
- 1.302 nuprocess 2.0.5**
 - 1.302.1 Available under license
- 1.303 kotlin 1.13.0**
 - 1.303.1 Available under license
- 1.304 asm 22.10.0**
 - 1.304.1 Available under license
- 1.305 objenesis 1.10.19**
 - 1.305.1 Available under license
- 1.306 libffi 5.11.0**
 - 1.306.1 Available under license
- 1.307 asm 2.13.2**
 - 1.307.1 Available under license
- 1.308 lcms 11.0.16**
 - 1.308.1 Available under license

1.309 jline 11.0.16

1.309.1 Available under license

1.310 mime4j 11.0.16

1.310.1 Available under license

1.311 gson 2.8.9

1.311.1 Available under license

1.1 libjpeg 6b

1.1.1 Notifications :

This software is based in part on the work of the Independent JPEG Group.

1.1.2 Available under license :

The Independent JPEG Group's JPEG software

=====

README for release 6b of 27-Mar-1998

=====

This distribution contains the sixth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

Serious users of this software (particularly those incorporating it into larger programs) should contact IJG at jpeg-info@uunet.uu.net to be added to our electronic mailing list. Mailing list members are notified of updates and have a chance to participate in technical discussions, etc.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

DOCUMENTATION

ROADMAP

=====

This file contains the following sections:

- OVERVIEW General description of JPEG and the IJG software.
- LEGAL ISSUES Copyright, lack of warranty, terms of distribution.
- REFERENCES Where to learn more about JPEG.
- ARCHIVE LOCATIONS Where to find newer versions of this software.

RELATED SOFTWARE Other stuff you should get.

FILE FORMAT WARS Software **not** to get.

TO DO Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:

install.doc How to configure and install the IJG software.

usage.doc Usage instructions for cjpeg, djpeg, jpegtran,
rdjpgcom, and wrjpgcom.

*.1 Unix-style man pages for programs (same info as usage.doc).

wizard.doc Advanced usage instructions for JPEG wizards only.

change.log Version-to-version change highlights.

Programmer and internal

documentation:

libjpeg.doc How to use the JPEG library in your own programs.

example.c Sample code for calling the JPEG library.

structure.doc Overview of the JPEG library's internal structure.

filelist.doc Road map of IJG files.

coderrules.doc Coding style rules --- please read if you contribute code.

Please read at least the files install.doc and usage.doc. Useful information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

OVERVIEW

=====

This package contains C software to implement JPEG image compression and decompression. JPEG (pronounced "jay-peg") is a standardized compression method for full-color and gray-scale images.

JPEG is intended for compressing "real-world" scenes; line drawings, cartoons and other non-realistic images are not its strong suit. JPEG is lossy, meaning that the output image is not exactly identical to the input image. Hence you must not use JPEG if you have to have identical output bits. However, on typical photographic images, very good compression levels can be obtained with no visible change, and remarkably high compression levels are possible if you can tolerate a low-quality image. For more details, see the references, or just experiment with various compression settings.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these

processes, although some uncommon parameter settings aren't implemented yet. For legal reasons, we are not distributing code for the arithmetic-coding variants of JPEG; see LEGAL ISSUES. We have made no provision for supporting the hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats. The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the library if not required for a particular application. We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments in JFIF files.

The emphasis in designing this software has been on achieving portability and flexibility, while also making it fast enough to be useful. In particular, the software is not intended to be read as a tutorial on JPEG. (See the REFERENCES section for introductory material.) Rather, it is intended to be reliable, portable, industrial-strength code. We do not claim to have achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products. No royalty is required, but we do ask for an acknowledgement in product documentation, as described under LEGAL ISSUES.

LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

- (1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.
- (2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".
- (3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of
L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

REFERENCES

=====

We

highly recommend reading one or more of these references before trying to understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is Wallace, Gregory K. "The JPEG Still Picture Compression Standard", Communications of the ACM, April 1991 (vol. 34 no. 4), pp. 30-44. (Adjacent articles in that issue discuss MPEG motion picture compression, applications of JPEG, and related topics.) If you don't have the CACM issue handy, a PostScript file containing a revised version of Wallace's article is available at <ftp://ftp.uu.net/graphics/jpeg/wallace.ps.gz>. The file (actually a preprint for an article that appeared in IEEE Trans. Consumer Electronics) omits the sample images that appeared in CACM, but it includes corrections and some added material. Note: the Wallace article is copyright ACM and IEEE, and it may not be used for commercial purposes.

A somewhat less technical, more leisurely introduction to JPEG can be found in "The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides good explanations and example C code for a multitude of compression methods including JPEG. It is an excellent source if you are comfortable reading C code but don't know much about data compression in general. The book's JPEG sample code is far from industrial-strength, but when you are ready to look at a full implementation, you've got one here...

The best full description of JPEG is the textbook "JPEG Still Image Data Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US\$59.95, 638 pp. The book includes the complete text of the ISO JPEG standards (DIS 10918-1 and draft DIS 10918-2). This is by far the most complete exposition of JPEG in existence, and we highly recommend it.

The

JPEG standard itself is not available electronically; you must order a paper copy through ISO or ITU. (Unless you feel a need to own a certified official copy, we recommend buying the Pennebaker and Mitchell book instead; it's much cheaper and includes a great deal of useful explanatory material.)

In the USA, copies of the standard may be ordered from ANSI Sales at (212) 642-4900, or from Global Engineering Documents at (800) 854-7179. (ANSI doesn't take credit card orders, but Global does.) It's not cheap: as of 1992, ANSI was charging \$95 for Part 1 and \$47 for Part 2, plus 7% shipping/handling. The standard is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still

Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

Some extensions to the original JPEG standard are defined in JPEG Part 3, a newer ISO standard numbered ISO/IEC IS 10918-3 and ITU-T T.84. IJG currently does not support any Part 3 extensions.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, revision 1.02. A copy of the JFIF spec is available from:

Literature Department

C-Cube Microsystems, Inc.

1778 McCarthy Blvd.

Milpitas, CA 95035

phone (408) 944-6300, fax (408) 944-6314

A PostScript version of this document is available by FTP at

<ftp://ftp.uu.net/graphics/jpeg/jfif.ps.gz>. There is also a plain text version at <ftp://ftp.uu.net/graphics/jpeg/jfif.txt.gz>, but it is missing the figures.

The TIFF 6.0 file format specification can be obtained by FTP from <ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz>. The JPEG incorporation scheme found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems. IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6). Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from <ftp.sgi.com> or from <ftp://ftp.uu.net/graphics/jpeg/>. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note. libtiff is available from <ftp://ftp.sgi.com/graphics/tiff/>.

ARCHIVE LOCATIONS

=====

The "official" archive site for this software is <ftp.uu.net> (Internet address 192.48.96.9). The most recent released version can always be found there in directory <graphics/jpeg>. This particular version will be archived as <ftp://ftp.uu.net/graphics/jpeg/jpegsrc.v6b.tar.gz>. If you don't have direct Internet access, UUNET's archives are also available via UUCP; contact help@uunet.uu.net for information on retrieving files that way.

Numerous Internet sites maintain copies of the UUNET files. However, only <ftp.uu.net> is guaranteed to have the latest official version.

You can also obtain this software in DOS-compatible "zip" archive format from the SimTel archives (<ftp://ftp.simtel.net/pub/simtelnet/msdos/graphics/>), or on CompuServe in the Graphics Support forum (GO CIS:GRAPHSUP), library 12 "JPEG Tools". Again, these versions may sometimes lag behind the <ftp.uu.net> release.

The JPEG FAQ (Frequently Asked Questions) article is a useful source of general information about JPEG. It is updated constantly and therefore is not included in this distribution. The FAQ is posted every two weeks to Usenet newsgroups <comp.graphics.misc>, <news.answers>, and other groups. It is available on the World Wide Web at <http://www.faqs.org/faqs/jpeg-faq/> and other <news.answers> archive sites, including the official <news.answers> archive at <rtfm.mit.edu>: <ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/>. If you don't have Web or FTP access, send e-mail to mail-server@rtfm.mit.edu with body

send usenet/news.answers/jpeg-faq/part1

send usenet/news.answers/jpeg-faq/part2

RELATED SOFTWARE

=====

Numerous viewing and image manipulation programs now support JPEG. (Quite a few of them use this library to do so.) The JPEG FAQ described above lists some of the more popular free and shareware viewers, and tells where to obtain them on Internet.

If you are on a Unix machine, we highly recommend Jef Poskanzer's free PBPLUS software, which provides many useful operations on PPM-format image files. In particular, it can convert PPM images to and from a wide range of other formats, thus making cjpeg/djpeg considerably more useful. The latest version is distributed by the NetPBM group, and is available from numerous sites,

notably <ftp://wuarchive.wustl.edu/graphics/graphics/packages/NetPBM/>.

Unfortunately PBPLUS/NETPBM is not nearly as portable as the IJG software is; you are likely to have difficulty making it work on any non-Unix machine.

A different free JPEG implementation, written by the PVRG group at Stanford, is available from <ftp://havefun.stanford.edu/pub/jpeg/>. This program is designed for research and experimentation rather than production use; it is slower, harder to use, and less portable than the IJG code, but it is easier to read and modify. Also, the PVRG code supports lossless JPEG, which we do not. (On the other hand, it doesn't do progressive JPEG.)

FILE FORMAT WARS

=====

Some JPEG programs produce files that are not compatible with our library. The root of the problem is that the ISO JPEG committee failed to specify a concrete file format. Some vendors "filled in the blanks" on their own, creating proprietary formats that no one else could read.

(For example, none of the early commercial JPEG implementations for the Macintosh were able to exchange compressed files.)

The file format we have adopted is called JFIF (see REFERENCES). This format has been agreed to by a number of major commercial JPEG vendors, and it has become the de facto standard. JFIF is a minimal or "low end" representation. We recommend the use of TIFF/JPEG (TIFF revision 6.0 as modified by TIFF Technical Note #2) for "high end" applications that need to record a lot of additional data about an image. TIFF/JPEG is fairly new and not yet widely supported, unfortunately.

The upcoming JPEG Part 3 standard defines a file format called SPIFF. SPIFF is interoperable with JFIF, in the sense that most JFIF decoders should be able to read the most common variant of SPIFF. SPIFF has some technical advantages over JFIF, but its major claim to fame is simply that it is an official standard rather than an informal one. At this point it is unclear whether

SPIFF will supersede JFIF or whether JFIF will remain the de-facto standard. IJG intends to support SPIFF once the standard is frozen, but we have not decided whether it should become our default output format or not. (In any case, our decoder will remain capable of reading JFIF indefinitely.)

Various proprietary file formats incorporating JPEG compression also exist. We have little or no sympathy for the existence of these formats. Indeed, one of the original reasons for developing this free software was to help force convergence on common, open format standards for JPEG files. Don't use a proprietary file format!

TO DO

=====

The major thrust for v7 will probably be improvement of visual quality. The current method for scaling the quantization tables is known not to be very good at low Q values. We also intend to investigate block boundary smoothing, "poor man's variable quantization", and other means of improving quality-vs-file-size performance without sacrificing compatibility.

In future versions, we are considering supporting some of the upcoming JPEG Part 3 extensions --- principally, variable quantization and the SPIFF file format.

As always, speeding things up is of great interest.

Please send bug reports, offers of help, etc. to jpeg-info@uunet.uu.net.

1.2 javax-inject 1

1.2.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

/*

* Copyright (C) 2009 The JSR-330 Expert Group

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

1.3 commons-math 2.1

1.3.1 Available under license :

Apache Commons Math

Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

=====
The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
Relationship, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math.optimization.linear include software developed by
Benjamin McCann (<http://www.benmccann.com>) and distributed with
the following copyright: Copyright 2009 Google Inc.
=====

This product includes software developed by the

University of Chicago, as Operator of Argonne National
Laboratory.

The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmdcr, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright
Notice (1999) University of Chicago. All rights reserved

=====

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer

=====

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

=====

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto
and Takuji
Nishimura. Original source copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved

=====

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

=====

For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in the LevenbergMarquardtOptimizer class in package org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

Alternately, this acknowledgment may appear in the

software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright
and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.

- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura, All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.4 slf4j 1.6.6

1.4.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously

marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You

must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices

within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for

inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file

except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/*

* Copyright 2001-2004 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Copyright (c) 2004-2011 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.5 resourcelocator 1.0.1

1.5.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer

software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable

by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance

with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c)

The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this

License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4.

Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee

for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license

of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled

for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise

make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE

IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software

where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES.

THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48

C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded.

Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU

General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software

interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the

source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License

to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent

application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The

hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL

Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.6 javax-el 2.2.6

1.6.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2011 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
```

```
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/
```

```
/*
Author: Jacob Hookom
Email: jacob at hookom.net
Author: Kin-man Chung
*/
```

```
/* == Option Declaration == */
options
{
STATIC=false;
NODE_PREFIX="Ast";
VISITOR_EXCEPTION="javax.el.ELEXception";
VISITOR=false;
MULTI=true;
NODE_DEFAULT_VOID=true;
JAVA_UNICODE_ESCAPE=false;
UNICODE_INPUT=true;
BUILD_NODE_FILES=true;
}

```

```
/* == Parser Declaration == */
PARSER_BEGIN( ELParser )
package com.sun.el.parser;
import java.io.StringReader;
import javax.el.ELEXception;
public class ELParser
{
public static Node parse(String ref) throws ELEXception
{
try {
return (new ELParser(new StringReader(ref))).CompositeExpression();
}
}
}

```



```

    } catch (ParseException pe) {
        throw new ELException(pe.getMessage());
    }
}
}
PARSER_END( ELParser )

/*
 * CompositeExpression
 * Allow most flexible parsing, restrict by examining
 * type of returned node
 */
AstCompositeExpression CompositeExpression() #CompositeExpression
: {}
{
    (DeferredExpression() | DynamicExpression() | LiteralExpression())* <EOF> { return jjtThis; }
}

/*
 * LiteralExpression
 * Non-EL Expression blocks
 */
void LiteralExpression() #LiteralExpression : { Token t = null; }
{
    t=<LITERAL_EXPRESSION> { jjtThis.setImage(t.image); }
}

/*
 * DeferredExpression
 * #{..} Expressions
 */
void DeferredExpression() #DeferredExpression : {}
{
    <START_DEFERRED_EXPRESSION> Expression() <END_EXPRESSION>
}

/*
 * DynamicExpression
 * ${..} Expressions
 */
void DynamicExpression() #DynamicExpression : {}
{
    <START_DYNAMIC_EXPRESSION> Expression() <END_EXPRESSION>
}

/*
 * Expression
 * EL Expression Language Root, goes to Choice

```

```

*/
void Expression() : {}
{
    Choice()
}

/*
* Choice
* For Choice markup a ? b : c, then Or
*/
void Choice() : {}
{
    Or() (<QUESTIONMARK> Choice() <COLON> Choice() #Choice(3))?
}

/*
* Or
* For 'or' '|', then And
*/
void Or() : {}
{
    And() ((<OR0>|<OR1>) And() #Or(2))*
}

/*
* And
* For 'and'
'&&', then Equality
*/
void And() : {}
{
    Equality() ((<AND0>|<AND1>) Equality() #And(2))*
}

/*
* Equality
* For '==' 'eq' '!=' 'ne', then Compare
*/
void Equality() : {}
{
    Compare()
    (
        ((<EQ0>|<EQ1>) Compare() #Equal(2))
    |
        ((<NE0>|<NE1>) Compare() #NotEqual(2))
    )*
}

```

```

/*
* Compare
* For a bunch of them, then Math
*/
void Compare() : { }
{
  Math()
  (
    (<LT0>|<LT1>) Math() #LessThan(2))
  |
    (<GT0>|<GT1>) Math() #GreaterThan(2))
  |
    (<LE0>|<LE1>) Math() #LessThanEqual(2))
  |
    (<GE0>|<GE1>) Math() #GreaterThanEqual(2))
  )*
}

```

```

/*
* Math
* For '+' '-', then Multiplication
*/
void Math() : { }
{
  Multiplication()
  (
    (<PLUS> Multiplication() #Plus(2))
  |
    (<MINUS> Multiplication() #Minus(2))
  )*
}

```

```

/*
* Multiplication
* For a bunch of them, then Unary
*/
void Multiplication() : { }
{
  Unary()
  (
    (<MULT> Unary() #Mult(2))
  |
    ((<DIV0>|<DIV1>) Unary() #Div(2))
  |
    ((<MOD0>|<MOD1>) Unary() #Mod(2))
  )*
}

```

```

/*
* Unary
* For '-' '!' 'not' 'empty', then Value
*/
void
Unary() : {}
{
<MINUS> Unary() #Negative
|
(<NOT0>|<NOT1>) Unary() #Not
|
<EMPTY> Unary() #Empty
|
Value()
}

/*
* Value
* Defines Prefix plus zero or more Suffixes
*/
void Value() : {}
{
(ValuePrefix() (ValueSuffix()*) #Value(>1)
}

/*
* ValuePrefix
* For Literals, Variables, and Functions
*/
void ValuePrefix() : {}
{
Literal()
| NonLiteral()
}

/*
* ValueSuffix
* Either dot or bracket notation
*/
void ValueSuffix() : {}
{
DotSuffix() | BracketSuffix()
}

/*
* DotSuffix
* Dot Property and Dot Method
*/

```

```

void DotSuffix() #DotSuffix : { Token t = null; }
{
    <DOT> t=<IDENTIFIER> { jjtThis.setImage(t.image); }
    ( (<LPAREN> (Expression) (<COMMA> Expression)*)? <RPAREN> )
    #MethodArguments
    )?
}

/*
 * BracketSuffix
 * Sub Expression Suffix
 */
void BracketSuffix() #BracketSuffix : { }
{
    <LBRACK> Expression() <RBRACK>
    ( (<LPAREN> (Expression) (<COMMA> Expression)*)? <RPAREN> )
    #MethodArguments

    )?
}

/*
 * NonLiteral
 * For Grouped Operations, Identifiers, and Functions
 */
void NonLiteral() : { }
{
    <LPAREN> Expression() <RPAREN>
    | LOOKAHEAD(4) Function()
    | Identifier()
}

/*
 * Identifier
 * Java Language Identifier
 */
void Identifier() #Identifier : { Token t = null; }
{
    t=<IDENTIFIER> { jjtThis.setImage(t.image); }
}

/*
 * Function
 * Namespace:Name(a,b,c)
 */
void Function() #Function :
{
    Token t0 = null;

```

```

Token t1 = null;
}
{
t0=<IDENTIFIER> (<COLON> t1=<IDENTIFIER>)?
{
if (t1 != null) {
jjtThis.setPrefix(t0.image);
jjtThis.setLocalName(t1.image);
} else {
jjtThis.setLocalName(t0.image);
}
}
<LPAREN> (Expression() (<COMMA> Expression())*)? <RPAREN>
}

```

```
/*
```

```
* Literal
```

```
* Reserved Keywords
```

```
*/
```

```
void Literal() : { }
```

```
{
```

```
Boolean()
```

```
| FloatingPoint()
```

```
| Integer()
```

```
| String()
```

```
| Null()
```

```
}
```

```
/*
```

```
* Boolean
```

```
* For 'true' 'false'
```

```
*/
```

```
void Boolean() : { }
```

```
{
```

```
<TRUE> #True
```

```
| <FALSE> #False
```

```
}
```

```
/*
```

```
* FloatinPoint
```

```
* For Decimal and Floating Point Literals
```

```
*/
```

```
void
```

```
FloatingPoint() #FloatingPoint : { Token t = null; }
```

```
{
```

```
t=<FLOATING_POINT_LITERAL> { jjtThis.setImage(t.image); }
```

```
}
```

```

/*
* Integer
* For Simple Numeric Literals
*/
void Integer() #Integer : { Token t = null; }
{
  t=<INTEGER_LITERAL> { jjtThis.setImage(t.image); }
}

```

```

/*
* String
* For Quoted Literals
*/
void String() #String : { Token t = null; }
{
  t=<STRING_LITERAL> { jjtThis.setImage(t.image); }
}

```

```

/*
* Null
* For 'null'
*/
void Null() #Null : {}
{
  <NULL>
}

```

```

/*
=====
== */
<DEFAULT> TOKEN :
{
  < LITERAL_EXPRESSION:
    ((~["\\", "$", "#"])
     | ("\" ("\" | \"$ | "#"))
     | ("$" ~["{", "$"])
     | ("#" ~["{", "#"])
    )+
    | "$"
    | "#"
  >
  |
  < START_DYNAMIC_EXPRESSION: "${" > : IN_EXPRESSION
  |
  < START_DEFERRED_EXPRESSION: "#{" > : IN_EXPRESSION
}

```

<DEFAULT> SKIP : { "\\\" }

<IN_EXPRESSION> SKIP : { " | \"t\" | \"n\" | \"r\" }

<IN_EXPRESSION> TOKEN :

{

< INTEGER_LITERAL : ["0"- "9"]

(["0"- "9"]) * >

| < FLOATING_POINT_LITERAL : (["0"- "9"] + "." (["0"- "9"]) * (< EXPONENT >) ?

| "." (["0"- "9"]) + (< EXPONENT >) ?

| (["0"- "9"]) + < EXPONENT >

>

| < #EXPONENT : ["e", "E"] (["+", "-"]) ? (["0"- "9"]) + >

| < STRING_LITERAL : ("\"" (~ ["\"", "\\\"]

| "\\\" (["\"", "\\\"])) * "\"")

| ("\"" (~ ["\"", "\\\"]

| "\\\" (["\"", "\\\"])) * "\"")

>

| < BADLY_ESCAPED_STRING_LITERAL : ("\"" (~ ["\"", "\\\"]) * ("\\\" (~ ["\"", "\\\"])))

| ("\\\" (~ ["\"", "\\\"]) * ("\\\" (~ ["\"", "\\\"])))

>

| < TRUE : "true" >

| < FALSE : "false" >

| < NULL : "null" >

| < END_EXPRESSION : "}" > : DEFAULT

| < DOT : "." >

| < LPAREN : "(" >

| < RPAREN : ")" >

| < LBRACK : "[" >

| < RBRACK : "]" >

| < COLON : ":" >

| < COMMA : "," >

| < GT0 : ">" >

| < GT1 : "gt" >

| < LT0 : "<" >

| < LT1 : "lt" >

| < GE0 : ">=" >

| < GE1 : "ge" >

| < LE0 : "<=" >

| < LE1 : "le" >

| < EQ0 : "==" >

| < EQ1 : "eq" >

| < NE0 : "!=" >

| < NE1 : "ne" >

| < NOT0 : "!" >

| < NOT1 : "not" >

| < AND0 : "&&" >

| < AND1 : "and" >
 | < OR0 :
 | "||" >
 | < OR1 : "or" >
 | < EMPTY : "empty" >
 | < INSTANCEOF : "instanceof" >
 | < MULT : "*" >
 | < PLUS : "+" >
 | < MINUS : "-" >
 | < QUESTIONMARK : "?" >
 | < DIV0 : "/" >
 | < DIV1 : "div" >
 | < MOD0 : "%" >
 | < MOD1 : "mod" >
 | < IDENTIFIER : (<LETTER>|<IMPL_OBJ_START>)(<LETTER>|<DIGIT>)* >
 | < #IMPL_OBJ_START: "#" >
 | < #LETTER:
 | [
 | "\u0024",
 | "\u0041"-" \u005a",
 | "\u005f",
 | "\u0061"-" \u007a",
 | "\u00c0"-" \u00d6",
 | "\u00d8"-" \u00f6",
 | "\u00f8"-" \u00ff",
 | "\u0100"-" \u1fff",
 | "\u3040"-" \u318f",
 | "\u3300"-" \u337f",
 | "\u3400"-" \u3d2d",
 | "\u4e00"-" \u9fff",
 | "\uf900"-" \ufaff"
 |]
 | >
 | < #DIGIT:
 | [
 | "\u0030"-" \u0039",
 | "\u0660"-" \u0669",
 | "\u06f0"-" \u06f9",
 | "\u0966"-" \u096f",
 | "\u09e6"-" \u09ef",
 | "\u0a66"-" \u0a6f",
 | "\u0ae6"-" \u0aef",
 | "\u0b66"-" \u0b6f",
 | "\u0be7"-" \u0bef",
 | "\u0c66"-" \u0c6f",
 | "\u0ce6"-" \u0cef",
 | "\u0d66"-" \u0d6f",
 | "\u0e50"-" \u0e59",

```
"\u0ed0"-\u0ed9",
"\u1040"-\u1049"
]
>
| < ILLEGAL_CHARACTER: (~[]) >
}
```

Found in path(s):

```
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/ELParser.jjt
```

No license file was found, but licenses were detected in source scan.

```
# Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
# The contents of this file are subject to the terms of either the GNU
# General Public License Version 2 only ("GPL") or the Common Development
# and Distribution License("CDDL") (collectively, the "License"). You
# may not use this file except in compliance with the License. You can
# Oracle designates this particular file as subject to the "Classpath"
# exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

```
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/Messages.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2011 Google Inc. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/googlecode/concurrentlinkedhashmap/LinkedDeque.java
```

```
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/googlecode/concurrentlinkedhashmap/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made
 * subject to such option by the copyright
 * holder.
 */
```

Found in path(s):

```
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/lang/EvaluationContext.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/lang/VariableMapperImpl.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
```

sources/com/sun/el/parser/AstNegative.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstString.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstMod.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstOr.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstDynamicExpression.java
*
/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstCompositeExpression.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstTrue.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstLessThan.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstLessThanEqual.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/ValueExpressionImpl.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstEmpty.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/SimpleNode.java
*
/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/BooleanNode.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/ExpressionFactoryImpl.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstNot.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstNotEqual.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/Node.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstDotSuffix.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/util/ReflectionUtil.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/lang/FunctionMapperFactory.java
*
/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstGreaterThanEqual.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstFloatingPoint.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstNull.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstDiv.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstGreaterThan.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstBracketSuffix.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstLiteralExpression.java

*

/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstPlus.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/ParseException.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstMinus.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/util/MessageFactory.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstIdentifier.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstMult.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/Token.java

*

/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/ArithmeticNode.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstInteger.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstAnd.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/lang/FunctionMapperImpl.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstFunction.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/TokenMgrError.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/lang/VariableMapperFactory.java

*

/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/parser/AstEqual.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/MethodExpressionImpl.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/ValueExpressionLiteral.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/sun/el/MethodExpressionLiteral.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-

sources/com/sun/el/parser/AstDeferredExpression.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/AstFalse.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/NodeVisitor.java
*
/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/lang/ELArithmetic.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/AstChoice.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/lang/ELSupport.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/AstMethodArguments.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/ELParserTreeConstants.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/SimpleCharStream.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/lang/ExpressionBuilder.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/ELParser.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/ELParserConstants.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/ELParserTokenManager.java
*
/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/JJTELParseState.java
* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-
sources/com/sun/el/parser/AstValue.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-

sources/com/googlecode/concurrentlinkedhashmap/EntryWeigher.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010 Google Inc. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/Weighers.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/Weigher.java

*

/opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/ConcurrentLinkedHashMap.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/EvictionListener.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2005 Brian Goetz

* Released under the Creative Commons Attribution License

* (<http://creativecommons.org/licenses/by/2.5>)

* Official home: <http://www.jcip.net>

*/

Found in path(s):

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/ThreadSafe.java

* /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/GuardedBy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2005 Brian Goetz and Tim Peierls

* Released under the Creative Commons Attribution License

- * (<http://creativecommons.org/licenses/by/2.5>)
- * Official home: <http://www.jcip.net>
- *
- * Any republication or derived work distributed in source code form
- * must include this copyright and license notice.
- */

Found in path(s):

- * /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/NotThreadSafe.java
- * /opt/cola/permits/119263925_1695289670.2380831/0/javax-el-2-2-6-sources-2-tar/javax.el-2.2.6-sources/com/googlecode/concurrentlinkedhashmap/Immutable.java

1.7 commons-collections 3.2.2

1.7.1 Available under license :

Apache Commons Collections
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.8 hk2-locator 2.5.0-b32

1.8.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.

*/

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/TwoPhaseTransactionDataImpl.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*
* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/DefaultClassAnalyzer.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/MethodInterceptorHandler.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/PopulatorImpl.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-

zip/org/jvnet/hk2/internal/ConstructorInterceptorHandler.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made

subject to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-

zip/org/jvnet/hk2/internal/IterableProviderImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/IndexedListData.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ConstantActiveDescriptor.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/DelegatingClassLoader.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ImmediateResults.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ThreeThirtyResolver.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/Utilities.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ServiceHandleComparator.java

*

/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/SystemDescriptor.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ErrorResults.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/AutoActiveDescriptor.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/CacheKey.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ServiceHandleImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/PerLookupContext.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/external/generator/ServiceLocatorGeneratorImpl.java

*

/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/SingletonContext.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/DynamicConfigurationServiceImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/Collector.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ValidationInformationImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/Creator.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ClazzCreator.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/MethodInterceptorImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/SystemInjecteeImpl.java

*

/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/FactoryCreator.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ErrorInformationImpl.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/NarrowResults.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/DescriptorComparator.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made

subject to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/DynamicConfigurationImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ServiceLocatorImpl.java

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/InstanceLifecycleEventImpl.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ProxyUtilities.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields
enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or
only the GPL Version 2, indicate your decision by adding "[Contributor]
elects to include this software in this distribution under the [CDDL or GPL
Version 2] license." If you don't indicate a single choice of license, a
recipient has the option to distribute your version of this file under
either the CDDL, the GPL Version 2 or to extend the choice of license to
its licensees as provided above. However, if you add GPL Version 2 code

and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-zip/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ServiceLocatorRuntimeImpl.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/external/runtime/ServiceLocatorRuntimeBean.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/AnnotatedElementAnnotationInfo.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/InstantiationServiceImpl.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/SoftAnnotatedElementAnnotationInfo.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/PerLocatorUtilities.java
* /opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/external/runtime/Hk2LocatorUtilities.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

```
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/
```

Found in path(s):

```
*/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ConstructorActionImpl.java
*/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/Closeable.java
*/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/ConstructorAction.java
*/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/MethodInterceptorInvocationHandler.java
*/opt/cola/permits/144645407_1695307379.355461/0/hk2-locator-2-5-0-b32-sources-
zip/org/jvnet/hk2/internal/TopicImpl.java
```

1.9 hk2-api 2.5.0-b32

1.9.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*/
```

- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception
- as provided by Oracle in the GPL Version 2 section of the License
- * file that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made
- subject to such option by the copyright
- * holder.
- */

Found in path(s):

- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/ActiveDescriptorBuilder.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/binding/ServiceBindingBuilder.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/api/Rank.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/binding/NamedBindingBuilder.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/api/MultiException.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/binding/AbstractBindingBuilder.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/AbstractActiveDescriptor.java
- *
- /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/api/ServiceLocator.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/DescriptorImpl.java


```
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/ConstantActiveDescriptor.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ActiveDescriptor.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/AliasDescriptor.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DynamicConfiguration.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/ActiveDescriptorBuilderImpl.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2011-2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
```

* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/binding/AbstractBinder.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/InheritableThreadContext.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made

subject to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/jvnet/hk2/annotations/package-info.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/jvnet/hk2/annotations/Service.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/PostConstruct.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/DescriptorBuilder.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/jvnet/hk2/annotations/Optional.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/jvnet/hk2/annotations/Contract.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/jvnet/hk2/annotations/InhabitantAnnotation.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/Stub.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/TwoPhaseTransactionData.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/TwoPhaseResource.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/DuplicatePostProcessorMode.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or [packager/legal/LICENSE.txt](#). See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at [packager/legal/LICENSE.txt](#).

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License
file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-zip/pom.xml
No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception

as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/messaging/MessageReceiver.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DuplicateServiceException.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ImmediateController.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/ImmediateLocalLocatorFilter.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DescriptorFileFinderInformation.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InstantiationService.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InstantiationData.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/HandleAndService.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at

- * https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
- * or packager/legal/LICENSE.txt. See the License for the specific
- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception
- as provided by Oracle in the GPL Version 2 section of the License
- * file that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject
- to such option by the copyright
- * holder.
- */

Found in path(s):

- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/InheritableThreadScopeModule.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ContractIndicator.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InjectionPointIndicator.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/HK2Invocation.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InheritableThread.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/ClassLoaderPostProcessor.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/AOPProxyCtl.java
- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-

zip/org/glassfish/hk2/utilities/ImmediateScopeModule.java
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/PerThreadScopeModule.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/EnableLookupExceptionsModule.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/messaging/Topic.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/OrFilter.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/messaging/TopicDistributionService.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2015-2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Customizer.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/UnqualifiedImpl.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Customize.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InstanceLifecycleEvent.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/PerThreadContext.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InstanceLifecycleEventType.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InstanceLifecycleListener.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/PerThread.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ProxyCtl.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/binding/BindingBuilderFactory.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ErrorInformation.java
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/jvnet/hk2/annotations/ContractsProvided.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/NamedImpl.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Visibility.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Metadata.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/AnnotationLiteral.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ErrorMessage.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Unproxiable.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ErrorType.java
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/FactoryDescriptorsImpl.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Descriptor.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/UnsatisfiedDependencyException.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/DescriptorBuilderImpl.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Operation.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Validator.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ServiceHandle.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/IterableProvider.java

*

/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Unqualified.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/ServiceLocatorFactoryImpl.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Filter.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/binding/ScopedBindingBuilder.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/ServiceLocatorUtilities.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/HK2Exception.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DynamicConfigurationService.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/JustInTimeInjectionResolver.java

*

/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/Binder.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/InjecteeImpl.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Self.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/extension/ServiceLocatorGenerator.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InjectionResolver.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/StarFilter.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/HK2RuntimeException.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Proxiable.java

```
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/binding/BindingBuilder.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Context.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/HK2LoaderImpl.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/UseProxy.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ValidationService.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Injectee.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Factory.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DescriptorVisibility.java
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/SpecificFilterImpl.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/FactoryDescriptors.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ValidationInformation.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/IndexedFilter.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/binding/ScopedNamedBindingBuilder.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ServiceLocatorFactory.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ServiceLocatorState.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/PerLookup.java
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/IndexedFilterImpl.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DescriptorType.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/HK2Loader.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved.
*
```

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/TypeLiteral.java

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/PreDestroy.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved.

```

*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.
*/

Found in path(s):
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/ContextualInput.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/messaging/SubscribeTo.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*

```

* Copyright (c) 2013-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or `packager/legal/LICENSE.txt`. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at `packager/legal/LICENSE.txt`.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.

*/

Found in path(s):

* `/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/DuplicatePostProcessor.java`

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved.

*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.

*/

Found in path(s):

* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ServiceLocatorListener.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Populator.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ClassAnalyzer.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/internal/ImmediateHelper.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-

zip/org/glassfish/hk2/api/PopulatorPostProcessor.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/ImmediateContext.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/InterceptionService.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/RethrowErrorService.java
*
/opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/ProxyForSameScope.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/ImmediateErrorHandler.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/Immediate.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DynamicConfigurationListener.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/DescriptorFileFinder.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/ClasspathDescriptorFileFinder.java
* /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
zip/org/glassfish/hk2/api/SingleCache.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2007-2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:

- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made
- subject to such option by the copyright
- * holder.
- */

Found in path(s):

- * /opt/cola/permits/144646683_1695307393.292425/0/hk2-api-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/BuilderHelper.java

1.10 jersey-common 2.25.1

1.10.1 Available under license :

No license file was found, but licenses were detected in source scan.

- /*
- * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
- *
- * Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.
- *
- * The contents of this file are subject to the terms of either the GNU
- * General Public License Version 2 only ("GPL") or the Common Development
- * and Distribution License("CDDL") (collectively, the "License"). You
- * may not use this file except in compliance with the License. You can
- * obtain a copy of the License at
- * http://glassfish.java.net/public/CDDL+GPL_1_1.html
- * or packager/legal/LICENSE.txt. See the License for the specific
- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/Version.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/ImmutableMultivaluedMap.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/SaxHelper.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/RankedComparator.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/OutboundJaxrsResponse.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/ExtendedConfig.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/Utils.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/Tokenizer.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/ReaderInterceptorExecutor.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/JdkVersion.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/WriterInterceptorExecutor.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/CustomAnnotationLiteral.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/Injections.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/InterceptorExecutor.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/NameBound.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/Custom.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/Providers.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ContentEncoder.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/JaxrsProviders.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/internal/CharacterIterator.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/EntityInputStream.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/CommonConfig.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/SimpleNamespaceResolver.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/DeflateEncoder.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/GZipEncoder.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/StringKeyIgnoreCaseMultivaluedMap.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/InboundMessageContext.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/ExtendedLogger.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MessageBodyProviderNotFoundException.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/Quality.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/RankedProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/Values.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/Base64.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MessageBodyProcessingException.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-

zip/org/glassfish/jersey/internal/inject/ContextInjectionResolver.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/ContractProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/PropertiesHelper.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/internal/UriParser.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/ExecutorProviders.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/OsgiRegistry.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/BasicTypesMessageProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MessagingBinders.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/Errors.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/ComponentBag.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/OutboundMessageContext.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/FeatureContextWrapper.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/spi/ForcedAutoDiscoverable.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/InternalProperties.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ServiceLocatorSupplier.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/ServiceLocatorProvider.java

No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2010-2014 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/PatternWithGroups.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/RequestScoped.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/RenderedImageProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/StreamingOutputProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/CookieProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/i10n/Localizer.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/Stages.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/ReaderProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/NewCookieProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/DateProvider.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*
* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/

Found in path(s):
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*

* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or `packager/legal/LICENSE.txt`. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at `packager/legal/LICENSE.txt`.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided
by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to
such option by the copyright
* holder.
*/

Found in path(s):

* `/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/PropertyAlias.java`
* `/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/JerseyPriorities.java`
* `/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/Property.java`
* `/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/PropertiesClass.java`

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ReferenceTransformingFactory.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013-2014 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-

zip/org/glassfish/jersey/Beta.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2011-2014 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-

zip/org/glassfish/jersey/internal/ServiceFinderBinder.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/FactoryToService.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ProviderToService.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ProviderToFactory.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ReferencingFactory.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/SslConfigurator.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or `packager/legal/LICENSE.txt`. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at `packager/legal/LICENSE.txt`.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception as provided

by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject to

such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/logging/LoggingFeature.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/logging/ClientLoggingFilter.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/logging/LoggingInterceptor.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/logging/package-info.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/ExceptionUtils.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/logging/ServerLoggingFilter.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/logging/LoggingFeatureAutoDiscoverable.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception as provided

by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to
such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MsgTraceEvent.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/JerseyErrorService.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/JerseyLink.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/package-info.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/spi/package-info.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/LazyUnsafeValue.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/LazyValue.java
*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/NonBlockingInputStream.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/Severity.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/TracingAwarePropertiesDelegate.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/package-info.java

No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or `packager/legal/LICENSE.txt`. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at `packager/legal/LICENSE.txt`.

* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as
provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/
/**
* Used to annotate SPI provider contracts recognized by Jersey (in addition to the JAX-RS providers).
*
* All proprietary Jersey extension APIs are annotated with the `{@code @Contract}` annotation.
* `<p>`
* Similarly, any custom (i.e. not JAX-RS or Jersey) extension provider contract must be annotated with this
* annotation otherwise concrete service classes implementing the provider contract would not be recognized
* and treated as extension service provider by Jersey runtime.
* `</p>`
*
* @author Miroslav Fuksa
* @author Marek Potociar (marek.potociar at oracle.com)
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/Contract.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2011-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or `packager/legal/LICENSE.txt`. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at `packager/legal/LICENSE.txt`.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception

as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/RuntimeDelegateImpl.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/GrammarUtil.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/DataStructures.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/VariantSelector.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/ChainableStage.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/MessageProperties.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/Stage.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ContextResolvers.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2009-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/
/**
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* <http://creativecommons.org/publicdomain/zero/1.0/>
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/LinkedTransferQueue.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/ImmutableCommonConfig.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/HeaderValueException.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/UnsafeValue.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception as provided

by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to
such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/Scoped.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/Closure.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/Closing.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/PropertiesDelegate.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/AbstractChainableStage.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/PathTemplate.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/LazyUid.java
*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/Producer.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/MapPropertiesDelegate.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/Value.java

No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2013-2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/CommonProperties.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2011-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/filter/LoggingFilter.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at

- * http://glassfish.java.net/public/CDDL+GPL_1_1.html
- * or packager/legal/LICENSE.txt. See the License for the specific
- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception
- as provided by Oracle in the GPL Version 2 section of the License
- * file that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject
- to such option by the copyright
- * holder.
- */

Found in path(s):

- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/message/internal/TracingLogger.java
- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/internal/spi/AutoDiscoverable.java
- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/internal/util/collection/Settable.java
- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/message/internal/TracingInfo.java
- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/internal/inject/JerseyClassAnalyzer.java
- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/message/internal/NullOutputStream.java
- * /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
- zip/org/glassfish/jersey/spi/ExtendedExceptionMapper.java
- *

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/ByteBufferInputStream.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2009-2013 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/licenses/publicdomain>

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/TransferQueue.java

No license file was found, but licenses were detected in source scan.

```
# Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.  
# The contents of this file are subject to the terms of either the GNU  
# General Public License Version 2 only ("GPL") or the Common Development  
# and Distribution License("CDDL") (collectively, the "License"). You  
# may not use this file except in compliance with the License. You can  
# Oracle designates this particular file as subject to the "Classpath"  
# exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/build.properties

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved.

*

```
* The contents of this file are subject to the terms of either the GNU  
* General Public License Version 2 only ("GPL") or the Common Development  
* and Distribution License("CDDL") (collectively, the "License"). You  
* may not use this file except in compliance with the License. You can  
* obtain a copy of the License at  
* http://glassfish.java.net/public/CDDL+GPL\_1\_1.html  
* or packager/legal/LICENSE.txt. See the License for the specific  
* language governing permissions and limitations under the License.
```

*

```
* When distributing the software, include this License Header Notice in each  
* file and include the License file at packager/legal/LICENSE.txt.
```

*

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"  
* exception
```

```
as provided by Oracle in the GPL Version 2 section of the License  
* file that accompanied this code.
```

*

```
* Modifications:
```

```
* If applicable, add the following below the License Header, with the fields  
* enclosed by brackets [] replaced by your own identifying information:
```

```
* "Portions Copyright [year] [name of copyright owner]"
```

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/internal/package-info.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/VariantListBuilder.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/ByteArrayProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/HeaderDelegateProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/UriProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/package-info.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/110n/package-info.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/110n/Localizable.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/package-info.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/Inflector.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/MultivaluedStringMap.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/StringHeaderProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/110n/LocalizableMessageFactory.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/ServiceConfigurationError.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/package-info.java

```
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-  
zip/org/glassfish/jersey/message/internal/StringMessageProvider.java  
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-  
zip/org/glassfish/jersey/message/internal/package-info.java  
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 2009-2013 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
```

```
* General Public License Version 2 only ("GPL") or the Common Development
```

```
* and Distribution License("CDDL") (collectively, the "License"). You
```

```
* may not use this file except in compliance with the License. You can
```

```
* obtain a copy of the License at
```

```
* http://glassfish.java.net/public/CDDL+GPL\_1\_1.html
```

```
* or packager/legal/LICENSE.txt. See the License for the specific
```

```
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
```

```
* file and include the License file at packager/legal/LICENSE.txt.
```

```
*
```

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
```

```
* exception
```

```
as provided by Oracle in the GPL Version 2 section of the License
```

```
* file that accompanied this code.
```

```
*
```

```
* Modifications:
```

```
* If applicable, add the following below the License Header, with the fields
```

```
* enclosed by brackets [] replaced by your own identifying information:
```

```
* "Portions Copyright [year] [name of copyright owner]"
```

```
*
```

```
* Contributor(s):
```

```
* If you wish your version of this file to be governed by only the CDDL or
```

```
* only the GPL Version 2, indicate your decision by adding "[Contributor]
```

```
* elects to include this software in this distribution under the [CDDL or GPL
```

```
* Version 2] license." If you don't indicate a single choice of license, a
```

```
* recipient has the option to distribute your version of this file under
```

```
* either the CDDL, the GPL Version 2 or to extend the choice of license to
```

```
* its licensees as provided above. However, if you add GPL Version 2 code
```

```
* and therefore, elected the GPL Version 2 license, then the option applies
```

```
* only if the new code is made subject
```

```
to such option by the copyright
```

```
* holder.
```

```
*/
```

```
/*
```

* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* <http://creativecommons.org/publicdomain/zero/1.0/>
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/ThreadLocalRandom.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

/**

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/ConcurrentHashMapV8.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/LanguageTag.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/AcceptableLanguageTag.java
No license file was found, but licenses were detected in source scan.

Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/localization.properties
No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/package-info.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/package-info.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/XmlHeader.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/Inflecting.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/package-info.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/package-info.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/ClassTypePair.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/package-info.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved.

*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.

*/

Found in path(s):

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MessageBodyFactory.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/HttpDateFormat.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/AbstractRuntimeDelegate.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/TypeVisitor.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-

zip/org/glassfish/jersey/message/MessageBodyWorkers.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/HeaderUtils.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/FormMultiValuedMapProvider.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ProviderBinder.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/CacheControlProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/internal/UriTemplateParser.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/DataSourceProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/Refs.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/internal/JerseyUriBuilder.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/LocaleProvider.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/Statuses.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MediaTypeProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/ExceptionMapperFactory.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/ReaderWriter.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MediaTypes.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/KeyComparatorHashMap.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/EntityTypeProvider.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/AcceptableMediaType.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/Token.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/MatchingEntityType.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/ContextResolverFactory.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/HttpHeaderListAdapter.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/CompletableReader.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ExtractorException.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/HttpHeaderReaderImpl.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/StringIgnoreCaseKeyComparator.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/FileProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/FormProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/HttpHeaderReader.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/InputStreamProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/internal/RequestScope.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/MessageUtils.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/LinkProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/UriTemplate.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/ServiceFinder.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/KeyComparator.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/CommittingOutputStream.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/StringBuilderUtils.java

*

/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/AbstractMessageReaderWriterProvider.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/QualitySourceMediaType.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/ReflectionHelper.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/PathPattern.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/Qualified.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/AcceptableToken.java

* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/uri/UriComponent.java

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * http://glassfish.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject
 * to such option by the copyright
 * holder.
 */
```

Found in path(s):

```
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/SourceProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
```

zip/org/glassfish/jersey/internal/i10n/LocalizableMessage.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/Ref.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/KeyComparatorLinkedHashMap.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ExceptionMappers.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/ParameterizedHeader.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/CookiesParser.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/internal/AbstractFormProvider.java
No license file was found, but licenses were detected in source scan.

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided
* by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL


```
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to
* such option by the copyright
* holder.
*/
```

Found in path(s):

```
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/WriterModel.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/ReaderModel.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ScheduledExecutorServiceProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/AbstractThreadPoolProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ThreadPoolExecutorProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/process/JerseyProcessingUncaughtExceptionHandler.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/model/internal/ManagedObjectsFinalizer.java
*
/opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ScheduledThreadPoolExecutorProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/spi/ExecutorServiceProvider.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/sonar/SonarJerseyCommon.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/inject/ForeignRequestScopeBridge.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/message/AbstractEntityProviderModel.java
* /opt/cola/permits/144647442_1695307395.2449157/0/jersey-common-2-25-1-sources-
zip/org/glassfish/jersey/internal/util/collection/NullableMultivaluedHashMap.java
```

1.11 hk2-utils 2.5.0-b32

1.11.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
```

* Copyright (c) 2015-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or `packager/legal/LICENSE.txt`. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at `packager/legal/LICENSE.txt`.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.

*/

Found in path(s):

* `/opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/Hk2ThreadLocal.java`

* `/opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/internal/ClassReflectionHelperUtilities.java`

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*
 * Copyright (c) 2015 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject
 * to such option by the copyright
 * holder.
 */

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
 zip/org/glassfish/hk2/utilities/reflection/GenericArrayTypeImpl.java
 * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
 zip/org/glassfish/hk2/utilities/cache/ComputationErrorException.java
 * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
 zip/org/glassfish/hk2/utilities/cache/internal/WeakCARCacheImpl.java
 * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-

zip/org/glassfish/hk2/utilities/general/internal/WeakHashClockImpl.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/internal/WeakHashLRUImpl.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/WeakHashClock.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/WeakCARCache.java
*
/opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/ThreadSpecificObject.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/CacheUtilities.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/WeakHashLRU.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/internal/DoubleNode.java
No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/Computable.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/internal/LRUCacheCheapRead.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/CacheKeyFilter.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/Cache.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/HybridCacheEntry.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/LRUHybridCache.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made

subject to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/general/GeneralUtilities.java

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/ClassReflectionHelper.java

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/internal/ClassReflectionHelperImpl.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2007-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

*/opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/jvnet/hk2/component/MultiMap.java

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2010-2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
obtain a copy of the License at
https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
or packager/legal/LICENSE.txt. See the License for the specific
language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each
file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-zip/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
subject to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/ReflectionHelper.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/TypeChecker.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

```

* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made
* subject to such option by the copyright
* holder.
*/

```

Found in path(s):

```

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/Pretty.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/LRUCache.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/Logger.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/Constants.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/cache/CacheEntry.java
* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/ParameterizedTypeImpl.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can

```

- * obtain a copy of the License at
- * https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
- * or packager/legal/LICENSE.txt. See the License for the specific
- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception
- as provided by Oracle in the GPL Version 2 section of the License
- * file that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject
- to such option by the copyright
- * holder.
- */

Found in path(s):

- * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/general/IndentingXMLStreamWriter.java
- * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/general/DelegatingXMLStreamWriter.java
- * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/general/internal/MessageInterpolatorImpl.java
- * /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
- zip/org/glassfish/hk2/utilities/general/ValidatorUtilities.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014 Oracle and/or its affiliates. All rights reserved.

*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.

*/

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/ScopeInfo.java

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/MethodWrapper.java

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-
zip/org/glassfish/hk2/utilities/reflection/internal/MethodWrapperImpl.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2014-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made

subject to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/144652198_1695303146.9236922/0/hk2-utils-2-5-0-b32-sources-

zip/org/glassfish/hk2/utilities/reflection/BeanReflectionHelper.java

1.12 tiger-types 1.4

1.12.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made
 * subject to such option by the copyright
 * holder.
 */
```

Found in path(s):

- * /opt/cola/permits/146726199_1695306667.849129/0/tiger-types-1-4-sources-jar/org/jvnet/tiger_types/Lister.java
- * /opt/cola/permits/146726199_1695306667.849129/0/tiger-types-1-4-sources-jar/org/jvnet/tiger_types/Types.java
- * /opt/cola/permits/146726199_1695306667.849129/0/tiger-types-1-4-sources-jar/org/jvnet/tiger_types/TypeVisitor.java
- * /opt/cola/permits/146726199_1695306667.849129/0/tiger-types-1-4-sources-jar/org/jvnet/tiger_types/ParameterizedTypeImpl.java
- * /opt/cola/permits/146726199_1695306667.849129/0/tiger-types-1-4-sources-jar/org/jvnet/tiger_types/WildcardTypeImpl.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2010 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception
* as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies

- * only if the new code is made subject to such option by the copyright holder.
- */

Found in path(s):

* /opt/cola/permits/146726199_1695306667.849129/0/tiger-types-1-4-sources-jar/org/jvnet/tiger_types/GenericArrayTypeImpl.java

1.13 jersey-media-multipart 2.25.1

1.13.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can
 * obtain a copy of the License at
 * http://glassfish.java.net/public/CDDL+GPL_1_1.html
 * or packager/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at packager/legal/LICENSE.txt.
 *
 * GPL Classpath Exception:
 * Oracle designates this particular file as subject to the "Classpath"
 * exception
 * as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
 *
 * Modifications:
 * If applicable, add the following below the License Header, with the fields
 * enclosed by brackets [] replaced by your own identifying information:
 * "Portions Copyright [year] [name of copyright owner]"
 *
 * Contributor(s):
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a

```


* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
* to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/package-info.java

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/file/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2010-2015 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/MultiPartProperties.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/ContentDisposition.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/FormDataContentDisposition.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/FormiParam.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/ParameterizedHeadersMap.java
No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* http://glassfish.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"
* exception as provided
by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to
such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/internal/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception as provided

by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

```
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to
such option by the copyright
* holder.
*/
```

Found in path(s):

```
*/opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/FormiParamException.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
```

```
*
```

```
* Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.
```

```
*
```

```
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
```

```
* http://glassfish.java.net/public/CDDL+GPL\_1\_1.html
```

```
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
```

```
*
```

```
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
```

```
*
```

```
* GPL Classpath Exception:
```

```
* Oracle designates this particular file as subject to the "Classpath"
* exception
```

```
as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
```

```
*
```

```
* Modifications:
```

```
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
```

```
* "Portions Copyright [year] [name of copyright owner]"
```

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject
to such option by the copyright
* holder.
*/

Found in path(s):

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/internal/FormDataParamInjectionFeature.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/MultiPartMediaTypes.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/BodyPartsList.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/file/FileDataBodyPart.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/file/DefaultMediaTypePredictor.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/MultiPart.java
*
/opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/internal/MultiPartWriter.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/BodyPart.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/FormDataMultiPart.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/file/MediaTypePredictor.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/BodyPartEntity.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/internal/MultiPartReaderServerSide.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/MultiPartFeature.java
*
/opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/file/StreamDataBodyPart.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/FormDataBodyPart.java

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-jar/org/glassfish/jersey/media/multipart/Boundary.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2016 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception

as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"

*

* Contributor(s):

* If you wish your version of this file to be governed by only the CDDL or

* only the GPL Version 2, indicate your decision by adding "[Contributor]

* elects to include this software in this distribution under the [CDDL or GPL

* Version 2] license." If you don't indicate a single choice of license, a

* recipient has the option to distribute your version of this file under

* either the CDDL, the GPL Version 2 or to extend the choice of license to

* its licensees as provided above. However, if you add GPL Version 2 code

* and therefore, elected the GPL Version 2 license, then the option applies

* only if the new code is made subject

to such option by the copyright

* holder.

*/

Found in path(s):

* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-

```
jar/org/glassfish/jersey/media/multipart/internal/MultiPartReaderClientSide.java
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/internal/FormDataParamValueFactoryProvider.java
No license file was found, but licenses were detected in source scan.
```

```
# Copyright (c) 2012-2015 Oracle and/or its affiliates. All rights reserved.
# The contents of this file are subject to the terms of either the GNU
# General Public License Version 2 only ("GPL") or the Common Development
# and Distribution License("CDDL") (collectively, the "License"). You
# may not use this file except in compliance with the License. You can
# Oracle designates this particular file as subject to the "Classpath"
# exception as provided by Oracle in the GPL Version 2 section of the License
```

Found in path(s):

```
* /opt/cola/permits/146746807_1695304085.5188348/0/jersey-media-multipart-2-25-1-sources-
jar/org/glassfish/jersey/media/multipart/internal/localization.properties
```

1.14 httpcore-nio 4.4.5

1.14.1 Available under license :

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="Home page of The Apache Software Foundation">

<link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
<link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
<link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
<link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
<link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
<link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
<link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
<link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
<link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
<link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
<link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
<link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
<link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="/favicons/manifest.json">
<link rel="shortcut icon" href="/favicons/favicon.ico">
<meta name="msapplication-TileColor" content="#603cba">
<meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
<meta name="msapplication-config" content="/favicons/browserconfig.xml">
```

```
<meta name="theme-color" content="#303284">
```

```
<title>Apache License, Version 2.0</title>
```

```
<link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'  
rel='stylesheet' type='text/css'>
```

```
<link href="/css/min.bootstrap.css" rel="stylesheet">
```

```
<link href="/css/styles.css" rel="stylesheet">
```

```
<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See  
the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF  
licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file  
except in compliance with the License. You may obtain a copy of the License at  
http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR  
CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing  
permissions and limitations under the License.
```

```
-->
```

```
</head>
```

```
<body>
```

```
<!-- Navigation -->
```

```
<header>
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
```

```
<span class="sr-only">Toggle navigation</span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
```

```
</div>
```

```
<div class="collapse navbar-collapse" id="mainnav-collapse">
```

```
<div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&nbsp;<a  
href="/licenses/">Licenses</a></div>
```

```
<ul class="nav navbar-nav navbar-right">
```

```
<li class="dropdown">
```

```
<a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
```

```
<ul class="dropdown-menu"
```

```
role="menu">
```

```
<li><a href="/foundation">Overview</a></li>
```

```
<li><a href="/foundation/members.html">Members</a></li>
```

```
<li><a href="/foundation/how-it-works.html">Process</a></li>
```

```
<li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
```

```
<li><a href="/foundation/glossary.html">Glossary</a></li>
```



```

<li><a href="/foundation/preFAQ.html">FAQ</a></li>
<li><a href="/foundation/contact.html ">Contact</a></li>
</ul>
</li>
<li><a href="/index.html#projects-list">Projects</a></li>
<li class="dropdown">
  <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
  <ul class="dropdown-menu" role="menu">
<li><a href="http://people.apache.org/">Overview</a></li>
<li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
<li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
<li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
<li><a href="http://planet.apache.org/">Planet Apache</a></li>
  </ul>
</li>
<li class="dropdown">
  <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
  <ul class="dropdown-menu" role="menu">
    <li><a href="/foundation/getinvolved.html">Overview</a></li>
    <li><a href="http://community.apache.org/">Community Development</a></li>
    <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
    <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
  </ul>
</li>
<li><a href="/dyn/closer.cgi">Download</a></li>
<li class="dropdown">
  <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
  <ul class="dropdown-menu" role="menu">
<li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
<li><a href="/foundation/contributing.html">Donations</a></li>
<li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
<li><a href="/foundation/thanks.html">Thanks</a></li>
  </ul>
</li>
</ul>
</div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
<div class="row">
  <div class="col-md-6 col-sm-5 col-xs-12">
    
  </div>

```

```

<div class="col-md-3 col-sm-3 col-xs-6">
<a href="http://apache.org/foundation/contributing.html" title="Support Apache">
  
</a>
</div>
<div class="col-md-3 col-sm-4 col-xs-6">
  <div class="input-group" style="margin-bottom: 5px;">
  <script>
(function() {
var cx = '005703438322411770421:5mgshgrgx2u';
var gcse = document.createElement('script');
gcse.type = 'text/javascript';
gcse.async = true;
gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
  '//cse.google.com/cse.js?cx=' + cx;
var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(gcse, s);
})();
</script>
  <gcse:searchbox-only></gcse:searchbox-only>
</div>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
<a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink",
except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover > .headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>
<p>Apache License<br></br>Version 2.0, January 2004<br></br>
<a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a> </p>
<p>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</p>
<p><strong><a name="definitions">1. Definitions</a></strong>.</p>
<p>"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.</p>

```

<p>"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.</p>

<p>"Legal Entity" shall mean the union of the acting entity and all other entities that control, are

controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.</p>

<p>"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.</p>

<p>"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.</p>

<p>"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.</p>

<p>"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated

by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).</p>

<p>"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.</p>

<p>"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means

any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."</p>

<p>"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.</p>

<p>2. Grant of Copyright License. Subject to the

terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly

perform, sublicense, and distribute the Work and such

Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under

this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

-

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices

within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction,

or distribution of Your modifications, or for any such

Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

<p>5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.</p>

<p>6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.</p>

<p>7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.</p>

<p>8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to

You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses),

even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License.

However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such

Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

```
Copyright [yyyy] [name of copyright owner]
```

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You

may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre></div></div>
```

```
<!-- Footer -->
```

```
<footer class="bg-primary">
```

```
<div class="container">
```

```
<div class="row">
```

```
<br />
```

```
<div class="col-sm-1">
```

```
</div>
```

```
<div class="col-sm-2">
  <h5 class="white">Community</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="http://community.apache.org/">Overview</a></li>
    <li><a href="/foundation/conferences.html">Conferences</a></li>
    <li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>
    <li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>
    <li><a
href="/foundation/how-it-works.html">The Apache Way</a></li>
    <li><a href="/travel/">Travel Assistance</a></li>
    <li><a href="/foundation/getinvolved.html">Get Involved</a></li>
    <li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>
    <li><a href="/memorials/">Memorials</a></li>
  </ul>
</div>
```

```
<div class="col-sm-2">
  <h5 class="white">Innovation</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="http://incubator.apache.org/">Incubator</a></li>
    <li><a href="http://labs.apache.org/">Labs</a></li>
    <li><a href="/licenses/">Licensing</a></li>
    <li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
    <li><a href="/foundation/marks/">Trademark Policy</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>
```

```
<div class="col-sm-2">
  <h5 class="white">Tech Operations</h5>
  <ul class="list-unstyled
white" role="menu">
    <li><a href="/dev/">Developer Information</a></li>
    <li><a href="/dev/infrastructure.html">Infrastructure</a></li>
    <li><a href="/security/">Security</a></li>
    <li><a href="http://status.apache.org">Status</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>
```

```
<div class="col-sm-2">
  <h5 class="white">Press</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/press/">Overview</a></li>
    <li><a href="https://blogs.apache.org/">ASF News</a></li>
    <li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
    <li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
    <li><a href="/press/#contact">Contacts</a></li>
  </ul>
</div>
```

```

    </ul>
  </div>

  <div class="col-sm-2">
    <h5 class="white">Legal</h5>
    <ul class="list-unstyled white" role="menu">
      <li><a href="/legal/">Legal Affairs</a></li>
      <li><a
href="/licenses/">Licenses</a></li>
      <li><a href="/foundation/marks/">Trademark Policy</a></li>
      <li><a href="/foundation/records/">Public Records</a></li>
      <li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>
      <li><a href="/licenses/exports/">Export Information</a></li>
      <li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
      <li><a href="/foundation/contact.html">Contacts</a></li>
    </ul>
  </div>

  <div class="col-sm-1">
  </div>

</div>
<hr class="col-lg-12 hr-white" />
<div class="row">
  <div class="col-lg-12">
    <p class="text-center">Copyright © 2017 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
    <p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
  </div>
  </div>
  </div>
</div>

</footer>

<!--
 / Footer -->

<script src="/js/jquery-2.1.1.min.js"></script>
<script src="/js/bootstrap.js"></script>
</body>
</html>

```

1.15 jsch 0.1.54

1.15.1 Available under license :

JSch 0.0.* was released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

Copyright (c) 2002-2015 Atsuhiko Yamanaka, JCraft, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.16 annotations 13.0

1.16.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2006 Sascha Weinreuter  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Pattern.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Language.java
*

/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Subst.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2000-2013 JetBrains s.r.o.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Contract.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/Flow.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2000-2009 JetBrains s.r.o.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Nls.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/NonNls.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/PropertyKey.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2012 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-
jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-

jar/org/jetbrains/annotations/NotNull.java

*

/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/MagicConstant.java

1.17 httpasyncclient 4.1.4

1.17.1 Available under license :

Apache HttpAsyncClient

Copyright 2010-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.18 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.19 commons-fileupload 1.4

1.19.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.20 j2objc-annotations 1.3

1.20.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

1.21 reflections 0.9.11

1.21.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>The New BSD License</name>

Found in path(s):

- * /opt/cola/permits/1000000666_1646171445.29/0/reflections-0-9-11-sources-jar/META-INF/maven/org.reflections/reflections/pom.xml

1.22 okio 1.13.0

1.22.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2016 Square, Inc.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Pipe.java
- * /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/HashingSource.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/HashingSink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Options.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Util.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Buffer.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Segment.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/ForwardingSource.java

*

/opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/RealBufferedSource.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Timeout.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Sink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/SegmentPool.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/GzipSink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/DeflaterSink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Okio.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/AsyncTimeout.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/BufferedSource.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/InflaterSource.java

*

/opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/BufferedSink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Source.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/RealBufferedSink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/ForwardingSink.java

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/GzipSource.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Utf8.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Square Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/ByteString.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/ForwardingTimeout.java
* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/SegmentedByteString.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1000000590_1646171445.35/0/okio-1-13-0-sources-2-jar/okio/Base64.java

1.23 libsigar 1.6.4

1.23.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean

the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual

or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by

combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any

Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.24 libsigar 1.6.2

1.24.1 Available under license :

Hyperic SIGAR includes some third-party open source components in its distribution. The list below identifies the community or organization and links to their appropriate license terms.

The Hyperic team would like to thank all the communities of the projects listed below for their contributions.

The following components are included without modification:

- log4j -

Information: <http://logging.apache.org/>

License: <http://www.apache.org/licenses/LICENSE-2.0>

- junit -

Information: <http://www.junit.org/index.htm>

License: <http://www.opensource.org/licenses/cpl.php>

The following components are included with modification:

- cpptasks -

Information: <http://ant-contrib.sourceforge.net/>

License: <http://ant-contrib.sourceforge.net/LICENSE.txt>

- (portions of) APR -

Information: <http://apr.apache.org/>

License: <http://www.apache.org/licenses/LICENSE-2.0>

- solaris get_mib2 -

Information: ftp://vic.cc.purdue.edu/pub/tools/unix/solaris/get_mib2/

License:

within src/os/solaris/get_mib2.[ch]

- getline by Chris Thewalt -

Information: <http://tinyurl.com/r438r>

License: within src/sigar_getline.c

- PrintfFormat.java -

Information: <http://java.sun.com/developer/technicalArticles/Programming/sprintf/PrintfFormat.java>

License: within bindings/java/src/org/hyperic/sigar/util/PrintfFormat.java

This product includes software developed by

The Ant-Contrib project (<http://ant-contrib.sourceforge.net>)

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether

gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies

of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the

source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along

with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'`
and ``show c'` should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than ``show w'` and ``show c'`; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.25 zjsonpatch 0.3.0

1.26 generex 1.0.2

1.26.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 y.mifrah
 *
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-
jar/com/mifmif/common/regex/GenerexIterator.java
* /opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-
jar/com/mifmif/common/regex/Generex.java
* /opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-
jar/com/mifmif/common/regex/Node.java
*
/opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-
jar/com/mifmif/common/regex/util/Iterator.java
* /opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-
jar/com/mifmif/common/regex/Main.java
* /opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-
jar/com/mifmif/common/regex/util/Iterable.java
```

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>com.github.mifmif</groupId>
  <artifactId>generex</artifactId>
  <version>1.0.2</version>
  <name>Generex</name>
  <url>https://github.com/mifmif/Generex/tree/master</url>
  <description>Generex A Java Library for regex to Strings generation</description>
  <packaging>jar</packaging>
  <licenses>
    <license>
      <name>The Apache Software License, Version 2.0</name>
      <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
      <distribution>repo</distribution>
    </license>
  </licenses>
  <developers>
    <developer>
      <id>mifmif</id>
      <name>MIFRAH Youssef</name>
      <email>mifmif.com@gmail.com</email>
    </developer>
    <developer>
      <id>mkolisnyk</id>
      <name>mkolisnyk</name>
      <email>kolesnik.nickolay@gmail.com</email>
    </developer>
  </developers>

  <parent>
    <groupId>org.sonatype.oss</groupId>
    <artifactId>oss-parent</artifactId>
    <version>7</version>
  </parent>

  <properties>
    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
    <maven.pmd.excludes>*/generated-sources/*</maven.pmd.excludes>
  </properties>
  <scm>
    <connection>scm:git:git@github.com:mifmif/Generex.git</connection>
    <developerConnection>scm:git:git@github.com:mifmif/Generex.git</developerConnection>
    <url>https://github.com/mifmif/Generex.git</url>
  </scm>
  <ciManagement>
```

```

<url>https://travis-ci.org/mifmif/Generex/builds</url>
<system>Travis</system>
<notifiers>
  <notifier>
    <address>mifmif.com@gmail.com</address>
    <type>mail</type>
  </notifier>
  <notifier>
    <address>kolesnik.nickolay@gmail.com</address>
    <type>mail</type>
  </notifier>
</notifiers>
</ciManagement>

<distributionManagement>
  <snapshotRepository>
    <id>ossrh</id>
    <url>https://oss.sonatype.org/content/repositories/snapshots</url>
  </snapshotRepository>
  <repository>
    <id>ossrh</id>
    <url>https://oss.sonatype.org/service/local/staging/deploy/maven2/</url>
  </repository>
</distributionManagement>

<build>
  <sourceDirectory>src/main/java</sourceDirectory>
  <testSourceDirectory>src/test/java</testSourceDirectory>
  <resources>
    <resource>
      <directory>src</directory>
      <excludes>
        <exclude>**/*.java</exclude>
      </excludes>
    </resource>
    <resource>
      <directory>target/dependency</directory>
      <excludes>
        <exclude>**/*.java</exclude>
      </excludes>
    </resource>
    <resource>
      <directory>src/main/resources</directory>
      <includes>
        <include>**/*.properties</include>
      </includes>
    </resource>
  </resources>

```

```

</resources>
<plugins>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-install-plugin</artifactId>
  <version>2.5.2</version>
  <configuration>
    <file>target/${project.artifactId}-${project.version}.jar</file>
    <groupId>${project.groupId}</groupId>
    <artifactId>${project.artifactId}</artifactId>
    <version>${project.version}</version>
    <packaging>maven-plugin</packaging>
  </configuration>
</plugin>

```

```

<plugin>
  <artifactId>maven-compiler-plugin</artifactId>
  <version>3.5.1</version>
  <configuration>
    <source>1.5</source>
    <target>1.5</target>
  </configuration>
</plugin>

```

```

<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-jar-plugin</artifactId>
  <version>3.0.2</version>
  <configuration>
    <excludes>
      <exclude>*</exclude>
      <exclude>com/thoughtworks/**/*</exclude>
      <exclude>freemarker/**/*</exclude>
      <exclude>ftl/**/*</exclude>
      <exclude>i18n/**/*</exclude>
      <exclude>style/**/*</exclude>
      <exclude>junit/**/*</exclude>
      <exclude>licenses/**/*</exclude>
      <exclude>META-INF/maven/**/*</exclude>
      <exclude>org/codehaus/**/*</exclude>
      <exclude>org/hamcrest/**/*</exclude>
      <exclude>org/jbehave/**/*</exclude>
      <exclude>org/junit/**/*</exclude>
      <exclude>org/testng/**/*</exclude>
      <exclude>org/xmlpull/**/*</exclude>
      <exclude>stories/**/*</exclude>
      <exclude>style/**/*</exclude>
      <exclude>tests/**/*</exclude>
    </excludes>
  </configuration>
</plugin>

```



```

<archive>
  <manifest>
    <addClasspath>>false</addClasspath>
    <addDefaultImplementationEntries>>true</addDefaultImplementationEntries>
    <addDefaultSpecificationEntries>>true</addDefaultSpecificationEntries>
    <addExtensions>>false</addExtensions>
    <classpathLayoutType>simple</classpathLayoutType>
  </manifest>
</archive>
</configuration>
</plugin>
<plugin>
  <artifactId>maven-assembly-plugin</artifactId>
  <version>2.6</version>
  <configuration>
    <descriptors>
      <descriptor>./sources.xml</descriptor>
    </descriptors>
  </configuration>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-dependency-plugin</artifactId>
  <version>2.10</version>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-javadoc-plugin</artifactId>
  <version>2.10.3</version>
  <configuration>
    <show>private</show>
    <nohelp>>false</nohelp>
    <failOnError>>false</failOnError>
    <sourcepath>src/main/java</sourcepath>
  </configuration>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-release-plugin</artifactId>
  <configuration>
    <tagNameFormat>v@{project.version}</tagNameFormat>
    <preparationGoals>package
install:install-file</preparationGoals>
    <scmCommentPrefix>#3</scmCommentPrefix>
  </configuration>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>

```

```
<artifactId>maven-deploy-plugin</artifactId>
<version>2.8.2</version>
<configuration>
  <skip>true</skip>
</configuration>
</plugin>
```

```
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-source-plugin</artifactId>
<version>3.0.1</version>
<executions>
  <execution>
    <goals>
      <goal>jar-no-fork</goal>
    </goals>
  </execution>
</executions>
</plugin>
```

```
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-javadoc-plugin</artifactId>
<executions>
  <execution>
    <id>attach-javadocs</id>
    <goals>
      <goal>jar</goal>
    </goals>
  </execution>
</executions>
</plugin>
```

```
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-gpg-plugin</artifactId>
<executions>
  <execution>
    <id>sign-artifacts</id>
    <phase>deploy</phase>
    <goals>
      <goal>sign</goal>
    </goals>
  </execution>
</executions>
```

</plugin>

```
<plugin>
  <groupId>org.sonatype.plugins</groupId>
  <artifactId>nexus-staging-maven-plugin</artifactId>
  <version>1.6.3</version>
  <executions>
    <execution>
      <id>default-deploy</id>
      <phase>deploy</phase>
      <goals>
        <goal>deploy</goal>
      </goals>
    </execution>
  </executions>
  <extensions>true</extensions>
  <configuration>
    <serverId>ossrh</serverId>
    <nexusUrl>https://oss.sonatype.org/</nexusUrl>
  </configuration>
</plugin>
```

```
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-pmd-plugin</artifactId>
  <version>3.6</version>
  <configuration>
    <failOnViolation>true</failOnViolation>
    <excludeRoots>
      <excludeRoot>target/generated-sources/plugin</excludeRoot>
    </excludeRoots>
    <excludes>
      <exclude>**/HelpMojo.java</exclude>
    </excludes>
  </configuration>
  <executions>
    <execution>
      <goals>
        <goal>check</goal>
        <goal>cpd-check</goal>
      </goals>
    </execution>
  </executions>
  <configuration>
    <failOnViolation>true</failOnViolation>
    <excludes>
      <exclude>**/HelpMojo.java</exclude>
    </excludes>
  </configuration>
```

```

    </configuration>
  </execution>
</executions>
</plugin>
<plugin>
  <groupId>org.apache.maven.plugins</groupId>
  <artifactId>maven-checkstyle-plugin</artifactId>
  <version>2.10</version>
  <configuration>
    <excludes>**/test/java/**/*.*.java</excludes>
    <configLocation>./sun_checks.xml</configLocation>
    <suppressionsLocation>./checkstyle-suppressions.xml</suppressionsLocation>
    <failOnViolation>>true</failOnViolation>
  </configuration>
  <executions>
    <execution>
      <goals>
        <goal>check</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.codehaus.mojo</groupId>
  <artifactId>cobertura-maven-plugin</artifactId>
  <version>2.6</version>
  <configuration>
    <check>
      <haltOnFailure>>false</haltOnFailure>
      <totalBranchRate>80</totalBranchRate>
      <totalLineRate>80</totalLineRate>
      <packageLineRate>80</packageLineRate>
      <packageBranchRate>80</packageBranchRate>
    </check>
    <instrumentation>
      <excludes>
        <exclude>**/HelpMojo.class</exclude>
      </excludes>
    </instrumentation>
  </configuration>
  <executions>
    <execution>
      <id>verification</id>
      <phase>verify</phase>
      <goals>
        <goal>check</goal>
        <goal>cobertura</goal>
      </goals>
    </execution>
  </executions>
</plugin>

```

```

    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.codehaus.mojo</groupId>
  <artifactId>javancss-maven-plugin</artifactId>
  <version>2.0</version>
  <configuration>
    <encoding>${project.build.sourceEncoding}</encoding>
    <ccnLimit>15</ccnLimit>
    <ncssLimit>100</ncssLimit>
    <failOnViolation>true</failOnViolation>
    <excludes>
      <exclude>**/tests/**/*.*</exclude>
    </excludes>
  </configuration>
  <executions>
    <execution>
      <goals>
        <goal>check</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.codehaus.mojo</groupId>
  <artifactId>findbugs-maven-plugin</artifactId>
  <version>3.0.1</version>
  <configuration>
    <encoding>${project.build.sourceEncoding}</encoding>
    <failOnError>true</failOnError>
    <excludeFilterFile>findBugsExclude.xml</excludeFilterFile>
  </configuration>
  <executions>
    <execution>
      <goals>
        <goal>check</goal>
      </goals>
    </execution>
  </executions>
</plugin>
<plugin>
  <groupId>org.codehaus.mojo</groupId>
  <artifactId>jdepend-maven-plugin</artifactId>
  <version>2.0</version>
</plugin>
</plugins>
</build>

```

```
<dependencies>
<dependency>
<groupId>dk.brics.automaton</groupId>
<artifactId>automaton</artifactId>
<version>1.11-8</version>
</dependency>
<dependency>
<groupId>junit</groupId>
<artifactId>junit</artifactId>
<version>4.12</version>
<scope>test</scope>
</dependency>
<dependency>
<groupId>org.hamcrest</groupId>
<artifactId>hamcrest-junit</artifactId>
<version>2.0.0.0</version>
<scope>test</scope>
</dependency>
</dependencies>
</project>
```

Found

in path(s):

* /opt/cola/permits/1000610466_1606952086.17/0/generex-1-0-2-sources-1-jar/META-INF/maven/com.github.mifmif/generex/pom.xml

1.27 jsr311-api 1.1.1

1.27.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely

link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any

medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor

harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.28 jaxb-api 2.3.1

1.28.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof);

and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the

terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST

OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not

allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee

is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify

your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the

conditions of

this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE

PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name
and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision

comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.29 metrics-core 3.0.2

1.30 argparse 0.8.1

1.31 commons-digester 2.1

1.31.1 Available under license :

Apache Commons Digester
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.32 guice 4.0

1.32.1 Available under license :

Google Guice - Core Library
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.33 j2objc-annotations 1.3

1.33.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/RetainedWith.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/ReflectionSupport.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/RetainedLocalRef.java
*
/opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/Property.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/LoopTranslation.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/ObjectiveCName.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 Google Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/AutoreleasePool.java
* /opt/cola/permits/1000890861_1651084689.86/0/j2objc-annotations-1-3-sources-
jar/com/google/j2objc/annotations/WeakOuter.java
```

1.34 mockito 1.10.19

1.34.1 Available under license :

Mockito license - MIT.

Libraries used:

Cglib - Apache License 2.0

ASM - BSD license

Mockito all distribution:

Objenesis - MIT license

Hamcrest - BSD license

Copyright (c) 2000-2005 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.35 sigar 1.6.4

1.35.1 Available under license :

This product includes software developed by

The Ant-Contrib project (<http://ant-contrib.sourceforge.net>)

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

Hyperic SIGAR includes some third-party open source components in its distribution. The list below identifies the community or organization and links to their appropriate license terms.

The Hyperic team would like to thank all the communities of the projects listed below for their contributions.

The following components are included without modification:

- log4j -

Information: <http://logging.apache.org/>

License: <http://www.apache.org/licenses/LICENSE-2.0>

The following components are included with modification:

- cpptasks -

Information: <http://ant-contrib.sourceforge.net/>

License: <http://ant-contrib.sourceforge.net/LICENSE.txt>

- (portions of) APR -

Information: <http://apr.apache.org/>

License: <http://www.apache.org/licenses/LICENSE-2.0>

- solaris get_mib2 -

Information: ftp://vic.cc.purdue.edu/pub/tools/unix/solaris/get_mib2/

License: within `src/os/solaris/get_mib2.[ch]`

- getline by Chris Thewalt -

Information:

<http://tinyurl.com/r438r>

License: within `src/sigar_getline.c`

- PrintfFormat.java -

Information: <http://java.sun.com/developer/technicalArticles/Programming/sprintf/PrintfFormat.java>

License: within `bindings/java/src/org/hyperic/sigar/util/PrintfFormat.java`

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The

text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.36 jackson-datatype-joda 2.7.9

1.36.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.37 compiler 0.8.15

1.38 archaius-core 0.7.1

1.39 guice-multibindings 4.0

1.39.1 Available under license :

Google Guice - Extensions - MultiBindings
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.40 commons-beanutils 1.9.4

1.40.1 Available under license :

Apache Commons BeanUtils
Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.41 bean-validation-api 2.0.1.Final

1.41.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

1.42 jersey-bundle 1.19.4

1.42.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or

subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or

trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or

liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the

Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You

assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

1.43 hamcrest 1.3

1.43.1 Available under license :

Copyright (c) 2000-2003, jMock.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of
conditions and the following disclaimer. Redistributions in binary form must reproduce
the above copyright notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse
or promote products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT
SHALL THE COPYRIGHT OWNER
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

1.44 jsr305 3.0.0

1.44.1 Available under license :

License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

1. Definitions

1. "Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this

License.

2. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

3. "Licensor" means the individual or entity that offers the Work under the terms of this License.

4. "Original Author" means the individual or entity who created the Work.

5. "Work" means the copyrightable work of authorship offered under the terms of this License.

6. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

1. to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective

Works;

2. to create and reproduce Derivative Works;
3. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as incorporated in Collective Works;
4. to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.
- 5.

For the avoidance of doubt, where the work is a musical composition:

1. Performance Royalties Under Blanket Licenses. Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

2. Mechanical Rights and Statutory Royalties. Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

6. Webcasting Rights and Statutory Royalties. For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

1. You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner

inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

2. If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author

and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. Termination

1. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

2. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this

License will continue in full force and effect unless terminated as stated above.

8. Miscellaneous

1. Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

2. Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

3. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

4. No term or provision of this

License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

5. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

1.45 libpng 1.6.37

1.45.1 Available under license :

Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.

/* intel_init.c - SSE2 optimized filter functions

*

* Copyright (c) 2018 Cosmin Truta

* Copyright (c) 2016-2017 Glenn Randers-Pehrson

* Written by Mike Klein and Matt Sarett, Google, Inc.
* Derived from arm/arm_init.c
*
* This code is released under the libpng license.
* For conditions of distribution and use, see the disclaimer
* and license in png.h
*/

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which

gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU

OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2019 The PNG Reference Library Authors.
- * Copyright (c) 2018-2019 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted
to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the same
disclaimer
and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabudde
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of
the library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is
with the user.

Some files in the "contrib" directory and some configure-generated

files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may

result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

1.46 picocontainer 2.15

1.46.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) PicoContainer Organization. All rights reserved. *  
* ----- *  
* The software in this package is published under the terms of the BSD *  
* style license a copy of which has been included with this distribution in *  
* the LICENSE.txt file. *  
*/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-  
jar/org/picocontainer/composers/RegexComposer.java  
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-  
jar/org/picocontainer/monitors/ComposingMonitor.java
```

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) PicoContainer Organization. All rights reserved. *  
* ----- *  
* The software in this package is published under the terms of the BSD *  
* style license a copy of which has been included with this distribution in *
```

```
* the LICENSE.txt file.
*
*
* Original code by
*****/
```

Found in path(s):

- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/AnnotatedFieldInjector.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/NamedFieldInjection.java
- *
- /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/Injectors.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/behaviors/Synchronizing.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/ComponentFactory.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/adapters/AbstractAdapter.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/BehaviorFactory.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/PicoVerificationException.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/annotations/Inject.java
- *
- /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/parameters/BasicComponentParameter.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/annotations/Cache.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/TransientPicoContainer.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/AnnotatedMethodInjector.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/adapters/InstanceAdapter.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/parameters/ComponentParameter.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/InjectionFactory.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/TypedFieldInjection.java
- *
- /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/ImmutablePicoContainer.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/SetterInjector.java
- * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-

jar/org/picocontainer/behaviors/PropertyApplying.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/lifecycle/NullLifecycleStrategy.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/Synchronized.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/monitors/LifecycleComponentMonitor.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/Locked.java
 *
 /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/HiddenImplementation.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/Behaviors.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/annotations/Nullable.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/DefaultPicoContainer.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/injectors/AnnotatedFieldInjection.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/AdaptingBehavior.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/PicoContainer.java
 *
 /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/containers/CommandLinePicoContainer.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/injectors/AbstractInjector.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/PicoException.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/Locking.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/injectors/NamedMethodInjector.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/PropertyApplicator.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/Characteristics.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/PicoClassNotFoundException.java
 *
 /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/parameters/CollectionComponentParameter.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/behaviors/Automating.java
 * /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
 jar/org/picocontainer/NameBinding.java

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/ImplementationHiding.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/PicoBuilder.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/TypedFieldInjector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/NamedFieldInjector.java
*
```

```
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Automated.java
```

No license file was found, but licenses were detected in source scan.

```
/******
* Copyright (c) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD  *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                             *
*                                                                    *
* Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant *
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/ThreadCaching.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/MethodInjection.java
*
```

```
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/PicoCompositionException.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/ConstructorInjector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/AdaptingInjection.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/ConstructorInjection.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/SetterInjection.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Caching.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/ThreadCached.java
*
```

```
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/AnnotatedMethodInjection.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/OptInCaching.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Cached.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Storing.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Guarding.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD   *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                               *
*                               *
* Original code by Paul Hammant                                         *
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/containers/EmptyPicoContainer.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/Behavior.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD   *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                               *
*                               *
* Original code by Paul Hammant & Obie Fernandez & Aslak Hellesø     *
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/monitors/NullComponentMonitor.java
```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Organization. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD   *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                               *
*                               *
* Original code by Paul Hammaant                                         *
*****/
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/monitors/WriterComponentMonitor.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/monitors/ComponentMonitorHelper.java

*

/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/monitors/ConsoleComponentMonitor.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) PicoContainer Organization. All rights reserved. *

* ----- *

* The software in this package is published under the terms of the BSD *

* style license a copy of which has been included with this distribution in *

* the license.html file. *

*

*

* Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant *

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/Disposable.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/Startable.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) PicoContainer Organization. All rights reserved. *

* ----- *

* The software in this package is published under the terms of the BSD *

* style license a copy of which has been included with this distribution in *

* the LICENSE.txt file. *

*

*

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/PropertiesPicoContainer.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/CommandLineArgumentsPicoContainer.java

*

/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/ForgetfulConstructorInjection.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/behaviors/Intercepted.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/SingleMemberInjector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/SystemPropertiesPicoContainer.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/behaviors/Intercepting.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/ParameterNameBinding.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/MethodInjector.java
*

/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/parameters/AbstractParameter.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/PicoLifecycleException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 * * Original code by
 */
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/behaviors/AbstractBehaviorFactory.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 * * Original Code By: Centerline Computers, Inc.
 */
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/injectors/PrimitiveMemberChecker.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 */
```

```
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Mauro Talevi *
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/monitors/AbstractComponentMonitor.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Decorated.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/references/ThreadLocalReference.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/CompositeInjection.java
```

```
*
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/Injector.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/ComponentMonitorStrategy.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Stored.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/references/SimpleReference.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/ComponentLifecycle.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/ProviderAdapter.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/Reinjector.java
```

```
*
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/Guarded.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/InjectInto.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
```

```

jar/org/picocontainer/injectors/MultiInjection.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/Provider.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/Injector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/MultiInjector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/FactoryInjector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/references/ThreadLocalMapObjectReference.java
*
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/CompositeInjector.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/security/CustomPermissionsURLClassLoader.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/ObjectReference.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/injectors/Reinjection.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (C) PicoContainer Committers. All rights reserved.      *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                           *
*                                                                    *
* Original code by Joerg Schaibe                                   *
*****/

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/BindKey.java

```

No license file was found, but licenses were detected in source scan.

```

/*****
* Copyright (c) PicoContainer Organization. All rights reserved.    *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                           *
*                                                                    *
* Idea by Rachel Davies, Original code by Jon Tirsen              *
*****/

```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/Parameter.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/parameters/ConstantParameter.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Idea by Rachel Davies, Original code by various
 */
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/MutablePicoContainer.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/CompositePicoContainer.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) NanoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Original code by Joerg Schaibe
 */
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/behaviors/Decorating.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/behaviors/FieldDecorating.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) PicoContainer Organization. All rights reserved.
 * -----
 * The software in this package is published under the terms of the BSD
 * style license a copy of which has been included with this distribution in
 * the LICENSE.txt file.
 *
 * Original code by the committers
 */
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/containers/AbstractDelegatingMutablePicoContainer.java

No license file was found, but licenses were detected in source scan.

* Copyright (C) PicoContainer Organization. All rights reserved. *

* ----- *

* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *

*

*

* Original code by Paul Hammant & Obie Fernandez & Aslak *

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/ComponentMonitor.java

No license file was found, but licenses were detected in source scan.

* Copyright (C) PicoContainer Organization. All rights reserved. *

* ----- *

* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *

*

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/visitors/VerifyingVisitor.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/visitors/TraversalCheckingVisitor.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/Converters.java

*

/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/lifecycle/DefaultLifecycleState.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/PicoVisitor.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/LifecycleStrategy.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/converters/Converter.java

* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-jar/org/picocontainer/lifecycle/ReflectionLifecycleStrategy.java

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/visitors/AbstractPicoVisitor.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/lifecycle/StartableLifecycleStrategy.java
*
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/lifecycle/CompositeLifecycleStrategy.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/visitors/MethodCallingVisitor.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/lifecycle/AbstractMonitoringLifecycleStrategy.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/lifecycle/LifecycleState.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/ComponentAdapter.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/lifecycle/ReflectionLifecycleException.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/lifecycle/JavaEE5LifecycleStrategy.java
```

No license file was found, but licenses were detected in source scan.

```
/*
*****
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ----- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by Jon Tirsen *
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/behaviors/AbstractBehavior.java
```

No license file was found, but licenses were detected in source scan.

```
/*
*****
* Copyright (C) PicoContainer Organization. All rights reserved.
* -----
* The software in this package is published under the terms of the BSD style
* license a copy of which has been included with this distribution in the
* LICENSE.txt file.
*****/
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/classname/ClassLoadingPicoContainer.java
```

```
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
```

```
jar/org/picocontainer/parameters/DefaultConstructorParameter.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/classname/ClassName.java
*
/opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/classname/DefaultClassLoadingPicoContainer.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/parameters/NullParameter.java
* /opt/ws_local/PERMITS_SQL/1013480939_1590521618.42/0/picocontainer-2-15-sources-1-
jar/org/picocontainer/classname/ClassPathElement.java
```

1.47 javax-annotation-api 1.2

1.47.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or

portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the

Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF

THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire

Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the

software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more

than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY

TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.48 jboss-logging 3.4.1.Final

1.48.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.49 commons-codec 1.14

1.49.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====
The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

1.50 reflections 0.9.12

1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * The reflection project, is collection of reflection tools I've picked up
 * along the way, use it wisely!
 *
 * Copyright (C) 2017 Adam van der Kruk aka TacB0sS
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/injector/AnnotatableInjector.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/utils/ClassInstantiationUtility.java
*
/opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/injector/Injector.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/utils/GenericMap.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/injector/InjectionManager.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/exceptions/ClassLoaderCyclicException.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/hierarchy/HierarchyModelNode.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/annotations/ReflectiveInitialization.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/exceptions/MethodInvocationException.java
```

```

*
/opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/exceptions/MethodNotFoundException.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/extractor/AnnotableExtractor.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/exceptions/ConstructorNotFoundException.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/hierarchy/HierarchyModel.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/hierarchy/TypeHierarchy.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/extractor/ExtractionManager.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/classLoader/JarClassLoader.java
*
/opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/exceptions/ClassInstantiationException.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/classLoader/ClassLoaderManager.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/tools/ReflectiveTools.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/classLoader/ClassesLoader.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/tools/BidirectionalAction.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/tools/BidirectionalActionImpl.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/classLoader/DirectoryClassLoader.java
*
/opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/exceptions/WrongParameterType.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/classLoader/AbsClassLoader.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/tools/ART_Tools.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/utils/MethodInvocationUtility.java
* /opt/ws_local/PERMITS_SQL/1023201257_1591382095.57/0/reflection-0-9-12-sources-
jar/com/nu/art/reflection/extractor/Extractor.java

```

1.51 slf4j 1.7.30

1.51.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 commons-compress 1.20

1.52.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Compress

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The files in the package `org.apache.commons.compress.archivers.sevenz` were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/), which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

The test file `lbzip2_32767.bz2` has been copied from `libbzip2`'s source repository:

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.53 jakarta-xml-soap-api 1.4.2

1.53.1 Available under license :

```
[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "  
[/]: # " "  
[/]: # " This program and the accompanying materials are made available under the "  
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "  
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "  
[/]: # " "  
[/]: # " SPDX-License-Identifier: BSD-3-Clause "
```

Notices for Jakarta SOAP with Attachments

This content is produced and maintained by the Jakarta XML Web Services project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxws>

Trademarks

Jakarta XML Web Services is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jws-api>
- * <https://github.com/eclipse-ee4j/jax-ws-api>
- * <https://github.com/eclipse-ee4j/saaj-api>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.54 jakarta-xml-ws-api 2.3.3

1.54.1 Available under license :

```
[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "  
[/]: # " "  
[/]: # " This program and the accompanying materials are made available under the "  
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "  
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "  
[/]: # " "  
[/]: # " SPDX-License-Identifier: BSD-3-Clause "
```

Notices for Jakarta XML Web Services

This content is produced and maintained by the Jakarta XML Web Services project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxws>

Trademarks

Jakarta XML Web Services is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jws-api>
- * <https://github.com/eclipse-ee4j/jax-ws-api>
- * <https://github.com/eclipse-ee4j/saaj-api>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.55 jakarta-jws-api 2.1.0

1.55.1 Available under license :

```
[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "  
[/]: # " "  
[/]: # " This program and the accompanying materials are made available under the "  
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "  
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "  
[/]: # " "  
[/]: # " SPDX-License-Identifier: BSD-3-Clause "
```

Notices for Jakarta Web Services Metadata

This content is produced and maintained by the Jakarta XML Web Services project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxws>

Trademarks

Jakarta XML Web Services is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jws-api>
- * <https://github.com/eclipse-ee4j/jax-ws-api>
- * <https://github.com/eclipse-ee4j/saaj-api>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Copyright (c) 2017 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.56 commons-lang3 3.4

1.56.1 Available under license :

<OWNER> = Regents of the University of California

<ORGANIZATION> = University of California, Berkeley

<YEAR> = 1998

In the original BSD license, both occurrences of the phrase "COPYRIGHT HOLDERS AND CONTRIBUTORS" in the disclaimer read "REGENTS AND CONTRIBUTORS".

Here is the license template:

Copyright (c) <YEAR>, <OWNER>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this

software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.57 commons-lang3 3.8.1

1.57.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form

shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean

Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce,

prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum

to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.58 args4j 2.32

1.58.1 Available under license :

Copyright (c) 2013 Kohsuke Kawaguchi and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.59 rxjava 1.1.2

1.59.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Modified from http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/ObjectPool.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/atomic/SpscLinkedAtomicQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/SpmcArrayQueue.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/SpmcArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/package.html
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
```


* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/schedulers/TrampolineScheduler.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSkipLast.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorToMultimap.java
*

/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDoOnRequest.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subscriptions/CompositeSubscription.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subjects/SubjectSubscriptionManager.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSkipLastTimed.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeSingle.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDoOnSubscribe.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSwitchIfEmpty.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDoOnUnsubscribe.java
*

/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/schedulers/CachedThreadScheduler.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/observables/BlockingObservable.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Inspired from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/annotations/Experimental.java

No license file was found, but licenses were detected in source scan.

This package contains code that relies on `sun.misc.Unsafe`. Before using it you MUST assert `UnsafeAccess.isUnsafeAvailable() == true`

Much of the code in this package comes from or is inspired by the JCTools project:
<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).

RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE,
REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that

is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides

its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How

to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/README.md

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedQueueNode.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/LinkedQueueNode.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/BaseLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools->

core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

* the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/SynchronizedSubscription.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/UtilityFunctions.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Observable.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MessagePassingQueue.java>

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/MessagePassingQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2016 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/BackpressureOverflow.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaSingleExecutionHook.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in

* compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is

* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See

* the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Single.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeCombineLatest.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/atomic/SpSCAtomicArrayQueue.java
```

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/atomic/SpSCExactAtomicArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/util/Pow2.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/Pow2.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/MpscLinkedQueue.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/MpscLinkedQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2016 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/plugins/RxJavaSingleExecutionHookDefault.java
```

No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/README.md
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 * This plugin class provides 2 ways to customize {@link Scheduler} functionality
 * 1. You may redefine entire schedulers, if you so choose. To do so, override
 * the 3 methods that return Scheduler (io(), computation(), newThread()).
 * 2. You may wrap/decorate an {@link Action0}, before it is handed off to a Scheduler. The
 * system-
 * supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,
 * Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to
 * modify Scheduler functionality without redefining Schedulers wholesale.
 *
 * Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.
 * <p>
 * See {@link RxJavaPlugins} or the RxJava GitHub Wiki for information on configuring plugins:
 * <a
 * href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/plugins/RxJavaSchedulersHook.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2016 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy of
 * the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/ExceptionsUtils.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeConcatMap.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribePublishMulticast.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/BlockingUtils.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/singles/BlockingSingle.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/producers/ProducerArbiter.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/producers/SingleDelayedProducer.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/producers/QueuedProducer.java
*
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/producers/ProducerObserverArbiter.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/producers/SingleProducer.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/producers/QueuedValueProducer.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BackpressureUtils.java
No license file was found, but licenses were detected in source scan.


```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
 * Original location: https://github.com/JCTools/JCTools/blob/master/jctools-
core/src/main/java/org/jctools/queues/SpSCArrayQueue.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/unsafe/SpSCArrayQueue.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2010 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Originally from https://code.google.com/p/guava-
libraries/source/browse/guava/src/com/google/common/annotations/Beta.java
 */
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/annotations/Beta.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
```

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/MpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Actions.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java>

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

* <p/>

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

* <p/>

* <http://www.apache.org/licenses/LICENSE-2.0>

* <p/>

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/ScalarSynchronousSingle.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/SpSCUnboundedAtomicArrayQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java>
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/observables/AsyncOnSubscribe.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/SingleSubscriber.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java>

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func0.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeLast.java
- *
- /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorElementAt.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeoutBase.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/observers/TestSubscriber.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/observers/Observers.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subscriptions/SerialSubscription.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/NotificationLite.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorIgnoreElements.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func5.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMapNotification.java
- *
- /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureBuffer.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorToFuture.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeRedo.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipWhile.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureDrop.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/TakeLastQueueProducer.java
- *
- /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action5.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subscriptions/MultipleAssignmentSubscription.java
- * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CachedObservable.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoOnEach.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkip.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaObservableExecutionHook.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/exceptions/OnErrorNotImplementedException.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDematerialize.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Producer.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/ActionN.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSequenceEqual.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorToObservableSortedList.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeLastTimed.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func8.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/observables/SyncOnSubscribe.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func4.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/package-info.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/BackpressureDrainManager.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Subscription.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/schedulers/ImmediateScheduler.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/schedulers/TestScheduler.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/ScalarSynchronousObservable.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeout.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func9.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action3.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeFromIterable.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorObserveOn.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subscriptions/BooleanSubscription.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/FuncN.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/observables/ConnectableObservable.java

```

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/observers/TestObserver.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/exceptions/OnErrorThrowable.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subscriptions/RefCountSubscription.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/observables/GroupedObservable.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subjects/TestSubject.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/SubscriptionList.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action1.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subjects/BehaviorSubject.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/schedulers/Timestamped.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorAll.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/IndexedRingBuffer.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/schedulers/EventLoopsScheduler.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeUsing.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/exceptions/OnCompletedFailedException.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/exceptions/UnsubscribeFailedException.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Completable.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/observers/Subscribers.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorTake.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorThrottleFirst.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorAny.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func7.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/exceptions/OnErrorFailedException.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorCast.java

```


* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorReplay.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeUntil.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action9.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSubscribeOn.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTakeWhile.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeJoin.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorLatest.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDelay.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action7.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BlockingOperatorToIterator.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeAmb.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action4.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func2.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorScan.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMerge.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func1.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action0.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/CompletableOnSubscribeMerge.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimestamp.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorZipIterable.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action2.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func3.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/observers/SafeSubscriber.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMap.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-

```

jar/rx/internal/operators/BlockingOperatorNext.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subjects/Subject.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeTimeout.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/schedulers/GenericScheduledExecutorService.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorToMap.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorUnsubscribeOn.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subscriptions/Subscriptions.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorToObservableList.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeGroupJoin.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorFilter.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/schedulers/TimeInterval.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/schedulers/package-
info.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Observer.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/exceptions/Exceptions.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeFromArray.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/plugins/RxJavaErrorHandler.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/BlockingOperatorMostRecent.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/subjects/SerializedSubject.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeToObservableFuture.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorGroupBy.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/observers/SerializedSubscriber.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeAutoConnect.java

```

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/exceptions/CompositeException.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/plugins/RxJavaPlugins.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/UnicastSubject.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMaterialize.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Notification.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeInterval.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxRingBuffer.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeRange.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/exceptions/MissingBackpressureException.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Subscriber.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/schedulers/NewThreadScheduler.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorAsObservable.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Functions.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDefer.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/LinkedList.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subjects/AsyncSubject.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/BufferUntilSubscriber.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/schedulers/Schedulers.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subjects/ReplaySubject.java
 *
 /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/subjects/PublishSubject.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSingle.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Function.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action8.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorTimeoutWithSelector.java
 * /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-

jar/rx/internal/operators/OperatorZip.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSerialize.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/observers/SerializedObserver.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorTakeUntilPredicate.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Func6.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/CompletableOnSubscribeConcat.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/functions/Action6.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/Scheduler.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/schedulers/SleepingAction.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/schedulers/ExecutorScheduler.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeDelaySubscription.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSwitch.java

*

/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/atomic/SpSCLinkedListArrayQueue.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDelayWithSelector.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-

```

jar/rx/internal/util/RxThreadFactory.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDistinct.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeTimerPeriodically.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeTimerOnce.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/schedulers/NewThreadWorker.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorMapPair.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDebounceWithTime.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OnSubscribeRefCount.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/util/FrontPadding.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWindowWithSize.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSampleWithObservable.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorEagerConcatMap.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorTakeTimed.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorBufferWithSingleObservable.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDistinctUntilChanged.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/schedulers/ScheduledAction.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorBufferWithTime.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorPublish.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSampleWithTime.java
*
/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorWindowWithTime.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorDebounceWithSelector.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-
jar/rx/internal/operators/OperatorSkipTimed.java

```

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWithLatestFrom.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithObservableFactory.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorOnBackpressureLatest.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorWindowWithObservable.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorRetryWithPredicate.java
*

/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorSkipUntil.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorBufferWithSize.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/PlatformDependent.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/SynchronizedQueue.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorDoAfterTerminate.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OperatorMulticast.java
*

/opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java
* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/RxJavaPluginUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscLinkedQueue.java>

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/SpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This mechanism for getting UNSAFE originally from:

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/UnsafeAccess.java>

*/

Found

in path(s):

* /opt/ws_local/PERMITS_SQL/1041687962_1591242739.53/0/rxjava-1-1-2-sources-jar/rx/internal/util/unsafe/UnsafeAccess.java

1.60 feign-core 8.15.1

1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 Google Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Types.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
*/opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/SynchronousMethodHandler.java
*/opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/InvocationHandlerFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```


* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Param.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/QueryMap.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/Decoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/Encoder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/RequestTemplate.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/auth/BasicAuthRequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/RetryableException.java
*
/opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/ReflectiveFeign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/ErrorDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Logger.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Request.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/EncodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/StringDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Retryer.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/DecodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Util.java
*
/opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/auth/Base64.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/FeignException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Client.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/MethodMetadata.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Response.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Feign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/RequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Contract.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Target.java
```

1.61 feign-jackson 8.15.1

1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2013 Netflix, Inc.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonEncoder.java

1.62 junixsocket-common 2.3.2

1.62.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**  
* junixsocket  
*  
* Copyright 2009-2020 Christian Kohlschütter  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-jar/org/newsclub/net/unix/Closeables.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-jar/org/newsclub/net/unix/AFUNIXSocket.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-jar/org/newsclub/net/unix/AFUNIXSocketCredentials.java

```

*
/opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/AFUNIXServerSocket.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/NativeLibraryLoader.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/AFUNIXSocketCapability.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/AFUNIXSocketImpl.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/SuppressFBWarnings.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/AFUNIXSocketAddress.java
* /opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/NativeUnixSocket.java
*
/opt/ws_local/PERMITS_SQL/1046144794_1589880088.21/0/junixsocket-common-2-3-2-sources-
jar/org/newsclub/net/unix/AFUNIXSocketFactory.java

```

1.63 feign-jackson 10.7.4

1.63.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright 2012-2019 The Feign Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /opt/ws_local/PERMITS_SQL/1046144844_1589880083.52/0/feign-jackson-10-7-4-sources-
jar/feign/jackson/JacksonEncoder.java

```

No license file was found, but licenses were detected in source scan.

2020 The Feign Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144844_1589880083.52/0/feign-jackson-10-7-4-sources-jar/META-INF/maven/io.github.openfeign/feign-jackson/pom.xml

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2012-2020 The Feign Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144844_1589880083.52/0/feign-jackson-10-7-4-sources-jar/feign/jackson/JacksonDecoder.java

* /opt/ws_local/PERMITS_SQL/1046144844_1589880083.52/0/feign-jackson-10-7-4-sources-jar/feign/jackson/JacksonIteratorDecoder.java

1.64 junixsocket-native-common 2.3.2

1.64.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* junixsocket

*

* Copyright 2009-2020 Christian Kohlschütter

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144837_1589880123.03/0/junixsocket-native-common-2-3-2-sources-jar/org/newsclub/lib/junixsocket/common/NarMetadata.java

1.65 feign-core 10.7.4

1.65.1 Available under license :

No license file was found, but licenses were detected in source scan.

2020 The Feign Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/META-INF/maven/io.github.openfeign/feign-core/pom.xml

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2012-2020 The Feign Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/stream/StreamDecoder.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Logger.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Util.java

*

/opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/codec/StringDecoder.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Client.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/Expression.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Response.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/FeignException.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/QueryMap.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Request.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/UriUtils.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/QueryTemplate.java

*

/opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/RequestTemplate.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Contract.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Feign.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/CollectionFormat.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/BodyTemplate.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Types.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2012-2019 The Feign Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/ReflectiveFeign.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/Literal.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/Expressions.java
*
/opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/SynchronousMethodHandler.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/querymap/BeanQueryMapEncoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Body.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/codec/Encoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/codec/DecodeException.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/RequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/UriTemplate.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/codec/ErrorDecoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/ResponseMapper.java
*
/opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/ExceptionPropagationPolicy.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/Template.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/RetryableException.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/codec/Decoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/codec/EncodeException.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/InvocationHandlerFactory.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/RequestLine.java

* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/HeaderTemplate.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/auth/Base64.java
*
/opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/HeaderMap.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Headers.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/optionals/OptionalDecoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/MethodMetadata.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/querymap/FieldQueryMapEncoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/DefaultMethodHandler.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Target.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Experimental.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Retryer.java
*
/opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/auth/BasicAuthRequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/DeclarativeContract.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/template/TemplateChunk.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/QueryMapEncoder.java
* /opt/ws_local/PERMITS_SQL/1046144890_1589880128.54/0/feign-core-10-7-4-sources-jar/feign/Param.java

1.66 feign-jaxrs 10.7.4

1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

2020 The Feign Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under

the License.

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144772_1589880066.93/0/feign-jaxrs-10-7-4-sources-jar/META-INF/maven/io.github.openfeign/feign-jaxrs/pom.xml

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2012-2019 The Feign Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144772_1589880066.93/0/feign-jaxrs-10-7-4-sources-jar/feign/jaxrs/JAXRSContract.java

1.67 feign-slf4j 10.7.4

1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

2020 The Feign Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License

is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under

the License.

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144876_1589880063.19/0/feign-slf4j-10-7-4-sources-jar/META-

INF/maven/io.github.openfeign/feign-slf4j/pom.xml

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2012-2019 The Feign Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1046144876_1589880063.19/0/feign-slf4j-10-7-4-sources-
jar/feign/slf4j/Slf4jLogger.java

1.68 guice 4.2.3

1.68.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Google Guice - Core Library
Copyright 2006-2020 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.69 error_prone_annotations 2.3.4

1.69.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/Immutable.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/ForOverride.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/Var.java
*
/opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/IncompatibleModifiers.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/RequiredModifiers.java
```

No license file was found, but licenses were detected in source scan.


```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
```

```
*
 /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/CheckReturnValue.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-
```

jar/com/google/errorprone/annotations/NoAllocation.java

*

/opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/concurrent/LockMethod.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Error Prone Authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/FormatString.java

* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/DoNotMock.java

* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/CompatibleWith.java

*

/opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/RestrictedApi.java

* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/MustBeClosed.java

* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-

jar/com/google/errorprone/annotations/FormatMethod.java

1.70 guice-assistedinject 4.2.3

1.70.1 Available under license :

Google Guice - Extensions - AssistedInject

Copyright 2006-2020 Google, Inc.

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.71 guice-multibindings 4.2.3

1.71.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred

form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole,

an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal

Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution

notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works

as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor

be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.72 error_prone_annotations 2.0.2

1.72.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 Google Inc. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/IncompatibleModifiers.java
*
/opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/ForOverride.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Google Inc. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
*
/opt/ws_local/PERMITS_SQL/1064082195_1593169272.55/0/error-prone-annotations-2-0-2-sources-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java

1.73 jersey 2.25.1

1.73.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
 - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
 - B. Any new file that contains any part of the Original Software or previous Modification; or
 - C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under

common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor

Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby

agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the

Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its

contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may

modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is

to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source

code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions

of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy

both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE

PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine

library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable,

regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that
* accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/

DO NOT TRANSLATE OR LOCALIZE.

%% The following software may be included in this product: ASM
Use of any of this software is governed by the terms of the license below:

Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

%% The following software may be included in this product: Jettison
Use of any of this software is governed by the terms of the license below:

Copyright 2006 Envoi Solutions LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may

obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent

License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute

patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and

2. You must cause any modified files to carry prominent notices stating that You changed the files; and

3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state

otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT,

MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your

exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.**

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner] Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

%% The following software may be included in this product: Jackson

Use of any of this software is governed by the terms of the license below:

Jackson is dual-licensed under two alternative popular Open Source licenses: Apache (AL 2.0) and Gnu Lesser GPL (LGPL 2.1). You choose

one or the other, as necessary (if you want to redistribute the code for use, you do not need license), and abide by the license rules as defined by the respective license agreement (and only that one).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional

terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name

of copyright owner] Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.74 jersey 1.19.4

1.74.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

- 1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.
- 1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.
- 1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted

in Sections 2.1(a) and (b) are

effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display,

perform, sublicense and distribute the

Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or

otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version,

or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf,

and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the

Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding

declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS

EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ' 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to

distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.75 servlet-api 4.0.4

1.75.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License, * Constructor to establish non-empty getRolesAllowed and/or <tt>TransportGuarantee.CONFIDENTIAL</tt>. * @param guarantee <tt>TransportGuarantee.NONE</tt> or <tt>TransportGuarantee.CONFIDENTIAL</tt> * @param guarantee <tt>TransportGuarantee.NONE</tt> or <tt>TransportGuarantee.CONFIDENTIAL</tt>'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License, CONFIDENTIAL'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in '* All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright © 2019 Eclipse Foundation. All rights reserved.
'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

1.76 jetty-setuid-java 1.0.4

1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1088629606_1599838102.52/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/SetUIDListener.java
```

```
* /opt/ws_local/PERMITS_SQL/1088629606_1599838102.52/0/jetty-setuid-java-1-0-4-sources-
```

```
jar/org/eclipse/jetty/setuid/SetUIDServer.java
* /opt/ws_local/PERMITS_SQL/1088629606_1599838102.52/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/SetUID.java
* /opt/ws_local/PERMITS_SQL/1088629606_1599838102.52/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/Group.java
* /opt/ws_local/PERMITS_SQL/1088629606_1599838102.52/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/RLimit.java
*
/opt/ws_local/PERMITS_SQL/1088629606_1599838102.52/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/Passwd.java
```

1.77 jaxb-core 2.3.3

1.77.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache CXF
Copyright 2006-2011 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.78 commons-io 2.8.0

1.78.1 Available under license :

Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.79 httpcomponents-client 4.5.13

1.79.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code

Form to which the initial Contributor has attached

the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General

Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer

for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License.

Notwithstanding Section 2.1(b) above, no patent license is granted by a

Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the

rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
*                                     *
*                                     *
* 6. Disclaimer of Warranty           *
* -----                           *
*                                     *
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is
* free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
* essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
*                                     *
```

```
*                                     *
*                                     *
* 7. Limitation of Liability         *
* -----                           *
*                                     *
*                                     *
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
```

of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
*

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a

modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Apache HttpComponents Client

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.80 guava 30.1-jre

1.80.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberRegistry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/MoreObjects.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/Subscriber.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ServiceManagerBridge.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Java8Usage.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashingInputStream.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/VerifyException.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java


```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/CharSequenceReader.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/BaseImmutableMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableBiMap.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/IndexedImmutableSet.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Guava Authors.
```

*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This following method is a modified version of one found in
* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>
* which contained the following notice:
*
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
*
the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>
*
* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AllEqualOrdering.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactLinkedHashMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactHashMap.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingDeque.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredEntryMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingNavigableSet.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractNavigableMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapEntry.java
```

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/MultimapBuilder.java
```

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/MoreFiles.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
```

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Table.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/EmptyImmutableListMultimap.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Range.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapKeySet.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Shorts}. Intended to be empty for regular
* version.
```

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in

* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

* hereby disclaims

copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSink.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/Stats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Element.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java

```

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/AbstractByteHasher.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/LongAddables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CartesianList.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/package-
info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ServiceManager.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");

```

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Traverser.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in

* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

* hereby

disclaims copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/**

* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available under GWT but with a slightly different signature.

*

* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize

* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT compiler to autostrip the normal server method in order to expose the special, inherited GWT version.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/SuccessorsFunction.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableGraph.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Network.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Striped64.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Striped64.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Chars.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Joiner.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiReader.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Converter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Longs.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Ints.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java
*
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultiset.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java

*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/escape/ArrayBasedCharEscaper.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/escape/Escapers.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
* key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
* version.
*
* @throws UnsupportedOperationException always
* @deprecated <b>Pass a key of type {@code Comparable}
to use {@link
* ImmutableSortedMap#of\(Comparable, Object\).</b>
*/
```

```
Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

* Copyright (C) 2020 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

/**

* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
* version.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ComputationException.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/DiscreteDomain.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableClassToInstanceMap.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/package-info.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Strings.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Equivalence.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/Beta.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/GwtTransient.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AtomicLongMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/CommonMatcher.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/CommonPattern.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/JdkPattern.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
- *
- /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Comparators.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java
- *
- /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java


```

*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/DirectedNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/UndirectedGraphConnections.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMapMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/DirectedGraphConnections.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MapRetrievalCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

```

jar/com/google/common/graph/MapIteratorCache.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/graph/AbstractDirectedNetworkConnections.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/graph/StandardMutableGraph.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

/**

* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular

* version.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

/**

* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular

* version.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either

* express or implied. See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedAsList.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2007 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/Resources.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Predicates.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Function.java  
*  
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/Throwables.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/AsyncEventBus.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/primitives/Primitives.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/base/FinalizableWeakReference.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ExecutionList.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/DeadEvent.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Files.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/eventbus/package-info.java  
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/util/concurrent/package-info.java  
*  
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-  
jar/com/google/common/io/LineReader.java
```

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Predicate.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/package-info.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Preconditions.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Objects.java
 *
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Charsets.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Flushables.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Supplier.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Interners.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closeables.java
 *
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/EventBus.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Suppliers.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/package-info.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java
 * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Defaults.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Functions.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharStreams.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java

*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java

- *
- /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Sets.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BiMap.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multisets.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java

- *
- /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multiset.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java
- * /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/Ordering.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/NullsLastOrdering.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSet.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingMap.java

```

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractMapBasedMultiset.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Iterables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Lists.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ArrayListMultimap.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/LexicographicalOrdering.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

```

```
jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/MapDifference.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/EnumBiMap.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableIntArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingLock.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableLongArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingCondition.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2019 The Guava Authors
*

```

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Internal.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you
* may not use this file except in compliance with the License. You may
* obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Streams.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
*/

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/ToDoubleRounder.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/BigDecimalMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/IgnoreJRERequirement.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/ImmutableSupplier.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ExecutionSequencer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

/*

* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
* and released to the public domain, as explained at

* <http://creativecommons.org/licenses/publicdomain>

*

* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's

* `java.util.HashMap`

class.

*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/GeneralRange.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Count.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMultiset.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Weigher.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Hashing.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/package-info.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Optional.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ticker.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Present.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3_32HashFunction.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-


```

jar/com/google/common/hash/PrimitiveSink.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Types.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingExecutorService.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Absent.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/Hasher.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Uninterruptibles.java

```

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostAndPort.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3_128HashFunction.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Enums.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/MathPreconditions.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalCause.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/package-info.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Cache.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/BigIntegerMath.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java

*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/IntMath.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

```
jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/ForwardingCache.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/Queues.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/BloomFilter.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/HashFunction.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Returns an array containing all of the elements in the specified collection. This method
```

```
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned
array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ObjectArrays.java
```

1.81 annotations 3.0.0

1.81.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Mrcio Almada

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.82 aop-alliance 1.0

1.82.1 Available under license :

Public Domain

1.83 xerces-j 2.12.1

1.83.1 Available under license :

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====
```

Apache Xalan (Xalan serializer)
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
<http://www.ibm.com>.

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the
public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.

- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.84 hibernate-validator 6.1.6.Final

1.84.1 Available under license :

Adam Stawicki
Ahmed Al Hafoudh
Alaa Nassef
Andrey Derevyanko
Andrey Rodionov
Asutosh Pandya
Benson Margulies
Brent Douglas
Carlos Vara
Carlo de Wolf
Chris Beckey
Christian Ivan
Dag Hovland
Damir Alibegovic
Dario Seidl
Davide D'Alto
Davide Marchignoli
Denis Tiago
Doug Lea
Emmanuel Bernard
Efthymis Sarbanis
Federico
Federico Mancini
Gavin King
George Gastaldi
Gerhard Petracek
Guillaume Husta
Guillaume Smet
Gunnar Morling
Hardy Ferentschik
Henno Vermeulen
Hillmer Chona
Jan-Willem Willebrands
Jason T. Greene
Jesper Preuss
Jiri Bilek
Julien Furgerot
Julien May
Juraci Krohling
Justin Nauman
Kathryn Killebrew
Kazuki Shimizu
Kevin Pollet
Khalid Alqinyah

Lee KyoungIl
Leonardo Loch Zanivan
Lucas Pouzac
Lukas Niemeier
Mark Hobson
Marko Bekhta
Matthias Kurz
Mert Caliskan
Michal Fotyga
Nicola Ferraro
Nicolas Franois
Paolo Perrotta
Pete Muir
Rob Dickinson
Sanne Grinovero
Sebastian Bayerl
Shahram Goodarzi
Shane Bryzak
Shelly McGowan
Sjaak Derksen
Steve Ebersole
Strong Liu
Tadhg Pearson
Takashi Aoe
Tomaz
Cerar
Tommy Johansen
Victor Rezende dos Santos
Willi Schnborn
Xavier Sosnovsky
Yanming Zhou
Yoann Rodire
Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.85 mime-pull 1.9.6

1.85.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2015 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.86 guava 2.25.1

1.86.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/package-info.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/package-info.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Equivalence.java
- *
- /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSetMultimap.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Strings.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/UnmodifiableListIterator.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingBlockingQueue.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/Beta.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ThreadFactoryBuilder.java
- *
- /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableCollection.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/package-info.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSequentialIterator.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Monitor.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Ascii.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RowSortedTable.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedMapDifference.java
- *

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/UncaughtExceptionHandler.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListeningExecutorService.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/BaseEncoding.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeyMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/ChecksumHashFunction.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/SipHashFunction.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableRangeSet.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/GwtWorkarounds.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/CartesianList.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableRangeMap.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the
 * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 * either
 * express or implied. See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy of
 * the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2010 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```


* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS-IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/GenericMapMaker.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/VerifyException.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/HashingInputStream.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Utf8.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Verify.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/IntMath.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/LongMath.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/AbstractNonStreamingHashFunction.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Enums.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Types.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/Cache.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionError.java

```

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/CacheLoader.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Ticker.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Present.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/CycleDetectingLockFactory.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Optional.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/net/MediaType.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/FutureCallback.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingCheckedFuture.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Absent.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/GwtTransient.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/LoadingCache.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AsyncFunction.java

```

```
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/WellBehavedMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/RemovalListener.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/RemovalCause.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/math/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/FutureFallback.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/Uninterruptibles.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2011 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

```
* the License.
```

```
*/
```

```
Found in path(s):
```

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyContiguousSet.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in

* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

* hereby

disclaims copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenerCallQueue.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/MoreObjects.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/math/MathPreconditions.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/Weigher.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultiset.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/Escaper.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMultiset.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/CollectPreconditions.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/CheckedFuture.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSet.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Chars.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableListMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/HashBasedTable.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/PercentEscaper.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableBiMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedSet.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableBiMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/Range.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Table.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableCollection.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/primitives/Floats.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableMultimap.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/MultiReader.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Joiner.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Tables.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Platform.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Serialization.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/primitives/Longs.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Collections2.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableListMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapValues.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SerializingExecutor.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/UnicodeEscaper.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Doubles.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Ints.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/CharMatcher.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/StandardRowSortedTable.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableBiMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FluentIterable.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Booleans.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableMapKeySet.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Stopwatch.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/TrieParser.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Converter.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/Shorts.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractCheckedFuture.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Cut.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/RegularImmutableTable.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Interners.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/HashBiMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Preconditions.java

*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/EnumMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SortedIterables.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/primitives/UnsignedLong.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Count.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/ParseRequest.java
*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/UnsignedInts.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/hash/Funnels.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/TreeRangeSet.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/BoundType.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/HashCode.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Queues.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/RegularContiguousSet.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/Hasher.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/Funnel.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/HashFunction.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/Murmur3_128HashFunction.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/AbstractStreamingHashFunction.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/Hashing.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractSortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/util/concurrent/AtomicDoubleArray.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/cache/LongAdder.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/cache/Striped64.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/ContiguousSet.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/SortedLists.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/ComputingConcurrentHashMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* This method was written by Doug Lea with assistance from members of JCP
* JSR-166 Expert Group and released to the public domain, as explained at
* <http://creativecommons.org/licenses/publicdomain>
*
* As of 2010/06/11, this method is identical to the (package private) hash
* method in OpenJDK 7's java.util.HashMap
class.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableTable.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedSet.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Callables.java
- *
- /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/Escapers.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/DiscreteDomain.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSetMultimap.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingTable.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableList.java
- *
- /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Service.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableClassToInstanceMap.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedEscaperMap.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/LineProcessor.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ComparisonChain.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedCharEscaper.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/InternetDomainName.java
- *
- /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMap.java
- * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractService.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractIdleService.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteProcessor.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableTable.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SettableFuture.java
 *
 /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/ArrayBasedUnicodeEscaper.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Platform.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ArrayTable.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/xml/XmlEscapers.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingFuture.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSetMultimap.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeResolver.java
 *
 /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/CacheBuilder.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableList.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/primitives/SignedBytes.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/html/HtmlEscapers.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/GwtCompatible.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractExecutionThreadService.java
 *
 /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/Platform.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/net/HostSpecifier.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListenableFuture.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/GwtIncompatible.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

```
jar/jersey/repackaged/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/primitives/UnsignedBytes.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Splitter.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableEnumSet.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ComputationException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntry.java
```

```
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby
disclaims copyright to this source code.
*/
```

```
Found in path(s):
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/internal/Finalizer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/annotations/VisibleForTesting.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/PatternFilenameFilter.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/FakeTimeLimiter.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/CharEscaperBuilder.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/CharEscaper.java

```
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/TimeLimiter.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/AppendableWriter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/InputSupplier.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/ByteStreams.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Multimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ArrayListMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
```

```

jar/jersey/repackaged/com/google/common/collect/MutableClassToInstanceMap.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Interner.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Maps.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Sets.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Supplier.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/MapConstraints.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Constraint.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Multiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/EnumHashBiMap.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/AnnotatedSubscriberFinder.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/OutputSupplier.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingMultimap.java
*

```

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/io/LineBuffer.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/ImmutableList.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/base/FinalizableWeakReference.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/Multimaps.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/base/AbstractIterator.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/ForwardingConcurrentMap.java
 *
 /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/base/Predicates.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/LinkedHashMultimap.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/eventbus/AsyncEventBus.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/io/CountingOutputStream.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/package-info.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/AbstractSortedSetMultimap.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/ForwardingMultiset.java
 *
 /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/ForwardingCollection.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/MapConstraint.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/eventbus/package-info.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultiset.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/NullsFirstOrdering.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/SortedSetMultimap.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/HashMultiset.java
 *
 /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/eventbus/EventBus.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
 jar/jersey/repackaged/com/google/common/collect/ForwardingIterator.java
 * /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/LexicographicalOrdering.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/CharStreams.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/Flushables.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Ordering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/Files.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/SynchronizedEventSubscriber.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Predicate.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Iterators.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Function.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Throwables.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractBiMap.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Suppliers.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/TreeMultimap.java


```

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/LittleEndianDataOutputStream.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/Closeables.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/Constraints.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ForwardingQueue.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/EventSubscriber.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/LineReader.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/MultiInputStream.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/AbstractListMultimap.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/ObjectArrays.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/io/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/NaturalOrdering.java
*

```

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/Resources.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Objects.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Multisets.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Lists.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableSet.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/Iterables.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Charsets.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/SubscriberFindingStrategy.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingMap.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/MapDifference.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/Functions.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/eventbus/DeadEvent.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/BiMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/Defaults.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
* use this file except in compliance with the License. You may obtain a copy  
* of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/base/FunctionalEquivalence.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/RegularImmutableMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/FilteredSetMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableMap.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/TreeRangeMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/reflect/TypeCapture.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/UnmodifiableSortedMultiset.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/AbstractMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/cache/LongAddables.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/util/concurrent/AsyncSettableFuture.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/FilteredKeyListMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/ImmutableEnumMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/io/Closer.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/collect/TransformedIterator.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteSink.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/MutableTypeToInstanceMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ServiceManager.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredEntrySetMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingDeque.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableScheduledFuture.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/RateLimiter.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/BinaryTreeTraverser.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/AbstractInvocationHandler.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredKeySetMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/escape/package-info.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TransformedListIterator.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/TypeToInstanceMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/util/concurrent/SmoothRateLimiter.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EvictingQueue.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMap.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RangeMap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/TreeTraverser.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredEntryMultimap.java

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/SortedMultisetBridge.java

*

/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Element.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Invokable.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CharSink.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/xml/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/ClassPath.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/html/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/ByteSource.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/reflect/package-info.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/io/CharSource.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableSet.java
*
/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-jar/jersey/repackaged/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-

jar/jersey/repackaged/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/reflect/ImmutableTypeToInstanceMap.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2005 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2007 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

```
/*  
* This following method is a modified version of one found in  
* http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30  
* which contained the following notice:  
*  
*/
```

* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released
to the public domain, as explained at
* <http://creativecommons.org/publicdomain/zero/1.0/>
* Other contributors include Andrew Wright, Jeffrey Hayes,
* Pat Fisher, Mike Judd.
*/

Found in path(s):

*/opt/cola/permits/1132255413_1667977202.9796696/0/jersey-guava-2-25-1-sources-
jar/jersey/repackaged/com/google/common/util/concurrent/MoreExecutors.java

1.87 automation 1.11-8

1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * dk.brics.automaton
 *
 * Copyright (c) 2001-2011 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY
 * AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```


Found in path(s):

```
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/ShuffleOperations.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/Datatypes.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/RegExp.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-jar/dk/brics/automaton/State.java
*
/opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/AutomatonProvider.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/TransitionComparator.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/MinimizationOperations.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/BasicOperations.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/Transition.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/StatePair.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/RunAutomaton.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/SpecialOperations.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automata/BasicAutomata.java
*
/opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/DatatypesAutomatonProvider.java
* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/Automaton.java
```

No license file was found, but licenses were detected in source scan.

/*

* dk.brics.automaton - AutomatonMatcher

*

* Copyright (c) 2008-2011 John Gibson

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1135840548_1613612864.41/0/automaton-1-11-8-sources-3-
jar/dk/brics/automaton/AutomatonMatcher.java

1.88 httpcomponents-core 4.4.13

1.88.1 Available under license :

Apache HttpCore

Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.89 httpcore-nio 4.4.13

1.89.1 Available under license :

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.90 commons-lang3 2.6

1.90.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.91 mockito-all 1.10.19

1.91.1 Available under license :

Mockito license - MIT.

Libraries used:

Cglib - Apache License 2.0
ASM - BSD license

Mockito all distribution:

Objenesis - MIT license
Hamcrest - BSD license
Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.92 httpcomponents-mime 4.5.13

1.92.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code

Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer

for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to

the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability

terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent

infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

* * * * *

* 6. Disclaimer of Warranty *
* ----- *
* * * * *

* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is *
* free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
* essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* * * * *

* * * * *

* 7. Limitation of Liability *
* ----- *
* * * * *

* * * * *

* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *

* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Apache HttpComponents Client

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.93 commons-configuration 1.8

1.93.1 Available under license :

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Configuration

Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.94 httpclient-cache 4.5.13

1.94.1 Available under license :

Apache HttpClient Cache

Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.95 commons-logging 1.2

1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004,2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```


Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/AvalonLogger.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2004 The Apache Software Foundation.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Log4JLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/LogFactoryImpl.java
*
/opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/Log.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2005 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/ServletContextCleaner.java

1.96 classmate 1.3.4

1.96.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

1.97 isorelax 20090621

1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* @(#) \$Id: IslandSchemaReader.java,v 1.4 2001/11/01 00:11:45 kkawa Exp \$
*
* Copyright 2001 KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/IslandSchemaReader.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: IgnoredSchema.java,v 1.5 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:

*

* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-

jar/org/iso_relax/dispatcher/impl/IgnoredSchema.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: AttributesDecl.java,v 1.3 2001/11/01 00:11:45 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO

EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-

jar/org/iso_relax/dispatcher/AttributesDecl.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: IslandVerifier.java,v 1.6 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 MURATA Makoto, KAWAGUCHI Kohsuke

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/IslandVerifier.java

No license file was found, but licenses were detected in source scan.

/*
* @(#) \$Id: Dispatcher.java,v 1.6 2003/05/30 23:46:32 kkawa Exp \$
*
* Copyright 2001 MURATA Makoto, KAWAGUCHI Kohsuke
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/Dispatcher.java

No license file was found, but licenses were detected in source scan.

/*
* @(#) \$Id: SchemaProvider.java,v 1.6 2003/05/30 23:46:32 kkawa Exp \$

*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO
EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/SchemaProvider.java

No license file was found, but licenses were detected in source scan.

/*
* @(#)\$Id: ElementDecl.java,v 1.3 2001/11/01 00:11:45 kkawa Exp \$
*
* Copyright 2001 Kohsuke KAWAGUCHI
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO EVENT
SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/ElementDecl.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: IslandSchema.java,v 1.5 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 KAWAGUCHI Kohsuke

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:

*

* The above copyright notice and this permission notice shall be included

* in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

* IN NO EVENT

SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-
jar/org/iso_relax/dispatcher/IslandSchema.java

No license file was found, but licenses were detected in source scan.

/*

* @(#) \$Id: DispatcherImpl.java,v 1.5 2003/05/30 23:46:32 kkawa Exp \$

*

* Copyright 2001 Kohsuke KAWAGUCHI

*

- * Permission is hereby granted, free of charge, to any person obtaining
- * a copy of this software and associated documentation files (the
- * "Software"), to deal in the Software without restriction, including
- * without limitation the rights to use, copy, modify, merge, publish,
- * distribute, sublicense, and/or sell copies of the Software, and to
- * permit persons to whom the Software is furnished to do so, subject to
- * the following conditions:
- *
- * The above copyright notice and this permission notice shall be included
- * in all copies or substantial portions of the Software.
- *
- * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
- * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
- * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
- * IN NO
- EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
- * CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
- * TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
- * SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
- */

Found in path(s):

* /opt/cola/permits/1135864262_1613618257.27/0/isorelax-20090621-sources-1-jar/org/iso_relax/dispatcher/impl/DispatcherImpl.java

1.98 stax 4.2.1

1.98.1 Available under license :

This copy of Stax2 API is licensed under the Simplified BSD License (also known as "2-clause BSD", or "FreeBSD License") See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.opensource.org/licenses/bsd-license.php>

with details of:

<COPYRIGHT HOLDER> = FasterXML.com

<YEAR> = 2010-

1.99 commons-validator 1.7

1.99.1 Available under license :

Apache Commons Validator
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.100 jul-to-slf4j 1.7.30

1.100.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) 2004-2011 QOS.ch
```

```
* All rights reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining
```

```
* a copy of this software and associated documentation files (the
```

```
* "Software"), to deal in the Software without restriction, including
```

```
* without limitation the rights to use, copy, modify, merge, publish,
```

```
* distribute, sublicense, and/or sell copies of the Software, and to
```

```
* permit persons to whom the Software is furnished to do so, subject to
```

```
* the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be
```

```
* included in all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
```

```
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
```

* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):

* /opt/cola/permits/1135864176_1613618002.1/0/jul-to-slf4j-1-7-30-sources-1-
jar/org/slf4j/bridge/SLF4JBridgeHandler.java

1.101 commons-io 2.8.0

1.101.1 Available under license :

Apache Commons IO

Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.102 javassist 3.25.0-GA

1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtPrimitiveType.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/MethodInfo.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/MultiArrayType.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/DefineClassHelper.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-

```

jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/StackMapTable.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/Loader.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/Visitor.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CodeConverter.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/Translator.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/AccessFlag.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/ASTree.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/NotFoundException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/DeprecatedAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/ASTList.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/ClassFilePrinter.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/Expr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-

```

```

jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/ProxyFactory.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtClassType.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtNewConstructor.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/StringL.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/reflect/Metaobject.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/CodeGen.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/FieldInfo.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtNewClass.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-

```

```

jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/SubroutineScanner.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtMember.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/ClassPool.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/URLClassPath.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/SyntheticAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformAccessArrayField.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/analysis/Subroutine.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtField.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/DefinePackageHelper.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/Modifier.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/SyntaxError.java

```

```

*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/framedump.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformCall.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/SignatureAttribute.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/Callback.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/runtime/Cflow.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/AnnotationsAttribute.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/DuplicateMemberException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/ClassPath.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
jar/javassist/convert/TransformNewClass.java
*

```


/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/bytecode/SourceFileAttribute.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/util/proxy/SecurityActions.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/compiler/TypeChecker.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/ClassMap.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/compiler/ast/FieldDecl.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/bytecode/LongVector.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/tools/web/Webserver.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtMethod.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/bytecode/ClassFileWriter.java
 *
 /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/Stmnt.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/tools/reflect/Sample.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/util/proxy/RuntimeSupport.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/util/proxy/SerializedProxy.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/util/HotSwapAgent.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/Parser.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/NewArray.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/compiler/ast/IntConst.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/tools/reflect/Reflection.java
 *
 /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/compiler/MemberCodeGen.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/tools/rmi/ObjectImporter.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/scopedpool/ScopedClassPoolRepository.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/convert/Transformer.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/Cast.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/tools/reflect/CannotInvokeException.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/bytecode/ConstantAttribute.java
 * /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-
 jar/javassist/convert/TransformWriteField.java

*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtBehavior.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/analysis/MultiType.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/NewExpr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/runtime/Desc.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtConstructor.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/Mnemonic.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/CastExpr.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/EnclosingMethodAttribute.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtArray.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CannotCompileException.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/rmi/StubGenerator.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/DoubleConst.java

*

/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/CodeAnalyzer.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/BinExpr.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/analysis/Util.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/util/proxy/Proxy.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/analysis/Type.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtNewWrappedMethod.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/util/proxy/ProxyObjectInputStream.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/KeywordTable.java

*

/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/NestMembersAttribute.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/InstructionPrinter.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/LocalVariableAttribute.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/reflect/CannotReflectException.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/CallExpr.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/reflect/Compiler.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/Dump.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/CodeIterator.java

*

/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/Instanceof.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/AnnotationDefaultAttribute.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/runtime/Inner.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolFactory.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/Opcode.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/tools/reflect/Loader.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/Handler.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/CtClass.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/compiler/ast/InstanceOfExpr.java

*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/SerialVersionUID.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/expr/FieldAccess.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/ByteMemberValue.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/MemberValueVisitor.java
*
/opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/BooleanMemberValue.java

* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1135869399_1613618193.6/0/javassist-3-25-0-ga-sources-3-jar/javassist/bytecode/annotation/DoubleMemberValue.java

1.103 httpcomponents-core 4.4.14

1.103.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache HttpComponents Core
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpComponents Core
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.104 jakarta-annotation-api 1.3.5

1.104.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN

THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses

granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all

its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/common-annotations-api>

##

Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

/*

- * Copyright (c) 2005, 2018 Oracle and/or its affiliates. All rights reserved.

*

- * This program and the accompanying materials are made available under the

- * terms of the Eclipse Public License v. 2.0, which is available at

- * <http://www.eclipse.org/legal/epl-2.0>.

*

- * This Source Code may also be made available under the following Secondary

- * Licenses when the conditions for such availability set forth in the

- * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

- * version 2 with the GNU Classpath Exception, which is available at

- * <https://www.gnu.org/software/classpath/license.html>.

*

- * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

1.105 commons-codec 1.14

1.105.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)

the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Codec

Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>
with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

1.106 javassist 3.27.0-GA

1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/Visitor.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/Mnemonic.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Parser.java
```

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefineClassHelper.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/SubroutineScanner.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMember.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionTable.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ConstructorCall.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/StubGenerator.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/FieldInfo.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CodeGen.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAnalyzer.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/IntQueue.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/DotClass.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/URLClassPath.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectInputStream.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InstructionPrinter.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestMembersAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotReflectException.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CallExpr.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AttributeInfo.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/KeywordTable.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeIterator.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SymbolTable.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Subroutine.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Inner.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefinePackageHelper.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LineNumberAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactory.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Modifier.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationsWriter.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CannotCompileException.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Expr.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformFieldAccess.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtPrimitiveType.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/BasicBlock.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Callback.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/MethodInfo.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstCodeGen.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewExpr.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeData.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFile.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMethod.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CondExpr.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPool.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/NewExpr.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotCreateException.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/EnclosingMethodAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/BinExpr.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SourceFileAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SecurityActions.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassMap.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TypeChecker.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/FieldDecl.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CodeConverter.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/ClassMetaobject.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestHostAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AccessFlag.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTree.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMap.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/NotFoundException.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metalevel.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Variable.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Sample.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Instanceof.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFilePrinter.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Stmnt.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/framedump.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationImpl.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/AssignExpr.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Bytecode.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstantAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Desc.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyFactory.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/FactoryHelper.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewMethod.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

```

jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClassType.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtBehavior.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/MemberCodeGen.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/util/proxy/SerializedProxy.java

```

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberResolver.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/StringL.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Util.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/BadHttpRequest.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/BadBytecode.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPool.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/Proxy.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedMethod.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Type.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SyntheticAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectImporter.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ExprEditor.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ProceedHandler.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionsAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAccessArrayField.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationDefaultAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/SoftValueHashMap.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Loader.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtField.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Dump.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/MethodDecl.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CompileError.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Handler.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteStream.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/bytecode/stackmap/Tracer.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/util/HotSwapAgent.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/FieldAccess.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/InnerClassesAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/tools/web/Viewer.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/util/proxy/ProxyObject.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/convert/TransformCall.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/ast/Symbol.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/ByteArrayClassPath.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/AccessorMaker.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Lex.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/ast/ASTList.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/MethodCall.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/SerialVersionUID.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/convert/TransformBefore.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Cflow.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/convert/Transformer.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/AnnotationsAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/LocalVariableTypeAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/DuplicateMemberException.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/util/proxy/MethodFilter.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/analysis/MultiArrayType.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/tools/reflect/Metaobject.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/stackmap/MapMaker.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/JvstTypeChecker.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/convert/TransformReadField.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Loader.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/StackMapTable.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPoolTail.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPath.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapper.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Javac.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/analysis/ControlFlow.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Opcode.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/analysis/Executor.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/tools/web/Webserver.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/LongVector.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/util/proxy/ProxyObjectOutputStream.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/ast/CastExpr.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/DeprecatedAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClass.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Translator.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Sample.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/bytecode/CodeAttribute.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewArray.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassClassPath.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/ast/IntConst.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/util/proxy/MethodHandler.java
 *
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/convert/TransformNew.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/scopedpool/ScopedClassPoolRepository.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Cast.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/NoFieldException.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
 jar/javassist/compiler/SyntaxError.java
 * /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

```
jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/util/proxy/RuntimeSupport.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Pair.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/analysis/MultiType.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/EnumMemberValue.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
```

```
jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/BooleanMemberValue.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
```

1.107 commons-logging 1.1.3

1.107.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Logging

Copyright 2003-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.108 zt 1.14

1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):

* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/AsiExtraField.java
*
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipLong.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipExtraField.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipShort.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/ZipConstants.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with

* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/FileExistsException.java
*
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/IOUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/FilenameUtils.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZTFileUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipInfoCallback.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/NameMapper.java
*

```
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/FileSource.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntryUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/Zips.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ByteSource.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntrySource.java
*
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/IdentityNameMapper.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-
jar/org/zeroturnaround/zip/ZipEntryCallback.java
```

1.109 httpcomponents-mime 4.5.12

1.109.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.110 jcl-over-slf4j 1.7.30

1.110.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/LogFactory.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SLF4JLogFactory.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/LogConfigurationException.java
*
/opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/Log.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SLF4JLog.java
```

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-jar/org/apache/commons/logging/package.html

1.111 jakarta-validation-api 2.0.2

1.111.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Jakarta Bean Validation API

*

* License: Apache License, Version 2.0

* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

*/

Found in path(s):

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validator.java

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CascadableDescriptor.java

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintTarget.java

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/FutureOrPresent.java

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Null.java

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidatorContext.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ExecutableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/Default.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/MessageInterpolator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/Unwrapping.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/ValidationTarget.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/MethodDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/UnexpectedTypeException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/BeanDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Digits.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/UnwrapByDefault.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NegativeOrZero.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintViolation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ValidateUnwrappedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/SupportedValidationTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/ValidationProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/ElementKind.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/GroupConversionDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ExtractedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/MethodType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ConstructorDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraintvalidation/package-info.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertTrue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Path.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/PositiveOrZero.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/BootstrapConfiguration.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ContainerElementTypeDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Min.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/ConvertGroup.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Max.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ReportAsSingleViolation.java

```

*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ReturnValueDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ParameterNameProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/NoProviderFoundException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Validation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotBlank.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Constraint.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Valid.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/CrossParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ClockProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Configuration.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/ValidateOnExecution.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Size.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/PastOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintViolationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/bootstrap/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/TraversableResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/ExecutableValidator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidationProviderResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidatorFactory.java
*

```

/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ContainerDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ConstraintDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotNull.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/GroupSequence.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Negative.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidatorFactory.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ValidationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/OverridesAttribute.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/BootstrapState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Email.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/PropertyDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidator.java
*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/executable/ExecutableType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/AssertFalse.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Future.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMax.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Positive.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NotEmpty.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/spi/ConfigurationState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Payload.java

*
/opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMin.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Past.java
No license file was found, but licenses were detected in source scan.

~ Jakarta Bean Validation API

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>

<![CDATA[

Comments to: <bean-validation-dev@eclipse.org>.

Copyright © 2019 Eclipse Foundation.

Use is subject to <[EFSL]({ @docRoot }/doc-files/speclicense.html)>; this spec is based on material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

1.112 jakarta-ws-rs-api 2.1.6

1.112.1 Available under license :

Notices for the Jakarta RESTful Web Services Project

This content is produced and maintained by the **Jakarta RESTful Web Services** project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

Trademarks

Jakarta RESTful Web Services is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such

availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaxrs-api>

Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

* License: Apache-2.0 AND W3C

JUnit (4.11)

* License: Common Public License 1.0

Mockito (2.16.0)

* Project: <http://site.mockito.org>

* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than

those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent,

trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR

IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor

Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have.

You must make sure that they, too, receive or can get the source code.

And you

must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF

TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

/*

* Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at
* <https://www.gnu.org/software/classpath/license.html>.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

1.113 javax-el 3.0.0

1.113.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell,

offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the

terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This

alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other

system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.114 aws-java-sdk-core 1.11.91

1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```


Found in path(s):

```
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/AwsHostNameUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/SystemPropertiesCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/InstanceProfileCredentialsProvider.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/EC2MetadataClient.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/ClasspathPropertiesFileCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/DefaultAWSCredentialsProviderChain.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/IdleConnectionReaper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/CRC32MismatchException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/EnvironmentVariableCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/AWSCredentialsProviderChain.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/CustomBackoffStrategy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/DynamoDBBackoffStrategy.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
* for applicable license terms and NOTICE.txt for applicable notices.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Classes.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/BinaryUtils.java
*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/DateUtils.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt

* for applicable license terms and NOTICE.txt for applicable notices.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.

* A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed

* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/ResettableInputStream.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/ReleasableInputStream.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013-2017 Amazon Technologies, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at:

*

* <http://aws.amazon.com/apache2.0>

*

* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

* OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/Regions.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/ServiceAbbreviations.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.

* A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed

* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

/**

* Interface for providing AWS region information. Implementations are free to use any strategy for

* providing region information.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/AwsRegionProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014-2017 Amazon Technologies, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at:

*

* <http://aws.amazon.com/apache2.0>

*

* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES

* OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ssl/SdkTLSSocketFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ssl/TLSProtocol.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2016. Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.

* A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed

* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/IdempotentUtils.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/client/impl/ConnectionManagerAwareHttpClient.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/SdkStructuredJsonFactory.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/client/impl/ApacheHttpClientFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/CapacityManager.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/FakeIOException.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ssl/ShouldClearSslSessionPredicate.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/CanHandleNullCredentials.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/client/impl/ApacheConnectionFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/package-info.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/utills/ApacheUtils.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/client/impl/SdkHttpClient.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/request/impl/ApacheHttpRequestFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/handlers/IRequestHandler2.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/DateTimeJsonSerializer.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/log/InternalLogFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/adapters/types/StringToInputStreamAdapter.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/auth/SignerProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/adapters/types/StringToByteBufferAdapter.java
*
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/auth/DefaultSignerProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/MetadataCache.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/auth/SignerProviderContext.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/NullResponseMetadataCache.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/adapters/types/TypeAdapter.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/auth/NoOpSignerProvider.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/AsyncHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

```
/**
 * Interface for providing AWS credentials. Implementations are free to use any
 * strategy for providing AWS credentials, such as simply providing static
 * credentials that don't change, or more complicated implementations, such as
 * integrating with existing key management systems.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/AWSCredentialsProvider.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015-2017 Amazon Technologies, Inc.
```

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* <http://aws.amazon.com/apache2.0>
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/annotation/package-info.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkSSLContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015-2017 Amazon.com, Inc. or its affiliates. All Rights
* Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is
* distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either
* express or implied. See the License for the specific language
* governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/CredentialUtils.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not

* use this file except in compliance with the License. A copy of the License is
* located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is distributed on
* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/http/IOExceptionParser.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/http/CompositeErrorCodeParser.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/http/ErrorCodeParser.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.

* A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed

* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/log/CommonsLogFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/ComparableUtils.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/TimeoutThreadPoolBuilder.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/client/ClientExecutionAbortTrackerTaskImpl.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/client/HttpClientFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskTracker.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/ValidationUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/SystemDefaultDnsResolver.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/log/InternalLog.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/request/HttpRequestTimer.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkInternalList.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/client/NoOpClientExecutionAbortTrackerTask.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/NumberUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/log/JulLog.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/log/JulLogFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/PredefinedClientConfigurations.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/http/JsonErrorCodeParser.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/client/ClientExecutionTimeoutException.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/UriResourcePathUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/SdkHttpUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkInternalMap.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/log/CommonsLog.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/DnsResolver.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/SDKGlobalTime.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/DelegateInputStream.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/client/ClientExecutionAbortTrackerTask.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskImpl.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/timers/client/ClientExecutionAbortTaskImpl.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/JsonErrorResponseHandler.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/SignableRequest.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkIOUtils.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/client/ClientExecutionTimer.java
 *
 /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/client/ConnectionFactory.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/request/NoOpHttpRequestAbortTaskTracker.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/request/HttpRequestAbortTask.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkSSLMetricsSocket.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/exception/HttpRequestTimeoutException.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Base16Lower.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ssl/privileged/PrivilegedMasterSecretValidator.java
 *
 /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/ReadLimitInfo.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/JavaVersionParser.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkMetricsSocket.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/client/ClientExecutionAbortTask.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/handlers/StackedRequestHandler.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/JsonErrorUnmarshaller.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ssl/MasterSecretValidators.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/request/HttpRequestAbortTaskTrackerImpl.java
 *
 /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/SdkConnectionKeepAliveStrategy.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/settings/HttpClientSettings.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/DelegatingDnsResolver.java
 * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

jar/com/amazonaws/internal/DelegateSocket.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/http/JsonErrorMessageParser.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/HandlerContextKey.java
No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright (c) 2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/StructuredJsonGenerator.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/SdkStructuredPlainJsonFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/SdkJsonProtocolFactory.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/SdkCborGenerator.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/JsonResponseHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/SdkStructuredCborFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
```

*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/event/ProgressEventFilter.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/ProfilesConfigFileWriter.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/internal/SignerConstants.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/internal/AWS4SignerUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/event/RequestProgressInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/event/request/Progress.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/internal/SignerKey.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/LengthCheckInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/DelegateSSLSocket.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/event/ProgressInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/internal/securitytoken/ProfileCredentialsService.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/ProfilesConfigFile.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/UnreliableTestConfig.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/Releasable.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/internal/securitytoken/STSPProfileCredentialsServiceProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/internal/AWS4SignerRequestParams.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/UnreliableFilterInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

jar/com/amazonaws/event/SyncProgressListener.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/request/ProgressSupport.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/Profile.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/SDKProgressPublisher.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkSocket.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/ProgressTracker.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/securitytoken/STSProfileCredentialsServiceLoader.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/securitytoken/RoleInfo.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/FIFOCache.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/BoundedLinkedHashMap.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/AbstractProfilesConfigFileScanner.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/package-info.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkSSLSocket.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/ResponseProgressInputStream.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/ProfileCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/DeliveryMode.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/BasicProfileConfigLoader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/ImmutableMapParameter.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/config/SignerConfigJsonHelper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/config/SignerConfig.java
*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/config/Builder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/Protocol.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/config/JsonIndex.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License"). You may not

* use this file except in compliance with the License. A copy of the License is

* located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed on

* an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/JsonParser.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/SimpleTypeJsonUnmarshallers.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/JsonFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/JodaTime.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/StringMapBuilder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with
with
* the License. A copy of the License is located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/Beta.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/ThreadSafe.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/Immutable.java
*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/SdkTestInternalApi.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/GuardedBy.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/NotThreadSafe.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/SdkProtectedApi.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/annotation/SdkInternalApi.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011-2017 Amazon Technologies, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* <http://aws.amazon.com/apache2.0>
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/RequestClientOptions.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/jmx/JmxInfoProviderSupport.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/metrics/MetricAdminMBean.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/BasicSessionCredentials.java
*
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/AWSSessionCredentials.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/jmx/spi/JmxInfoProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/jmx/spi/SdkMBeanRegistry.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/ClassLoaderHelper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/AWSSessionCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/metrics/MetricAdmin.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/json/Jackson.java
*
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/ServiceClientHolderInputStream.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/SimpleTypeCborUnmarshallers.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/SdkIonGenerator.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/InMemoryRegionImpl.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/PartitionMetadataProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/model/Region.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/RegionMetadataProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/apache/client/impl/CRC32ChecksumResponseInterceptor.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/LegacyRegionXmlMetadataBuilder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/PartitionsLoader.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/model/Endpoint.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/model/Partition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/RegionImpl.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/LegacyRegionXmlLoadUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/PartitionRegionImpl.java
```

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/partitions/model/CredentialScope.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/InMemoryRegionsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/RegionMetadataFactory.java
*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/AbstractRegionMetadataProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/partitions/model/Service.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/SdkStructuredIonFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/apache/SdkProxyRoutePlanner.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/log/InternalLogApi.java

No license file was found, but licenses were detected in source scan.

/*

* =====

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at

```

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/

```

Found in path(s):

```

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/URLEncodedUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/NameValuePair.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/BasicNameValuePair.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright 2012-2017 Amazon Technologies, Inc.
*
* Portions copyright 2006-2009 James Murty. Please see LICENSE.txt
* for applicable license terms and NOTICE.txt for applicable notices.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* http://aws.amazon.com/apache2.0
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/Md5Utils.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/AwsErrorResponseHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/client/ClientExecutionParams.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/JsonErrorResponseMetadata.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/retry/V2CompatibleBackoffStrategy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/profile/path/config/ConfigEnvVarOverrideLocationProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/JsonClientMetadata.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/PathMarshallers.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/profile/path/config/SharedConfigDefaultLocationProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/JsonOperationMetadata.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/AmazonWebServiceRequestAdapter.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/client/AwsSyncClientParams.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/MapUnmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/StringInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/retry/PredefinedBackoffStrategies.java
```

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/AndRetryCondition.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/presign/PresignerParams.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/TimingInfo.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/response/AwsResponseHandlerAdapter.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/AWSRefreshableSessionCredentials.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/client/ClientHandler.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/SdkClock.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/internal/ProfileStaticCredentialsProvider.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/client/builder/AwsClientBuilder.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkFunction.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/SdkJsonMarshallerFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/JsonContentTypeResolverImpl.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/internal/BasicProfile.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/client/ClientHandlerParams.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/MaxNumberOfRetriesCondition.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/ExecutionContext.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/XMLWriter.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/AwsRegionProviderChain.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/SdkJsonGenerator.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/client/builder/ExecutorFactory.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/V2CompatibleBackoffStrategyAdapter.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/client/AwsAsyncClientParams.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

```

jar/com/amazonaws/retry/v2/OrRetryCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/client/builder/AwsSyncClientBuilder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/retry/v2/FixedDelayBackoffStrategy.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/presign/PresignerFacade.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/AmazonWebServiceResult.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/AwsProfileRegionProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/SdkHttpMetadata.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/retry/v2/BackoffStrategy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/AWSStaticCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/StaticCredentialsProvider.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/JsonErrorShapeMetadata.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/client/ClientHandlerImpl.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/profile/path/cred/CredentialsDefaultLocationProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/ProfileAssumeRoleCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/profile/path/cred/CredentialsEnvVarOverrideLocationProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/AwsEnvVarOverrideRegionProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/AbstractErrorUnmarshaller.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/SdkStructuredJsonFactoryImpl.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/protocol/json/JsonContent.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/TimingInfoUnmodifiable.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/profile/path/AwsProfileFileLocationProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/profile/internal/AwsProfileNameLoader.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/DefaultAwsRegionProviderChain.java

```

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/RetryPolicyAdapter.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/SimpleRetryPolicy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/RetryPolicyContext.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/internal/AllProfiles.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/RetryCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/ListUnmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/InstanceMetadataRegionProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/request/HttpRequestFactory.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/timers/client/SdkInterruptedException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/RetryOnStatusCodeCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/SdkBaseException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/RetryOnExceptionsCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/protocol/json/JsonContentTypeResolver.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/profile/internal/ProfileKeyConstants.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/StaticSignerProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/profile/path/AwsDirectoryBasePathProvider.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/profile/path/AwsProfileFileLocationProviderChain.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/client/builder/AwsAsyncClientBuilder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/TimingInfoFullSupport.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/profile/path/cred/CredentialsLegacyConfigLocationProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/ClientConfigurationFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/SdkClientException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

jar/com/amazonaws/RequestConfig.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/v2/RetryPolicy.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.

* A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed

* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/SignatureVersion.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/AWSCredentials.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/HttpMethodName.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/LegacyErrorUnmarshaller.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/VoidUnmarshaller.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/Unmarshaller.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/SigningAlgorithm.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/SimpleTypeUnmarshallers.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/AmazonClientException.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/XmlUtils.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

- * Licensed under the Apache License, Version 2.0 (the "License").
- * You may not use this file except in compliance with the License.
- * A copy of the License is located at
- *
- * <http://aws.amazon.com/apache2.0>
- *
- * or in the "license" file accompanying this file. This file is distributed
- * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- * express or implied. See the License for the specific language governing
- * permissions and limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/BasicAWSCredentials.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ClientConnectionRequestFactory.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/impl/client/SdkHttpRequestRetryHandler.java
- *
- /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/policy/Statement.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/Response.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/PredefinedRetryPolicies.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/Signer.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/Request.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/HttpSuccessStatusAcceptor.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/ServiceEndpointBuilder.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/ApacheHttpClientConfig.java
- *
- /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/PollingStrategy.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/AmazonWebServiceClient.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/ClientConfiguration.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/internal/AuthErrorRetryStrategy.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/CRC32ChecksumCalculatingInputStream.java
- * /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

```

jar/com/amazonaws/retry/RetryPolicy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/CredentialsRequestHandler.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/AmazonServiceException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/RequestHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/AbstractAWSSigner.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/AmazonHttpClient.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/AWSRequestMetrics.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/WaiterState.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/SimpleTypeJsonUnmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/CountingInputStream.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/package-info.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/actions/package-info.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/internal/ServiceMetricTypeGuesser.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/HandlerChainFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/WaiterBuilder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/ServiceMetricCollector.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/DefaultRequest.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/ConditionFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/AbstractRequestHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/IdentityEndpointBuilder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/IpAddressCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/config/HttpClientConfig.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/VersionInfoUtils.java

```

```

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/internal/JsonPolicyWriter.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/ServiceNameFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/Condition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/ResponseMetadataCache.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/RepeatableInputStreamRequestEntity.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/SimpleServiceMetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/ProgressEventType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/ServiceLatencyProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/internal/JsonDocumentFields.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/Waiter.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/WaiterParameters.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/NoOpWaiterHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/config/InternalConfig.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/SignerFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/event/ProgressListenerChain.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/MetricCollector.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/CompositeAcceptor.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/Action.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/AWSRequestMetricsFullSupport.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/ByteThroughputProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/DateCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/WaiterTimedOutException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

```

jar/com/amazonaws/auth/policy/Principal.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/CollectionUtils.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/StandardErrorUnmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/BooleanCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/Policy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/StringUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/FixedDelayStrategy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/RequestMetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/JsonUnmarshallerContextImpl.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/Resource.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/AccepterPathMatcher.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/NamespaceRemovingInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/JsonUnmarshallerContext.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/SimpleThroughputMetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/HttpResponse.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/ByteThroughputHelper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkPredicate.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/RuntimeHttpUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/MetricFilterInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/WaiterAcceptor.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/VoidStaxUnmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/config/HttpClientConfigJsonHelper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/AWSServiceMetrics.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/metrics/AwsSdkMetrics.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/conn/ClientConnectionFactory.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/WaiterExecution.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/PollingStrategyContext.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/DefaultErrorResponseHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/metrics/MetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/StaxUnmarshallerContext.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/SDKGlobalConfiguration.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/policy/package-info.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/PropertiesCredentials.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/config/HostRegexToRegionMappingJsonHelper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/policy/conditions/StringCondition.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/Presigner.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/WaiterImpl.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/WaiterHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/metrics/MetricInputStreamEntity.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/WaiterUnrecoverableException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/SdkFunction.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/XpathUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/event/ProgressListener.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/HttpMethod.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/Unmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

jar/com/amazonaws/http/protocol/SdkHttpRequestExecutor.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/NumericCondition.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/conn/Wrapped.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/ThroughputMetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/ServiceMetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/internal/JsonPolicyReader.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/DefaultServiceEndpointBuilder.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/AnonymousAWSCredentials.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/NoOpSigner.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/handlers/RequestHandler2.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/SimpleMetricType.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/AmazonWebServiceResponse.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/config/InternalConfigJsonHelper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/impl/client/HttpRequestNoRetryHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/retry/internal/AuthRetryParameters.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/retry/RetryUtils.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/config/HostRegexToRegionMapping.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/VoidJsonUnmarshaller.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/http/StaxResponseHandler.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/transform/SimpleTypeStaxUnmarshallers.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/metrics/package-info.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/waiters/HttpFailureStatusAcceptor.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/conditions/ArnCondition.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/AWS3Signer.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/QueryStringSigner.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/transform/MapEntry.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/metrics/RequestMetricCollector.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/policy/resources/package-info.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/AmazonWebServiceRequest.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/event/ProgressEvent.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/WaiterExecutionBuilder.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/waiters/MaxAttemptsRetryStrategy.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/handlers/RequestHandler2Adaptor.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/ResponseMetadata.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/PropertiesFileCredentialsProvider.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/http/HttpResponseHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License").

* You may not use this file except in compliance with the License.

* A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed

* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

* express or implied. See the License for the specific language governing

* permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/RegionMetadataParser.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/ServiceAwareSigner.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/EncodingSchemeEnum.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Throwables.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/AbortedException.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/CodecUtils.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/jmx/MBeans.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkDigestInputStream.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/ListWithAutoConstructFlag.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Base16.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Codec.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/EC2MetadataUtils.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/SdkRuntime.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/IOUtils.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/AWS4Signer.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/Region.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/regions/RegionMetadata.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/MetricsInputStream.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Base32Codec.java

*

/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/HttpClientWrappingInputStream.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/Base16Codec.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/SdkFilterOutputStream.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/util/EncodingScheme.java

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-

jar/com/amazonaws/util/Base64.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkFilterInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/SdkBufferedInputStream.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/Base32.java
*
/opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/Base64Codec.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/regions/RegionUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/auth/RegionAwareSigner.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/util/AbstractBase32Codec.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/ResetException.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/jmx/SdkMBeanRegistrySupport.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/internal/MetricAware.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2016-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
* <p/>
* <http://aws.amazon.com/apache2.0>
* <p/>
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-
jar/com/amazonaws/partitions/model/Partitions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* <http://aws.amazon.com/apache2.0>
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/internal/CredentialsEndpointRetryParameters.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/EC2CredentialsUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/retry/internal/CredentialsEndpointRetryPolicy.java
*
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/ConnectionUtils.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/ContainerCredentialsProvider.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/EC2CredentialsFetcher.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/EC2ContainerCredentialsProviderWrapper.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/ContainerCredentialsRetryPolicy.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/internal/CredentialsEndpointProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* <http://aws.amazon.com/apache2.0>
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*

*/

Found in path(s):

* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/ImmutableRequest.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/RequestSigner.java
* /opt/cola/permits/1135901831_1613627745.41/0/aws-java-sdk-core-1-11-91-sources-1-jar/com/amazonaws/auth/SignerAsRequestSigner.java

1.115 joda-time 2.10.8

1.115.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<https://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.116 javax-el-api 3.0.1-b06

1.116.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started

running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License

which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.117 jmespath-java 1.11.91

1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License").
 * You may not use this file except in compliance with the License.
 * A copy of the License is located at
 *
 * http://aws.amazon.com/apache2.0
 *
 * or in the "license" file accompanying this file. This file is distributed
 * on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express or implied. See the License for the specific language governing
 * permissions and limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/JmesPathFunction.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/ObjectMapperSingleton.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/JmesPathFilter.java
*
/opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/JmesPathProjection.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/OpLessThanOrEqualTo.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/JmesPathEvaluationVisitor.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-
jar/com/amazonaws/jmespath/OpNotEquals.java
```

* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathVisitor.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathExpression.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathNotExpression.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathLengthFunction.java
*
/opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathField.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathFlatten.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathValueProjection.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathIdentity.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathLiteral.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/OpGreaterThanOrEqualTo.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathAndExpression.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/OpLessThan.java
*
/opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/InvalidTypeException.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/NumericComparator.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathMultiSelectList.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/OpEquals.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathContainsFunction.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/CamelCaseUtils.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/Comparator.java
*
/opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/JmesPathSubExpression.java
* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/com/amazonaws/jmespath/OpGreaterThan.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

* /opt/cola/permits/1135901840_1613627743.9/0/jmespath-java-1-11-91-sources-1-jar/META-INF/maven/com.amazonaws/jmespath-java/pom.xml

1.118 awsjavasdk 1.11.91

1.118.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with

* the License. A copy of the License is located at

*

* <http://aws.amazon.com/apache2.0>

*

* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions

* and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeStatusDetails.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeAttachmentState.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeIdFormatRequestMarshaller.java

*

/* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupReferencesRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReleaseHostsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeNetworkInterfacesFunction.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeFlowLogsResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceRecurrenceStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeDhcpOptionsRequest.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/PrefixListIdStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ResetInstanceAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AvailabilityZoneMessage.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisassociateRouteTableResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AccountAttributeName.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateRouteResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeExportTasksResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AllocateHostsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ExcessCapacityTerminationPolicy.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/StorageStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesBlockDeviceMappingStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupEgressResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcCidrBlockStateCode.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeImportSnapshotTasksRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeAddressesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/StatusName.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpcPeeringConnectionRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DisassociateVpcCidrBlockRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeStatusInfoStatus.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/VolumeInUse.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ShutdownBehavior.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PurchaseScheduledInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/AllocateHostsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AccountAttributeValue.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifySubnetAttributeRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceStatusStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelSpotInstanceRequestsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifySnapshotAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteTableAssociationRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVolumeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclEntryResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfacePrivateIpAddressStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateDhcpOptionsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DetachInternetGatewayResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PriceScheduleSpecificationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyVolumeAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateRouteResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyVpcPeeringConnectionOptionsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/HistoryRecord.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteNatGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeImagesFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateFlowLogsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Monitoring.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PrivateIpAddressSpecification.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/VpcState.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeHostReservationOfferingsRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeSpotPriceHistoryResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsSuccessItemStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeRouteTablesResultStaxUnmarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ImportImageTaskStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/VolumeStatusName.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestHistoryResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeVolumeAttributeResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DisassociateSubnetCidrBlockResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/State.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DeleteRouteTableRequestMarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupIngressResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/GetReservedInstancesExchangeQuoteRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DiskImageDescriptionStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/IpPermissionStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ResourceType.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/RejectVpcPeeringConnectionRequestMarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclEntryResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ReservedInstanceReservationValue.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/AttachInternetGatewayRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DetachVpnGatewayResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesIamInstanceProfileStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceStatusDetailsStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeRegionsRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ResetSnapshotAttributeRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/TargetConfiguration.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceType.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateNetworkAclResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeAttributeRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Storage.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReplaceIamInstanceProfileAssociationRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyImageAttributeResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateDhcpOptionsResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DiskImageFormat.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ProductCode.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DetachVpnGatewayRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/TargetReservationValue.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportImageTask.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyIdentityIdFormatResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/NetworkAclEntryStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceBlockDeviceMappingSpecification.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/PurchaseHostReservationResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DeleteRouteRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ReleaseAddressResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/AttachVpnGatewayRequestMarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ImportInstanceLaunchSpecification.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/GetConsoleScreenshotResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeAccountAttributesResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ConfirmProductInstanceRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/MonitorInstancesResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ScheduledInstancesIpv6Address.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/CopySnapshotResult.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/CreateVolumeRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/waiters/InstanceStopped.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeStaleSecurityGroupsRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupsResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesMonitoringStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeHostReservationOfferingsResult.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupEgressResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/CreateVolumePermissionModificationsStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ImageDiskContainerStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DeleteSecurityGroupResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ModifySnapshotAttributeRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/EbsInstanceBlockDevice.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstancePlacementRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateRouteTableResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/NatGatewayAvailable.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/HistoryRecordStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteSnapshotResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DetachVolumeRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/EnableVolumeIORequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotInstanceRequestsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeImageAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyVpcPeeringConnectionOptionsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VolumeState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeNatGatewaysRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReleaseHostsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VolumeAttachmentStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceLifecycleType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateFlowLogsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AllocateAddressRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CopySnapshotRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointsResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateInstanceExportTaskResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PurchaseHostReservationRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/transform/StopInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/TagDescription.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/TagDescriptionStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ClientData.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Scope.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpcIpv6CidrBlockAssociation.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeImagesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateCustomerGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/ImageExists.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/UnsuccessfulItemStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AvailabilityZoneState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportKeyPairRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribePlacementGroupsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkDnsSupportResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/StopInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/LaunchSpecificationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpnGatewaysRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PurchaseReservedInstancesOfferingRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpcEndpoint.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateVpcCidrBlockResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImportSnapshotResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/DeleteSubnetRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeScheduledInstanceAvailabilityResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyImageAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceExportDetailsStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyVpcAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVpnConnectionResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeRouteTablesResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeDhcpOptionsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisassociateAddressResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelReservedInstancesListingRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVpcEndpointRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/UnmonitorInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SnapshotTaskDetailStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SubnetCidrBlockStateStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/GetPasswordDataRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationOfferingsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CurrencyCodeValues.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/VpnConnectionDeleted.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeAddressesRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/TerminateInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReservedInstancesModificationResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/DeleteNatGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeHostsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeTagsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeIdentityIdFormatRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceStatusEvent.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/StartInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterfacePrivateIpAddress.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateInstanceExportTaskRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeBundleTasksRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVpnConnectionsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReportInstanceStatusResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsErrorItem.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ResetNetworkInterfaceAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VolumeModificationState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesIdStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RecurringChargeStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CopyImageResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisableVgwRoutePropagationResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclEntryRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkDnsSupportResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateAddressRequest.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeStatusAction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisassociateVpcCidrBlockRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ExportToS3Task.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DetachClassicLinkVpcResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EnableVgwRoutePropagationResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeImageAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateSubnetCidrBlockResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateSnapshotResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVpcRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AccountAttributeStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PlacementStrategy.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeInternetGatewaysResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyHostsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DetachVpnGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesModificationsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PurchaseHostReservationResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyHostsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeScheduledInstancesResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DetachNetworkInterfaceResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AttachNetworkInterfaceRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyInstancePlacementResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Subnet.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/KeyPairInfo.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateInstanceExportTaskResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ExportEnvironment.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclAssociationRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DetachInternetGatewayRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpnConnectionStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/UserBucketStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EbsBlockDevice.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RunInstancesResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/StaleSecurityGroupStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupIngressResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSubnetResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVpnConnectionRouteResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeletePlacementGroupRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/MoveAddressToVpcResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesOfferingsResultStaxUnmarshaller.java

a

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Purchase.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/NatGatewayStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PriceScheduleSpecification.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeNetworkAclsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotDatafeedSubscription.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/BundleTaskState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssociateDhcpOptionsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupIngressRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeIdentityIdFormatResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesEbs.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/StartInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesModificationsResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkAclsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeSpotInstanceRequestsFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImageAttributeName.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeletePlacementGroupResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSnapshotAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/StateReasonStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotDatafeedSubscriptionResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteNatGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVpcsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SnapshotDetail.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Affinity.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeAccountAttributesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfacesResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ResetImageAttributeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteEgressOnlyInternetGatewayResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateRouteTableResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VolumeStatusInfoStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ResetInstanceAttributeResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVpcPeeringConnectionRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VolumeStatusDetailsStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/VpcAvailable.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateDhcpOptionsRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSnapshotRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclEntryRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CancelSpotInstanceRequestsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CopyImageResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNatGatewaysResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeMovingAddressesResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/UserIdGroupPairStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceExportDetails.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VolumeDetailStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeNatGatewaysResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AcceptReservedInstancesExchangeQuoteResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeFlowLogsRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RegisterImageRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RequestSpotFleetResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportImageRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReportStatusType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeStaleSecurityGroupsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/IamInstanceProfile.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RegisterImageRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelReservedInstancesListingResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RouteTableAssociationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupEgressRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RebootInstancesRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServicesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ResetSnapshotAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UnmonitorInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateRouteTableRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/OperationType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyImageAttributeRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateSnapshotRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DetachClassicLinkVpcRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateAddressResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeHostsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/ReplaceRouteResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeConversionTasksRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteKeyPairResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/GroupIdentifier.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceAttachmentStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SnapshotState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterface.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupReferencesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcEndpointResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SpotFleetRequestConfigDataStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AcceptVpcPeeringConnectionRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssignIpv6AddressesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ResetImageAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AllocateAddressResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesModificationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeCustomerGatewaysResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesListingsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpcAttributeName.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AcceptVpcPeeringConnectionRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AccountAttributeValueStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ProductCodeValues.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/transform/ClientDataStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateSpotDatafeedSubscriptionResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteSpotDatafeedSubscriptionRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AttachVolumeResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteSubnetResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/GetReservedInstancesExchangeQuoteResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisassociateAddressRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVolumeStatusResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ScheduledInstanceAvailability.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceCountStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSpotPriceHistoryRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterfaceType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PlacementGroup.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpnConnectionOptions.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpnGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VpcIpv6CidrBlockAssociationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/StopInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeEgressOnlyInternetGatewaysRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVolumesModificationsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionRouteResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisassociateSubnetCidrBlockRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/HostReservationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceNetworkInterface.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/BatchState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ListingState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RejectVpcPeeringConnectionRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceStatusDetails.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteDhcpOptionsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AttachNetworkInterfaceResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeImportSnapshotTasksResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/HostInstanceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AttachInternetGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/StaleIpPermission.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RequestSpotInstancesRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupEgressRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVolumeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UserBucket.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReleaseHostsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateFlowLogsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DiskImageVolumeDescription.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupEgressRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyIdentityIdFormatResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ResetInstanceAttributeRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Volume.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteCustomerGatewayResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/PricingDetailStaxUnmarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CopyImageRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateRouteTableResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReservedInstanceState.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteSpotDatafeedSubscriptionResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribePrefixListsRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclResultStaxUnmarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/IamInstanceProfileAssociation.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribePrefixListsRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateIamInstanceProfileRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/HostTenancy.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ScheduledInstanceRecurrenceRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSpotInstanceRequestsRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVolumeResultStaxUnmarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RunInstancesResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeExportTasksRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AllocateHostsRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DetachVolumeResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateEgressOnlyInternetGatewayResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/InstanceNetworkInterfaceAssociation.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeDhcpOptionsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportKeyPairResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionVpcInfoStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VpcStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DhcpOptions.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssociateSubnetCidrBlockRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AssignIpv6AddressesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifySpotFleetRequestRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSpotPriceHistoryResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfaceAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RequestSpotInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVolumePermissionModifications.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeStaleSecurityGroupsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Status.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DetachNetworkInterfaceRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/GetPasswordDataRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AttachClassicLinkVpcResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateInternetGatewayResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/DescribeVolumeAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteEgressOnlyInternetGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteInternetGatewayRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesIamInstanceProfile.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVpcPeeringConnectionRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PortRangeStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeExportTasksRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceAttributeName.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSubnetsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RunScheduledInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/GetConsoleScreenshotRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/KeyPairExists.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupIngressResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/ImageAvailable.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReplaceIamInstanceProfileAssociationResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeBundleTasksRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReplaceRouteTableAssociationResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SpotPriceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RouteTableAssociation.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInterfaceRequest.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/PurchaseReservedInstancesOfferingResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssignPrivateIpAddressesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeInstanceStatusFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotFleetLaunchSpecification.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/FleetType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribePlacementGroupsRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AttachClassicLinkVpcRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CancelBatchErrorCode.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeClassicLinkInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeStatusEvent.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateIamInstanceProfileResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupIngressRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/SystemStatusOk.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesOfferingsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UserBucketDetails.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateImageRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeDhcpOptionsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInterfaceRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AvailabilityZoneMessageStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyNetworkInterfaceAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/MonitoringStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelSpotInstanceRequestsResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceStateName.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpnConnection.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeEgressOnlyInternetGatewaysResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateReservedInstancesListingResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/Ipv6RangeStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeInternetGatewaysRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/StartInstancesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisassociateVpcCidrBlockResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AttachNetworkInterfaceResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/InstanceExists.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesOfferingsRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInterfaceRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InternetGatewayStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AttachVolumeResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionOptionsDescriptionStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateRouteTableResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateKeyPairResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/PlacementStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VolumeStatusItemStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/LaunchPermissionModificationsStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SpotInstanceStatusStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeAvailabilityZonesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReportInstanceStatusRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeImportImageTasksRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeClassicLinkInstancesResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreatePlacementGroupRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RegisterImageResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/AmazonEC2ClientBuilder.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfaceAttributeRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportInstanceVolumeDetailItem.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSpotDatafeedSubscriptionRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/OfferingClassType.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SecurityGroupReferenceStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/AbstractAmazonEC2Async.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/LaunchSpecification.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupIngressResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/Ipv6CidrBlockStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ConfirmProductInstanceResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/IpRangeStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceBlockDeviceMapping.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisableVgwRoutePropagationResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ExportTask.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterfaceAttribute.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclEntryResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateImageResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/InstanceStatusOk.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeFlowLogsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RunScheduledInstancesRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RunInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RevokeSecurityGroupEgressResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyNetworkInterfaceAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateSecurityGroupResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ScheduledInstance.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VolumeStatusItem.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/StaleIpPermissionStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/UnmonitorInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribePlacementGroupsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSnapshotsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PeeringConnectionOptions.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SnapshotDiskContainerStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVpnGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/ContainerFormat.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ClassicLinkInstance.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/CancelImportTaskRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ReservedInstancesOffering.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/AttachInternetGatewayResultStaxUnmarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/AmazonEC2AsyncClientBuilder.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeCustomerGatewaysRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/PrefixListStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DeleteVolumeRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/CustomerGatewayStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/RouteTable.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ModifySnapshotAttributeResult.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ExportToS3TaskStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/TargetConfigurationRequestStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/PrivateIpAddressSpecificationStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DomainType.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/VolumeStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DeleteSubnetResultStaxUnmarshaller.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/InstanceStateChange.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DeleteNetworkAclRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ModifyImageAttributeResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DeleteSubnetRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/CopySnapshotResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeInstancesFunction.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/UserDataStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/NetworkInterfaceAttachmentChanges.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/GetConsoleOutputRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeIdFormatResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSpotDatafeedSubscriptionRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeIdentityIdFormatRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PriceSchedule.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/PeeringConnectionOptionsStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateReservedInstancesListingResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/ConversionTaskDeleted.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VgwTelemetry.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelReservedInstancesListingRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetReservedInstancesExchangeQuoteResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteKeyPairRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateNatGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeNetworkAclsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeInstanceStatusRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpnGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkDnsSupportResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UserIdGroupPair.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/CreateTagsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceStateStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeInternetGatewaysResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyHostsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RequestSpotFleetResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/EnableVolumeIOResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceStatusRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ClassicLinkDnsSupportStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportVolumeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnGatewayResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisassociateIamInstanceProfileRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VgwTelemetryStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceLaunchSpecificationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/GetHostReservationPurchasePreviewRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesModificationsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointServicesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyIdentityIdFormatRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclEntryRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/TargetReservationValueStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteSpotDatafeedSubscriptionResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateVpcPeeringConnectionResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeImagesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkResult.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclEntryResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/MonitoringState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetConsoleScreenshotResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelImportTaskRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/IcmpTypeCodeStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EbsBlockDeviceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestHistoryRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionRouteResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVpcPeeringConnectionOptionsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SnapshotAttributeName.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ScheduledInstancesLaunchSpecification.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AvailabilityZone.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteInternetGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeRegionsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkDnsSupportRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSpotPriceHistoryRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportInstanceRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportSnapshotResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelBundleTaskResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CancelConversionTaskResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpcPeeringConnectionResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsErrorItemStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceAttribute.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Placement.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeAvailabilityZonesResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetPasswordDataResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/BundleInstanceRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeExportTasksFunction.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AcceptVpcPeeringConnectionResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportVolumeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateNatGatewayResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AllocateAddressResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeEgressOnlyInternetGatewaysRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifySpotFleetRequestResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelExportTaskResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/BundleInstanceResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AutoPlacement.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteRouteTableResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/StatusType.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkDnsSupportResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteFlowLogsResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeInternetGatewaysRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ConfirmProductInstanceResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Image.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupEgressResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AuthorizeSecurityGroupIngressRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/S3Storage.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/ConversionTaskCancelled.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteDhcpOptionsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSubnetRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DetachInternetGatewayRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/PlacementGroupStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSnapshotsResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcAttachment.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/SnapshotCompleted.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelImportTaskResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AttachClassicLinkVpcRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyVpcAttributeResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeAddressesResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AcceptReservedInstancesExchangeQuoteRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SnapshotTaskDetail.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/ReportInstanceStatusRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateAddressResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceMonitoring.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpnStaticRouteSource.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SubnetIpv6CidrBlockAssociation.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EnableVolumeIOResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VpcEndpointStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesModificationsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VpcAttachmentStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CopyImageRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateImageRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/ConversionTaskCompleted.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Filter.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DetachNetworkInterfaceRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateCustomerGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceStateChangeStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeRouteTablesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateNetworkInterfaceResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/GetConsoleScreenshotRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/MoveAddressToVpcResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Tag.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelConversionTaskRequest.java
*

```

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PeeringConnectionOptionsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/IamInstanceProfileSpecificationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReservedInstances.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVpnGatewayResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReplaceIamInstanceProfileAssociationResultStaxUnmarshaller.java
va
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionStateReason.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SubnetState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RIPProductDescription.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/OfferingTypeValues.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AllocateAddressRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateVpcCidrBlockResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PricingDetail.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionStateReasonCode.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSpotDatafeedSubscriptionResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Tenancy.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribePlacementGroupsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SubnetIpv6CidrBlockAssociationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RouteOrigin.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateCustomerGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CustomerGateway.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesOfferingStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVolumesRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteDhcpOptionsResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RestoreAddressToClassicResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateNatGatewayRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SpotInstanceStateFaultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImageDiskContainer.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSubnetsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PrefixList.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeFlowLogsResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateReservedInstancesListingRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclEntryRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeImagesRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateDhcpOptionsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeregisterImageRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Ipv6CidrBlock.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/MovingAddressStatusStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeSubnetsFunction.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AddressStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkDnsSupportRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupReferencesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServicesResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceAssociationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AccountAttribute.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RunScheduledInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AllocationState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceStatus.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/BundleTask.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVolumeResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeImageAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeDetail.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportInstanceTaskDetailsStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfaceAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribePrefixListsResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/GetConsoleOutputResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeCustomerGatewaysRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeKeyPairsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeHostsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotFleetRequestConfigData.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceBlockDeviceMappingStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AcceptVpcPeeringConnectionResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifySubnetAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifySpotFleetRequestRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsError.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/VpcExists.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribePrefixListsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReservedInstanceLimitPrice.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RegionStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/IcmpTypeCode.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/MonitorInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DetachVpnGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeVpnConnectionsFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcPeeringConnectionsResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AssignPrivateIpAddressesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AttachmentStatus.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AssociateDhcpOptionsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateRouteRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkAclEntry.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ClassicLinkDnsSupport.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EnableVpcClassicLinkDnsSupportResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeIamInstanceProfileAssociationsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AllocationStrategy.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PurchaseScheduledInstancesResult.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ScheduledInstancesNetworkInterface.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeNatGatewaysFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteTagsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/IpRange.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyIdFormatResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReplaceRouteTableAssociationRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ExportTaskState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyHostsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CancelImportTaskResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesListingsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateRouteTableRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfacesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/MoveAddressToVpcRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVolumesModificationsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetHostReservationPurchasePreviewResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotPrice.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotFleetMonitoring.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/NatGateway.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RecurringCharge.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVpcResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpnGatewayStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/transform/CreateVolumePermissionStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EventInformation.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/TelemetryStatus.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/UnassignIpv6AddressesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionOptionsDescription.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateRouteRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AssociateDhcpOptionsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ActiveInstanceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateEgressOnlyInternetGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeRouteTablesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeIamInstanceProfileAssociationsResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReservationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/MovingAddressStatus.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelReservedInstancesListingResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImportImageResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ResetSnapshotAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateDhcpOptionsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VolumeStatusActionStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterfaceIpv6Address.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VolumeAttributeName.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateIamInstanceProfileResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstanceAvailabilityResultStaxUnmarshaller.j
ava
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/ModifyVolumeAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/LaunchPermissionStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DiskImageDetailStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeKeyPairsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PurchaseRequestStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteEgressOnlyInternetGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclAssociationResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RestoreAddressToClassicRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/TrafficType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifySnapshotAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/SpotInstanceRequestFulfilled.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DetachInternetGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/GroupIdIdentifierStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkAcl.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ProvisionedBandwidth.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpnGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyInstanceAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/UnassignPrivateIpAddressesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SpotInstanceState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeKeyPairsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DhcpOptionsStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpcRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/DescribeScheduledInstancesRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/AttachVpnGatewayResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/AttachVpnGatewayResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/RebootInstancesResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/Reservation.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/SpotFleetRequestConfigStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/SpotInstanceRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ReplaceRouteTableAssociationResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/SummaryStatus.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/CreateVpnConnectionRouteRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/CreateNetworkInterfaceResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeSpotInstanceRequestsResult.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/VpnConnectionOptionsSpecification.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeInstancesRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/waiters/DescribeSnapshotsFunction.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/CancelExportTaskResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/NetworkInterfaceAssociation.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/SubnetCidrBlockStateCode.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/AttachInternetGatewayRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclEntryRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/MonitorInstancesResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/CreateReservedInstancesListingRequestMarshaller.java

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssignIpv6AddressesResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeConversionTasksResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/NetworkAclStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteKeyPairResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteRouteTableResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeregisterImageResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ResetNetworkInterfaceAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateSecurityGroupRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeClassicLinkInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceStatusSummary.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssociateAddressRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImportImageRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeBundleTasksResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteEgressOnlyInternetGatewayResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyVpcEndpointResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateInternetGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PurchaseHostReservationRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VolumeStatusInfo.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReservedInstancesListing.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelConversionTaskResultStaxUnmarshaller.java

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/HostProperties.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EbsInstanceBlockDeviceSpecificationStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkAclRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DiskImageVolumeDescriptionStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateAddressResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetReservedInstancesExchangeQuoteRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AllocateHostsResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImageStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PortRange.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpnStaticRouteStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionStateReasonStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UnassignPrivateIpAddressesResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/NetworkInterfaceAvailable.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyReservedInstancesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeregisterImageRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateEgressOnlyInternetGatewayResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReplaceNetworkAclAssociationRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/BlockDeviceMapping.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CancelSpotFleetRequestsErrorStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpcClassicLinkStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteCustomerGatewayResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcCidrBlockState.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DetachClassicLinkVpcRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateNetworkAclEntryRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/HostInstance.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeImageAttributeRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/MoveStatus.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVpcResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RouteStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeIdentityIdFormatResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/InstanceRunning.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeMovingAddressesRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ExportToS3TaskSpecification.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/NatGatewayAddressStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SlotStartTimeRangeRequestStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EnableVgwRoutePropagationResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeregisterImageResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesNetworkInterfaceStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifySubnetAttributeResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpcResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportInstanceResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/HostReservation.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesListingsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateVpcCidrBlockRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/ScheduledInstancesPlacement.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SnapshotDetailStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Address.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/UnassignIpv6AddressesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateSubnetRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ResetNetworkInterfaceAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ResetInstanceAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceCapacity.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceAttributeResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PaymentOption.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VolumeAttachment.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/LaunchPermissionModifications.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupReferencesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelExportTaskRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstanceLimitPriceStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImageTypeValues.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RouteState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Ipv6Range.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReservationValue.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/EnableVgwRoutePropagationRequestMarshaller.java
*

```


/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CancelledSpotInstanceRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcPeeringConnectionVpcInfo.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceStatusEventStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/BundleInstanceResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeExportTasksResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/VpcPeeringConnectionExists.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RecurringChargeFrequency.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeConversionTasksRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RequestSpotInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/StartInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/IamInstanceProfileAssociationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeCustomerGatewaysResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyIdentityIdFormatRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateSubnetResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SlotDateTimeRangeRequestStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteSecurityGroupResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SubnetStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeBundleTasksResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RebootInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportVolumeTaskDetailsStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/AbstractAmazonEC2.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeTagsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelBundleTaskRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/StaleSecurityGroup.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteRouteRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstancePrivateIpAddress.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceAvailabilityStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpcPeeringConnectionRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyInstanceAttributeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InternetGateway.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AvailableCapacity.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpnState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeIamInstanceProfileAssociationsResultStaxUnmarshaller.
java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/GetConsoleOutputResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteFlowLogsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeKeyPairsResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RequestSpotInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestHistoryRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateSubnetCidrBlockResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ActiveInstance.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesModificationsResultStaxUnmarshaller
.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AttachVolumeRequest.java

```

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReservedInstancesId.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteInternetGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpcPeeringConnectionStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AuthorizeSecurityGroupIngressRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateRouteTableRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeMovingAddressesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReservedInstancesModification.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EventCode.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteRouteResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportInstanceTaskDetails.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyVolumeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfacesRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkDnsSupportRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVolumeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/TerminateInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteCustomerGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AcceptReservedInstancesExchangeQuoteResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteSnapshotResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeRegionsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SnapshotDiskContainer.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateTagsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DetachVolumeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/VpnConnectionAvailable.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSubnetsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeAccountAttributesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PlatformValues.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeVolumesFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DetachNetworkInterfaceResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateRouteTableRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifySpotFleetRequestResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateVpcEndpointResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DiskImageDescription.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestHistoryResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterfaceAttachment.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SecurityGroup.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteSnapshotRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssociateIamInstanceProfileRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EgressOnlyInternetGateway.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelSpotInstanceRequestState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceVolumeDetailItemStaxUnmarshaller.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/UnsuccessfulItemErrorStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SubnetCidrBlockState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RestoreAddressToClassicRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVolumesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PurchaseReservedInstancesOfferingResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstanceAvailabilityRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeIdFormatRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UnassignIpv6AddressesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EnableVolumeIORequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcClassicLink.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeviceType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AttachNetworkInterfaceRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVolumeStatusRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ScheduledInstancesBlockDeviceMapping.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SpotDatafeedSubscriptionStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeModification.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateKeyPairRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVpnGatewayRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeStatusRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/IdFormatStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeAccountAttributesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ResetImageAttributeRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteVolumeResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/TerminateInstancesRequest.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/MonitorInstancesRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ArchitectureValues.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeVpcsFunction.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/TargetConfigurationRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EnableVpcClassicLinkRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportSnapshotTaskStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/SubnetAvailable.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteCustomerGatewayRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ResetImageAttributeName.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetHostReservationPurchasePreviewRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVpcEndpointResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/FlowLogsResourceType.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateInstanceExportTaskRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RequestSpotFleetRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteNetworkAclResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/AmazonEC2AsyncClient.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SpotFleetLaunchSpecificationStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceCount.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcEndpointsResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpnGatewaysResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/PasswordDataAvailable.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AmazonEC2Exception.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteFlowLogsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstanceRecurrenceRequestStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateVpcCidrBlockResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PrefixListId.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceIpv6AddressStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RestoreAddressToClassicResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkDnsSupportRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateEgressOnlyInternetGatewayRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InternetGatewayAttachment.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyIdFormatResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ConversionTask.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeHostReservationsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DisableVgwRoutePropagationRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/VolumeAvailable.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSnapshotResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssociateAddressRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImageState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclEntryResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```

jar/com/amazonaws/services/ec2/model/CreateNatGatewayResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ConversionTaskState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpnConnectionsResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcClassicLinkDnsSupportRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/BlockDeviceMappingStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PlacementGroupState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RebootInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ExportToS3TaskSpecificationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateInternetGatewayRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeScheduledInstanceAvailabilityRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeletePlacementGroupResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DetachClassicLinkVpcResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesPrivateIpAddressConfig.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ResetSnapshotAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/KeyPair.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/ExportTaskCancelled.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/EbsInstanceBlockDeviceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/InstanceTerminated.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeAttributeResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreatePlacementGroupResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

```


jar/com/amazonaws/services/ec2/model/transform/DescribeVpnConnectionsRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/VolumeStatusEventStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/UnassignPrivateIpAddressesResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ConfirmProductInstanceRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/MoveAddressToVpcRequest.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesIpv6AddressStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/waiters/VolumeDeleted.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeVpcsResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/EgressOnlyInternetGatewayStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/ScheduledInstanceRecurrence.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DeleteVpcRequest.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeInstanceAttributeRequest.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DiskImage.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeSecurityGroupsRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/InstanceAttributeStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DescribeSubnetsRequestMarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointsResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeSpotFleetInstancesRequest.java
 *
 /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/TargetConfigurationStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/DescribeInstanceAttributeResult.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/DetachVolumeResultStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/model/transform/ReservedInstanceReservationValueStaxUnmarshaller.java
 * /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
 jar/com/amazonaws/services/ec2/waiters/DescribeVpcPeeringConnectionsFunction.java

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ActivityStatus.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceNetworkInterfaceSpecification.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteDhcpOptionsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnConnectionRouteRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/GatewayType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSpotDatafeedSubscriptionRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteInternetGatewayResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/IamInstanceProfileSpecification.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeInstanceStatusResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/IpPermission.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportVolumeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceNetworkInterfaceAttachment.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSpotFleetRequestsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/InstanceHealthStatus.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVpnConnectionsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsSuccessItem.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeCustomerGatewaysFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteFlowLogsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImportKeyPairResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/VpcPeeringConnectionDeleted.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteTagsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Instance.java

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RuleAction.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcAttributeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/BundleTaskComplete.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReservedInstancesConfiguration.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportVolumeTaskDetails.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVpcPeeringConnectionResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ResetImageAttributeResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeImportImageTasksResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeEgressOnlyInternetGatewaysResultStaxUnmarshaller.java

va

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpcPeeringConnection.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyInstancePlacementResultStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssignPrivateIpAddressesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteSecurityGroupRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteVpcPeeringConnectionResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateRouteTableResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyVolumeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DisassociateIamInstanceProfileRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReplaceIamInstanceProfileAssociationRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportImageResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EbsInstanceBlockDeviceSpecification.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotInstanceType.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeImportImageTasksResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeSecurityGroupsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpcEndpointsRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportSnapshotRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeHostReservationOfferingsResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/GetHostReservationPurchasePreviewResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/TagStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesListingStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReportInstanceReasonCodes.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/AmazonEC2Waiters.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceStatusResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeImportSnapshotTasksRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcPeeringConnectionsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVpcAttributeResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeMovingAddressesRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/FilterStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DatafeedSubscriptionState.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVolumePermission.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/KeyPairInfoStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AttachVpnGatewayRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateNetworkAclEntryResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CopySnapshotRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteNetworkInterfaceResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Vpc.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceStatusSummaryStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/IamInstanceProfileStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PropagatingVgw.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeVpcsRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifySubnetAttributeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointServicesRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetRequestsResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/HostOfferingStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/IdFormat.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotPlacement.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InternetGatewayAttachmentStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/GetConsoleOutputRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateTagsRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateKeyPairResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetInstancesRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesPrivateIpAddressConfigStaxUnmarshaller.java

*

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReservationValueStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VirtualizationType.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Route.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SnapshotStaxUnmarshaller.java

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SpotFleetMonitoringStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceAttachmentStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkDnsSupportRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceAssociationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NatGatewayState.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RunScheduledInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeRegionsResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVpcPeeringConnectionsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/HostOffering.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SlotDateTimeRangeRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/BundleInstanceRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RejectVpcPeeringConnectionResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteTagsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeHostReservationsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeAvailabilityZonesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSpotDatafeedSubscriptionResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RegisterImageResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisassociateRouteTableRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/PermissionGroup.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeAddressesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/EventType.java

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReleaseHostsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateSecurityGroupRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportSnapshotRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/NatGatewayAddress.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesPlacementStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpnGatewaysRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VolumeType.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/RequestSpotFleetRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImportInstanceRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RevokeSecurityGroupEgressRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SlotStartTimeRangeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeTagsResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/SpotPlacementStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/package-info.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateInternetGatewayResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVolumeResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/LaunchPermission.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcEndpointsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AcceptReservedInstancesExchangeQuoteRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportVolumeResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateSecurityGroupResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkInterfacesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/HostPropertiesStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AttachVolumeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelSpotFleetRequestsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PurchaseStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeInstanceAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeVolumeStatusResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SpotInstanceStateFault.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateSpotDatafeedSubscriptionRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionRouteResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyReservedInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SecurityGroupStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ImportKeyPairRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/NetworkInterfaceAttachmentChangesStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VolumeModificationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/VpnConnectionOptionsSpecificationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/RouteTableStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/UnsuccessfulItemError.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceIpv6AddressStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstancePrivateIpAddressStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteNetworkInterfaceResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeConversionTasksResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/PropagatingVgwStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeBundleTasksFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelExportTaskRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/CustomGatewayAvailable.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/ExportTaskCompleted.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeImagesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AvailableCapacityStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelBundleTaskResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Snapshot.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PurchaseReservedInstancesOfferingRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateNetworkInterfaceRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ClassicLinkInstanceStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/Region.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/waiters/DescribeKeyPairsFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ReplaceRouteRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PriceScheduleStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteVpcEndpointsRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceMonitoringStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeSnapshotAttributeResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DiskImageStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ScheduledInstancesMonitoring.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateFlowLogsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisableVpcClassicLinkRequestMarshaller.java

*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImageAttribute.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReleaseAddressResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeletePlacementGroupRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteTagsResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/EventInformationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeIamInstanceProfileAssociationsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVpcPeeringConnectionOptionsResultStaxUnmarshaller.java
va
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateVpcRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcClassicLinkResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeReservedInstancesOfferingsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSpotFleetInstancesResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/NetworkAclAssociationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceCapacityStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/RunInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ImageAttributeStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/NetworkAclAssociation.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/UserBucketDetailsStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteRouteTableRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyVpcAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/KeyPairStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/DhcpConfigurationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/UnassignPrivateIpAddressesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CreateVpnGatewayRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PeeringConnectionOptionsRequestStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/HypervisorType.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesModificationResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ResetNetworkInterfaceAttributeResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PurchaseScheduledInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/InstanceNetworkInterfaceSpecificationStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyInstancePlacementRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/BundleTaskErrorStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DeleteSnapshotRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/HostStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeClassicLinkInstancesResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteVpnConnectionRouteRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/RejectVpcPeeringConnectionResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ConversionTaskStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/ModifyReservedInstancesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CancelBundleTaskRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreatePlacementGroupRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/AssociateSubnetCidrBlockRequest.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AvailabilityZoneStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-

jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesModificationsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelConversionTaskRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeImportImageTasksRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/StopInstancesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DisableVgwRoutePropagationRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVpnGatewaysResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ProvisionedBandwidthStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DescribeSnapshotsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeTagsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/DeleteSecurityGroupRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateTagsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeVpcAttributeResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/SpotInstanceRequestStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelledSpotInstanceRequestStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeIdFormatResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/FlowLogStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/NetworkInterfaceStatus.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/AssociateIamInstanceProfileResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/SpotFleetRequestConfig.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DiskImageDetail.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/CreateImageResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DescribeAvailabilityZonesRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesLaunchSpecificationStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AttachClassicLinkVpcResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpcCidrBlockStateStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeImportSnapshotTasksResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/GetPasswordDataFunction.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/UnassignIpv6AddressesResult.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeSpotInstanceRequestsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/TerminateInstancesResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeVpcPeeringConnectionsRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ProductCodeStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNatGatewaysRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyIdFormatRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/VpnGateway.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DisassociateSubnetCidrBlockRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyReservedInstancesRequestMarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeReservedInstancesListingsResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ImportSnapshotTask.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateCustomerGatewayResultStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/Host.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/EnableVgwRoutePropagationRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReservationState.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisassociateRouteTableRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReportInstanceStatusResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteRouteResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyIdFormatRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/AssignIpv6AddressesResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/BundleTaskError.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteKeyPairRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeNetworkAclsRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/InstanceIpv6Address.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteVpnConnectionRouteRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/StateReason.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateVpnConnectionRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateVpcCidrBlockRequestMarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/BundleTaskStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReleaseAddressRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DeleteNatGatewayResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DescribeScheduledInstancesResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreatePlacementGroupResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/VpnConnectionOptionsStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SpotInstanceStatus.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeNetworkInterfaceAttributeRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssociateSubnetCidrBlockResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/InstanceBlockDeviceMappingSpecificationStaxUnmarshaller.java

a

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/SecurityGroupReference.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/GetPasswordDataResult.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/UnmonitorInstancesRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ScheduledInstancesEbsStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ListingStatus.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeStaleSecurityGroupsRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteSpotDatafeedSubscriptionRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateNetworkAclRequest.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DescribeHostsResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/DisassociateIamInstanceProfileResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/waiters/DescribeConversionTasksFunction.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ReleaseAddressRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/AssignPrivateIpAddressesRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/S3StorageStaxUnmarshaller.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/IamInstanceProfileAssociationState.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DeleteVpcResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/ModifyInstanceAttributeRequestMarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/DhcpConfiguration.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/CreateKeyPairRequest.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/transform/CreateNetworkAclResultStaxUnmarshaller.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/PurchaseRequest.java

*

/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ReplaceNetworkAclAssociationResult.java

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-jar/com/amazonaws/services/ec2/model/ModifyNetworkInterfaceAttributeRequest.java

```
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ModifyNetworkInterfaceAttributeRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/VpnStaticRoute.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/UnsuccessfulItem.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ImportInstanceResultStaxUnmarshaller.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ExportTaskStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/CancelSpotInstanceRequestsRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/ReservedInstancesConfigurationStaxUnmarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/PurchaseScheduledInstancesRequestMarshaller.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/FlowLog.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DisableVpcClassicLinkDnsSupportResult.java
*
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/UserData.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2015-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License").
```

```
* You may not use this file except in compliance with the License.
```

```
* A copy of the License is located at
```

```
*
```

```
* http://aws.amazon.com/apache2.0
```

```
*
```

```
* or in the "license" file accompanying this file. This file is distributed
```

```
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
```

```
* express or implied. See the License for the specific language governing
```

```
* permissions and limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/TimestampFormatRequestHandler.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
```



```

*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/
/**
 * <p>
 * Describes the ID format settings for your resources on a per-region basis, for example, to view which resource
 * types are enabled for longer IDs. This request only returns information about resource types whose ID formats
can
 * be modified; it does not return information about other resource types.
 * </p>

* <p>
 * The following resource types support longer IDs: <code>instance</code> | <code>reservation</code> |
 * <code>snapshot</code> | <code>volume</code>.
 * </p>
* <p>
 * These settings apply to the IAM user who makes the request; they do not apply to the entire AWS account. By
 * default, an IAM user defaults to the same settings as the root user, unless they explicitly override the settings
 * by running the <a>ModifyIdFormat</a> command. Resources created with longer IDs are visible to all IAM
users,
 * regardless of these settings and provided that they have permission to use the relevant <code>Describe</code>
 * command for the resource type.
 * </p>
 *
 * @param describeIdFormatRequest
 *     Contains the parameters for DescribeIdFormat.
 * @return A Java Future containing the result of the DescribeIdFormat operation returned by the service.
 * @sample AmazonEC2Async.DescribeIdFormat
 * @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/DescribeIdFormat"
target="_top">AWS API
 *     Documentation</a>
 */
/**
 * <p>
 * Modifies the ID format for the specified resource on a per-region basis. You can specify that resources should
 * receive longer IDs (17-character IDs) when they are created. The following resource types support longer IDs:
 * <code>instance</code> | <code>reservation</code> | <code>snapshot</code> | <code>volume</code>.
 * </p>

```

```

* <p>
* This setting applies to the IAM user who makes the request; it does not apply to the entire AWS account. By
* default, an IAM user defaults to the same settings as the root user. If you're using this action as the root
* user, then these settings apply to the entire account, unless an IAM user explicitly overrides these settings for
* themselves. For more information, see <a
* href="http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/resource-ids.html">Resource IDs</a>
in the <i>Amazon
* Elastic Compute Cloud User Guide</i>.
* </p>
* <p>
* Resources created with longer IDs are visible to all IAM roles and users, regardless of these settings and
* provided that they have permission to use the relevant <code>Describe</code> command for the resource type.
* </p>
*
* @param modifyIdFormatRequest
*     Contains the parameters of ModifyIdFormat.
* @return A Java Future containing the result of the ModifyIdFormat operation returned by the service.
* @sample AmazonEC2Async.ModifyIdFormat
* @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/ModifyIdFormat"
target="_top">AWS API
*     Documentation</a>
*/

```

Found in path(s):

```

* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/AmazonEC2Async.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2012-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance
with
* the License. A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR
* CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions
* and limitations under the License.
*/
/**
* <p>
* Describes the ID format settings for your resources on a per-region basis, for example, to view which resource
* types are enabled for longer IDs. This request only returns information about resource types whose ID formats
can

```

* be modified; it does not return information about other resource types.

* </p>

* <p>

* The following resource types support longer IDs: <code>instance</code> | <code>reservation</code> | <code>snapshot</code> | <code>volume</code>.

* </p>

* <p>

* These settings apply to the IAM user who makes the request; they do not apply to the entire AWS account. By default, an IAM user defaults to the same settings as the root user, unless they explicitly override the settings by running the <a>ModifyIdFormat command. Resources created with longer IDs are visible to all IAM users,

* regardless of these settings and provided that they have permission to use the relevant <code>Describe</code> command for the resource type.

* </p>

*

* @param describeIdFormatRequest

* Contains the parameters for DescribeIdFormat.

* @return Result of the DescribeIdFormat operation returned by the service.

* @sample AmazonEC2.DescribeIdFormat

* @see AWS API Documentation

*/

/**

* <p>

* Modifies the ID format for the specified resource on a per-region basis. You can specify that resources should receive longer IDs (17-character IDs) when they are created. The following resource types support longer IDs: <code>instance</code> | <code>reservation</code> | <code>snapshot</code> | <code>volume</code>.

* </p>

* <p>

* This setting applies to the IAM user who makes the request; it does not apply to the entire AWS account. By default, an IAM user defaults to the same settings as the root user. If you're using this action as the root user, then these settings apply to the entire account, unless an IAM user explicitly overrides these settings for themselves. For more information, see Resource IDs in the <i>Amazon Elastic Compute Cloud User Guide</i>.

* </p>

* <p>

* Resources created with longer IDs are visible to all IAM roles and users, regardless of these settings and provided that they have permission to use the relevant <code>Describe</code> command for the resource type.

* </p>

*

* @param modifyIdFormatRequest

* Contains the parameters of ModifyIdFormat.

* @return Result of the ModifyIdFormat operation returned by the service.

```
* @sample AmazonEC2.ModifyIdFormat
* @see <a href="http://docs.aws.amazon.com/goto/WebAPI/ec2-2016-11-15/ModifyIdFormat"
target="_top">AWS API
*   Documentation</a>
*/
```

Found in path(s):

```
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/AmazonEC2.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/AmazonEC2Client.java
```

No license file was found, but licenses were detected in source scan.

/*

```
* Copyright 2010-2017 Amazon.com, Inc. or its affiliates. All Rights Reserved.
*
* Licensed under the Apache License, Version 2.0 (the "License").
* You may not use this file except in compliance with the License.
* A copy of the License is located at
*
* http://aws.amazon.com/apache2.0
*
* or in the "license" file accompanying this file. This file is distributed
* on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing
* permissions and limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/GeneratePreSignURLRequestHandler.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/transform/EC2RequestHandler.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DryRunResult.java
*
```

```
/opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/model/DryRunSupportedRequest.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/util/S3UploadPolicy.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/auth/policy/actions/EC2Actions.java
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/util/package-info.java
```

No license file was found, but licenses were detected in source scan.

/*

```
* Copyright 2013-2017 Amazon Technologies, Inc.
```

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at:
*
* http://aws.amazon.com/apache2.0
*
* This file is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES
* OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135901978_1613627760.14/0/aws-java-sdk-ec2-1-11-91-sources-1-
jar/com/amazonaws/services/ec2/util/SecurityGroupUtils.java
```

1.119 javassist 3.21.0-GA

1.119.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformAccessArrayField.java
*
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
```

```

jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtMethod.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/Sample.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtArray.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/Metalevel.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/Dump.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Stmnt.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/CodeIterator.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/StackMap.java

```

```

* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtPrimitiveType.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/LongVector.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/SyntaxError.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/DeprecatedAttribute.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtConstructor.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/Parser.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/Loader.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/CastExpr.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/URLClassPath.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/ParameterAnnotationsAttribute.java
*

```

/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/NewArray.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/reflect/Loader.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtClass.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/scopedpool/SoftValueHashMap.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/ClassPool.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/MethodInfo.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtNewNestedClass.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/stackmap/TypeData.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/Opcodes.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/SerializedProxy.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/ExceptionTable.java

* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/scopedpool/ScopedClassPoolFactory.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/FieldDecl.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/ClassFilePrinter.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/rmi/Proxy.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtField.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/ASTree.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/runtime/Cflow.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/AnnotationDefaultAttribute.java
 *
 /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/StringL.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/LoaderClassPath.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/LineNumberAttribute.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/ClassMap.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/analysis/SubroutineScanner.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/Lex.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CodeConverter.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/ExceptionsAttribute.java
 *
 /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/RuntimeSupport.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/LocalVariableTypeAttribute.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/DuplicateMemberException.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/runtime/DotClass.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/analysis/Util.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/LocalVariableAttribute.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/CondExpr.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/FieldAccess.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/CodeAttribute.java
 *
 /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/Translator.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/MethodFilter.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-

```

jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/CtNewWrappedConstructor.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/framedump.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/SerialVersionUID.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtNewClass.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/Callback.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/Modifier.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/Declarator.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-

```

```

jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/CannotCompileException.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/SyntheticAttribute.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/ASTList.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/FieldInfo.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/Transformer.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtBehavior.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/Cast.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/Subroutine.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/stackmap/TypedBlock.java

```

* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ProceedHandler.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/Descriptor.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/InstanceOfExpr.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/Handler.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/convert/TransformCall.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/rmi/ObjectImporter.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/NoFieldException.java
 *
 /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/CallExpr.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtMember.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/Visitor.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/analysis/MultiType.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/runtime/Desc.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/MethodDecl.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/ConstantAttribute.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/ProxyFactory.java
 *
 /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/ProxyObjectInputStream.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtNewWrappedMethod.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/NewExpr.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/ClassPath.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/util/proxy/ProxyObjectOutputStream.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/NotFoundException.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/convert/TransformReadField.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/Javac.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/reflect/Metaobject.java
 *
 /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/bytecode/analysis/IntQueue.java
 * /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-

jar/javassist/bytecode/Mnemonic.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/util/proxy/SecurityActions.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/analysis/Type.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/compiler/KeywordTable.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/CtClassType.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-jar/javassist/expr/Expr.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/tools/reflect/ClassMetaobject.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):

* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/DoubleMemberValue.java

```

*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/BooleanMemberValue.java
*
/opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1135902035_1613627706.92/0/javassist-3-21-0-ga-sources-5-
jar/javassist/bytecode/annotation/ShortMemberValue.java

```

1.120 javax-ejb-api 3.2

1.120.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without

Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium

customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer

includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To

prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from

the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do

not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.121 joda-time 2.9

1.121.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<http://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.122 checker-qual 3.1.0

1.122.1 Available under license :

Checker Framework qualifiers

Copyright 2004-present by the Checker Framework developers

MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.123 joda-time 2.8.1

1.123.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<http://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.124 javax-ws-rs-api 2.0.1

1.124.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as

subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License' Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License. * You may obtain a copy of the License at * <http://www.apache.org/licenses/LICENSE-2.0> * distributed under the License is distributed on an "AS IS" BASIS,'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by

that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section

4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT

APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors,

each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or [packager/legal/LICENSE.txt](#). See the License for the specific

* language governing permissions and limitations under the License.

*

- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception as provided by Oracle in the GPL Version 2 section of the License
- * file
- that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject to such option by the copyright
- * holder.
- */

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.125 zt-process 1.3

1.125.1 Available under license :

Found license 'GNU Lesser General Public License' in '/* Copyright (c) 2007 Timothy Wall, All Rights Reserved * This library is free software; you can redistribute it and/or * modify it under the terms of the GNU Lesser General Public * License as published by the Free Software Foundation; either * version 2.1 of the License, or (at your option) any later version. * This library is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU * Lesser General Public License for more details.'

1.126 classmate 1.1.0

1.126.1 Available under license :

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

1.127 commons-lang3 3.7

1.127.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.128 jakarta-servlet-api 4.0.4

1.128.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright © 2019 Eclipse Foundation. All rights reserved.
'

/*

* Copyright (c) 2017, 2018 Oracle and/or its affiliates and others.

* All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Public License v. 2.0, which is available at

* <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary

* Licenses when the conditions for such availability set forth in the

* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at

* <https://www.gnu.org/software/classpath/license.html>.

*

* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

Found license 'General Public License 2.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no

assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering,

such Contributor (“Commercial Contributor”) hereby agrees to defend and indemnify every other Contributor (“Indemnified Contributor”) against any losses, damages and costs (collectively “Losses”) arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or

conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new

versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright © 2019 Eclipse Foundation. All rights reserved.

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

1.129 commons-codec 1.15

1.129.1 Available under license :

Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>
with permission from the original authors.

Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.130 jersey-guava 2.25.1

1.130.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingListMultimap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Ascii.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/annotations/package-info.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingSetMultimap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Equivalence.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ListeningExecutorService.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingBlockingQueue.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SortedMapDifference.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/UnmodifiableListIterator.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSetMultimap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableCollection.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/Monitor.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/net/package-info.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/package-info.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/Atomics.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RowSortedTable.java
- *

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Strings.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/UncaughtExceptionHandler.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/annotations/Beta.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/MinMaxPriorityQueue.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableMap.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2009 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and
```

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMapFauxverideShim.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Platform.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/html/HtmlEscapers.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/Escapers.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableClassToInstanceMap.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedSet.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractIdleService.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSetMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/LocalCache.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/escape/Platform.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractService.java

*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Splitter.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingFuture.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/annotations/GwtCompatible.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/GwtWorkarounds.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/CartesianList.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ImmutableRangeSet.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/util/concurrent/WrappingExecutorService.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/net/MediaType.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/util/concurrent/AsyncFunction.java  
*  
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/collect/GwtTransient.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/cache/CacheStats.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/cache/AbstractCache.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/cache/ForwardingLoadingCache.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/base/Absent.java  
*  
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/collect/WellBehavedMap.java  
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-  
jar/jersey/repackaged/com/google/common/cache/RemovalListeners.java
```

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/math/package-info.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/base/Enums.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/math/DoubleMath.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/cache/CacheLoader.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/math/IntMath.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/net/HostAndPort.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/Uninterruptibles.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/cache/CacheBuilderSpec.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/AbstractScheduledService.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/cache/Cache.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/net/HttpHeaders.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/collect/RegularImmutableMultiset.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingExecutorService.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/CycleDetectingLockFactory.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/hash/AbstractNonStreamingHashFunction.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/AbstractListeningExecutorService.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/cache/RemovalListener.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/cache/RemovalCause.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/FutureCallback.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/util/concurrent/FutureFallback.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
 jar/jersey/repackaged/com/google/common/base/Optional.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/math/LongMath.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionError.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/Types.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/package-info.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/ForwardingCheckedFuture.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/hash/AbstractCompositeHashFunction.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Present.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Ticker.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/ForwardingCache.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedExecutionException.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionHandler.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntry.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/CharSequenceReader.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/SortedMultiset.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not
 * use this file except in compliance with the License. You may obtain a copy of
 * the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/eventbus/SubscriberExceptionContext.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Utf8.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Verify.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/FilteredMultimapValues.java
```

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/VerifyException.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/HashingInputStream.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Murmur3_32HashFunction.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularContiguousSet.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Queues.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractSortedMultiset.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/HashCode.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/HashFunction.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/AbstractHasher.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Funnels.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Hashing.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/MessageDigestHashFunction.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/BoundType.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMultiset.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Murmur3_128HashFunction.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Funnel.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/AbstractStreamingHashFunction.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/Hasher.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/HashingOutputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Supplier.java


```

*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Constraint.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/MapDifference.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/package-info.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/InputSupplier.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Suppliers.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/TreeMultimap.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Defaults.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ObjectArrays.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/LineReader.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/MapConstraint.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Multimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/LineBuffer.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Predicate.java

```

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFuture.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/eventbus/EventSubscriber.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/eventbus/EventBus.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/eventbus/AnnotatedSubscriberFinder.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ListMultimap.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/package-info.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/MultiInputStream.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/CharStreams.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/LexicographicalOrdering.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/MapConstraints.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SortedSetMultimap.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/eventbus/Subscribe.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/LittleEndianDataOutputStream.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableList.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingQueue.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSet.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractMultiset.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/eventbus/SubscriberFindingStrategy.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SetMultimap.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractListMultimap.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ReverseNaturalOrdering.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/Resources.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/Flushables.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSet.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/eventbus/SynchronizedEventSubscriber.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/package-info.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Objects.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Sets.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/FinalizableReferenceQueue.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Predicates.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Interner.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Function.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Multiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/BiMap.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/Files.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractIterator.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Constraints.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ArrayListMultimap.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/eventbus/AsyncEventBus.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/CountingOutputStream.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/OutputSupplier.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/ByteStreams.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Ordering.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/FinalizableSoftReference.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/LittleEndianDataInputStream.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/CompoundOrdering.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Iterables.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/TreeMultiset.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Lists.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/HashMultiset.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Iterators.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Multimaps.java
 *
 /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ExecutionList.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingMapEntry.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedSet.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/FinalizablePhantomReference.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Maps.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Charsets.java
 * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/collect/LinkedHashMultimap.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Functions.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/UsingToStringOrdering.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingMap.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Throwables.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/Closeables.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/EnumHashBiMap.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

```
jar/jersey/repackaged/com/google/common/collect/Multisets.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/eventbus/package-info.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/eventbus/DeadEvent.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*
```

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Longs.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/CheckedFuture.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableListMultimap.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/StandardTable.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Serialization.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Chars.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableEntry.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/net/InetAddresses.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Tables.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableMultimap.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/AbstractCheckedFuture.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Converter.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableMap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SingletonImmutableBiMap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Range.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/MultiReader.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableBiMap.java
- *

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Doubles.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Joiner.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/SerializingExecutor.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/TreeBasedTable.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Ints.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/Booleans.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableBiMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableListMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-


```
jar/jersey/repackaged/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Table.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Collections2.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/Platform.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/primitives/Floats.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/CollectPreconditions.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/escape/Escaper.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/HashBasedTable.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/Preconditions.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Interners.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/EnumMultiset.java
*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/HashBiMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ComputingConcurrentHashMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SortedList.java

No license file was found, but licenses were detected in source scan.

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/cache/Striped64.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/util/concurrent/AtomicDoubleArray.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/base/internal/Finalizer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/collect/SparseImmutableTable.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/collect/MapMakerInternalMap.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

jar/jersey/repackaged/com/google/common/collect/Cut.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/DenseImmutableTable.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/*
 * This method was written by Doug Lea with assistance from members of JCP
 * JSR-166 Expert Group and released to the public domain, as explained at
 * http://creativecommons.org/licenses/publicdomain
 *
 * As of 2010/06/11, this method is identical to the (package private) hash
 * method in OpenJDK 7's java.util.HashMap
class.
 */
```

Found in path(s):

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
```

express

- * or implied. See the License for the specific language governing permissions and limitations under
- * the License.
- */

Found in path(s):

- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/EmptyContiguousSet.java
- No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

- * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
- * in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software distributed under the
 - * License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
- either

- * express or implied. See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractRangeSet.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Count.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/GeneralRange.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/UnsignedInts.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SortedIterables.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMultiset.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/UnsignedInteger.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/UnsignedLongs.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/ParseRequest.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/primitives/UnsignedLong.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
* use this file except in compliance with the License. You may obtain a copy  
* of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/FunctionalEquivalence.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2010 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS-IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/GenericMapMaker.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
* either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/MoreObjects.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby
disclaims copyright to this source code.
*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/Futures.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/AppendableWriter.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/UncheckedTimeoutException.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/annotations/VisibleForTesting.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/FakeTimeLimiter.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/CaseFormat.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/TimeLimiter.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/TypeToken.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/CharEscaperBuilder.java

*

/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/SimpleTimeLimiter.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/PatternFilenameFilter.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/CharEscaper.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/Weigher.java

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/math/MathPreconditions.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in

* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

* hereby

disclaims copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This following method is a modified version of one found in

* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

* which contained the following notice:

*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released

to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

* Other contributors include Andrew Wright, Jeffrey Hayes,

* Pat Fisher, Mike Judd.

*/

Found in path(s):

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/FilteredSetMultimap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ImmutableEnumMap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/FilteredKeyListMultimap.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/DescendingImmutableSortedSet.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableMap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/escape/package-info.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/cache/LongAddables.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/html/package-info.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/TypeCapture.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/Parameter.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RangeMap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/UnmodifiableSortedMultiset.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/FilteredEntrySetMultimap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/xml/package-info.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/FilteredEntryMultimap.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/TreeTraverser.java
- *
- /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/ByteSource.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableAsList.java
- * /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-

```

jar/jersey/repackaged/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/cache/LongAddable.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/Closer.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/base/StandardSystemProperty.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/AsyncSettableFuture.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/io/ByteSink.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/reflect/package-info.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-
jar/jersey/repackaged/com/google/common/collect/FilteredMultimap.java

```

* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/Element.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/CharSink.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AbstractNavigableMap.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/BinaryTreeTraverser.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/io/CharSource.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/EmptyImmutableSortedMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/ForwardingImmutableList.java
*
/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/RegularImmutableSortedMap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/reflect/ImmutableTypeToInstanceMap.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

*/opt/cola/permits/1136113812_1613679412.19/0/jersey-guava-2-25-1-sources-4-jar/jersey/repackaged/com/google/common/hash/package-info.java

1.131 hk2-locator 2.6.1

1.131.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and

implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/glassfish-ha-api>

* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>

- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.132 hk2-utils 2.6.1

1.132.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that

are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such

Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to

obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor

may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed

as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program,

the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its

Contributions)
under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is

free for all its users. This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a

notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the

Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications

with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is

available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

/*

* Copyright (c) 2007, 2018 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Public License v. 2.0, which is available at

* <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary

* Licenses when the conditions for such availability set forth in the

* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at

* <https://www.gnu.org/software/classpath/license.html>.

*

* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

1.133 txw2 2.3.3

1.133.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notices for Eclipse Implementation of JAXB

This content is produced and maintained by the Eclipse Implementation of JAXB project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb-impl>

Trademarks

Eclipse Implementation of JAXB is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For

more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jaxb-ri>
- * <https://github.com/eclipse-ee4j/jaxb-istack-commons>
- * <https://github.com/eclipse-ee4j/jaxb-dtd-parser>
- * <https://github.com/eclipse-ee4j/jaxb-fi>
- *
- <https://github.com/eclipse-ee4j/jaxb-stax-ex>
- * <https://github.com/eclipse-ee4j/jax-rpc-ri>

Third-party Content

This project leverages the following third party content.

Apache Ant (1.10.2)

- * License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Ant (1.10.2)

- * License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

Apache Felix (1.2.0)

- * License: Apache License, 2.0

args4j (2.33)

- * License: MIT License

dom4j (1.6.1)

- * License: Custom license based on Apache 1.1

file-management (3.0.0)

* License: Apache-2.0
* Project: <https://maven.apache.org/shared/file-management/>
* Source:
<https://svn.apache.org/viewvc/maven/shared/tags/file-management-3.0.0/>

JUnit (4.12)

* License: Eclipse Public License

JUnit (4.12)

* License: Eclipse Public License

maven-compat (3.5.2)

* License: Apache-2.0
* Project: <https://maven.apache.org/ref/3.5.2/maven-compat/>
* Source:
<https://mvnrepository.com/artifact/org.apache.maven/maven-compat/3.5.2>

maven-core
(3.5.2)

* License: Apache-2.0
* Project: <https://maven.apache.org/ref/3.5.2/maven-core/index.html>
* Source: <https://mvnrepository.com/artifact/org.apache.maven/maven-core/3.5.2>

maven-plugin-annotations (3.5)

* License: Apache-2.0
* Project: <https://maven.apache.org/plugin-tools/maven-plugin-annotations/>
* Source:
<https://github.com/apache/maven-plugin-tools/tree/master/maven-plugin-annotations>

maven-plugin-api (3.5.2)

* License: Apache-2.0

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-api (1.1.1)

* License: Apache-2.0

maven-resolver-connector-basic (1.1.1)

* License: Apache-2.0

maven-resolver-impl (1.1.1)

* License: Apache-2.0

maven-resolver-spi (1.1.1)

* License: Apache-2.0

maven-resolver-transport-file (1.1.1)

* License: Apache-2.0

* Project: <https://maven.apache.org/resolver/maven-resolver-transport-file/>

* Source:

<https://github.com/apache/maven-resolver/tree/master/maven-resolver-transport-file>

maven-resolver-util (1.1.1)

* License: Apache-2.0

maven-settings

(3.5.2)

* License: Apache-2.0

* Source:

<https://mvnrepository.com/artifact/org.apache.maven/maven-settings/3.5.2>

OSGi Service Platform Core Companion Code (6.0)

* License: Apache License, 2.0

plexus-archiver (3.5)

* License: Apache-2.0

* Project: <https://codehaus-plexus.github.io/plexus-archiver/>

* Source: <https://github.com/codehaus-plexus/plexus-archiver>

plexus-io (3.0.0)

* License: Apache-2.0

plexus-utils (3.1.0)

* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

* License: New BSD license

Sax (0.2)

* License: SAX-PD

* Project: <http://www.megginson.com/downloads/SAX/>

* Source: http://sourceforge.net/project/showfiles.php?group_id=29449

testng (6.14.2)

* License: Apache-2.0 AND (MIT OR GPL-1.0+)

* Project: <https://testng.org/doc/index.html>

* Source: <https://github.com/cbeust/testng>

wagon-http-lightweight (3.0.0)

* License: Pending

*

Project: <https://maven.apache.org/wagon/>

* Source:

<https://mvnrepository.com/artifact/org.apache.maven.wagon/wagon-http-lightweight/3.0.0>

xz for java (1.8)

* License: LicenseRef-Public-Domain

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.134 hk2-api 2.6.1

1.134.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file

in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making

modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor
may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed
as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of

the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions

for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the

limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program,

if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.135 resourcelocator 1.0.3

1.135.1 Available under license :

/*

* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Public License v. 2.0, which is available at

* <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary

* Licenses when the conditions for such availability set forth in the

* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at

* <https://www.gnu.org/software/classpath/license.html>.

*

* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

Found license 'Eclipse Public License 1.0' in '* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in '* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. * This program and the accompanying materials are made available under the * terms of the Eclipse Public License v. 2.0, which is available at * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE (“AGREEMENT”). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

“Contribution” means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution “originates” from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

“Contributor” means any person or entity that Distributes the Program.

“Licensed Patents” mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

“Program” means the Contributions Distributed in accordance with this Agreement.

“Recipient” means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

“Derivative Works” shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

“Modified Works” shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

“Distribute” means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

“Source Code” means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Secondary License” means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each

Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based

on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a)

the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ('notices') contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4.

COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply

to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its

Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A – Form of Secondary Licenses Notice

“This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}.”

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

1.136 jakarta-inject 2.6.1

1.136.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

- b) the Contributor
may Distribute the Program under a license
different than this Agreement, provided that such license:
- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
 - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT

AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions)

under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and

to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers

to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not

normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.137 commons-net 3.7.2

1.137.1 Available under license :

Apache Commons Net
Copyright 2001-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.138 annotations 13.0

1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2006 Sascha Weinreuter
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/Subst.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/Pattern.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/Language.java
*
/opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/Identifier.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2012 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/MagicConstant.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/JdkConstants.java
*
/opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/jetbrains/annotations/NotNull.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2009 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
```

```
jar/org/jetbrains/annotations/NonNls.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-jar/org/jetbrains/annotations/Nls.java
*
/opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/jetbrains/annotations/PropertyKey.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2000-2013 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/intellij/lang/annotations/Flow.java
* /opt/cola/permits/1138123144_1614251056.08/0/annotations-13-0-sources-3-
jar/org/jetbrains/annotations/Contract.java
```

1.139 javax-inject 2.5.0-b32

1.139.1 Available under license :

No license file was found, but licenses were detected in source scan.

2016 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html or [packager/legal/LICENSE.txt](#). See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at packager/legal/LICENSE.txt.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:
"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

Found in path(s):

*

/opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/pom.xml
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The JSR-330 Expert Group

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/Provider.java
* /opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/package-
info.java
* /opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/Singleton.java
*
/opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/Scope.java
* /opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/Named.java
* /opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/Inject.java
* /opt/cola/permits/1142539714_1615393722.4/0/javax-inject-2-5-0-b32-sources-5-jar/javax/inject/Qualifier.java
```

1.140 servlet-api 3.0.1

1.140.1 Available under license :

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html
* or packager/legal/LICENSE.txt. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
```

* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.

*

*

* This file incorporates
work covered by the following copyright and
* permission notice:

*

* Copyright 2004 The Apache Software Foundation

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the

combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices

contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH

LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work

based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on

the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited

to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.141 jta 1.2

1.141.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 Atteo.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-jar/org/atteo/moonshine/jta/JtaService.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2011 Atteo.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-
jar/org/atteo/moonshine/jta/TransactionalInterceptor.java
* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-jar/org/atteo/moonshine/jta/Transaction.java
* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-jar/org/atteo/moonshine/jta/Transactional.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2011 Atteo.
```

*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-
jar/org/atteo/moonshine/jta/JtaDataSourceWrapper.java
* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-
jar/org/atteo/moonshine/jta/JtaConnectionFactoryWrapper.java
* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-
jar/org/atteo/moonshine/jta/TransactionalService.java
*
/opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-jar/org/atteo/moonshine/jta/PoolOptions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Atteo.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-
jar/org/atteo/moonshine/jta/OptimisticLockExceptionPolicy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 Atteo.
*
*/

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1163971045_1620934068.48/0/jta-1-2-sources-4-jar/org/atteo/moonshine/jta/TransactionalFilter.java

1.142 jeromq 0.3.5

1.142.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official

standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source

in the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source

as a System Library, need not be

included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product,

doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions.

Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further

restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or

run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant

patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory

patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.

For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the

Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying
Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library

facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not

derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.143 activation-api 1.2.0

1.143.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including

portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct

or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software

and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor

Version (or portions of such

combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN

ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT

(INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of

Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a

notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works.

These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief

idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version
69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications

with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and

others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included

in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and

conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.144 jakarta xml bind api 2.3.3

1.144.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means

having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an

unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c)

The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of

Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that

any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and

use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the

Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R.

2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject

matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable

law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial

Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

/*

* Copyright (c) 2005, 2019 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Distribution License v. 1.0, which is available at

* <http://www.eclipse.org/org/documents/edl-v10.php>.

*

* SPDX-License-Identifier: BSD-3-Clause

*/

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "  
[/]: # " "  
[/]: # " This program and the accompanying materials are made available under the "  
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "  
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "  
[/]: # " "  
[/]: # " SPDX-License-Identifier: BSD-3-Clause "
```

Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jaxb-api>
- * <https://github.com/eclipse-ee4j/jaxb-tck>

Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

- * License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

* License: BSD-3-Clause

* Project: <https://asm.ow2.io/>

* Source:

<https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand>

JTHarness (5.0)

* License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)

* Project: <https://wiki.openjdk.java.net/display/CodeTools/JT+Harness>

* Source: <http://hg.openjdk.java.net/code-tools/jtharness/>

normalize.css (3.0.2)

* License: MIT

SigTest (n/a)

* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.145 istack-commons 3.0.11

1.145.1 Available under license :

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or [packager/legal/LICENSE.txt](#). See the License for the specific

- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception as provided by Oracle in the GPL Version 2 section of the License
- * file that
- accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject to such option by the copyright
- * holder.
- */

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer

includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER

INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4

(June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with

the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising,

directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended

to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software

Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name

and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision
```

```
comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are  
welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at  
compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library,

you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that

accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless

of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.146 opentelemetry-proto 0.11.0

1.146.1 Available under license :

/*

* Copyright The OpenTelemetry Authors

* SPDX-License-Identifier: Apache-2.0

*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the

Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.147 kubernetes-model-common 4.13.3

1.147.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2015 Red Hat, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1178944948_1625819693.95/0/kubernetes-model-common-4-13-3-sources-jar/io/fabric8/kubernetes/model/annotation/ApiGroup.java
* /opt/cola/permits/1178944948_1625819693.95/0/kubernetes-model-common-4-13-3-sources-jar/io/fabric8/kubernetes/model/annotation/ApiVersion.java
* /opt/cola/permits/1178944948_1625819693.95/0/kubernetes-model-common-4-13-3-sources-jar/io/fabric8/kubernetes/model/annotation/PackageSuffix.java
*

/opt/cola/permits/1178944948_1625819693.95/0/kubernetes-model-common-4-13-3-sources-jar/io/fabric8/kubernetes/model/util/Helper.java

No license file was found, but licenses were detected in source scan.

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1178944948_1625819693.95/0/kubernetes-model-common-4-13-3-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-common/pom.xml

1.148 kubernetes-model-node 4.13.3

1.148.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1178944971_1625819438.07/0/kubernetes-model-node-4-13-3-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-node/pom.xml

No license file was found, but licenses were detected in source scan.

*

* Copyright (C) 2015 Red Hat, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

Found in path(s):

* /opt/cola/permits/1178944971_1625819438.07/0/kubernetes-model-node-4-13-3-sources-jar/manifest.vm

1.149 kubernetes-client 4.13.3

1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#
# Copyright (C) 2015 Red Hat, Inc.
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
#   http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
```

```
io.fabric8.kubernetes.client.URLFromEnvVarsImpl
io.fabric8.kubernetes.client.URLFromIngressImpl
io.fabric8.kubernetes.client.URLFromNodePortImpl
io.fabric8.kubernetes.client.URLFromClusterIPImpl
```

Found in path(s):

```
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/META-INF/services/io.fabric8.kubernetes.client.ServiceToURLProvider
No license file was found, but licenses were detected in source scan.
```

```
*
* Copyright (C) 2015 Red Hat, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
```

Found in path(s):

```
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/resource-operation.vm
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/resource-handler-
```


services.vm

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/resource-handler.vm

No license file was found, but licenses were detected in source scan.

#

Copyright (C) 2015 Red Hat, Inc.

#

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

#

<http://www.apache.org/licenses/LICENSE-2.0>

#

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

#

io.fabric8.kubernetes.client.AppsAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.AdmissionRegistrationAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1AdmissionRegistrationAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1beta1AdmissionRegistrationAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.AutoscalingAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.ApiextensionsAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.AuthorizationAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1AutoscalingAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V2beta1AutoscalingAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V2beta2AutoscalingAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.BatchAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.ExtensionsAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.MetricAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.NetworkAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.PolicyAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.RbacAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.SchedulingAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.SettingsAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.StorageAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1APIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1ApiextensionsAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1beta1ApiextensionsAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1AuthorizationAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1beta1AuthorizationAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1NetworkAPIGroupExtensionAdapter

io.fabric8.kubernetes.client.V1beta1NetworkAPIGroupExtensionAdapter

Found

in path(s):

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/META-INF/services/io.fabric8.kubernetes.client.ExtensionAdapter
No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2015 Red Hat, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/FunctionCallable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1AdmissionRegistrationAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Editable.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Requirable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/base/OperationSupport.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/WatchHTTPManager.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Utils/OpenIDConnectionUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1AuthorizationAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/ExtensionsAPIGroupExtensionAdapter.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/RawCustomResourceOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1ApiextensionAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Cascading.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V1ApiextensionsAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/AppsAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ExecWatch.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/EditReplacePatchDeletable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/internal/extensions/v1beta1/ReplicaSetRollingUpdater.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/Version.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ImageEditReplacePatchable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/CreateOrReplaceable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/Utils/OIDCTokenRefreshInterceptor.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/StorageAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ServiceResource.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/WatchAndWaitable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/NamespacedKubernetesClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/PodResource.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/APIGroupNotAvailableException.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V1beta1AdmissionRegistrationAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Listable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Rollable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/Utils/InputStreamPumper.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/informers/SharedIndexInformer.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/ConfigAware.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/informers/ListenerWatcher.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-

jar/io/fabric8/kubernetes/client/dsl/Triggerable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/NamespacVisitFromServerGetWatchDeleteRecreateWaitApplicable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/Operation.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/extended/run/RunOperations.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/CustomResourceList.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1beta1NetworkAPIGroupClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/DefaultKubernetesClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/CascadingEditReplacePatchDeletable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1AdmissionRegistrationAPIGroupClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/ApiextensionsAPIGroupClient.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V2beta1AutoscalingAPIGroupClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/Waitable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/ApiVersionUtil.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/informers/cache/Controller.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/extended/leaderelection/LeaderElectionConfig.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/Utils.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/HasMetadataVisitableBuilder.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/ResourceHandler.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/PodMetricOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1beta1AuthorizationAPIGroupDSL.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/extensions/v1beta1/DeploymentOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/ParameterMixedOperation.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/batch/v1/JobOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/base/WaitForConditionWatcher.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/StorageAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/V1APIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Tailable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1AuthorizationAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TimeTailPrettyLoggable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/extended/leaderelection/LeaderElector.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/RbacAPIGroupExtensionAdapter.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Versionable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/extended/leaderelection/LeaderCallbacks.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/RecreateFromServerGettable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/SettingsAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/utils/CreateOrReplaceHelper.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/utils/OptionalDependencyWrapper.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/KubernetesListOperation.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/ApiextensionsAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/VersionInfo.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/EventType.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/internal/KubeConfigUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/utils/WatcherToggle.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/URLFromClusterIPImpl.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/core/v1/BindingOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/BytesLimitable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Utils/URLFromServiceUtil.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TailPrettyLoggable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TtyExecErrorable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/CustomResourceOperationContext.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/URLFromIngressImpl.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/extended/run/RunConfig.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/AuthorizationAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Utils/IpAddressMatcher.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/NonNamespaceOperation.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/WatchConnectionManager.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Lockable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1AutoscalingAPIGroupExtensionAdapter.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V2beta1AutoscalingAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V2beta2AutoscalingAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/RecreateApplicable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/impl/DefaultSharedIndexInformer.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/RecreateCreateable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/AuthorizationAPIGroupClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/SchedulingAPIGroupExtensionAdapter.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/BytesLimitTerminateTimeTailPrettyLoggable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Nameable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-

```

jar/io/fabric8/kubernetes/client/utils/BlockingInputStreamPumper.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/ExecListenable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/ExtensionsAPIGroupDSL.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/ReplaceValueStream.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/CreateOnlyResourceOperationsImpl.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/PrettyLoggable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/DeploymentRollingUpdater.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/CustomResourceDoneable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/RequestConfig.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/extended/leaderelection/LeaderElectorBuilder.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/handlers/KubernetesListHandler.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/NonBlockingInputStreamPumper.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/informers/cache/ReflectorWatcher.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/informers/SharedInformerEventListener.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1APIGroupExtensionAdapter.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/ExecListener.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/SchedulingAPIGroupClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/Client.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/Config.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/NodeMetricOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/StatefulSetOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/Adapters.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1APIGroupClient.java

```

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/NetworkAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/CustomResource.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/BatchAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/ReplicaSetRollingUpdater.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1AutoscalingAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/utils/BackwardsCompatibilityInterceptor.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/cache/Listener.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/BaseClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/cache/Reflector.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/ClientAware.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Watcher.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/StatusUpdatable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Readable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/CopyOrReadable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/NamespaceListVisitFromServerGetDeleteRecreateWaitApplicable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/osgi/ManagedKubernetesClient.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/FilterWatchListDeletable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/NamespaceVisitFromServerGetWatchDeleteRecreateWaitApplicableListImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Ttyable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Timeable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/utils/ReflectUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Outputable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Readable.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TimestampBytesLimitTerminateTimeTailPrettyLoggable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/MixedOperation.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/KubernetesClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/NamespaceVisitFromServerGetWatchDeleteRecreateWaitApplicableImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/ContainerResource.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/KubernetesClientTimeoutException.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/RbacAPIGroupDSL.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/ExecWebSocketListener.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Listenable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/internal/VersionUsageUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/CreateListFromLoadable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Loadable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Handlers.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/APIGroupExtensionAdapter.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/uploadable/PodUploadWebSocketListener.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Filterable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/PolicyAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/LocalPortForward.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/WithRequestCallable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1AutoscalingAPIGroupClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/AnyNamespaceable.java

*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/RawWatchConnectionManager.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/URLUtils.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1NetworkAPIGroupExtensionAdapter.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/NetworkAPIGroupDSL.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/informers/ResyncRunnable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1beta1AdmissionRegistrationAPIGroupDSL.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/IOHelpers.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1AdmissionRegistrationAPIGroupExtensionAdapter.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/ServiceToURLProvider.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/Callback.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/informers/cache/Cache.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/HttpClientUtils.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/core/v1/PodOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/CreateFromServerGettable.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/base/HasMetadataOperation.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/Watch.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/AdmissionRegistrationAPIGroupDSL.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/extended/leaderelection/package-info.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/KubernetesClientException.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/core/v1/ComponentStatusOperationsImpl.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/OperationInfo.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/Typeable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Watchable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TerminateTimeTailPrettyLoggable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/cache/SharedProcessor.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/PortForwardable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TtyExecable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/RollingOperationContext.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/MetricAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/PodOperationContext.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Applicable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/NetworkAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/internal/SSLUtils.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Utils/PodOperationUtil.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/AppsAPIGroupDSL.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1beta1ApiextensionsAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/PortForwarderWebsocket.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/ClusterOperationsImpl.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/CodeGen.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/URLFromNodePortImpl.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Uploadable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Copiable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/extensions/v1beta1/DeploymentRollingUpdater.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/URLFromEnvVarsImpl.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-

jar/io/fabric8/kubernetes/client/extended/leaderelection/resourceLock/ConfigMapLock.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/MetricAPIGroupDSL.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/CascadingDeletable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/TimeoutImageEditReplacePatchable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/internal/core/v1/ReplicationControllerOperationsImpl.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/informers/SharedInformerFactory.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/StorageAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ListVisitFromServerGetDeleteRecreateWaitApplicable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/AuthorizationAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/extended/leaderelection/resourceLock/LeaderElectionRecord.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/GenericKubernetesClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/ExtensionAdapterSupport.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/informers/cache/Store.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/FilterWatchListMultiDeletable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/MultiDeleteable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Containerable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/PortForward.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/ResourceNotFoundException.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/Utils/PodStatusUtil.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Gettable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ErrorChannelable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/ReplicaSetOperationsImpl.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/internal/serializationmixins/ObjectMetaMixIn.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/HttpClientAware.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Parameterizable.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/SchedulingAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1beta1AuthorizationAPIGroupClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/PropagationPolicyConfigurable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/internal/SerializationUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/CustomResourceOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Secretable.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Deletable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Patchable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Createable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Utils/ImpersonatorInterceptor.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/batch/v1beta1/CronJobOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1ApiextensionsAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/base/OperationContext.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/uploadable/PodUpload.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/ResourceEventHandler.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/AutoscalingAPIGroupClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/SettingsAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/ScalableResource.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/Utils/KubernetesResourceUtil.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/RollableScalableResourceOperation.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Timeoutable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Inputable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/internal/PKCS1Util.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/BatchAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/internal/readiness/ReadinessWatcher.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/base/ConfigAndApiGroupsInfo.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/GracePeriodConfigurable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/SettingsAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/extended/leaderelection/resourceLock/LockException.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/PolicyAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/RollableScalableResource.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/base/BaseOperation.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/utils/Serialization.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/extended/run/RunConfigUtil.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ApiextensionsAPIGroupDSL.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Resource.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/AutoAdaptableKubernetesClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/WatchListDeletable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/internal/LocalCreateOnlyResourceReviewOperationsImpl.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/informers/cache/DeltaFIFO.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/AppsAPIGroupExtensionAdapter.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V1beta1ApiextensionAPIGroupDSL.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-

jar/io/fabric8/kubernetes/client/V1beta1ApiextensionsAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/KubernetesListNonNamespaceOperation.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/AutoscalingAPIGroupDSL.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Prettyable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/ParameterNamespaceListVisitFromServerGetDeleteRecreateWaitApplicable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Terminateable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Loggable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/LogWatch.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Evictable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V2beta2AutoscalingAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/StatefulSetRollingUpdater.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V1NetworkAPIGroupDSL.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Scaleable.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/extended/leaderelection/resourceLock/Lock.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/extended/leaderelection/resourceLock/LeaseLock.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V1beta1NetworkAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/AdmissionRegistrationAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/informers/cache/ProcessorListener.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/Replaceable.java
 *
 /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/ExtensionsAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/BatchAPIGroupExtensionAdapter.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/V1AuthorizationAPIGroupClient.java
 * /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
 jar/io/fabric8/kubernetes/client/dsl/KubernetesListMixedOperation.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/ApplicableAnd.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Namespactable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/cache/Indexer.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/DefaultOperationInfo.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/VersionWatchAndWaitable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/FromServerable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/core/v1/ServiceOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/internal/PatchUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/internal/CertUtils.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/informers/SharedInformer.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TtyExecOutputErrorable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/GetListFromLoadable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V2beta1AutoscalingAPIGroupDSL.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/DeploymentOperationsImpl.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/TtyExecInputOutputErrorable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/FromServerGettable.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V2beta2AutoscalingAPIGroupClient.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/AdmissionRegistrationAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/dsl/Timestampable.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/AutoscalingAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/OAuthTokenProvider.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/V1beta1AuthorizationAPIGroupExtensionAdapter.java

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-

jar/io/fabric8/kubernetes/client/ExtensionAdapter.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1NetworkAPIGroupClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/KubernetesListOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/apps/v1/RollingUpdater.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/PolicyAPIGroupExtensionAdapter.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/ResourceCompare.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/core/v1/ReplicationControllerRollingUpdater.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/LogWatchCallback.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/RbacAPIGroupClient.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/Execable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/extensions/v1beta1/ReplicaSetOperationsImpl.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/EditReplacePatchable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/VisitFromServerGetWatchDeleteRecreateWaitApplicable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/RequestConfigHolder.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1beta1NetworkAPIGroupDSL.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/internal/readiness/Readiness.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/internal/PortForwarder.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/Throwable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/utils/DeleteAndCreateHelper.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/internal/patchmixins/ObjectMetaMixIn.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/internal/serializationmixins/ReplicationControllerMixIn.java
*
/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/TtyExecErrorChannelable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-

jar/io/fabric8/kubernetes/client/dsl/Recreateable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/base/CustomResourceDefinitionContext.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/RequestConfigurable.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/dsl/FileSelector.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/V1beta1AdmissionRegistrationAPIGroupExtensionAdapter.java
* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-
jar/io/fabric8/kubernetes/client/MetricAPIGroupClient.java
No license file was found, but licenses were detected in source scan.

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/META-
INF/maven/io.fabric8/kubernetes-client/pom.xml
No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/lib/FilenameUtils.java

*

/opt/cola/permits/1178945077_1625819149.11/0/kubernetes-client-4-13-3-sources-jar/io/fabric8/kubernetes/client/lib/FileSystem.java

1.150 kubernetes-model 4.13.3

1.150.1 Available under license :

No license file was found, but licenses were detected in source scan.

*

* Copyright (C) 2015 Red Hat, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

Found in path(s):

* /opt/cola/permits/1178945033_1625819553.84/0/kubernetes-model-admissionregistration-4-13-3-sources-jar/manifest.vm

No license file was found, but licenses were detected in source scan.

Copyright (C) 2015 Red Hat, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1178945033_1625819553.84/0/kubernetes-model-admissionregistration-4-13-3-sources-jar/META-INF/maven/io.fabric8/kubernetes-model-admissionregistration/pom.xml

No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2015 Red Hat, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1178945033_1625819553.84/0/kubernetes-model-admissionregistration-4-13-3-sources-jar/io/fabric8/kubernetes/api/model/admission/AdmissionRequest.java

1.151 hibernate-validator 6.2.0.Final

1.151.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Hibernate Validator, declare and validate application constraints

*

* License: Apache License, Version 2.0

* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

*/

Found in path(s):

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/MapKeyExtractor.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/time/DurationMaxValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedFieldStaxBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForBigInteger.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/scripting/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/validationcontext/ValidationContext.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/ReturnValueTarget.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/DefaultClockProvider.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfShort.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/SetPropertyValueExtractor.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/parameternameprovider/ParanamerParameterNameProvider.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/Token.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArray.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/PositiveValidatorForMonetaryAmount.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanPropertiesElContext.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedGetterStaxBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForMinguoDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/LengthDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/Mod10Check.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForLong.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForInteger.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentEpochBasedValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArrayOfShort.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForMonthDay.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/ISBNValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfInt.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastEpochBasedValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForJapaneseDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/descriptor/ConstraintDescriptorImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalDateTime.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalTime.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForBigDecimal.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorManagerImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/CreditCardNumberDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/URLDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/DurationMinDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForShort.java

va

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/core/AnnotationProcessingOptionsImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/path/PathImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/logging/formatter/TypeFormatter.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/CodePointLengthDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/cfg/context/GroupConversionTargetContextImpl.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForReadab

lePartial.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/DecimalMinDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/groups/Group.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/cfg/context/ExecutableConstraintMappingContextImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethodHandle.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/core/MetaConstraints.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/el/NoOpElResolver.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForDouble.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/Length.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/logging/Log.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfChar.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/validationcontext/PropertyValidationContext.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/path/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForHijrahDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/NullValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/AbstractOneLineStringStaxBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/raw/AbstractConstrainedElement.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/cfg/context/ParameterConstraintMappingContextImpl.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/facets/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/br/CPFValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/nodenameprovider/Property.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/classhierarchy/Filters.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

jar/org/hibernate/validator/internal/properties/DefaultGetterPropertySelectionStrategy.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/DefaultBeanMetaDataClassNormalizer.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/messageinterpolation/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalDate
 Time.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/messageinterpolation/LocaleResolver.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/ParserState.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredConstructors.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForDate.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForFloat.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForInstant.
 java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/mapping/DefaultPackageStaxBuilder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfFloat.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/AbstractDecimalMinValidator.jav
 a
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/ParameterScriptAssertDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/ExecutableParameterNameProvider.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForReadablePartial.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/Range.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/privilegedactions/ConstructorInstance.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/URLValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NumberSignHelper.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/EAN.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastInstantBasedValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/ISBN.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/rule/VoidMethodsMustNotBeReturnValueConstrained.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/ParameterTermResolver.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForFloat.java

va

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/AbstractMaxValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForOffsetDateTime.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/LongArrayValueExtractor.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/ConstraintMappingTarget.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/cfg/context/CrossParameterConstraintMappingContextImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForReadableInstant.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForOffsetTime.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/package-info.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/group/GroupSequenceProvider.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/location/FieldConstraintLocation.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForCollection.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/classhierarchy/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/constraintvalidation/LambdaBasedValidatorDescriptor.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/properties/javabean/JavaBeanHelper.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/properties/Callable.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/money/NegativeValidatorForMonetaryAmount.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/nodenameprovider/JavaBeanProperty.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/privilegedactions/GetResolvedMemberMethods.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureInstantBasedValidator.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/ValidatorFactoryConfigurationHelper.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/aggregated/ReturnValueMetaData.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/NegativeOrZeroDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/properties/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/validationcontext/ReturnValueExecutableValidationContext.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/TermResolver.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/AbstractDecimalMaxValidator.ja
 va
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForHijrahDate.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/path/NodeImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/ArrayElement.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/properties/javabean/JavaBeanMethod.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/core/ConstraintHelper.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/PatternDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForInteger.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/MessageState.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/LuhnCheckValidator.java

```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForCharSequence.j
ava
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/DurationMaxDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/ELState.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/spi/messageinterpolation/LocaleResolverContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForInteger.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/AbstractConstraintMetaData.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetAnnotationAttributes.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/Constrainable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/logging/Messages.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/HibernateValidatorContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/parameternameprovider/ReflectionParameterNameProvider.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForYear.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalDate.j
ava
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/Mod10CheckValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/CompositionType.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/PredefinedScopeConfigurationImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/AbstractConfigurationImpl.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/resolver/JPATraversableResolver.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForThaiBu
ddhistDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfBoolean.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/EmailValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfChar.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForShort.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/cfg/context/ConstraintDefinitionContextImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/Email.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForOffsetTime
 .java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/NotBlankDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintViolationCreationContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/aggregated/package-info.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/money/MinValidatorForMonetaryAmount.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/core/MetaConstraint.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentInstantBase
 dValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForCharSequence.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForMingu
 oDate.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/money/MaxValidatorForMonetaryAmount.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForFloat.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyListPropertyValueExtractor.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/ContainerElementTarget.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/ObservableValueValueExtractor.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/Version.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractInstantBasedTimeValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorManager.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForDouble.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForByte.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForShort.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/ListPropertyValueExtractor.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/br/TituloEleitoralDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/location/ReturnValueConstraintLocation.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForByte.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureEpochBasedValidator.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalNumberComparatorHelper.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForHijrahDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/CascadingMetaDataBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/DefaultLocaleResolverContext.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ConstraintDefinitionStaxBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/MaxDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/ParameterMetaData.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfPrimitives.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

jar/org/hibernate/validator/internal/engine/PredefinedScopeValidatorContextImpl.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraintvalidation/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/br/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForNumber.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/AssertTrueDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/AbstractFutureJavaTimeValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForInstant.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/DefaultParameterNameProvider.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForYear.ja
va
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/SetContextClassLoader.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetResource.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/group/package-info.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/MethodTarget.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/validationcontext/ParameterExecutableValidationContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/location/AbstractPropertyConstraintLocation.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractEpochBasedTimeValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/spi/scripting/ScriptEvaluationException.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/resolver/TraversableResolvers.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/PredefinedScopeBeanMetaDataManager.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedField.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/LocalizedMessage.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/ConfigurationImpl.java

```

```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/PropertyTarget.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForOffsetDate
Time.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForCalendar.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/ModCheck.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/time/DurationMin.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/Field.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintvalidation/PredefinedScopeConstraintValidatorManagerImpl.ja
va
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/ConstraintDefinitionTarget.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/validationcontext/BeanValidationContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/AssertFalseDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/ListValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/messageinterpolation/HibernateMessageInterpolatorContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForDate.ja
va
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfLong.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/StringHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/PastDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/ModCheckBase.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/InfinityNumberComparatorHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/LoadClass.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/ValidStaxBuilder.java
*

```

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/path/ContainerElementNode.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/ConstraintComposition.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/location/CrossParameterConstraintLocation.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/mapping/ClassLoadingHelper.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentInstantBasedVa-
 lidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/raw/package-info.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForOffsetTime.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/CloseIgnoringInputStream.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/properties/ConstrainableExecutable.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/HibernateValidatorFactory.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/NormalizedValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaDataBuilder.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/stereotypes/Lazy.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/pl/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/br/CPF.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/EmailDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/stereotypes/Immutable.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForBigInteger.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanPropertiesELResolver.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/GroupConversionTargetContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForJapaneseDate.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForMap.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/HibernateValidatorPermission.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/privilegedactions/GetInstancesFromServiceLoader.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/PastOrPresentDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/time/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForNumber.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/privilegedactions/NewInstance.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/GetterCascadable.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/facets/Cascadable.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valuecontext/ValueContext.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForBigInteger.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForZonedDateTime.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraintvalidation/HibernateCrossParameterConstraintValidatorContext.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/descriptor/GroupConversionDescriptorImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/annotation/AnnotationProxy.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/TokenCollector.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForInstant.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/AssertTrueValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForBigInteger.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/MinDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanParameter.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/MapPropertyKeyExtractor.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/core/BuiltinConstraint.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForReadableInstant.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForFloat.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DecimalMinValidatorForMonetaryAmount.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/scripting/ScriptEvaluatorFactory.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaData.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/logging/formatter/ClassObjectFormatter.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfByte.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/resolver/AbstractTraversableHolder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/Constrainable.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForThaiBuddhistDate.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/pl/PESEL.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/EmailValidator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/scripting/ScriptEngineScriptEvaluator.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/cfg/context/ConfiguredConstraint.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanField.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForBigInteger.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForBigDecimal.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/privilegedactions/GetMethodFromGetterNameCandidates.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/location/BeanConstraintLocation.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/pl/NIP.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForInteger.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/ContainerCascadingMetaData.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/ExecutableHelper.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/PESELValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/path/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForNumber.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredField.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/facets/Validatable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/raw/BeanConfiguration.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/ConstraintViolationImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/validationcontext/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/IntArrayValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/validationcontext/AbstractValidationContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/util/InterpolationHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForMap.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForBigDecimal.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/AbstractEmailValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/TypeConstraintMappingContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/resourceloading/DelegatingResourceBundleLocator.java

```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/ContainerElementTypeDescriptorImpl.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/br/CPFDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/annotation/AnnotationFactory.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForOffsetTime.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfBoolean.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/ConstructorConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForFloat.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/logging/formatter/DurationFormatter.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/AbstractPastJavaTimeValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/ValidatorFactoryImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForCalendar.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/BaseHibernateValidatorConfiguration.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/CrossParameterConstraintMappingContext.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForYearMonth
.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/AbstractMultiValuedElementStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/location/ConstraintLocation.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/LuhnCheck.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/DefaultLocaleResolver.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/validationcontext/ExecutableValidationContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/Incubating.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/groups/ValidationOrderGenerator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

```

jar/org/hibernate/validator/cfg/defs/br/CNPJDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForByte.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/AbstractJavaTimeValidator.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/NotNullValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedParameter.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/ConstraintTypeStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/core/AnnotationProcessingOptions.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethods.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForCharSequence.
java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/ru/INNDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/BooleanArrayValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/ParallelMethodsMustNotDefineParameterConstraints.j
ava
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanAnnotatedConstrainable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/time/DurationMax.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForJapane
seDate.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/ParameterDescriptorImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForCalendar.ja
va
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForThaiBuddhistDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/Property.java
*

```

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/mapping/AbstractConstrainedExecutableElementStaxBuilder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/cfg/context/ConstraintMappingContextImplBase.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/REGONValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidatorInitializationContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/DefaultPropertyNodeNameProvider.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/Mod11Check.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForBigInteger.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/constraintvalidation/HibernateConstraintValidatorInitializationContextIm
 pl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorResolver.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/logging/formatter/ExecutableFormatter.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/ObjectArrayValueExtractor.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/PropertyConstraintMappingContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/NotBlank.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/CollectionHelper.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/ConstraintDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/privilegedactions/IsClassPresent.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/classhierarchy/Filter.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/SizeDef.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/EITermResolver.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/EANDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/location/TypeArgumentConstraintLocation.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/ModUtil.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/validationcontext/BaseBeanValidationContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/aggregated/NonContainerCascadingMetaData.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/NotEmptyDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/ScriptAssertContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/descriptor/CrossParameterDescriptorImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForDouble.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/privilegedactions/GetClassLoader.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/resolver/package-info.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/logging/LoggerFactory.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/cfg/context/GetterConstraintMappingContextImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/br/TituloEleitoral.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/TypeVariables.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/groups/GroupWithInheritance.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForMonthDay.
 java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/resourceloading/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/DoubleArrayValueExtractor.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/money/CurrencyValidatorForMonetaryAmount.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/logging/formatter/CollectionOfClassesObjectFormatter.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyMapPropertyKeyExtractor.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/scripting/DefaultScriptEvaluatorFactory.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

jar/org/hibernate/validator/cfg/context/ReturnValueConstraintMappingContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/MethodConfigurationRule.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/VariablesELContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/logging/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForBigDecimal.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/InterpolationTermState.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/raw/ConstrainedType.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/spi/properties/GetterPropertySelectionStrategy.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/GenericConstraintDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForInteger.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/engine/HibernateConstraintViolation.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/Getter.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForInteger.j
ava
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/MethodValidationConfiguration.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/stereotypes/ThreadSafe.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForDouble.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredConstructor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForLong.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/logging/formatter/ArrayOfClassesObjectFormatter.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/ParameterConstraintMappingContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/AnnotationIgnoreOptions.java
*

```


/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/config/ValidationConfigStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/NotBlankValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/Contracts.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForThaiBuddhistDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/resourceloading/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForBigDecimal.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/LuhnCheckDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ConstraintMappingsStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/annotation/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/Cascadable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/logging/formatter/ObjectArrayFormatter.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/CrossParameterTarget.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForMinguoDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/ClassMetaData.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForMonthDay.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlyMapPropertyValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/MappingXmlParser.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/NotEmpty.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/properties/javabean/JavaBeanConstructor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForLong.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

jar/org/hibernate/validator/internal/constraintvalidators/hv/CodePointLengthValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorManager.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/time/DurationMinValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForMonthDay.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DigitsValidatorForMonetaryAmount.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForLong.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/CharArrayValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForShort.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForNumber.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForNumber
.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/MapValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForDouble.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/ValidatableParametersMetaData.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/ConstraintMapping.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetMethod.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetMethods.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/core/ConstraintOrigin.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/resourceloading/PlatformResourceBundleLocator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentEpochBase
dValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

```

jar/org/hibernate/validator/internal/metadata/raw/ConstrainedElement.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/ServiceLoaderBasedConstraintMappingContributor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/br/CNPJValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForBigDecimal.java
va
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/BeanDescriptorImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/NumberComparatorHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/BeanMethodsELContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/ReturnValueMayOnlyBeMarkedOnceAsCascadedPerHierarchyLine.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/GroupConversionHelper.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/ScriptAssertValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/ScriptAssert.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/AbstractPropertyCascadable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorDescriptor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/CascadableConstraintMappingContextImplBase.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/config/ValidationXmlParser.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForLocalDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/AbstractConstrainedElementStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/pl/REGON.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/PositiveOrZeroDef.java
*

```

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/BeanMetaDataManagerImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/constraintvalidation/CrossParameterConstraintValidatorContextImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/MethodConstraintMappingContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/constraintvalidation/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/mapping/BeanStaxBuilder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/cfg/ConstraintMappingContributor.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/resourceloading/ResourceBundleLocator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/constraintvalidation/ComposingConstraintTree.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArrayOfByte.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForLong.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForYearM
 onth.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/DigitsDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForReadablePa
 rtial.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/HibernateValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/Mod11CheckDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/spi/nodenameprovider/PropertyNameProvider.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForInstant.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/LengthValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalTime.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/groups/ValidationOrder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/el/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

jar/org/hibernate/validator/internal/engine/constraintvalidation/AbstractConstraintValidatorManagerImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypeConfigurationBuilder.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForCharSe
quence.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfDouble.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/NormalizedDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/AbstractPastOrPresentJavaTimeValid
ator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypePath.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/Mod11CheckValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/ContainerElementTypeStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfInt.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/PropertyAccessor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/resourceloading/AggregateResourceBundleLocator.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/DigitsValidatorForNumber.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForReadableIn
stant.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/Normalized.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/classhierarchy/ClassHierarchyHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintTree.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForLong.ja
va
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/DefaultConstraintMapping.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

```

jar/org/hibernate/validator/HibernateValidatorConfiguration.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/ExecutableMetaData.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorDescriptor.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/ParallelMethodsMustNotDefineGroupConversionForC
ascadedReturnValue.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valuecontext/ValueContexts.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/annotation/ConstraintAnnotationDescriptor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/EscapedState.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/NewSchema.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForByte.jav
a
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanAnnotatedElement.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/AbstractPropertyConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/ElementDescriptorImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/package-info.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForReadablePartial.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/CurrencyDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForZonedDate
Time.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForFloat.ja
va
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanGetter.java

```

*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForShort.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForOffset
DateTime.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForJapaneseDa
te.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForByte.ja
va
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/PredefinedScopeValidatorFactoryImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/raw/ConfigurationSource.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForCalend
ar.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/DisabledFeatureELEException.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/ValidatorContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetAnnotationAttribute.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForYearMonth.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/engine/HibernateValidatorEnhancedBean.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/PropertyDescriptorImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/ReflectionHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/groups/DefaultValidationOrder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForShort.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/Signature.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/ReturnValueDescriptorImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/IgnoreForbiddenApisErrors.java

```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForBigInteger.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/config/ValidationBootstrapParameters.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForNumber.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForByte.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/DecimalMaxDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForNumber.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForBigDecimal.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/pl/NIPDef.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/XmlParserHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/TypeResolutionHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/ReadOnlySetPropertyValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/NullDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/NewProxyInstance.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredFields.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfFloat.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForZonedDateTime.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/AnnotatedObject.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/spi/group/DefaultGroupSequenceProvider.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/rule/OverridingMethodMustNotAlterParameterConstraints.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/descriptor/ExecutableDescriptorImpl.java
*

```


/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/CreditCardNumber.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForCharSequence.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/messageinterpolation/ResourceBundleMessageInterpolator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/constraintvalidation/ConstraintValidatorFactoryImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForNumber
 .java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveOrZeroValidatorForFloat.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/ParameterScriptAssertValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/money/DecimalMaxValidatorForMonetaryAmount.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/resolver/CachingJPATraversableResolverForSingleValidation.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/UniqueElementsValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/package-info.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/Currency.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/pl/PESELDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/validationcontext/ValidatorScopedContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForCollection.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/core/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/PositiveDef.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/UniqueElementsDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/OptionalValueExtractor.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valuecontext/BeanValueContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/mapping/ConstrainedConstructorStaxBuilder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForLocalTime.java

```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/ru/package-info.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/NegativeDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/ConstraintContextImplBase.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/ReturnValueConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForByte.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForCharSeq
uence.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/AnnotationDef.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/PredefinedScopeHibernateValidatorFactory.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/ConstraintMetaData.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/ru/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForDouble.
java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintdefinition/ConstraintDefinitionContribution.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/OptionalIntValueExtractor.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/provider/MetaDataProvider.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/ValueExtractorHelper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArray.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/br/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/PositiveValidatorForInteger.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/CascadingMetaData.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/privilegedactions/GetResources.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForCharSequence.java

```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/NegativeOrZeroValidatorForMonetaryAmount.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/group/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/path/PropertyNode.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraintvalidation/HibernateConstraintViolationBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/scripting/AbstractCachingScriptEvaluatorFactory.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/FutureOrPresentValidatorForZonedDateTime.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForReadableInstant.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/NotNullDef.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/InterpolationTermType.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ClassConstraintTypeStaxBuilder.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/OptionalLongValueExtractor.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/PotentiallyContainerCascadingMetaData.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForBigDecimal.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/AbstractFutureOrPresentJavaTimeValidator.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForLocalDateTime.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/parameternameprovider/package-info.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/notempty/NotEmptyValidatorForArraysOfDouble.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/config/BootstrapConfigurationImpl.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/resolver/CachingTraversableResolverForSingleValidation.java

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/raw/ConstrainedExecutable.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/aggregated/PropertyMetaData.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/aggregated/MetaDataBuilder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/InterpolationTerm.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/messageinterpolation/AbstractMessageInterpolator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/ConstructorTarget.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForDouble.
 java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/futureorpresent/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/ContainerElementConstraintMappingContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForYear.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/descriptor/ClassDescriptorImpl.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForCharSequence.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/FutureOrPresentDef.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/properties/javabean/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/OptionalDoubleValueExtractor.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/util/privilegedactions/GetDeclaredMethod.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/provider/ProgrammaticMetaDataProvider.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/FutureDef.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/MessageDescriptorFormatException.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/ru/INNValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/resourceloading/CachingResourceBundleLocator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/ConstraintDefinitionContext.java

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/ShortArrayValueExtractor.java
*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/cfg/context/TypeConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/parser/TokenIterator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/PolishNumberValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForYearMonth.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/logging/formatter/CollectionOfObjectsToStringFormatter.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/location/GetterConstraintLocation.java
*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForShort.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/scripting/ScriptEvaluatorNotFoundException.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForYear.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/pl/NIPValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/AbstractMinValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/money/PositiveOrZeroValidatorForMonetaryAmount.java
a
*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/MapPropertyValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/aggregated/FieldCascadable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/br/CNPJ.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForLong.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/ValidatorImpl.java
*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ConstrainedParameterStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/context/TypeTarget.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/ReturnValueStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

```

jar/org/hibernate/validator/constraints/UniqueElements.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/FieldConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/groups/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/messageinterpolation/ExpressionLanguageFeatureLevel.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/ConstrainedMethodStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/context/ParameterTarget.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/DomainNameUtil.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/provider/XmlMetaDataProvider.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForMinguoDat
e.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMinValidatorForLong.ja
va
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/ContainerElementConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/ISBNDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/validationcontext/ValidationContextBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/properties/javabean/JavaBeanExecutable.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/xml/mapping/CrossParameterStaxBuilder.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/groups/Sequence.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/MethodConstraintMappingContextImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForCharSequence.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/cfg/context/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/Mod10CheckDef.java
*

```

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/annotation/AnnotationDescriptor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/messageinterpolation/FormatterWrapper.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/AssertFalseValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraintvalidation/HibernateConstraintValidatorContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/pl/REGONDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/size/SizeValidatorForArraysOfLong.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/messageinterpolation/ParameterMessageInterpolator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForDate.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/DigitsValidatorForCharSequence.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/constraintvalidation/ClassBasedValidatorDescriptor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/PredefinedScopeHibernateValidatorConfiguration.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/PatternValidator.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeValidatorForCharSequence.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/cfg/defs/RangeDef.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/valueextraction/IterableValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/scripting/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/hv/ModCheckValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/metadata/BeanMetaDataManager.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/xml/mapping/GroupConversionStaxBuilder.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/engine/ValidatorFactoryScopedContext.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/spi/scripting/ScriptEvaluator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForByte.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-

jar/org/hibernate/validator/constraints/ru/INN.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/hv/EANValidator.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/valueextraction/FloatArrayValueExtractor.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/resolver/TraverseAllTraversableResolver.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/provider/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/cfg/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/ConstructorConstraintMappingContext.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/PredefinedScopeHibernateValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/location/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/NotBlankValidator.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/time/past/PastValidatorForHijrahDate.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/defs/pl/package-info.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/ConstraintCreationContext.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/decimal/DecimalMaxValidatorForShort.java
 va
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MaxValidatorForBigInteger.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/cfg/context/AnnotationProcessingOptions.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/metadata/location/ParameterConstraintLocation.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/AbstractStaxBuilder.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/xml/config/ResourceLoaderHelper.java
 *
 /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/internal/engine/MessageInterpolatorContext.java
 * /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
 jar/org/hibernate/validator/constraints/CodePointLength.java


```

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/hv/AbstractScriptAssertValidator.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/messageinterpolation/el/RootResolver.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/sign/NegativeOrZeroValidatorForFloat.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraintvalidators/RegexpURLValidator.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/future/FutureValidatorForOffsetDateTime.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/constraintvalidation/SimpleConstraintTree.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/engine/valueextraction/ByteArrayValueExtractor.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/TypeVariableBindings.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForInteger.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/cfg/defs/ScriptAssertDef.java
*
/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/constraints/URL.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/aggregated/BeanMetaDataImpl.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/bound/MinValidatorForDouble.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/number/package-info.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/metadata/BeanMetaDataClassNormalizer.java
* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/constraintvalidators/bv/time/pastorpresent/PastOrPresentValidatorForLocalTime.
java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
/**
* Retrieves constraint related meta data for the parameters of the given
* executable.
*
* @param javaBeanExecutable The executable of interest.

```

```
*
* @return A list with parameter meta data for the given executable.
*/
```

Found in path(s):

```
*/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/metadata/provider/AnnotationMetaDataProvider.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Hibernate Validator, declare and validate application constraints
*
* License: Apache License, Version 2.0
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
*/
/**
* <p>
* A method-level constraint, that evaluates a script expression against the
* annotated method or constructor. This constraint can be used to implement
* validation routines that depend on several parameters of the annotated
* executable.
* </p>
* <p>
* Script expressions can be written in any scripting or expression language,
* for which a <a href="http://jcp.org/en/jsr/detail?id=223">JSR 223</a>
* ("Scripting for the Java<sup>TM</sup> Platform") compatible engine can be
* found on the classpath. To refer to a parameter within the scripting
* expression, use its name as obtained by the active
* { @link javax.validation.ParameterNameProvider }. The default provider will
* return the
* actual parameter names, if the -parameters compiler option
* has been enabled, and { @code arg0 }, { @code arg1 } etc. otherwise.
* </p>
* <p>
* The following listing shows an example using the JavaScript engine which
* comes with the JDK:
* </p>
* <pre>
* { @code @ParameterScriptAssert(script = "start.before(end)", lang = "javascript")
* public void createEvent(Date start, Date end) { ... }
* }
* </pre>
* <p>
* Can be specified on any method or constructor.
* </p>
*
* @author Gunnar Morling
*/
```

Found in path(s):

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/constraints/ParameterScriptAssert.java

No license file was found, but licenses were detected in source scan.

/*

* Hibernate Validator, declare and validate application constraints

*

* License: Apache License, Version 2.0

* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

*/

/*

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/licenses/publicdomain>

*/

Found in path(s):

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/internal/util/ConcurrentReferenceHashMap.java

No license file was found, but licenses were detected in source scan.

~ Hibernate Validator, declare and validate application constraints

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>>

Found in path(s):

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/validation-configuration-1.1.xsd

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/validation-configuration-1.0.xsd

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/maven/org.hibernate.validator/hibernate-validator/pom.xml

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/validation-mapping-2.0.xsd

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/validation-mapping-1.0.xsd

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/org/hibernate/validator/overview.html

*

/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/validation-mapping-1.1.xsd

* /opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-jar/META-INF/validation-configuration-2.0.xsd

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2009 IIZUKA Software Technologies Ltd
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1179350176_1626075468.15/0/hibernate-validator-6-2-0-final-sources-
jar/org/hibernate/validator/internal/util/TypeHelper.java
```

1.152 jersey-hk2 2.35

1.152.1 Available under license :

```
/*
 * Copyright (c) 2017, 2019 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
```

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- *
- Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

* License: Apache License, 2.0

* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient.

No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the

executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.153 jakarta-el 3.0.4

1.153.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at

the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and

implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel

or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term

"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you

could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the

Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

* Project home: <https://projects.eclipse.org/projects/ee4j.el>

Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/el-ri>

Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.154 commons-io 2.11.0

1.154.1 Available under license :

Apache Commons IO

Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.155 junit 4.13.2

1.155.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to

reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise.

As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection

with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights

granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

1.156 visual-studio-runtime 14.16.27033.0

1.156.1 Available under license :

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for SIMD-Vectorisation-Burgers-Equation-CSharp

MIT License

Copyright (c) 2017 Gary Evans

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template
<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2008 Brent Fulgham, 2005-2016 Isaac Gouy
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE

IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for A Benchmark Test for Systems Implementation Languages

<http://www.cl.cam.ac.uk/~mr10/Bench/README>

Please feel free to re-implement this benchmark in any language you

choose. I would be happy to incorporate such translations into this distribution together with their timing/size results.

Martin Richards

23 February 2007

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for .NET Foundation and Contributors

Copyright (c) .NET Foundation Contributors

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for The Tragedy of Hamlet, Prince of Denmark

```
new XElement("TITLE", "The Tragedy of Hamlet, Prince of Denmark"),
new XElement("fm",
  new XElement("p", "Text placed in the public domain by Moby Lexical Tools, 1992."),
  new XElement("p", "SGML markup by Jon Bosak, 1992-1994."),
  new XElement("p", "XML version by Jon Bosak, 1996-1997."),
  new XElement("p", "This work may be freely copied and distributed worldwide.")
<Project Sdk="Microsoft.NET.Sdk">
<PropertyGroup>
  <OutputType>Exe</OutputType>
  <ApplicationManifest>App.manifest</ApplicationManifest>
  <!-- Blocked on ILAsm supporting embedding resources. See https://github.com/dotnet/coreclr/issues/20819 -->
  <IlrtTestKind>BuildOnly</IlrtTestKind>
  <!-- Test unsupported outside of windows -->
  <TestUnsupportedOutsideWindows>true</TestUnsupportedOutsideWindows>
  <DisableProjectBuild Condition="$(TargetsUnix) == 'true'">true</DisableProjectBuild>
  <!-- This test would require the runincontext.exe to include App.manifest describing the COM interfaces -->
  <UnloadabilityIncompatible>true</UnloadabilityIncompatible>
</PropertyGroup>
<ItemGroup>
  <Compile Include="Program.cs" />
  <Compile Include="..\..\ServerContracts/Server.CoClasses.cs" />
  <Compile Include="..\..\ServerContracts/Server.Contracts.cs" />
  <Compile Include="..\..\ServerContracts/ServerGuids.cs" />
</ItemGroup>
<ItemGroup>
  <ProjectReference
Include="..\..\NativeServer/CMakeLists.txt" />
  <ProjectReference Include="$(TestSourceDir)Common/CoreCLRTestLibrary/CoreCLRTestLibrary.csproj" />
</ItemGroup>
</Project>
```

.NET Runtime uses third-party libraries or other resources that may be distributed under licenses different than the .NET Runtime software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for ASP.NET

Copyright (c) .NET Foundation. All rights reserved.

Licensed under the Apache License, Version 2.0.

Available at
<https://github.com/aspnet/AspNetCore/blob/master/LICENSE.txt>

License notice for Slicing-by-8

<http://sourceforge.net/projects/slicing-by-8/>

Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

This software program is licensed subject to the BSD License, available at
<http://www.opensource.org/licenses/bsd-license.html>.

License notice for Unicode data

<https://www.unicode.org/license.html>

Copyright

1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

License notice for Zlib

<https://github.com/madler/zlib>
http://zlib.net/zlib_license.html

/* zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

*/

License notice for Mono

<http://www.mono-project.com/docs/about-mono/>

Copyright
(c) .NET Foundation Contributors

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for International Organization for Standardization

Portions (C) International Organization for Standardization 1986:

Permission to copy in any form is granted for use with conforming SGML systems and applications as defined in ISO 8879, provided this notice is included in all copies.

License notice for Intel

"Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Xamarin and Novell

Copyright (c) 2015 Xamarin, Inc (<http://www.xamarin.com>)

Permission

is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 Novell, Inc (<http://www.novell.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Third party notice for W3C

"W3C SOFTWARE AND DOCUMENT NOTICE AND LICENSE

Status: This license takes effect 13 May, 2015.

This work is being provided by the copyright holders under the following license.

License

By obtaining and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this work, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the work or portions thereof, including modifications:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software and Document Short

Notice should be included.

Notice of any changes or modifications, through a copyright statement on the new code or document such as "This software or document includes material copied from or derived from [title and URI of the W3C document].

Copyright [YEAR] W3C (MIT, ERCIM, Keio, Beihang)."

Disclaimers

THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the work without specific, written prior permission. Title to copyright in this work will at all times remain with copyright holders."

License notice for Bit Twiddling Hacks

Bit Twiddling Hacks

By Sean Eron Anderson
seander@cs.stanford.edu

Individually, the code snippets here are in the public domain (unless otherwise noted) feel free to use them however you please. The aggregate collection and descriptions are 1997-2005 Sean Eron Anderson. The code and descriptions are distributed in the hope that they will be useful, but WITHOUT ANY WARRANTY and

without even the implied warranty of merchantability or fitness for a particular purpose.

License notice for Brotli

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

compress_fragment.c:

Copyright (c) 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

decode_fuzzer.c:

Copyright (c) 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

License notice for Json.NET

<https://github.com/JamesNK/Newtonsoft.Json/blob/master/LICENSE.md>

The MIT License (MIT)

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for vectorized base64 encoding
/ decoding

Copyright (c) 2005-2007, Nick Galbreath
Copyright (c) 2013-2017, Alfred Klomp
Copyright (c) 2015-2017, Wojciech Mula
Copyright (c) 2016-2017, Matthieu Darbois
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for RFC 3492

The punycode implementation is based on the sample code in RFC 3492

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

License notice for Algorithm from Internet Draft document "UUIDs and GUIDs"

Copyright (c) 1990- 1993, 1996 Open Software Foundation, Inc.
Copyright (c) 1989 by Hewlett-Packard Company, Palo Alto, Ca. & Digital Equipment Corporation, Maynard, Mass.

To anyone who acknowledges that this file is provided "AS IS" without any express or implied warranty: permission to use, copy, modify, and distribute this file for any purpose is hereby

granted without fee, provided that the above copyright notices and this notice appears in all source code copies, and that none of the names of Open Software Foundation, Inc., Hewlett-Packard Company, or Digital Equipment Corporation be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Neither Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, nor Digital Equipment Corporation makes any representations about the suitability of this software for any purpose.

Copyright(C) The Internet Society 1997. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

License notice for Algorithm from RFC 4122 -
A Universally Unique Identifier (UUID) URN Namespace

Copyright (c) 1990- 1993, 1996 Open Software Foundation, Inc.
Copyright (c) 1989 by Hewlett-Packard Company, Palo Alto, Ca. &
Digital Equipment Corporation, Maynard, Mass.
Copyright (c) 1998 Microsoft.

To anyone who acknowledges that this file is provided "AS IS" without any express or implied warranty: permission to use, copy, modify, and distribute this file for any purpose is hereby granted

without fee, provided that the above copyright notices and this notice appears in all source code copies, and that none of the names of Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, or Digital Equipment Corporation be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Neither Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, nor Digital Equipment Corporation makes any representations about the suitability of this software for any purpose."

License notice for The LLVM Compiler Infrastructure

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE

SOFTWARE.

License notice for Bob Jenkins

By Bob Jenkins, 1996. bob_jenkins@burtleburtle.net. You may use this code any way you wish, private, educational, or commercial. It's free.

License notice for Greg Parker

Greg Parker gparker@cs.stanford.edu December 2000
This code is in the public domain and may be copied or modified without permission.

License notice for libunwind8 based code

Copyright (c) 2003-2005 Hewlett-Packard Development Company, L.P.
Contributed by David Mosberger-Tang <davidm@hpl.hp.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for Printing Floating-Point Numbers (Dragon4)

/*****

Copyright (c) 2014 Ryan Juckett
<http://www.ryanjuckett.com/>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

*****/

License notice for Printing Floating-point Numbers (Grisu3)

Copyright 2012 the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for xxHash

xxHash Library
Copyright (c) 2012-2014, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted

provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Berkeley SoftFloat Release 3e

<https://github.com/ucb-bar/berkeley-softfloat-3>
<https://github.com/ucb-bar/berkeley-softfloat-3/blob/master/COPYING.txt>

License for Berkeley SoftFloat Release 3e

John R. Hauser
2018 January 20

The following applies to the whole of SoftFloat Release 3e as well as to each source file individually.

Copyright 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS", AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Xorshift RNGs

George Marsaglia

2003-07-04

Journal of Statistical Software

License: <http://creativecommons.org/licenses/by/3.0/>

<https://www.jstatsoft.org/article/view/v008i14>

<https://www.jstatsoft.org/index.php/jss/article/view/v008i14/xorshift.pdf>

License notice for Xorshift (Wikipedia)

<https://en.wikipedia.org/wiki/Xorshift>

License: https://en.wikipedia.org/wiki/Wikipedia:Text_of_Creative_Commons_Attribution-ShareAlike_3.0_Unported_License

License for fastmod (<https://github.com/lemire/fastmod>)

Copyright 2018 Daniel Lemire

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

License notice for The C++ REST SDK

C++ REST SDK

The MIT License (MIT)

Copyright (c) Microsoft Corporation

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

License notice for MessagePack-CSharp

MessagePack for C#

MIT License

Copyright (c) 2017 Yoshifumi Kawai

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for lz4net

lz4net

Copyright (c) 2013-2017, Milosz Krajewski

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source

code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Nerdbank.Streams

The MIT License (MIT)

Copyright (c) Andrew Arnott

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for RapidJSON

Tencent is pleased to support the open source community by making RapidJSON available.

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip. All rights reserved.

Licensed under the MIT License (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://opensource.org/licenses/MIT>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR

CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License notice for DirectX Math Library

<https://github.com/microsoft/DirectXMath/blob/master/LICENSE>

The MIT License (MIT)

Copyright (c) 2011-2020 Microsoft Corp

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for ldap4net

The MIT License (MIT)

Copyright (c) 2018 Alexander Chermynin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED

TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright

=====

The .NET project copyright is held by ".NET Foundation and Contributors".

The [.NET Foundation](<http://www.dotnetfoundation.org/>) is an independent organization that encourages open development and collaboration around the .NET ecosystem.

Source License

The .NET project uses multiple licenses for the various project repositories.

- The [MIT License](<https://opensource.org/licenses/MIT>) is used for [code](<https://github.com/dotnet/runtime/>).
- The [Creative Commons Attribution 4.0 International Public License (CC-BY)](<https://creativecommons.org/licenses/by/4.0/>) is used for [documentation](<https://github.com/dotnet/docs/>) and [swag](<https://github.com/dotnet/swag>).

Binary License

.NET distributions are licensed with a variety of licenses, dependent on the content. By default, the MIT license is used, the exact same as the [source license](<https://github.com/dotnet/core/blob/master/LICENSE.TXT>), with the same copyright holder. There

are some cases where that isn't possible because a given component includes a proprietary Microsoft binary. This is typically only the case for Windows distributions.

The following rules are used for determining the binary license:

- .NET binary distributions (zips, nuget packages,) are licensed as MIT (identical to the [.NET source license](<https://github.com/dotnet/core/blob/master/LICENSE.TXT>)).
- The license link (if there is one) should point to the repository where the file came from, for example: [dotnet/runtime](<https://github.com/dotnet/runtime/blob/master/LICENSE.TXT>).
- If the contained binaries are built from multiple .NET repositories, the license should point to [dotnet/core](<https://github.com/dotnet/core/blob/master/LICENSE.TXT>).
- If the contents are not 100% open source, the distribution should be licensed with the [.NET Library license](https://www.microsoft.com/net/dotnet_library_license.htm).
- It is OK for licensing to be asymmetric for a single distribution type. For example, its possible that the .NET SDK distribution might be fully open source for Linux but include a closed-source component on Windows. In this case, the SDK would be licensed as MIT on Linux and use the .NET Library License on Windows. It is better to have more open licenses than less.
- It is OK for the source and binary licenses not to match. For example, the source might be Apache 2 but ships as an

MIT binary. The third party notices file should capture the Apache 2 license. This only works for a permissive licenses, however, we have limited the project to that class of licenses already. The value of this approach is that binary licenses are uniform.

Patents

Microsoft has issued a [Patent Promise for .NET Libraries and Runtime Components](/PATENTS.TXT). .NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for SciMark C#

<https://github.com/dosvidos/SciMark>

<license>

This is a port of the SciMark2a Java Benchmark to C# by
Chris Re (cmr28@cornell.edu) and Werner Vogels (vogels@cs.cornell.edu)

For details on the original authors see <http://math.nist.gov/scimark2>

This software is likely to burn your processor, bitflip your memory chips
anihilate your screen and corrupt all your disks, so you it at your
own risk.

</license>

License notice for SciMark 2.0

<http://math.nist.gov/scimark2/credits.html>

As this software was developed as part of work done by the United States
Government, it is not subject to copyright, and is in the public domain.

We would, however, appreciate acknowledgements if this work is found useful. Note that according to GNU.org public domain is compatible with GPL.

Mono uses third-party libraries or other resources that may be
distributed under licenses different than the Mono software.

Attributions and license notices for test cases originally authored by
third parties can be found in the respective test directories.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for NZipLib

```
// Copyright (C) 2001 Mike Krueger
//
// This file was translated from java, it was part of the GNU Classpath
// Copyright (C) 2001 Free Software Foundation, Inc.
//
// This program is free software; you can redistribute it and/or
// modify it under the terms of the GNU General Public License
// as published by the Free Software Foundation; either version 2
// of the License, or (at your option) any later version.
//
// This program is distributed in the hope
// that it will be useful,
// but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
// GNU General Public License for more details.
//
// You should have received a copy of the GNU General Public License
// along with this program; if not, write to the Free Software
// Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.
//
// As a special exception, if you link this library with other files to
// produce an executable, this library does not by itself cause the
// resulting executable to be covered by the GNU General Public License.
// This exception does not however invalidate any other reasons why the
// executable file might be covered by the GNU General Public License.
```

Use:

<https://github.com/mono/mono/blob/29ee4e15806848ff5131c4bdd23ded786f5bc186/mono/benchmark/zipmark.cs>

Southern Storm Software, Pty Ltd

```
# Copyright (C) 2002 Southern Storm Software,
# Pty Ltd.
#
# This program is free software; you can redistribute it and/or modify
# it under the terms of the GNU General Public License as published by
```

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Use:

<https://github.com/mono/mono/blob/a34c9c79c07156797499b6ed2ce43c5897263b57/mono/benchmark/logic.cs>
.NET Core uses third-party libraries or other resources that may be
distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please
bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Rick Jelliffe and Academia Sinica Computing Center, Taiwan

Copyright (c) 2000,2001 Rick Jelliffe and Academia Sinica Computing Center, Taiwan

This software is provided 'as-is', without any express or implied warranty.
In no event will the authors be held liable for any damages arising from
the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it freely,
subject to the following restrictions:

1. The origin of this software
must not be misrepresented; you must not claim
that you wrote the original software. If you use this software in a product,
an acknowledgment in the product documentation would be appreciated but is
not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Comment: Licensed to the .NET Foundation under one or more agreements. The .NET Foundation licenses this file to you under the MIT license. See the LICENSE file in the project root for more information.

Files: *

Copyright: {COPYRIGHT_TEXT}

License: {LICENSE_NAME}

License: {LICENSE_NAME}

{LICENSE_TEXT}

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for V8.Crypto

Copyright (c) 2003-2005 Tom Wu

All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

In addition, the following condition applies:

All redistributions must retain an intact copy of this copyright notice and disclaimer.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for The Computer Language Benchmarks Game

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template
<http://www.opensource.org/licenses/bsd-license.php>

Copyright (c) 2004-2008 Brent Fulgham, 2005-2015 Isaac Gouy
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY

OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.NET Core uses third-party libraries or other resources that may be
distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please
bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Livermore Loops coded in C

<http://www.netlib.org/benchmark/livermorec>

No specific license is given, so attributing and using in "good faith"
in the same way that it has been offered. We will delete upon request.
.NET Core uses third-party libraries or other resources that may be
distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please
bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for An Artificial Garbage Collection Benchmark

http://hboehm.info/gc/gc_bench.html

http://hboehm.info/gc/gc_bench/GCBench.c

No specific license is given, so attributing and using in "good faith"
in the same way that it has been offered. We will delete upon request.

Comment: Licensed to the .NET Foundation under one or more agreements. The .NET Foundation licenses this file
to you under the MIT license. See the LICENSE file in the project root for more information.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files: *

Copyright: {COPYRIGHT_TEXT}

License: {LICENSE_NAME}

License: {LICENSE_NAME}

{LICENSE_TEXT}

Copyright (c) 2002 Hewlett-Packard Co.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) .NET Foundation and Contributors

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Mono uses third-party libraries or other resources that may be distributed under licenses different than the Mono software.

Attributions and license notices for test cases originally authored by third parties can be found in the respective test directories.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Southern Storm Software

GPL: Copyright (C) 2001 Southern Storm Software, Pty Ltd.

Use: <https://github.com/mono/mono/blob/23e6f6f4b58d72800f4e27fa29a6b58806ff475f/mono/mini/bench.cs#L65>
.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for ByteMark

<https://github.com/santoshshahoo/nbench> (mirror of the same code)

/*

** BYTEmark (tm)

** BYTE Magazine's Native Mode benchmarks

** Rick Grehan, BYTE Magazine

**

** Create:

** Revision: 3/95

**

** DISCLAIMER

** The source, executable, and documentation files that comprise

** the BYTEmark benchmarks are made available on an "as is" basis.

** This means that we at BYTE Magazine have made every reasonable

** effort to verify that there are no errors in the source and

** executable code. We cannot, however, guarantee that the programs

** are error-free. Consequently, McGraw-Hill and

BYTE Magazine make

** no claims in regard to the fitness of the source code, executable

** code, and documentation of the BYTEmark.

**

** Furthermore, BYTE Magazine, McGraw-Hill, and all employees

** of McGraw-Hill cannot be held responsible for any damages resulting

** from the use of this code or the results obtained from using

** this code.

*/

MICROSOFT SOFTWARE LICENSE TERMS

MICROSOFT .NET LIBRARY

These license terms are an agreement between Microsoft Corporation (or based on where you live, one of its affiliates) and you. Please read them. They apply to the software named above, which includes the media on which you received it, if any. The terms also apply to any Microsoft

* updates,

* supplements,

* Internet-based services, and

* support services

for this software, unless other terms accompany those items. If so, those terms apply.

BY USING THE SOFTWARE, YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THEM, DO NOT USE THE SOFTWARE.

IF YOU COMPLY WITH THESE LICENSE TERMS, YOU HAVE THE PERPETUAL RIGHTS BELOW.

1. INSTALLATION AND USE RIGHTS.

a. Installation and Use. You may install and use any number of copies of the software to design, develop and test your programs.

b. Third Party Programs. The software may include third party programs that Microsoft, not the third party, licenses to you under this agreement. Notices, if any, for the third party program are included for your information only.

2. DATA. The software may collect information about you and your use of the software, and send that to Microsoft. Microsoft may use this information to improve our products and services. You can learn more about data collection and use in the help documentation and the privacy statement at <https://go.microsoft.com/fwlink/?LinkId=528096>. Your use of the software operates as your consent to these practices.

3. ADDITIONAL LICENSING REQUIREMENTS AND/OR USE RIGHTS.

a. DISTRIBUTABLE CODE. The software is comprised of Distributable Code. "Distributable Code" is code that you are permitted to distribute in programs you develop if you comply with the terms below.

i. Right to Use and Distribute.

* You may copy and distribute the object code form of the software.

* Third Party Distribution. You may permit distributors of your programs to copy and distribute the Distributable Code as part of those programs.

ii. Distribution Requirements. For any Distributable Code you distribute, you must

* add significant primary functionality to it in your programs;

* require distributors and external end users to agree to terms that protect it at least as much as this agreement;

* display your valid copyright notice on your programs; and

* indemnify, defend, and hold harmless Microsoft from any claims, including attorneys' fees, related to the distribution or use of your programs.

iii. Distribution Restrictions. You may not

* alter any copyright, trademark or patent notice in the Distributable Code;

* use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;

* include Distributable Code in malicious, deceptive or unlawful programs; or

* modify or distribute the source code of any Distributable Code so that any part of it becomes subject to an Excluded License. An Excluded

License is one that requires, as a condition of use, modification or distribution, that

* the code be disclosed or distributed in source code form; or

* others have the right to modify it.

4. SCOPE OF LICENSE. The software is licensed, not sold. This agreement only gives you some rights to use the software. Microsoft reserves all other rights. Unless applicable law gives you more rights despite this limitation, you may use the software only as expressly permitted in this agreement. In doing so, you must comply with any technical limitations in the software that only allow you to use it in certain ways. You may not

* work around any technical limitations in the software;

* reverse engineer, decompile or disassemble the software, except and only to the extent that applicable law expressly permits, despite this limitation;

* publish the software for others to copy;

* rent, lease or lend the software;

* transfer the software or this agreement to any third party;

or

* use the software for commercial software hosting services.

5. BACKUP COPY. You may make one backup copy of the software. You may use it only to reinstall the software.

6. DOCUMENTATION. Any person that has valid access to your computer or internal network may copy and use the documentation for your internal, reference purposes.

7. EXPORT RESTRICTIONS. The software is subject to United States export laws and regulations. You must comply with all domestic and international export laws and regulations that apply to the software. These laws include restrictions on destinations, end users and end use. For additional information, see www.microsoft.com/exporting.

8. SUPPORT SERVICES. Because this software is "as is," we may not provide support services for it.

9. ENTIRE AGREEMENT. This agreement, and the terms for supplements, updates, Internet-based services and support services that you use, are the entire agreement for the software and support services.

10. APPLICABLE LAW.

a. United

States. If you acquired the software in the United States, Washington state law governs the interpretation of this agreement and applies to claims for breach of it, regardless of conflict of laws principles. The laws of the state where you live govern all other claims, including claims under state consumer protection laws, unfair competition laws, and in tort.

b. Outside the United States. If you acquired the software in any other country, the laws of that country apply.

11. LEGAL EFFECT. This agreement describes certain legal rights. You may have other rights under the laws of your country. You may also have rights with respect to the party from whom you acquired the software. This agreement does not change your rights under the laws of your country if the laws of your country do not permit it to do so.

12. DISCLAIMER OF WARRANTY. THE SOFTWARE IS LICENSED "AS-IS." YOU BEAR THE RISK OF USING IT. MICROSOFT GIVES NO EXPRESS WARRANTIES, GUARANTEES OR CONDITIONS. YOU MAY HAVE ADDITIONAL

CONSUMER RIGHTS OR STATUTORY GUARANTEES UNDER YOUR LOCAL LAWS WHICH THIS AGREEMENT CANNOT CHANGE. TO THE EXTENT PERMITTED UNDER YOUR LOCAL LAWS, MICROSOFT EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

FOR AUSTRALIA - YOU HAVE STATUTORY GUARANTEES UNDER THE AUSTRALIAN CONSUMER LAW AND NOTHING IN THESE TERMS IS INTENDED TO AFFECT THOSE RIGHTS.

13. LIMITATION ON AND EXCLUSION OF REMEDIES AND DAMAGES. YOU CAN RECOVER FROM MICROSOFT AND ITS SUPPLIERS ONLY DIRECT DAMAGES UP TO U.S. \$5.00. YOU CANNOT RECOVER ANY OTHER DAMAGES, INCLUDING CONSEQUENTIAL, LOST PROFITS, SPECIAL, INDIRECT OR INCIDENTAL DAMAGES.

This limitation applies to

- * anything related to the software, services, content (including code) on third party Internet sites, or third party programs; and
- * claims for breach of contract, breach of warranty, guarantee or condition, strict liability, negligence, or other tort to the extent permitted by applicable law.

It

also applies even if Microsoft knew or should have known about the possibility of the damages. The above limitation or exclusion may not apply to you because your country may not allow the exclusion or limitation of incidental, consequential or other damages.

Please note: As this software is distributed in Quebec, Canada, some of the clauses in this agreement are provided below in French.

Remarque : Ce logiciel tant distribu au Qubec, Canada, certaines des clauses dans ce contrat sont fournies ci-dessous en franais.

EXONRATION DE GARANTIE. Le logiciel vis par une licence est offert tel quel . Toute utilisation de ce logiciel est votre seule risque et pril. Microsoft n'accorde aucune autre garantie expresse. Vous pouvez bnficier de droits additionnels en vertu du droit local sur la protection des consommateurs, que ce contrat ne peut modifier. La ou elles sont permises par le droit locale, les garanties implicites de qualit marchande, d'adquation un usage particulier et d'absence de contrefaon sont exclus.

LIMITATION DES DOMMAGES-INTRTS ET EXCLUSION DE RESPONSABILIT POUR LES DOMMAGES.

Vous pouvez obtenir de Microsoft et de ses fournisseurs une indemnisation en cas de dommages directs uniquement hauteur de 5,00 \$ US. Vous ne pouvez prtendre aucune indemnisation pour les autres dommages, y compris les dommages spciaux, indirects ou accessoires et pertes de bnfices.

Cette limitation concerne :

- * tout ce qui est reli au logiciel, aux services ou au contenu (y compris le code) figurant sur des sites Internet tiers ou dans des programmes tiers ; et
- * les rclamations au titre de violation de contrat ou de garantie, ou au titre de responsabilit stricte, de ngligence ou d'une autre faute dans la limite autorise par la loi en vigueur.

Elle s'applique galement, mme si Microsoft connaissait ou devrait connatre l'eventualit d'un tel dommage. Si votre pays n'autorise pas l'exclusion ou la limitation de responsabilit pour les dommages indirects, accessoires ou de quelque

nature que ce soit, il se peut que la limitation ou l'exclusion ci-dessus ne s'appliquera pas votre gard.

EFFET JURIDIQUE. Le prsent contrat dcrit certains droits juridiques. Vous pourriez avoir d'autres droits prvus par les lois de votre pays. Le prsent contrat ne modifie pas les droits que vous confrent les lois de votre pays si celles-ci ne le permettent pas.

.NET uses third-party libraries or other resources that may be distributed under licenses different than the .NET software.

Attributions and license notices for test cases originally authored by third parties can be found in the respective test directories.

In the event that we accidentally failed to list a required notice, please

bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Stack Overflow

Policy: <https://stackoverflow.com/help/licensing>

License: <https://creativecommons.org/licenses/by-sa/3.0/>

Title: Dealing with commas in a CSV file

Content: <https://stackoverflow.com/a/769713>

Question author: Bob The Janitor -- <https://stackoverflow.com/users/55102/bob-the-janitor>

Answer author: harp -- <https://stackoverflow.com/users/4525/harpo>

Use:

<https://github.com/dotnet/coreclr/blob/a9074bce5e3814db67dbec1c56f477202164d162/tests/src/sizeondisk/sodbench/SoDBench.cs#L738>

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Red Gate Software Ltd

<https://www.simple-talk.com/dotnet/.net-framework/the-dangers-of-the-large-object-heap/>

Copyright (c) 2009, Red Gate Software Ltd

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

1.157 gethostname4j 0.0.3

1.157.1 Available under license :

MIT

1.158 namespace 1.4.01

1.158.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

Apache XML Commons XML APIs
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.

- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>
xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE

FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)

\$

xml-commons/java/external/LICENSE.dom-software.txt \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip> (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

`xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $`

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at <http://www.saxproject.org/> for more up-to-date releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.159 jackson 2.13.2

1.159.1 Available under license :

Camel :: Jackson
Copyright 2007-2014 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Camel distribution.      ==
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of
this distribution.

/**

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.160 jersey-client 2.35

1.160.1 Available under license :

```
/*
 * Copyright (c) 2012, 2019 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
# Notice for Jersey
This content is produced and maintained by the Eclipse Jersey project.

* Project home: https://projects.eclipse.org/projects/ee4j.jersey
```

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

- * Project: <https://beanvalidation.org/>
- * Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

*

Project: <http://www.pasella.it/projects/jquery/barcode>

- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

* License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

* License: Apache License, 2.0

* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from

and are Distributed by that particular Contributor. A Contribution

"originates" from a Contributor if it was added to the Program by

such Contributor itself or anyone acting on such Contributor's behalf.

Contributions do not include changes or additions to the Program that

are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which

are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell,

import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication,

estoppel
or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you

could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we

sometimes make exceptions for this. Our decision will be guided by the free goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

1.161 jersey-container-servlet 2.35

1.161.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap

v3.3.7

* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

* Project: <http://getbootstrap.com>

* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0

* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

* License: Apache License, 2.0

* Project: <http://www.javassist.org/>

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- *
- Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
 - * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
- <http://www.w3.org/Consortium/Legal/>

```
/*
 * Copyright (c) 2012, 2020 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Public License v. 2.0, which is available at
 * http://www.eclipse.org/legal/epl-2.0.
 *
 * This Source Code may also be made available under the following Secondary
 * Licenses when the conditions for such availability set forth in the
 * Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
 * version 2 with the GNU Classpath Exception, which is available at
 * https://www.gnu.org/software/classpath/license.html.
 *
 * SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
 */
# Eclipse Public License - v 2.0
```

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other

combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted,

and the output from the Program is

covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular

circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.162 jersey-bean-validation 2.35

1.162.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

- * License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap

v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- *
- Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright
- (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Notice for Jersey Bean Validation module
- This content is produced and maintained by the Eclipse Jersey project.
- * <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright

license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the

responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to

distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible

for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

1.163 jersey-container-servlet-core 2.35

1.163.1 Available under license :

/*

* Copyright (c) 2012, 2018 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Public License v. 2.0, which is available at

* <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary

* Licenses when the conditions for such availability set forth in the

* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at

* <https://www.gnu.org/software/classpath/license.html>.

*

* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap

v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

*

Project: <http://www.pasella.it/projects/jquery/barcode>

- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public

domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright
(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such

Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to

obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes

the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published,

Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public

License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a

notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the

Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library

General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.164 jersey 2.35

1.164.1 Available under license :

Notice for Jersey Json Jackson module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such

availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Jackson JAX-RS Providers version 2.10.1

* License: Apache License, 2.0

* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

/*

* Copyright (c) 2012, 2019 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Public License v. 2.0, which is available at

* <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary

* Licenses when the conditions for such availability set forth in the

* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at

* <https://www.gnu.org/software/classpath/license.html>.

*

* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

/*

* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Distribution License v. 1.0, which is available at

* <http://www.eclipse.org/org/documents/edl-v10.php>.

*

* SPDX-License-Identifier: BSD-3-Clause

*/

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap

v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- * Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- *
- Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

* License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

* License: Apache License, 2.0

* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

/*

* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the

* terms of the Eclipse Public License v. 2.0, which is available at

* <http://www.eclipse.org/legal/epl-2.0>.

*

* This Source Code may also be made available under the following Secondary

* Licenses when the conditions for such availability set forth in the

* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

* version 2 with the GNU Classpath Exception, which is available at

* <https://www.gnu.org/software/classpath/license.html>.

*

* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

*/

Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

* License: Creative Commons 1.0 (CC0)

* No copyright

* Written by Doug Lea with assistance from members of JCP JSR-166

* Expert Group and released to the public domain, as explained at

* <http://creativecommons.org/publicdomain/zero/1.0/>

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms

of the Eclipse Distribution License v. 1.0 which is available at <https://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey/examples>

Third-party Content

Angular JS, v1.6.6

* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://angularjs.org>

* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

* License: all the source code provided by AOP Alliance is Public Domain.

* Project: <http://aopalliance.sourceforge.net>

* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

* License: Apache License, 2.0

* Project: <http://beanvalidation.org/1.1/>

* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors by the @authors tag.

Bootstrap v3.3.7

* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

* Project: <http://getbootstrap.com>

* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0

* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

* License: Apache License, 2.0

* Project: <http://www.javassist.org/>

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.9.9

- * License:
Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- * Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm

Version 7.2

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Hibernate Validator CDI, 6.1.2.Final

* License: Apache License, 2.0

* Project: <https://beanvalidation.org/>

* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

* License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at

the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands

that although each Contributor grants the

licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and

implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such

Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended

to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this

service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on

which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This

program is distributed in the hope that it will be useful, but

WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and

conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

1.165 jersey-common 2.35

1.165.1 Available under license :

Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Google Guava Version 18.0

- * License: Apache License, 2.0

- * Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

- * License: Creative Commons 1.0 (CC0)

- * No copyright

- * Written by Doug Lea with assistance from members of JCP JSR-166

- * Expert Group and released to the public domain, as explained at

- * <http://creativecommons.org/publicdomain/zero/1.0/>

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

- * Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0

OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

- * License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>
- * Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

- * License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- *
- Project: <http://getbootstrap.com>
- * Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- * License: Apache License, 2.0
- * Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- * License: Apache License, 2.0
- * Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- * License: Apache License, 2.0
- * Project: <http://www.javassist.org/>
- * Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- * License: Apache License, 2.0
- * Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- * Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- * License: jquery.org/license
- * Project: jquery.org
- * Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- * License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- * Project: <http://www.pasella.it/projects/jquery/barcode>
- *
- Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

- * License: CC0
- * No copyright
- * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- * License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- * Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- * License: Modified BSD (<http://asm.objectweb.org/license.html>)
- * Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- * License: Apache License, 2.0
- * Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- * License: Apache License, 2.0
- * Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- * Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- * License: W3C License
- * Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses

granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of

physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all

its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries

not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software

Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This
program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
'show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w'
and 'show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than 'show w' and 'show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

1.166 jersey-server 2.35

1.166.1 Available under license :

Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

Angular JS, v1.6.6

- * License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- * Project: <http://angularjs.org>
- * Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- * License: all the source code provided by AOP Alliance is Public Domain.
- * Project: <http://aopalliance.sourceforge.net>
- * Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- * License: Apache License, 2.0
- * Project: <http://beanvalidation.org/1.1/>
- * Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- * by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- * License: Apache License, 2.0
- * Project: <https://beanvalidation.org/>

* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap

v3.3.7

* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

* Project: <http://getbootstrap.com>

* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

* License: Apache License, 2.0

* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

* License: Apache License, 2.0

* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

* License: Apache License, 2.0

* Project: <http://www.javassist.org/>

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

* License: Apache License, 2.0

* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

* License: jquery.org/license

* Project: jquery.org

* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &

<http://www.gnu.org/licenses/gpl.html>)

*

Project: <http://www.pasella.it/projects/jquery/barcode>

* Copyright: (c) 2009 Antonello Pasella antonello.pasella@gmail.com

JSR-166 Extension - JEP 266

* License: CC0

* No copyright

* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

* License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

* License: Apache License, 2.0

* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright

(c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

* <https://projects.eclipse.org/projects/ee4j.jersey>

Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jersey>

Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

* License: Apache License, 2.0

* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

* License: Modified BSD (<http://asm.objectweb.org/license.html>)

* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

* License: W3C License

* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone

or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor,

if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication,

estoppel
or otherwise. All rights in the Program not expressly granted
under this Agreement are reserved. Nothing in this Agreement is intended
to be enforceable by any entity that is not a Contributor or Recipient.
No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following
Secondary Licenses when the conditions for such availability set forth
in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),
version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A
is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed

need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you

could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we

sometimes make exceptions for this. Our decision will be guided by the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

1.167 okhttp 4.9.3

1.167.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

/*

* Copyright (C) 2012 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Mozilla Public License

Version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. “Contributor Version”

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor’s Contribution.

1.3. “Contribution”

means Covered Software of a particular Contributor.

1.4. “Covered Software”

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. “Incompatible With Secondary Licenses”

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. “Executable Form”

means

any form of the work other than Source Code Form.

1.7. “Larger Work”

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. “License”

means this document.

1.9. “Licensable”

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. “Modifications”

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

1.11. “Patent Claims” of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. “Secondary License”

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. “Source Code Form”

means the form of the work preferred for making modifications.

1.14. “You” (or “Your”)

means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for

any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party’s modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a

subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights

to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in

Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s),

so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall

any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.168 ant 1.10.12

1.168.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

```
/*
 *           Apache License
 *           Version 2.0, January 2004
 *           http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
 *
 * "Licensor" shall mean the copyright owner or entity authorized by
 * the copyright owner that is granting the License.
 *
 * "Legal Entity" shall mean the union of the acting entity and all
 * other entities that control, are controlled by, or are under common
 * control with that entity. For the purposes of this definition,
 * "control" means (i) the power, direct or indirect, to cause the
 * direction or management of such entity, whether by contract or
 * otherwise, or (ii) ownership of fifty percent (50%) or more of the
 *
 * outstanding shares, or (iii) beneficial ownership of such entity.
 *
 * "You" (or "Your") shall mean an individual or Legal Entity
 * exercising permissions granted by this License.
 *
 * "Source" form shall mean the preferred form for making modifications,
 * including but not limited to software source code, documentation
```

* source, and configuration files.

*
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.

*
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
 * copyright notice that is included in or attached to the work
 * (an example is provided in the Appendix below).

*
 * "Derivative Works" shall mean any work, whether in Source or Object
 *
 * form, that is based on (or derived from) the Work and for which the
 * editorial revisions, annotations, elaborations, or other modifications
 * represent, as a whole, an original work of authorship. For the purposes
 * of this License, Derivative Works shall not include works that remain
 * separable from, or merely link (or bind by name) to the interfaces of,
 * the Work and Derivative Works thereof.

*
 * "Contribution" shall mean any work of authorship, including
 * the original version of the Work and any modifications or additions
 * to that Work or Derivative Works thereof, that is intentionally
 * submitted to Licensor for inclusion in the Work by the copyright owner
 * or by an individual or Legal Entity authorized to submit on behalf of
 * the copyright owner. For the purposes of this definition, "submitted"
 * means any form of electronic, verbal, or written communication sent
 * to the Licensor or its representatives,
 * including but not limited to
 * communication on electronic mailing lists, source code control systems,
 * and issue tracking systems that are managed by, or on behalf of, the
 * Licensor for the purpose of discussing and improving the Work, but
 * excluding communication that is conspicuously marked or otherwise
 * designated in writing by the copyright owner as "Not a Contribution."

*
 * "Contributor" shall mean Licensor and any individual or Legal Entity
 * on behalf of whom a Contribution has been received by Licensor and
 * subsequently incorporated within the Work.

*
 * 2. Grant of Copyright License. Subject to the terms and conditions of
 * this License, each Contributor hereby grants to You a perpetual,
 * worldwide, non-exclusive, no-charge, royalty-free, irrevocable
 * copyright license to reproduce, prepare Derivative Works of,
 * publicly display, publicly perform, sublicense, and distribute the
 *
 * Work and such Derivative Works in Source or Object form.

*
 *

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and

* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and

* (d) If the Work includes a "NOTICE"
text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided

- * that
- * such additional attribution notices cannot be construed
- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify
- * the terms of any separate license agreement you may have executed
- * with Licensor regarding such Contributions.
- *
- * 6. Trademarks. This License does not grant permission to use the trade
- * names, trademarks, service marks, or product names of the Licensor,
- * except as required for reasonable and customary use in describing the
- * origin of the Work and reproducing the content of the NOTICE file.
- *
- * 7. Disclaimer of Warranty. Unless required by applicable law or
- * agreed to in writing, Licensor provides the Work (and each
- * Contributor provides its Contributions) on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
- * implied, including, without limitation, any warranties or conditions
- * of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
- * PARTICULAR PURPOSE. You are solely responsible for determining the
- * appropriateness of using or redistributing the Work and assume any
- * risks associated with Your exercise of permissions under this License.
- *
- * 8. Limitation of Liability.
- * In no event and under no legal theory,
- * whether in tort (including negligence), contract, or otherwise,
- * unless required by applicable law (such as deliberate and grossly
- * negligent acts) or agreed to in writing, shall any Contributor be
- * liable to You for damages, including any direct, indirect, special,
- * incidental, or consequential damages of any character arising as a
- * result of this License or out of the use or inability to use the
- * Work (including but not limited to damages for loss of goodwill,
- * work stoppage, computer failure or malfunction, or any and all
- * other commercial damages or losses), even if such Contributor
- * has been advised of the possibility of such damages.
- *
- * 9. Accepting Warranty or Additional Liability. While redistributing

- * the Work or Derivative Works thereof, You may choose to offer,
- * and charge a fee for, acceptance of support, warranty, indemnity,
- * or other

liability obligations and/or rights consistent with this

- * License. However, in accepting such obligations, You may act only
- * on Your own behalf and on Your sole responsibility, not on behalf
- * of any other Contributor, and only if You agree to indemnify,
- * defend, and hold each Contributor harmless for any liability
- * incurred by, or claims asserted against, such Contributor by reason
- * of your accepting any such warranty or additional liability.

*

* END OF TERMS AND CONDITIONS

*

* APPENDIX: How to apply the Apache License to your work.

*

- * To apply the Apache License to your work, attach the following
- * boilerplate notice, with the fields enclosed by brackets "[]"
- * replaced with your own identifying information. (Don't include
- * the brackets!) The text should be enclosed in the appropriate
- * comment syntax for the file format. We also recommend that a
- * file or class name and description of purpose

be included on the

- * same "printed page" as the copyright notice for easier
- * identification within third-party archives.

*

* Copyright [yyyy] [name of copyright owner]

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders

under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and

conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.169 jna-platform 5.9.0

1.169.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007, 2013 Timothy Wall, Markus Karg, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Shell32.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/User32.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Kernel32.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2018 Matthias Bläsing, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

```
Found in path(s):
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WinCryptUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2011 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
```

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/OpenGL32Util.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WinRas.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/OpenGL32.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/wince/CoreDLL.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Rasapi32Util.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Rasapi32.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/GL.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2010, 2013 Daniel Doubrovkine, Markus Karg, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*

* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Shell32Util.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Kernel32Util.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2014 Dr David H. Akehurst (itemis), All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*
* You can freely decide which license you want to apply to
* the project.

*
* You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>

*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".

*
* You may obtain a copy of the Apache License at:

*
* <http://www.apache.org/licenses/>

*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/IRunningObjectTable.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/annotation/ComEventCallback.java

*
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/Convert.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-

```

jar/com/sun/jna/platform/win32/COM/UnknownVTable.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/ComEventCallbackCookie.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/ConnectionPoint.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/IRawDispatchHandle.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IDispatchCallback.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/ConnectionPointContainer.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/annotation/ComObject.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IPersistStream.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IMoniker.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/EnumMoniker.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/DispatchListener.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IUnknownCallback.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/annotation/ComMethod.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/AbstractComEventCallbackListener.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/IUnknown.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/annotation/ComProperty.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/EnumMoniker.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/ProxyObject.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/Moniker.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IPersist.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IStream.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/IConnectionPointContainer.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/util/IComEventCallbackCookie.java

```

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IConnectionPoint.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IRunningObjectTable.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/IComEnum.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/IDispatch.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/RunningObjectTable.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/IConnectionPoint.java
*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/UnknownListener.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/Factory.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/CallbackProxy.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/IComEventCallbackListener.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/ComThread.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/DispatchVTable.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/IConnectionPointContainer.java
*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/annotation/ComInterface.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/ObjectFactory.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IEnumMoniker.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/RunningObjectTable.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2010 EugeneLev, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Winsvc.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/W32ServiceManager.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/W32Service.java
No license file was found, but licenses were detected in source scan.

Copyright (c) 2012 Tobias Wolf, All Rights Reserved

The contents of this file is dual
licensed under 2
alternative Open Source/Free licenses: LGPL 2.1 or later and
Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to
the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package
containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package
containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/package.html

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2010 Daniel Doubrovkine, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

/**

* Supports privacy (confidentiality)

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Sspi.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2018 Roshan Muralidharan, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Cryptui.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2014 Reinhard Pointner, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*

* You can freely decide which license you want to apply to
* the project.

*
* You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*

* You may obtain a copy of the Apache License at:

*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/XAttr.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/XAttrUtil.java

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2010 Timothy Wall, All Rights Reserved
* Copyright 2010 Digital Rapids Corp.
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/ObjBase.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WTypes.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2019 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
```

* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/PowrProf.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2015 Andreas "PAX" L\u00FCck, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/DesktopWindow.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2017 Matthias Bl\u00e4sing, All Rights Reserved
*
* The contents of this file is dual-licensed under 2

- * alternative Open Source/Free licenses: LGPL 2.1 or later and
- * Apache License 2.0. (starting with JNA version 4.0.0).
- *
- * You can freely decide which license you want to apply to
- * the project.
- *
- * You may obtain a copy of the LGPL License at:
- *
- * <http://www.gnu.org/licenses/licenses.html>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "LGPL2.1".
- *
- * You may obtain a copy of the Apache License at:
- *
- * <http://www.apache.org/licenses/>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "AL2.0".
- */

Found in path(s):

- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/EnumVariant.java
 - * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMInvokeException.java
 - *
 - /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IEnumVariant.java
 - * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Winsock2.java
 - * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/ShTypes.java
 - * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IComEnumVariantIterator.java
- No license file was found, but licenses were detected in source scan.

Copyright (c) 2020 Daniel Widdis, All Rights Reserved

The contents of this file is dual
 licensed under 2
 alternative Open Source/Free licenses: LGPL 2.1 or later and
 Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to
 the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/aix/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2019 Daniel Widdis

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/IOKitUtil.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/IOKit.java

```
*  
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-  
jar/com/sun/jna/platform/mac/IOReturnException.java  
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-  
jar/com/sun/jna/platform/mac/DiskArbitration.java  
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2010 Daniel Doubrovkine, All Rights Reserved  
*  
* The contents of this file is dual-licensed under 2  
* alternative Open Source/Free licenses: LGPL 2.1 or later and  
* Apache License 2.0. (starting with JNA version 4.0.0).  
*  
* You can freely decide which license you want to apply to  
* the project.  
*  
* You may obtain a copy of the LGPL License at:  
*  
* http://www.gnu.org/licenses/licenses.html  
*  
* A copy is also included in the downloadable source code package  
* containing JNA, in file "LGPL2.1".  
*  
* You may obtain a copy of the Apache License at:  
*  
* http://www.apache.org/licenses/  
*  
* A copy is also included in the downloadable source code package  
* containing JNA, in file "AL2.0".  
*/  
/**  
 * <code>  
 BOOL WINAPI CreateProcessWithLogonW(  
     _In_     LPCWSTR lpUsername,  
     _In_opt_ LPCWSTR lpDomain,  
     _In_     LPCWSTR lpPassword,  
     _In_     DWORD dwLogonFlags,  
     _In_opt_ LPCWSTR lpApplicationName,  
     _Inout_opt_ LPWSTR lpCommandLine,  
     _In_     DWORD dwCreationFlags,  
     _In_opt_ LPVOID lpEnvironment,  
     _In_opt_ LPCWSTR lpCurrentDirectory,  
     _In_     LPSTARTUPINFOW lpStartupInfo,  
     _Out_    LPPROCESS_INFORMATION lpProcessInfo  
 );  
 * </code>  
 *  
 * @param lpUsername
```

- * [in]

- * The name of the user. This is the name of the user account to
- * log on to.

- * If you use the UPN format, user@DNS_domain_name, the lpDomain
- * parameter must be NULL.

- * The user account must have the Log On Locally permission on
- * the local computer.

- * This permission is granted to all users on workstations and
- * servers, but only to administrators on domain controllers.
- * @param lpDomain
- * [in, optional]

- *

The name of the domain or server whose account database

- * contains the lpUsername account.

- * If this parameter is NULL, the user name must be specified in
- * UPN format.

- * @param lpPassword

- * [in]

- * The clear-text password for the lpUsername account.

- * @param dwLogonFlags

- * [in]

- * The logon option. This parameter can be 0 (zero) or one of the
- * following values.

- * LOGON_WITH_PROFILE: 0x00000001

- * Log on, then load the user profile in the HKEY_USERS registry
- * key.

- * The function returns after the profile is loaded.

- * Loading the profile can be time-consuming, so it is best to
- * use this value only if you must access the information in the
- * HKEY_CURRENT_USER registry key.

- * Windows Server 2003:

The profile is unloaded after the new

- * process is terminated, whether or not it has created child
- * processes.

- * Windows XP: The profile is unloaded after the new process and
- * all child processes it has created are terminated.

- *

- * LOGON_NETCREDENTIALS_ONLY: 0x00000002

- * Log on, but use the specified credentials on the network only.
- *

- * The new process uses the same token as the caller, but the
- * system creates a new logon session within LSA, and the process
- * uses the specified credentials as the default credentials.
- *

- * This value can be used to create a process that uses a
- * different set of credentials locally than it does remotely.
- *

- * This is useful in inter-domain scenarios where there is no

* trust relationship.

* The system does not validate the specified credentials.

* Therefore, the process can start, but it may not have access
* to network resources.

* @param lpApplicationName

* [in, optional]

* The name of the module to be executed. This module can be a
* Windows-based application.

* It can be some other type of module (for example, MS-DOS or
* OS/2) if the appropriate subsystem is available on the local
* computer. The string can specify the full path and file name
* of the module to execute or it can specify a partial name.
*

* If it is a partial name, the function uses the current drive
* and current directory to complete the specification.

* The function does not use the search path. This parameter
must

* include the file name extension; no default extension is
* assumed. The lpApplicationName parameter can be NULL, and the
* module name must be the first white space-delimited token in
* the lpCommandLine string.

* If you are using a long file name that contains a space, use
* quoted strings to indicate where the file name ends and the
* arguments begin; otherwise, the file name is ambiguous. For
* example, the following string can be interpreted in different
* ways:

* "c:\program files\sub dir\program name"

* The system tries to interpret the possibilities in the
* following order:

*

* c:\program.exe files\sub dir\program name

* c:\program files\sub.exe dir\program name

* c:\program files\sub dir\program.exe
name

* c:\program files\sub dir\program name.exe

*

* If the executable module is a 16-bit application,
* lpApplicationName should be NULL, and the string pointed to by
* lpCommandLine should specify the executable module and its
* arguments.

* @param lpCommandLine

* [in, out, optional]

* The command line to be executed. The maximum length of this
* string is 1024 characters.

* If lpApplicationName is NULL, the module name portion of
* lpCommandLine is limited to MAX_PATH characters.

* The function can modify the contents of this string.

* Therefore, this parameter cannot be a pointer to read-only

* memory (such as a const variable or a literal string).

* If this parameter is a constant string, the function may cause

* an access violation.

* The lpCommandLine parameter can be NULL, and the function uses the string pointed to by lpApplicationName as the command line.

*

*

* If both lpApplicationName and lpCommandLine are non-NULL, *lpApplicationName specifies the module to execute, and *lpCommandLine specifies the command line.

* The new process can use GetCommandLine to retrieve the entire command line.

* Console processes written in C can use the argc and argv arguments to parse the command line.

* Because argv[0] is the module name, C programmers typically repeat the module name as the first token in the command line.

*

* If lpApplicationName is NULL, the first white space-delimited

* token of the command line specifies the module name.

* If you are using a long file name that contains a space, use quoted strings to indicate where the file name ends and the arguments begin (see the explanation for the lpApplicationName parameter). If the file name does not contain an extension, .exe is appended. Therefore, if the file name extension is .com, this parameter must include the .com extension. If the file name ends in a period with no extension, or if the file name contains a path, .exe is not appended. If the file name does not contain a directory path, the system searches for the executable file in the following sequence:

*

* 1. The directory from which the application loaded.

* 2. The current directory for the parent process.

* 3. The 32-bit Windows system directory. Use the GetSystemDirectory function to get the path of this directory.

*

* 4. The 16-bit Windows system directory. There is no function that obtains the path of this directory, but it is searched.

*

* 5. The Windows directory. Use the GetWindowsDirectory function to get the path of this directory.

* 6. The directories that are listed in the PATH environment variable. Note that this function does not search the per-application path specified by the App Paths registry key. To include this per-application path in the search sequence, use the ShellExecute function.


```

*      <br>
*      The system adds a null character to the command line string to
*      separate the
file name from the arguments. This divides the
*      original string into two strings for internal processing.<br>
* @param dwCreationFlags
*      The flags that control how the process is created. <br>
*      The CREATE_DEFAULT_ERROR_MODE, CREATE_NEW_CONSOLE, and
*      CREATE_NEW_PROCESS_GROUP flags are enabled by default. <br>
*      Even if you do not set the flag, the system functions as if it
*      were set. You can specify additional flags as noted.<br>
*      <br>
*      CREATE_DEFAULT_ERROR_MODE: 0x04000000<br>
*      The new process does not inherit the error mode of the calling
*      process. <br>
*      Instead, CreateProcessWithLogonW gives the new process the
*      current default error mode. <br>
*      An application sets the current default error mode by calling
*      SetErrorMode. This flag is enabled by
default.<br>
*      <br>
*      CREATE_NEW_CONSOLE: 0x00000010<br>
*      The new process has a new console, instead of inheriting the
*      parent's console. This flag cannot be used with the
*      DETACHED_PROCESS flag.<br>
*      This flag is enabled by default.<br>
*      <br>
*      CREATE_NEW_PROCESS_GROUP: 0x00000200<br>
*      The new process is the root process of a new process group.
*      <br>
*      The process group includes all processes that are descendants
*      of this root process.<br>
*      The process identifier of the new process group is the same as
*      the process identifier, which is returned in the lpProcessInfo
*      parameter.<br>
*      Process groups are used by the GenerateConsoleCtrlEvent
*      function to enable sending a CTRL+C or CTRL+BREAK signal to a
*
group of console processes.<br>
*      This flag is enabled by default.<br>
*      <br>
*      CREATE_SEPARATE_WOW_VDM: 0x00000800<br>
*      This flag is only valid starting a 16-bit Windows-based
*      application.<br>
*      If set, the new process runs in a private Virtual DOS Machine
*      (VDM).<br>
*      By default, all 16-bit Windows-based applications run in a
*      single, shared VDM.<br>

```

- * The advantage of running separately is that a crash only
- * terminates the single VDM; any other programs running in
- * distinct VDMs continue to function normally.

- * Also, 16-bit Windows-based applications that run in separate
- * VDMs have separate input queues, which means that if one
- * application stops responding momentarily, applications in
- * separate VDMs continue

to receive input.

- * CREATE_SUSPENDED: 0x00000004

- * The primary thread of the new process is created in a
- * suspended state, and does not run until the ResumeThread
- * function is called.

- *

- * CREATE_UNICODE_ENVIRONMENT: 0x00000400

- * Indicates the format of the lpEnvironment parameter.

- * If this flag is set, the environment block pointed to by
- * lpEnvironment uses Unicode characters.

- * Otherwise, the environment block uses ANSI characters.

- * EXTENDED_STARTUPINFO_PRESENT: 0x00080000

- * The process is created with extended startup information; the
- * lpStartupInfo parameter specifies a STARTUPINFOEX structure.
- *

- * Windows Server 2003 and Windows XP: This value is not
- * supported.

* @param

lpEnvironment

- * [in, optional]

- * A pointer to an environment block for the new process.

- * If this parameter is NULL, the new process uses an environment
- * created from the profile of the user specified by lpUsername.
- * An environment block consists of a null-terminated block of
- * null-terminated strings.

- * Each string is in the following form:

- * name=value

- * Because the equal sign (=) is used as a separator, it must not
- * be used in the name of an environment variable.

- * An environment block can contain Unicode or ANSI characters.
- *

- * If the environment block pointed to by lpEnvironment contains
- * Unicode characters, ensure that dwCreationFlags includes
- * CREATE_UNICODE_ENVIRONMENT.

- * If this parameter

is NULL and the environment block of the

- * parent process contains Unicode characters, you must also
- * ensure that dwCreationFlags includes
- * CREATE_UNICODE_ENVIRONMENT.

- * An ANSI environment block is terminated by two 0 (zero) bytes:
- * one for the last string and one more to terminate the block.

*

* A Unicode environment block is terminated by four zero bytes:
 * two for the last string and two more to terminate the block.
 *

* To retrieve a copy of the environment block for a specific
 * user, use the CreateEnvironmentBlock function.

* @param lpCurrentDirectory
 * [in, optional]

* The full path to the current directory for the process.

* The string can also specify a UNC path.

* If this parameter is NULL, the new
 process has the same

* current drive and directory as the calling process.

* This feature is provided primarily for shells that need to
 * start an application, and specify its initial drive and
 * working directory.

* @param lpStartupInfo
 * [in]

* A pointer to a STARTUPINFO or STARTUPINFOEX structure.

* The application must add permission for the specified user
 * account to the specified window station and desktop, even for
 * WinSta0\Default.

* If the lpDesktop member is NULL or an empty string, the new
 * process inherits the desktop and window station of its parent
 * process.

* The application must add permission for the specified user
 * account to the inherited window station and desktop.

* Windows XP: CreateProcessWithLogonW
 adds permission for the

* specified user account to the inherited window station and
 * desktop.

* Handles in STARTUPINFO or STARTUPINFOEX must be closed with
 * CloseHandle when they are no longer needed.

* Important If the dwFlags member of the STARTUPINFO structure
 * specifies STARTF_USESTDHANDLES, the standard handle fields are
 * copied unchanged to the child process without validation.

* The caller is responsible for ensuring that these fields
 * contain valid handle values. Incorrect values can cause the
 * child process to misbehave or crash.

* Use the Application Verifier runtime verification tool to
 * detect invalid handles.

* @param lpProcessInfo
 * [out]

* A pointer to a PROCESS_INFORMATION structure that receives
 * identification information for the new process, including a
 * handle to the process.

* Handles in PROCESS_INFORMATION must be closed with the

```
*      CloseHandle function when they are not needed.<br>
* @return If the function succeeds, the return value is nonzero.<br>
*      If the function fails, the return value is 0 (zero).<br>
*      To get extended error information, call GetLastError.<br>
*      Note that the function returns before the process has finished
*      initialization.<br>
*      If a required DLL cannot be located or fails to initialize, the
*      process is terminated.<br>
*      To get the termination status of a process, call
*      GetExitCodeProcess.
* @see <a href="http://msdn.microsoft.com/en-
us/library/windows/desktop/ms682431%28v=vs.85%29.aspx">MSDN</a>
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Advapi32.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2018,2020,2021 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/IPHlpAPI.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2018 Václav Haisman, All Rights Reserved
 *
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0.
 *
 * You can freely decide which license you want to apply to
 * the project.
 *
 * You may obtain a copy of the LGPL License at:
 *
 * http://www.gnu.org/licenses/licenses.html
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "LGPL2.1".
 *
 * You may obtain a copy of the Apache License at:
 *
 * http://www.apache.org/licenses/
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "AL2.0".
 */
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/XAttr.java
```

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/XAttrUtil.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2011 Denis Tulskiy
 *
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
 *
 * You can freely decide which license you want to apply to
 * the project.
 *
 * You may obtain a copy of the LGPL License at:
 *
 * http://www.gnu.org/licenses/licenses.html
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "LGPL2.1".
 */
```

*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/Carbon.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2016 Minoru Sakamoto, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*

* You can freely decide which license you want to apply to
* the project.
*

* You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*

* You may obtain a copy of the Apache License at:

*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WevtapiUtil.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Winevt.java

*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Wevtapi.java

No license file was found, but licenses were detected in source scan.


```
/* Copyright (c) 2015 Michael Freeman, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
*/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Wininet.java
*/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/GDI32Util.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/VersionUtil.java
*/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WininetUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2019 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
```

*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
// version.

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/VersionHelpers.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2011 Timothy Wall, All Rights Reserved

The contents of this file is dual
licensed under 2
alternative Open Source/Free licenses: LGPL 2.1 or later and
Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to
the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package
containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package
containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/package.html

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/wince/package.html

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2019, 2021 Daniel Widdis
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/mac/CoreFoundation.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2013 Tobias Wolf, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
*/
```

- * You may obtain a copy of the Apache License at:
- *
- * <http://www.apache.org/licenses/>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "AL2.0".
- */

Found in path(s):

- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbBase.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbPropertyPutStub.java
- *
- /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbConst.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbParameterNotFoundException.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbFunctionVTable.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbDispInterface.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbEnum.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMUtils.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbCoClass.java
- *
- /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbInterface.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbPropertyPut.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbCmdlineArgs.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/TypeInfoUtil.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbImp.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbFunctionDispId.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMInvoker.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/TypeLibUtil.java
- *
- /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbAbstractMethod.java

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbPropertyGet.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbFunctionStub.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/tlb/imp/TlbPropertyGetStub.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2011 Daniel Doubrovkine, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
// MessageId: ERROR_DS_CONFIDENTIALITY_REQUIRED
// version.
```

```
Found in path(s):
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WinError.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2018 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
```

* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/Wbemcli.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/PdhUtil.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/WbemcliUtil.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Cfgmgr32.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2010 Daniel Doubrovkine, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Ole32Util.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Win32Exception.java

*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WinGDI.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/ShellAPI.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WinspoolUtil.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Secur32.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/DsGetDC.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Crypt32.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Advapi32Util.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Netapi32.java

*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/BaseTSD.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/LMAccess.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/NtDllUtil.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/ShlObj.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/LMJoin.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/NtDll.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WinCrypt.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/NTSecApi.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WinUser.java

*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Secur32Util.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-

jar/com/sun/jna/platform/win32/Guid.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/SspiUtil.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WinReg.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Ole32.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WinBase.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/WinDef.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/LMCons.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Wdm.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Winspool.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Crypt32Util.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Netapi32Util.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2015 Goldstein Lyor, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WinPerf.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/Resource.java
- *
- /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/Reboot.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/LibC.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/PdhMsg.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Pdh.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Martin Steiger

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/PhysicalMonitorEnumerationAPI.java
- * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/FlagEnum.java
- *

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/HighLevelMonitorConfigurationAPI.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Dxva2.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/EnumUtils.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/LowLevelMonitorConfigurationAPI.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/EnumConverter.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/dnd/DragHandler.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/NTStatus.java

*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WinNT.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/FileUtils.java

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/KeyboardUtils.java

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/dnd/GhostedDragImage.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/dnd/DropHandler.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/LMErr.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/W32FileMonitor.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/dnd/DropTargetPainter.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/W32FileUtils.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/unix/X11.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/GDI32.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/FileMonitor.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Wincon.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2017 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/linux/LibC.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/solaris/LibKstat.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2016 Adam Marcionek, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/WiniocUtil.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Ntifs.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2015 Daniel Widdis
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/SystemB.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2010 Timothy Wall, All Rights Reserved

The contents of this file is dual

licensed under 2

alternative Open Source/Free licenses: LGPL 2.1 or later and

Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/package.html

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/package.html

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/package.html

*

/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/dnd/package.html

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/mac/MacFileUtils.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2012 Tobias Wolf, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "LGPL2.1".
 *
 * You may obtain a copy of the Apache License at:
 *
 * <http://www.apache.org/licenses/>
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "AL2.0".
 */

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IDispatch.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/ITypeComp.java
 *
 /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMLateBindingObject.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMException.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/TypeInfo.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/Dispatch.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IUnknown.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMBindingBaseObject.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/ITypeInfo.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/TypeComp.java
 *
 /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/TypeLib.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/Unknown.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Wtsapi32.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/COMEarlyBindingObject.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IRecordInfo.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/RecordInfo.java
 * /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-

```
jar/com/sun/jna/platform/win32/OleAuto.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/COM/ITypeLib.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/DBT.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2015 Goldstein Lyor, 2021 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

```
Found in path(s):
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/unix/LibCAPI.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2007 Olivier Chafik, All Rights Reserved
* Copyright (c) 2008 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
```


*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/RasterRangesUtils.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2010,2011 Daniel Doubrovkine, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/W32Errors.java
No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2020 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/unix/LibCUtil.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/Mman.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/unix/aix/SharedObjectLoader.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/Udev.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/LibRT.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/unix/aix/Perfstat.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/Fcntl.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/linux/ErrNo.java
```

No license file was found, but licenses were detected in source scan.

Copyright (c) 2013 Tobias Wolf, All Rights Reserved

The contents of this file is dual
licensed under 2

alternative Open Source/Free licenses: LGPL 2.1 or later and Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/imp/package.html

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/tlb/package.html

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2013 Ralf Hamberger, Markus Karg, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/User32Util.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2019 Keve Müller

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0.

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Win32VK.java
No license file was found, but licenses were detected in source scan.

/*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Tlhelp32.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Shlwapi.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/OaIdl.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Ddeml.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IShellFolder.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/VerRsrc.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/SetupApi.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Msi.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Version.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/IEnumIDList.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Variant.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Winiocctl.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/KnownFolders.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/OaIdlUtil.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/DdemlUtil.java

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2015 Adam Marcionek, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Mpr.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/AccCtrl.java
*
/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/LMShare.java
* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Winnetwk.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved
* Copyright (c) 2007 Olivier Chafik
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
*/
```

* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/WindowUtils.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2020 Torbjörn Svensson, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*

* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/PsapiUtil.java

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2015 Andreas "PAX" L\u00FCck, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
*/opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-
jar/com/sun/jna/platform/win32/Psapi.java
```

No license file was found, but licenses were detected in source scan.

```
/* Copyright (c) 2018, 2021 Daniel Widdis, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
```


*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/Cfgmgr32Util.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2014 Dr David H. Akehurst (itemis), All Rights Reserved

The contents of this file is dual

licensed under 2

alternative Open Source/Free licenses: LGPL 2.1 or later and

Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/annotation/package.html

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/win32/COM/util/package.html

No license file was found, but licenses were detected in source scan.

Copyright (c) 2017 Daniel Widdis, All Rights Reserved

The contents of this file is dual

licensed under 2

alternative Open Source/Free licenses: LGPL 2.1 or later and

Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/unix/solaris/package.html

* /opt/cola/permits/1244534585_1639737382.91/0/jna-platform-5-9-0-sources-jar/com/sun/jna/platform/linux/package.html

1.170 snake-yaml 1.28

1.170.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: org.yaml.snakeyaml

Bnd-LastModified: 1613973356620

Build-Jdk: 11.0.10

Built-By: alex13

Bundle-Description: YAML 1.1 parser and emitter for Java

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: SnakeYAML

Bundle-SymbolicName: org.yaml.snakeyaml

Bundle-Version: 1.28.0

Created-By: Apache Maven Bundle Plugin

Export-Package: org.yaml.snakeyaml;version="1.28",org.yaml.snakeyaml.comments;version="1.28",org.yaml.snakeyaml.composer;version="1.28",org.yaml.snakeyaml.constructor;version="1.28",org.yaml.snakeyaml.emitter;version="1.28",org.yaml.snakeyaml.env;version="1.28",org.yaml.snakeyaml.error;version="1.28",org.yaml.snakeyaml.events;version="1.28",org

.yaml.snakeyaml.extensions.compactnotation;version="1.28",org.yaml.snakeyaml.introspector;version="1.28",org.yaml.snakeyaml.nodes;version="1.28",org.yaml.snakeyaml.parser;version="1.28",org.yaml.snakeyaml.reader;version="1.28",org.yaml.snakeyaml.representer;version="1.28",org.yaml.snakeyaml.resolver;version="1.28",org.yaml.snakeyaml.scanner;version="1.28",org.yaml.snakeyaml.serializer;version="1.28",org.yaml.snakeyaml.tokens;version="1.28",org.yaml.snakeyaml.util;version="1.28"

Import-Package: org.yaml.snakeyaml;version="[1.28,2)",org.yaml.snakeyaml.comments;version="[1.28,2)",org.yaml.snakeyaml.composer;version="[1.28,2)",org.yaml.snakeyaml.emitter;version="[1.28,2)",org.yaml.snakeyaml.error;version="[1.28,2)",org.yaml.snakeyaml.events;version="[1.28,2)",org.yaml.snakeyaml.introspector;version="[1.28,2)",org.yaml.snakeyaml.nodes;version="[1.28,2)",org.yaml.snakeyaml.parser;version="[1.28,2)",org.yaml.snakeyaml.reader;version="[1.28,2)",org.yaml.snakeyaml.resolver;version="[1.28,2)",org.yaml.snakeyaml.scanner;version="[1.28,2)",org.yaml.snakeyaml.serializer;version="[1.28,2)",org.yaml.snakeyaml.tokens;version="[1.28,2)"

Require-Capability:

osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"

Tool: Bnd-3.5.0.201709291849

Found in path(s):

* /opt/cola/permits/1248307574_1640375818.14/0/snakeyaml-1-28-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1248307574_1640375818.14/0/snakeyaml-1-28-jar/META-INF/maven/org.yaml.snakeyaml/pom.xml

1.171 jackson 2.13.1

1.171.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.172 log4j-api 2.17.1

1.172.1 Available under license :

Apache Log4j 1.x Compatibility API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.173 apache-log4j 2.17.1

1.173.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache license, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the license for the specific language governing permissions and
* limitations under the license.

*/

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.174 log4j-slf4j-impl 2.17.1

1.174.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Log4j SLF4J Binding
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.175 log4j-jcl 2.17.1

1.175.1 Available under license :

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.176 woodstox-core 6.2.7

1.176.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.177 ant-launcher 1.10.12

1.177.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

```
/*  
 *           Apache License  
 *           Version 2.0, January 2004  
 *           http://www.apache.org/licenses/  
 *  
 *  
 *  
 *  
 *  
 */
```

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

*

* 1. Definitions.

*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the

*

outstanding shares, or (iii) beneficial ownership of such entity.

*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.

*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.

*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).

*

* "Derivative Works" shall mean any work, whether in Source or Object

*

form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.

*

* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally

* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives,

including but not limited to

* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
*

Work and such Derivative Works in Source or Object form.
*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*

- * (b) You must cause any modified files to carry prominent notices
- * stating that You changed the files; and
- *
- * (c) You must retain, in the Source form of any Derivative Works
- * that You distribute, all copyright, patent, trademark, and
- * attribution notices from the Source form of the Work,
- * excluding those notices that do not pertain to any part of
- * the Derivative Works; and
- *
- * (d) If the Work includes a "NOTICE"
- text file as part of its
- * distribution, then any Derivative Works that You distribute must
- * include a readable copy of the attribution notices contained
- * within such NOTICE file, excluding those notices that do not
- * pertain to any part of the Derivative Works, in at least one
- * of the following places: within a NOTICE text file distributed
- * as part of the Derivative Works; within the Source form or
- * documentation, if provided along with the Derivative Works; or,
- * within a display generated by the Derivative Works, if and
- * wherever such third-party notices normally appear. The contents
- * of the NOTICE file are for informational purposes only and
- * do not modify the License. You may add Your own attribution
- * notices within Derivative Works that You distribute, alongside
- * or as an addendum to the NOTICE text from the Work, provided
- * that
- such additional attribution notices cannot be construed
- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify
- * the terms of any separate license agreement you may have executed
- * with Licensor regarding such Contributions.
- *
- * 6. Trademarks. This License does not grant permission to use the trade
- * names, trademarks, service marks, or product names of the Licensor,
- * except as required for reasonable and customary use in describing the
- * origin of the Work and reproducing the content of the NOTICE file.
- *

* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

* 8. Limitation of Liability.

In no event and under no legal theory,

* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other

liability obligations and/or rights consistent with this

* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

* END OF TERMS AND CONDITIONS

* APPENDIX: How to apply the Apache License to your work.

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose

be included on the

* same "printed page" as the copyright notice for easier
* identification within third-party archives.

*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002.

This version

removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights
to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.178 jackson-dataformat-xml 2.13.1

1.178.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the

specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.179 jackson-datatype-joda 2.13.1

1.179.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.180 xsdlib 2013.6.1

1.180.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * - Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * - Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * - Neither the name of Oracle nor the names of its
 * contributors may be used to endorse or promote products derived
 * from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO,
 * THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
 * CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 * EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 * PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
 * PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
 * LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 * NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
 * SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/LongType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/BuiltinAtomicType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/XSDatatypeImpl.java
 *
 /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/ListType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/xml/util/XmlChars.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/Base64BinaryType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/GYearMonthType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/IntegerDerivedType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/MinLengthFacet.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/TypeIncubator.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/DurationType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/TokenType.java

*

/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MaxLengthFacet.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/PreciseCalendarFormatter.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/TimeType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/NormalizedStringType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/HexBinaryType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/UnsignedLongType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/IntegerValueType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/FinalComponent.java

*

/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MaxExclusiveFacet.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/UnionType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MinExclusiveFacet.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/EnumerationFacet.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/PreciseCalendarParser.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/BooleanType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/MaxInclusiveFacet.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/NegativeIntegerType.java

*

/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/IDateTimeValueType.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/DateTimeFactory.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/datetime/AbstractCalendarFormatter.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-

```

jar/com/sun/msv/datatype/xsd/datetime/BigDateTimeValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/Util.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NumberType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/WhiteSpaceProcessor.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/MinInclusiveFacet.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DoubleType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/XmlNames.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/ByteType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/WhiteSpaceFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DataTypeWithLexicalConstraintFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DatatypeFactory.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/ITimeDurationValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/QnameValueType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NcnameType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/StringType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/DatabindableDatatype.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/EntityType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/SimpleURType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/RegExp.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/FloatType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NmtokenType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/UnsignedIntType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlib-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DateTimeBaseType.java

```

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/BinaryValueType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/Proxy.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/LengthFacet.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/datetime/CalendarFormatter.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/datetime/TimeZone.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/ErrorDatatypeLibrary.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/ListValueType.java
 *
 /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/FractionDigitsFacet.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/ngimpl/DatatypeBuilderImpl.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/UnicodeUtil.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/XSDatatype.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/LanguageType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/RangeFacet.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/datetime/AbstractCalendarParser.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/ErrorType.java
 *
 /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/GMonthType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/ngimpl/DataTypeLibraryImpl.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/ShortType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/GMonthDayType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/NonPositiveIntegerType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/DateTimeType.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/regex/JDKImpl.java
 * /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
 jar/com/sun/msv/datatype/xsd/PatternFacet.java

*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/FloatingNumberType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/SerializationContext.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/AnyURIType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/IntType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/TotalDigitsFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/UnsignedShortType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DataTypeWithFacet.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/PositiveIntegerType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DateType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/Discrete.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/XercesImpl.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/regex/RegExpFactory.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/ConcreteType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/Comparator.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/GYearType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NameType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/DataTypeWithValueConstraintFacet.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/UnsignedByteType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/BigTimeDurationValueType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/NonNegativeIntegerType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/datetime/CalendarParser.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/GDayType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-

jar/com/sun/msv/datatype/xsd/IntegerType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/IDType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/QnameType.java
*
/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/BinaryBaseType.java
* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/IDREFTType.java
No license file was found, but licenses were detected in source scan.

2013 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/xsd/package.html
No license file was found, but licenses were detected in source scan.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2003 The Apache Software Foundation. All rights reserved.

*
 * Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

*
 * 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

*
 * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

*
 * 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
 * "This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately,
 this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.

*
 * 4. The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

*
 * 5. Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

*
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*
 * This software consists of voluntary contributions made by many

* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.apache.org>. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.
*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/ParserForXMLSchema.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/RegexParser.java

No license file was found, but licenses were detected in source scan.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2013 The Apache Software Foundation. All rights

* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The end-user documentation included with the redistribution,

* if any, must include the following acknowledgment:

* "This product includes software developed by the

* Apache Software Foundation (<http://www.apache.org/>)."

* Alternately,

this acknowledgment may appear in the software itself,

* if and wherever such third-party acknowledgments normally appear.

*

* 4. The names "Xerces" and "Apache Software Foundation" must

* not be used to endorse or promote products derived from this

* software without prior written permission. For written

* permission, please contact apache@apache.org.

*

* 5. Products derived from this software may not be called "Apache",

* nor may "Apache" appear in their name, without prior written

* permission of the Apache Software Foundation.
*
* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
* LIMITED TO, PROCUREMENT
* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

* =====

*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation and was
* originally based on software copyright (c) 1999, International
* Business Machines, Inc., <http://www.apache.org>. For more
* information on the Apache Software Foundation, please see
* <<http://www.apache.org/>>.

*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/RangeToken.java

No license file was found, but licenses were detected in source scan.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:

*

* - Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* - Redistribution in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.

*

* Neither the name of Sun Microsystems, Inc. or the names of
* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.
*
* This software is provided "AS IS," without
a warranty of any kind. ALL
* EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES,
* INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A
* PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN AND
* ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES OR LIABILITIES
* SUFFERED BY LICENSEE AS A RESULT OF OR RELATING TO USE, MODIFICATION
* OR DISTRIBUTION OF THE SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL
* SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA,
* OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR
* PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF
* LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE SOFTWARE,
* EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/InternalImpl.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.
modification, are permitted provided that the following conditions are
- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/message.properties

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/message_ja.properties

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-
jar/com/sun/msv/datatype/regexp/message_fr.properties

No license file was found, but licenses were detected in source scan.

/*

* The Apache Software License, Version 1.1

*

*

* Copyright (c) 1999-2002 The Apache Software Foundation. All rights
* reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. The end-user documentation included with the redistribution,
 * if any, must include the following acknowledgment:
 * "This product includes software developed by the
 * Apache Software Foundation (<http://www.apache.org/>)."
 * Alternately,
 * this acknowledgment may appear in the software itself,
 * if and wherever such third-party acknowledgments normally appear.
 *
 * 4. The names "Xerces" and "Apache Software Foundation" must
 * not be used to endorse or promote products derived from this
 * software without prior written permission. For written
 * permission, please contact apache@apache.org.
 *
 * 5. Products derived from this software may not be called "Apache",
 * nor may "Apache" appear in their name, without prior written
 * permission of the Apache Software Foundation.
 *
 * THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED
 * WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
 * DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
 * LIMITED TO, PROCUREMENT
 * OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
 * USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
 * ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
 * OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
 * OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 * =====
 *
 * This software consists of voluntary contributions made by many
 * individuals on behalf of the Apache Software Foundation and was
 * originally based on software copyright (c) 1999, International
 * Business Machines, Inc., <http://www.apache.org>. For more
 * information on the Apache Software Foundation, please see
 * <<http://www.apache.org/>>.

*/

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/BMPattern.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/RegularExpression.java

*

/opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/Op.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/ParseException.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/Match.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/REUtil.java

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/regexp/Token.java

No license file was found, but licenses were detected in source scan.

Copyright (c) 2001-2013 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

- Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

- Neither the name of Oracle nor the names of its

from this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/Messages.properties

* /opt/cola/permits/1257217844_1642790354.82/0/xsdlb-2013-6-1-sources-jar/com/sun/msv/datatype/xsd/Messages_ja.properties

1.181 dom 1.0

1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2000 World Wide Web Consortium,

* (Massachusetts Institute of Technology, Institut National de

* Recherche en Informatique et en Automatique, Keio University). All

* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE. See W3C License <http://www.w3.org/Consortium/Legal/> for more
* details.
*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/w3c/dom/html/HTMLDOMImplementation.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2001 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE.
* See W3C License <http://www.w3.org/Consortium/Legal/> for more details.
*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ElementEditAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASObject.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMImplementationAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASModel.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DocumentAS.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASElementDeclaration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

```
jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASDataType.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASContentModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASWriter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DocumentEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/ASObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/DOMASException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom3/as/NodeEditAS.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

```
/**
* Checks if this content model has had its min/maxOccurs values reduced for
* purposes of speeding up UPA. If
so, this content model should not be used
* for any purpose other than checking unique particle attribution
*
* @return a boolean that says whether this content has been compacted for UPA
*/
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSCMValidator.java
```


No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

/**

* DOM Level 3 LS CR - Experimental.

* Create a new `LSParser`. The newly constructed parser may
*

then be configured by means of its `DOMConfiguration`

* object, and used to parse documents by means of its `parse`
* method.

* @param mode The `mode` argument is either

* `MODE_SYNCHRONOUS` or `MODE_ASYNCHRONOUS`, if

* `mode` is `MODE_SYNCHRONOUS` then the

* `LSParser` that is created will operate in synchronous

* mode, if it's `MODE_ASYNCHRONOUS` then the

* `LSParser` that is created will operate in asynchronous

* mode.

* @param schemaType An absolute URI representing the type of the schema

* language used during the load of a `Document` using the

* newly created `LSParser`. Note that no lexical checking

* is done on the absolute URI. In order to create a

* `LSParser` for any kind of schema types (i.e. the

* `LSParser` will be free to use any schema

found), use the value

* `null`.

* **Note:** For W3C XML Schema [<http://www.w3.org/TR/2001/REC-xmlschema-1-20010502>] XML Schema Part 1

*, applications must use the value

* `"http://www.w3.org/2001/XMLSchema"`. For XML DTD [<http://www.w3.org/TR/2000/REC-xml-20001006>] XML 1.0

*, applications must use the value

* `"http://www.w3.org/TR/REC-xml"`. Other Schema languages

* are outside the scope of the W3C and therefore should recommend an

- * absolute URI in order to use this method.
- * @return The newly created `LSParser` object. This
- * `LSParser` is either synchronous or asynchronous
- * depending on the value of the `mode` argument.
- * **Note:** By default, the newly created `LSParser`
- * does not contain a `DOMErrorHandler`, i.e. the value of
- * the "[" configuration parameter is `null`. However, implementations](http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-handler)
- * may provide a default error handler at creation time. In that case,
- * the initial value of the `"error-handler"` configuration
- * parameter on the new created `LSParser` contains a
- * reference to the default error handler.
- * @exception DOMException
- * NOT_SUPPORTED_ERR: Raised if the requested mode or schema type is
- * not supported.

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java
 No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- * <http://www.apache.org/licenses/LICENSE-2.0>
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLErrorHandler.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLFrameElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/ShadowedSymbolTable.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLImgElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLOptgroupElement.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLInputSource.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLImgElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLTimerElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSParticle.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLWmlElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/StringList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLTimerElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLAnchorElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/HTMLSerializer.java
 *

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLHtmlElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/DefaultNamespaceContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLMetaElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLQuoteElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/EncodingMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/XIncludeTextReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMInputImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLCatalogResolver.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTableSectionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMStateSet.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTitleElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementDefinitionImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLElementDecl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractDOMParser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLSelectElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLabelElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLCardElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/Base64.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CDATASectionImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMBuilder.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLMetaElement.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSSimpleType.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/ElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/UIEventImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Method.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityReferenceImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/xs/datatypes/ByteList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLBodyElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredAttrImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/DOMUtil.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLIElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xpointer/ElementSchemePointer.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/DefaultElement.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/AttrNSImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/datatype/DurationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLTdElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLEntityDescription.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLDTDScanner.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/SecurityManager.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSModel.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLErrorCode.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/FieldActivator.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/ParentNode.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/XIntPool.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLTableCellElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/SchemaSymbols.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/ObjectFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/io/UTF16Reader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/TextImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMStringListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/NonValidatingConfiguration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLImageElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/DecimalDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSModelImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ShortList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredAttrNSImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/DTDGrammar.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/datatypes/ObjectList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLHeadElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/PSVIErrorList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XMLSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/KeyRef.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLAttributes.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/Latin1Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/LCount.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidatedInfo.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ChildNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Constants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/MouseEventImpl.java
*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/Util.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xinclude/XInclude11TextReader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLOptgroupElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLPostfieldElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredNotationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/CoreDocumentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMErrorImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLAttributesImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XMLDocumentParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/DatatypeMessageFormatter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLIElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLNoopElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/SecuritySupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/DatatypeException.java

*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLInputElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLTableElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/ShortHandPointer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/BasicParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLPreElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/SecurityConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/validation/ValidationState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/HTMLdtd.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLDOMImplementation.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/AugmentationsImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSImplementation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SAXLocatorWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SynchronizedSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSGrammarBucket.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/wml/WMLNoopElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerErrorHandler.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLDTDSources.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/namespace/Context.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLTDElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLDListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLUElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/XSDateTime.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/DefaultText.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMLLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSTerm.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLComponent.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLSmallElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/DatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLTextAreaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/AttributePSVI.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/Token.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredNode.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XML11Serializer.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLGoElement.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/SimpleLocator.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/MessageFormatter.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLErrorReporter.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSLoaderImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NamespaceBinder.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/SecuritySupport.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormElementImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPath.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMenuElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLCollectionImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXInputSource.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XPointerParserConfiguration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF8Reader.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/DOMInputSource.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSNotationDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLAreaElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLBigElement.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLChar.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLPostfieldElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeepNodeListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/EntityReferenceImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/ProcessingInstructionImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLPrevElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/Augmentations.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLVersionDetector.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSComplexTypeDefinition.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/NotationImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLBElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLAnchorElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/DOMSerializerImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLIFrameElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/LineSeparator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLLocatorWrapper.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSWildcard.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/StAXLocationWrapper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLDoElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/datatypes/XSDDouble.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xinclude/SecuritySupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/CommentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/CommentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLSetvarElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/ASDOMImplementationImpl.java
 *

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/SoftReferenceSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/validation/EntityState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/XHTMLSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLWmlElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/ASModelImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XML11DTDSscannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/NodeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLBaseElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xpointer/XPointerPart.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/QName.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLemElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLFormControl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DeferredTextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/FloatDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/ErrorHandlerWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java

```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMAny.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/StartElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/DOMSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSModelGroupDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/EndElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/QNameDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLBrElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLScriptElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/XMLStringBuffer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/events/MutationEventImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xinclude/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/stax/events/DTDImpImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/DOMParserImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLTrElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/models/CMUniOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DocumentFragmentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLSelectElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/XML11EntityScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

```


jar/org/apache/xerces/impl/dv/xs/StringDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/IDREFDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLButtonElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/Field.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DocumentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/TextImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLOneventElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/util/ByteListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLStrongElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/CachingParserPool.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/ParserConfigurationSettings.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLDocument.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSObjectList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/DefaultNode.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLMapElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLSmallElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XMLDTDCContentModelHandler.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLEmElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/PSVIDocumentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/ElementPSVImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/regex/REUtil.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLParseException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/regex/Op.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLDTDCContentModelSource.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XML11DTDCConfiguration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLTemplateElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/SecuritySupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLInputElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLParagraphElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/OutputFormat.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/DTDParse.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/SymbolHash.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/ListDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLUListElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLBrElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/CharacterDataImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/RangeImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/SerializerFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLScanner.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLGrammarPoolImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/ElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLStrongElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSNotationDeclaration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/EncodingInfo.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLMetaElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLFontElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLTableElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLAppletElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/IDDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/SecuritySupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSObject.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/SchemaDVFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/ErrorHandlerProxy.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/CMNode.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/StringListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLTemplateElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XML11Configurable.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XInt.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSConstants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xml/serialize/Serializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/TypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/SAXParserImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XMLParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSGroupDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DoubleDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/Version.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/IntStack.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/io/ASCIIReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/XSIDCDefinition.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLCardElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLFieldsetElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/AttrImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/dom/WMLAElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/FilePathToURI.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/ObjectFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLPrevElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/util/HexBin.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLDTDContentModelFilter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSModelGroup.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLBaseFontElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLComponentManager.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/PrimeNumberSequenceGenerator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLOneventElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/ImmutableLocation.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/XMLSchema.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSLoader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/UnionDV.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XNIException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLDocumentSource.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/grammars/XSGrammar.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLBElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/parsers/SAXParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/datatypes/XSDecimal.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSWildcardDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMConfigurationImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLTableColElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLTrElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLDOMImplementationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/IndentPrinter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/ElementState.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/ObjectFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/DFACContentModel.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/AttributeMap.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/EndDocumentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLPElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/datatypes/XSFloat.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/PSVIAttrNSImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/ValidationContext.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/grammars/Grammar.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLAccessElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/regex/Match.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSMessageFormatter.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/TextSerializer.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/NamespaceImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSAttributeDeclaration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/JAXPConstants.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLAElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/EntityResolverWrapper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMOutputImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMImplementationImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/SecuritySupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/ExternalSubsetResolver.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/NodeListCache.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/PSVIElementNSImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xinclude/XIncludeHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/SAXMessageFormatter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredCommentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLTableElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLHRElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/xs/XSNamespaceItemList.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/DOMEntityResolverWrapper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/regex/RegexParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/ElementNSImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/AttributeImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLUElement.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLHeadElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/XSCMLLeaf.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/LocatorProxy.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/Selector.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSElementDeclaration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/LSInputList.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/XPathException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/AbstractSAXParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLBigElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XMLLocator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSTypeDefinition.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/ItemPSVI.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/URI.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLObjectElementImpl.java

*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/XSQName.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/NodeIteratorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/DefaultErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/BMPattern.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/DTDCConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLLegendElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLHeadingElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/XSFacets.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/ElementPSVI.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/wml/WMLRefreshElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/XMLResourceIdentifier.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/html/dom/HTMLDirectoryElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XML11Configuration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/EntityImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLAccessElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XMLSymbols.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xpointer/XPointerProcessor.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLSetvarElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XMLDTDHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSMultiValueFacet.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSAnnotation.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLLinkElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/events/EventImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/DTDDVFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/identity/ValueStore.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/XMLEventImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/XS10TypeHelper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLDivElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSNamespaceItem.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/XML11Char.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLFrameSetElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLNamespaceBinder.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/XMLGrammarPreparser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSImplementationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLBRElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/RangeExceptionImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/PSVIProvider.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XMLSchemaException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSNamedMap.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLStyleElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/validation/ValidationManager.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/EntityResolver2Wrapper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSElementDecl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/DOMParser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLLIElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSParticleDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/StAXInputSource.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLContentSpec.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DocumentTypeImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLOptionElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/AttributePSVImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLSelectElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XMLString.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLTableRowElementImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLLOListElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLDTDScannerImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLInputElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/parsers/SecureProcessingConfiguration.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/NamedNodeMapImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSFacet.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLGoElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/Printer.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/dom/WMLRefreshElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMNormalizer.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/IntegerDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLIsIndexElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredDocumentImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/EmptyLocation.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/SerializerFactory.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/HTTPInputSource.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/Encodings.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xs/XSAttributeUse.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xml/serialize/BaseMarkupSerializer.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/events/CharactersImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/stax/XMLEventFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/NamespaceSupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xni/XMLDocumentHandler.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/DOMLocatorImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java
 *

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSDeclarationPool.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/models/CMBinOp.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/EntityDV.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/util/SymbolTable.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLEntityScanner.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/XMLEntityManager.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/XSAttributeDecl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLOptGroupElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/DVFactoryException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLDocumentImpl.java
 *
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLOptionElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLPElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLOptionElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/wml/WMLElement.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/html/dom/HTMLParamElementImpl.java
 * /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
 jar/org/apache/xerces/dom/TreeWalkerImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/ParseException.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDFilter.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAnchorElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLModElementImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDocumentImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementNSImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityHandler.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/StandardParserConfiguration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSAllCM.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/AttrImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLFieldsetElementImpl.java

*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDoElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RangeToken.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMASBuilderImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/NameNodeListImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDOMImplementationImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/io/UCSReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/RevalidationHandler.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSValue.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/NodeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xni/parser/XMLConfigurationException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/util/AttributesProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/parsers/XMLGrammarParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dtd/XMLSimpleType.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/DOMImplementationListImpl.java
No license file was found, but licenses were detected in source scan.


```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
```

```
*/
```

```
/**
```

```
 * used to check the 3 constraints against each complex type
```

```
 * (should be each model group):
```

```
 * Unique Particle
```

```
Attribution, Particle Derivation (Restriction),
```

```
 * Element Declarations Consistent.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSConstraints.java
```

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/package.html
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
// Unique Particle Attribution
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSDFACM.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java
```

```
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/YearDV.java
```

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DateDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/MonthDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/TimeDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/dv/xs/DayDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java
No license file was found, but licenses were detected in source scan.
```

```
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
# http://www.apache.org/licenses/LICENSE-2.0
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xpath/regex/message.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/DOMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/msg/XPointerMessages.properties
```

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/DatatypeMessages.properties
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/message_fr.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/SAXMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XIncludeMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/message_ja.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties

1.182 jackson-datatype-guava 2.13.1

1.182.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.183 jackson-jaxrs 2.13.1

1.183.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.184 jackson-module-parameter-names

2.13.1

1.184.1 Available under license :

Apache-2.0

1.185 jackson-jaxrs-base 2.13.1

1.185.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.186 jackson-xc 2.13.1

1.186.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.187 jackson-annotations 2.13.1

1.187.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.188 dagger 2.4

1.188.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 Google, Inc.
 * Copyright (C) 2012 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

`/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Lazy.java`

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

`/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DelegateFactory.java`

`/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MapKey.java`

`/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapFactory.java`

`/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Component.java`

*
/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/InstanceFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SingleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Factory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapProviderFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Collections.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SetFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 Google Inc.
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Provides.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MembersInjectors.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Multibindings.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/StringKey.java
*
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/LongKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Beta.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ClassKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Subcomponent.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 Google, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Reusable.java
```

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/ProviderOfLazy.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Binds.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Preconditions.java
*
/opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DoubleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-
jar/dagger/multibindings/ElementsIntoSet.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoMap.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoSet.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Module.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2012 Square, Inc.
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MembersInjector.java

1.189 jackson-datatype-jsr310 2.12.2

1.189.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.190 paranamer 2.5.1

1.190.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

*

* Portions Copyright (c) 2007 Paul Hammant

* Portions copyright (c) 2000-2007 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
jar/com/thoughtworks/paranamer/BytecodeReadingParanamer.java

No license file was found, but licenses were detected in source scan.

/***

*

* Copyright (c) 2009 Paul Hammant

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
jar/com/thoughtworks/paranamer/AnnotationParanamer.java

No license file was found, but licenses were detected in source scan.

/**

*

* Copyright (c) 2007 Paul Hammant

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*

*/

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-

jar/com/thoughtworks/paranamer/Paranamer.java

No license file was found, but licenses were detected in source scan.

/**

*

* Copyright (c) 2007 Paul Hammant

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
- LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
- jar/com/thoughtworks/paranamer/NullParanamer.java
- * /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
- jar/com/thoughtworks/paranamer/AdaptiveParanamer.java
- * /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
- jar/com/thoughtworks/paranamer/ParameterNamesNotFoundException.java
- *
- /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
- jar/com/thoughtworks/paranamer/CachingParanamer.java
- * /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
- jar/com/thoughtworks/paranamer/DefaultParanamer.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2007 Paul Hammant
- * Copyright 2007 ThinkTank Maths Limited
- *
- * ThinkTank Maths Limited grants a non-revocable, perpetual licence
- * to Paul Hammant for unlimited use, relicensing and redistribution. No
- * explicit permission is required from ThinkTank Maths Limited for
- * any future decisions made with regard to this file.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright

- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- * /

Found in path(s):

* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/JavadocParanamer.java

1.191 jctools-core 3.3.0

1.191.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

/*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
- *
- /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/Preference.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/package-info.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/Ordering.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/IndexedQueueSizeUtil.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpscChunkedAtomicArrayQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddChunk.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpscAtomicArrayQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/RangeUtil.java
- *
- /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/PaddedAtomicLong.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/QueueFactory.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/LinkedQueueNode.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MessagePassingQueue.java
- * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
- *
- /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java

* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/MpscLinkedQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/MpscChunkedArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/SpSCArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/util/UnsafeRefArrayAccess.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/maps/AbstractEntry.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/maps/NonBlockingSetInt.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
 *
 /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/SpMCArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/BaseLinkedQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/maps/NonBlockingHashSet.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/util/UnsafeJvmInfo.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
 *
 /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/MessagePassingQueueUtil.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/MpscCompoundQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/maps/NonBlockingIdentityHashMap.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/MpscUnboundedXaddChunk.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/maps/ConcurrentAutoTable.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
 * /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
 jar/org/jctools/queues/atomic/SpSCLinkedAtomicQueue.java

*
/opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCLinkedQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscGrowArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeAccess.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpmcArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SupportsIterator.java
*
/opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCChunkedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseSpSCLinkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCUnboundedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/InternalAPI.java
*
/opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscGrowArrayAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCGrowArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCGrowArrayAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/PortableJvmInfo.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-

jar/org/jctools/maps/NonBlockingHashMapLong.java

*

/opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/Pow2.java

1.192 jackson-datatype-jdk8 2.12.2

1.192.1 Available under license :

Apache-2.0

1.193 jackson-dataformat-yaml 2.13.1

1.193.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.194 annotations 4.1.1.4

1.194.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Android Open Source Project
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/SuppressLint.java
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-
jar/android/annotation/TargetApi.java
```

1.195 animal-sniffer-annotation 1.19

1.195.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

* /opt/cola/permits/1258876677_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* The MIT License

*

* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal

* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

* copies of the Software, and to permit persons to whom the Software is

* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in

* all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

* THE SOFTWARE.

*

*/

Found in path(s):

* /opt/cola/permits/1258876677_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java

1.196 jackson-dataformat-cbor 2.13.1

1.196.1 Available under license :

Apache-2.0

1.197 metrics-httpclient 4.0.2

1.197.1 Available under license :

Apache-2.0

1.198 error_prone_annotations 2.3.3

1.198.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/CompatibleWith.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/FormatMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/MustBeClosed.java
*
/opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-
jar/com/google/errorprone/annotations/FormatString.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
```

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
*
/opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Immutable.java
*
/opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java

1.199 kotlin 1.6.10

1.199.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Set.s.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils
```

.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt","common/src/generated/_URanges.kt","common/src/generated/_USequences.kt","common/src/kotlin/ExceptionsH.kt","common/src/kotlin/JsAnnotationsH.kt","common/src/kotlin/ioH.kt","builtin-sources/Collections.kt","builtin-sources/Iterators.kt","builtin-sources/ProgressionIterators.kt","builtin-sources/Progressions.kt","builtin-sources/Range.kt","builtin-sources/Unit.kt","builtin-sources/annotation/Annotations.kt","builtin-sources/internal/InternalAnnotations.kt","builtin-sources/internal/progressionUtil.kt","src/kotlin/builtins.kt","src/kotlin/jsTypeOf.kt","src/kotlin/kotlin.kt","src/kotlin/CharCode_js-v1.kt","src/kotlin/coroutines/CoroutineImpl.kt","src/kotlin/util/Result.kt","src/kotlin/coroutines/Continuation.kt","src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt","src/kotlin/currentBeMisc.kt","src/kotlin/exceptions.kt","src/kotlin/jsOperators.kt","src/kotlin/math_js-v1.kt","src/kotlin/numbers_js-v1.kt","src/kotlin/reflection_js-v1.kt","src/kotlin/text/numberConversions_js-v1.kt","js/src/generated/_CharCategories.kt","js/src/generated/_CollectionsJs.kt","js/src/generated/_DigitChars.kt","js/src/generated/_LetterChars.kt","js/src/generated/_OtherLowercaseChars.kt","js/src/generated/_OtherUppercaseChars.kt","js/src/generated/_StringsJs.kt","js/src/generated/_TitlecaseMappings.kt","js/src/generated/_UArraysJs.kt","js/src/generated/_WhitespaceChars.kt","js/src/kotlin/Comparator.kt","js/src/kotlin/annotations.kt","js/src/kotlin/annotationsJVM.kt","js/src/kotlin/collections/AbstractMutableCollection.kt","js/src/kotlin/collections/AbstractMutableList.kt","js/src/kotlin/collections/AbstractMutableMap.kt","js/src/kotlin/collections/AbstractMutableSet.kt","js/src/kotlin/collections/ArrayList.kt","js/src/kotlin/collections/ArraySorting.kt","js/src/kotlin/collections/ArraysJs.kt","js/src/kotlin/collections/EqualityComparator.kt","js/src/kotlin/collections/HashMap.kt","js/src/kotlin/collections/HashSet.kt","js/src/kotlin/collections/InternalHashCodeMap.kt","js/src/kotlin/collections/InternalMap.kt","js/src/kotlin/collections/InternalStringMap.kt","js/src/kotlin/collections/LinkedHashMap.kt","js/src/kotlin/collections/LinkedHashSet.kt","js/src/kotlin/concurrent.kt","js/src/kotlin/console.kt","js/src/kotlin/coroutines/SafeContinuationJs.kt","js/src/kotlin/coroutines/cancellation/CancellationException.kt","js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt","js/src/kotlin/date.kt","js/src/kotlin/dom/Builders.kt","js/src/kotlin/dom/Classes.kt","js/src/kotlin/dom/Dom.kt","js/src/kotlin/dom/EventListener.kt","js/src/kotlin/dom/ItemArrayLike.kt","js/src/kotlin/dom/Mutations.kt","js/src/kotlin/dynamic.kt","js/src/kotlin/exceptionUtils.kt","js/src/kotlin/grouping.kt","src/kotlin/collections/Grouping.kt","js/src/kotlin/js/on.kt","js/src/kotlin/math.kt","js/src/kotlin/numbers.kt","js/src/kotlin/promise.kt","js/src/kotlin/random/PlatformRandom.kt","js/src/kotlin/reflect/AssociatedObjects.kt","js/src/kotlin/reflect/JsClass.kt","js/src/kotlin/reflect/KClassImpl.kt","js/src/kotlin/reflect/KClassesImpl.kt","js/src/kotlin/reflect/KTypeHelpers.kt","js/src/kotlin/reflect/KTypeImpl.kt","js/src/kotlin/reflect/KTypeParameterImpl.kt","js/src/kotlin/reflect/primitives.kt","js/src/kotlin/reflect/reflection.kt","js/src/kotlin/regexp.kt","js/src/kotlin/sequence.kt","js/src/kotlin/text/CharCategoryJS.kt","js/src/kotlin/text/CharacterCodingExceptionJs.kt","js/src/kotlin/text/StringBuilderJs.kt","js/src/kotlin/text/numberConversions.kt","js/src/kotlin/text/regex.kt","src/kotlin/text/StringBuilder.kt","js/src/kotlin/text/stringsCode.kt","js/src/kotlin/text/utf8Encoding.kt","js/src/kotlin/throwableExtensions.kt","js/src/kotlin/time/DurationJs.kt","js/src/kotlin/time/DurationUnit.kt","js/src/kotlin/time/MonoTimeSource.kt","js/src/kotlinx/dom/Builders.kt","js/src/kotlinx/dom/Classes.kt","src/kotlin/text/regex/RegexExtensions.kt","js/src/kotlinx/dom/Dom.kt","js/src/kotlinx/dom/Mutations.kt","js/src/org.w3c/deprecated.kt","js/src/org.w3c/org.khronos.webgl.kt","js/src/org.w3c/org.w3c.dom.clipboard.kt","js/src/org.w3c/org.w3c.dom.css.kt","js/src/org.w3c/org.w3c.dom.encryptedmedia.kt","js/src/org.w3c/org.w3c.dom.events.kt","js/src/org.w3c/org.w3c.dom.kt","js/src/org.w3c/org.w3c.fetch.kt","js/src/org.w3c/org.w3c.dom.mediacapture.kt","js/src/org.w3c/org

.w3c.dom.mediasource.kt", "js/src/org.w3c/org.w3c.dom.pointerevents.kt", "js/src/org.w3c/org.w3c.dom.svg.kt", "js/src/org.w3c/org.w3c.files.kt", "js/src/org.w3c/org.w3c.notifications.kt", "js/src/org.w3c/org.w3c.workers.kt", "js/src/org.w3c/org.w3c.xhr.kt", "src/kotlin/annotations/Experimental.kt", "src/kotlin/annotations/ExperimentalStdlibApi.kt", "src/kotlin/annotations/Inference.kt", "src/kotlin/annotations/Multiplatform.kt", "src/kotlin/annotations/OptIn.kt", "src/kotlin/collections/AbstractCollection.kt", "src/kotlin/collections/AbstractIterator.kt", "src/kotlin/collections/AbstractList.kt", "src/kotlin/collections/AbstractMap.kt", "src/kotlin/collections/AbstractSet.kt", "src/kotlin/collections/ArrayDeque.kt", "src/kotlin/collections/Arrays.kt", "src/kotlin/collections/BrittleContainsOptimization.kt", "src/kotlin/collections/IndexedValue.kt", "src/kotlin/collections/MapAccessors.kt", "src/kotlin/collections/MapWithDefault.kt", "src/kotlin/collections/MutableCollections.kt", "src/kotlin/collections/ReversedViews.kt", "src/kotlin/collections/SequenceBuilder.kt", "src/kotlin/collections/SlidingWindow.kt", "src/kotlin/collections/UArraySorting.kt", "src/kotlin/comparisons/compareTo.kt", "src/kotlin/contracts/ContractBuilder.kt", "src/kotlin/coroutines/ContinuationInterceptor.kt", "src/kotlin/coroutines/CoroutineContext.kt", "src/kotlin/coroutines/CoroutineContextImpl.kt", "src/kotlin/coroutines/intrinsics/Intrinsics.kt", "src/kotlin/experimental/bitwiseOperations.kt", "src/kotlin/experimental/inferenceMarker.kt", "src/kotlin/internal/Annotations.kt", "src/kotlin/properties/Delegates.kt", "src/kotlin/properties/Interfaces.kt", "src/kotlin/properties/ObservableProperty.kt", "src/kotlin/properties/PropertyReferenceDelegates.kt", "src/kotlin/random/Random.kt", "src/kotlin/random/URandom.kt", "src/kotlin/random/XorWowRandom.kt", "src/kotlin/ranges/Ranges.kt", "src/kotlin/reflect/KClasses.kt", "src/kotlin/reflect/KTypeProjection.kt", "src/kotlin/reflect/KVariance.kt", "src/kotlin/reflect/typeOf.kt", "src/kotlin/text/Appendable.kt", "src/kotlin/text/Indent.kt", "src/kotlin/text/Typography.kt", "src/kotlin/text/regex/MatchResult.kt", "src/kotlin/time/DurationUnit.kt", "src/kotlin/time/ExperimentalTime.kt", "src/kotlin/time/TimeSource.kt", "src/kotlin/time/TimeSources.kt", "src/kotlin/time/measureTime.kt", "src/kotlin/util/DeepRecursive.kt", "src/kotlin/util/FloorDivMod.kt", "src/kotlin/util/HashCode.kt", "src/kotlin/util/KotlinVersion.kt", "src/kotlin/util/Lateinit.kt", "src/kotlin/util/Lazy.kt", "src/kotlin/util/Numbers.kt", "src/kotlin/util/Suspend.kt", "src/kotlin/util/Tuples.kt", "unsigned/src/kotlin/UIntRange.kt", "unsigned/src/kotlin/UIterators.kt", "unsigned/src/kotlin/ULongRange.kt", "unsigned/src/kotlin/UMath.kt", "unsigned/src/kotlin/UNumbers.kt", "unsigned/src/kotlin/UProgressionUtil.kt", "unsigned/src/kotlin/UStrings.kt", "unsigned/src/kotlin/annotations/Unsigned.kt", "common/src/kotlin/MathH.kt"], "sourcesContent": ["(function

```
(root, factory) {\n
```

```
  if (typeof define === 'function' && define.amd) {\n    define('kotlin', ['exports'], factory);\n  }\n  else if (typeof exports === 'object') {\n    factory(module.exports);\n  }\n  else {\n    root.kotlin = {};\n    factory(root.kotlin);\n  }\n}(this, function (Kotlin) {\n  var _ = Kotlin;\n\n  insertContent();\n});\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*/\n\nKotlin.isBooleanArray = function (a) {\n  return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\";\n};\n\nKotlin.isByteArray = function (a) {\n  return a instanceof Int8Array && a.$type$ !== \"BooleanArray\";\n};\n\nKotlin.isShortArray = function (a) {\n  return a instanceof Int16Array;\n};\n\nKotlin.isCharArray = function (a) {\n  return a instanceof Uint16Array && a.$type$ === \"CharArray\";\n};\n\nKotlin.isIntArray = function (a) {\n  return a instanceof Int32Array;\n};\n\nKotlin.isFloatArray = function (a) {\n  return a instanceof Float32Array;\n};\n\nKotlin.isDoubleArray = function (a) {\n  return a instanceof Float64Array;\n};\n\nKotlin.isLongArray = function (a) {\n  return Array.isArray(a) && a.$type$ === \"LongArray\";\n};\n\nKotlin.isArray = function (a) {\n  return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n  return Array.isArray(a) || ArrayBuffer.isView(a);\n};\n\nKotlin.arrayToString = function (a) {\n  if (a === null) return \"null\";\n  var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n  return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n  return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n  if (a === b) return true;\n
```

```

    }
    if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !== b.length) {
        return false
    }
    for (var i = 0, n = a.length; i < n; i++) {
        if (!Kotlin.equals(a[i], b[i])) {
            return false
        }
    }
    return true
}

Kotlin.arrayDeepEquals = function (a, b) {
    return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b)
}

Kotlin.arrayHashCode = function (arr) {
    if (arr === null) return 0
    var result = 1
    for (var i = 0, n = arr.length; i < n; i++) {
        result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0
    }
    return result
}

Kotlin.arrayDeepHashCode = function (arr) {
    return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr)
}

Kotlin.primitiveArraySort = function (array) {
    array.sort(Kotlin.doubleCompareTo)
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

Kotlin.getCallableRef = function (name, f) {
    f.callableName = name
    return f
}

Kotlin.getPropertyCallableRef = function (name, paramCount, getter, setter) {
    getter.get = getter
    getter.set = setter
    getter.callableName = name
    return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount])
}

function getPropertyRefClass(obj, setter, cache) {
    obj.$metadata$ = getPropertyRefMetadata(typeof setter === "function" ? cache.mutable : cache.immutable)
    obj.constructor = obj
    return obj
}

var propertyRefClassMetadataCache = [
    { mutable: { value: null, implementedInterface: function () { return Kotlin.kotlin.reflect.KMutableProperty0 } } },
    { immutable: { value: null, implementedInterface: function () { return Kotlin.kotlin.reflect.KProperty0 } } }
]

Kotlin.mutable: { value: null, implementedInterface: function () { return Kotlin.kotlin.reflect.KMutableProperty1 } } },
Kotlin.immutable: { value: null, implementedInterface: function () { return Kotlin.kotlin.reflect.KProperty1 } } }

function getPropertyRefMetadata(cache) {
    if (cache.value === null) {
        cache.value = {
            interfaces: [cache.implementedInterface()],
            baseClass: null,
            functions: {},
            properties: {},
            types: {},
            staticMembers: {}
        }
    }
    return cache.value
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

Kotlin.toShort = function (a) {
    return (a & 0xFFFF) << 16 >> 16
}

Kotlin.toByte = function (a) {
    return (a & 0xFF) << 24 >> 24
}

Kotlin.toChar = function (a) {
    return a & 0xFFFF
}

Kotlin.numberToLong = function (a) {
    return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a)
}

Kotlin.numberToInt = function (a) {
    return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a)
}

Kotlin.numberToShort = function (a) {
    return Kotlin.toShort(Kotlin.numberToInt(a))
}

Kotlin.numberToByte = function (a) {
    return Kotlin.toByte(Kotlin.numberToInt(a))
}

Kotlin.numberToDouble = function (a) {
    return +a
}

Kotlin.numberToChar = function (a) {
    return Kotlin.toChar(Kotlin.numberToInt(a))
}

Kotlin.doubleToInt = function (a) {
    if (a > 2147483647) return 2147483647
    if (a < -2147483648) return -2147483648
    return a | 0
}

Kotlin.toBoxedChar = function (a) {
    if (a == null) return a
    if (a instanceof Kotlin.BoxedChar) return a
    return new Kotlin.BoxedChar(a)
}

Kotlin.unboxChar = function (a) {
    if (a == null) return a
    return Kotlin.toChar(a)
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

Kotlin.equals = function (obj1, obj2) {
    if (obj1 == null) {
        return obj2 == null
    }
    if (obj2 == null) {
        return false
    }
    if (obj1 !== obj2) {
        return obj2 !== obj2
    }
    if (typeof obj1 === "object" && typeof obj1.equals === "function") {
        return obj1.equals(obj2)
    }
    if (typeof obj1 === "number" && typeof obj2 === "number") {
        return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)
    }
    return obj1 === obj2
}

Kotlin.hashCode = function (obj) {
    if (obj == null) {
        return 0
    }
    var objType = typeof obj
    if ("object" === objType) {
        return "function" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj)
    }
    if ("function" === objType) {
        return getObjectHashCode(obj)
    }
    if ("number" === objType) {
        return Kotlin.numberHashCode(obj)
    }
}

```

```

}n if ("boolean" === objType) {n    return Number(obj)n }n var str = String(obj);n return
getStringHashCode(str);n};n\nKotlin.toString = function (o) {n if (o == null) {n    return "null";n }n
else if (Kotlin.isArrayish(o)) {n    return "[...]";n }n else {n    return o.toString();n }n};n\n/**
@const *^nvar POW_2_32 = 4294967296;n// TODO: consider switching to Symbol type once we are on ES6.n\n**
@const *^nvar OBJECT_HASH_CODE_PROPERTY_NAME = "kotlinHashCodeValue$";n\nfunction
getObjectHashCode(obj) {n if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {n    var hash =
(Math.random() * POW_2_32) | 0; // Make 32-bit signed integer.n    Object.defineProperty(obj,
OBJECT_HASH_CODE_PROPERTY_NAME,
    { value: hash, enumerable: false });n }n return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];n}\n\nfunction getStringHashCode(str) {n    var hash = 0;n
for (var i = 0; i < str.length; i++) {n    var code = str.charCodeAt(i);n    hash = (hash * 31 + code) | 0; // Keep
it 32-bit.n }n return hash;n}\n\nKotlin.identityHashCode = getObjectHashCode;n", "/**n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.n *^n\n// Copyright 2009 The Closure
Library Authors. All Rights Reserved.\n\n// Licensed under the Apache License, Version 2.0 (the "License");n\n
you may not use this file except in compliance with the License.n\n// You may obtain a copy of the License at\n\n//
http://www.apache.org/licenses/LICENSE-2.0\n\n// Unless required by applicable law or agreed to in writing,
software\n//
distributed under the License is distributed on an "AS-IS" BASIS,\n// WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.\n\n/**n * Constructs a 64-bit two's-complement integer,
given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n *
convenient ways of constructing Longs.n *^n * The internal representation of a long is the two given signed, 32-bit
values.n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-
operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can
easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.n
*n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the
input(s) and then post-processing the result.n * Note that we must ALWAYS check specially whether those values
are MIN_VALUE\n
* (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a positive number, it
overflows back into a negative). Not handling this\n * case would often result in infinite recursion.n *^n * @param
{number} low The low (signed) 32 bits of the long.n * @param {number} high The high (signed) 32 bits of the
long.n * @constructor\n * @final\n *^nKotlin.Long = function(low, high) {n /**n * @type {number}\n *
@private\n *^n this.low_ = low | 0; // force into 32 signed bits.\n\n /**n * @type {number}\n * @private\n
*^n this.high_ = high | 0; // force into 32 signed bits.;n}\n\nKotlin.Long.$metadata$ = {n kind: "class",n
simpleName: "Long",n interfaces: []\n};n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc.
are defined below the\n// from* methods on which they depend.\n\n\n/**n * A cache of the Long representations of
small integer values.n * @type {!Object}\n * @private\n *^nKotlin.Long.IntCache_ = {};\n\n\n/**n
* Returns a Long representing the given (32-bit) integer value.n * @param {number} value The 32-bit integer in
question.n * @return {!Kotlin.Long} The corresponding Long value.n *^nKotlin.Long.fromInt = function(value)
{n if (-128 <= value && value < 128) {n    var cachedObj = Kotlin.Long.IntCache_[value];n    if (cachedObj) {n
return cachedObj;n }n }n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);n if (-128 <= value &&
value < 128) {n    Kotlin.Long.IntCache_[value] = obj;n }n return obj;n};n\n\n/**n * Converts this number
value to `Long`.n * The fractional part, if any, is rounded down towards zero.n * Returns zero if this `Double`
value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`,\n * `Long.MAX_VALUE` if it's bigger
than `Long.MAX_VALUE`.n * @param {number} value The number in question.n * @return {!Kotlin.Long} The
corresponding Long value.n *^nKotlin.Long.fromNumber = function(value) {n if (isNaN(value))
{n return Kotlin.Long.ZERO;n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_) {n return
Kotlin.Long.MIN_VALUE;n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {n return

```



```

*\nKotlin.Long.prototype.negate = function() {\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.MIN_VALUE;\n  } else {\n    return this.not().add(Kotlin.Long.ONE);\n  }\n};\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add = function(other) {\n  // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n  var a48 = this.high_ >>> 16;\n  var a32 = this.high_ & 0xFFFF;\n  var a16 = this.low_ >>> 16;\n  var a00 = this.low_ & 0xFFFF;\n\n  var b48 = other.high_ >>> 16;\n  var b32 = other.high_ & 0xFFFF;\n  var b16 = other.low_ >>> 16;\n  var b00 = other.low_ & 0xFFFF;\n\n  var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n  c00 += a00 + b00;\n  c16 += c00 >>> 16;\n  c00 &= 0xFFFF;\n  c16 += a16 + b16;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c32 += a32 + b32;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c48 += a48 + b48;\n  c48 &= 0xFFFF;\n  return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/**\n * Returns the difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n  return this.add(other.negate());\n};\n\n/**\n * Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n */\nKotlin.Long.prototype.multiply = function(other) {\n  if (this.isZero()) {\n    return Kotlin.Long.ZERO;\n  } else if (other.isZero()) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n  } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return this.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n  }\n\n  if (this.isNegative()) {\n    if (other.isNegative()) {\n      return this.negate().multiply(other.negate());\n    } else {\n      return this.negate().multiply(other);\n    } else if (other.isNegative()) {\n      return this.multiply(other.negate());\n    }\n\n    // If both longs are small, use float multiplication\n    if (this.lessThan(Kotlin.Long.TWO_PWR_24_) && other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n      return Kotlin.Long.fromNumber(this.toNumber() * other.toNumber());\n    }\n\n    // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n    // We can skip products that would overflow.\n\n    var a48 = this.high_ >>> 16;\n    var a32 = this.high_ & 0xFFFF;\n    var a16 = this.low_ >>> 16;\n    var a00 = this.low_ & 0xFFFF;\n\n    var b48 = other.high_ >>> 16;\n    var b32 = other.high_ & 0xFFFF;\n    var b16 = other.low_ >>> 16;\n    var b00 = other.low_ & 0xFFFF;\n\n    var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n    c00 += a00 * b00;\n    c16 += c00 >>> 16;\n    c00 &= 0xFFFF;\n    c16 += a16 * b00;\n    c32 += c16 >>> 16;\n    c16 &= 0xFFFF;\n    c16 += a00 * b16;\n    c32 += c16 >>> 16;\n    c16 &= 0xFFFF;\n    c32 += a32 * b00;\n    c48 += c32 >>> 16;\n    c32 &= 0xFFFF;\n    c32 += a16 * b16;\n    c48 += c32 >>> 16;\n    c32 &= 0xFFFF;\n    c32 += a00 * b32;\n    c48 += c32 >>> 16;\n    c32 &= 0xFFFF;\n    c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n    c48 &= 0xFFFF;\n    return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n/**\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n  if (other.isZero()) {\n    throw Error('division by zero');\n  } else if (this.isZero()) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    if (other.equalsLong(Kotlin.Long.ONE) || other.equalsLong(Kotlin.Long.NEG_ONE)) {\n      return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE == MIN_VALUE\n    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ONE;\n    } else {\n      // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n      var halfThis = this.shiftRight(1);\n      var approx = halfThis.div(other).shiftLeft(1);\n      if (approx.equalsLong(Kotlin.Long.ZERO)) {\n        return other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;\n      } else {\n        var rem = this.subtract(other.multiply(approx));\n        var result = approx.add(rem.div(other));\n        return result;\n      }\n    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ZERO;\n    }\n\n    if (this.isNegative()) {\n      if (other.isNegative()) {\n        return this.negate().div(other.negate());\n      } else {\n        return this.negate().div(other);\n      }\n    } else if (other.isNegative()) {\n      return

```

this.div(other.negate()).negate());\n }\n\n // Repeat the following until the remainder is less than other: find a\n // floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract it from the remainder.

```

It is critical that\n // the approximate value is less than or equal to the real value so that the\n // remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n while (rem.greaterThanOrEqual(other)) {\n // Approximate the result of division. This may be a little greater or\n // smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n // We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit, whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 : Math.pow(2, log2 - 48);\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n var approxRem = approxRes.multiply(other);\n while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n approx -= delta;\n approxRes = Kotlin.Long.fromNumber(approx);\n approxRem = approxRes.multiply(other);\n }\n // We know the answer can't be zero... and actually, zero would cause\n // infinite recursion since we would make no progress.\n if (approxRes.isZero()) {\n approxRes = Kotlin.Long.ONE;\n }\n res = res.add(approxRes);\n rem = rem.subtract(approxRem);\n }\n return res;\n};\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo = function(other) {\n return this.subtract(this.div(other).multiply(other));\n};\n\n/**\n * @return {!Kotlin.Long} The bitwise-NOT of this value.\n */\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_,\n ~this.high_);\n};\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n this.high_ & other.high_);\n};\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ | other.low_,\n this.high_ | other.high_);\n};\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n this.high_ ^ other.high_);\n};\n\n/**\n * Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits)));\n } else {\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n }\n};\n\n/**\n * Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >> numBits);\n } else {\n return Kotlin.Long.fromBits(\n high >> (numBits - 32),\n high >= 0 ? 0 : -1);\n }\n }\n};\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >>> numBits);\n }

```

```

    } else if (numBits == 32) {\n    return Kotlin.Long.fromBits(high, 0);\n    } else {\n    return
Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n    }\n};\n\n// Support for
Kotlin\nKotlin.Long.prototype.equals = function (other) {\n    return other instanceof Kotlin.Long &&
this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n    return
this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n    return
this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n    return
this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n    return
this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n    return new
Kotlin.kotlin.ranges.LongRange(this, other);\n};\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n**\n * @param {string} id\n *
@param {Object} declaration\n */\n\nKotlin.defineModule = function (id, declaration)
{\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n    return fun;\n};\n\nKotlin.wrapFunction =
function(fun) {\n    var f = function() {\n        f = fun();\n        return f.apply(this, arguments);\n    };
\n    return
function() {\n        return f.apply(this, arguments);\n    };
\n};\n\nKotlin.isTypeOf = function(type) {\n    return
function (object) {\n        return typeof object === type;\n    }\n};\n\nKotlin.isInstanceOf = function (klass) {\n
return function (object) {\n        return Kotlin.isType(object, klass);\n    }\n};\n\nKotlin.orNull = function (fn) {\n
return function (object) {\n        return object == null || fn(object);\n    }\n};\n\nKotlin.andPredicate
= function (a, b) {\n    return function (object) {\n        return a(object) && b(object);\n
}\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall =
function(value) {\n    return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n
throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n
throwMarkerError();\n};\n\nfunction throwMarkerError() {\n    throw new Error(\n        \"This marker function
should never be called. \n\" +\n        \"Looks like compiler did not eliminate it properly. \n\" +\n        \"Please, report
an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n
return function() {\n        return defaultValue;\n    }\n};\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n    var typeA = typeof a;\n    if
(typeA === \"number\") {\n        if (typeof b === \"number\") {\n            return Kotlin.doubleCompareTo(a, b);\n
}\n        return Kotlin.primitiveCompareTo(a, b);\n    }\n    if (typeA === \"string\" || typeA === \"boolean\") {\n
return Kotlin.primitiveCompareTo(a, b);\n    }\n    return
a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n    return a < b ? -1 : a > b ? 1 :
0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n    if (a < b) return -1;\n    if (a > b) return 1;\n\n    if (a ===
b) {\n        if (a !== 0) return 0;\n\n        var ia = 1 / a;\n        return ia === 1 / b ? 0 : (ia <
? -1 : 1);\n    }\n\n    return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function (value) {\n    return
Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n    return Kotlin.toChar(value-
1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n    return ((a &
0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n    var buf = new ArrayBuffer(8);\n    var
bufFloat64 = new Float64Array(buf);\n    var bufFloat32 = new Float32Array(buf);\n    var bufInt32 = new
Int32Array(buf);\n    var lowIndex = 0;\n    var highIndex = 1;\n\n    bufFloat64[0] = -1; // bff00000_00000000\n    if
(bufInt32[lowIndex] !== 0) {\n        lowIndex = 1;\n        highIndex = 0;\n    }\n\n    Kotlin.doubleToBits =
function(value) {\n        return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n    };\n\n    Kotlin.doubleToRawBits = function(value) {\n        bufFloat64[0] = value;\n        return

```

```

Kotlin.Long.fromBits(bufInt32[lowIndex],
bufInt32[highIndex]);\n }; \n\n Kotlin.doubleFromBits = function(value) {\n    bufInt32[lowIndex] =
value.low_;\n    bufInt32[highIndex] = value.high_;\n    return bufFloat64[0];\n }; \n\n Kotlin.floatToBits =
function(value) {\n    return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n }; \n\n
Kotlin.floatToRawBits = function(value) {\n    bufFloat32[0] = value;\n    return bufInt32[0];\n }; \n\n
Kotlin.floatFromBits = function(value) {\n    bufInt32[0] = value;\n    return bufFloat32[0];\n }; \n\n //
returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n
Kotlin.doubleSignBit = function(value) {\n    bufFloat64[0] = value;\n    return bufInt32[highIndex] &
0x80000000;\n }; \n\n Kotlin.numberHashCode = function(obj) {\n    if ((obj | 0) === obj) {\n        return
obj | 0;\n    } \n    else {\n        bufFloat64[0]
= obj;\n        return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n    } \n
}\n})(); \n\n Kotlin.ensureNotNull = function(x) {\n    return x != null ? x : Kotlin.throwNPE();\n }; \n\n "/*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof
String.prototype.startsWith === "undefined") {\n    Object.defineProperty(String.prototype, "startsWith", {\n
value: function (searchString, position) {\n        position = position || 0;\n        return
this.lastIndexOf(searchString, position) === position;\n    } \n }); \n\nif (typeof String.prototype.endsWith ===
"undefined") {\n    Object.defineProperty(String.prototype, "endsWith", {\n        value: function (searchString,
position) {\n            var subjectString = this.toString();\n            if (position === undefined
|| position > subjectString.length) {\n                position = subjectString.length;\n            } \n            position -=
searchString.length;\n            var lastIndex = subjectString.indexOf(searchString, position);\n            return lastIndex
!== -1 && lastIndex === position;\n        } \n }); \n\n// ES6 Math polyfills\nif (typeof Math.sign ===
"undefined") {\n    Math.sign = function(x) {\n        x = +x; // convert to a number\n        if (x === 0 || isNaN(x))
{\n            return Number(x);\n        } \n        return x > 0 ? 1 : -1;\n    }; \n\nif (typeof Math.trunc === "undefined")
{\n    Math.trunc = function(x) {\n        if (isNaN(x)) {\n            return NaN;\n        } \n        if (x > 0) {\n
return Math.floor(x);\n        } \n        return Math.ceil(x);\n    }; \n\n(function() {\n    var epsilon =
2.220446049250313E-16;\n    var taylor_2_bound = Math.sqrt(epsilon);\n    var taylor_n_bound =
Math.sqrt(taylor_2_bound);\n    var upper_taylor_2_bound
= 1/taylor_2_bound;\n    var upper_taylor_n_bound = 1/taylor_n_bound;\n\n    if (typeof Math.sinh ===
"undefined") {\n        Math.sinh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result
= x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 6;\n                } \n
return result;\n            } else {\n                var y = Math.exp(x);\n                var y1 = 1 / y;\n                if (!isFinite(y))
return Math.exp(x - Math.LN2);\n                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n                return (y
- y1) / 2;\n            } \n        }; \n\n        if (typeof Math.cosh === "undefined") {\n            Math.cosh = function(x) {\n
var y = Math.exp(x);\n            var y1 = 1 / y;\n            if (!isFinite(y) || !isFinite(y1)) return
Math.exp(Math.abs(x) - Math.LN2);\n            return (y + y1) / 2;\n        }; \n\n        if (typeof Math.tanh
=== "undefined") {\n            Math.tanh = function(x){\n                if (Math.abs(x) < taylor_n_bound) {\n                    var
result = x;\n                    if (Math.abs(x) > taylor_2_bound) {\n                        result -= (x * x * x) / 3;\n                    } \n
return result;\n                } \n                else {\n                    var a = Math.exp(+x), b = Math.exp(-x);\n                    return a
=== Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n                } \n            }; \n\n        } \n\n        // Inverse hyperbolic function
implementations derived from boost special math functions,\n        // Copyright Eric Ford & Hubert Holin 2001.\n\n        if (typeof Math.asinh === "undefined") {\n            var asinh = function(x) {\n                if (x >= +taylor_n_bound)\n                    {\n                        if (x > upper_taylor_n_bound)\n                            {\n                                if (x > upper_taylor_2_bound)\n                                    {\n                                        // approximation by laurent series in 1/x
at 0+ order from -1 to 0\n                                        return Math.log(x) + Math.LN2;\n                                    } \n                                else\n
{\n                                    // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                                    return
Math.log(x * 2 + (1 / (x * 2)));\n                                } \n                            } \n                        else\n
{\n                            return
Math.log(x + Math.sqrt(x * x + 1));\n                        } \n                    } \n                else if (x <= -taylor_n_bound)\n                    {\n

```



```

    end = this.length;\n    } \n    begin = normalizeOffset(begin || 0, this.length);\n    end =
Math.max(begin, normalizeOffset(end, this.length));\n    return new this.constructor(this.subarray(begin, end));\n
}\n\n var arrays = [Int8Array, Int16Array, Uint16Array, Int32Array, Float32Array, Float64Array];\n for (var i =
0; i < arrays.length; ++i) {\n    var TypedArray = arrays[i];\n    if (typeof TypedArray.prototype.fill ===
\"undefined\") {\n        Object.defineProperty(TypedArray.prototype, 'fill', {\n            value:
Array.prototype.fill\n        });\n    }\n    if (typeof TypedArray.prototype.slice === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'slice', {\n        value: typedArraySlice\n    });\n    }\n
}\n\n // Patch apply to work with TypedArrays if needed.\n try {\n    (function() {} ).apply(null, new
Int32Array(0))\n } catch (e) {\n    var apply = Function.prototype.apply;\n
Object.defineProperty(Function.prototype, 'apply', {\n        value: function(self, array) {\n            return
apply.call(this, self, [].slice.call(array));\n        }\n    });\n }\n\n // Patch map to work with TypedArrays if
needed.\n for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray = arrays[i];\n    if (typeof
TypedArray.prototype.map === \"undefined\") {\n        Object.defineProperty(TypedArray.prototype, 'map', {\n
            value: function(callback, self) {\n                return [].slice.call(this).map(callback,
self);\n            }\n        });\n    }\n }\n\n // Patch sort to work with TypedArrays if needed.\n // TODO:
consider to remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n var
totalOrderComparator = function (a, b) {\n    if (a < b) return -1;\n    if (a > b) return 1;\n\n    if (a === b) {\n
        if (a !== 0) return 0;\n        var ia = 1 / a;\n        return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n    }\n
return a !== a ? (b !== b ? 0 : 1) : -1\n }; \n\n for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray =
arrays[i];\n    if (typeof TypedArray.prototype.sort === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'sort', {\n        value: function(compareFunction) {\n
return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n        }\n    });\n }\n
}\n\n});\n\n\"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n */\n\nKotlin.Kind =
{\n    CLASS: \"class\",\n    INTERFACE: \"interface\",\n    OBJECT: \"object\"\n};\n\nKotlin.callGetter = function
(thisObject, klass, propertyName) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass,
propertyName);\n    if (propertyDescriptor != null && propertyDescriptor.get != null) {\n        return
propertyDescriptor.get.call(thisObject);\n    }\n\n    propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor != null && \"value\" in
propertyDescriptor) {\n        return thisObject[propertyName];\n    }\n\n    return Kotlin.callGetter(thisObject,
Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName,
value) {\n    var propertyDescriptor
= Object.getOwnPropertyDescriptor(klass, propertyName);\n    if (propertyDescriptor != null &&
propertyDescriptor.set != null) {\n        propertyDescriptor.set.call(thisObject, value);\n        return;\n    }\n\n
propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor !=
null && \"value\" in propertyDescriptor) {\n        thisObject[propertyName] = value;\n        return\n    }\n\n
Kotlin.callSetter(thisObject, Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction
isInheritanceFromInterface(ctor, iface) {\n    if (ctor === iface) return true;\n\n    var metadata = ctor.$metadata$;\n
if (metadata != null) {\n        var interfaces = metadata.interfaces;\n        for (var i = 0; i < interfaces.length; i++) {\n
            if (isInheritanceFromInterface(interfaces[i], iface)) {\n                return true;\n            }\n
        }\n    }\n\n    var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype)
: null;\n    var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n    return
superConstructor != null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n * \n * @param {*}
object\n * @param {Function|Object} klass\n * @returns {Boolean}\n */\n\nKotlin.isType = function (object, klass)
{\n    if (klass === Object) {\n        switch (typeof object) {\n            case \"string\":\n                case
\"number\":\n                    case \"boolean\":\n                    case \"function\":\n                        return true;\n
                    default:\n                        return object

```



```

instanceof Object;\n    }\n }\n\n if (object == null || class == null || (typeof object !== 'object' && typeof
object !== 'function')) {\n    return false;\n }\n\n if (typeof class === \"function\" && object instanceof class)
{\n    return true;\n }\n\n var proto = Object.getPrototypeOf(class);\n var constructor = proto != null ?
proto.constructor
: null;\n if (constructor != null && \"$metadata$\" in constructor) {\n    var metadata =
constructor.$metadata$;\n    if (metadata.kind === Kotlin.Kind.OBJECT) {\n        return object === class;\n
}\n }\n\n var classMetadata = class.$metadata$;\n\n // In WebKit (JavaScriptCore) for some interfaces from
DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n if (classMetadata == null)
{\n    return object instanceof class;\n }\n\n if (classMetadata.kind === Kotlin.Kind.INTERFACE &&
object.constructor != null) {\n    return isInheritanceFromInterface(object.constructor, class);\n }\n\n return
false;\n};\n\nKotlin.isNumber = function (a) {\n    return typeof a === \"number\" || a instanceof
Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n    return value instanceof
Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n    var type = typeof value;\n\n    return type
=== \"string\"
||\n        type === \"boolean\" ||\n        Kotlin.isNumber(value) ||\n        Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n    return typeof value === \"string\"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};\n\n\"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^\n\n// a package is omitted to get declarations directly under the
module\n\n@PublishedApi\nexternal fun <T> Array(size: Int): Array<T>\n\n@JsName(\"newArray\")\nfun
<T> newArray(size: Int, initValue: T) = fillArrayVal(Array<T>(size),
initValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) =
fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init:
(Int) -> T): Array<T> {\n    for (i in 0..array.size
- 1) {\n        array[i] = init(i)\n    }\n    return array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int,
init: dynamic): Array<Boolean> {\n    val result: dynamic = Array<Boolean>(size)\n    result.`$type$` =
\"BooleanArray\"\n    return when (init) {\n        null, true -> fillArrayVal(result, false)\n        false -> result\n
else -> fillArrayFun<Boolean>(result, init)\n    }\n}\n\n@JsName(\"booleanArrayF\")\ninline fun
booleanArrayWithFun(size: Int, init: (Int) -> Boolean): Array<Boolean> = fillArrayFun(booleanArray(size, false),
init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init:
dynamic): Array<Char> {\n    val result = js(\"new Uint16Array(size)\")\n    result.`$type$` = \"CharArray\"\n    return when (init) {\n        null, true, false -> result // For consistency\n        else -> fillArrayFun<Char>(result,
init)\n    }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size: Int, init: (Int)
-> Char): Array<Char> {\n    val array = charArray(size, null)\n    for (i in 0..array.size - 1) {\n
@Suppress(\"UNUSED_VARIABLE\") // used in js block\n        val value = init(i)\n        js(\"array[i] = value;\")\n
}\n    return array\n}\n\n@JsName(\"untypedCharArrayF\")\ninline fun untypedCharArrayWithFun(size: Int, init:
(Int) -> Char): Array<Char> {\n    val array = Array<Char>(size)\n    for (i in 0..array.size - 1) {\n
@Suppress(\"UNUSED_VARIABLE\") // used in js block\n        val value = init(i)\n        js(\"array[i] = value;\")\n
}\n    return array\n}\n\n@JsName(\"longArray\")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n    val
result: dynamic = Array<Long>(size)\n    result.`$type$` = \"LongArray\"\n    return when (init) {\n        null, true ->
fillArrayVal(result, 0L)\n        false -> result\n        else -> fillArrayFun<Long>(result, init)\n
}\n}\n\n@JsName(\"longArrayF\")\ninline fun longArrayWithFun(size: Int, init: (Int) -> Long):
Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>,
initValue: T): Array<T> {\n    for (i in 0..array.size - 1) {\n        array[i] = initValue\n    }\n    return array\n}\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *^\n\npackage
kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n    @JsName(\"name$\") private var
_name: String = \"\"\n    @JsName(\"ordinal$\") private var _ordinal: Int = 0\n\n    val name: String\n    get() =

```

```

_name\n\n val ordinal: Int\n    get() = _ordinal\n\n    override fun compareTo(other: Enum<T>) =
ordinal.compareTo(other.ordinal)\n\n    override fun equals(other: Any?) = this === other\n\n    override fun
hashCode(): Int = js(\"Kotlin.identityHashCode\") (this)\n\n    override fun toString() = name\n\n    companion
object\n} \",\"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js.internal\n\n@JsName(\"DoubleCompanionObject\")\n\ninternal object DoubleCompanionObject {\n
@JsName(\"MIN_VALUE\")\n    const val MIN_VALUE: Double = 4.9E-324\n\n@JsName(\"MAX_VALUE\")\n    const val MAX_VALUE: Double = 1.7976931348623157E308\n\n@JsName(\"POSITIVE_INFINITY\")\n    @Suppress(\"DIVISION_BY_ZERO\")\n    const val
POSITIVE_INFINITY: Double = 1.0 / 0.0\n\n    @JsName(\"NEGATIVE_INFINITY\")\n
@Suppress(\"DIVISION_BY_ZERO\")\n    const val NEGATIVE_INFINITY: Double = -1.0 / 0.0\n\n@JsName(\"NaN\")\n    @Suppress(\"DIVISION_BY_ZERO\")\n    const val NaN: Double = -(0.0 / 0.0)\n\n@JsName(\"SIZE_BYTES\")\n    const val SIZE_BYTES = 8\n\n    @JsName(\"SIZE_BITS\")\n    const val
SIZE_BITS = 64\n}\n\n@JsName(\"FloatCompanionObject\")\n\ninternal
object FloatCompanionObject {\n    @JsName(\"MIN_VALUE\")\n    const val MIN_VALUE: Float = 1.4E-
45F\n\n    @JsName(\"MAX_VALUE\")\n    const val MAX_VALUE: Float = 3.4028235E38F\n\n@JsName(\"POSITIVE_INFINITY\")\n    @Suppress(\"DIVISION_BY_ZERO\")\n    const val
POSITIVE_INFINITY: Float = 1.0F / 0.0F\n\n    @JsName(\"NEGATIVE_INFINITY\")\n
@Suppress(\"DIVISION_BY_ZERO\")\n    const val NEGATIVE_INFINITY: Float = -1.0F / 0.0F\n\n@JsName(\"NaN\")\n    @Suppress(\"DIVISION_BY_ZERO\")\n    const val NaN: Float = -(0.0F / 0.0F)\n\n@JsName(\"SIZE_BYTES\")\n    const val SIZE_BYTES = 4\n\n    @JsName(\"SIZE_BITS\")\n    const val
SIZE_BITS = 32\n}\n\n@JsName(\"IntCompanionObject\")\n\ninternal object IntCompanionObject {\n
@JsName(\"MIN_VALUE\")\n    val MIN_VALUE: Int = -2147483647 - 1\n\n    @JsName(\"MAX_VALUE\")\n
val MAX_VALUE: Int = 2147483647\n\n    @JsName(\"SIZE_BYTES\")\n    const val SIZE_BYTES = 4\n\n    @JsName(\"SIZE_BITS\")\n    const
val SIZE_BITS = 32\n}\n\n@JsName(\"LongCompanionObject\")\n\ninternal object LongCompanionObject {\n
@JsName(\"MIN_VALUE\")\n    val MIN_VALUE: Long = js(\"Kotlin.Long.MIN_VALUE\")\n\n@JsName(\"MAX_VALUE\")\n    val MAX_VALUE: Long = js(\"Kotlin.Long.MAX_VALUE\")\n\n@JsName(\"SIZE_BYTES\")\n    const val SIZE_BYTES = 8\n\n    @JsName(\"SIZE_BITS\")\n    const val
SIZE_BITS = 64\n}\n\n@JsName(\"ShortCompanionObject\")\n\ninternal object ShortCompanionObject {\n
@JsName(\"MIN_VALUE\")\n    val MIN_VALUE: Short = -32768\n\n    @JsName(\"MAX_VALUE\")\n    val
MAX_VALUE: Short = 32767\n\n    @JsName(\"SIZE_BYTES\")\n    const val SIZE_BYTES = 2\n\n    @JsName(\"SIZE_BITS\")\n    const val SIZE_BITS = 16\n}\n\n@JsName(\"ByteCompanionObject\")\n\ninternal
object ByteCompanionObject {\n    @JsName(\"MIN_VALUE\")\n    val MIN_VALUE: Byte = -128\n\n@JsName(\"MAX_VALUE\")\n    val MAX_VALUE: Byte = 127\n\n    @JsName(\"SIZE_BYTES\")\n    const val
SIZE_BYTES = 1\n\n    @JsName(\"SIZE_BITS\")\n
const val SIZE_BITS = 8\n}\n\n@JsName(\"CharCompanionObject\")\n\ninternal object CharCompanionObject
{\n    @JsName(\"MIN_VALUE\")\n    public const val MIN_VALUE: Char = \"\u0000\"\n\n@JsName(\"MAX_VALUE\")\n    public const val MAX_VALUE: Char = \"\uFFFF\"\n\n@JsName(\"MIN_HIGH_SURROGATE\")\n    public const val MIN_HIGH_SURROGATE: Char = \"\uD800\"\n\n@JsName(\"MAX_HIGH_SURROGATE\")\n    public const val MAX_HIGH_SURROGATE: Char =
\"uDBFF\"\n\n    @JsName(\"MIN_LOW_SURROGATE\")\n    public const val MIN_LOW_SURROGATE: Char =
\"uDC00\"\n\n    @JsName(\"MAX_LOW_SURROGATE\")\n    public const val MAX_LOW_SURROGATE: Char =
\"uDFFF\"\n\n    @JsName(\"MIN_SURROGATE\")\n    public const val MIN_SURROGATE: Char =
MIN_HIGH_SURROGATE\n\n    @JsName(\"MAX_SURROGATE\")\n    public const val MAX_SURROGATE:
Char = MAX_LOW_SURROGATE\n\n    @JsName(\"SIZE_BYTES\")\n    const val SIZE_BYTES = 2\n\n    @JsName(\"SIZE_BITS\")\n    const val SIZE_BITS = 16\n}\n\ninternal object

```

```

StringCompanionObject {} \n\ninternal object BooleanCompanionObject {} \n\n"/\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T
{\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the
array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun
ByteArray.component1(): Byte {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n
return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1,
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where
the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun
BooleanArray.component1(): Boolean {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n *
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1():
Char {\n    return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less
than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun ByteArray.component2(): Byte {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the
array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun
ShortArray.component2(): Short {\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If
the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int
{\n    return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than
2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2():

```

`Long` {`n` `return` `get(1)`}`n`/`n`/`**``n` * Returns 2nd *element* from the array.`n` * `n` * If the size of this array is less than 2, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `FloatArray``.``component2``()`: `Float` {`n` `return` `get(1)`}`n`/`n`/`**``n` * Returns 2nd *element* from the array.`n` * `n` * If the size of this array is less than 2, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `DoubleArray``.``component2``()`: `Double` {`n` `return` `get(1)`}`n`/`n`/`**``n` * Returns 2nd *element* from the array.`n` * `n` * If the size of this array is less than 2, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `BooleanArray``.``component2``()`: `Boolean` {`n` `return` `get(1)`}`n`/`n`/`**``n` * Returns 2nd *element* from the array.`n` * `n` * If the size of this array is less than 2, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `CharArray``.``component2``()`: `Char` {`n` `return` `get(1)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `<T>` `Array``<``out` `T``>``.``component3``()`: `T` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `ByteArray``.``component3``()`: `Byte` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `ShortArray``.``component3``()`: `Short` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `IntArray``.``component3``()`: `Int` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `LongArray``.``component3``()`: `Long` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `FloatArray``.``component3``()`: `Float` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `DoubleArray``.``component3``()`: `Double` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `BooleanArray``.``component3``()`: `Boolean` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 3rd *element* from the array.`n` * `n` * If the size of this array is less than 3, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `CharArray``.``component3``()`: `Char` {`n` `return` `get(2)`}`n`/`n`/`**``n` * Returns 4th *element* from the array.`n` * `n` * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `<T>` `Array``<``out` `T``>``.``component4``()`: `T` {`n` `return` `get(3)`}`n`/`n`/`**``n` * Returns 4th *element* from the array.`n` * `n` * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun` `ByteArray``.``component4``()`: `Byte` {`n` `return` `get(3)`}`n`/`n`/`**``n` * Returns 4th *element* from the array.`n` * `n` * If the size of this array is less than 4, throws an `[IndexOutOfBoundsException]` except in Kotlin/JS`n` * where the behavior is unspecified.`n`
`*``n``@``kotlin``.``internal``.``InlineOnly``n``public` `inline` `operator` `fun`

ShortArray.component4(): Short { \n return get(3)\n}\n\n/** \n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int { \n return get(3)\n}\n\n/** \n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long { \n return get(3)\n}\n\n/** \n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float { \n return get(3)\n}\n\n/** \n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double { \n return get(3)\n}\n\n/** \n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean { \n return get(3)\n}\n\n/** \n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char { \n return get(3)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean { \n return get(4)\n}\n\n/** \n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char { \n return get(4)\n}\n\n/** \n * Returns `true` if [element] is found in the array.\n */\n@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean { \n return indexOf(element)

`>= 0` Returns `true` if [element] is found in the array.

`ByteArray.contains(element: Byte): Boolean` Returns `true` if [element] is found in the array.

`ShortArray.contains(element: Short): Boolean` Returns `true` if [element] is found in the array.

`IntArray.contains(element: Int): Boolean` Returns `true` if [element] is found in the array.

`LongArray.contains(element: Long): Boolean` Returns `true` if [element] is found in the array.

`@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or 'asList().contains(element: T)' to get the same search behavior as in a list.")` Returns `true` if [element] is found in the array.

`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")` Returns `true` if [element] is found in the array.

`FloatArray.contains(element: Float): Boolean` Returns `true` if [element] is found in the array.

`@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or 'asList().contains(element: T)' to get the same search behavior as in a list.")` Returns `true` if [element] is found in the array.

`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")` Returns `true` if [element] is found in the array.

`DoubleArray.contains(element: Double): Boolean` Returns `true` if [element] is found in the array.

`BooleanArray.contains(element: Boolean): Boolean` Returns `true` if [element] is found in the array.

`CharArray.contains(element: Char): Boolean` Returns `true` if [element] is found in the array.

`elementAt(index: Int): T` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Byte` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Short` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Int` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Long` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Float` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Double` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Boolean` Returns an element at the given [index] or throws an `IndexOutOfBoundsException` if the [index] is out of bounds of this array.

`elementAt(index: Int): Char` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

`elementAtOrElse(index: Int, defaultValue: () T): T` Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.

```

<T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {
    return if (index >= 0 && index <=
lastIndex)
    get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n @kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n @kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling
the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n @kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n @kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
* \n @kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) ->
Float): Float {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
* \n @kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) ->
Double): Double {
    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
* \n @kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrElse(index:
Int, defaultValue: (Int) -> Boolean): Boolean {
    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n @kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {
    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n @kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrNull(index: Int): T? {
    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out
of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
* \n @kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {
    return
this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
* \n @kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {
    return
this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n

```

```

*^@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n  return
this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds
of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrNull(index: Int): Long? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrNull(index: Int): Float? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrNull(index: Int): Double? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*^@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n
return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n  return
this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*^@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*^@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.find(predicate: (Short) -> Boolean): Short? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^@kotlin.internal.InlineOnly\npublic inline fun
IntArray.find(predicate: (Int) -> Boolean): Int? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^@kotlin.internal.InlineOnly\npublic inline fun
LongArray.find(predicate:
(Long) -> Boolean): Long? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the
given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n  return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n
return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*^@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n  return
firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n

```



```

*@\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n
return lastOrNull(predicate)\n}\n\n/**\n
 * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the
given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n
return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n
return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null`
if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*@\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n * \n\npublic fun <T> Array<out T>.first(): T {\n
if (isEmpty())\n
throw
NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n * \n\npublic fun ByteArray.first(): Byte {\n
if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n * \n\npublic fun ShortArray.first(): Short {\n
if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first
element.\n
 * @throws [NoSuchElementException] if the array is empty.\n * \n\npublic fun IntArray.first(): Int {\n
if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n * \n\npublic fun LongArray.first(): Long
{\n
if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n * \n\npublic fun
FloatArray.first(): Float {\n
if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n
return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n *
\n\npublic fun DoubleArray.first(): Double {\n
if (isEmpty())\n
throw NoSuchElementException("Array is
empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if
the array is empty.\n * \n\npublic fun BooleanArray.first(): Boolean {\n
if (isEmpty())\n
throw
NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n * \n\npublic fun CharArray.first(): Char {\n
if (isEmpty())\n
throw NoSuchElementException("Array is empty.")\n
return this[0]\n}\n\n/**\n * Returns the first element

```

```

matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic
inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element))
return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) ->
Boolean): Byte {\n
    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains
no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n *
@throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate:
(Short) -> Boolean): Short {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n    for (element in this) if (predicate(element))
return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException]
if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n    for
(element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no
element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n *
@throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate:
(Float) -> Boolean): Float {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate:
(Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n    for (element in this) if
(predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to
elements of this array in iteration order,\n * or throws [NoSuchElementException] if no non-null value was
produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out
T>.firstNotNullOf(transform: (T) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the array was transformed to a non-null value.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n
* or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out
T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n *
Returns the first element, or `null` if the array is empty.\n
*/\n\npublic fun <T> Array<out T>.firstOrNull(): T? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns
the first element, or `null` if the array is empty.\n */\n\npublic fun ByteArray.firstOrNull(): Byte? {\n    return if
(isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\npublic fun

```



```

Long { \n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index:
Int, defaultValue: (Int) -> Float): Float { \n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [default
Value] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double { \n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) ->
Boolean): Boolean { \n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [default
Value] function if the [index]
is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int,
defaultValue: (Int) -> Char): Char { \n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n */\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun <T> Array<out
T>.getOrNull(index: Int): T? { \n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n *
Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? { \n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun ShortArray.getOrNull(index: Int): Short? { \n
return if (index >= 0 && index <= lastIndex)
get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n */\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun
IntArray.getOrNull(index: Int): Int? { \n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun LongArray.getOrNull(index: Int):
Long? { \n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun FloatArray.getOrNull(index:
Int): Float? { \n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun DoubleArray.getOrNull(index: Int): Double?
{ \n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean?
{ \n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n */\n * \n * @sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun CharArray.getOrNull(index: Int): Char? { \n
return if (index >= 0 && index
<= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int { \n
if (element == null) { \n    for (index in indices) { \n        if (this[index] == null) { \n            return index\n
        } \n    } \n } else { \n    for (index in indices) { \n        if (element == this[index]) { \n            return index\n
        } \n    } \n } \n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\n */\npublic fun ByteArray.indexOf(element: Byte): Int { \n    for (index in indices) { \n        if (element ==

```

```

this[index]) {\n        return index\n    }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if
the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n    for (index in
indices)\n        if (element == this[index]) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int
{\n    for (index in indices) {\n        if (element == this[index]) {\n            return index\n        }\n        return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.indexOf(element: Long): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n        return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\n@Deprecated("The function has unclear behavior when searching for NaN or zero values
and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or
'.asList().indexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it == element
}")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic fun
FloatArray.indexOf(element: Float): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n        return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\n@Deprecated("The function has unclear behavior when searching for NaN or zero values
and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or
'.asList().indexOf(element: T)' to get the same search behavior as in a list.", ReplaceWith("indexOfFirst { it ==
element }")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic fun
DoubleArray.indexOf(element: Double): Int {\n    for (index in indices) {\n        if (element == this[index]) {\n
return index\n        }\n        return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n    for (index in indices) {\n        if
(element == this[index]) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n    for (index in indices) {\n        if
(element == this[index]) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) ->
Boolean): Int {\n    for (index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n
return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not
contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n    for
(index in indices) {\n        if (predicate(this[index])) {\n            return index\n        }\n        return -1\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns index of the first
element matching
the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n        return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n    for (index in indices) {\n        if

```

```

(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n  for (index in indices)
{\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of
the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n  for (index in indices) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun <T>
Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean):
Int {\n  for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n
return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not
contain such element.\n
*/\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n  for
(index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n
*/\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n  for (index in
indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n  for (index in indices.reversed()) {\n    if
(predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\npublic inline fun DoubleArray.indexOfLast(predicate: (Double) -> Boolean):
Int {\n  for (index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n
return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not
contain such element.\n
*/\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n  for
(index in indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n
*/\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n  for (index in
indices.reversed()) {\n    if (predicate(this[index])) {\n      return index\n    }\n  }\n  return -1\n}\n\n/**\n
 * Returns the last element.\n
 * \n * @throws NoSuchElementException if the array is empty.\n
 * \n * @sample
samples.collections.Collections.Elements.last\n
*/\npublic fun <T> Array<out T>.last(): T {\n  if (isEmpty())\n    throw NoSuchElementException("Array is
empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n
 * \n * @throws
NoSuchElementException if the array is empty.\n
 * \n * @sample
samples.collections.Collections.Elements.last\n
*/\npublic fun ByteArray.last(): Byte {\n  if (isEmpty())\n    throw NoSuchElementException("Array is
empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n
 * \n * @throws
NoSuchElementException if the array is empty.\n
 * \n * @sample
samples.collections.Collections.Elements.last\n
*/\npublic fun ShortArray.last(): Short {\n  if (isEmpty())\n    throw NoSuchElementException("Array is
empty.")\n  return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n
 * \n * @throws
NoSuchElementException if the array is empty.\n
 * \n * @sample
samples.collections.Collections.Elements.last\n
*/\npublic fun IntArray.last():

```

```

Int {n if (isEmpty())n throw NoSuchElementException("Array is empty.")n return
this[lastIndex]n}n/n/**n * Returns the last element.n * n * @throws NoSuchElementException if the array is
empty.n * n * @sample samples.collections.Collections.Elements.lastn */npublic fun LongArray.last(): Long {n
if (isEmpty())n throw NoSuchElementException("Array is empty.")n return this[lastIndex]n}n/n/**n *
Returns the last element.n * n * @throws NoSuchElementException if the array is empty.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic fun FloatArray.last(): Float {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return this[lastIndex]n}n/n/**n * Returns the last
element.n * n * @throws NoSuchElementException if the array is empty.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic fun DoubleArray.last(): Double {n if (isEmpty())n
throw
NoSuchElementException("Array is empty.")n return this[lastIndex]n}n/n/**n * Returns the last element.n *
n * @throws NoSuchElementException if the array is empty.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic fun BooleanArray.last(): Boolean {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return this[lastIndex]n}n/n/**n * Returns the last
element.n * n * @throws NoSuchElementException if the array is empty.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic fun CharArray.last(): Char {n if (isEmpty())n
throw NoSuchElementException("Array is empty.")n return this[lastIndex]n}n/n/**n * Returns the last
element matching the given [predicate].n * n * @throws NoSuchElementException if no such element is found.n
* n * @sample samples.collections.Collections.Elements.lastn */npublic inline fun <T> Array<out
T>.last(predicate: (T) -> Boolean): T {n for
(index in this.indices.reversed()) {n val element = this[index]n if (predicate(element)) return elementn
}n throw NoSuchElementException("Array contains no element matching the predicate.")n}n/n/**n * Returns
the last element matching the given [predicate].n * n * @throws NoSuchElementException if no such element is
found.n * n * @sample samples.collections.Collections.Elements.lastn */npublic inline fun
ByteArray.last(predicate: (Byte) -> Boolean): Byte {n for (index in this.indices.reversed()) {n val element =
this[index]n if (predicate(element)) return elementn }n throw NoSuchElementException("Array contains
no element matching the predicate.")n}n/n/**n * Returns the last element matching the given [predicate].n * n *
@throws NoSuchElementException if no such element is found.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic inline fun ShortArray.last(predicate: (Short) -> Boolean):
Short
{n for (index in this.indices.reversed()) {n val element = this[index]n if (predicate(element)) return
elementn }n throw NoSuchElementException("Array contains no element matching the
predicate.")n}n/n/**n * Returns the last element matching the given [predicate].n * n * @throws
NoSuchElementException if no such element is found.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int
{n for (index in this.indices.reversed()) {n val element = this[index]n if (predicate(element)) return
elementn }n throw NoSuchElementException("Array contains no element matching the
predicate.")n}n/n/**n * Returns the last element matching the given [predicate].n * n * @throws
NoSuchElementException if no such element is found.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic inline fun LongArray.last(predicate: (Long) -> Boolean):
Long {n for (index in this.indices.reversed()) {n val element = this[index]n if (predicate(element))
return elementn }n throw NoSuchElementException("Array contains no element matching the
predicate.")n}n/n/**n * Returns the last element matching the given [predicate].n * n * @throws
NoSuchElementException if no such element is found.n * n * @sample
samples.collections.Collections.Elements.lastn */npublic inline fun FloatArray.last(predicate: (Float) -> Boolean):
Float {n for (index in this.indices.reversed()) {n val element = this[index]n if (predicate(element))
return elementn }n throw NoSuchElementException("Array contains no element matching the
predicate.")n}n/n/**n * Returns the last element matching the given [predicate].n * n * @throws

```

```

NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun DoubleArray.last(predicate: (Double)
-> Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun BooleanArray.last(predicate: (Boolean) ->
Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun CharArray.last(predicate:
(Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain
element.\n *^\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if
(element == null) {\n for (index in indices.reversed()) {\n if (this[index] == null) {\n return
index\n }\n }\n } else {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n
return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the
array does not contain element.\n *^\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n for (index in
indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last
index of [element], or -1 if the array does not contain element.\n *^\npublic fun ShortArray.lastIndexOf(element:
Short): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n
}\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n
*^\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element ==
this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n *^\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in
indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n
* Returns
last index of [element], or -1 if the array does not contain element.\n *^\n@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a
list.", ReplaceWith("indexOfLast { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.6")\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed())
{\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last
index of [element], or -1 if the array does not contain element.\n *^\n@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get
the same search behavior as in a list.", ReplaceWith("indexOfLast { it == element
}")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\npublic fun
DoubleArray.lastIndexOf(element: Double): Int {\n for (index in indices.reversed()) {\n if (element ==
this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n *^\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n for
(index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -
1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n *^\npublic fun
CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index])
{\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns the last element, or `null`

```



```

if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic fun <T>
Array<out T>.lastOrNull(): T? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic
fun ByteArray.lastOrNull(): Byte? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic
fun ShortArray.lastOrNull(): Short? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic
fun IntArray.lastOrNull(): Int? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
* \npublic fun LongArray.lastOrNull(): Long? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic fun FloatArray.lastOrNull(): Float? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n * \npublic fun DoubleArray.lastOrNull(): Double? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
* \n * @sample samples.collections.Collections.Elements.last\n * \npublic fun BooleanArray.lastOrNull(): Boolean?
{\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
* \npublic fun CharArray.lastOrNull(): Char? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) ->
Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun ByteArray.lastOrNull(predicate: (Byte) ->
Boolean): Byte? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null`
if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic inline
fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun IntArray.lastOrNull(predicate: (Int) ->
Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun LongArray.lastOrNull(predicate: (Long) ->
Boolean): Long?
{\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return
element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n * \npublic inline fun
FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \npublic inline fun DoubleArray.lastOrNull(predicate: (Double) ->
Boolean): Double? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n

```

```

* Returns the last element matching the given [predicate], or `null` if no such element was found.
@sample
samples.collections.Collections.Elements.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
* Returns the last element matching the given [predicate], or `null` if no such element was found.
@sample
samples.collections.Collections.Elements.lastOrNull(predicate: (Char) -> Boolean): Char? {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element)) return element
    }
    return null
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.random(): T {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun ByteArray.random(): Byte {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun ShortArray.random(): Short {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun IntArray.random(): Int {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun LongArray.random(): Long {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun FloatArray.random(): Float {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun DoubleArray.random(): Double {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun BooleanArray.random(): Boolean {
    return random(Random)
}
* Returns a random element from this array.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun CharArray.random(): Char {
    return random(Random)
}
* Returns a random element from this array using the specified source of randomness.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
public fun <T> Array<out T>.random(random: Random): T {
    if (isEmpty()) throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
* Returns a random element from this array using the specified source of randomness.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
public fun ByteArray.random(random: Random): Byte {
    if (isEmpty()) throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
* Returns a random element from this array using the specified source of randomness.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
public fun ShortArray.random(random: Random): Short {
    if (isEmpty()) throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
* Returns a random element from this array using the specified source of randomness.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
public fun IntArray.random(random: Random): Int {
    if (isEmpty()) throw NoSuchElementException("Array is empty.")
    return get(random.nextInt(size))
}
* Returns a random element from this array using the specified source of randomness.
@throws NoSuchElementException if this array is empty.
@SinceKotlin("1.3")
public fun LongArray.random(random: Random): Long {
    if (isEmpty()) throw

```

```

NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException
if this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun DoubleArray.random(random: Random): Double {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n
    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun CharArray.random(random: Random): Char {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <T> Array<out T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
inline fun ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun FloatArray.randomOrNull(): Float? {\n    return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array using the specified source of randomness, or `null` if this array is
empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
Array<out T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ByteArray.randomOrNull(random: Random): Byte? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ShortArray.randomOrNull(random: Random): Short? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source
of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntArray.randomOrNull(random: Random): Int? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongArray.randomOrNull(random: Random): Long? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
FloatArray.randomOrNull(random: Random): Float? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from
this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
DoubleArray.randomOrNull(random: Random): Double? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
BooleanArray.randomOrNull(random: Random): Boolean? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharArray.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n
*\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\npublic fun ByteArray.single(): Byte
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n
*\npublic fun ShortArray.single(): Short {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n
*\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\npublic fun LongArray.single(): Long
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n

```

```

else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun\nFloatArray.single(): Float\n{\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun\nDoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun\nBooleanArray.single(): Boolean {\n    return when (size) {\n        0 -> throw\n        NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -> throw\n        IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element, or\n    throws\n    an exception if the array is empty or has more than one element.\n */\npublic fun\nCharArray.single(): Char {\n    return when (size) {\n        0 -> throw NoSuchElementException("Array is empty.")\n        1 -> this[0]\n        else -\n        > throw IllegalArgumentException("Array has more than one element.")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n            IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching\n    the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one\n    matching element.\n */\npublic inline fun\nByteArray.single(predicate: (Byte) -> Boolean): Byte {\n    var single: Byte? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw\n            IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching\n    the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching\n    element.\n */\npublic inline fun\nShortArray.single(predicate: (Short) -> Boolean): Short {\n    var single: Short? =\n    null\n    var found = false\n    for (element in this) {\n        if (predicate(element))\n        {\n            if (found) throw\n            IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw\n    NoSuchElementException("Array\n    contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or\n    more than one matching element.\n */\npublic inline fun\nIntArray.single(predicate: (Int) -> Boolean): Int {\n    var single: Int? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)\n            throw\n            IllegalArgumentException("Array\n            contains more than one\n            matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw\n    NoSuchElementException("Array\n    contains no element\n    matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if\n    there is no or more than one matching element.\n */\npublic inline fun\nLongArray.single(predicate: (Long) ->\nBoolean): Long {\n    var single: Long? = null\n    var found = false\n    for (element in this) {\n        if\n        (predicate(element)) {\n            if (found) throw\n            IllegalArgumentException("Array\n            contains more than one\n            matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw\n    NoSuchElementException("Array\n    contains no element\n    matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Long\n}\n\n/**\n * Returns the single element matching\n    the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun

```

```

FloatArray.single(predicate: (Float) -> Boolean): Float {
    var single: Float? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw
IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")
    @Suppress("UNCHECKED_CAST")
    return single as Float
}
/**
 * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.
 */
public inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {
    var single:
Double? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found)
throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains
no element matching the predicate.")
    @Suppress("UNCHECKED_CAST")
    return single as
Double
}
/**
 * Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.
 */
public inline fun BooleanArray.single(predicate: (Boolean) -> Boolean):
Boolean {
    var single: Boolean? = null
    var found = false
    for (element in this) {
        if
(predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one
matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw
NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST")
    return single as Boolean
}
/**
 * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.
 */
public
inline fun CharArray.single(predicate:
(Char) -> Boolean): Char {
    var single: Char? = null
    var found = false
    for (element in this) {
        if
(predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one
matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw
NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST")
    return single as Char
}
/**
 * Returns single element, or `null` if
the array is empty or has more than one element.
 */
public fun <T> Array<out T>.singleOrNull(): T? {
    return
if (size == 1) this[0] else null
}
/**
 * Returns single element, or `null` if the array is empty or has more than
one element.
 */
public fun ByteArray.singleOrNull(): Byte? {
    return if (size == 1) this[0] else
null
}
/**
 * Returns single element, or `null` if the array is empty or has more than one element.
 */
public
fun
ShortArray.singleOrNull(): Short? {
    return if (size == 1) this[0] else null
}
/**
 * Returns single element,
or `null` if the array is empty or has more than one element.
 */
public fun IntArray.singleOrNull(): Int? {
    return
if (size == 1) this[0] else null
}
/**
 * Returns single element, or `null` if the array is empty or has more
than one element.
 */
public fun LongArray.singleOrNull(): Long? {
    return if (size == 1) this[0] else
null
}
/**
 * Returns single element, or `null` if the array is empty or has more than one element.
 */
public
fun
FloatArray.singleOrNull(): Float? {
    return if (size == 1) this[0] else null
}
/**
 * Returns single
element, or `null` if the array is empty or has more than one element.
 */
public fun DoubleArray.singleOrNull():
Double? {
    return if (size == 1) this[0] else null
}
/**
 * Returns single element, or `null` if the array is
empty or has more than one element.
 */
public fun BooleanArray.singleOrNull():
Boolean? {
    return if (size == 1) this[0] else null
}
/**
 * Returns single element, or `null` if the array is
empty or has more than one element.
 */
public fun CharArray.singleOrNull(): Char? {
    return if (size == 1)
this[0] else null
}
/**
 * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.
 */
public inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
> Boolean): T? {
    var single: T? = null
    var found = false
    for (element in this) {
        if
(predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if
(!found) return null
    return single
}
/**
 * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.
 */
public inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte?

```

```

    {\n  var single: Byte? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n  var single: Short? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n  var single: Int? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n  var single: Long? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n  var single: Float? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n  var single: Double? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  var single: Boolean? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n  var single: Char? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * @throws IllegalArgumentException if [n] is negative.\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * @throws IllegalArgumentException if [n] is negative.\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * @throws IllegalArgumentException if [n] is negative.\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * @throws IllegalArgumentException if [n] is negative.\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun

```

```

IntArray.drop(n: Int): List<Int> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except first [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun LongArray.drop(n: Int): List<Long> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except first [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun FloatArray.drop(n: Int): List<Float> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except first [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun DoubleArray.drop(n: Int): List<Double> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except first [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun BooleanArray.drop(n: Int): List<Boolean> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

/** Returns
a list containing all elements except first [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun CharArray.drop(n: Int): List<Char> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last [n]
elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun <T> Array<out T>.dropLast(n: Int): List<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun ByteArray.dropLast(n: Int): List<Byte> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun ShortArray.dropLast(n: Int): List<Short> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun IntArray.dropLast(n: Int): List<Int> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last
[n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun LongArray.dropLast(n: Int): List<Long> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun FloatArray.dropLast(n: Int): List<Float> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

/** Returns a list containing all elements except last [n] elements.
 *
 * @throws IllegalArgumentException if [n] is negative.
 * @sample
samples.collections.Collections.Transformations.drop

public fun DoubleArray.dropLast(n: Int): List<Double>

```



```

{\n require(n
>= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n]
is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun
BooleanArray.dropLast(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n
 * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out
T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if
(!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns
a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate:
(Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index
+ 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in
lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun
DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo
0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic
inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in
lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun
CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun

```

```

<T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list =
ArrayList<T>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun ByteArray.dropWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list = ArrayList<Byte>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n  var yielding = false\n
val list = ArrayList<Short>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun IntArray.dropWhile(predicate: (Int) ->
Boolean): List<Int> {\n  var yielding = false\n  val list = ArrayList<Int>()\n  for (item in this)\n    if
(yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n
    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic inline fun
LongArray.dropWhile(predicate: (Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list =
ArrayList<Long>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun FloatArray.dropWhile(predicate:
(Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list = ArrayList<Float>()\n  for (item in this)\n
if (yielding)\n    list.add(item)\n  else if (!predicate(item)) {\n    list.add(item)\n    yielding =
true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n
yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n
val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding =
true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n * \npublic inline fun
CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list =
ArrayList<Char>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n * \npublic
inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n  return
filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n * \npublic inline fun
ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n  return
filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n * \npublic inline fun

```

```

ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n  return filterTo(ArrayList<Short>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):
List<Int> {\n  return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline
fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n  return filterTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filter(predicate: (Float) ->
Boolean): List<Float> {\n  return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n
public inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n  return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun
BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return filterTo(ArrayList<Boolean>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean):
List<Char> {\n  return
filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T> Array<out
T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return filterIndexedTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun ByteArray.filterIndexed(predicate:
(index: Int, Byte) -> Boolean): List<Byte> {\n  return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n *
Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n
* @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n  return
filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun IntArray.filterIndexed(predicate:
(index: Int, Int)
-> Boolean): List<Int> {\n  return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list
containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun LongArray.filterIndexed(predicate:
(index: Int, Long) -> Boolean): List<Long> {\n  return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n *
Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n
* @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n  return
filterIndexedTo(ArrayList<Float>(),

```

```

predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n    return
filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun BooleanArray.filterIndexed(predicate:
(index: Int, Boolean) -> Boolean): List<Boolean> {\n    return filterIndexedTo(ArrayList<Boolean>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n    return
filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>>
Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed {
index, element
->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the
index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n *
@sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C :
MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean):
C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n
return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n
public inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate:
(index: Int, Short) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n    forEachIndexed { index,
element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n *
Appends all elements matching the given [predicate] to the
given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n
public inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate:
(index: Int, Float) -> Boolean):

```

```

C {
    fun forEachIndexed { index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

/** Appends all elements matching the given [predicate] to the given [destination].
 * @param [predicate] function that takes the index of an element and the element itself
 * and returns the result of predicate evaluation on the element.
 * @sample samples.collections.Collections.Filtering.filterIndexedTo
 */
public inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate:
(index: Int, Double) -> Boolean): C {
    fun forEachIndexed { index, element ->
        if (predicate(index, element))
            destination.add(element)
    }
    return destination
}

/** Appends all elements matching the given [predicate] to the given [destination].
 * @param [predicate] function that takes the index of an element and the
 * element itself
 * and returns the result of predicate evaluation on
 * the element.
 * @sample samples.collections.Collections.Filtering.filterIndexedTo
 */
public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) ->
Boolean): C {
    fun forEachIndexed { index, element ->
        if (predicate(index, element))
            destination.add(element)
    }
    return destination
}

/** Appends all elements matching the given [predicate] to the given [destination].
 * @param [predicate] function that takes the index of an element and the
 * element itself
 * and returns the result of predicate evaluation on the element.
 * @sample
 * samples.collections.Collections.Filtering.filterIndexedTo
 */
public inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {
    fun forEachIndexed {
        index, element ->
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

/** Returns a list containing all elements that are instances of specified type parameter R.
 * @sample
 * samples.collections.Collections.Filtering.filterIsInstance
 */
public inline fun <reified R>
Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {
    return filterIsInstanceTo(ArrayList<R>())
}

/** Appends all elements that are instances of specified type
 * parameter R to the given [destination].
 * @sample
 * samples.collections.Collections.Filtering.filterIsInstanceTo
 */
public inline fun <reified R, C :
MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {
    fun (element in this) if (element is R) destination.add(element)
    return destination
}

/** Returns a list containing all elements not matching
 * the given [predicate].
 * @sample samples.collections.Collections.Filtering.filter
 */
public inline fun <T>
Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {
    return filterNotTo(ArrayList<T>(),
    predicate)
}

/** Returns a list containing all elements not matching the given [predicate].
 * @sample
 * samples.collections.Collections.Filtering.filter
 */
public inline fun ByteArray.filterNot(predicate: (Byte) ->
Boolean): List<Byte> {
    return filterNotTo(ArrayList<Byte>(), predicate)
}

/** Returns a list containing
 * all elements not matching the given [predicate].
 * @sample samples.collections.Collections.Filtering.filter
 */
public inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {
    return filterNotTo(ArrayList<Short>(), predicate)
}

/** Returns a list containing all elements not matching the
 * given [predicate].
 * @sample samples.collections.Collections.Filtering.filter
 */
public inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {
    return filterNotTo(ArrayList<Int>(),
    predicate)
}

/** Returns a list containing all elements not matching the given [predicate].
 * @sample
 * samples.collections.Collections.Filtering.filter
 */
public inline fun LongArray.filterNot(predicate: (Long) ->
Boolean): List<Long> {
    return filterNotTo(ArrayList<Long>(), predicate)
}

/** Returns a list
 * containing all elements not matching the given [predicate].
 * @sample
 * samples.collections.Collections.Filtering.filter
 */
public inline fun FloatArray.filterNot(predicate: (Float) ->
Boolean): List<Float> {
    return filterNotTo(ArrayList<Float>(), predicate)
}

/** Returns a list
 * containing all elements not matching the given [predicate].
 * @sample
 * samples.collections.Collections.Filtering.filter
 */
public inline fun DoubleArray.filterNot(predicate: (Double) ->
Boolean): List<Double> {
    return filterNotTo(ArrayList<Double>(), predicate)
}

/** Returns a list
 * containing all elements not matching the given [predicate].
 * @sample

```

```

samples.collections.Collections.Filtering.filter\n *\npublic inline fun BooleanArray.filterNot(predicate:
  (Boolean) -> Boolean): List<Boolean> {\n  return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n *
Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun CharArray.filterNot(predicate: (Char) ->
Boolean): List<Char> {\n  return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements that are not `null`.\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNull\n *\npublic
fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n  return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n *
Appends all elements that are not `null` to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n *\npublic fun <C : MutableCollection<in T>, T : Any>
Array<out T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if (element != null)
destination.add(element)\n
  return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given
[destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Byte>>
ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic
inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in
Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in Double>>
DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline
fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n *
@sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : MutableCollection<in
Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n

```

```

*^public inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Appends all elements matching the given [predicate] to the given [destination].
@sample samples.collections.Collections.Filtering.filterTo

*^public inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

* Returns a list containing elements at indices in the specified [indices] range.
^public fun <T> Array<out T>.slice(indices: IntRange): List<T> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

* Returns a list containing elements at indices in the specified [indices] range.
^public fun ByteArray.slice(indices: IntRange): List<Byte> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

* Returns a list containing elements at indices in the specified [indices] range.
^public fun ShortArray.slice(indices: IntRange): List<Short> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

* Returns a list containing elements at indices in the specified [indices] range.
^public fun IntArray.slice(indices: IntRange): List<Int> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

* Returns a list containing elements at indices in the specified [indices] range.
^public fun LongArray.slice(indices: IntRange): List<Long> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

* Returns a list containing elements at indices in the specified [indices] range.
^public fun FloatArray.slice(indices: IntRange): List<Float> {
    if (indices.isEmpty()) return listOf()
    return copyOfRange(indices.start, indices.endInclusive + 1).asList()
}

* Returns a list containing elements at indices in the specified [indices] range.
^public

```

```

fun DoubleArray.slice(indices: IntRange): List<Double> {\n  if (indices.isEmpty())
  return listOf()\n  return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices:
IntRange): List<Boolean> {\n  if (indices.isEmpty()) return listOf()\n  return copyOfRange(indices.start,
indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified
[indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n  if (indices.isEmpty()) return
listOf()\n  return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list
containing elements at specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T>
{\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list =
ArrayList<T>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size
== 0) return emptyList()\n  val list = ArrayList<Byte>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
ShortArray.slice(indices: Iterable<Int>): List<Short> {\n  val size = indices.collectionSizeOrDefault(10)\n  if
(size == 0) return emptyList()\n  val list = ArrayList<Short>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
IntArray.slice(indices: Iterable<Int>): List<Int> {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Int>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n  val size
= indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Long>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Float>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n  val
size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Double>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Boolean>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>): List<Char> {\n  val size =
indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Char>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns an array containing
elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices:
Collection<Int>): Array<T> {\n  val result = arrayOfNulls(this, indices.size)\n  var targetIndex = 0\n  for
(sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n  val result = ByteArray(indices.size)\n  var
targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n  val result = ShortArray(indices.size)\n  var
targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return
result\n}\n\n/**\n * Returns an array containing elements of this array
at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n  val result =
IntArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] =

```



```

this[sourceIndex]\n } return result\n\n/**\n * Returns an array containing elements of this array at specified
[indices].\n */\npublic fun LongArray.sliceArray(indices: Collection<Int>): LongArray {\n    val result =
LongArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n\n}\n\n/**\n * Returns an array containing elements of this array at specified
[indices].\n */\npublic fun FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result =
FloatArray(indices.size)\n    var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] =
this[sourceIndex]\n    }\n    return result\n\n}\n\n/**\n * Returns
an array containing elements of this array at specified [indices].\n */\npublic fun DoubleArray.sliceArray(indices:
Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n    var targetIndex = 0\n    for
(sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return result\n\n}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n */\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result = BooleanArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result = CharArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n
    }\n    return result\n\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n
*/\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n    if (indices.isEmpty()) return
copyOfRange(0, 0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices:
IntRange): ByteArray {\n    if (indices.isEmpty()) return ByteArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n    if (indices.isEmpty()) return
ShortArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices:
IntRange): IntArray {\n    if (indices.isEmpty()) return IntArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n    if (indices.isEmpty()) return
LongArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices:
IntRange): FloatArray {\n    if (indices.isEmpty()) return FloatArray(0)\n    return copyOfRange(indices.start,
indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n    if (indices.isEmpty()) return
DoubleArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n    if (indices.isEmpty()) return BooleanArray(0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices: IntRange): CharArray {\n    if
(indices.isEmpty()) return CharArray(0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n\n}\n\n/**\n * Returns a list containing first [n] elements.\n */\n * @throws IllegalArgumentException if [n] is
negative.\n */\n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out
T>.take(n: Int): List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0)
return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n
    var count = 0\n    val list = ArrayList<T>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n
            break\n    }\n    return list\n\n}\n\n/**\n * Returns a list containing first [n] elements.\n */\n * @throws
IllegalArgumentException if [n] is negative.\n */\n * @sample
samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=

```

```

size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Byte>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Short>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Int>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Long>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Float>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Boolean>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Char>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<T>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n

```

```

require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =\n  ArrayList<Byte>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int):\nList<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return\n  emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list\n  = ArrayList<Short>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n  require(n >= 0) { \"Requested element count $n is less than\n  zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n  listOf(this[size - 1])\n  val list = ArrayList<Int>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if\n [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun\nLongArray.takeLast(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return\n  listOf(this[size - 1])\n  val list = ArrayList<Long>(n)\n  for (index in size - n until size)\n  list.add(this[index])\n  return list\n}\n\n/**\n * Returns\n  a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =\n  size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Float>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last\n [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double>\n{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val\n  size = size\n  if (n >= size) return toList()\n\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Double>(n)\n  for (index in size - n until size)\n  list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws\n  IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int):\nList<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return\n  emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list\n  = ArrayList<Boolean>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws\n  IllegalArgumentException if [n] is negative.\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int):\nList<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return\n  emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list\n  = ArrayList<Char>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out\n  T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index in lastIndex downTo 0) {\n    if\n    (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a\n  list containing last elements satisfying the given [predicate].\n * \n * @sample\n  samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate:\n  (Byte) -> Boolean): List<Byte>

```

```

    {
        for (index in lastIndex downTo 0) {
            if (!predicate(this[index])) {
                return drop(index + 1)
            }
        }
        return toList()
    }
}

Returns a list containing last elements satisfying the given [predicate].

@sample samples.collections.Collections.Transformations.take

public inline fun
ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing last elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing last elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing last elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing last elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing last elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing last elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun CharArray.takeLastWhile(predicate: (Char) -> Boolean): List<Char> {
    for (index in lastIndex downTo 0) {
        if (!predicate(this[index])) {
            return drop(index + 1)
        }
    }
    return toList()
}

Returns a list containing first elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {
    val list = ArrayList<T>()
    for (item in this) {
        if (!predicate(item)) {
            break
        }
        list.add(item)
    }
    return list
}

Returns a list containing first elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {
    val list = ArrayList<Byte>()
    for (item in this) {
        if (!predicate(item)) {
            break
        }
        list.add(item)
    }
    return list
}

Returns a list containing first elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {
    val list = ArrayList<Short>()
    for (item in this) {
        if (!predicate(item)) {
            break
        }
        list.add(item)
    }
    return list
}

Returns a list containing first elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {
    val list = ArrayList<Int>()
    for (item in this) {
        if (!predicate(item)) {
            break
        }
        list.add(item)
    }
    return list
}

Returns a list containing first elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {
    val list = ArrayList<Long>()
    for (item in this) {
        if (!predicate(item)) {
            break
        }
        list.add(item)
    }
    return list
}

Returns a list containing first elements satisfying the given [predicate].

@sample
samples.collections.Collections.Transformations.take

public inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {
    val list = ArrayList<Float>()
    for (item in

```

```

this) {\n    if (!predicate(item))\n        break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n *\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n    val list = ArrayList<Double>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n            list.add(item)\n        }\n        return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n *\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    val list = ArrayList<Boolean>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n            list.add(item)\n        }\n        return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list = ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n            list.add(item)\n        }\n        return list\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun <T> Array<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun ByteArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun ShortArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun IntArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun LongArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun FloatArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n *\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n *\n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n *\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if

```

```

(fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n
 * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range
(exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if
(fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start
of the range (inclusive) to reverse.\n * @param toIndex the end of the
range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if
(fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start
of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@SinceKotlin("1.4")\npublic fun IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if
(fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start
of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@SinceKotlin("1.4")\npublic fun LongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if
(fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start
of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if
(fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start
of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if

```

```

    (fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n
    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * @param fromIndex the\n * start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this\n * array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if\n    (fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint)\n    {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * @param\n * fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to\n * reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than\n * the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\n@SinceKotlin("1.4")\npublic fun CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if\n    (fromIndex == midPoint) return\n    var reverseIndex = toIndex - 1\n    for (index in fromIndex until midPoint) {\n
        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n
        reverseIndex--\n    }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun <T>\nArray<out T>.reversed(): List<T> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nByteArray.reversed(): List<Byte> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nShortArray.reversed(): List<Short> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nIntArray.reversed(): List<Int> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nLongArray.reversed(): List<Long> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nFloatArray.reversed(): List<Float> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nDoubleArray.reversed(): List<Double> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nBooleanArray.reversed(): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n\npublic fun\nCharArray.reversed(): List<Char> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n\npublic fun <T>\nArray<T>.reversedArray(): Array<T> {\n    if (isEmpty()) return this\n    val result =\n    arrayOfNulls(this, size)\n    val lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n\npublic fun\nByteArray.reversedArray(): ByteArray {\n    if (isEmpty()) return this\n    val result = ByteArray(size)\n    val\n    lastIndex = lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n\npublic fun\nShortArray.reversedArray():\nShortArray {\n    if (isEmpty()) return this\n    val result = ShortArray(size)\n    val lastIndex = lastIndexOf\n    for (i in\n    0..lastIndex)\n        result[lastIndex - i] = this[i]\n
    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n\npublic fun\nIntArray.reversedArray(): IntArray {\n    if (isEmpty()) return this\n    val result = IntArray(size)\n    val lastIndex =\n    lastIndexOf\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array

```

```

with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n    if\n    (isEmpty()) return this\n    val result = LongArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed\n    order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n    if (isEmpty()) return this\n    val result =\n    FloatArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n    return\n    result\n}\n\n/**\n * Returns\n    an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray\n{\n    if (isEmpty()) return this\n    val result = DoubleArray(size)\n    val lastIndex = lastIndex\n    for (i in\n    0..lastIndex)\n    result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this\n    array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n    if (isEmpty()) return\n    this\n    val result = BooleanArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n    result[lastIndex\n    - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n    if (isEmpty()) return this\n    val result =\n    CharArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n    return\n    result\n}\n\n/**\n * Randomly shuffles elements in this\n    array in-place.\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\n    shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\n    shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\n    shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle():\n    Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\n    shuffles elements in this array in-place using the specified [random]\n    instance as the source of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex\n    downTo 1) {\n    val j = random.nextInt(i + 1)\n    val copy = this[i]\n    this[i] = this[j]\n    this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n    source of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo\n    1) {\n    val j = random.nextInt(i + 1)\n    val copy = this[i]\n    this[i] = this[j]\n    this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n    source of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo\n    1) {\n    val j = random.nextInt(i + 1)\n    val copy = this[i]\n    this[i] = this[j]\n    this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\n    source of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic

```



```

fun IntArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

```

* Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness. See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```

@SinceKotlin("1.4")
public fun LongArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

```

* Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness. See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```

@SinceKotlin("1.4")
public fun FloatArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

```

* Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness. See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```

@SinceKotlin("1.4")
public fun DoubleArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

```

* Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness. See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```

@SinceKotlin("1.4")
public fun BooleanArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

```

* Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness. See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm

```

@SinceKotlin("1.4")
public fun CharArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

```

* Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {
    if (size > 1) sortWith(compareBy(selector))
}

```

* Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {
    if (size > 1) sortWith(compareByDescending(selector))
}

```

* Sorts elements in the array in-place descending according to their natural sort order. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

public fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {
    sortWith(reverseOrder())
}

```

* Sorts elements in the array in-place descending according to their natural sort order.

```

public fun ShortArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}

```

* Sorts elements in the array in-place descending according to their natural sort order.

```

public fun IntArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}

```

* Sorts elements in the array in-place descending according to their natural sort order.

```

public fun LongArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}

```

* Sorts elements in the array in-place descending according to their natural sort order.

```

public fun FloatArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}

```

* Sorts elements in the array in-place descending according to their natural sort order.

```

their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n
    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n\n/**\n * Sorts elements in the array in-place descending
according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n    if (size > 1) {\n
sort()\n        reverse()\n    }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n
*\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*/\npublic fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {\n    return
sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n
*/\npublic fun ByteArray.sorted(): List<Byte> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n *
Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted():
List<Short> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns
a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n
return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their
natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n    return toTypedArray().apply { sort()
}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun
FloatArray.sorted(): List<Float> {\n    return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of
all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n
return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their
natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n    return toTypedArray().apply { sort()
}.asList()\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>
Array<T>.sortedArray(): Array<T> {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun ByteArray.sortedArray(): ByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun ShortArray.sortedArray(): ShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun IntArray.sortedArray(): IntArray {\n    if (isEmpty()) return
this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted
according to their natural sort order.\n */\npublic fun LongArray.sortedArray(): LongArray {\n    if (isEmpty())
return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array
sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray(): FloatArray {\n    if
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n */\npublic fun DoubleArray.sortedArray(): DoubleArray {\n
if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n */\npublic fun CharArray.sortedArray(): CharArray {\n
if (isEmpty()) return this\n    return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort
order.\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after
sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArrayDescending(): Array<T> {\n    if (isEmpty())
return this\n    return this.copyOf().apply { sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n */\npublic fun
ByteArray.sortedArrayDescending(): ByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to
their natural sort order.\n */\npublic fun ShortArray.sortedArrayDescending(): ShortArray {\n    if (isEmpty()) return
this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n */\npublic fun
IntArray.sortedArrayDescending(): IntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply {

```

```

sortDescending() } } \n \n /** \n * Returns an array with all elements of this array sorted descending according to
their natural sort order. \n */ \n public fun LongArray.sortedArrayDescending(): LongArray { \n if (isEmpty()) return
this \n return this.copyOf().apply { sortDescending() } } } \n \n /** \n * Returns an array with all elements of this
array sorted descending according to their natural sort order. \n */ \n public fun FloatArray.sortedArrayDescending():
FloatArray { \n if (isEmpty()) return this \n return this.copyOf().apply { sortDescending() } } } \n \n /** \n * Returns
an array with all elements of this array sorted descending according to their natural sort order. \n */ \n public fun
DoubleArray.sortedArrayDescending(): DoubleArray { \n if (isEmpty()) return this \n return this.copyOf().apply
{ sortDescending() } } } \n \n /** \n * Returns an array with all elements of this array sorted descending according to
their natural sort order. \n */ \n public fun CharArray.sortedArrayDescending(): CharArray { \n if (isEmpty()) return
this \n return this.copyOf().apply { sortDescending() } } } \n \n /** \n * Returns an array with all elements of this
array sorted according the specified [comparator]. \n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting. \n */ \n public fun <T> Array<out
T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T> { \n if (isEmpty()) return this \n return
this.copyOf().apply { sortWith(comparator) } } } \n \n /** \n * Returns a list of all elements sorted according to natural
sort order of the value returned by specified [selector] function. \n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> { \n
return sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort
order of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R : Comparable<R>>
ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural
sort order of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R : Comparable<R>>
IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R : Comparable<R>>
LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R : Comparable<R>>
FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R :
Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n * \n * @sample
samples.collections.Collections.Sorting.sortedBy \n
*/ \n public inline fun <R : Comparable<R>>
BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> { \n return
sortedWith(compareBy(selector)) } } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n * \n * @sample

```

`samples.collections.Collections.Sorting.sortedBy`
`<R : Comparable<R>>`
`CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {`
`return`
`sortedWith(compareBy(selector))}`
`* Returns a list of all elements sorted descending according to natural`
`sort order of the value returned by specified [selector] function.`
`* The sort is _stable_. It means that equal`
`elements preserve their order relative to each other after sorting.`
`<T, R : Comparable<R>>`
`Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned by specified [selector] function.`
`<R :`
`Comparable<R>>`
`ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the`
`value returned by specified [selector] function.`
`<R : Comparable<R>>`
`ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned by specified [selector] function.`
`<R :`
`Comparable<R>>`
`IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned by specified [selector] function.`
`<R :`
`Comparable<R>>`
`LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned`
`by specified [selector] function.`
`<R : Comparable<R>>`
`FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned by specified [selector] function.`
`<R :`
`Comparable<R>>`
`DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned by specified [selector] function.`
`<R :`
`Comparable<R>>`
`BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to natural sort order of the value returned`
`by specified [selector] function.`
`<R : Comparable<R>>`
`CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {`
`return`
`sortedWith(compareByDescending(selector))}`
`* Returns a list of all elements sorted descending`
`according to their natural sort order.`
`* The sort is _stable_. It means that equal elements preserve their order`
`relative to each other after sorting.`
`<T : Comparable<T>>`
`Array<out T>.sortedDescending():`
`List<T> {`
`return`
`sortedWith(reverseOrder())}`
`* Returns a list of all elements sorted descending`
`according to their natural sort order.`
`ByteArray.sortedDescending(): List<Byte> {`
`return`
`copyOf().apply { sort() }.reversed()`
`* Returns a list of all elements sorted descending according to their`
`natural sort order.`
`ShortArray.sortedDescending(): List<Short> {`
`return`
`copyOf().apply { sort() }`
`}.reversed()`
`* Returns`
`a list of all elements sorted descending according to their natural sort order.`
`IntArray.sortedDescending(): List<Int> {`
`return`
`copyOf().apply { sort() }.reversed()`
`* Returns a list`
`of all elements sorted descending according to their natural sort order.`
`LongArray.sortedDescending(): List<Long> {`
`return`
`copyOf().apply { sort() }.reversed()`
`* Returns`
`a list of all elements sorted descending according to their natural sort order.`
`FloatArray.sortedDescending(): List<Float> {`
`return`
`copyOf().apply { sort() }.reversed()`
`* Returns`
`a list of all elements sorted descending according to their natural sort order.`

DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun

CharArray.sortedDescending(): List<Char> {\n return
 copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
 [comparator].\n * \n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other
 after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return
 sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
 [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return
 toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according
 to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>):
 List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all
 elements sorted according to the specified [comparator].\n */\npublic fun IntArray.sortedWith(comparator:
 Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n *
 Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun
 LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply {
 sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
 [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return
 toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according
 to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>):
 List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all
 elements sorted according to the specified [comparator].\n */\npublic fun BooleanArray.sortedWith(comparator:
 Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator)
 }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun
 CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply {
 sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 IntArray.asList(): List<Int>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 LongArray.asList(): List<Long>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun
 FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps the original
 array.\n */\npublic expect fun DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the
 original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the
 original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified
 arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
 *\n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains
 itself on any nesting level the behavior is undefined.\n *\n * The elements of other types are compared for equality
 with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0`
 is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic
 expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if
 the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in
 the same order.\n *\n * The specified arrays are also considered deeply equal if both are `null`.\n *\n * If two
 corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any
 nesting level the behavior is undefined.\n *\n * The elements of other types are compared for equality with the
 [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0`
 is not equal to `0.0`.\n */\n@SinceKotlin("1.4")\npublic expect infix fun <T> Array<out T>?.contentDeepEquals(other:
 Array<out T>?): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n *
 Nested arrays are treated as lists too.\n */\n\n

* If any of arrays contains itself on any nesting level the behavior is undefined.\n

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n *\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample\nsamples.collections.Arrays.ContentOperations.contentDeepToString\n
```

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample\nsamples.collections.Arrays.ContentOperations.contentDeepToString\n
```

```
*\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect\ninfix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two\n * specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the\n * same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating\n * point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince =\n"1.4")\npublic expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if\n * the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same\n * elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]\n * function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not\n * equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation\nwarning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun\nShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it\n * means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect infix fun\nIntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified\n * arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same\n * order.\n * \n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince =\n"1.4")\npublic expect infix fun\nLongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified\n * arrays are\n *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same\n * order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point\n * numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n *\n@Deprecated("Use Kotlin\ncompiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince =\n"1.4")\npublic expect infix fun\nFloatArray.contentEquals(other: FloatArray): Boolean\n\n/**\n
```

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`

`@SinceKotlin("1.1")`

`@DeprecatedSinceKotlin(hiddenSince = "1.4")`

public expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`

`@SinceKotlin("1.1")`

`@DeprecatedSinceKotlin(hiddenSince = "1.4")`

public expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`

`@SinceKotlin("1.1")`

`@DeprecatedSinceKotlin(hiddenSince = "1.4")`

public expect infix fun CharArray.contentEquals(other: CharArray): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function.

For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun IntArray?.contentEquals(other: IntArray?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun LongArray?.contentEquals(other: LongArray?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

public expect infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are

compared for equality with the [equals][Any.equals] function.

* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`BooleanArray?.contentEquals(other: BooleanArray?): Boolean`

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.

* The elements are compared for equality with the [equals][Any.equals] function.

* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`CharArray?.contentEquals(other: CharArray?): Boolean`

* Returns a hash code based on the contents of this array as if it is [List].

`IntArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`LongArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`FloatArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`DoubleArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`BooleanArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`CharArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`<T> Array<out T>?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`ByteArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`ShortArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`IntArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`LongArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`FloatArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`DoubleArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].

`BooleanArray?.contentHashCode(): Int`

* Returns a hash code based on the contents of this array as if it is [List].


```

*/\n@SinceKotlin("1.4")\npublic expect fun CharArray?.contentHashCode(): Int\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic expect fun
CharArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n/**\n * Returns a
string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\npublic
expect fun ByteArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.4")\npublic expect fun ShortArray?.contentToString(): String\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.4")\npublic expect fun
IntArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n

```

```

*\n@SinceKotlin("1.4")\npublic expect fun LongArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun FloatArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun DoubleArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun BooleanArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\npublic expect fun CharArray?.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n * \n * @since Kotlin("1.3")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination]

array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n * /\n@SinceKotlin("1.3")\npublic expect fun

BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n * /\n@SinceKotlin("1.3")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun ByteArray.copyOfOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun ShortArray.copyOfOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun IntArray.copyOfOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun LongArray.copyOfOf(): LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun FloatArray.copyOfOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun DoubleArray.copyOfOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun BooleanArray.copyOfOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n * /\npublic expect fun CharArray.copyOfOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * /\npublic expect fun ByteArray.copyOfOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * /\npublic expect fun ShortArray.copyOfOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * /\npublic

expect fun IntArray.copyOf(newSize:

Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\n\npublic expect fun

LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\n\npublic expect fun

FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\n\npublic

expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize]

is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n *

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\n\npublic expect fun

BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\n\npublic expect fun

CharArray.copyOf(newSize: Int): CharArray\n\n/**\n

* Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample

samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n

*/\n\n@Suppress("NO_ACTUAL_FOR_EXPECT")\n\npublic expect fun <T> Array<T>.copyOf(newSize: Int):

Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException

if [fromIndex] is greater than [toIndex].\n */\n\n@Suppress("NO_ACTUAL_FOR_EXPECT")\n\npublic expect fun

<T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws

IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n\npublic expect fun

ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n *

@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.3")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.3")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.3")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit

```

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.3")\npublic
expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or
its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill,
0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the
start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of
this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex]
is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.3")\npublic expect fun LongArray.fill(element:
Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.3")\npublic
expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or
its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int =
size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex
the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size
of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *^\n@SinceKotlin("1.3")\npublic expect fun BooleanArray.fill(element:
Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.3")\npublic
expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns the range
of valid indices for the array.\n *^\npublic val <T> Array<out T>.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *^\npublic val ByteArray.indices: IntRange\n
    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *^\npublic val
ShortArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid
indices for the array.\n *^\npublic val IntArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n *
Returns the range of valid indices for the array.\n *^\npublic val LongArray.indices: IntRange\n    get() =
IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *^\npublic val
FloatArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the
array.\n *^\npublic val DoubleArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n *^\npublic val BooleanArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *^\npublic val CharArray.indices: IntRange\n
    get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic

```

```
inline fun <T> Array<out T>.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size == 0}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n    return !isEmpty()}\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns the last valid index for the array.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.lastIndex: Int\n    get() = size - 1\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun IntArray.plus(element: Int): IntArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun LongArray.plus(element: Long): LongArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@kotlin.internal.InlineOnly\npublic expect operator fun CharArray.plus(element: Char): CharArray\n}
```


expect operator fun FloatArray.plus(element: Float): FloatArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n*/\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n\n*/\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n\n*/\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun IntArray.sort(): Unit\n\n**\n * Sorts the array

```

in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun
ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the
array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun
FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the
array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after
sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic expect fun <T :
Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param
fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n@SinceKotlin("1.4")\npublic expect
fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range
in the array in-place.\n * \n * @param fromIndex the start
of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of
this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
* \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect
fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n
* @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin("1.4")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size):
Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n
* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun
IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n
* @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin("1.4")\npublic expect fun
LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n
* @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin("1.4")\npublic expect fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n

```

```

* Sorts a range in the
array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param
toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n * \n * @SinceKotlin("1.4")\n * \n * public expect fun
DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n * \n * \n * Sorts a range in the array in-place.\n * \n
* @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than
[toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
* \n * @SinceKotlin("1.4")\n * \n * public expect fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n * \n * \n *
Sorts elements of the array in the specified range in-place.\n * * The elements are sorted descending according to
their natural sort order.\n * \n * * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n * \n * * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex
the end of the range (exclusive) to sort.\n * \n * * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n * \n * @SinceKotlin("1.4")\n * \n * public fun <T : Comparable<T>> Array<out
T>.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n * \n * \n * sortWith(reverseOrder(), fromIndex,
toIndex)\n * \n * \n * \n * Sorts elements
of the array in the specified range in-place.\n * * The elements are sorted descending according to their natural sort
order.\n * \n * * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range
(exclusive) to sort.\n * \n * * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
* \n * @SinceKotlin("1.4")\n * \n * public fun ByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n * \n
* \n * sort(fromIndex, toIndex)\n * \n * \n * reverse(fromIndex, toIndex)\n * \n * \n * \n * Sorts elements of the array in the specified
range in-place.\n * * The elements are sorted descending according to their natural sort order.\n * \n * * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n * \n * @SinceKotlin("1.4")\n * \n * public fun ShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit
{\n * \n * \n * sort(fromIndex, toIndex)\n * \n * \n * reverse(fromIndex, toIndex)\n * \n * \n * \n * Sorts elements of the array in the
specified range in-place.\n * * The elements are sorted descending according to their natural sort order.\n * \n *
\n * * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to
sort.\n * \n * * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
* \n * @SinceKotlin("1.4")\n * \n * public fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n * \n
* \n * sort(fromIndex, toIndex)\n * \n * \n * reverse(fromIndex, toIndex)\n * \n * \n * \n * Sorts elements of the array in the specified
range in-place.\n * * The elements are sorted descending according to their natural sort order.\n * \n *
\n * * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to
sort.\n * \n * * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
* \n * @SinceKotlin("1.4")\n * \n * public fun LongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n * \n
* \n * sort(fromIndex, toIndex)\n * \n * \n * reverse(fromIndex, toIndex)\n * \n * \n * \n * Sorts elements of the array in the specified
range in-place.\n * * The elements are sorted descending according to their natural sort order.\n * \n *
\n * * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to
sort.\n * \n * * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size

```

of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.4")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n *
\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n
* The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of
the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\npublic
fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n  sort(fromIndex, toIndex)\n  reverse(fromIndex,
toIndex)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\n@public expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n * \n * The sort is _stable_. It means
that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of
the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this
array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is
greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@public expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int
= size): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n *\n@public
fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n  return BooleanArray(size) { index -> this[index]
}\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n *\n@public fun
Array<out Byte>.toByteArray(): ByteArray {\n  return ByteArray(size) { index
-> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n
*\n@public fun Array<out Char>.toCharArray(): CharArray {\n  return CharArray(size) { index -> this[index]
}\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n *\n@public fun
Array<out Double>.toDoubleArray(): DoubleArray {\n  return DoubleArray(size) { index -> this[index]
}\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n *\n@public fun
Array<out Float>.toFloatArray(): FloatArray {\n  return FloatArray(size) { index -> this[index] }\n}\n\n/**\n *
Returns an array of Int containing all of the elements of this generic array.\n *\n@public fun Array<out
Int>.toIntArray(): IntArray {\n  return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of
Long containing all of the elements of this generic array.\n *\n@public fun Array<out Long>.toLongArray():
LongArray
{\n  return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing all of the
elements of this generic array.\n *\n@public fun Array<out Short>.toShortArray(): ShortArray {\n  return
ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n *\n@public expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *\n@public expect fun
ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive array.\n *\n@public expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n *\n@public expect fun
LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing all of the elements
of this primitive

```

array.
 public expect fun FloatArray.toArray(): Array<Float>
 Returns a *typed* object array containing all of the elements of this primitive array.
 public expect fun DoubleArray.toArray(): Array<Double>
 Returns a *typed* object array containing all of the elements of this primitive array.
 public expect fun BooleanArray.toArray(): Array<Boolean>
 Returns a *typed* object array containing all of the elements of this primitive array.
 public expect fun CharArray.toArray(): Array<Char>
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.
 If any of two pairs would have the same key the last one gets added to the map.
 The returned map preserves the entry iteration order of the original array.
 @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
 public inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {
 val capacity = mapCapacity(size).coerceAtLeast(16)
 return associateTo(LinkedHashMap<K, V>(capacity), transform)
 }
 Returns a [Map] containing key-value pairs provided by [transform] function applied to

elements of the given array.\n

* \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \n public inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n * \n public inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n

return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \n public inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector]

the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \n public inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Byte>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \n public inline fun <K> ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \n public inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned

by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n * \n public inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * \n * If any two elements would have the same key returned

returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
```

FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
```

DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
```

BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
```

CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample


```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample


```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */
```


```


```

```

*^public inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V):
Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*^public inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*^public inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have
the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*^public inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*^public inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) ->
V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of
the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*^public inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) ->
V): Map<K, V> {\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions
applied to elements of the given array.\n * \n * If any two elements would have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of
the
original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n
*^public inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and

```


value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination:

M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n *\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample

same key returned by [keySelector] the last one gets added

to the map.\n * \n * @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n * public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n * public inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n * public inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n * public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n * public inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n * public inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform]
```

```
function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n * public inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
```

```

inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K,
V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

public inline fun <K, V, M :
MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

public inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) ->
Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

public inline fun <K, V, M :
MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

public inline fun <K, V, M :
MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given array. If any of two pairs would have the same key the last one gets added to the map.

@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo

public inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

@sample
samples.collections.Collections.Transformations.associateWith

@SinceKotlin("1.4")
public inline fun <K,
V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

@sample
samples.collections.Collections.Transformations.associateWith

@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V>
ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {
    val result = LinkedHashMap<Byte, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result, valueSelector)
}

Returns a [Map] where keys are elements from the given array and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original array.

@sample
samples.collections.Collections.Transformations.associateWith

```

```

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {\n    val result = LinkedHashMap<Short,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector]
function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n *
The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {\n    val result = LinkedHashMap<Int,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {\n    val result = LinkedHashMap<Long,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {\n    val result = LinkedHashMap<Float,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n    val result =
LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n    val result =
LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n    val result = LinkedHashMap<Char,
V>(mapCapacity(size.coerceAtMost(128)).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map
with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by
the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the

```

```

former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Array<out\n
K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the\n
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element\n
itself and value is provided by the [valueSelector] function applied to\n
that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample\n
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>\n
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the\n
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element\n
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are\n
equal, the last one overwrites the former value in the map.\n * \n * @sample\n
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Short,\n
in V>> ShortArray.associateWithTo(destination: M, valueSelector: (Short) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the\n
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element\n
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are\n
equal, the last one overwrites the former value in the map.\n * \n * @sample\n
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>\n
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the\n
[destination] mutable map with key-value pairs\n
for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector]\n
function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the\n
map.\n * \n * @sample\n
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>>\n
LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the\n
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element\n
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are\n
equal, the last one overwrites the former value in the map.\n * \n * @sample\n
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>>\n
FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the\n
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element\n
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are\n
equal, the last one overwrites the former value in the map.\n * \n * @sample\n
samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>>\n
DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n  for (element in this) {\n
destination.put(element,\n
valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable\n
map with key-value pairs for each element of the given array,\n * where key is the element itself and value is

```

provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample

```

samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/>\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Char, in V>> CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n    for (item in this) {\n        destination.add(item)\n    }\n    return destination\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n    return toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte> {\n    return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n    return toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun IntArray.toHashSet(): HashSet<Int> {\n    return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n    return toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n    return toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/>\n * Returns a new [HashSet] of all elements.\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n    return

```

```

toCollection(HashSet<Double>(mapCapacity(size)))\n\n/**\n
 * Returns a new [HashSet] of all elements.\n\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n
return toCollection(HashSet<Boolean>(mapCapacity(size)))\n\n}\n\n/**\n
 * Returns a new [HashSet] of all
elements.\n\npublic fun CharArray.toHashSet(): HashSet<Char> {\n
return
toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n\n}\n\n/**\n
 * Returns a [List] containing all
elements.\n\npublic fun <T> Array<out T>.toList(): List<T> {\n
return when (size) {\n
0 -> emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List] containing all
elements.\n\npublic fun ByteArray.toList(): List<Byte> {\n
return when (size) {\n
0 -> emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List] containing all elements.\n
\npublic fun ShortArray.toList(): List<Short> {\n
return when (size) {\n
0 ->
emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List]
containing all elements.\n\npublic fun IntArray.toList(): List<Int> {\n
return when (size) {\n
0 ->
emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List]
containing all elements.\n\npublic fun LongArray.toList(): List<Long> {\n
return when (size) {\n
0 ->
emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List]
containing all elements.\n\npublic fun FloatArray.toList(): List<Float> {\n
return when (size) {\n
0 ->
emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List]
containing all elements.\n\npublic fun DoubleArray.toList(): List<Double> {\n
return when (size) {\n
0 ->
emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List] containing all elements.\n\npublic fun BooleanArray.toList(): List<Boolean>
{\n
return when (size) {\n
0 -> emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a [List] containing all elements.\n\npublic fun CharArray.toList(): List<Char> {\n
return when (size) {\n
0 -> emptyList()\n
1 -> listOf(this[0])\n
else -> this.toMutableList()\n
}\n\n}\n\n/**\n
 * Returns a new [MutableList] filled with all elements of this array.\n\npublic fun <T> Array<out
T>.toMutableList(): MutableList<T> {\n
return ArrayList(this.asCollection())\n\n}\n\n/**\n
 * Returns a new
[MutableList] filled with all elements of this array.\n\npublic fun ByteArray.toMutableList(): MutableList<Byte>
{\n
val list = ArrayList<Byte>(size)\n
for (item in this) list.add(item)\n
return list\n\n}\n\n/**\n
 * Returns a new
[MutableList] filled with all elements of
this array.\n\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n
val list =
ArrayList<Short>(size)\n
for (item in this) list.add(item)\n
return list\n\n}\n\n/**\n
 * Returns a new [MutableList]
filled with all elements of this array.\n\npublic fun IntArray.toMutableList(): MutableList<Int> {\n
val list =
ArrayList<Int>(size)\n
for (item in this) list.add(item)\n
return list\n\n}\n\n/**\n
 * Returns a new [MutableList]
filled with all elements of this array.\n\npublic fun LongArray.toMutableList(): MutableList<Long> {\n
val list
= ArrayList<Long>(size)\n
for (item in this) list.add(item)\n
return list\n\n}\n\n/**\n
 * Returns a new
[MutableList] filled with all elements of this array.\n\npublic fun FloatArray.toMutableList():
MutableList<Float> {\n
val list = ArrayList<Float>(size)\n
for (item in this) list.add(item)\n
return
list\n\n}\n\n/**\n
 * Returns a new [MutableList] filled with all elements of this array.\n\npublic fun
DoubleArray.toMutableList():
MutableList<Double> {\n
val list = ArrayList<Double>(size)\n
for (item in this) list.add(item)\n
return
list\n\n}\n\n/**\n
 * Returns a new [MutableList] filled with all elements of this array.\n\npublic fun
BooleanArray.toMutableList(): MutableList<Boolean> {\n
val list = ArrayList<Boolean>(size)\n
for (item in
this) list.add(item)\n
return list\n\n}\n\n/**\n
 * Returns a new [MutableList] filled with all elements of this array.\n\npublic fun CharArray.toMutableList(): MutableList<Char> {\n
val list = ArrayList<Char>(size)\n
for (item
in this) list.add(item)\n
return list\n\n}\n\n/**\n
 * Returns a [Set] of all elements.\n\n * \n
 * The returned set preserves
the element iteration order of the original array.\n\npublic fun <T> Array<out T>.toSet(): Set<T> {\n
return
when (size) {\n
0 -> emptySet()\n
1 -> setOf(this[0])\n
else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n
}\n\n}\n\n/**\n
 * Returns a [Set] of

```



```

all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
ByteArray.toSet(): Set<Byte> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -
-> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n *
\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet():
Set<Short> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n *
\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet():
Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns
a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n
*/\npublic fun LongArray.toSet(): Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 ->
setOf(this[0])\n        else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a
[Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic
fun FloatArray.toSet(): Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
DoubleArray.toSet(): Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 ->
emptySet()\n        1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the
original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n
1 -> setOf(this[0])\n        else -> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n    }\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T)
-> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single list of
all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ShortArray.flatMap(transform:
(Short) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n */\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> LongArray.flatMap(transform:
(Long) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element

```

of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample @since Kotlin("1.4")\n */\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample @since Kotlin("1.4")\n */\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from

```

results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c
inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Byte) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n

```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int,  
Short) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,  
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from  
results of [transform] function being invoked on each element\n * and its index in the original array, to the given  
[destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
```

```
c  
inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int,  
Int) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of  
[transform] function being invoked on each element\n * and its index in the original array, to the given  
[destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int,  
Long) -> Iterable<R>): C {\n    var index  
= 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on  
each element\n * and its index in the original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int,  
Float) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,  
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from  
results of [transform] function being invoked on each element\n * and its index in the original array, to the  
given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index:  
Int, Double) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,  
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from  
results of [transform] function being invoked on each element\n * and its index in the original array, to the given  
[destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapIndexedTo(destination:  
C, transform: (index: Int, Boolean) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =  
transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all  
elements yielded from results of [transform] function being invoked on each element\n * and its index in the original  
array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int,  
Char) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,  
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
```

results of [transform]

```
function being invoked on each element\n * and its index in the original array, to the given [destination].\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:\n(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =\ntransform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all\nelements yielded from results of [transform] function being invoked on each element of original array, to the given\n[destination].\n\n*\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C,\ntransform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all elements yielded from results of\n[transform] function being invoked on each element of original array, to the given [destination].\n\n*\npublic inline\nfun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C\n{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return\ndestination\n}\n\n*\n * Appends all elements yielded from results of [transform] function being invoked on each\nelement of original array, to the given [destination].\n\n*\npublic inline fun <R, C : MutableCollection<in R>>\nShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n    for (element in this) {\n        val\nlist = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all\nelements yielded from results of [transform] function being invoked\non each element of original array, to the given [destination].\n\n*\npublic inline fun <R, C : MutableCollection<in\nR>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n    for (element in this) {\n        val\nlist = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all\nelements yielded from results of [transform] function being invoked on each element of original array, to the given\n[destination].\n\n*\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C,\ntransform: (Long) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all elements yielded from results of\n[transform] function being invoked on each element of original array, to the given [destination].\n\n*\npublic inline\nfun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C,\ntransform: (Float) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all elements yielded from results of\n[transform] function being invoked on each element of original array, to the given [destination].\n\n*\npublic inline\nfun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) ->\nIterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all elements yielded from results of [transform] function being\ninvoked on each element of original array, to the given [destination].\n\n*\npublic inline fun <R, C :\nMutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n*\n * Appends all elements yielded from results of [transform] function being\ninvoked on each element of original array, to the given [destination].\n\n*\npublic inline fun <R, C :\nMutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n    for\n(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return\ndestination\n}\n\n*\n * Appends all elements yielded from results of [transform] function being invoked on each\nelement of original array, to the given [destination].\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :\nMutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for\n(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n}
```

```

    }
    return destination
}

/**
 * Groups elements of the original array by the key returned by the given
 [keySelector] function
 * applied to each element and returns a map where each group key is associated with a list
 of corresponding elements.
 *
 * The returned map preserves the entry iteration order of the keys produced from
 the original array.
 *
 * @sample samples.collections.Collections.Transformations.groupBy
 */
public inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {
    return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)
}

/**
 * Groups elements of the original
 array by the key returned by the given [keySelector] function
 * applied to each element and returns a map where
 each group key is associated with a list of corresponding elements.
 *
 * The returned map preserves the entry
 iteration order of the keys produced from the original array.
 *
 * @sample
 samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {
    return
groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)
}

/**
 * Groups elements of the original
 array by the key returned by the given [keySelector] function
 * applied to each element and returns a map where
 each group key is associated with a list of corresponding elements.
 *
 * The returned map preserves the entry
 iteration order of the keys produced from the original array.
 *
 * @sample
 samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K>
ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {
    return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)
}

/**
 * Groups elements of the
 original array by the key returned by the given [keySelector] function
 * applied to each element and returns a map
 where each group key is associated with a list of corresponding elements.
 *
 *
 * The returned map preserves the entry iteration order of the keys produced from the original array.
 *
 * @sample samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K>
IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {
    return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)
}

/**
 * Groups elements of the original array by the key returned by the
 given [keySelector] function
 * applied to each element and returns a map where each group key is associated with
 a list of corresponding elements.
 *
 * The returned map preserves the entry iteration order of the keys produced
 from the original array.
 *
 * @sample samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {
    return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)
}

/**
 * Groups elements of the
 original array by the key returned by the
 given [keySelector] function
 * applied to each element and returns a map where each group key is associated with
 a list of corresponding elements.
 *
 * The returned map preserves the entry iteration order of the keys produced
 from the original array.
 *
 * @sample samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {
    return
groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)
}

/**
 * Groups elements of the
 original array by the key returned by the given [keySelector] function
 * applied to each element and returns a map
 where each group key is associated with a list of corresponding elements.
 *
 * The returned map preserves the
 entry iteration order of the keys produced from the original array.
 *
 * @sample
 samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K>
DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>>
{
    return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)
}

/**
 * Groups
 elements of the original array by the key returned by the given [keySelector] function
 * applied to each element
 and returns a map where each group key is associated with a list of corresponding elements.
 *
 * The returned
 map preserves the entry iteration order of the keys produced from the original array.
 *
 * @sample
 samples.collections.Collections.Transformations.groupBy
 */
public inline fun <K>
BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {
    return
groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)
}

/**
 * Groups elements of the
 original array by the key returned by the given [keySelector] function
 * applied to each element and returns a map

```

where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original

```
array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n * public inline fun <K>  
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n    return groupByTo(LinkedHashMap<K,  
MutableList<Char>>(), keySelector)\n}\n * \n * Groups values returned by the [valueTransform] function applied  
to each element of the original array\n * by the key returned by the given [keySelector] function applied to the  
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The  
returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample  
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <T, K, V>  
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n * \n * Groups values  
returned by the [valueTransform]
```

```
function applied to each element of the original array\n * by the key returned by the given [keySelector] function  
applied to the element\n * and returns a map where each group key is associated with a list of corresponding  
values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun  
<K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n    return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n * \n * Groups  
values returned by the [valueTransform] function applied to each element of the original array\n * by the key  
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is  
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order  
of the keys produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V>  
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n    return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n * \n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys  
produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V>  
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n    return  
groupByTo(LinkedHashMap<K, MutableList<V>>(),  
keySelector, valueTransform)\n}\n * \n * Groups values returned by the [valueTransform] function applied to  
each element of the original array\n * by the key returned by the given [keySelector] function applied to the  
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The  
returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample  
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V>  
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n    return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n * \n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with
```

```
a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced  
from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n * public inline fun <K, V>  
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n    return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n * \n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
```

the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double)
-> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform]
function applied to each element of the original array\n * by the key returned by the given [keySelector]
function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun
<K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>>>
{\n  return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each element of the original array\n * by
the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a
list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n *^\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>>> {\n  return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Byte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Short>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<Int>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with

```


a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample

```

samples.collections.Collections.Transformations.groupBy\n * /\npublic inline fun <K, M : MutableMap<in K,
MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in
this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Long>() }\n
list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key
returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n * /\npublic inline fun <K, M : MutableMap<in
K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n for (element
in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Float>() }\n
list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key
returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n * /\npublic inline fun <K, M
: MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) ->
K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<Double>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * /\npublic inline
fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector:
(Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n
* Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
* /\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M,
keySelector: (Char) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<Char>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n
* Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each
group key associated with a list of corresponding values.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
* /\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination:
M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n * /\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination:
M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K,
valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>()
}\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the
key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each
group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K,
valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector:
(Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination:
M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>()
}\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K,

```

```

valueTransform: (Char) -> V): M { \n for (element in this) { \n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n } \n return
destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold
operations\n
 * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n *\n@SinceKotlin("1.1")\npublic inline fun <T, K>
Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> { \n return object : Grouping<T,
K> { \n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun
keyOf(element: T): K = keySelector(element)\n } }\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n *\npublic inline fun <T, R> Array<out T>.map(transform:
(T) -> R): List<R> { \n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> { \n return
mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> ShortArray.map(transform:
(Short) -> R): List<R> { \n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> IntArray.map(transform: (Int) ->
R): List<R> { \n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results
of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> { \n return
mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> FloatArray.map(transform: (Float)
-> R): List<R> { \n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> DoubleArray.map(transform:
(Double) -> R): List<R> { \n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> { \n return
mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n
*\npublic inline fun <R> CharArray.map(transform: (Char)
-> R): List<R> { \n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element and its index in the original array.\n *
 * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n *\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index:
Int, T) -> R): List<R> { \n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list
containing the results
of applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n *\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -
> R): List<R> { \n return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing

```

the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
```

Returns a list containing only the non-null results of applying the given [transform] function to each element and its index in the original array.

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {
    return mapIndexedNotNullTo(ArrayList<R>(0), transform)
}
```

Applies the given [transform] function to each element and its index in the original array and appends only the non-null results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}
```

Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```
public inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this) destination.add(transform(index++, item))
    return destination
}
```

Applies the given [transform] function to each element and its index in the original array and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) ->
R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the
original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the
index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform:
(index: Int, Short) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++,
item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index:
Int, Int) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++,
item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform:
(index: Int, Long) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++,
item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*/\npublic inline fun <R, C : MutableCollection<in
R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>>
DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index
of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic
inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int,
Boolean) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n
return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original
array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of
an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic
inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int,
Char) -> R): C {\n  var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Returns a list containing only the non-null results
of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any> Array<out
T>.mapNotNull(transform: (T) -> R?): List<R> {\n  return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n *
Applies the given [transform] function to each element in the original array\n * and appends only the non-null
results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out
T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n  forEach { element -> transform(element)?.let {
destination.add(it) } }\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each element of
the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C :
MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) -> R): C {\n  for (item in this)\n

```

```

destination.add(transform(item))\n return destination\n\n\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n\n\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n for (item in
this)\n destination.add(transform(item))\n return destination\n\n\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> IntArray.mapTo(destination:
C, transform: (Int) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n\n\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n\n\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination\n\n\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n
for (item in this)\n destination.add(transform(item))\n return destination\n\n\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean)
-> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n\n\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C,
transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n\n\n * Returns a lazy [Iterable] that wraps each element of the original
array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T>
Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n\n\n *
Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n */\npublic fun ByteArray.withIndex():
Iterable<IndexedValue<Byte>> {\n return IndexingIterable { iterator() }\n\n\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n return
IndexingIterable { iterator() }\n\n\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun
IntArray.withIndex():
Iterable<IndexedValue<Int>> {\n return IndexingIterable { iterator() }\n\n\n * Returns a lazy [Iterable] that
wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n */\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n return
IndexingIterable { iterator() }\n\n\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun
FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n return IndexingIterable { iterator() }\n\n\n *
Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n */\npublic fun DoubleArray.withIndex():
Iterable<IndexedValue<Double>> {\n return IndexingIterable { iterator() }\n\n\n * Returns a lazy [Iterable]
that wraps

```

each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

```

public fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {
    return IndexingIterable { iterator() }
}

```

Returns a lazy [Iterable] that wraps each element of the original array into an [IndexedValue] containing the index of that element and the element itself.

```

public fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {
    return IndexingIterable { iterator() }
}

```

Returns a list containing only distinct elements from the given array.

Among equal elements of the given array, only the first one will be present in the resulting list.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun <T> Array<out T>.distinct(): List<T> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun ByteArray.distinct(): List<Byte> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun ShortArray.distinct(): List<Short> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun IntArray.distinct(): List<Int> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun LongArray.distinct(): List<Long> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun FloatArray.distinct(): List<Float> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun DoubleArray.distinct(): List<Double> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun BooleanArray.distinct(): List<Boolean> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only distinct elements from the given array.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun CharArray.distinct(): List<Char> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

Among elements of the given array with equal keys, only the first one will be present in the resulting list.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key)) list.add(e)
    }
    return list
}

```

Returns a list containing only elements from the given array having distinct keys returned by the given [selector] function.

The elements in the resulting list are in the same order as they were in the source array.

```

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy
public

```

```

inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list = ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list = ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given\n [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list = ArrayList<Long>()\n    for (e in this) {\n        val key\n        = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing\n * only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The\n * elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list = ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list = ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if\n        (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the\n * given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting\n * list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n    val set = HashSet<K>()\n    val list = ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the\n * given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting\n * list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\n\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n    val set = HashSet<K>()\n    val list = ArrayList<Char>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified\n * collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set\n * containing all elements that are contained at least in one of these collections use [union].\n */\n\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n}

```


`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun IntArray.intersect(other: Iterable<Int>): Set<Int>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun LongArray.intersect(other: Iterable<Long>): Set<Long>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by both this array and the specified collection.
 The returned set preserves the element iteration order of the original array.
 To get a set containing all elements that are contained at least in one of these collections use `[union]`.
`public infix fun CharArray.intersect(other: Iterable<Char>): Set<Char>` {
`val set = this.toMutableSet()`
`set.retainAll(other)`
`return set`
 Returns a set containing all elements that are contained by this array and not contained by the specified collection.
 The returned set preserves the element iteration order of the original array.
`public infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T>` {
`val set = this.toMutableSet()`
`set.removeAll(other)`
`return set`
 Returns a set containing all elements that are contained by this array and not contained by the specified collection.
 The returned set preserves the element iteration order of the original array.
`public infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte>` {
`val set = this.toMutableSet()`
`set.removeAll(other)`
`return set`
 Returns a set containing all elements that are contained by this array and not contained by the specified collection.
 The returned set preserves the element iteration order of the original array.
`public infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short>` {
`val set = this.toMutableSet()`
`set.removeAll(other)`
`return set`
 Returns a set containing all elements that are contained by this array and not contained by the specified collection.
 The returned set preserves the element iteration order of the original array.
`public infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>` {
`val set = this.toMutableSet()`
`set.removeAll(other)`
`return set`

return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n return toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n return toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n return toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n return toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n return toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n return toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n return toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\n\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n return toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use

```

[intersect].\n * \n public infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n *
\n * To get a set containing all elements that are contained in
both collections use [intersect].\n * \n public infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n    val
set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n
* Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other]
collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n
* \n public infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n
set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n
* \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other]
collection that are unique are iterated in the end\n * in
the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections
use [intersect].\n * \n public infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
* \n * To get a set containing all elements that are contained in both collections use [intersect].\n * \n public infix
fun LongArray.union(other: Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original
array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the
[other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n
* \n public infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n    val set = this.toMutableSet()\n
set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n
* \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other]
collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set
containing all elements that are contained in both collections use [intersect].\n * \n public infix fun
DoubleArray.union(other: Iterable<Double>): Set<Double> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all distinct
elements from both collections.\n * \n * The returned set preserves the element iteration order of the original
array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the
[other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n
* \n public infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n
* \n * To get a set containing all elements that are contained in both collections use [intersect].\n * \n public infix
fun CharArray.union(other: Iterable<Char>): Set<Char> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n * \n public inline fun <T> Array<out
T>.all(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n * \n public inline fun ByteArray.all(predicate: (Byte) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n

```

```

*\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n  for (element in this) if
(!predicate(element)) return false\n  return true\n}\n\n/**\n * Returns `true` if all elements
match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n  for (element in this) if
(!predicate(element)) return false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n  for (element in this) if
(!predicate(element)) return false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element))
return false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun <T> Array<out T>.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if
array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun ByteArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun ShortArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun IntArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun LongArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun FloatArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun DoubleArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun BooleanArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n *
\n * @sample samples.collections.Collections.Aggregates.any\n
*\npublic fun CharArray.any(): Boolean {\n  return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *
\n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n  for (element in this) if
(predicate(element)) return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.anyWithPredicate\n *^/npublic inline
fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n/n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^/npublic inline fun
FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n/n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^/npublic inline fun
DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n/n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *^/npublic inline fun
BooleanArray.any(predicate:
( Boolean) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n/n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *^/npublic inline fun CharArray.any(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n/n/**\n * Returns the number of elements in this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n  return size\n}\n/n/**\n * Returns the number of elements in this array.\n
*^/n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n  return size\n}\n/n/**\n * Returns the
number of elements in this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n/n/**\n * Returns the number of elements in this array.\n *^/n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n  return size\n}\n/n/**\n * Returns the number of elements in this array.\n
*^/n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n  return size\n}\n/n/**\n * Returns the
number of elements in this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n
return size\n}\n/n/**\n * Returns the number of elements in this array.\n *^/n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.count(): Int {\n  return size\n}\n/n/**\n * Returns the number of elements in this array.\n
*^/n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n  return size\n}\n/n/**\n * Returns
the number of elements in this array.\n *^/n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n
return size\n}\n/n/**\n * Returns the number of elements matching the given [predicate].\n *^/npublic inline fun
<T> Array<out T>.count(predicate: (T) -> Boolean): Int
{\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n/n/**\n * Returns
the number of elements matching the given [predicate].\n *^/npublic inline fun ByteArray.count(predicate: (Byte) ->
Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return
count\n}\n/n/**\n * Returns the number of elements matching the given [predicate].\n *^/npublic inline fun
ShortArray.count(predicate: (Short) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n/n/**\n * Returns the number of elements matching the given
[predicate].\n *^/npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n  var count = 0\n  for
(element in this) if (predicate(element)) ++count\n  return count\n}\n/n/**\n * Returns the number of elements
matching the given [predicate].\n *^/npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int
{\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return count\n}\n/n/**\n * Returns
the number of elements matching the given [predicate].\n *^/npublic inline fun FloatArray.count(predicate: (Float) -
> Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) ++count\n  return
count\n}\n/n/**\n * Returns the number of elements matching the given [predicate].\n *^/npublic inline fun
DoubleArray.count(predicate: (Double) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n/n/**\n * Returns the number of elements matching the given
[predicate].\n *^/npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n  var count = 0\n
for (element in this) if (predicate(element)) ++count\n  return count\n}\n/n/**\n * Returns the number of elements
matching the given [predicate].\n *^/npublic inline fun CharArray.count(predicate: (Char) ->

```

```

Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

fun fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, T) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Byte) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Short) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Int) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Long) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Float) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Double) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Boolean) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

fun fold(initial: R, operation: (acc: R, Char) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

```

```

accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n
var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++,
accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n *\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Byte) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator =
operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * \n * Returns the specified [initial] value if the
array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n *\npublic inline fun <R>
ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n var index = 0\n var
accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n
var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++,
accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n *\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Long) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator =
operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n
* @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n *\npublic inline fun <R> FloatArray.foldIndexed(initial: R,
operation: (index: Int, acc: R, Float) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in
this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n *\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n
var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns
the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n

```

```

*public inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from left to right * to current accumulator value and each element with its index in the original array.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value * and the element itself, and calculates the next accumulator value.

```

*public inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <R> IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left * to each element and current accumulator value.

Returns the specified [initial] value if the array is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

*public inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```



```

>= 0) {\n    accumulator = operation(get(index--), accumulator)\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param\n [operation] function that takes an element and current accumulator value, and calculates the next accumulator\n value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n    var\n index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--),\n accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right\n [operation] function\n that takes an element and current accumulator value.\n */\npublic inline\n fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n    var index = lastIndex\n    var\n accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right\n to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the\n specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an\n element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R\n {\n    var index = lastIndex\n    var accumulator = initial\n    while (index\n >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return\n accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to\n left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the\n specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an\n element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n    var\n index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index,\n get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with\n its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array\n is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current\n accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>\n ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n    var index = lastIndex\n    var\n accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the\n specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the\n index of an element, the element itself\n * and current accumulator\n value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R,\n operation: (index: Int, Int, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index\n >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return\n accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to\n left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the\n specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an\n element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n    var\n index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return\n accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to\n left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the

```

specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n

```

*\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index,
get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index
in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current
accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n var index =
lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index),
accumulator)\n --index\n }\n return accumulator\n}\n\n**\n * Accumulates value starting with [initial]
value and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value,
and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R,
operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while
(index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n
var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out
T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs the given
[action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element
in this) action(element)\n}\n\n**\n * Performs the given [action] on each element.\n */\npublic inline fun
ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs
the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for
(element in this) action(element)\n}\n\n**\n * Performs the given [action] on each element.\n */\npublic inline fun
LongArray.forEach(action: (Long) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs
the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit):
Unit {\n for (element in this) action(element)\n}\n\n**\n * Performs the given [action] on each element.\n
*\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this)
action(element)\n}\n\n**\n * Performs the given [action] on each element.\n */\npublic inline fun
BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n**\n *
Performs the given [action] on each element, providing sequential index with the element.\n * @param [action]
function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action:
(index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n**\n * Performs
the given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline
fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this)
action(index++, item)\n}\n\n**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs

```

```

the action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n
 * @param [action] function that takes the index of an element and the element itself\n * and performs the action on
the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n    var index =
0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing
sequential index with the element.\n * @param [action] function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index:
Int, Long) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline
fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) ->
Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action]
on each element, providing sequential index with the element.\n * @param [action] function
that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic
inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n    var index = 0\n    for (item in
this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>>
Array<out T>.max(): T? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun ByteArray.max(): Byte? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.\", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun ShortArray.max(): Short? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun IntArray.max(): Int? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.\", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun LongArray.max(): Long? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.\", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun FloatArray.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun DoubleArray.max(): Double? {\n    return

```

```

maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharArray.max(): Char? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector: (T) -> R): T? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
ByteArray.maxBy(selector: (Byte) -> R): Byte? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
ShortArray.maxBy(selector: (Short) -> R): Short? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
IntArray.maxBy(selector: (Int) -> R): Int? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
LongArray.maxBy(selector: (Long) -> R): Long? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
FloatArray.maxBy(selector: (Float) -> R): Float? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use
maxByOrNull instead.\", ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
DoubleArray.maxBy(selector: (Double) -> R): Double? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R):
Char? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun <T, R :
Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVale =
selector(maxElem)\n    for (i in 1..lastIndex)
{\n        val e = this[i]\n        val v = selector(e)\n        if (maxVale < v) {\n            maxElem = e\n            maxVale
= v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given
function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public inline fun <R :
Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxVale =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxVale < v)
{\n            maxElem = e\n            maxVale = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\n * \n * public
inline fun <R : Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty())

```

```

return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n
var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n *
Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n *
@sample samples.collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
<R : Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex
== 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n
val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n
return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are
no elements.\n * \n * @sample samples.collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
<R : Comparable<R>> LongArray.maxByOrNull(selector: (Long) ->
R): Long? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if
(lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n
}\n    return
maxElem\n}\n\n/**\n * Returns the first element yielding
the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)
{\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return
maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> DoubleArray.maxByOrNull(selector: (Double) -> R): Double? {\n    if (isEmpty()) return
null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var
maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest
value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return
null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var
maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return
maxElem\n}\n\n/**\n * Returns the first element yielding the largest
value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)
{\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return
maxElem\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException
if the array is empty.\n
*\n * @SinceKotlin("1.4")\n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * @OverloadResolution
ByLambdaReturnType\n * @kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for

```

```

(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n } return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte)
-> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Double):
Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Double): Double
{\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the

```

largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i
in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the
array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n        var maxValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            maxValue =
maxOf(maxValue, v)\n        }\n        return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n        var maxValue = selector(this[0])\n        for (i
in 1..lastIndex) {\n            val v = selector(this[i])\n            maxValue = maxOf(maxValue, v)\n        }\n        return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n        var maxValue = selector(this[0])\n        for (i
in 1..lastIndex) {\n            val v = selector(this[i])\n            maxValue = maxOf(maxValue, v)\n        }\n        return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.maxOf(selector: (Boolean) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n        var maxValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v =
selector(this[i])\n            maxValue = maxOf(maxValue, v)\n        }\n        return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*/\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n        var maxValue = selector(this[0])\n        for (i in
1..lastIndex) {\n            val v = selector(this[i])\n            maxValue =
maxOf(maxValue, v)\n        }\n        return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*/\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n        var maxValue =
selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            if (maxValue < v) {\n
maxValue = v\n            }\n        }\n        return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n        var
maxValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            if (maxValue < v) {\n
maxValue = v\n            }\n        }\n        return maxValue\n}\n\n/**\n * Returns the largest value among all values

```



```

produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector: (Short) -> R): R {\n if (isEmpty())
throw NoSuchElementException()\n var maxVAlue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxVAlue < v) {\n maxVAlue = v\n }\n }\n return maxVAlue\n}\n\n**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxVAlue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxVAlue < v) {\n
maxVAlue = v\n }\n }\n return maxVAlue\n}\n\n**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxVAlue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxVAlue < v) {\n
maxVAlue = v\n }\n }\n return maxVAlue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOf(selector:
(Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxVAlue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxVAlue < v) {\n maxVAlue = v\n }\n }\n
return maxVAlue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxVAlue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxVAlue < v) {\n
maxVAlue = v\n }\n }\n return maxVAlue\n}\n\n**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxVAlue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxVAlue < v) {\n
maxVAlue = v\n }\n }\n return maxVAlue\n}\n\n**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> CharArray.maxOf(selector: (Char) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxVAlue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =

```

selector(this[i])\n if (maxValue < v) {\n maxValue = v\n } \n } \n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOrNull(selector: (T) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOrNull(selector: (Byte) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOrNull(selector: (Short) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOrNull(selector: (Int) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
```

```

inline fun DoubleArray.maxOrNull(selector: (Double) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* Since Kotlin("1.4")
* OptIn(kotlin.experimental.ExperimentalTypeInference::class)
* OverloadResolutionByLambdaReturnType
* kotlin.internal.InlineOnly
public inline fun BooleanArray.maxOrNull(selector: (Boolean) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* Since Kotlin("1.4")
* OptIn(kotlin.experimental.ExperimentalTypeInference::class)
* OverloadResolutionByLambdaReturnType
* kotlin.internal.InlineOnly
public inline fun CharArray.maxOrNull(selector: (Char) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* Since Kotlin("1.4")
* OptIn(kotlin.experimental.ExperimentalTypeInference::class)
* OverloadResolutionByLambdaReturnType
* kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.maxOrNull(selector: (T) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* Since Kotlin("1.4")
* OptIn(kotlin.experimental.ExperimentalTypeInference::class)
* OverloadResolutionByLambdaReturnType
* kotlin.internal.InlineOnly
public inline fun ByteArray.maxOrNull(selector: (Byte) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* Since Kotlin("1.4")
* OptIn(kotlin.experimental.ExperimentalTypeInference::class)
* OverloadResolutionByLambdaReturnType
* kotlin.internal.InlineOnly
public inline fun ShortArray.maxOrNull(selector: (Short) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* Since Kotlin("1.4")
* OptIn(kotlin.experimental.ExperimentalTypeInference::class)
* OverloadResolutionByLambdaReturnType
* kotlin.internal.InlineOnly
public inline fun IntArray.maxOrNull(selector: (Int) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

* Returns the largest value among all values produced by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long)\n-> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float)\n-> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by\n [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOrNull(selector:\n(Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return\n    maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\n    inline fun BooleanArray.maxOrNull(selector: (Boolean) -> Float): Float? {\n        if (isEmpty()) return null\n        var\n            maxValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            maxValue =\n                maxOf(maxValue, v)\n        }\n        return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) ->\nFloat): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue\n        = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values\n produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out\nT>.maxOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var\n        maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return\n        maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\n    inline fun <R : Comparable<R>> ByteArray.maxOrNull(selector: (Byte) -> R): R? {\n        if (isEmpty()) return\n            null\n        var\n            maxValue = selector(this[0])\n        for (i in 1..lastIndex) {\n            val v = selector(this[i])\n            if\n                (maxValue < v) {\n                    maxValue = v\n                }\n        }\n        return\n            maxValue\n}\n\n/**\n * Returns the largest value\n among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n elements.\n */
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOfOrNull(selector: (Short) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOfOrNull(selector: (Int) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOfOrNull(selector:
(Long) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    if (maxValue < v) {\n      maxValue = v\n    }\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOfOrNull(selector: (Float) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOfOrNull(selector: (Double) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOfOrNull(selector: (Boolean) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(maxValue < v) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOfOrNull(selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied
to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out

```

```

T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

/**
 * Returns the largest value according to the provided [comparator]
 * among all values produced by [selector] function applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> ByteArray.maxOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

/**
 * Returns the largest value according to the provided [comparator]
 * among all values produced by [selector] function applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> ShortArray.maxOfWith(comparator: Comparator<in R>, selector: (Short) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

/**
 * Returns the largest value according to the provided [comparator]
 * among all values produced by [selector] function applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> IntArray.maxOfWith(comparator: Comparator<in R>, selector: (Int) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

/**
 * Returns the largest value according to the provided [comparator]
 * among all values produced by [selector] function applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> LongArray.maxOfWith(comparator: Comparator<in R>, selector: (Long) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

/**
 * Returns the largest value according to the provided [comparator]
 * among all values produced by [selector] function applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> FloatArray.maxOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

/**
 * Returns the largest value according to the provided [comparator]
 * among all values produced by [selector] function applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R> DoubleArray.maxOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {
    if (isEmpty()) throw NoSuchElementException()

```

```

var maxValue = selector(this[0])
for (i in 1..lastIndex) {
    val v = selector(this[i])
    if (comparator.compare(maxValue, v) < 0) {
        maxValue = v
    }
}
return maxValue
}

Returns the largest value according to the provided [comparator]
* among all values produced by [selector]
function applied to each element in the array.
\n * \n * @throws NoSuchElementException if the array is empty.
\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.maxOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
maxValue = selector(this[0])
for (i in 1..lastIndex) {
    val v = selector(this[i])
    if
(comparator.compare(maxValue, v) < 0) {
        maxValue = v
    }
}
return maxValue
}

Returns the largest value according to the provided [comparator]
* among all values produced by [selector]
function applied to each element in the array.
\n * \n * @throws NoSuchElementException if the array is empty.
\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var
maxValue = selector(this[0])
for (i in 1..lastIndex) {
    val v = selector(this[i])
    if
(comparator.compare(maxValue, v) < 0) {
        maxValue = v
    }
}
return maxValue
}

Returns the largest value according to the provided [comparator]
* among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Array<out T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
selector(this[i])
        if (comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return
maxValue
}

Returns the largest value according to the provided [comparator]
* among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.
\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {
    if (isEmpty()) return
null
    var maxValue
= selector(this[0])
for (i in 1..lastIndex) {
    val v = selector(this[i])
    if
(comparator.compare(maxValue, v) < 0) {
        maxValue = v
    }
}
return maxValue
}

Returns the largest value according to the provided [comparator]
* among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {
    if (isEmpty())
return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
(comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
* among all values produced by [selector] function applied to each element in the array or `null` if there are no
elements.
\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {
    if (isEmpty()) return
null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if
(comparator.compare(maxValue, v) < 0) {
            maxValue = v
        }
    }
    return maxValue
}

Returns the largest value according to the provided [comparator]
* among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.
\n

```

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public
inline fun <R> LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {^n if
(isEmpty()) return null^n var max Value = selector(this[0])^n for (i in 1..lastIndex) {^n val v =
selector(this[i])^n if (comparator.compare(max Value, v) < 0) {^n max Value = v^n }^n }^n return
max Value^}^n/n/**^n * Returns the largest value according to the provided [comparator]^n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {^n if (isEmpty())
return null^n var max Value = selector(this[0])^n for (i in 1..lastIndex) {^n val v = selector(this[i])^n if
(comparator.compare(max Value,
v) < 0) {^n max Value = v^n }^n }^n return max Value^}^n/n/**^n * Returns the largest value
according to the provided [comparator]^n * among all values produced by [selector] function applied to each
element in the array or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {^n if (isEmpty())
return null^n var max Value = selector(this[0])^n for (i in 1..lastIndex) {^n val v = selector(this[i])^n if
(comparator.compare(max Value, v) < 0) {^n max Value = v^n }^n }^n return max Value^}^n/n/**^n *
Returns the largest value according to the provided [comparator]^n * among all values produced by [selector]
function applied to each element in the array or
`null` if there are no elements.^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {^n if (isEmpty())
return null^n var max Value = selector(this[0])^n for (i in 1..lastIndex) {^n val v = selector(this[i])^n if
(comparator.compare(max Value, v) < 0) {^n max Value = v^n }^n }^n return max Value^}^n/n/**^n *
Returns the largest value according to the provided [comparator]^n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
CharArray.maxOfWithOrNull(comparator: Comparator<in R>,
selector: (Char) -> R): R? {^n if (isEmpty()) return null^n var max Value = selector(this[0])^n for (i in
1..lastIndex) {^n val v = selector(this[i])^n if (comparator.compare(max Value, v) < 0) {^n max Value
= v^n }^n }^n return max Value^}^n/n/**^n * Returns the largest element or `null` if there are no elements.^n
* ^n * If any of elements is `NaN` returns `NaN`.^n *^@SinceKotlin("1.4")^public fun Array<out
Double>.maxOrNull(): Double? {^n if (isEmpty()) return null^n var max = this[0]^n for (i in 1..lastIndex) {^n
val e = this[i]^n max = maxOf(max, e)^n }^n return max^}^n/n/**^n * Returns the largest element or `null`
if there are no elements.^n * ^n * If any of elements is `NaN` returns `NaN`.^n *^@SinceKotlin("1.4")^public fun
Array<out Float>.maxOrNull(): Float? {^n if (isEmpty()) return null^n var max = this[0]^n for (i in
1..lastIndex) {^n val e = this[i]^n max = maxOf(max,
e)^n }^n return max^}^n/n/**^n * Returns the largest element or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^public fun <T : Comparable<T>> Array<out T>.maxOrNull(): T? {^n if (isEmpty())
return null^n var max = this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n if (max < e) max = e^ }^n
return max^}^n/n/**^n * Returns the largest element or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^public fun ByteArray.maxOrNull(): Byte? {^n if (isEmpty()) return null^n var max =
this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n if (max < e) max = e^ }^n return max^}^n/n/**^n *

```



```

Returns the largest element or `null` if there are no elements.
ShortArray.maxOrNull(): Short? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (max < e) max = e
    }
    return max
}

* Returns the largest element or `null` if there are no elements.
IntArray.maxOrNull(): Int? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (max < e) max = e
    }
    return max
}

* Returns the largest element or `null` if there are no elements.
LongArray.maxOrNull(): Long? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (max < e) max = e
    }
    return max
}

* Returns the largest element or `null` if there are no elements.
FloatArray.maxOrNull(): Float? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        max = maxOf(max, e)
    }
    return max
}

* Returns the largest element or `null` if there are no elements.
DoubleArray.maxOrNull(): Double? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        max = maxOf(max, e)
    }
    return max
}

* Returns the largest element or `null` if there are no elements.
CharArray.maxOrNull(): Char? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (max < e) max = e
    }
    return max
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {
    return maxWithOrNull(comparator)
}

@Deprecated("Use maxWithOrNull instead.", ReplaceWith("this.maxWithOrNull(comparator)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {
    return maxWithOrNull(comparator)
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
<T> Array<out T>.maxWithOrNull(comparator: Comparator<in T>): T? {
    if (isEmpty()) return null
    var max = this[0]

```

```

for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n } \n return
max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null`
if there are no elements.\n */\n@SinceKotlin("1.4")\npublic
fun ByteArray.maxWithOrNull(comparator: Comparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var
max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided
[comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun
ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {\n    if (isEmpty()) return null\n    var max
= this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun IntArray.maxWithOrNull(comparator:
Comparator<in Int>): Int? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return
max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no
elements.\n */\n@SinceKotlin("1.4")\npublic fun LongArray.maxWithOrNull(comparator:
Comparator<in Long>): Long? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.maxWithOrNull(comparator: Comparator<in Float>): Float? {\n    if
(isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no
elements.\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.maxWithOrNull(comparator: Comparator<in
Double>): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun BooleanArray.maxWithOrNull(comparator: Comparator<in Boolean>):
Boolean? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there
are no elements.\n */\n@SinceKotlin("1.4")\npublic fun CharArray.maxWithOrNull(comparator: Comparator<in
Char>): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull
instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince
= "1.6")\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun ByteArray.min(): Byte? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun ShortArray.min(): Short? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",

```

```

ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun IntArray.min(): Int? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun LongArray.min():
Long? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun FloatArray.min(): Float? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.min(): Double? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharArray.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minBy(selector:
(T) -> R): T? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R):
Byte? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R):
Short? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int?
{\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
LongArray.minBy(selector: (Long) -> R): Long? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
FloatArray.minBy(selector: (Float) -> R): Float? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use
minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R):
Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n *\n */\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue
= selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue >
v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first

```

```

element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> ByteArray.minByOrNull(selector: (Byte) -> R): Byte? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> DoubleArray.minByOrNull(selector: (Double) -> R): Double? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
 * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
 * @sample
samples.collections.Collections.Aggregates.minByOrNull
 *@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> CharArray.minByOrNull(selector: (Char) -> R): Char? {
    if (isEmpty()) return null

```

```

var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =
selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)
{\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is
`NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.minOf(selector: (Byte) -> Double): Double {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue
= minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is
empty.\n
*\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double):
Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.minOf(selector: (Float) -> Double): Double {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*/

```

value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
```

function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) -> Float): Float {\n    if (isEmpty()) throw
```

```
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
```

NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
```

minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\n * \n * @throws NoSuchElementException if the array is empty.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector:
(Long) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n
}\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each
element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
* \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector:
(Char) -> Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n
}\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOf(selector: (T) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced

```

```

by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ShortArray.minOf(selector: (Short) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> FloatArray.minOf(selector: (Float) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var

```



```

minValue = selector(this[0])\n for (i in 1..lastIndex) {\n     val v = selector(this[i])\n     if (minValue > v) {\n         minValue = v\n     }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharArray.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOfOrNull(selector: (Int) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOfOrNull(selector: (Long) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic

inline fun DoubleArray.minOrNull(selector: (Double) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOrNull(selector:

(Boolean) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n

val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOrNull(selector: (Char) ->

Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOrNull(selector:

(T) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOrNull(selector: (Byte) -> Float):

Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOrNull(selector: (Short) -

> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n

* applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.minOrNull(selector: (Long) -> Float): Float? {\n if (isEmpty()) return null\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector]
function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOrNull(selector:
(Double) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOrNull(selector:
(Boolean) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOrNull(selector: (Char) ->
Float): Float? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n
}\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOrNull(selector: (T) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for
(i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *

```

applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> ByteArray.minOrNull(selector: (Byte) -> R): R? {\n if (isEmpty()) return
null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOrNull(selector: (Short) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n
if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOrNull(selector: (Int) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> LongArray.minOrNull(selector: (Long) -> R): R? {\n if (isEmpty()) return
null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOrNull(selector: (Float) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOrNull(selector: (Double) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> BooleanArray.minOrNull(selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no
elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOfOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value according to the provided [selector]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.minOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n    if
(isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n
    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n        val v = selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among
all values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue,
v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among
all values produced by [selector] function applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.minOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function
applied to each element in the array or `null` if there are no elements.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n  if (isEmpty()) return null\n
var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.minOfWithOrNull(comparator:
Comparator<in R>, selector: (Byte) -> R): R? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n
for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if
there are no elements.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n

```

```

minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if
there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n    if
(isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n    if (isEmpty())
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n    if (isEmpty())
return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n    if
(isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun Array<out Double>.minOrNull(): Double? {\n    if
(isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min = minOf(min,
e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any

```

```

of elements is `NaN` returns `NaN`.n */n@SinceKotlin("1.4")\npublic fun Array<out Float>.minOrNull(): Float?
{\n
    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min =
minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull(): T? {\n    if (isEmpty())
return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/n@SinceKotlin("1.4")\npublic fun ByteArray.minOrNull(): Byte? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*/n@SinceKotlin("1.4")\npublic fun ShortArray.minOrNull(): Short? {\n    if (isEmpty()) return null\n    var
min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/n@SinceKotlin("1.4")\npublic fun IntArray.minOrNull(): Int? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*/n@SinceKotlin("1.4")\npublic fun LongArray.minOrNull(): Long? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n
val e = this[i]\n        if (min > e) min = e\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n
*/n * If any of elements is `NaN` returns `NaN`.n */n@SinceKotlin("1.4")\npublic fun FloatArray.minOrNull(): Float? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*/n * If any of elements is `NaN` returns
`NaN`.n */n@SinceKotlin("1.4")\npublic fun DoubleArray.minOrNull(): Double? {\n    if (isEmpty()) return
null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        min = minOf(min, e)\n    }\n
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*/n@SinceKotlin("1.4")\npublic fun CharArray.minOrNull(): Char? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (min > e) min = e\n    }\n    return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic
fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n    return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n    return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use
minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\nReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.")\n

```



```

ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead."),
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead."),
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<out T>.minWithOrNull(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.minWithOrNull(comparator: Comparator<in Byte>): Byte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun IntArray.minWithOrNull(comparator: Comparator<in Int>): Int? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>): Double? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>): Boolean? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n@sample
samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n    return

```

```

isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none():
Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n    return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match
the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic
inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n    for
(element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements
match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate: (Double) -> Boolean): Boolean {\n    for (element in this) if
(predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n
return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.onEach(action: (T) ->
Unit): Array<out T> {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n */\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) ->

```

```

Unit): ByteArray { \n    return apply { for (element in this) action(element) } \n } \n \n /** \n * Performs the given
[action] on each element and returns the array itself afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun ShortArray.onEach(action: (Short) ->
Unit): ShortArray { \n    return apply { for (element in this) action(element) } \n } \n \n /** \n * Performs the given
[action] on each element and returns the array itself afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public
inline fun IntArray.onEach(action: (Int) -> Unit): IntArray { \n    return apply { for (element in this) action(element)
} \n } \n \n /** \n * Performs the given [action] on each element and returns the array itself afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun LongArray.onEach(action: (Long) ->
Unit): LongArray { \n    return apply { for (element in this) action(element) } \n } \n \n /** \n * Performs the given
[action] on each element and returns the array itself afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun FloatArray.onEach(action: (Float) ->
Unit): FloatArray { \n    return apply { for (element in this) action(element) } \n } \n \n /** \n * Performs the given
[action] on each element and returns the array itself afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun DoubleArray.onEach(action: (Double) ->
Unit): DoubleArray { \n
    return apply { for (element in this) action(element) } \n } \n \n /** \n * Performs the given [action] on each element
and returns the array itself afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
BooleanArray.onEach(action: (Boolean) -> Unit): BooleanArray { \n    return apply { for (element in this)
action(element) } \n } \n \n /** \n * Performs the given [action] on each element and returns the array itself
afterwards. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun CharArray.onEach(action:
(Char) -> Unit): CharArray { \n    return apply { for (element in this) action(element) } \n } \n \n /** \n * Performs the
given [action] on each element, providing sequential index with the element, \n * and returns the array itself
afterwards. \n * @param [action] function that takes the index of an element and the element itself \n * and performs
the action on the element. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
<T> Array<out T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> { \n    return apply {
forEachIndexed(action) } \n } \n \n /** \n * Performs the given [action] on each element, providing sequential index
with the element, \n * and returns the array itself afterwards. \n * @param [action] function that takes the index of an
element and the element itself \n * and performs the action on the element. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
ByteArray.onEachIndexed(action:
(index: Int, Byte) -> Unit): ByteArray { \n    return apply { forEachIndexed(action) } \n } \n \n /** \n * Performs the
given [action] on each element, providing sequential index with the element, \n * and returns the array itself
afterwards. \n * @param [action] function that takes the index of an element and the element itself \n * and performs
the action on the element. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
ShortArray.onEachIndexed(action: (index: Int,
Short) -> Unit): ShortArray { \n    return apply { forEachIndexed(action) } \n } \n \n /** \n * Performs the given [action]
on each element, providing sequential index with the element, \n * and returns the array itself afterwards. \n *
@param [action] function that takes the index of an element and the element itself \n * and performs the action on
the element. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
IntArray.onEachIndexed(action: (index: Int, Int) -> Unit): IntArray { \n    return apply { forEachIndexed(action)
} \n } \n \n /** \n * Performs the given [action] on each element, providing sequential index with the element, \n *
and returns the array itself afterwards. \n * @param [action] function that takes the index of an element and the element
itself \n * and performs the action on the element. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public
inline fun LongArray.onEachIndexed(action: (index: Int, Long) -> Unit): LongArray { \n    return apply {
forEachIndexed(action)
} \n } \n \n /** \n * Performs the given [action] on each element, providing sequential index with the element, \n *
and returns the array itself afterwards. \n * @param [action] function that takes the index of an element and the element
itself \n * and performs the action on the element. \n
*\n@SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public

```

```

inline fun FloatArray.onEachIndexed(action: (index: Int, Float) -> Unit): FloatArray {
    return apply {
        forEachIndexed(action)
    }
}

/** Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.
 * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
 */
@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun DoubleArray.onEachIndexed(action: (index: Int, Double) -> Unit): DoubleArray {
    return apply {
        forEachIndexed(action)
    }
}

/** Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.
 * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
 */
@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun BooleanArray.onEachIndexed(action: (index: Int, Boolean) -> Unit): BooleanArray {
    return apply {
        forEachIndexed(action)
    }
}

/** Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.
 * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
 */
@SinceKotlin("1.4")@kotlin.internal.InlineOnly
public inline fun CharArray.onEachIndexed(action: (index: Int, Char) -> Unit): CharArray {
    return apply {
        forEachIndexed(action)
    }
}

/** Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.
 * Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@public inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/** Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.
 * Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@public inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/** Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.
 * Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@public inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

/** Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.
 * Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead.
 * It returns `null` when its receiver is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@public inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

```

var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\npublic inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n  if (isEmpty())\n  throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for
(index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\npublic inline fun FloatArray.reduce(operation: (acc: Float,
Float) -> Float): Float {\n  if (isEmpty())\n  throw UnsupportedOperationException("Empty array can't be
reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\n\npublic inline fun DoubleArray.reduce(operation: (acc:
Double, Double) -> Double): Double {\n  if (isEmpty())\n  throw UnsupportedOperationException("Empty
array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\n\npublic inline fun BooleanArray.reduce(operation: (acc:
Boolean, Boolean) -> Boolean): Boolean {\n  if (isEmpty())\n  throw UnsupportedOperationException("Empty
array can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n
* please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n
* @sample samples.collections.Collections.Aggregates.reduce\n
*/\n\npublic inline fun CharArray.reduce(operation:
(acc: Char, Char) -> Char): Char {\n  if (isEmpty())\n  throw UnsupportedOperationException("Empty array
can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array
can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\n\npublic inline fun <S, T : S> Array<out

```

```

T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator: S = this[0]\n  for (index
in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can
be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun ByteArray.reduceIndexed(operation:
(index: Int, acc: Byte, Byte) -> Byte): Byte {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value
starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be
empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun ShortArray.reduceIndexed(operation:
(index: Int, acc: Short, Short) -> Short): Short {\n  if (isEmpty())\n    throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = this[0]\n  for (index in
1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value
starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be
empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the
element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun IntArray.reduceIndexed(operation:
(index: Int, acc: Int, Int) -> Int): Int {\n  if (isEmpty())\n    throw UnsupportedOperationException("Empty array
can't be reduced.")\n  var accumulator = this[0]\n  for (index in 1..lastIndex) {\n    accumulator =
operation(index, accumulator, this[index])\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with
the first element and applying [operation] from left to right\n * to current accumulator value and each element with
its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n
*\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n  if
(isEmpty())\n    throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
this[0]\n  for (index in 1..lastIndex) {\n    accumulator = operation(index, accumulator, this[index])\n  }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n
*\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n

```

```

*public inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

 @sample samples.collections.Collections.Aggregates.reduce

```

*public inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

 @sample samples.collections.Collections.Aggregates.reduce

```

*public inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.

 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

 @sample samples.collections.Collections.Aggregates.reduce

```

*public inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

 Returns `null` if the array is empty.

 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

 @sample samples.collections.Collections.Aggregates.reduceOrNull

```

@SinceKotlin("1.4")
public inline fun <S, T : S> Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {
    if (isEmpty()) return null
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

 Returns `null` if the array is empty.

 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

 @sample samples.collections.Collections.Aggregates.reduceOrNull

```

@SinceKotlin("1.4")
public inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array.

 Returns `null` if the array is empty.

 @param [operation] function that takes the

index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
*/
@SinceKotlin("1.4")
public inline fun ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceOrNull

```

*/
@SinceKotlin("1.4")
public inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceOrNull

```

*/
@SinceKotlin("1.4")
public inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long, Long) -> Long): Long? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceOrNull

```

*/
@SinceKotlin("1.4")
public inline fun FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceOrNull

```

*/
@SinceKotlin("1.4")
public inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc: Double, Double) -> Double): Double? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceOrNull

```

*/
@SinceKotlin("1.4")
public inline fun BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns `null` if the array is empty.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.


```

value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char,
Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S?
{\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n }\n return accumulator}\n\n/**\n * Accumulates value
starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n
var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function
that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return
null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null`
if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun

```

```

FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex)
        accumulator = operation(accumulator, this[index])
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns `null` if the array is empty. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceOrNull

```

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex)
        accumulator = operation(accumulator, this[index])
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns `null` if the array is empty. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceOrNull

```

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex)
        accumulator = operation(accumulator, this[index])
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns `null` if the array is empty. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceOrNull

```

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)
public inline fun
CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex)
        accumulator = operation(accumulator, this[index])
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty. @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0)
        accumulator = operation(get(index--), accumulator)
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty. @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. @sample

```

samples.collections.Collections.Aggregates.reduceRight

```

```

public inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0)
        accumulator = operation(get(index--), accumulator)
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty. @sample

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

    @sample samples.collections.Collections.Aggregates.reduceRight
  
```

public inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {
 var index = lastIndex
 if (index < 0)
 throw UnsupportedOperationException("Empty array can't be reduced.")
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

    @sample samples.collections.Collections.Aggregates.reduceRight
  
```

public inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {
 var index = lastIndex
 if (index < 0) throw
 UnsupportedOperationException("Empty array can't be reduced.")
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

    @sample samples.collections.Collections.Aggregates.reduceRight
  
```

public inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {
 var index = lastIndex
 if (index < 0) throw
 UnsupportedOperationException("Empty array can't be reduced.")
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(get(index--),
 accumulator)
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

    @sample samples.collections.Collections.Aggregates.reduceRight
  
```

public inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {
 var index = lastIndex
 if (index < 0) throw
 UnsupportedOperationException("Empty array can't be reduced.")
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

    @sample samples.collections.Collections.Aggregates.reduceRight
  
```

public inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {
 var index = lastIndex
 if (index < 0) throw
 UnsupportedOperationException("Empty array can't be reduced.")
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(get(index--), accumulator)
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

```

    @sample samples.collections.Collections.Aggregates.reduceRight
  
```

public inline fun

```

BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index

```

```

< 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]\n * from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]\n * function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun

```

```

CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator =
        get(index--)
    while
        (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
 @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

@SinceKotlin("1.4")
 public inline fun <S, T : S> Array<out T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {
 var index =
 lastIndex
 if (index < 0) return null
 var accumulator: S = get(index--)
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
 @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

@SinceKotlin("1.4")
 public inline fun
 ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {
 var index =
 lastIndex
 if (index < 0) return null
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
 @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

@SinceKotlin("1.4")
 public inline fun
 ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {
 var index =
 lastIndex
 if (index < 0) return null
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
 @param [operation]
 function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

@SinceKotlin("1.4")
 public inline fun
 IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {
 var index =
 lastIndex
 if (index < 0) return null
 var accumulator = get(index--)
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
 @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.reduceRightOrNull

```

@SinceKotlin("1.4")
 public inline fun
 LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {
 var index =
 lastIndex
 if (index < 0) return null
 var accumulator =
 get(index--)
 while (index >= 0) {
 accumulator = operation(index, get(index), accumulator)
 --index
 }
 return accumulator
 }

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
 @param [operation] function that takes the index of an element, the

```

element itself and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
FloatArray.reduceRightIndexedOrNull(operation:
(index: Int, Float, acc: Float) -> Float): Float? {\n    var index = lastIndex\n    if (index < 0) return null\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes the index of an element, the element itself and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n * @SinceKotlin("1.4")\npublic inline fun DoubleArray.reduceRightIndexedOrNull(operation: (index: Int,
Double, acc: Double) -> Double): Double? {\n    var index = lastIndex\n
    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =
operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with the last element and applying [operation] from right to left\n * to each element with its index in
the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, the element itself and current accumulator value,\n * and
calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n * \n * @SinceKotlin("1.4")\npublic inline fun
BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {\n
    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
        accumulator = operation(index,
get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array
and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function
that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n * @SinceKotlin("1.4")\npublic inline fun CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char,
acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index-
-)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n    var index = lastIndex\n    if (index < 0)
return null\n    var accumulator: S = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index-
-), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and
applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function
that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n    var index = lastIndex\n    if (index
< 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =
operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *

```

Returns `null` if the array is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
*/
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
*/
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
*/
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
*/
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
*/
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Returns `null` if the array is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRightOrNull
*/
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {
    var index = lastIndex
    if (index < 0) return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharArray.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n  var
  index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
  accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Returns a list
  containing successive accumulation values generated by applying [operation] from left to right\n * to each element
  and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
  function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
  [operation] function that takes current accumulator value and an element, and calculates the next accumulator
  value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n

```

```
*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Array<out T>.runningFold(initial: R, operation: (acc: R, T) ->
R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial)
  }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n
  result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
  values generated by applying [operation] from left to right\n * to each element and current accumulator value that
  starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
  otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
  accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
  samples.collections.Collections.Aggregates.runningFold\n

```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R,
operation: (acc: R, Byte) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size
+ 1).apply { add(initial)
  }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n
  result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
  values generated by applying [operation] from left to right\n * to each element and current accumulator value that
  starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
  otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
  accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
  samples.collections.Collections.Aggregates.runningFold\n

```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R,
operation: (acc: R, Short) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size
+ 1).apply
  { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator,
  element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive
  accumulation values generated by applying [operation] from left to right\n * to each element and current
  accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
  not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
  function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n *
  @sample samples.collections.Collections.Aggregates.runningFold\n

```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R,
operation: (acc: R, Int) -> R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size +
  1).apply
  { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator,
  element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive
  accumulation values generated by applying [operation] from left to right\n * to each element and current
  accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
  not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
  function should

```

not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R, operation: (acc: R, Long) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R, operation: (acc: R, Float) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R, operation: (acc: R, Double) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
```

```

previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n * \n @SinceKotlin("1.4")\n public inline fun <T, R>
Array<out T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R):
List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n
var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator,
this[index])\n result.add(accumulator)\n }\n return result\n }\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original
array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public
inline fun <R> ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n
if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator
= initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n }\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>
ShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n
for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n }\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation]
function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>
IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n if (isEmpty())
return
listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for
(index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n }\n\n/**\n * Returns a list containing successive accumulation
values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value
that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting
list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R>
LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n if (isEmpty())
return
listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n

```

```

for (index in indices) {
    accumulator = operation(index, accumulator, this[index])
}
result.add(accumulator)
}
return result
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.`

`* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.`

`* @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.`

`* @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}
return result
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.`

`* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.`

`* @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.`

`* @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}
return result
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.`

`* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.`

`* @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.`

`* @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}
return result
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.`

`* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.`

`* @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.`

`* @sample samples.collections.Collections.Aggregates.runningFold`

```

*
* @SinceKotlin("1.4")
* @kotlin.internal.InlineOnly
* public inline fun <R>
CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {
    if (isEmpty())
        return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}
return result
}

```

`* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.`

`* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.`

`* @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.`

`* @sample`

```

samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n  if (isEmpty()) return emptyList()\n  var
accumulator: S = this[0]\n  val result
= ArrayList<S>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function
that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduce(operation:
(acc: Byte, Byte) -> Byte): List<Byte> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val
result = ArrayList<Byte>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator,
this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduce(operation:
(acc: Short, Short) -> Short): List<Short> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n
val result = ArrayList<Short>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc:
Int, Int) -> Int): List<Int> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result =
ArrayList<Int>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation:
(acc: Long, Long) -> Long): List<Long> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n
val result = ArrayList<Long>(size).apply { add(accumulator) }\n  for (index in 1 until size) {\n    accumulator =
operation(accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element
and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function
that takes current accumulator value and
an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation:
(acc: Float, Float) -> Float): List<Float> {\n  if (isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val

```

result = ArrayList<Float>(size).apply { add(accumulator) } for (index in 1 until size) { accumulator = operation(accumulator, this[index]) result.add(accumulator) } return result

* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.

* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Array<out T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Byte>(size).apply { add(accumulator) } for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}
```

* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with the first element of this array.

@param [operation] function that

takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun
ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {n if
(isEmpty()) return emptyList()n
    var accumulator = this[0]n    val result = ArrayList<Short>(size).apply { add(accumulator) }n    for (index in 1
until size) {n        accumulator = operation(index, accumulator, this[index])n        result.add(accumulator)n    }n
return resultn}n/n/**n * Returns a list containing successive accumulation values generated by applying
[operation] from left to rightn * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.n * n * @param [operation] function that takes the index of an element,
current accumulator value and the element itself, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun
IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {n if (isEmpty()) return
emptyList()n    var accumulator = this[0]n
    val result = ArrayList<Int>(size).apply { add(accumulator) }n    for (index in 1 until size) {n        accumulator =
operation(index, accumulator, this[index])n        result.add(accumulator)n    }n    return resultn}n/n/**n *
Returns a list containing successive accumulation values generated by applying [operation] from left to rightn * to
each element, its index in the original array and current accumulator value that starts with the first element of this
array.n * n * @param [operation] function that takes the index of an element, current accumulator value and
the element itself, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun
LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {n if
(isEmpty()) return emptyList()n    var accumulator = this[0]n    val result = ArrayList<Long>(size).apply
{ add(accumulator) }n    for (index in 1 until size) {n        accumulator = operation(index, accumulator,
this[index])n        result.add(accumulator)n    }n    return resultn}n/n/**n * Returns a list containing successive
accumulation values generated by applying [operation] from left to rightn * to each element, its index in the original
array and current accumulator value that starts with the first element of this array.n * n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself, and calculates the
next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun
FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {n if
(isEmpty()) return emptyList()n    var accumulator = this[0]n    val result = ArrayList<Float>(size).apply {
add(accumulator)
    }n    for (index in 1 until size) {n        accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n    }n    return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.n * n * @param [operation] function that
takes the index of an element, current accumulator value and the element itself, and calculates the next
accumulator value.n * n * @sample samples.collections.Collections.Aggregates.runningReduce
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun
DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {n if
(isEmpty()) return emptyList()n    var accumulator = this[0]n    val result = ArrayList<Double>(size).apply {
add(accumulator) }n    for
(index in 1 until size) {n        accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n    }n    return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and

```

current accumulator value that starts with the first element of this array.

```

    * \n * @param [operation] function that
    takes the index of an element, current accumulator value
    \n * and the element itself, and calculates the next
    accumulator value.
    \n * \n * @sample samples.collections.Collections.Aggregates.runningReduce
    * \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
    BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean>
    { \n if (isEmpty()) return emptyList() \n var accumulator = this[0] \n val result =
    ArrayList<Boolean>(size).apply { add(accumulator) } \n for (index in 1
    until size) { \n accumulator = operation(index, accumulator, this[index]) \n result.add(accumulator) \n } \n
    return result \n } \n \n /** \n * Returns a list containing successive accumulation values generated by applying
    [operation] from left to right \n * to each element, its index in the original array and current accumulator value that
    starts with the first element of this array.
    \n * \n * @param [operation] function that takes the index of an element,
    current accumulator value
    \n * and the element itself, and calculates the next accumulator value.
    \n * \n * @sample
    samples.collections.Collections.Aggregates.runningReduce
    \n
    * \n @SinceKotlin("1.4") \n @kotlin.internal.InlineOnly \n public inline fun
    CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> { \n if (isEmpty())
    return emptyList() \n var accumulator = this[0] \n val result = ArrayList<Char>(size).apply { add(accumulator)
    } \n for (index in 1 until size) { \n accumulator
    = operation(index, accumulator, this[index]) \n result.add(accumulator) \n } \n return result \n } \n \n /** \n *
    Returns a list containing successive accumulation values generated by applying [operation] from left to right \n * to
    each element and current accumulator value that starts with [initial] value.
    \n * \n * Note that `acc` value passed to
    [operation] function should not be mutated; \n * otherwise it would affect the previous value in resulting list.
    \n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next
    accumulator value.
    \n * \n * @sample samples.collections.Collections.Aggregates.scan
    \n
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public inline fun <T, R>
    Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> { \n return runningFold(initial,
    operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by applying [operation]
    from left to
    right \n * to each element and current accumulator value that starts with [initial] value.
    \n * \n * Note that `acc` value
    passed to [operation] function should not be mutated; \n * otherwise it would affect the previous value in resulting
    list.
    \n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the
    next accumulator value.
    \n * \n * @sample samples.collections.Collections.Aggregates.scan
    \n
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n public
    inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> { \n return runningFold(initial,
    operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by applying [operation]
    from left to right \n * to each element and current accumulator value that starts with [initial] value.
    \n * \n * Note that
    `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list.
    \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value.
    \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    \n
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n public
    inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> { \n return
    runningFold(initial, operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right \n * to each element and current accumulator value that starts with [initial]
    value.
    \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list.
    \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value.
    \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    \n
  
```



```

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {n return runningFold(initial,
operation)n}n/n/**n * Returns a list containing successive accumulation values generated by applying [operation]
from left to rightn * to each element and current accumulator value that starts with [initial] value.n * n * Note that
`acc` value passed to [operation] function should not be mutated;n * otherwise it would affect the previous value in
resulting list.n * n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.scan\n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun <R> LongArray.scan(initial: R,
operation: (acc: R, Long) -> R): List<R> {n return runningFold(initial, operation)n}n/n/**n * Returns a list
containing successive accumulation values generated by applying [operation] from left to rightn * to each element
and current accumulator value that starts with [initial] value.n * n * Note that `acc` value passed to [operation]
function should not be mutated;n * otherwise it would affect the previous value in resulting list.n * n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.n * n * @sample samples.collections.Collections.Aggregates.scan\n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {n return
runningFold(initial, operation)n}n/n/**n * Returns a list containing successive accumulation values generated by
applying [operation] from
left to rightn * to each element and current accumulator value that starts with [initial] value.n * n * Note that `acc`
value passed to [operation] function should not be mutated;n * otherwise it would affect the previous value in
resulting list.n * n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.scan\n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {n return
runningFold(initial, operation)n}n/n/**n * Returns a list containing successive accumulation values generated by
applying [operation] from left to rightn * to each element and current accumulator value that starts with [initial]
value.n * n * Note that `acc` value passed to [operation] function should not be mutated;n * otherwise
it would affect the previous value in resulting list.n * n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.scan\n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {n return
runningFold(initial, operation)n}n/n/**n * Returns a list containing successive accumulation values generated by
applying [operation] from left to rightn * to each element and current accumulator value that starts with [initial]
value.n * n * Note that `acc` value passed to [operation] function should not be mutated;n * otherwise it would
affect the previous value in resulting list.n * n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.n *
\n * @sample samples.collections.Collections.Aggregates.scan\n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {n return runningFold(initial,
operation)n}n/n/**n * Returns a list containing successive accumulation values generated by applying [operation]
from left to rightn * to each element, its index in the original array and current accumulator value that starts with
[initial] value.n * n * Note that `acc` value passed to [operation] function should not be mutated;n * otherwise it
would affect the previous value in resulting list.n * n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.n * n *
@sample samples.collections.Collections.Aggregates.scan\n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic

```

```

inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte)
-> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n
return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n
return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each
element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous
value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n
return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n
*\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n
return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should

```

not be mutated;\n * otherwise

it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes
```

the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * public inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum += selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince
```

```
= "1.5")\n * public inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum += selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * public inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum += selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * public inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum += selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * public inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum += selector(element)\n *     }\n *     return sum\n * }\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n * public inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n *     var sum: Int = 0\n *     for (element in this) {\n *         sum +=
```

```

selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use
sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n var sum: Int = 0\n for (element
in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
CharArray.sumBy(selector:
(Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n } \n return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
IntArray.sumByDouble(selector: (Int) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n
sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
* \n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
LongArray.sumByDouble(selector: (Long) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic
inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n var sum: Double = 0.0\n for
(element in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n var sum: Double = 0.0\n for (element
in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced

```

```

by [selector] function applied to each element in the array.\n *\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
CharArray.sumByDouble(selector: (Char) -> Double): Double {\n    var sum: Double = 0.0\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Double): Double {\n    var sum: Double = 0.toDouble()\n
    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Double): Double {\n    var sum: Double = 0.toDouble()\n
    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Double): Double {\n    var sum:
Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Double): Double
{\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

CharArray.sumOf(selector: (Char) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun <T>
Array<out T>.sumOf(selector: (T) -> Int):
    Int {
        var sum: Int = 0.toInt()
        for (element in this) {
            sum += selector(element)
        }
        return sum
    }
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
ByteArray.sumOf(selector: (Byte) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
ShortArray.sumOf(selector: (Short) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
IntArray.sumOf(selector: (Int) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
LongArray.sumOf(selector: (Long) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
FloatArray.sumOf(selector: (Float) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
DoubleArray.sumOf(selector: (Double) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
BooleanArray.sumOf(selector: (Boolean) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
Returns the sum of all values produced by [selector] function applied to each element in the array.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.jvm.JvmName("sumOfInt")@kotlin.internal.InlineOnly
public inline fun
CharArray.sumOf(selector: (Char) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this)

```

```

    {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by
 [selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
<T> Array<out T>.sumOf(selector: (T) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by
 [selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
ByteArray.sumOf(selector: (Byte) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by
 [selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
ShortArray.sumOf(selector: (Short) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by [selector]
 function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
IntArray.sumOf(selector: (Int) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum +=
        selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by [selector] function
 applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
LongArray.sumOf(selector: (Long) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by [selector]
 function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
FloatArray.sumOf(selector: (Float) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by [selector] function applied to each
 element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
DoubleArray.sumOf(selector: (Double) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by
 [selector] function applied to each element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
BooleanArray.sumOf(selector: (Boolean) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

/** Returns the sum of all values produced by [selector] function applied to each
 element in the array.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.jvm.JvmName("sumOfLong")
@kotlin.internal.InlineOnly
public inline fun
CharArray.sumOf(selector: (Char) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {

```

```

sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n
    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline
fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n
        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n    var
sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt
{\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied
to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```



```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/*
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong):
ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n
  }\n  return sum\n}\n\n/* Returns the sum of all values produced by [selector] function applied to each
element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong
{\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/* Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> ULong):
ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n
return sum\n}\n\n/* Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n
var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/* Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/* Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong
{\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/* Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> ULong): ULong {\n  var sum: ULong = 0.toULong()\n  for
(element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/* Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy

```

```

pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong):
ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element
in the array.\n
*/\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong
{\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n
*/\npublic fun <T : Any>
Array<T?>.requireNonNulls(): Array<T> {\n  for (element in this) {\n    if (element == null) {\n      throw
IllegalArgumentException("null element found in $this.")\n    }\n  }\n
@Suppress("UNCHECKED_CAST")\n  return this as Array<T>\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for
which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n
*/\n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun <T>
Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n  val first = ArrayList<T>()\n  val
second = ArrayList<T>()\n  for (element in this) {\n    if (predicate(element)) {\n      first.add(element)\n
    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n
*/\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun
ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n  val first =
ArrayList<Byte>()\n  val second = ArrayList<Byte>()\n  for (element in this) {\n    if (predicate(element)) {\n
    first.add(element)\n  } else {\n    second.add(element)\n  }\n  }\n  return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n
*/\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun
ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n  val first =
ArrayList<Short>()\n  val second = ArrayList<Short>()\n  for (element in this) {\n    if (predicate(element)) {\n
    first.add(element)\n  } else {\n    second.add(element)\n  }\n  }\n  return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements
for which [predicate] yielded `false`.\n
*/\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun
IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n  val first = ArrayList<Int>()\n  val
second = ArrayList<Int>()\n  for (element in this) {\n    if (predicate(element)) {\n      first.add(element)\n
    } else {\n      second.add(element)\n    }\n  }\n  return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n
*/\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun
LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>,
List<Long>> {\n  val first = ArrayList<Long>()\n  val second = ArrayList<Long>()\n  for (element in this) {\n
    if (predicate(element)) {\n      first.add(element)\n    } else {\n      second.add(element)\n    }\n  }\n
  return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n
*/\n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun
FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n  val

```

```

first = ArrayList<Float>()\n val second = ArrayList<Float>()\n for (element in this) {\n    if
(predicate(element)) {\n        first.add(element)\n    } else {\n        second.add(element)\n    }\n }\n
return Pair(first, second)\n}\n\n/**\n * Splits
the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n *
while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\n\npublic inline fun
DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first =
ArrayList<Double>()\n    val second = ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element))
{\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\n\npublic inline
fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n    val first
= ArrayList<Boolean>()\n    val second = ArrayList<Boolean>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n
return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\n\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n    val
first = ArrayList<Char>()\n    val second = ArrayList<Char>()\n    for (element in this) {\n        if
(predicate(element)) {\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n
return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array
and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterable\n */\n\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\npublic infix fun
<R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\npublic infix fun <R>
ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\n\npublic infix fun <R> IntArray.zip(other: Array<out R>):
List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\npublic infix fun <R>
LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list
of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n\npublic
infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\n\npublic infix fun <R> DoubleArray.zip(other: Array<out
R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the

```

```

shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic
infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list
has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n
val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n
val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>

```

```

}\n  return list}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
CharArray.zip(other: Array<out R>, transform:
(a: Char, b: R) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in
0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <T,
R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> ByteArray.zip(other: Iterable<R>):
List<Pair<Byte, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns
a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list
has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n  return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> IntArray.zip(other: Iterable<R>):
List<Pair<Int, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n  return zip(other) { t1, t2 -
> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> FloatArray.zip(other: Iterable<R>):
List<Pair<Float, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n  return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array
with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> BooleanArray.zip(other:
Iterable<R>): List<Pair<Boolean, R>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n

```

```

*^public inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V>
ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V>
IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V>
LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V>
FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V>
DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var i = 0
    for (element in other) {
        if (i >= arraySize) break
        list.add(transform(this[i++], element))
    }
    return list
}

Returns a list of values built from the elements of `this` array and the [other] collection with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest collection.

@sample
samples.collections.Iterables.Operations.zipIterableWithTransform

*^public inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {
    val arraySize = size
    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))
    var

```

```

i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection\n with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n list has length of the\n shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V>\n CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n  val arraySize = size\n  val list =\n  ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n  var i = 0\n  for (element in other) {\n    if (i >= arraySize) break\n    list.add(transform(this[i++], element))\n  }\n  return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with\n the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray):\n List<Pair<Byte, Byte>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from\n the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest\n collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun\n ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other]\n array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray):\n List<Pair<Int, Int>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the\n elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest\n collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun\n LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The\n returned list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other: FloatArray):\n List<Pair<Float, Float>>\n {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`\n array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other:\n DoubleArray): List<Pair<Double, Double>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list\n of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has\n length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic\n infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n  return zip(other) { t1, t2 ->\n t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the\n same index.\n * The returned list has length of the shortest collection.\n * \n * \n * @sample\n samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other:\n CharArray): List<Pair<Char, Char>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of\n values built from the elements of `this` array and the [other] array with the same index\n * using the provided\n [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>\n ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n  val size = minOf(size,\n other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array\n with the same index\n * using the provided [transform] function applied\n to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V>\n ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n  val size = minOf(size,\n other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n}

```

```

}\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V> IntArray.zip(other:
IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n val size = minOf(size, other.size)\n val list =
ArrayList<V>(size)\n for (i in 0 until size)
{\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i],
other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n val
size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n val size = minOf(size,
other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i],
other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n val size =
minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i],
other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
CharArray.zip(other: CharArray, transform:
(a: Char, b: Char) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i
in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Appends the string from
all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the
collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n *
elements will be appended, followed by the [truncated] string (which defaults to `"...`").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n *\npublic fun <T, A : Appendable> Array<out
T>.joinTo(buffer: A, separator: CharSequence = ``, ``, prefix: CharSequence = ``, postfix: CharSequence = ``,
limit: Int = -1, truncated: CharSequence = `"...`, transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count
> 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element,
transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n
buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can

```


specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample

```

samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A : Appendable>
ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n var count
= 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit)
{\n if (transform != null)\n buffer.append(transform(element))\n else\n
buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A : Appendable>
ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence
= \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n
if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n
else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection
could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will
be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n
*\npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix:
CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform:
((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if
(++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n
buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n
if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n
* elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A : Appendable>
LongArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence
= \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n
if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n
else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit)
buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the
elements separated using [separator] and using the given [prefix]
and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in
which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to
\"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? =
null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)

```

```

buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n        if (transform != null)\nbuffer.append(transform(element))\n        else\n            buffer.append(element.toString())\n    } else break\n}\n if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using\n [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can\n specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed\n by the [truncated] string (which defaults to \"...\").\n * \n * @sample\n samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>\nDoubleArray.joinTo(buffer: A, separator: CharSequence = \",\", prefix: CharSequence = \"\", postfix:\nCharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? =\nnull): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)\nbuffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\nbuffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count >\nlimit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample\n samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable>\nBooleanArray.joinTo(buffer: A, separator: CharSequence = \",\", prefix: CharSequence = \"\", postfix:\nCharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? =\nnull): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count\n> 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\nbuffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return\nbuffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which\n defaults to \"...\").\n * \n * @sample\n samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A :\nAppendable> CharArray.joinTo(buffer: A, separator: CharSequence = \",\", prefix: CharSequence = \"\", postfix:\nCharSequence = \"\", limit: Int = -1, truncated: CharSequence\n= \"...\", transform: ((Char) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for\n(element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if\n(transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element)\n        }\n    } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return\nbuffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given\n [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of\n [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which\n defaults to \"...\").\n * \n * @sample\n samples.collections.Collections.Transformations.joinToString\n */\npublic fun\n<T> Array<out T>.joinToString(separator:\nCharSequence = \",\", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:\nCharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n    return joinTo(StringBuilder(),\nseparator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements\n separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be\n huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be\n appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample\n samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator:\nCharSequence = \",\", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:

```

```

CharSequence = "...", transform: ((Byte) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(),
        separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements
 separated using [separator] and using the given [prefix] and [postfix] if supplied.
 * \n * If the collection could be
 huge, you can specify a non-negative value of [limit], in which case only the first [limit]
 * elements will be
 appended, followed by the [truncated] string (which defaults to "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString
 *
 * public fun ShortArray.joinToString(separator:
 CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated:
 CharSequence = "...", transform: ((Short) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(),
        separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements
 separated using [separator] and using the given [prefix] and [postfix] if supplied.
 * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
 [limit]
 * elements will be appended, followed by the [truncated] string (which defaults to "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString
 *
 * public fun IntArray.joinToString(separator:
 CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated:
 CharSequence = "...", transform: ((Int) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(),
        separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements
 separated using [separator] and using the given [prefix] and [postfix] if supplied.
 * \n * If the collection could be
 huge, you can specify a non-negative value of [limit], in which case only the first [limit]
 * elements will be
 appended, followed by the [truncated] string (which defaults to
 "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString
 *
 * public fun LongArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
 "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Long) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
 supplied.
 * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
 [limit]
 * elements will be appended, followed by the [truncated] string (which defaults to "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString
 *
 * public fun FloatArray.joinToString(separator:
 CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
 "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Float) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
 supplied.
 * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
 [limit]
 * elements will be appended, followed by the [truncated] string (which defaults to "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString
 *
 * public fun DoubleArray.joinToString(separator:
 CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
 "", limit: Int = -1, truncated:
 CharSequence = "...", transform: ((Double) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(),
        separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
 supplied.
 * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
 [limit]
 * elements will be appended, followed by the [truncated] string (which defaults to "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString
 *
 * public fun BooleanArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
 "", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()
}
\n\n/**
 * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
 supplied.
 * \n * If the collection could be huge, you can specify a non-negative
 value of [limit], in which case only the first [limit]
 * elements will be appended, followed by the [truncated] string
 (which defaults to "...").
 * \n * @sample
 samples.collections.Collections.Transformations.joinToString

```

```

*^public fun CharArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\", postfix:
CharSequence = "\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? =
null): String {
    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()
}
*^Creates an [Iterable] instance that wraps the original array returning its elements
when being iterated.
*^public fun <T> Array<out T>.asIterable(): Iterable<T> {
    if (isEmpty()) return
emptyList()
    return Iterable { this.iterator() }
}
*^Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.
*^public fun ByteArray.asIterable(): Iterable<Byte>
{
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*^Creates an [Iterable]
instance that wraps the original array returning its elements when being iterated.
*^public fun
ShortArray.asIterable(): Iterable<Short> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator()
}
}
*^Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.
*^public fun IntArray.asIterable(): Iterable<Int> {
    if (isEmpty()) return emptyList()
    return
Iterable { this.iterator() }
}
*^Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.
*^public fun LongArray.asIterable(): Iterable<Long> {
    if (isEmpty()) return
emptyList()
    return Iterable { this.iterator() }
}
*^Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.
*^public fun FloatArray.asIterable():
Iterable<Float> {
    if (isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*^Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.
*^public fun
DoubleArray.asIterable(): Iterable<Double> {
    if (isEmpty()) return emptyList()
    return Iterable {
this.iterator() }
}
*^Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.
*^public fun BooleanArray.asIterable(): Iterable<Boolean> {
    if (isEmpty()) return
emptyList()
    return Iterable { this.iterator() }
}
*^Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.
*^public fun CharArray.asIterable(): Iterable<Char> {
    if
(isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}
*^Creates a [Sequence] instance that
wraps the original array returning its elements
when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun <T> Array<out T>.asSequence(): Sequence<T> {
    if (isEmpty()) return emptySequence()
    return
Sequence { this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun ByteArray.asSequence(): Sequence<Byte> {
    if (isEmpty()) return emptySequence()
    return
Sequence { this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun ShortArray.asSequence(): Sequence<Short> {
    if (isEmpty()) return emptySequence()
    return
Sequence { this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning its
elements
when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun IntArray.asSequence(): Sequence<Int> {
    if (isEmpty()) return emptySequence()
    return Sequence {
this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning its elements when
being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun LongArray.asSequence(): Sequence<Long> {
    if (isEmpty()) return emptySequence()
    return Sequence {
this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning its elements when
being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun FloatArray.asSequence(): Sequence<Float> {
    if (isEmpty()) return emptySequence()
    return Sequence {
this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning its
elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray
*^public fun DoubleArray.asSequence(): Sequence<Double> {
    if (isEmpty()) return emptySequence()
    return Sequence {
this.iterator() }
}
*^Creates a [Sequence] instance that wraps the original array returning
its elements when being iterated.
*^ @sample samples.collections.Sequences.Building.sequenceFromArray

```

```

*\npublic fun BooleanArray.asSequence(): Sequence<Boolean> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning\n its elements when being iterated.\n */\n * @sample samples.collections.Sequences.Building.sequenceFromArray\n\n*\npublic fun CharArray.asSequence(): Sequence<Char> {\n  if (isEmpty()) return emptySequence()\n  return\n Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n\n*\n@kotlin.jvm.JvmName("averageOfByte")\n\npublic\n fun Array<out Byte>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n\n*\n@kotlin.jvm.JvmName("averageOfShort")\n\npublic fun\n Array<out Short>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements\n\n*\n@kotlin.jvm.JvmName("averageOfInt")\n\npublic fun\n Array<out Int>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns\n an average value of elements\n\n*\n@kotlin.jvm.JvmName("averageOfLong")\n\npublic fun Array<out Long>.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the\n array.\n\n*\n@kotlin.jvm.JvmName("averageOfFloat")\n\npublic fun Array<out Float>.average(): Double {\n  var\n sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the\n array.\n\n*\n@kotlin.jvm.JvmName("averageOfDouble")\n\npublic fun Array<out Double>.average(): Double {\n  var\n sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns\n an average value of elements in the array.\n\n*\npublic fun ByteArray.average(): Double {\n  var sum: Double =\n 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count\n == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n\n*\npublic\n fun ShortArray.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns\n an average value of elements in the array.\n\n*\npublic fun IntArray.average(): Double {\n  var sum: Double = 0.0\n  var\n count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0)\n Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n\n*\npublic fun\n LongArray.average(): Double {\n  var sum: Double\n = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if\n (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n\n*\npublic fun FloatArray.average(): Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in\n this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n\n*\npublic fun DoubleArray.average():\n Double {\n  var sum: Double = 0.0\n  var count: Int = 0\n  for (element in this)\n  {\n    sum += element\n    ++count\n  }\n  return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements\n in the array.\n\n*\n@kotlin.jvm.JvmName("sumOfByte")\n\npublic fun Array<out Byte>.sum(): Int {\n  var sum:\n Int = 0\n  for (element in this)\n  {\n    sum += element\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n\n*\n@kotlin.jvm.JvmName("sumOfShort")\n\npublic fun\n Array<out Short>.sum(): Int {\n  var sum: Int = 0\n  for (element in this)\n  {\n    sum += element\n  }\n  return\n sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n\n*\n@kotlin.jvm.JvmName("sumOfInt")\n\npublic\n fun Array<out Int>.sum(): Int {\n  var sum: Int = 0\n  for (element in this)\n  {\n    sum += element\n  }\n  return\n sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n\n*\n@kotlin.jvm.JvmName("sumOfLong")\n\npublic fun Array<out Long>.sum(): Long {\n  var sum: Long = 0L\n}

```


random element from this range, or `null` if this range is empty.

```

*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic
c inline fun CharRange.randomOrNull(): Char? {n    return randomOrNull(Random)n}n/n/**n * Returns a
random element from this range using the specified source of randomness, or `null` if this range is empty.n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
IntRange.randomOrNull(random: Random): Int? {n
    if (isEmpty())n        return nulln    return random.nextInt(this)n}n/n/**n * Returns a random element from this
range using the specified source of randomness, or `null` if this range is empty.n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
LongRange.randomOrNull(random: Random): Long? {n    if (isEmpty())n        return nulln    return
random.nextLong(this)n}n/n/**n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.n
*\/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
CharRange.randomOrNull(random: Random): Char? {n    if (isEmpty())n        return nulln    return
random.nextInt(first.code, last.code + 1).toChar()n}n/n/**n * Returns `true` if this range contains the specified
[element].n * n * Always returns `false` if the [element] is `null`.n
*\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline operator
fun IntRange.contains(element: Int?): Boolean {n    return element != null && contains(element)n}n/n/**n *
Returns `true` if this range contains the specified [element].n * n * Always returns `false` if the [element] is
`null`.n *\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline operator fun
LongRange.contains(element: Long?): Boolean {n    return element != null && contains(element)n}n/n/**n *
Returns `true` if this range contains the specified [element].n * n * Always returns `false` if the [element] is
`null`.n *\/n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlynpublic inline operator fun
CharRange.contains(element: Char?): Boolean {n    return element != null && contains(element)n}n/n/**n *
Checks if the specified [value] belongs to this range.n *\/n@kotlin.jvm.JvmName("intRangeContains")npublic
operator fun ClosedRange<Int>.contains(value: Byte): Boolean {n    return contains(value.toInt())n}n/n/**n *
Checks if the specified [value]
belongs to this range.n *\/n@kotlin.jvm.JvmName("longRangeContains")npublic operator fun
ClosedRange<Long>.contains(value: Byte): Boolean {n    return contains(value.toLong())n}n/n/**n * Checks if
the specified [value] belongs to this range.n *\/n@kotlin.jvm.JvmName("shortRangeContains")npublic operator
fun ClosedRange<Short>.contains(value: Byte): Boolean {n    return contains(value.toShort())n}n/n/**n *
Checks if the specified [value] belongs to this range.n *\/n@Deprecated("This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.")n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")n@kotlin.jvm.JvmName("doubleRangeContains")npublic operator fun
ClosedRange<Double>.contains(value: Byte): Boolean {n    return contains(value.toDouble())n}n/n/**n *
Checks if the specified [value] belongs to this range.n *\/n@Deprecated("This `contains` operation mixing
integer and floating point arguments has ambiguous semantics and is going to be
removed.")n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince =
"1.5")n@kotlin.jvm.JvmName("floatRangeContains")npublic operator fun ClosedRange<Float>.contains(value:
Byte): Boolean {n    return contains(value.toFloat())n}n/n/**n * Checks if the specified [value] belongs to this
range.n *\/n@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous
semantics and is going to be removed.")n@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4",
hiddenSince = "1.5")n@kotlin.jvm.JvmName("intRangeContains")npublic operator fun
ClosedRange<Int>.contains(value: Double): Boolean {n    return value.toIntExactOrNull().let { if (it != null)
contains(it) else false }n}n/n/**n * Checks if the specified [value] belongs to this range.n
*\/n@Deprecated("This `contains` operation mixing integer and floating point

```

arguments has ambiguous semantics and is going to be removed. `@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Long>.contains(value: Double): Boolean { return value.toLongExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Byte>.contains(value: Double): Boolean { return value.toByteExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Short>.contains(value: Double): Boolean { return value.toShortExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@kotlin.jvm.JvmName("floatRangeContains")`

`fun ClosedRange<Float>.contains(value: Double): Boolean { return contains(value.toFloat()) }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Int>.contains(value: Float): Boolean { return value.toIntExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Long>.contains(value: Float): Boolean { return value.toLongExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Byte>.contains(value: Float): Boolean { return value.toByteExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

`@DeprecatedSinceKotlin(warningSince = "1.3", errorSince = "1.4", hiddenSince = "1.5")`

`fun ClosedRange<Short>.contains(value: Float): Boolean { return value.toShortExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@kotlin.jvm.JvmName("doubleRangeContains")`

`fun ClosedRange<Double>.contains(value: Float): Boolean { return contains(value.toDouble()) }`

`* Checks if the specified [value] belongs to this range.`

`@kotlin.jvm.JvmName("longRangeContains")`

`operator fun ClosedRange<Long>.contains(value: Int): Boolean { return contains(value.toLong()) }`

`* Checks if the specified [value] belongs to this range.`

`@kotlin.jvm.JvmName("byteRangeContains")`

`operator fun ClosedRange<Byte>.contains(value: Int): Boolean { return value.toByteExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@kotlin.jvm.JvmName("shortRangeContains")`

`operator fun ClosedRange<Short>.contains(value: Int): Boolean { return value.toShortExactOrNull().let { if (it != null) contains(it) else false } }`

`* Checks if the specified [value] belongs to this range.`

`@Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")`

floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Short): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n *\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Short): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n *\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * The [to] value should be less than or equal to `this` value.\n * If the [to]

value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Byte): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Byte): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Byte): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Char.downTo(to: Char): CharProgression {
    return CharProgression.fromClosedRange(this, to, -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this, to, -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Int): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this, to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this, to.toInt(), -1)
}

```

* Returns a progression from this value down to the specified [to] value with the step -1. * The [to] value should be less than or equal to `this` value. * If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Short): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

* Returns a progression from this value

down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n checkStepIsPositive(step > 0, step)\n return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n checkStepIsPositive(step > 0, step)\n return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n checkStepIsPositive(step > 0, step)\n return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteArrayOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByteArray() else null\n}\n\ninternal fun Long.toByteArrayOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByteArray() else null\n}\n\ninternal fun Short.toByteArrayOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByteArray() else null\n}\n\ninternal fun Double.toByteArrayOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun Float.toByteArrayOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toInt().toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n/**\n * Returns

a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Int.until(to: Byte): IntRange` { return this .. (to.toInt() - 1).toInt() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Long.until(to: Byte): LongRange` { return this .. (to.toLong() - 1).toLong() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Byte.until(to: Byte): IntRange` { return this.toInt() .. (to.toInt() - 1).toInt() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Short.until(to: Byte): IntRange` { return this.toInt() .. (to.toInt() - 1).toInt() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Char.until(to: Char): CharRange` { if (to <= '\u0000') return CharRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Int.until(to: Int): IntRange` { if (to <= Int.MIN_VALUE) return IntRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Long.until(to: Int): LongRange` { return this .. (to.toLong() - 1).toLong() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Byte.until(to: Int): IntRange` { if (to <= Int.MIN_VALUE) return IntRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Short.until(to: Int): IntRange` { if (to <= Int.MIN_VALUE) return IntRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Int.until(to: Long): LongRange` { if (to <= Long.MIN_VALUE) return LongRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Long.until(to: Long): LongRange` { if (to <= Long.MIN_VALUE) return LongRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Byte.until(to: Long): LongRange` { if (to <= Long.MIN_VALUE) return LongRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Short.until(to: Long): LongRange` { if (to <= Long.MIN_VALUE) return LongRange.EMPTY } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Int.until(to: Short): IntRange` { return this .. (to.toInt() - 1).toInt() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Long.until(to: Short): LongRange` { return this .. (to.toLong() - 1).toLong() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Byte.until(to: Short): IntRange` { return this.toInt() .. (to.toInt() - 1).toInt() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

`Short.until(to: Short): IntRange` { return this.toInt() .. (to.toInt() - 1).toInt() } Returns a range from this value up to but excluding the specified [to] value. If the [to] value is less than or equal to this value, then the returned range is empty.

1).toInt()\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n * ^\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * ^\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * ^\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * ^\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * ^\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * ^\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n * ^\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n * ^\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n * ^\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n * ^\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n * ^\npublic fun Int.coerceAtMost(maximumValue: Int): Int {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n * ^\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not

```

greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n * \n\npublic fun Float.coerceAtMost(maximumValue: Float):
Float {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n
* \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n
* @sample samples.comparisons.ComparableOps.coerceAtMost\n * \n\npublic fun
Double.coerceAtMost(maximumValue: Double): Double {\n    return if (this > maximumValue) maximumValue
else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n
* @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n * \n\npublic fun <T : Comparable<T>>
T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null && maximumValue !==
null) {\n        if (minimumValue > maximumValue) throw IllegalArgumentException("\Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n        if (this <
minimumValue)
return minimumValue\n        if (this > maximumValue) return maximumValue\n    }\n    else {\n        if
(minimumValue !== null && this < minimumValue) return minimumValue\n        if (maximumValue !== null &&
this > maximumValue) return maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
[minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n * \n\npublic fun
Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("\Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n *
Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if
it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is
greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n * \n\npublic fun
Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("\Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n
* \n\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("\Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
[minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n * \n\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("\Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in

```



```

kotlin.jvm.*\n\n@SinceKotlin("1.5")\n\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\n@JvmInline\n\npublic value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) :
Comparable<UByte> {\n\n    companion object {\n        /**\n         * A constant holding the minimum value an
instance of UByte can have.\n        */\n        public const val MIN_VALUE: UByte = UByte(0)\n\n        /**\n         *
A constant holding the maximum value an instance of UByte can have.\n        */\n        public const val
MAX_VALUE: UByte = UByte(-1)\n\n        /**\n         * The number of bytes used to represent an instance of
UByte in a binary form.\n        */\n        public const val SIZE_BYTES: Int = 1\n\n        /**\n         * The number of
bits used to represent an instance of UByte in a binary form.\n        */\n        public const val SIZE_BITS: Int = 8
}\n\n        /**\n         * Compares this value with the specified value for order.\n         * Returns
zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a positive
number if it's greater than other.\n        */\n        @kotlin.internal.InlineOnly\n        @Suppress("OVERRIDE_BY_INLINE")\n        public override inline operator fun compareTo(other: UByte): Int =
this.toInt().compareTo(other.toInt())\n\n        /**\n         * Compares this value with the specified value for order.\n         *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a
positive number if it's greater than other.\n        */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n        /**\n         * Compares this value with the
specified value for order.\n         * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n         * or a positive number if it's greater than other.\n        */\n        @kotlin.internal.InlineOnly\n        public inline operator fun compareTo(other: UInt): Int =
this.toUInt().compareTo(other)\n\n        /**\n         * Compares this value with the specified value for order.\n         *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n         * or a
positive number if it's greater than other.\n        */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n        /** Adds the other value to this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n\n        /** Adds the other value to this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n        /** Adds the other value
to this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun plus(other: UInt):
UInt = this.toUInt().plus(other)\n\n        /** Adds the other value to this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n        /** Subtracts the other
value from this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun minus(other: UByte): UInt =
this.toUInt().minus(other.toUInt())\n\n        /** Subtracts the other value from this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun minus(other: UShort): UInt =
this.toUInt().minus(other.toUInt())\n\n        /** Subtracts the other value from this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n\n        /** Subtracts the other value from this value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)\n\n        /** Multiplies this value by the other value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n\n        /** Multiplies this
value by the other value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n\n        /** Multiplies this value by the other value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n\n        /** Multiplies this value by the other value. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n        /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n        @kotlin.internal.InlineOnly\n        public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n\n        /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n        @kotlin.internal.InlineOnly\n        public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n\n        /** Divides this value
by the other value, truncating the result to an integer that is closer to zero. */\n        @kotlin.internal.InlineOnly\n

```



```

public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other
value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline
operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /**\n * Calculates the remainder of
truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt =
this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is
always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of
this value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**\n
* Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always
less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong):
ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and
truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n * Divides this value by the
other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,
the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.toUInt().mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n
/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.toUInt().mod(other)\n /**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of
flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun
mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n
*/\n * @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
inc(): UByte = UByte(data.inc())\n\n /**\n * Returns this value decremented by one.\n * \n * @sample samples.misc.Builtins.dec\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte = UByte(data.dec())\n\n /** Creates a
range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND
operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte):
UByte = UByte(this.data and other.data)\n\n /** Performs a bitwise OR operation between the two values. */\n

```

```

@kotlin.internal.InlineOnly\n public inline infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n
/** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline
infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n
/** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UByte =
UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * If this value is less than or
equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`UByte`. Otherwise the result is negative.\n * The resulting `Byte` value has the same binary representation
as this `UByte` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data\n /**\n *
Converts this [UByte] value to [Short].\n * The resulting `Short` value represents the same numerical
value as this `UByte`.\n * The least significant 8 bits of the resulting `Short` value are the same as the bits
of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toShort():
Short = data.toShort() and 0xFF\n /**\n * Converts this [UByte] value to [Int].\n * The resulting `Int`
value represents the same numerical value as this `UByte`.\n * The least significant 8 bits of the resulting
`Int` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with
zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt() and 0xFF\n /**\n *
Converts this [UByte] value to [Long].\n * The resulting `Long` value represents the same numerical value
as this `UByte`.\n * The least significant 8 bits of the resulting `Long` value are the same as the bits of this
`UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFF\n\n /** Returns this
value. */\n @kotlin.internal.InlineOnly\n public
inline fun toUByte(): UByte = this\n /**\n * Converts this [UByte] value to [UShort].\n * The
resulting `UShort` value represents the same numerical value as this `UByte`.\n * The least significant 8
bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n * whereas the most significant
8 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort =
UShort(data.toShort() and 0xFF)\n /**\n * Converts this [UByte] value to [UInt].\n * The resulting
`UInt` value represents the same numerical value as this `UByte`.\n * The least significant 8 bits of the
resulting `UInt` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are
filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = UInt(data.toInt() and
0xFF)\n /**\n * Converts this [UByte] value
to [ULong].\n * The resulting `ULong` value represents the same numerical value as this `UByte`.\n *
The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `UByte` value,\n *
whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline
fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n * Converts this [UByte] value to [Float].\n
*/\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this
[UByte] value to [Double].\n * The resulting `Double` value represents the same numerical value as this
`UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double =
this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n\n /**\n * Converts this [Byte] value to [UByte].\n * If this value is positive, the resulting `UByte` value represents the
same numerical value as this `Byte`.\n * The resulting `UByte` value has the same binary representation as this
`Byte` value.\n
*/\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
public inline fun Byte.toUByte(): UByte = UByte(this)\n /**\n * Converts this [Short] value to [UByte].\n * If
this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n *
the same numerical value as this `Short`.\n * The resulting `UByte` value is represented by the least significant 8
bits of this `Short` value.\n
*/\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n

```

```

public inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int] value to [UByte].\n *\n * If this value
is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same
numerical value as this `Int`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this
`Int` value.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the
least significant 8 bits of this `Long` value.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun Long.toUByte(): UByte = UByte(this.toByte())\n"/*\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npub
lic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) :
Comparable<UInt> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an
instance of UInt can have.\n         *\n         * public const val MIN_VALUE: UInt = UInt(0)\n\n        /**\n         * A
constant holding the maximum value an instance of UInt can have.\n         *\n         * public const val MAX_VALUE:
UInt = UInt(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UInt in a binary form.\n
         *\n         * public const val SIZE_BYTES: Int = 4\n\n        /**\n         * The number of bits used
to represent an instance of UInt in a binary form.\n         *\n         * public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the
specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n
     *\n     * @kotlin.internal.InlineOnly\n     * public inline operator fun compareTo(other: UByte): Int =
this.compareTo(other.toUInt())\n\n     /**\n     * Compares this value with the specified value for order.\n     *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a
positive number if it's greater than other.\n     *\n     * @kotlin.internal.InlineOnly\n     * public inline operator fun
compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n     /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value
is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's
greater than other.\n     *\n     * @kotlin.internal.InlineOnly\n     * @Suppress("OVERRIDE_BY_INLINE")\n     * public
inline operator fun compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n     /**\n     *
Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     *\n
     * @kotlin.internal.InlineOnly\n     * public inline operator fun compareTo(other: ULong): Int =
this.toULong().compareTo(other)\n\n     /** Adds the other value to this value. *\n     * @kotlin.internal.InlineOnly\n
     * public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n\n     /** Adds the other value to this
value. *\n     * @kotlin.internal.InlineOnly\n     * public inline operator fun plus(other:
UShort): UInt = this.plus(other.toUInt())\n\n     /** Adds the other value to this value. *\n     * @kotlin.internal.InlineOnly\n
     * public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n\n     /** Adds the other value to this value. *\n     * @kotlin.internal.InlineOnly\n
     * public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n     /** Subtracts the other value from this value. *\n     * @kotlin.internal.InlineOnly\n
     * public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n\n     /** Subtracts the other value from this value. *\n     * @kotlin.internal.InlineOnly\n
     * public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n\n     /** Subtracts the other value from this value. *\n     * @kotlin.internal.InlineOnly\n
     * public inline operator fun minus(other: UInt): UInt =

```

```

UInt(this.data.minus(other.data))\n  /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n
    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n  /** Multiplies this
value by the other value. */\n  @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt
= this.times(other.toUInt())\n  /** Multiplies this value by the other value. */\n  @kotlin.internal.InlineOnly\n
    public inline operator fun times(other: UShort): UInt = this.times(other.toUInt())\n  /** Multiplies this value by the
other value. */\n  @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt =
UInt(this.data.times(other.data))\n  /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n  /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */\n  @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte):
UInt = this.div(other.toUInt())\n  /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */\n  @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n  /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n  @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt = uintDivide(this,
other)\n  /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n
@kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n  /**\n   * Calculates the remainder of truncating division of this value by the other
value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n
  /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result
is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n    public inline operator fun rem(other:
UShort): UInt = this.rem(other.toUInt())\n  /**\n   * Calculates the remainder of truncating division of this value
by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n  @kotlin.internal.InlineOnly\n
    public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\n  /**\n   * Calculates the
remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the
divisor.\n   */\n  @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: ULong): ULong =
this.toULong().rem(other)\n\n  /**\n   * Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity.\n   * \n
   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n    public inline fun floorDiv(other: UByte): UInt = this.floorDiv(other.toUInt())\n
  /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n
   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n    public inline fun floorDiv(other: UShort): UInt = this.floorDiv(other.toUInt())\n
  /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n
   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n    public inline fun floorDiv(other: UInt): UInt = div(other)\n  /**\n   * Divides this
value by the other value, flooring the result
to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and
truncating division are the same.\n   */\n  @kotlin.internal.InlineOnly\n    public inline fun floorDiv(other:
ULong): ULong = this.toULong().floorDiv(other)\n\n  /**\n   * Calculates the remainder of flooring division of
this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned
types, the remainders of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n    public inline fun mod(other: UByte): UByte = this.mod(other.toUInt()).toUByte()\n
  /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is
always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating
division are the same.\n   */\n  @kotlin.internal.InlineOnly\n

```

```

    public inline fun mod(other: UShort): UShort = this.mod(other.toUInt()).toUShort()\n    /**\n     * Calculates the remainder of flooring division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     * \n     * For unsigned types, the remainders of flooring division and truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun mod(other: UInt): UInt = rem(other)\n    /**\n     * Calculates the remainder of flooring division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     * \n     * For unsigned types, the remainders of flooring division and truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n    /**\n     * Returns this value incremented by one.\n     */\n    @sample\n    samples.misc.Builtins.inc\n    @kotlin.internal.InlineOnly\n    public inline operator fun inc(): UInt = UInt(data.inc())\n    /**\n     * Returns this value decremented by one.\n     */\n    @sample\n    samples.misc.Builtins.dec\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): UInt = UInt(data.dec())\n    /**\n     * Creates a range from this value to the specified [other] value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this, other)\n    /**\n     * Shifts this value left by the [bitCount] number of bits. \n     * \n     * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance. \n     * \n     * The shift distance actually used is therefore always in the range `0..31`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n    /**\n     * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. \n     * \n     * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance. \n     * \n     * The shift distance actually used is therefore always in the range `0..31`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n    /**\n     * Performs a bitwise AND operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)\n    /**\n     * Performs a bitwise OR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\n    /**\n     * Performs a bitwise XOR operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n    /**\n     * Inverts the bits in this value. */\n    @kotlin.internal.InlineOnly\n    public inline fun inv(): UInt = UInt(data.inv())\n    /**\n     * Converts this [UInt] value to [Byte]. \n     * \n     * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents \n     * the same numerical value as this `UInt`. \n     * \n     * The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value. \n     * \n     * Note that the resulting `Byte` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toByte(): Byte = data.toByte()\n    /**\n     * Converts this [UInt] value to [Short]. \n     * \n     * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents \n     * the same numerical value as this `UInt`. \n     * \n     * The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value. \n     * \n     * Note that the resulting `Short` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toShort(): Short = data.toShort()\n    /**\n     * Converts this [UInt] value to [Int]. \n     * \n     * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents \n     * the same numerical value as this `UInt`. \n     * \n     * Otherwise the result is negative. \n     * \n     * The resulting `Int` value has the same binary representation as this `UInt` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toInt(): Int = data\n    /**\n     * Converts this [UInt] value to [Long]. \n     * \n     * The resulting `Long` value represents the same numerical value as this `UInt`. \n     * \n     * The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value, \n     * \n     * whereas the most significant 32 bits are filled with zeros.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long = data.toLong() and 0xFFFF_FFFF\n    /**\n     * Converts this [UInt] value to [UByte]. \n     * \n     * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents \n     * the same numerical value as this `UInt`. \n     * \n     * The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toUByte(): UByte = data.toUByte()\n    /**\n     * Converts this [UInt] value to [UShort]. \n     * \n     * If

```



```

Comparable<UShort> {
    companion object {
        /**
         * A constant holding the minimum value an
         instance of UShort can have.
        */
        public const val MIN_VALUE: UShort = UShort(0)
        /**
         * A constant holding the maximum value an instance of UShort can have.
        */
        public const val MAX_VALUE: UShort = UShort(-1)
        /**
         * The number of bytes used to represent an instance of
         UShort in a binary form.
        */
        public const val SIZE_BYTES: Int = 2
        /**
         * The number of
         bits used to represent an instance of UShort in a binary form.
        */
        public const val SIZE_BITS: Int = 16
    }

    /**
     * Compares this value with the specified value for order.
     * Returns
     zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive
     number if it's greater than other.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())
    /**
     * Compares this value with the
     specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if
     it's less than other,
     * or a positive number if it's greater than other.
    */
    @kotlin.internal.InlineOnly
    @Suppress("OVERRIDE_BY_INLINE")
    public override inline operator fun compareTo(other: UShort): Int =
    this.toInt().compareTo(other.toInt())
    /**
     * Compares this value with the specified value for order.
     *
     Returns zero if this value is equal to the specified other
     value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UInt): Int =
    this.toUInt().compareTo(other)
    /**
     * Compares this value with the specified value for order.
     *
     Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a
     positive number if it's greater than other.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)
    /**
     * Adds the other value to this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UByte): UInt =
    this.toUInt().plus(other.toUInt())
    /**
     * Adds the other value to this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())
    /**
     * Adds the
     other value to this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UInt): UInt =
    this.toUInt().plus(other)
    /**
     * Adds the other value to this value.
    */
    @kotlin.internal.InlineOnly
    public
    inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)
    /**
     * Subtracts the other value from
     this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UByte): UInt =
    this.toUInt().minus(other.toUInt())
    /**
     * Subtracts the other value from this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UShort): UInt =
    this.toUInt().minus(other.toUInt())
    /**
     * Subtracts the other value from this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)
    /**
     * Subtracts the other value from this value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun
    minus(other: ULong):
    ULong = this.toULong().minus(other)
    /**
     * Multiplies this value by the other value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun times(other: UByte): UInt =
    this.toUInt().times(other.toUInt())
    /**
     * Multiplies this value by the other value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun times(other: UShort): UInt =
    this.toUInt().times(other.toUInt())
    /**
     * Multiplies this value by the other value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)
    /**
     * Multiplies this value by the other value.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun
    times(other: ULong):
    ULong = this.toULong().times(other)
    /**
     * Divides this value by the other value,
     truncating the result to an integer that is closer to zero.
    */
    @kotlin.internal.InlineOnly
    public inline operator
    fun div(other: UByte):
    UInt = this.toUInt().div(other.toUInt())
    /**
     * Divides this value by the other value, truncating the result to an integer that is closer to zero.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun div(other: UShort): UInt =
    this.toUInt().div(other.toUInt())
    /**
     * Divides this value by the other value, truncating the result to an integer that
     is closer to zero.
    */
    @kotlin.internal.InlineOnly
    public inline operator fun div(other: UInt): UInt =

```

```

this.toUInt().div(other)\n /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n /**\n *
Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always
less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt
= this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**\n * Calculates the remainder of
truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong =
this.toULong().rem(other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity.\n * \n * For
unsigned types, the results of flooring division and truncating division are the same.\n */\n
@kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt =
this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and
truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other:
UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring
division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun
floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n * Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline
fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n
* For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n
@kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.toUInt().mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */\n
@kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort =
this.toUInt().mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n /**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n
* For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n
@kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n
/**\n * Returns this value incremented by one.\n * \n * @sample samples.misc.Builtins.inc\n
*/\n @kotlin.internal.InlineOnly\n public inline operator fun inc(): UShort = UShort(data.inc())\n\n /**\n
* Returns this value decremented by one.\n * \n * @sample samples.misc.Builtins.dec\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun dec(): UShort = UShort(data.dec())\n\n /** Creates a
range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND
operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UShort):
UShort = UShort(this.data and other.data)\n\n /** Performs a bitwise OR operation between the two values. */\n

```



```
@kotlin.internal.InlineOnly\n public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values.\n *\n */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UShort): UShort = UShort(this.data xor\n other.data)\n /** Inverts the bits in this value. *\n */\n @kotlin.internal.InlineOnly\n public inline fun inv():\n UShort = UShort(data.inv())\n /**\n * Converts this [UShort] value to [Byte].\n *\n * If this value is less\n than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this\n `UShort`.\n *\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort`\n value.\n * Note that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public\n inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [UShort] value to [Short].\n *\n * If this\n value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same\n numerical value as this `UShort`. Otherwise the\n result is negative.\n *\n * The resulting `Short` value has the same binary representation as this `UShort`\n value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data\n /**\n * Converts\n this [UShort] value to [Int].\n *\n * The resulting `Int` value represents the same numerical value as this\n `UShort`.\n *\n * The least significant 16 bits of the resulting `Int` value are the same as the bits of this\n `UShort` value,\n * whereas the most significant 16 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt() and 0xFFFF\n /**\n * Converts this\n [UShort] value to [Long].\n *\n * The resulting `Long` value represents the same numerical value as this\n `UShort`.\n *\n * The least significant 16 bits of the resulting `Long` value are the same as the bits of this\n `UShort` value,\n * whereas the most significant 48 bits are filled with\n zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFFFF\n /**\n * Converts this [UShort] value to [UByte].\n *\n * If this value is less than or equals to\n [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UShort`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /** Returns this value. *\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = this\n /**\n * Converts this [UShort]\n value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n *\n * whereas the most significant 16 bits are filled\n with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = UInt(data.toInt() and\n 0xFFFF)\n /**\n * Converts this [UShort] value to [ULong].\n *\n * The resulting `ULong` value\n represents the same numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting\n `ULong` value are the same as the bits of this `UShort` value,\n * whereas the most significant 48 bits are filled\n with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong()\n and 0xFFFF)\n /**\n * Converts this [UShort] value to [Float].\n *\n * The resulting `Float` value\n represents the same numerical value as this `UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun\n toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UShort] value to [Double].\n *\n * The\n resulting `Double` value represents the same numerical value as\n this `UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double =\n this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n /**\n * Converts this\n [Byte] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical\n value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this\n `Byte` value,\n * whereas the most significant 8 bits are filled with the sign bit of this value.\n */\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n\n public inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n /**\n * Converts this [Short] value to\n [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this\n `Short`.\n *\n * The resulting `UShort` value has the same binary representation as this `Short` value.\n */\n
```

```

*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsignedTypes::class)^@kotlin.internal.InlineOnly\
npublic inline fun Short.toUShort(): UShort = UShort(this)^@n/**\n * Converts this [Int] value to [UShort].\n *\n * If
this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n *
the same numerical value as this `Int`.\n *\n * The resulting `UShort` value is represented by the least significant 16
bits of this `Int` value.\n
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsignedTypes::class)^@kotlin.internal.InlineOnly\
npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())^@n/**\n * Converts this [Long] value to
[UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort`
value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UShort` value is represented by
the least significant 16 bits of this `Long` value.\n
*^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsignedTypes::class)^@kotlin.internal.InlineOnly\
npublic
inline fun Long.toUShort(): UShort = UShort(this.toShort())^@n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.ranges\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive:
Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n    override val start: Char get() = first\n
override val endInclusive: Char get() = last\n\n    override fun contains(value: Char): Boolean = first <= value &&
value <= last\n\n    /**\n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is
greater than the end value.\n     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is CharRange && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.code + last.code)\n\n    override fun toString(): String = "$first..$last"\n\n    companion object {\n        /** An
empty range of values of type Char. */\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) :
IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n    override val start: Int get() = first\n    override val
endInclusive: Int get() = last\n\n    override fun contains(value: Int): Boolean = first <= value && value <= last\n\n
/**\n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater than the
end value.\n     */\n    override fun isEmpty():
Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntRange && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first + last)\n\n    override fun toString(): String = "$first..$last"\n\n    companion object
{\n        /** An empty range of values of type Int. */\n        public val EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) :
LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n    override val start: Long get() = first\n    override
val endInclusive: Long get() = last\n\n    override fun contains(value: Long): Boolean = first <= value && value <=
last\n\n    /**\n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater
than the end value.\n     */\n    override fun
isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongRange &&
(isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last)\n\n    override fun hashCode(): Int
=\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n    override fun
toString(): String = "$first..$last"\n\n    companion object {\n        /** An empty range of values of type Long. */\n
        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*^@n@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("CollectionsKt")^@file:OptIn(kotlin.exper
imental.ExperimentalTypeInference::class)^@npackage kotlin.collections\n\nimport kotlin.contracts.*\nimport
kotlin.random.Random\n\ninternal

```

```

object EmptyIterator : ListIterator<Nothing> {
    override fun hasNext(): Boolean = false
    override fun hasPrevious(): Boolean = false
    override fun nextIndex(): Int = 0
    override fun previousIndex(): Int = -1
    override fun next(): Nothing = throw NoSuchElementException()
    override fun previous(): Nothing = throw NoSuchElementException()
}

internal object EmptyList : List<Nothing>, Serializable, RandomAccess {
    private const val serialVersionUID: Long = -7390468764508069838L
    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()
    override fun hashCode(): Int = 1
    override fun toString(): String = "[]"
    override val size: Int get() = 0
    override fun isEmpty(): Boolean = true
    override fun contains(element: Nothing): Boolean = false
    override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()
    override fun get(index: Int): Nothing = throw IndexOutOfBoundsException("Empty list doesn't contain element at index $index.")
    override fun indexOf(element: Nothing): Int = -1
    override fun lastIndexOf(element: Nothing): Int = -1
    override fun iterator(): Iterator<Nothing> = EmptyIterator
    override fun listIterator(): ListIterator<Nothing> = EmptyIterator
    override fun listIterator(index: Int): ListIterator<Nothing> {
        if (index != 0) throw IndexOutOfBoundsException("Index: $index")
        return EmptyIterator
    }
    override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {
        if (fromIndex == 0 && toIndex == 0) return this
        throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex")
    }
    private fun readResolve(): Any = EmptyList
}

internal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)

private class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs: Boolean) : Collection<T> {
    override val size: Int get() = values.size
    override fun isEmpty(): Boolean = values.isEmpty()
    override fun contains(element: T): Boolean = values.contains(element)
    override fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }
    override fun iterator(): Iterator<T> = values.iterator()
}

// override hidden toArray implementation to prevent copying of values array
public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)

/**
 * Returns an empty read-only list. The returned list is serializable (JVM).
 */
@sample samples.collections.Collections.Lists.emptyReadOnlyList
public fun <T> emptyList(): List<T> = EmptyList

/**
 * Returns a new read-only list of given elements. The returned list is serializable (JVM).
 */
@sample samples.collections.Collections.Lists.readOnlyList
public fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()

/**
 * Returns an empty read-only list. The returned list is serializable (JVM).
 */
@sample samples.collections.Collections.Lists.emptyReadOnlyList
public inline fun <T> listOf(): List<T> = emptyList()

/**
 * Returns an empty new [MutableList].
 */
@sample samples.collections.Collections.Lists.emptyMutableList
public inline fun <T> mutableListOf(): MutableList<T> = ArrayList()

/**
 * Returns an empty new [ArrayList].
 */
@sample samples.collections.Collections.Lists.emptyArrayList
public inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()

/**
 * Returns a new [MutableList] with the given elements.
 */
@sample samples.collections.Collections.Lists.mutableList
public fun <T> mutableListOf(vararg elements: T): MutableList<T> = if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))

/**
 * Returns a new [ArrayList] with the given elements.
 */
@sample samples.collections.Collections.Lists.arrayList
public fun <T> arrayListOf(vararg elements: T): ArrayList<T> = if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))

/**
 * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).
 */
@sample samples.collections.Collections.Lists.listOfNotNull
public fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()

/**
 * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).
 */
@sample samples.collections.Collections.Lists.listOfNotNull
public fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()

/**
 * Creates a new read-only list with the specified
 */

```

[size], where each element is calculated by calling the specified [init] function. The function [init] is called for each list element sequentially starting from the first one. It should return the value for a list element given its index.

`@sample samples.collections.Collections.Lists.readOnlyListFromInitializer`

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified [init] function. The function [init] is called for each list element sequentially starting from the first one. It should return the value for a list element given its index.\n */\n @sample samples.collections.Collections.Lists.mutableListFromInitializer\n\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n    val list = ArrayList<T>(size)\n    repeat(size) { index -> list.add(init(index)) }\n    return list\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction] and returning a read-only list with the same elements. The list passed as a receiver to the [builderAction] is valid only inside that function. Using it outside of the function produces an unspecified behavior. The returned list is serializable (JVM).\n */\n @sample samples.collections.Builders.Lists.buildListSample\n\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildListInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildListInternal(builderAction: MutableList<E>().->Unit): List<E>\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction] and returning a read-only list with the same elements. The list passed as a receiver to the [builderAction] is valid only inside that function. Using it outside of the function produces an unspecified behavior. The returned list is serializable (JVM). [capacity] is used to hint the expected number of elements added in the [builderAction].\n */\n @throws IllegalArgumentException if the given [capacity] is negative.\n @sample samples.collections.Builders.Lists.buildListSampleWithCapacity\n\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildListInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().->Unit): List<E>\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n */\n @sample samples.collections.Collections.Collections.indicesOfCollection\n\n*\npublic val Collection<*>.indices: IntRange\n    get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n */\n @sample samples.collections.Collections.Collections.lastIndexOfList\n\n*\npublic val <T> List<T>.lastIndex: Int\n    get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n */\n @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n\n*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is either null or empty.\n */\n @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null || this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n */\n @sample samples.collections.Collections.Collections.collectionOrElse\n\n*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orElse(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n */\n @sample samples.collections.Collections.Collections.listOrElse\n\n
```

```

* \n @kotlin.internal.InlineOnly\n public inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n /**\n * Returns this collection if it's not empty\n * or the result of calling [defaultValue] function\n * if the collection is empty.\n */\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n * \n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\n public inline fun <C, R> C.ifEmpty(defaultValue: () ->\n R): R where C : Collection<*>, C : R =\n if (isEmpty()) defaultValue() else this\n\n /**\n * Checks if all\n * elements in the specified collection are contained in this collection.\n * \n * Allows to overcome type-safety\n * restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * \n * @sample\n * samples.collections.Collections.Collections.collectionContainsAll\n * \n @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in\n some cases\n @kotlin.internal.InlineOnly\n public inline fun <@kotlin.internal.OnlyInputTypes T>\n Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n /**\n * Returns a\n * new list with the elements of this list randomly shuffled\n * using the specified [random]\n * instance as the source of randomness.\n */\n * \n @SinceKotlin("1.3")\n public fun <T> Iterable<T>.shuffled(random:\n Random): List<T> = toMutableList().apply { shuffle(random) }\n\n internal fun <T>\n List<T>.optimizeReadOnlyList() = when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else ->\n this\n }\n\n /**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * \n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * \n * otherwise the result is undefined.\n * \n * If the list contains multiple elements equal to the specified [element], there\n * is no guarantee which one will be found.\n * \n * `null` value is considered to be less than any non-null value.\n * \n * \n * @return the index of the element, if it is contained in the list within the specified range;\n * \n * otherwise, the inverted\n * insertion point `(-insertion point - 1)`.\n * \n * The insertion point is defined as the index\n * at which the element should be inserted,\n * \n * so that the list (or the specified subrange of list) still remains sorted.\n * \n * \n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\n * \n * @sample\n * samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\n public fun <T : Comparable<T>>\n List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex,\n toIndex)\n var low = fromIndex\n var high = toIndex - 1\n while (low <= high) {\n val mid = (low +\n high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = compareValues(midVal,\n element)\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n }\n\n /**\n * Searches this list or its range\n * for the provided [element] using the binary search algorithm.\n * \n * The list is expected\n * to be sorted into ascending order according to the specified [comparator],\n * \n * otherwise the result is undefined.\n * \n * \n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be\n * found.\n * \n * `null` value is considered to be less than any non-null value.\n * \n * \n * @return the index of the element,\n * if it is contained in the list within the specified range;\n * \n * otherwise, the inverted insertion point `(-insertion point -\n * 1)`.\n * \n * The insertion point is defined as the index at which the element should be inserted,\n * \n * so that the list (or the\n * specified subrange of list) still remains sorted according to the specified [comparator].\n * \n * \n * @sample\n * samples.collections.Collections.Lists.binarySearchWithComparator\n */\n public fun <T>\n List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n var low = fromIndex\n var high = toIndex - 1\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparator.compare(midVal, element)\n if (cmp < 0)\n low = mid + 1\n else if (cmp\n > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not\n found\n }\n\n /**\n * Searches this list or its range for an element having the key returned by the specified [selector]\n * function\n * equal to the provided [key] value using the binary search algorithm.\n * \n * The list is expected to be sorted\n * into ascending order according to the Comparable natural ordering of keys of its elements.\n * \n * otherwise the result is\n * undefined.\n * \n * If the list contains multiple elements with the specified [key], there is no guarantee which one\n * will be found.\n * \n * `null` value is considered to be less than any non-null value.\n * \n * \n * @return the index of the\n * element with the specified [key],

```

if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample

```
samples.collections.Collections.Lists.binarySearchByKey\n *^\npublic inline fun <T, K : Comparable<K>>\nList<T>.binarySearchBy(\n    key: K?,\n    fromIndex: Int = 0,\n    toIndex: Int = size,\n    crossinline selector: (T) ->\n    K?)\n): Int =\n    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this\n// overload --- too rare\n//\npublic fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>,\n    fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n    binarySearch(fromIndex, toIndex) {\n        comparator.compare(selector(it), key) }\n\n\n**\n * Searches this list or its range for an element for which the\n * given [comparison]
```

function returns zero using the binary search algorithm.\n * The list is expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,\n * i.e. negative values come before zero and zeroes come before positive values.\n * Otherwise, the result is undefined.\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n * @param comparison function that returns zero when called on the list element being searched.\n * On the elements coming before the target element, the function must return negative values;\n * on the elements coming after the target element, the function must return positive values.\n * @return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n

* so that the list (or the specified subrange of list) still remains sorted.\n * @sample

```
samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n *^\npublic fun <T>\nList<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n    rangeCheck(size, fromIndex, toIndex)\n    var low = fromIndex\n    var high = toIndex - 1\n    while (low <= high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparison(midVal)\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n *^\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\n    when {\n        fromIndex > toIndex -> throw
```

```
IllegalArgumentException("fromIndex
```

```
($fromIndex) is greater than toIndex ($toIndex).")\n        fromIndex < 0 -> throw
```

```
IndexOutOfBoundsException("fromIndex ($fromIndex) is less than zero.")\n        toIndex > size -> throw
```

```
IndexOutOfBoundsException("toIndex ($toIndex) is greater than size ($size).")\n    }\n}\n\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal expect fun checkIndexOverflow(index: Int):
```

```
Int\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal expect fun checkCountOverflow(count: Int):
```

```
Int\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun throwIndexOverflow() { throw
```

```
ArithmeticException("Index overflow has happened.") }\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun throwCountOverflow() { throw ArithmeticException("Count overflow has happened.") }\n\n", /*\n * Copyright
```

```
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*^\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\nprivate object
```

```
EmptyMap : Map<Any?, Nothing>, Serializable {\n    private const val serialVersionUID: Long =
```

```
8246714829545688274\n\n    override fun equals(other: Any?): Boolean = other is Map<*, *> &&
```

```
other.isEmpty()\n\n    override fun hashCode(): Int = 0\n\n    override fun toString(): String = "{}"\n\n    override val
```

```
size: Int get() = 0\n\n    override fun isEmpty(): Boolean = true\n\n    override fun containsKey(key: Any?): Boolean = false\n\n    override fun containsValue(value: Nothing): Boolean = false\n\n    override fun get(key: Any?): Nothing? =
```

```
null\n\n    override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n\n    override val keys: Set<Any?> get() = EmptySet\n\n    override val values: Collection<Nothing> get() = EmptyList\n\n    private fun readResolve():
```

Any

```
= EmptyMap\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n    if (pairs.size > 0)\n        pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n    else emptyMap()\n\n/**\n * Returns an empty read-only map.\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> =\n    LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n    LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n * @sample samples.collections.Maps.Instantiation.emptyHashMap\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> =\n    HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> =\n    HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n * @SinceKotlin("1.1")\n * @kotlin.internal.InlineOnly\n * public inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> =\n *     LinkedHashMap<K, V>()\n * \n * Returns a new [LinkedHashMap] with the specified contents,\n * given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> =\n    pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n *\n * Using it outside of the function produces an unspecified behavior.\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * The returned map is serializable (JVM).\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildMapInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K,
```

V>\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n * [capacity] is used to hint the expected number of pairs added in the [builderAction].\n * Entries of the map are iterated in the order they were added by the [builderAction].\n * The returned map is serializable (JVM).\n * @throws IllegalArgumentException if the given [capacity] is negative.\n * @sample samples.collections.Builders.Maps.buildMapSample\n

```

*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildMapInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit): Map<K, V>\n\n/**\n * Calculate the initial capacity of a map.\n *\n * @PublishedApi\n * internal expect fun mapCapacity(expectedSize: Int): Int\n *\n * Returns `true` if this map is not empty.\n */\n@sample samples.collections.Maps.Usage.mapIsNotEmpty\n\n/**\n * @kotlin.internal.InlineOnly\n * public inline fun <K, V> Map<out K, V>.isEmpty(): Boolean = !isNotEmpty()\n *\n * Returns `true` if this nullable map is either null or empty.\n *\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n
```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>?.isEmptyOrNull(): Boolean {\n    contract {\n        returns(false) implies (this@isEmptyOrNull != null)\n    }\n    return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n *\n * @sample samples.collections.Maps.Usage.mapOrNull\n
```

```

*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n * or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample samples.collections.Maps.Usage.mapIfEmpty\n
```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n    if (isEmpty())\n        defaultValue()\n    else this\n\n/**\n * Checks if the map contains the given key.\n *\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n *\n * @sample samples.collections.Maps.Usage.containsKey\n
```

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n *\n * @kotlin.internal.InlineOnly\n * public inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n    @Suppress("UNCHECKED_CAST") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing values in a mutable map.\n *\n * @kotlin.internal.InlineOnly\n * public inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n    put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n *\n * @kotlin.internal.InlineOnly\n * public inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n    @Suppress("UNCHECKED_CAST") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n * @sample samples.collections.Maps.Usage.containsValue\n
```

```

*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n/**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n *\n * Allows to overcome type-safety

```



```

restriction of `remove` that requires to pass a key of type `K`.
@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =
@Suppress("UNCHECKED_CAST") (this as MutableMap<K, V>).remove(key)
Returns the key component of the map entry.
This method allows to use destructuring declarations when working with maps,
for example:
for ((key, value) in map) { // do something with the key and the value }
@kotlin.internal.OnlyInputTypes K, V> Map.Entry<K, V>.component1(): K =
key
Returns the value component of the map entry.
This method allows to use destructuring
declarations when working with maps, for
example:
for ((key, value) in map) { // do something with the key and the value }
@kotlin.internal.OnlyInputTypes K, V> Map.Entry<K, V>.component2(): V =
value
Converts entry to [Pair] with key being first component and value being second.
@kotlin.internal.OnlyInputTypes K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key,
value)
Returns the value for the given key, or the result of the [defaultValue] function if there was no
entry for the given key.
@sample samples.collections.Maps.Usage.getOrElse
@kotlin.internal.OnlyInputTypes K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V
= get(key) ?: defaultValue
internal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: ()
-> V): V {
    val value = get(key)
    if (value == null && !containsKey(key)) {
        return defaultValue()
    }
    else {
        @Suppress("UNCHECKED_CAST")
        return value as V
    }
}
Returns the value for the given [key] or throws an exception if there is no
such key in the map.
If the map was created by [withDefault], resorts to its `defaultValue` provider
function instead of throwing an exception.
@throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default value was provided for that map.
@SinceKotlin("1.1")
public fun <K, V> Map<K, V>.getValue(key: K): V =
getOrDefault(key)
Returns the value for the given key. If the key is not found in the map, calls
the [defaultValue] function, puts its result into the map under the given key and returns it.
Note that the
operation is not guaranteed to be atomic if the map is being modified concurrently.
@sample
samples.collections.Maps.Usage.getOrPut
public inline fun <K, V> MutableMap<K, V>.getOrPut(key: K,
defaultValue: () -> V):
V {
    val value = get(key)
    return if (value == null) {
        val answer = defaultValue()
        put(key,
answer)
        answer
    } else {
        value
    }
}
Returns an [Iterator] over the entries in the
[Map].
@sample samples.collections.Maps.Usage.forOverEntries
@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()
Returns a [MutableIterator] over the mutable entries in the [MutableMap].
@kotlin.jvm.JvmName("mutableIterator")
@kotlin.internal.OnlyInputTypes K, V>
MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()
Populates the given [destination] map with entries having the keys of this map and the values obtained
by
applying the [transform] function to each entry in this [Map].
public inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out
K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {
    return
entries.associateByTo(destination, { it.key }, transform)
}
Populates the given [destination] map with
entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values
of this map.
In case if any two entries are mapped to the equal keys, the value of the latter one will
overwrite the value associated with the former one.
public inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {
    return
entries.associateByTo(destination, transform, { it.value })
}
Puts all the given [pairs] into this
[MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V>
MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

```

```

}
}
}

Put all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

Put all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

Returns a new map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map].
The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Transformations.mapValues
public inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {
    return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map.
In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.
The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Transformations.mapKeys
public inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {
    return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

Returns a map containing all key-value pairs with keys matching the given [predicate].
The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Filtering.filterKeys
public inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.key)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}

Returns a map containing all key-value pairs with values matching the given [predicate].
The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Filtering.filterValues
public inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.value)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}

Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.
@return the destination map.
@sample
samples.collections.Maps.Filtering.filterTo
public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

Returns a new map containing all key-value pairs matching the given [predicate].
The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Filtering.filter
public inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterTo(LinkedHashMap<K, V>(), predicate)
}

Appends all entries not matching the given [predicate] into the given [destination].
@return the destination map.
@sample
samples.collections.Maps.Filtering.filterNotTo
public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (!predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

Returns a new map containing all key-value pairs not matching the given [predicate].
The returned map preserves the entry iteration order of the original map.
@sample
samples.collections.Maps.Filtering.filterNot
public inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterNotTo(LinkedHashMap<K, V>(), predicate)
}

Returns a new map containing all key-value pairs from the given collection of pairs.
The returned map preserves the entry iteration order of the original collection.
If any of two pairs would have the same key the last one gets added to the map.
public

```

```

fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {
    if (this is Collection) {
        return when (size) {
            0 -> emptyMap()
            1 -> mapOf(if (this is List) this[0] else iterator().next())
            else ->
                toMap(LinkedHashMap<K, V>(mapCapacity(size)))
        }
    }
    return toMap(LinkedHashMap<K, V>().optimizeReadOnlyMap())
}

/**
 * Populates and returns the [destination] mutable map with key-value
 * pairs from the given collection of pairs.
 */
public fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

/**
 * Returns a new map
 * containing all key-value pairs from the given array of pairs.
 * The returned map preserves the entry iteration
 * order of the original array.
 * If any of two pairs would have the same key the last one gets added to the map.
 */
public fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> mapOf(this[0])
    else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
}

/**
 * Populates and
 * returns the [destination] mutable map with key-value pairs from the given array of pairs.
 */
public fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =
    destination.apply {
        putAll(this@toMap)
    }

/**
 * Returns a new map containing all key-value pairs from the given sequence of
 * pairs.
 * The returned map preserves the entry iteration order of the original sequence.
 * If any of two pairs
 * would have the same key the last one gets added to the map.
 */
public fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>().optimizeReadOnlyMap())

/**
 * Populates and
 * returns the [destination] mutable map with key-value pairs from the given sequence of pairs.
 */
public fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =
    destination.apply {
        putAll(this@toMap)
    }

/**
 * Returns a new read-only map containing all key-value pairs from the original map.
 * The returned map
 * preserves the entry iteration order of the original map.
 */
@SinceKotlin("1.1")
public fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> toSingletonMap()
    else ->
        toMutableMap()
}

/**
 * Returns a new mutable map containing all key-value pairs from the original map.
 * The returned map preserves the entry iteration order of the original map.
 */
@SinceKotlin("1.1")
public fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)

/**
 * Populates
 * and returns the [destination] mutable map with key-value pairs from the given map.
 */
@SinceKotlin("1.1")
public fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

/**
 * Creates a new read-only map by replacing or
 * adding an entry to this map from a given key-value
 * [pair].
 * The returned map preserves the entry iteration order of the original map.
 * The [pair] is iterated in
 * the end if it has a unique key.
 */
public operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =
    if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }

/**
 * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value
 * [pairs].
 * The returned map preserves the entry iteration order of the original map.
 * Those [pairs] with
 * unique keys are iterated in the end in the order of [pairs] collection.
 */
public operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =
    if (this.isEmpty()) pairs.toMap() else
        LinkedHashMap(this).apply { putAll(pairs) }

/**
 * Creates a new read-only map by replacing or adding entries
 * to this map from a given array of key-value [pairs].
 * The returned map preserves the entry iteration
 * order of the original map.
 * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.
 */
public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =
    if
        (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }

/**
 * Creates a new read-only
 * map by replacing or adding entries to this map from a given sequence of key-value [pairs].
 * The returned map
 * preserves the entry iteration order of the original map.
 * Those [pairs] with unique keys are iterated in the end in
 * the order of [pairs] sequence.
 */
public operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =
    LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()

/**
 * Creates
 * a new read-only map by replacing or adding entries to this map from another [map].
 * The returned map
 * preserves the entry iteration order of the original map.
 * Those entries of another [map] that are missing

```

```

in this map are iterated in the end in the order of that [map].\n *\npublic operator fun <K, V> Map<out K,
V>.plus(map: Map<out K, V>): Map<K, V> =\n    LinkedHashMap(this).apply { putAll(map) }\n\n\n**\n *
Appends or replaces the given [pair] in this mutable map.\n *\n@kotlin.internal.InlineOnly\npublic inline operator
fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n    put(pair.first, pair.second)\n}\n\n\n**\n *
Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs:
Iterable<Pair<K, V>>) {\n    putAll(pairs)\n}\n\n\n**\n * Appends or replaces all pairs from the given array of [pairs]
in this mutable map.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in
V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n    putAll(pairs)\n}\n\n\n**\n * Appends or replaces all pairs from
the given sequence
of [pairs] in this mutable map.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V>
MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n    putAll(pairs)\n}\n\n\n**\n * Appends or
replaces all entries from the given [map] in this mutable map.\n *\n@kotlin.internal.InlineOnly\npublic inline
operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n    putAll(map)\n}\n\n\n**\n *
Returns a map containing all entries of the original map except the entry with the given [key].\n *\n * The returned
map preserves the entry iteration order of the original map.\n *\n@SinceKotlin("1.1")\npublic operator fun <K,
V> Map<out K, V>.minus(key: K): Map<K, V> =\n    this.toMutableMap().apply { minusAssign(key)
}.optimizeReadOnlyMap()\n\n\n**\n * Returns a map containing all entries of the original map except those entries\n
* the keys of which are contained in the given [keys] collection.\n *\n * The returned map preserves the entry
iteration order of the
original map.\n *\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>):
Map<K, V> =\n    this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n\n**\n * Returns a
map containing all entries of the original map except those entries\n * the keys of which are contained in the given
[keys] array.\n *\n * The returned map preserves the entry iteration order of the original map.\n
*\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Array<out K>): Map<K, V>
=\n    this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n\n**\n * Returns a map
containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys]
sequence.\n *\n * The returned map preserves the entry iteration order of the original map.\n
*\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V>
=\n    this.toMutableMap().apply { minusAssign(keys)
}.optimizeReadOnlyMap()\n\n\n**\n * Removes the entry with the given [key] from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(key: K) {\n    remove(key)\n}\n\n\n**\n * Removes all entries the keys of which are contained in
the given [keys] collection from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Iterable<K>) {\n    this.keys.removeAll(keys)\n}\n\n\n**\n * Removes all entries the keys of
which are contained in the given [keys] array from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Array<out K>) {\n    this.keys.removeAll(keys)\n}\n\n\n**\n * Removes all entries from the
keys of which are contained in the given [keys] sequence from this mutable map.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n
this.keys.removeAll(keys)\n}\n\n\n// do not expose for now @PublishedApi\ninternal fun <K, V> Map<K,
V>.optimizeReadOnlyMap() = when (size) {\n    0 -> emptyMap()\n    1 -> toSingletonMapOrSelf()\n    else ->
this\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n *\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n@file:OptIn(kotlin.experimenta
l.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object

```

```

EmptySet : Set<Nothing>, Serializable {n private const val serialVersionUID: Long =
3406603774387020532\n override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n
override fun hashCode(): Int = 0\n
override fun toString(): String = \"[]\"\n override val size: Int get() = 0\n override fun isEmpty(): Boolean =
true\n override fun contains(element: Nothing): Boolean = false\n override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\n override fun iterator(): Iterator<Nothing> =
EmptyIterator\n\n private fun readResolve(): Any = EmptySet\n\n/**\n * Returns an empty read-only set.
The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*/\npublic fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given
elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements:
T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The
returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty
new [MutableSet].\n * The returned set preserves the element iteration order.\n * @sample
samples.collections.Collections.Sets.emptyMutableSet\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n */\npublic
fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [HashSet].
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n/**\n * Returns a new [HashSet]
with the given elements. */\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> =
elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [LinkedHashSet].\n
*/\n@sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*/\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either
with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin(\"1.4\")\npublic
fun <T : Any> setOfNotNull(element: T?): Set<T> = if (element != null) setOf(element) else emptySet()\n\n/**\n * Returns a new read-only set only with those given elements, that are not null.\n * Elements of the set are iterated in
the order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Any>
setOfNotNull(vararg elements: T?): Set<T> {n return elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-
only set with the same elements.\n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * Elements of the set are
iterated in the order they were added by the [builderAction].\n * The returned set is serializable (JVM).\n
*/\n@sample samples.collections.Builders.Sets.buildSetSample\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {n contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return
buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\nintern
al expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E>\n\n/**\n * Builds a

```

```

new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set
with the same elements.\n *\n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint the
expected number of elements added in the [builderAction].\n *\n * Elements of
the set are iterated in the order they were added by the [builderAction].\n *\n * The returned set is serializable
(JVM).\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample
samples.collections.Builders.Sets.buildSetSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>().) -> Unit): Set<E> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildSetInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().) -> Unit): Set<E>\n\n/** Returns this Set
if it's not `null` and the empty set otherwise. *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet()
= when (size) {\n 0 -> emptySet()\n 1 -> setOf(iterator().next())\n else -> this}\n\n"/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFOR
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses
the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *\n\n@SinceKotlin("1.1")\npublic
fun String.toByteArrayOrNull(radix: Int): Byte? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int <
Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n return int.toByteArray()\n}\n\n/**\n * Parses the string as
a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses
the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *\n\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix: Int): Short? {\n val int =
this.toIntOrNull(radix) ?: return null\n if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n
return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the
string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n\n val length
= this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Int\n val
firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit
(possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n
limit = Int.MIN_VALUE\n } else if (firstChar
== '+') {\n isNegative = false\n limit = -Int.MAX_VALUE\n } else\n return null\n } else
{\n start = 0\n isNegative = false\n limit = -Int.MAX_VALUE\n }\n\n val limitForMaxRadix = (-
Int.MAX_VALUE) / 36\n var limitBeforeMul = limitForMaxRadix\n var result = 0\n for (i in start until
length) {\n val digit = digitOf(this[i], radix)\n if (digit < 0) return null\n if (result < limitBeforeMul)
{\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / radix\n\n if
(result < limitBeforeMul) {\n return null\n }\n } else {\n return null\n
}

```

```

}\n    }\n\n    result *= radix\n\n    if (result < limit + digit) return null\n\n    result -= digit\n    }\n\nreturn if (isNegative) result else -result\n}\n\n/**\n * Parses the string as a [Long] number and returns
the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin("1.1")\npublic
fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val
length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit:
Long\n\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null
// non-digit (possible sign) only, no digits after\n        start = 1\n        if (firstChar == '-') {\n            isNegative =
true\n            limit = Long.MIN_VALUE\n        } else if (firstChar
== '+') {\n            isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n            return null\n    }
else {\n        start = 0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n    val
limitForMaxRadix = (-Long.MAX_VALUE) / 36\n    var limitBeforeMul = limitForMaxRadix\n    var result =
0L\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if
(result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit
/ radix\n            }\n            if (result < limitBeforeMul) {\n                return null\n            }\n        } else {\n
return null\n        }\n    }\n\n    result *= radix\n\n    if (result < limit + digit) return null\n\n    result -=
digit\n    }\n\n    return if (isNegative) result else -result\n}\n\ninternal fun numberFormatError(input: String):
Nothing = throw NumberFormatException("Invalid number format: '$input')\n", "/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport
kotlin.contracts.*\nimport kotlin.jvm.JvmInline\nimport kotlin.math.*\n\n/**\n * Represents the amount of time one
instant of time is away from another instant.\n * A negative duration is possible in a situation when the second
instant is earlier than the first one.\n * The type can store duration values up to \u00b1146 years with
nanosecond precision,\n * and up to \u00b1146 million years with millisecond precision.\n * If a duration-returning
operation provided in `kotlin.time` produces a duration value that doesn't fit into the above range,\n * the returned
`Duration` is infinite.\n * An infinite duration value [Duration.INFINITE] can be used to represent
infinite timeouts.\n * To construct a duration use either the extension function [toDuration],\n * or the extension
properties [hours], [minutes], [seconds], and so on,\n * available on [Int], [Long], and [Double] numeric types.\n */\n
* To get the value of this duration expressed in a particular [duration units][DurationUnit]\n * use the functions
[toInt], [toLong], and [toDouble]\n * or the properties [inWholeHours], [inWholeMinutes], [inWholeSeconds],
[inWholeNanoseconds], and so on.\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\n@JvmInline\npublic value class
Duration internal constructor(private val rawValue: Long) : Comparable<Duration> {\n\n    private val value: Long
get() = rawValue shr 1\n    private inline val unitDiscriminator: Int get() = rawValue.toInt() and 1\n    private fun
isInNanos() = unitDiscriminator == 0\n    private fun isInMillis() = unitDiscriminator == 1\n    private val
storageUnit get() = if (isInNanos()) DurationUnit.NANOSECONDS
else DurationUnit.MILLISECONDS\n\n    init {\n        if (durationAssertionsEnabled) {\n            if (isInNanos())
{\n                if (value !in -MAX_NANOS..MAX_NANOS) throw AssertionError("$value ns is out of nanoseconds
range")\n            }\n            else {\n                if (value !in -MAX_MILLIS..MAX_MILLIS) throw AssertionError("$value
ms is out of milliseconds range")\n                if (value in -
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) throw AssertionError("$value ms is denormalized")\n            }\n        }\n    }\n\n    companion object {\n        /** The duration equal to exactly 0 seconds. */\n        public
val ZERO: Duration = Duration(0L)\n        /** The duration whose value is positive infinity. It is useful for
representing timeouts that should never expire. */\n        public val INFINITE: Duration =
durationOfMillis(MAX_MILLIS)\n        internal val NEG_INFINITE: Duration = durationOfMillis(-
MAX_MILLIS)\n        /** Converts the given time duration

```

```

[value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */n    @ExperimentalTime\n
public fun convert(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =\n
convertDurationUnit(value, sourceUnit, targetUnit)\n\n    // Duration construction extension properties in
Duration companion scope\n\n    /** Returns a [Duration] equal to this [Int] number of nanoseconds. */n
@kotlin.internal.InlineOnly\n    public inline val Int.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
nanoseconds. */n    @kotlin.internal.InlineOnly\n    public inline val Long.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n\n    /**\n    * Returns a [Duration] equal to this [Double]
number of nanoseconds.\n    *\n    * Depending on its magnitude, the value is rounded to an integer number of
nanoseconds or milliseconds.\n
*\n    * @throws IllegalArgumentException if this [Double] value is `NaN`.\n    */n
@kotlin.internal.InlineOnly\n    public inline val Double.nanoseconds get() =
toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of
microseconds. */n    @kotlin.internal.InlineOnly\n    public inline val Int.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
microseconds. */n    @kotlin.internal.InlineOnly\n    public inline val Long.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n    * Returns a [Duration] equal to this [Double]
number of microseconds.\n    *\n    * Depending on its magnitude, the value is rounded to an integer number
of nanoseconds or milliseconds.\n    *\n    * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n    */n    @kotlin.internal.InlineOnly\n
    public inline val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n    /**
Returns a [Duration] equal to this [Int] number of milliseconds. */n    @kotlin.internal.InlineOnly\n    public
inline val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration]
equal to this [Long] number of milliseconds. */n    @kotlin.internal.InlineOnly\n    public inline val
Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n    * Returns a [Duration]
equal to this [Double] number of milliseconds.\n    *\n    * Depending on its magnitude, the value is rounded
to an integer number of nanoseconds or milliseconds.\n    *\n    * @throws IllegalArgumentException if this
[Double] value is `NaN`.\n    */n    @kotlin.internal.InlineOnly\n    public inline val Double.milliseconds
get() = toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of seconds. */n    @kotlin.internal.InlineOnly\n
    public inline val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to
this [Long] number of seconds. */n    @kotlin.internal.InlineOnly\n    public inline val Long.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n    /**\n    * Returns a [Duration] equal to this [Double] number of
seconds.\n    *\n    * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or
milliseconds.\n    *\n    * @throws IllegalArgumentException if this [Double] value is `NaN`.\n    */n
    @kotlin.internal.InlineOnly\n    public inline val Double.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of minutes. */n
    @kotlin.internal.InlineOnly\n    public inline val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n
    /** Returns a [Duration] equal to this [Long] number of minutes. */n    @kotlin.internal.InlineOnly\n
    public inline val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n    /**\n    * Returns a
[Duration] equal to this [Double] number of minutes.\n    *\n    * Depending on its magnitude, the value is
rounded to an integer number of nanoseconds or milliseconds.\n    *\n    * @throws IllegalArgumentException
if this [Double] value is `NaN`.\n    */n    @kotlin.internal.InlineOnly\n    public inline val Double.minutes
get() = toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] equal to this [Int] number of hours.
*/n    @kotlin.internal.InlineOnly\n    public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n
    /** Returns a [Duration] equal to this [Long] number of hours. */n    @kotlin.internal.InlineOnly\n    public
inline val Long.hours

```



```

get() = toDuration(DurationUnit.HOURS)\n\n    /**\n    * Returns a [Duration] equal to this [Double] number
of hours.\n    *\n    * Depending on its magnitude, the value is rounded to an integer number of nanoseconds
or milliseconds.\n    *\n    * @throws IllegalArgumentException if this [Double] value is `NaN`.\n    */\n    @kotlin.internal.InlineOnly\n    public inline val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration] equal to this [Int] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n    /** Returns a [Duration] equal to this [Long]
number of days. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.days get() =
toDuration(DurationUnit.DAYS)\n\n    /**\n    * Returns a [Duration] equal to this [Double] number of days.\n    *\n    * Depending on its magnitude, the value is
rounded to an integer number of nanoseconds or milliseconds.\n    *\n    * @throws
IllegalArgumentException if this [Double] value is `NaN`.\n    */\n    @kotlin.internal.InlineOnly\n    public
inline val Double.days get() = toDuration(DurationUnit.DAYS)\n\n    // deprecated static factory functions\n\n    /** Returns a [Duration] representing the specified [value] number of nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.nanoseconds' extension property
from Duration.Companion instead.", ReplaceWith("value.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Int): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n    /**
Returns a [Duration] representing the specified [value] number of nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Long.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("value.nanoseconds",
"kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Long): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n    /**\n    * Returns a [Duration] representing the specified [value] number of nanoseconds.\n    *\n    * @throws
IllegalArgumentException if the provided `Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.nanoseconds' extension property from Duration.Companion
instead.", ReplaceWith("value.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun nanoseconds(value: Double): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Int): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Long): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n    * Returns a [Duration] representing
the specified [value] number of microseconds.\n    *\n    * @throws IllegalArgumentException if the
provided `Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.microseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun microseconds(value: Double): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of milliseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.milliseconds' extension property from Duration.Companion instead.",
ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun milliseconds(value:

```

```

Int): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing
the specified [value] number of milliseconds. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.milliseconds' extension property from Duration.Companion instead."),
ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun milliseconds(value: Long): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of milliseconds.\n    *\n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Double.milliseconds' extension property from Duration.Companion instead."),
ReplaceWith("value.milliseconds", "kotlin.time.Duration.Companion.milliseconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun milliseconds(value: Double): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of seconds. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Int.seconds' extension property from Duration.Companion instead.", ReplaceWith("value.seconds",
"kotlin.time.Duration.Companion.seconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration]
representing the specified [value] number of seconds. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
    @Deprecated("Use 'Long.seconds' extension property from Duration.Companion instead.",
ReplaceWith("value.seconds", "kotlin.time.Duration.Companion.seconds"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun seconds(value: Long): Duration =
value.toDuration(DurationUnit.SECONDS)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of seconds.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Double.seconds' extension property from Duration.Companion instead.", ReplaceWith("value.seconds",
"kotlin.time.Duration.Companion.seconds"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a
[Duration] representing the specified [value] number of minutes. *\n    @SinceKotlin("1.5")\n
    @ExperimentalTime\n    @Deprecated("Use 'Int.minutes' extension property from Duration.Companion
instead.", ReplaceWith("value.minutes",
"kotlin.time.Duration.Companion.minutes"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n
    public fun minutes(value: Int): Duration = value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a
[Duration] representing the specified [value] number of minutes. *\n    @SinceKotlin("1.5")\n
    @ExperimentalTime\n    @Deprecated("Use 'Long.minutes' extension property from Duration.Companion
instead.", ReplaceWith("value.minutes", "kotlin.time.Duration.Companion.minutes"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun minutes(value: Long): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of minutes.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use
'Double.minutes'
extension property from Duration.Companion instead.", ReplaceWith("value.minutes",
"kotlin.time.Duration.Companion.minutes"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun minutes(value: Double): Duration = value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a
[Duration] representing the specified [value] number of hours. *\n    @SinceKotlin("1.5")\n
    @ExperimentalTime\n    @Deprecated("Use 'Int.hours' extension property from Duration.Companion
instead.",
ReplaceWith("value.hours", "kotlin.time.Duration.Companion.hours"))\n
    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun hours(value: Int): Duration =
value.toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration] representing the specified [value] number
of hours. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.hours'

```

```

extension property from Duration.Companion instead.", ReplaceWith("value.hours",
    "\kotlin.time.Duration.Companion.hours"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun hours(value: Long): Duration = value.toDuration(DurationUnit.HOURS)\n\n    /**\n    * Returns a
[Duration] representing the specified [value] number of hours.\n    *\n    * @throws
IllegalArgumentException if the provided `Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n
@ExperimentalTime\n    @Deprecated("Use 'Double.hours' extension property from Duration.Companion
instead.", ReplaceWith("value.hours", "\kotlin.time.Duration.Companion.hours"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun hours(value: Double): Duration =
value.toDuration(DurationUnit.HOURS)\n\n\n    /** Returns a [Duration] representing the specified [value]
number of days. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.days'
extension property
from Duration.Companion instead.", ReplaceWith("value.days", "\kotlin.time.Duration.Companion.days"))\n
@DeprecatedSinceKotlin(warningSince = "1.6")\n    public fun days(value: Int): Duration =
value.toDuration(DurationUnit.DAYS)\n\n    /** Returns a [Duration] representing the specified [value] number
of days. *\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Long.days'
extension property from Duration.Companion instead.", ReplaceWith("value.days",
"\kotlin.time.Duration.Companion.days"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun days(value: Long): Duration = value.toDuration(DurationUnit.DAYS)\n\n    /**\n    * Returns a [Duration]
representing the specified [value] number of days.\n    *\n    * @throws IllegalArgumentException if the
provided `Double` [value] is `NaN`.\n    */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n
@Deprecated("Use
'Double.days' extension property from Duration.Companion instead.", ReplaceWith("value.days",
"\kotlin.time.Duration.Companion.days"))\n    @DeprecatedSinceKotlin(warningSince = "1.6")\n    public
fun days(value: Double): Duration = value.toDuration(DurationUnit.DAYS)\n\n    /**\n    * Parses a string that
represents a duration and returns the parsed [Duration] value.\n    *\n    * The following formats are
accepted:\n    *\n    * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and
[parseIsoString].\n    * - The format of string returned by the default [Duration.toString] and `toString` in a
specific unit,\n    * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n    *\n    * @throws IllegalArgumentException if
the string doesn't represent a duration in any of the supported formats.\n    * @sample
samples.time.Durations.parse\n    */\n    public fun parse(value: String): Duration = try {\n
    parseDuration(value, strictIso = false)\n    } catch (e: IllegalArgumentException) {\n    throw
IllegalArgumentException("Invalid duration string format: '$value'.", e)\n    }\n\n    /**\n    * Parses a
string that represents a duration in ISO-8601 format and returns the parsed [Duration] value.\n    *\n    *
@throws IllegalArgumentException if the string doesn't represent a duration in ISO-8601 format.\n    * @sample
samples.time.Durations.parseIsoString\n    */\n    public fun parseIsoString(value: String): Duration = try {\n
    parseDuration(value, strictIso = true)\n    } catch (e: IllegalArgumentException) {\n    throw
IllegalArgumentException("Invalid ISO duration string format: '$value'.", e)\n    }\n\n    /**\n    * Parses a
string that represents a duration and returns the parsed [Duration] value,\n    * or `null` if the string doesn't
represent a duration in any of the supported formats.\n    *\n    * The following formats are accepted:\n    *\n
    * - ISO-8601 Duration format, e.g.
`P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].\n    * - The format of string returned by the default
[Duration.toString] and `toString` in a specific unit,\n    * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n    *
@sample samples.time.Durations.parse\n    */\n    public fun parseOrNull(value: String): Duration? = try {\n
    parseDuration(value, strictIso = false)\n    } catch (e: IllegalArgumentException) {\n    null\n    }\n\n
    /**\n    * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value,\n
    * or `null` if the string doesn't represent a duration in ISO-8601 format.\n    * @sample
samples.time.Durations.parseIsoString\n    */\n    public fun parseIsoStringOrNull(value: String): Duration? =
try {\n    parseDuration(value,

```

```

strictIso = true)\n    } catch (e: IllegalArgumentException) {\n        null\n    }\n\n    // arithmetic
operators\n\n    /** Returns the negative of this value. */\n    public operator fun unaryMinus(): Duration =
durationOf(-value, unitDiscriminator)\n\n    /**\n     * Returns a duration whose value is the sum of this and [other]
duration values.\n     *\n     * @throws IllegalArgumentException if the operation results in an undefined value for
the given arguments,\n     * e.g. when adding infinite durations of different sign.\n     */\n    public operator fun
plus(other: Duration): Duration {\n        when {\n            this.isInfinite() -> {\n                if (other.isFinite() ||
(this.rawValue xor other.rawValue >= 0))\n                    return this\n                else\n                    throw
IllegalArgumentException("Summing infinite durations of different signs yields an undefined result.")\n            }\n            other.isInfinite() -> return
other\n        }\n        return when {\n            this.unitDiscriminator == other.unitDiscriminator -> {\n                val
result = this.value + other.value // never overflows long, but can overflow long63\n                when {\n                    isInNanos() ->\n                        durationOfNanosNormalized(result)\n                    else ->\n                        durationOfMillisNormalized(result)\n                }\n                this.isInMillis() ->\n                    addValuesMixedRanges(this.value, other.value)\n                else ->\n                    addValuesMixedRanges(other.value,
this.value)\n            }\n        }\n        private fun addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration
{\n            val otherMillis = nanosToMillis(otherNanos)\n            val resultMillis = thisMillis + otherMillis\n            return if
(resultMillis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n                val otherNanoRemainder =
otherNanos - millisToNanos(otherMillis)\n                durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)\n            } else {\n
durationOfMillis(resultMillis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n            }\n        }\n\n        /**\n         * Returns a
duration whose value is the difference between this and [other] duration values.\n         *\n         * @throws
IllegalArgumentException if the operation results in an undefined value for the given arguments,\n         * e.g. when
subtracting infinite durations of the same sign.\n         */\n        public operator fun minus(other: Duration): Duration =
this + (-other)\n\n        /**\n         * Returns a duration whose value is this duration value multiplied by the given [scale]
number.\n         *\n         * @throws IllegalArgumentException if the operation results in an undefined value for the given
arguments,\n         * e.g. when multiplying an infinite duration by zero.\n         */\n        public operator fun times(scale: Int):
Duration {\n            if (isInfinite()) {\n                return when {\n                    scale == 0 -> throw
IllegalArgumentException("Multiplying infinite duration by zero yields an undefined
result.")\n                    scale > 0 -> this\n                    else -> -this\n                }\n            }\n            if (scale == 0) return
ZERO\n            val value = value\n            val result = value * scale\n            return if (isInNanos()) {\n                if (value in
(MAX_NANOS / Int.MIN_VALUE)..(-MAX_NANOS / Int.MIN_VALUE)) {\n                    // can't overflow nanos
range for any scale\n                    durationOfNanos(result)\n                } else {\n                    if (result / scale == value) {\n
                        durationOfNanosNormalized(result)\n                    } else {\n                        val millis = nanosToMillis(value)\n
                        val remNanos = value - millisToNanos(millis)\n                        val resultMillis = millis * scale\n
                        val totalMillis = resultMillis + nanosToMillis(remNanos * scale)\n                        if (resultMillis
/ scale == millis && totalMillis xor resultMillis >= 0) {\n                            durationOfMillis(totalMillis.coerceIn(-
MAX_MILLIS..MAX_MILLIS))\n                        } else {\n                            if (value.sign * scale.sign > 0) INFINITE
else NEG_INFINITE\n                        }\n                    }\n                } else {\n                    if (result / scale == value) {\n
                        durationOfMillis(result.coerceIn(-MAX_MILLIS..MAX_MILLIS))\n                    } else {\n                        if (value.sign
* scale.sign > 0) INFINITE else NEG_INFINITE\n                    }\n                }\n            }\n        }\n\n        /**\n         * Returns a duration whose
value is this duration value multiplied by the given [scale] number.\n         *\n         * The operation may involve rounding
when the result cannot be represented exactly with a [Double] number.\n         *\n         * @throws
IllegalArgumentException if the operation results in an undefined value for the given arguments,\n         * e.g. when
multiplying an infinite duration by zero.\n         */\n        public operator fun times(scale: Double): Duration {\n            val
intScale = scale.roundToInt()\n            if (intScale.toDouble() == scale) {\n                return times(intScale)\n            }\n            val unit = storageUnit\n            val
result = toDouble(unit) * scale\n            return result.toDuration(unit)\n        }\n\n        /**\n         * Returns a duration whose
value is this duration value divided by the given [scale] number.\n         *\n         * @throws IllegalArgumentException if

```

```

the operation results in an undefined value for the given arguments,\n
    * e.g. when dividing zero duration by zero.\n
    */\n
public operator fun div(scale: Int): Duration {\n
    if (scale == 0) {\n
        return when {\n
            isPositive() -> INFINITE\n
            isNegative() -> NEG_INFINITE\n
            else -> throw\n
            IllegalArgumentException("Dividing zero duration by zero yields an undefined result.")\n
        }\n
    }\n
    if (isInNanos()) {\n
        return durationOfNanos(value / scale)\n
    } else {\n
        if (isInfinite())\n
            return this * scale.sign\n
        val result = value / scale\n
        if (result in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
            val rem = millisToNanos(value - (result * scale)) / scale\n
            return durationOfNanos(millisToNanos(result) + rem)\n
        }\n
        return durationOfMillis(result)\n
    }\n
}\n
}

/**\n
 * Returns a duration whose value is this duration value divided by the given [scale] number.\n
 * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n
 * e.g. when dividing an infinite duration by infinity or zero duration by zero.\n
 */\n
public operator fun div(scale: Double): Duration {\n
    val intScale = scale.roundToInt()\n
    if (intScale.toDouble() == scale && intScale != 0) {\n
        return div(intScale)\n
    }\n
    val unit = storageUnit\n
    val result = toDouble(unit) / scale\n
    return result.toDuration(unit)\n
}\n
}

/** Returns a number that is the ratio of this and [other] duration values. */\n
public operator fun div(other: Duration): Double {\n
    val coarserUnit = maxOf(this.storageUnit, other.storageUnit)\n
    return this.toDouble(coarserUnit) / other.toDouble(coarserUnit)\n
}\n
}

/** Returns true, if the duration value is less than zero. */\n
public fun isNegative(): Boolean = rawValue < 0\n
/** Returns true, if the duration value is greater than zero. */\n
public fun isPositive(): Boolean = rawValue > 0\n
/** Returns true, if the duration value is infinite. */\n
public fun isInfinite(): Boolean = rawValue == INFINITE.rawValue || rawValue == NEG_INFINITE.rawValue\n
/** Returns true, if the duration value is finite. */\n
public fun isFinite(): Boolean = !isInfinite()\n
/** Returns the absolute value of this value.

The returned value is always non-negative. */\n
public val absoluteValue: Duration get() = if (isNegative()) -this else this\n
}

override fun compareTo(other: Duration): Int {\n
    val compareBits = this.rawValue xor other.rawValue\n
    if (compareBits < 0 || compareBits.toInt() and 1 == 0) // different signs or same sign/same range\n
        return this.rawValue.compareTo(other.rawValue) // same sign/different ranges\n
    val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges\n
    return if (isNegative()) -r else r\n
}\n
}

// splitting to components\n
/**\n
 * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n
 * The result of [action] is returned as the result of this function.\n
 * `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n
 * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n
 * - `hours` represents the whole number of hours in this duration, and its absolute value is less than 24;\n
 * - `days` represents the whole number of days in this duration.\n
 * Infinite durations are represented as either [Long.MAX_VALUE] days, or [Long.MIN_VALUE] days (depending on the sign of infinity),\n
 * and zeroes in the lower components.\n
 */\n
public inline fun <T> toComponents(action: (days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n
    contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n
    return action(inWholeDays, hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\n
}\n
}

/**\n
 * Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n
 * The result of [action] is returned as the result of this function.\n
 * `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n
 * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n
 * - `hours` represents the whole number of hours in this duration.\n
 * Infinite durations are represented as either [Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity),\n
 * and zeroes in the lower components.\n

```

```

*/\n public inline fun <T> toComponents(action: (hours: Long, minutes: Int, seconds: Int, nanoseconds: Int) -> T):
T {\n contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n
return action(inWholeHours, minutesComponent, secondsComponent, nanosecondsComponent)\n }\n\n /**\n
* Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these
components.\n * The result of [action] is returned as the result of this function.\n * - `nanoseconds`
represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
* - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n
* - `minutes` represents the whole number of minutes in this duration.\n * Infinite durations are represented as
either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes (depending on the sign of infinity),\n
* and zeroes in the lower components.\n */\n public inline fun <T> toComponents(action: (minutes: Long,
seconds: Int, nanoseconds: Int) -> T): T {\n contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE)
}\n return action(inWholeMinutes, secondsComponent, nanosecondsComponent)\n }\n\n /**\n
* Splits
this duration into seconds, and nanoseconds and executes the given [action] with these components.\n * The result
of [action] is returned as the result of this function.\n * - `nanoseconds` represents the whole number of
nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the
whole number of seconds in this duration.\n * Infinite durations are represented as either
[Long.MAX_VALUE] seconds, or [Long.MIN_VALUE] seconds (depending on the sign of infinity),\n
* and
zero nanoseconds.\n */\n public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T):
T {\n contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n return
action(inWholeSeconds, nanosecondsComponent)\n }\n\n @PublishedApi\n internal
val hoursComponent: Int\n get() = if (isInfinite()) 0 else (inWholeHours % 24).toInt()\n\n @PublishedApi\n
internal val minutesComponent: Int\n get() = if (isInfinite()) 0 else (inWholeMinutes % 60).toInt()\n\n
@PublishedApi\n internal val secondsComponent: Int\n get() = if (isInfinite()) 0 else (inWholeSeconds %
60).toInt()\n\n @PublishedApi\n internal val nanosecondsComponent: Int\n get() = when {\n
isInfinite() -> 0\n isInMillis() -> millisToNanos(value % 1_000).toInt()\n else -> (value %
1_000_000_000).toInt()\n }\n\n // conversion to units\n\n /**\n
* Returns the value of this duration
expressed as a [Double] number of the specified [unit].\n * The operation may involve rounding when the
result cannot be represented exactly with a [Double] number.\n * An infinite duration value is converted
either to [Double.POSITIVE_INFINITY] or [Double.NEGATIVE_INFINITY] depending
on its sign.\n */\n public fun toDouble(unit: DurationUnit): Double {\n return when (rawValue) {\n
INFINITE.rawValue -> Double.POSITIVE_INFINITY\n NEG_INFINITE.rawValue ->
Double.NEGATIVE_INFINITY\n else -> {\n // TODO: whether it's ok to convert to Double before
scaling\n convertDurationUnit(value.toDouble(), storageUnit, unit)\n }\n }\n }\n\n /**\n
* Returns the value of this duration expressed as a [Long] number of the specified [unit].\n * If the result
doesn't fit in the range of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's
less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than
`Long.MAX_VALUE`.\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n */\n public fun toLong(unit: DurationUnit): Long {\n
return when (rawValue) {\n INFINITE.rawValue -> Long.MAX_VALUE\n
NEG_INFINITE.rawValue -> Long.MIN_VALUE\n else -> convertDurationUnit(value, storageUnit, unit)\n
}\n }\n\n /**\n
* Returns the value of this duration expressed as an [Int] number of the specified [unit].\n
*\n * If the result doesn't fit in the range of [Int] type, it is coerced into that range:\n
* - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n
* - [Int.MAX_VALUE] is returned if it's greater than
`Int.MAX_VALUE`.\n * An infinite duration value is converted either to [Int.MAX_VALUE] or
[Int.MIN_VALUE] depending on its sign.\n */\n public fun toInt(unit: DurationUnit): Int =\n
toLong(unit).coerceIn(Int.MIN_VALUE.toInt(), Int.MAX_VALUE.toInt()).toInt()\n\n /** The value of this
duration expressed as a [Double] number of days. *\n @ExperimentalTime\n @Deprecated("Use inWholeDays
property instead

```

```

or convert toDouble(DAYS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.DAYS)\")\n
public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n /** The value of this duration expressed as
a [Double] number of hours. *\n @ExperimentalTime\n @Deprecated(\"Use inWholeHours property instead or
convert toDouble(HOURS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.HOURS)\")\n
public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n /** The value of this duration expressed
as a [Double] number of minutes. *\n @ExperimentalTime\n @Deprecated(\"Use inWholeMinutes property
instead or convert toDouble(MINUTES) if a double value is required.\",
ReplaceWith(\"toDouble(DurationUnit.MINUTES)\")\n public val inMinutes: Double get() =
toDouble(DurationUnit.MINUTES)\n\n /** The value of this duration expressed as a [Double] number of seconds.
*\n @ExperimentalTime\n @Deprecated(\"Use inWholeSeconds
property instead or convert toDouble(SECONDS) if a double value is required.\",
ReplaceWith(\"toDouble(DurationUnit.SECONDS)\")\n public val inSeconds: Double get() =
toDouble(DurationUnit.SECONDS)\n\n /** The value of this duration expressed as a [Double] number of
milliseconds. *\n @ExperimentalTime\n @Deprecated(\"Use inWholeMilliseconds property instead or convert
toDouble(MILLISECONDS) if a double value is required.\",
ReplaceWith(\"toDouble(DurationUnit.MILLISECONDS)\")\n public val inMilliseconds: Double get() =
toDouble(DurationUnit.MILLISECONDS)\n\n /** The value of this duration expressed as a [Double] number of
microseconds. *\n @ExperimentalTime\n @Deprecated(\"Use inWholeMicroseconds property instead or
convert toDouble(MICROSECONDS) if a double value is required.\",
ReplaceWith(\"toDouble(DurationUnit.MICROSECONDS)\")\n public val inMicroseconds: Double get() =
toDouble(DurationUnit.MICROSECONDS)\n\n /** The value of this duration expressed
as a [Double] number of nanoseconds. *\n @ExperimentalTime\n @Deprecated(\"Use inWholeNanoseconds
property instead or convert toDouble(NANOSECONDS) if a double value is required.\",
ReplaceWith(\"toDouble(DurationUnit.NANOSECONDS)\")\n public val inNanoseconds: Double get() =
toDouble(DurationUnit.NANOSECONDS)\n\n\n /**\n * The value of this duration expressed as a [Long]
number of days.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n *\n public val inWholeDays: Long\n get() =
toLong(DurationUnit.DAYS)\n\n /**\n * The value of this duration expressed as a [Long] number of hours.\n
*\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending
on its sign.\n *\n public val inWholeHours: Long\n get() = toLong(DurationUnit.HOURS)\n\n /**\n *
The value of this duration expressed as a [Long] number of
minutes.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n *\n public val inWholeMinutes: Long\n get() =
toLong(DurationUnit.MINUTES)\n\n /**\n * The value of this duration expressed as a [Long] number of
seconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n *\n public val inWholeSeconds: Long\n get() =
toLong(DurationUnit.SECONDS)\n\n /**\n * The value of this duration expressed as a [Long] number of
milliseconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n *\n public val inWholeMilliseconds: Long\n get() {\n
return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n } \n\n /**\n *
The value of this duration expressed as a [Long] number
of microseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n *
- [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned
if it's greater than `Long.MAX_VALUE`.\n *\n * An infinite duration value is converted either to
[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n *\n public val inWholeMicroseconds:
Long\n get() = toLong(DurationUnit.MICROSECONDS)\n\n\n /**\n * The value of this duration expressed
as a [Long] number of nanoseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced
into that range:\n * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * -

```

```

[Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.
    * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.
    public val inWholeNanoseconds: Long
    get() {
        val value = value
        return when {
            isInNanos() -> value
            value > Long.MAX_VALUE / NANOS_IN_MILLIS -> Long.MAX_VALUE
            value < Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE
            else -> millisToNanos(value)
        }
    }
    // shortcuts
    /**
     * Returns the value of this duration expressed as a [Long] number of nanoseconds.
     * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.
     * The range of durations that can be expressed as a `Long` number of nanoseconds is approximately 1292 years.
     */
    @ExperimentalTime
    @Deprecated("Use inWholeNanoseconds property instead.")
    public fun toLongNanoseconds(): Long = inWholeNanoseconds
    /**
     * Returns the value of this duration expressed as a [Long] number of milliseconds.
     * The value is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.
     * The range of durations that can be expressed as a `Long` number of milliseconds is approximately 1292 million years.
     */
    @ExperimentalTime
    @Deprecated("Use inWholeMilliseconds property instead.")
    ReplaceWith("this.inWholeMilliseconds")
    public fun toLongMilliseconds(): Long = inWholeMilliseconds
    /**
     * Returns a string representation of this duration value expressed as a combination of numeric components, each in its own unit.
     * Each component is a number followed by the unit abbreviated name: `d`, `h`, `m`, `s`.
     * `5h`, `1d 12h`, `1h 0m 30.340s`.
     * The last component, usually seconds, can be a number with a fractional part.
     * If the duration is less than a second, it is represented as a single number with one of sub-second units: `ms` (milliseconds), `us` (microseconds), or `ns` (nanoseconds).
     * `140.884ms`, `500us`, `24ns`.
     * A negative duration is prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses: `-12m` and `-(1h 30m)`.
     * Special cases:
     * - an infinite duration is formatted as `"Infinity"` or `"-Infinity"` without a unit.
     * It's recommended to use [toIsoString] that uses more strict ISO-8601 format instead of this `toString` when you want to convert a duration to a string in cases of serialization, interchange, etc.
     */
    @sample
    samples.time.Durations.toStringDefault
    override fun toString(): String = when (rawValue) {
        OL -> "0s"
        INFINITE.rawValue -> "Infinity"
        NEG_INFINITE.rawValue -> "-Infinity"
        else -> {
            val isNegative = isNegative()
            buildString {
                if (isNegative) append('-')
                absoluteValue.toComponents { days, hours, minutes, seconds, nanoseconds ->
                    val hasDays = days != 0L
                    val hasHours = hours != 0L
                    val hasMinutes = minutes != 0L
                    val hasSeconds = seconds != 0 || nanoseconds != 0L
                    var components = 0
                    if (hasDays) {
                        append(days).append('d')
                        components++
                    }
                    if (hasHours || (hasDays && (hasMinutes || hasSeconds))) {
                        if (components++ > 0) append(' ')
                        append(hours).append('h')
                    }
                    if (hasMinutes || (hasSeconds && (hasHours || hasDays))) {
                        if (components++ > 0) append(' ')
                        append(minutes).append('m')
                    }
                    if (hasSeconds) {
                        if (components++ > 0) append(' ')
                        when {
                            seconds != 0 || hasDays || hasHours || hasMinutes ->
                                appendFractional(seconds, nanoseconds, 9, 's', isoZeroes = false)
                            nanoseconds >= 1_000_000 ->
                                appendFractional(nanoseconds / 1_000_000, nanoseconds % 1_000_000, 6, 'ms', isoZeroes = false)
                            nanoseconds >= 1_000 ->
                                appendFractional(nanoseconds / 1_000, nanoseconds % 1_000, 3, 'us', isoZeroes = false)
                            else ->
                                append(nanoseconds).append("ns")
                        }
                    }
                    if (isNegative && components > 1) insert(1, '(').append(')')
                }
            }
            private fun StringBuilder.appendFractional(whole: Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {
                append(whole)
                if (fractional != 0) {
                    append('.')
                    val fracString = fractional.toString().padStart(fractionalSize, '0')
                    val nonZeroDigits = fracString.indexOfLast { it != '0' } + 1
                    when {
                        !isoZeroes && nonZeroDigits <
                    }
                }
            }
        }
    }

```



```

3 -> appendRange(fracString, 0, nonZeroDigits)\n      else -> appendRange(fracString, 0, ((nonZeroDigits + 2)
/ 3) * 3)\n    }\n    }\n    append(unit)\n  }\n\n /**\n * Returns a string representation of this duration
value expressed in the given [unit]\n * and formatted with the specified [decimals] number of digits after decimal
point.\n *\n * Special cases:\n * - an infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"` without a
unit.\n *\n * @param decimals the number of digits after decimal point to show. The value must be non-
negative.\n
* No more than 12 decimals will be shown, even if a larger number is requested.\n *\n * @return the value
of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n
*\n * @throws IllegalArgumentException if [decimals] is less than zero.\n *\n * @sample
samples.time.Durations.toStringDecimals\n */\n public fun toString(unit: DurationUnit, decimals: Int = 0):
String {\n     require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n     val number =
toDouble(unit)\n     if (number.isInfinite()) return number.toString()\n     return formatToExactDecimals(number,
decimals.coerceAtMost(12)) + unit.shortName()\n }\n\n /**\n * Returns an ISO-8601 based string
representation of this duration.\n *\n * The returned value is presented in the format `PTm>s.fS`, where `h`,
`m`, `s` are the integer components of this duration (see [toComponents])\n
* and `f` is a fractional part of second. Depending on the roundness of the value the fractional part can be
formatted with either\n * 0, 3, 6, or 9 decimal digits.\n *\n * The infinite duration is represented as
`\"PT9999999999999999H\"` which is larger than any possible finite duration in Kotlin.\n *\n * Negative durations
are indicated with the sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\n *\n *
@sample samples.time.Durations.toIsoString\n */\n public fun toIsoString(): String = buildString {\n     if
(isNegative()) append('-')\n     append(\"PT\")\n     this@Duration.absoluteValue.toComponents { hours,
minutes, seconds, nanoseconds -> \n         @Suppress(\"NAME_SHADOWING\")\n         var hours = hours\n         if (isInfinite()) {\n             // use large enough value instead of Long.MAX_VALUE\n             hours =
9_999_999_999_999\n         }\n         val hasHours = hours !=
0L\n         val hasSeconds = seconds != 0 || nanoseconds != 0\n         val hasMinutes = minutes != 0 ||
(hasSeconds && hasHours)\n         if (hasHours) {\n             append(hours).append('H')\n         }\n         if
(hasMinutes) {\n             append(minutes).append('M')\n         }\n         if (hasSeconds || (!hasHours &&
!hasMinutes)) {\n             appendFractional(seconds, nanoseconds, 9, \"S\", isoZeroes = true)\n         }\n     }\n }\n\n // constructing from number of units\n// extension functions\n\n /** Returns a [Duration] equal to this [Int]
number of the specified [unit]. *\n * @SinceKotlin(\"1.6\")\n * @WasExperimental(ExperimentalTime::class)\n */\n public
fun Int.toDuration(unit: DurationUnit): Duration {\n     return if (unit <= DurationUnit.SECONDS) {\n         durationOfNanos(convertDurationUnitOverflow(this.toLong(), unit, DurationUnit.NANOSECONDS))\n     } else {\n         toLong().toDuration(unit)\n     }\n }\n\n /** Returns a [Duration] equal
to this [Long] number of the specified [unit]. *\n * @SinceKotlin(\"1.6\")\n * @WasExperimental(ExperimentalTime::class)\n */\n public fun Long.toDuration(unit:
DurationUnit): Duration {\n     val maxNsInUnit = convertDurationUnitOverflow(MAX_NANOS,
DurationUnit.NANOSECONDS, unit)\n     if (this in -maxNsInUnit..maxNsInUnit) {\n         return
durationOfNanos(convertDurationUnitOverflow(this, unit, DurationUnit.NANOSECONDS))\n     } else {\n         val
millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS)\n         return
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n     }\n }\n\n /** Returns a [Duration] equal
to this [Double] number of the specified [unit]. *\n * Depending on its magnitude, the value is rounded to an
integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this `Double` value is
`NaN`.\n *\n * @SinceKotlin(\"1.6\")\n * @WasExperimental(ExperimentalTime::class)\n */\n public fun
Double.toDuration(unit: DurationUnit): Duration
{\n     val valueInNs = convertDurationUnit(this, unit, DurationUnit.NANOSECONDS)\n     require(!valueInNs.isNaN()) { \"Duration value cannot be NaN.\" }\n     val nanos = valueInNs.roundToLong()\n     return if (nanos in -MAX_NANOS..MAX_NANOS) {\n         durationOfNanos(nanos)\n     } else {\n         val millis =
convertDurationUnit(this, unit, DurationUnit.MILLISECONDS).roundToLong()\n

```

```

durationOfMillisNormalized(millis)\n } \n\n// constructing from number of units\n// deprecated extension
properties\n\n/** Returns a [Duration] equal to this [Int] number of nanoseconds.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.nanoseconds' extension property from
Duration.Companion instead.", ReplaceWith("this.nanoseconds"),
"\kotlin.time.Duration.Companion.nanoseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of nanoseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
'Long.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("this.nanoseconds"),
"\kotlin.time.Duration.Companion.nanoseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Double] number of nanoseconds.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.nanoseconds' extension property
from Duration.Companion instead.", ReplaceWith("this.nanoseconds"),
"\kotlin.time.Duration.Companion.nanoseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to
this [Int] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
'Int.microseconds' extension
property from Duration.Companion instead.", ReplaceWith("this.microseconds"),
"\kotlin.time.Duration.Companion.microseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of microseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
'Long.microseconds' extension property from Duration.Companion instead.", ReplaceWith("this.microseconds"),
"\kotlin.time.Duration.Companion.microseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/**\n * Returns a [Duration] equal to
this [Double] number of microseconds.\n * \n * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.microseconds' extension
property from Duration.Companion instead.", ReplaceWith("this.microseconds"),
"\kotlin.time.Duration.Companion.microseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to
this [Int] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
'Int.milliseconds' extension property from Duration.Companion instead.", ReplaceWith("this.milliseconds"),
"\kotlin.time.Duration.Companion.milliseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of milliseconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
'Long.milliseconds' extension property from Duration.Companion instead.", ReplaceWith("this.milliseconds"),
"\kotlin.time.Duration.Companion.milliseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of milliseconds.\n * \n * @throws IllegalArgumentException
if this [Double] value is `NaN`.\n * \n *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
'Double.milliseconds' extension property from Duration.Companion instead.", ReplaceWith("this.milliseconds"),
"\kotlin.time.Duration.Companion.milliseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Int] number of seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.seconds'
extension property from Duration.Companion instead.", ReplaceWith("this.seconds"),
"\kotlin.time.Duration.Companion.seconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val
Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of
seconds. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use

```

```

'Long.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\",
\"kotlin.time.Duration.Companion.seconds\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of seconds.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.seconds' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.seconds\",
\"kotlin.time.Duration.Companion.seconds\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Int]
number of minutes. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.minutes' extension
property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\",
\"kotlin.time.Duration.Companion.minutes\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Long] number of
minutes. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.minutes' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.minutes\",
\"kotlin.time.Duration.Companion.minutes\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of minutes.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.minutes' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.minutes\",
\"kotlin.time.Duration.Companion.minutes\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.minutes
get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Int] number of hours.
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.hours' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.hours\",
\"kotlin.time.Duration.Companion.hours\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Long] number of
hours. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.hours' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.hours\",
\"kotlin.time.Duration.Companion.hours\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of hours.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\",
\"kotlin.time.Duration.Companion.hours\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Int] number of
days. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\",
\"kotlin.time.Duration.Companion.days\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.days
get() = toDuration(DurationUnit.DAYS)\n\n/**\n * Returns a [Duration] equal to this [Long] number of days.
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\",
\"kotlin.time.Duration.Companion.days\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.days get() = toDuration(DurationUnit.DAYS)\n\n/**\n * \n * Returns a [Duration] equal to this [Double] number of days.\n * \n * @throws IllegalArgumentException if this
[Double] value is `NaN`.\n * \n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.days'
extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\",
\"kotlin.time.Duration.Companion.days\")\n\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.days get() = toDuration(DurationUnit.DAYS)\n\n/**\n * Returns a duration whose value is the specified

```

[duration] value multiplied by this number.

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\n/*\n * Returns a duration whose value is the specified [duration] value multiplied by this number.\n * The operation may involve rounding when the result cannot be represented exactly with a [Double] number.\n * @throws IllegalArgumentException if the operation results in a `NaN` value.\n */\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\n\nprivate fun parseDuration(value: String, strictIso: Boolean): Duration {\n    var length = value.length\n    if (length == 0) throw IllegalArgumentException("The string is empty")\n    var index = 0\n    var result = Duration.ZERO\n    val infinityString = "Infinity"\n    when (value[index]) {\n        '+', '-' -> index++\n    }\n    val hasSign = index > 0\n    val isNegative = hasSign && value.startsWith('-')\n    when {\n        length <= index -> throw IllegalArgumentException("No components")\n        value[index] == 'P' -> {\n            if (++index == length) throw IllegalArgumentException()\n            val nonDigitSymbols = "+-." \n            var isTimeComponent = false\n            var prevUnit: DurationUnit?\n            = null\n            while (index < length) {\n                if (value[index] == 'T') {\n                    if (isTimeComponent || ++index == length) throw IllegalArgumentException()\n                    isTimeComponent = true\n                }\n                continue\n            }\n            val component = value.substringWhile(index) { it in '0'..'9' || it in nonDigitSymbols }\n            if (component.isEmpty()) throw IllegalArgumentException()\n            index += component.length\n            val unitChar = value.getOrElse(index) { throw IllegalArgumentException("Missing unit for value $component") }\n            index++\n            val unit = durationUnitByIsoChar(unitChar, isTimeComponent)\n            if (prevUnit != null && prevUnit <= unit) throw IllegalArgumentException("Unexpected order of duration components")\n            prevUnit = unit\n            val dotIndex = component.indexOf('.')\n            if (unit == DurationUnit.SECONDS && dotIndex > 0) {\n                val whole = component.substring(0, dotIndex)\n                result += parseOverLongIsoComponent(whole).toDuration(unit)\n                result += component.substring(dotIndex).toDouble().toDuration(unit)\n            } else {\n                result += parseOverLongIsoComponent(component).toDuration(unit)\n            }\n            strictIso -> {\n                throw IllegalArgumentException("value.regionMatches(index, infinityString, 0, length = maxOf(length - index, infinityString.length), ignoreCase = true) -> {\n                    result = Duration.INFINITE\n                } else -> {\n                    // parse default string format\n                    var prevUnit: DurationUnit? = null\n                    var afterFirst = false\n                    var allowSpaces = !hasSign\n                    if (hasSign && value[index] == '(' && value.last() == ')') {\n                        allowSpaces = true\n                    }\n                    if (++index == --length) throw IllegalArgumentException("No components")\n                    while (index < length) {\n                        if (afterFirst && allowSpaces) {\n                            index = value.skipWhile(index) { it == ' ' }\n                        }\n                        afterFirst = true\n                        val component = value.substringWhile(index) { it in '0'..'9' || it == '.' }\n                        if (component.isEmpty()) throw IllegalArgumentException()\n                        index += component.length\n                        val unitName = value.substringWhile(index) { it in 'a'..'z' }\n                        index += unitName.length\n                        val unit = durationUnitByShortName(unitName)\n                        if (prevUnit != null && prevUnit <= unit) throw IllegalArgumentException("Unexpected order of duration components")\n                        prevUnit = unit\n                        val dotIndex = component.indexOf('.')\n                        if (dotIndex > 0) {\n                            val whole = component.substring(0, dotIndex)\n                            result += whole.toLong().toDuration(unit)\n                            result += component.substring(dotIndex).toDouble().toDuration(unit)\n                        }\n                        if (index < length) throw IllegalArgumentException("Fractional component must be last")\n                        result += component.toLong().toDuration(unit)\n                    }\n                }\n            }\n            return if (isNegative) -result else result\n        }\n    }\n\nprivate fun parseOverLongIsoComponent(value: String): Long {\n    var length = value.length\n    var startIndex = 0\n    if (length > 0 && value[0] in "+-") startIndex++\n    if ((length - startIndex) > 16 && (startIndex..value.lastIndex).all { value[it] in '0'..'9' }) {\n        // all chars are digits, but more than
```

```

ceiling(log10(MAX_MILLIS / 1000)) of them\n    return if (value[0] == '-') Long.MIN_VALUE else
Long.MAX_VALUE\n    }\n    // TODO: replace with just toLong after min JDK becomes 8\n    return if
(value.startsWith("+"))
    value.drop(1).toLong() else value.toLong()\n}\n\nprivate inline fun String.substringWhile(startIndex: Int,
predicate: (Char) -> Boolean): String =\n    substring(startIndex, skipWhile(startIndex, predicate))\n\nprivate inline
fun String.skipWhile(startIndex: Int, predicate: (Char) -> Boolean): Int {\n    var i = startIndex\n    while (i < length
&& predicate(this[i])) i++\n    return i}\n\n\n\n// The ranges are chosen so that they are:\n// - symmetric
relative to zero: this greatly simplifies operations with sign, e.g. unaryMinus and minus.\n// - non-overlapping, but
adjacent: the first value that doesn't fit in nanos range, can be exactly represented in millis.\n\n\ninternal const val
NANOS_IN_MILLIS = 1_000_000\n// maximum number duration can store in nanosecond range\n\ninternal const
val MAX_NANOS = Long.MAX_VALUE / 2 / NANOS_IN_MILLIS * NANOS_IN_MILLIS - 1 // ends in
..._999_999\n// maximum number duration can store in millisecond range, also encodes an
infinite value\n\ninternal const val MAX_MILLIS = Long.MAX_VALUE / 2\n// MAX_NANOS expressed in
milliseconds\n\nprivate const val MAX_NANOS_IN_MILLIS = MAX_NANOS / NANOS_IN_MILLIS\n\nprivate
fun nanosToMillis(nanos: Long): Long = nanos / NANOS_IN_MILLIS\n\nprivate fun millisToNanos(millis: Long):
Long = millis * NANOS_IN_MILLIS\n\nprivate fun durationOfNanos(normalNanos: Long) =
Duration(normalNanos shl 1)\n\nprivate fun durationOfMillis(normalMillis: Long) = Duration((normalMillis shl 1) +
1)\n\nprivate fun durationOf(normalValue: Long, unitDiscriminator: Int) = Duration((normalValue shl 1) +
unitDiscriminator)\n\nprivate fun durationOfNanosNormalized(nanos: Long) =\n    if (nanos in -
MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n
durationOfMillis(nanosToMillis(nanos))\n    }\n\nprivate fun durationOfMillisNormalized(millis: Long) =\n    if
(millis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
durationOfNanos(millisToNanos(millis))\n    } else {\n
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n\n\ninternal expect val
durationAssertionsEnabled: Boolean\n\n\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int):
String\n\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String", "/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName("UnsignedKt")\n\npackage kotlin\n\n\n@PublishedApi\n\ninternal fun uintCompare(v1:
Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n\n@PublishedApi\n\ninternal fun
ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor
Long.MIN_VALUE)\n\n\n@PublishedApi\n\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() /
v2.toLong()).toUInt()\n\n@PublishedApi\n\ninternal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong()
% v2.toLong()).toUInt()\n\n\n// Division and remainder are based on Guava's UnsignedLongs implementation\n\n\n
Copyright 2011 The Guava Authors\n\n\n@PublishedApi\n\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong
{\n    val dividend = v1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n
return if (v1 < v2) ULong(0) else ULong(1)\n    }\n\n    // Optimization - use signed division if both dividend and
divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend / divisor)\n    }\n\n    // Otherwise, approximate
the quotient, check, and correct if necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem =
dividend - quotient * divisor\n    return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else
0)\n\n}\n\n\n@PublishedApi\n\ninternal fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n    val dividend =
v1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n
return if (v1 < v2) {\n        v1 // dividend < divisor\n    } else {\n        v1 - v2 // dividend >= divisor\n
    }\n\n    // Optimization - use signed modulus if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n
return ULong(dividend % divisor)\n    }\n\n    // Otherwise, approximate the quotient, check, and correct if
necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return
ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else 0)\n\n}\n\n\n@PublishedApi\n\ninternal fun
doubleToUInt(v: Double): UInt = when {\n    v.isNaN() -> 0\n    v <= UInt.MIN_VALUE.toDouble() ->

```

```

UInt.MIN_VALUE\n    v >= UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -
> v.toInt().toUInt()\n    else -> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt()    //
Int.MAX_VALUE < v < UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double):
ULong = when {\n    v.isNaN()\n    -> 0u\n    v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n    v >=
ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v < Long.MAX_VALUE ->
v.toLong().toULong()\n}\n    // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not
representable in Double, so don't handle them.\n    else -> (v - 9223372036854775808.0).toLong().toULong() +
9223372036854775808uL    // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and
Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n\n@PublishedApi\ninternal fun
ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n}\n\n\ninternal fun
ulongToString(v: Long): String = ulongToString(v, 10)\n\n\ninternal fun ulongToString(v: Long, base: Int): String {\n
    if (v >= 0) return v.toString(base)\n    var quotient = ((v ushr 1) / base) shl 1\n    var rem = v - quotient * base\n
    if (rem >= base) {\n        rem -= base\n        quotient += 1\n    }\n    return quotient.toString(base) + rem.toString(base)\n}\n\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n    override fun iterator(): Iterator<T> = iterator()\n}\n\n\n/**\n * A wrapper over another
[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\n\ninternal class
IndexingIterable<out T>(private val iteratorFactory:
() -> Iterator<T>) : Iterable<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> =
IndexingIterator(iteratorFactory())\n}\n\n\n\n/**\n * Returns the size of this iterable if it is known, or `null`
otherwise.\n */\n\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is
Collection<*>) this.size else null\n\n\n/**\n * Returns the size of this iterable if it is known, or the specified [default]
value otherwise.\n */\n\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if
(this is Collection<*>) this.size else default\n\n\n\n/**\n * Returns a single list of all elements from all collections in
the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\n\npublic fun <T>
Iterable<Iterable<T>>.flatten(): List<T> {\n    val result = ArrayList<T>()\n    for (element in this) {\n
        result.addAll(element)\n    }\n    return result\n}\n\n\n\n/**\n * Returns a pair
of lists, where\n * *first* list is built from the first values of each pair from this collection,\n * *second* list is built
from the second values of each pair from this collection.\n * @sample
samples.collections.Iterables.Operations.unzipIterable\n */\n\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n    val expectedSize = collectionSizeOrDefault(10)\n    val listT =
ArrayList<T>(expectedSize)\n    val listR = ArrayList<R>(expectedSize)\n    for (pair in this) {\n
        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n\n", /*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\n\nimport kotlin.random.Random\n\n\n/**\n * Given an [iterator] function constructs
a [Sequence] that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated
lazily, and the sequence is potentially infinite.\n */\n * @sample
samples.collections.Sequences.Building.sequenceFromIterator\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n    override fun

```

```

iterator(): Iterator<T> = iterator()\n\n/**\n * Creates a sequence that returns all elements from this iterator. The
sequence is constrained to be iterated only once.\n *\n * @sample
samples.collections.Sequences.Building.sequenceFromIterator\n *\npublic fun <T> Iterator<T>.asSequence():
Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n\n
*\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n *\npublic fun <T> sequenceOf(vararg
elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()\n\n/**\n
* Returns an empty sequence.\n *\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate
object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n    override fun iterator():
Iterator<Nothing> = EmptyIterator\n    override fun drop(n: Int) = EmptySequence\n    override fun take(n: Int) =
EmptySequence\n}\n\n/**\n * Returns this sequence if it's not `null` and the empty sequence otherwise.\n *\n
@sample samples.collections.Sequences.Usage.sequenceOrEmpty\n\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?: emptySequence()\n\n\n/**\n * Returns a sequence that iterates through the elements either of
this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n\n
*\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n *\n@SinceKotlin("1.3")\npublic fun
<T> Sequence<T>.ifEmpty(defaultValue: () ->
Sequence<T>): Sequence<T> = sequence {\n    val iterator = this@ifEmpty.iterator()\n    if (iterator.hasNext()) {\n
        yieldAll(iterator)\n    } else {\n        yieldAll(defaultValue())\n    }\n}\n\n/**\n * Returns a sequence of all
elements from all sequences in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Sequences.Transformations.flattenSequenceOfSequences\n *\npublic fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all
elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Sequences.Transformations.flattenSequenceOfLists\n\n
*\n@kotlin.jvm.JvmName("flattenSequenceOfIterable")\npublic fun <T> Sequence<Iterable<T>>.flatten():
Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {\n    if (this is
TransformingSequence<*, *>) {\n        return (this as TransformingSequence<*, T>).flatten(iterator)\n    }\n
    return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built
from the first values of each pair from this sequence,\n * *second* list is built from the second values of each pair
from this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Sequences.Transformations.unzip\n *\npublic fun <T, R> Sequence<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR = ArrayList<R>()\n    for (pair in this) {\n
listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * Returns a sequence that
yields elements of this sequence randomly shuffled.\n *\n * Note that every iteration of the sequence returns
elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n\n
*\n@SinceKotlin("1.4")\npublic
fun <T> Sequence<T>.shuffled(): Sequence<T> = shuffled(Random)\n\n/**\n * Returns a sequence that yields
elements of this sequence randomly shuffled\n * using the specified [random] instance as the source of
randomness.\n *\n * Note that every iteration of the sequence returns elements in a different order.\n *\n * The
operation is _intermediate_ and _stateful_.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Sequence<T>.shuffled(random: Random): Sequence<T> = sequence<T> {\n    val buffer = toMutableList()\n    while
(buffer.isNotEmpty()) {\n        val j = random.nextInt(buffer.size)\n        val last = buffer.removeLast()\n
val value = if (j < buffer.size) buffer.set(j, last) else last\n        yield(value)\n    }\n}\n\n/**\n * A sequence that
returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n\n
*\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n *
values for which the predicate returns `false` are returned\n *\ninternal class FilteringSequence<T>(\n    private val
sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean)\n) :
Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =

```

```

sequence.iterator()\n    var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n    var nextItem: T?
= null\n\n    private fun calcNext() {\n        while (iterator.hasNext()) {\n            val item = iterator.next()\n            if (predicate(item) == sendWhen) {\n                nextItem = item\n                nextState = 1\n            }\n        }\n        nextState = 0\n    }\n\n    override fun next(): T {\n        if (nextState == -1)\n            calcNext()\n        if (nextState == 0)\n            throw NoSuchElementException()\n        val result = nextItem\n        nextItem = null\n        nextState = -1\n    }\n\n    @Suppress("UNCHECKED_CAST")\n    return result as T\n}\n\noverride fun hasNext(): Boolean
{\n    if (nextState == -1)\n        calcNext()\n    return nextState == 1\n}\n}\n\n**\n * A
sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying
[sequence].\n *^\n\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>,
private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n
        val iterator = sequence.iterator()\n        override fun next(): R {\n            return transformer(iterator.next())\n
        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n\n    internal fun <E>
flatten(iterator: (R) -> Iterator<E>):
Sequence<E> {\n        return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n**\n * A
sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying
[sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with
the value itself.\n *^\n\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence:
Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> =
object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): R {\n
            return transformer(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext():
Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n**\n * A sequence which combines values from
the underlying [sequence] with their indices and returns them as\n *
[IndexValue] objects.\n *^\n\ninternal class IndexingSequence<T>\nconstructor(private val sequence:
Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object :
Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next():
IndexedValue<T> {\n            return IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n**\n * A sequence which
takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and
returns the values returned by that function. The sequence stops returning\n * values as soon as one of the
underlying sequences stops returning values.\n *^\n\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1: Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private
val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n
        val iterator1 = sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun next(): V {\n
            return transform(iterator1.next(), iterator2.next())\n        }\n\n        override fun hasNext(): Boolean {\n
            return iterator1.hasNext() && iterator2.hasNext()\n        }\n    }\n}\n\ninternal class FlatteningSequence<T, R,
E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val
iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n
        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n        override fun next(): E {\n
            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n
        }\n\n        override
        fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun ensureItemIterator():
Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n            while (itemIterator
== null) {\n                if (!iterator.hasNext())\n                    return false\n            } else {\n                val
element = iterator.next()\n                val nextItemIterator = iterator(transformer(element))\n                if
(nextItemIterator.hasNext()) {\n                    itemIterator = nextItemIterator\n                    return true\n                }\n            }\n        }\n    }\n\n    internal fun <T, C, R> flatMapIndexed(source:
Sequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\n    sequence {\n        var

```



```

index = 0\n      for (element in source) {\n          val result = transform(checkIndexOverflow(index++),
element)\n          yieldAll(iterator(result))\n      }\n  }\n\n  }*\n * A sequence that supports drop(n) and take(n)
operations\n */\n\ninternal interface DropTakeSequence<T> : Sequence<T> {\n  fun drop(n: Int): Sequence<T>\n  fun take(n: Int): Sequence<T>\n}\n\n  }*\n * A sequence that skips [startIndex] values from the underlying
[sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\n\ninternal class
SubSequence<T>(\n  private val sequence: Sequence<T>,\n  private val startIndex: Int,\n  private val endIndex:
Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n  init {\n      require(startIndex >= 0) { "\`startIndex should be
non-negative, but is $startIndex\`" }\n      require(endIndex >= 0) { "\`endIndex should be non-negative, but is
$endIndex\`" }\n      require(endIndex >= startIndex) { "\`endIndex should be not less than startIndex, but was
$endIndex < $startIndex\`" }\n  }\n\n  private val count:
Int get() = endIndex - startIndex\n\n  override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence()
else SubSequence(sequence, startIndex + n, endIndex)\n\n  override fun take(n: Int): Sequence<T> = if (n >= count)
this else SubSequence(sequence, startIndex, startIndex + n)\n\n  override fun iterator(): object : Iterator<T> {\n\n    val iterator = sequence.iterator()\n    var position = 0\n\n    // Shouldn't be called from constructor to avoid
premature iteration\n    private fun drop() {\n        while (position < startIndex && iterator.hasNext()) {\n
iterator.next()\n            position++\n        }\n    }\n\n    override fun hasNext(): Boolean {\n
drop()\n        return (position < endIndex) && iterator.hasNext()\n    }\n\n    override fun next(): T {\n
drop()\n        if (position >= endIndex)\n            throw NoSuchElementException()\n            position++\n
return iterator.next()\n    }\n  }\n}\n\n  }*\n * A sequence that returns at most [count] values from the
underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\n\ninternal class
TakeSequence<T>(\n  private val sequence: Sequence<T>,\n  private val count: Int\n) : Sequence<T>,
DropTakeSequence<T> {\n\n  init {\n      require(count >= 0) { "\`count must be non-negative, but was $count.\`"
}\n  }\n\n  override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else
SubSequence(sequence, n, count)\n\n  override fun take(n: Int): Sequence<T> = if (n >= count) this else
TakeSequence(sequence, n)\n\n  override fun iterator(): Iterator<T> = object : Iterator<T> {\n    var left =
count\n    val iterator = sequence.iterator()\n\n    override fun next(): T {\n        if (left == 0)\n            throw
NoSuchElementException()\n            left--\n            return iterator.next()\n    }\n\n    override
fun hasNext(): Boolean {\n        return left > 0 && iterator.hasNext()\n    }\n  }\n}\n\n  }*\n * A sequence that
returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning
values once the function returns `false` for the next element.\n */\n\ninternal class
TakeWhileSequence<T>(\n  private val sequence: Sequence<T>,\n  private val predicate: (T) ->
Boolean\n) : Sequence<T> {\n\n  override fun iterator(): Iterator<T> = object : Iterator<T> {\n    val iterator =
sequence.iterator()\n    var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n    var nextItem: T?
= null\n\n    private fun calcNext() {\n        if (iterator.hasNext()) {\n            val item = iterator.next()\n
if (predicate(item)) {\n                nextState = 1\n                nextItem = item\n                return\n            }\n
            nextState
= 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext() // will change
nextState\n            if (nextState == 0)\n                throw NoSuchElementException()\n            @Suppress("\`UNCHECKED_CAST\`")\n            val result = nextItem as T\n            // Clean next to avoid keeping
reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext() // will change nextState\n
return nextState == 1\n        }\n    }\n  }\n}\n\n  }*\n * A sequence that skips the specified number of values from the
underlying [sequence] and returns\n * all values after that.\n */\n\ninternal class DropSequence<T>(\n  private val
sequence: Sequence<T>,\n  private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n  init {\n      require(count >= 0) { "\`count must
be non-negative, but was $count.\`" }\n  }\n\n  override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if
(n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n\n  override fun take(n: Int): Sequence<T> =
(count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n\n  override fun

```

```

iterator(): Iterator<T> = object : Iterator<T> {\n    val iterator = sequence.iterator()\n    var left = count\n\n    // Shouldn't be called from constructor to avoid premature iteration\n    private fun drop() {\n        while (left > 0 && iterator.hasNext()) {\n            iterator.next()\n            left--\n        }\n    }\n\n    override fun next(): T {\n        drop()\n        return iterator.next()\n    }\n\n    override fun hasNext(): Boolean {\n        drop()\n        return iterator.hasNext()\n    }\n}\n\n/**\n * A sequence that skips the values from the underlying\n [sequence] while the given [predicate] returns `true` and returns\n * all values after that.\n */\n\ninternal class\n DropWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =\n sequence.iterator()\n        var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n        var nextItem: T? = null\n\n        private fun drop() {\n            while (iterator.hasNext()) {\n                val item =\n iterator.next()\n                if (!predicate(item)) {\n                    nextItem = item\n                    dropState = 1\n                }\n            }\n            dropState = 0\n        }\n\n        override fun next(): T {\n            if\n (dropState == -1)\n                drop()\n            if (dropState == 1) {\n                @Suppress("UNCHECKED_CAST")\n                    val result = nextItem as T\n                    nextItem = null\n                    dropState = 0\n                return result\n            }\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            if (dropState == -\n 1)\n                drop()\n            return dropState == 1 || iterator.hasNext()\n        }\n    }\n}\n\ninternal class\n DistinctSequence<T, K>(private val source: Sequence<T>, private val keySelector: (T) -> K) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class\n DistinctIterator<T, K>(private val source: Iterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\n\n    private val observed = HashSet<K>()\n    override fun computeNext() {\n        while (source.hasNext()) {\n            val next = source.next()\n            val key = keySelector(next)\n            if (observed.add(key)) {\n                setNext(next)\n            }\n        }\n    }\n\n    done()\n}\n}\n\nprivate class GeneratorSequence<T : Any>(private\n val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n\n    override fun iterator():\n Iterator<T> = object : Iterator<T> {\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial\n unknown, -1 for next unknown, 0 for done, 1 for continue\n\n        private fun calcNext() {\n            nextItem = if\n (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else\n 1\n        }\n\n        override fun next(): T {\n            if (nextState < 0)\n                calcNext()\n            if (nextState\n == 0)\n                throw NoSuchElementException()\n            val result = nextItem as T\n            // Do not clean\n nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a wrapper sequence that provides\n values of this sequence, but ensures it can be iterated only one time.\n */\n\n/**\n * The operation is _intermediate_ and\n _stateless_.  

 * [IllegalStateException] is thrown on iterating the returned sequence for the second time and the\n following times.\n */\n\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n    // as? does not work\n in js\n    //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\n    return if (this is\n ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n/**\n * Returns a sequence which\n invokes the function to calculate the next value on each iteration until the function returns `null`.\n */\n\n/**\n * The\n returned sequence is constrained to be iterated only once.\n */\n\n * @see constrainOnce\n * @see kotlin.sequences.sequence\n * @sample\n samples.collections.Sequences.Building.generateSequence\n */\n\npublic fun <T : Any>\n generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, {\n nextFunction() }, constrainOnce())\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the\n function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each\n iteration.\n */\n\n/**\n * The sequence produces values until it encounters first `null` value.\n */\n\n/**\n * If [seed] is `null`, an empty\n sequence is produced.\n */\n\n/**\n * The sequence can be iterated multiple times, each time starting with [seed].\n */\n
```

```

@see kotlin.sequences.sequence\n * \n * @sample
samples.collections.Sequences.Building.generateSequenceWithSeed\n
*\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =\n if (seed == null)\n
    EmptySequence\n else\n    GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined
by the function [seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is
invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces
values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n
* The sequence can be iterated multiple times.\n *\n * @see kotlin.sequences.sequence\n * \n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed\n *\npublic fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n
GeneratorSequence(seedFunction, nextFunction)\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt
file.\n *\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("PreconditionsKt")\n\npackage
kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n
*\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) {\n
"Failed requirement.\n" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException]
if the [value] is null. Otherwise returns the not null value.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T :
Any> requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return
requireNotNull(value) {"Required value was null." }\n}\n\n/**\n * Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample
samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline
fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value
!= null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n contract {\n returns()
implies value\n }\n check(value) {"Check failed.\n" }\n}\n\n/**\n * Throws an [IllegalStateException] with the
result of calling [lazyMessage] if the [value] is false.\n *\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic inline fun
check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if
(!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n }\n}\n\n/**\n
* Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n *\n
* @sample samples.misc.Preconditions.failCheckWithLazyMessage\n *\n@kotlin.internal.InlineOnly\npublic
inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n
return checkNotNull(value) {"Required value was null." }\n}\n\n/**\n * Throws an
[IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not
null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T
{\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message =
lazyMessage()\n throw IllegalStateException(message.toString())\n } else {\n return value\n

```

```
}
}
}

Throws an [IllegalStateException] with the given [message].
 @sample
samples.misc.Preconditions.failWithError
 @kotlin.internal.InlineOnly
public inline fun error(message: Any):
Nothing = throw IllegalStateException(message.toString())
" /* Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.

 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 @kotlin.package.kotlin.collections
 @NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt // See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
 @nimport
kotlin.js.
 @nimport primitiveArrayConcat
 @nimport withType
 @nimport kotlin.ranges.contains
 @nimport
kotlin.ranges.reversed
 @ Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.
 @sample
samples.collections.Collections.Elements.elementAt
 @public actual fun <T> Array<out T>.elementAt(index:
Int): T {
 return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
 @sample samples.collections.Collections.Elements.elementAt
 @public actual fun ByteArray.elementAt(index: Int): Byte {
 return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
 @sample
samples.collections.Collections.Elements.elementAt
 @public actual fun ShortArray.elementAt(index: Int): Short
{
 return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
 @sample samples.collections.Collections.Elements.elementAt
 @public
actual fun IntArray.elementAt(index: Int): Int {
 return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given
[index]
or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
 @sample
samples.collections.Collections.Elements.elementAt
 @public actual fun LongArray.elementAt(index: Int): Long
{
 return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.
 @sample samples.collections.Collections.Elements.elementAt
 @public
actual fun FloatArray.elementAt(index: Int): Float {
 return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
 @sample
samples.collections.Collections.Elements.elementAt
 @public actual fun DoubleArray.elementAt(index: Int):
Double {
 return
elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds
of this array.
 @sample samples.collections.Collections.Elements.elementAt
 @public actual fun
BooleanArray.elementAt(index: Int): Boolean {
 return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
 @sample
samples.collections.Collections.Elements.elementAt
 @public actual fun CharArray.elementAt(index: Int): Char
{
 return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}

 Returns a [List] that wraps the original array.
 @public actual fun <T> Array<out T>.asList():
List<T> {
 return ArrayList<T>(this.unsafeCast<Array<Any?>>())
}

 Returns a [List] that wraps the original array.
 @kotlin.internal.InlineOnly
public actual inline fun
ByteArray.asList(): List<Byte> {
 return this.unsafeCast<Array<Byte>>().asList()
}

 Returns a [List]
that wraps the original array.
 @kotlin.internal.InlineOnly
public actual inline fun ShortArray.asList():
List<Short> {
 return this.unsafeCast<Array<Short>>().asList()
}

 Returns a [List] that wraps the
```

```

original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n    return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList():
List<Float> {\n    return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n
return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n    return
this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*/\n\npublic actual fun CharArray.asList(): List<Char> {\n    return object : AbstractList<Char>(), RandomAccess {\n
        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n
        override fun contains(element: Char): Boolean = this@asList.contains(element)\n        override fun get(index: Int):
Char {\n            AbstractList.checkElementIndex(index, size)\n
            return this@asList[index]\n        }\n        override fun indexOf(element: Char): Int {\n
            @Suppress("USELESS_CAST")\n            if ((element as Any?) !is Char) return -1\n            return
this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: Char): Int {\n
            @Suppress("USELESS_CAST")\n            if ((element as Any?) !is Char) return -1\n            return
this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply*
equal to one another.\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two
corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any
nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the
[equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not
equal to `0.0`.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual
infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n    return
this.contentDeepEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one
another.\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are
also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are
also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The
elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point
numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin("1.4")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out
T>?.contentDeepEquals(other: Array<out T>?):
Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the
behavior is undefined.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic
actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n    return this.contentDeepHashCode()\n}\n\n/**\n *
Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n
*/\n\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n
*/\n@SinceKotlin("1.4")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out
T>?.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
contains itself on
any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
T>.contentDeepToString(): String {\n    return this.contentDeepToString()\n}\n\n/**\n * Returns a string
representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any

```

of arrays contains itself on any nesting level that reference
`\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n *`
`@sample samples.collections.Arrays.ContentOperations.contentDeepToString\n`
`*\n @SinceKotlin(\"1.4\")\n @library(\"arrayDeepToString\")\n public actual fun <T> Array<out`
`T>?.contentDeepToString(): String {\n definedExternally\n }\n\n/**\n * Returns `true` if the two specified arrays`
`are *structurally* equal to one another,\n * i.e. contain the same number of the`
`same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]`
`function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n`
`*\n @Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public actual infix fun <T>`
`Array<out T>.contentEquals(other: Array<out T>): Boolean {\n return this.contentEquals(other)\n }\n\n/**\n *`
`Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of`
`the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]`
`function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n`
`*\n @Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public`
`actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n return`
`this.contentEquals(other)\n }\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one`
`another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are`
`compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is`
`equal to itself and `-0.0` is not equal to `0.0`.\n * \n @Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public actual infix fun`
`ShortArray.contentEquals(other: ShortArray): Boolean {\n return this.contentEquals(other)\n }\n\n/**\n *`
`Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the`
`same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]`
`function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n`
`*\n @Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public actual infix fun`
`IntArray.contentEquals(other: IntArray): Boolean {\n return this.contentEquals(other)\n }\n\n/**\n *`
`Returns `true``
`if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same`
`elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]`
`function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n`
`*\n @Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public actual infix fun`
`LongArray.contentEquals(other: LongArray): Boolean {\n return this.contentEquals(other)\n }\n\n/**\n *`
`* Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number`
`of the same elements in the same order.\n * \n * The elements are compared for equality with the`
`[equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not`
`equal to `0.0`.\n * \n @Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public actual infix fun`
`FloatArray.contentEquals(other: FloatArray): Boolean {\n return this.contentEquals(other)\n }\n\n/**\n *`
`Returns`
``true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the`
`same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals]`
`function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n`
`*\n @Deprecated(\"Use`
`Kotlin compiler 1.4 to avoid deprecation`
`warning.\")\n @SinceKotlin(\"1.1\")\n @DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n public actual infix fun`
`DoubleArray.contentEquals(other: DoubleArray): Boolean {\n return this.contentEquals(other)\n }\n\n/**\n *`
`Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of`

the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 @SinceKotlin("1.1")
 @DeprecatedSinceKotlin(hiddenSince = "1.4")
 public actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {
 return this.contentEquals(other)
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
 @SinceKotlin("1.1")
 @DeprecatedSinceKotlin(hiddenSince = "1.4")
 public actual infix fun CharArray.contentEquals(other: CharArray): Boolean {
 return this.contentEquals(other)
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun LongArray?.contentEquals(other: LongArray?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
 @SinceKotlin("1.4")
 @library("arrayEquals")
 public actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {
 definedExternally
 }
 Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same

elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```

@SinceKotlin("1.4")@library("arrayEquals")
public actual infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean {
    definedExternally
}

```

* Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order.
 * The elements are compared for equality with the [equals][Any.equals] function.
 * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```

@SinceKotlin("1.4")@library("arrayEquals")
public actual infix fun CharArray?.contentEquals(other: CharArray?): Boolean {
    definedExternally
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun <T> Array<out T>.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun ByteArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun ShortArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun IntArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun LongArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun FloatArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun DoubleArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")
@SinceKotlin("1.1")@DeprecatedSinceKotlin(hiddenSince = "1.4")
public actual fun BooleanArray.contentHashCode(): Int {
    return this.contentHashCode()
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.4")@library("arrayHashCode")
public actual fun <T> Array<out T>?.contentHashCode(): Int {
    definedExternally
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.4")@library("arrayHashCode")
public actual fun ByteArray?.contentHashCode(): Int {
    definedExternally
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.4")@library("arrayHashCode")
public actual fun ShortArray?.contentHashCode(): Int {
    definedExternally
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.4")@library("arrayHashCode")
public actual fun IntArray?.contentHashCode(): Int {
    definedExternally
}

```

* Returns a hash code based on the contents of this array as if it is [List].

```

@SinceKotlin("1.4")@library("arrayHashCode")
public actual fun LongArray?.contentHashCode(): Int {
    definedExternally
}

```

* Returns a hash code based on the

contents of this array as if it is [List].\n *^@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun FloatArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun DoubleArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun BooleanArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *^@SinceKotlin("1.4")\n@library("arrayHashCode")\npublic actual fun CharArray?.contentHashCode(): Int {\n definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun <T> Array<out T>.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun ByteArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun ShortArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun IntArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun LongArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun FloatArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun DoubleArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun BooleanArray.contentToString(): String {\n return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n *^@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual fun CharArray.contentToString(): String {\n return

```

this.contentToString()\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun <T> Array<out T>?.contentToString():
String {\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ByteArray?.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ShortArray?.contentToString(): String
{\n  definedExternally\n}\n\n**\n
 * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun IntArray?.contentToString(): String {\n
definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun LongArray?.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun FloatArray?.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Returns a string representation
of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun DoubleArray?.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun BooleanArray?.contentToString():
String {\n  definedExternally\n}\n\n**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun CharArray?.contentToString(): String
{\n  definedExternally\n}\n\n**\n * Copies this array or its subrange into the [destination] array
and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange
so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param
destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic
actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0,
endIndex: Int = size): Array<T> {\n  arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n
return destination\n}\n\n**\n * Copies this array or its subrange into the [destination] array and returns that array.\n
*\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in
the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n

```

* \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of

this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the
```

```
array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n
```

```
    arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n    arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive)
```

```
of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
```

```

_ARGUMENTS`)npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): LongArray {n  arrayCopy(this.unsafeCast<Array<Long>>(),
destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)n  return destination\n}\n\n/**n
 * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to
copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the
[destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlyn@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS`)npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): FloatArray {n  arrayCopy(this.unsafeCast<Array<Float>>(),
destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)n  return destination\n}\n\n/**n
 * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to
copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to
copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlyn@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS`)npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int
= 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {n  arrayCopy(this.unsafeCast<Array<Double>>(),
destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)n  return
destination\n}\n\n/**n
 * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array
in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the
[destination] array indices range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")n@kotlin.internal.InlineOnlyn@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS`)npublic actual inline fun
BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
size): BooleanArray {n  arrayCopy(this.unsafeCast<Array<Boolean>>(),
destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)n  return
destination\n}\n\n/**n
 * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,

```

0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array

indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun IntArray.copyOf(): IntArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun LongArray.copyOf(): LongArray {\n    return withType("LongArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun BooleanArray.copyOf(): BooleanArray {\n    return withType("BooleanArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun CharArray.copyOf(): CharArray {\n    return withType("CharArray", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample\n samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n    require(newSize >= 0) { "Invalid new array size: $newSize." }\n    return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
```

samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun
 ShortArray.copyOf(newSize: Int): ShortArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, ShortArray(newSize))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, IntArray(newSize))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, FloatArray(newSize))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return fillFrom(this, DoubleArray(newSize))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n * \npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n require(newSize >= 0) { \"Invalid new array size: \$newSize.\" }\n return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the

```

[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n
*\n*\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {\n    require(newSize >= 0) { "Invalid new array size: $newSize." }\n    return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive)
to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic
actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return withType("LongArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which
is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to
copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun
FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n *
@param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to
copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the
size of this array.\n * @throws IllegalArgumentException if

```

```

[fromIndex] is greater than [toIndex].\n *\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex:
Int): DoubleArray {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return
this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range
of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the
end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return withType("BooleanArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified
range of
the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the
end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n *\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return withType("CharArray",
this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param
toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException
if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex
the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n

```



```

AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater
than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.fill(element:
Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the
specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n *
@param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@param @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or
its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill,
0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n *
@param @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive)
to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex,
toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n
*\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator
fun <T> Array<out T>.plus(element: T): Array<T> {\n    return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original
array and then the given [element].\n * \n * @param @Suppress("NOTHING_TO_INLINE")\npublic actual inline operator
fun ByteArray.plus(element:

```

Byte): ByteArray { \n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray { \n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray { \n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray { \n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray { \n return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray { \n return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray { \n return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray { \n return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> { \n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray { \n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray { \n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray { \n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray { \n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray { \n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray { \n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray { \n return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray { \n return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>):

```

Array<T> {\n  return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(elements:
ByteArray): ByteArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(elements:
ShortArray): ShortArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(elements: IntArray):
IntArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of
the original array
and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual
inline operator fun LongArray.plus(elements: LongArray): LongArray {\n  return primitiveArrayConcat(this,
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun
FloatArray.plus(elements: FloatArray): FloatArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(elements:
DoubleArray): DoubleArray {\n  return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n
*/\n@Suppress("NOTHING_TO_INLINE")\npublic
actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n  return
primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array
and then all elements of the given [elements] array.\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual
inline operator fun CharArray.plus(elements: CharArray): CharArray {\n  return primitiveArrayConcat(this,
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual
inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n  return
this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
IntArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n
*/\n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic actual fun LongArray.sort(): Unit {\n
@Suppress("DEPRECATION")\n  if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts
the array in-place.\n */\n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\n@library("primitiveArraySort")\npublic actual fun ByteArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n
* Sorts the array in-place.\n */\n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\n@library("primitiveArraySort")\npublic actual fun ShortArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n
* Sorts the array in-place.\n */\n * @sample samples.collections.Arrays.Sorting.sortArray\n
*/\n@library("primitiveArraySort")\npublic actual fun DoubleArray.sort(): Unit {\n
definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
FloatArray.sort():
Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n */\n * @sample
samples.collections.Arrays.Sorting.sortArray\n */\n@library("primitiveArraySort")\npublic actual fun
CharArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order
of its elements.\n */\n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit {\n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-

```

place according to the order specified by the given [comparison] function.

`Array.sortWith` The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

```

@Deprecated("Use sortWith instead",
ReplaceWith("this.sortWith(Comparator(comparison))"))
@DeprecatedSinceKotlin(warningSince
= "1.6")
public fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {
    if (size > 1)
        sortArrayWith(this, comparison)
}

```

`Array.sortRangeOfArray` Sorts a range in the array in-place.

The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

`@param fromIndex` the start of the range (inclusive) to sort, 0 by default.

`@param toIndex` the end of the range (exclusive) to sort, size of this array by default.

`@throws IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

`@throws IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

@sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable
*/
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)
    sortArrayWith(this, fromIndex, toIndex, naturalOrder())
}

```

Sorts a range in the array in-place.

`@param fromIndex` the start of the range (inclusive) to sort, 0 by default.

`@param toIndex` the end of the range (exclusive) to sort, size of this array by default.

`@throws IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

`@throws IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

@sample samples.collections.Arrays.Sorting.sortRangeOfArray
*/
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()
    subarray.sort()
}

```

Sorts a range in the array in-place.

`@param fromIndex` the start of the range (inclusive) to sort, 0 by default.

`@param toIndex` the end of the range (exclusive) to sort, size of this array by default.

`@throws IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

`@throws IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

@sample samples.collections.Arrays.Sorting.sortRangeOfArray
*/
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>()
    subarray.sort()
}

```

Sorts a range in the array in-place.

`@param fromIndex` the start of the range (inclusive) to sort, 0 by default.

`@param toIndex` the end of the range (exclusive) to sort, size of this array by default.

`@throws IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

`@throws IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

@sample samples.collections.Arrays.Sorting.sortRangeOfArray
*/
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<IntArray>()
    subarray.sort()
}

```

Sorts a range in the array in-place.

`@param fromIndex` the start of the range (inclusive) to sort, 0 by default.

`@param toIndex` the end of the range (exclusive) to sort, size of this array by default.

`@throws IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.

`@throws IllegalArgumentException` if [fromIndex] is greater than [toIndex].

```

@sample samples.collections.Arrays.Sorting.sortRangeOfArray
*/
@SinceKotlin("1.4")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {

```

```

AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this.unsafeCast<Array<Long>>(),
fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex
the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<FloatArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a
range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *
@param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n    val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<DoubleArray>()\n
subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range
(inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray =
this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts the
array
in-place according to the order specified by the given [comparison] function.\n * \n *\n@Deprecated("Use other
sorting functions from the Standard Library")\n@DeprecatedSinceKotlin(warningSince =
"1.6")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) ->
Int): Unit {\n    asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified
by the given [comparison] function.\n * \n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n * \n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n

```

```

asDynamic().sort(comparison)\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison]
function.\n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n
asDynamic().sort(comparison)\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n@Deprecated("Use other sorting functions from the Standard
Library")\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n if
(size
> 1) sortArrayWith(this, comparator)\n\n/**\n * Sorts a range in the array in-place with the given
[comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex
the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this, fromIndex, toIndex,
comparator)\n\n/**\n * Returns a *typed* object array containing
all of the elements of this primitive array.\n *\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n
return js("[]").slice.call(this)\n\n/**\n * Returns a *typed* object array containing all of the elements of this
primitive array.\n *\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n return
js("[]").slice.call(this)\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n return js("[]").slice.call(this)\n\n/**\n
* Returns a *typed* object array containing all of the elements of this primitive array.\n *\npublic actual fun
LongArray.toTypedArray(): Array<Long> {\n return js("[]").slice.call(this)\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n *\npublic actual fun
FloatArray.toTypedArray(): Array<Float> {\n return js("[]").slice.call(this)\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *\npublic actual fun
DoubleArray.toTypedArray(): Array<Double> {\n return js("[]").slice.call(this)\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n *\npublic actual fun
BooleanArray.toTypedArray(): Array<Boolean> {\n return js("[]").slice.call(this)\n\n/**\n * Returns a
*typed* object array containing all of the elements of this primitive array.\n *\npublic actual fun
CharArray.toTypedArray(): Array<Char> {\n return Array(size) { index -> this[index] }\n\n"/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\npackage
kotlin.comparisons\n\n/**\n * Compares two values using the specified functions
[selectors] to calculate the result of the comparison.\n * The functions are called sequentially, receive the given
values [a] and [b] and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a
function for [a] and [b] values do not\n * compare as equal, the result of that comparison is returned.\n *\n *
@sample samples.comparisons.Comparisons.compareValuesByWithSelectors\n *\npublic fun <T>
compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n require(selectors.size > 0)\n
return compareValuesByImpl(a, b, selectors)\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:

```

```

Array<out (T) -> Comparable<*>?>): Int {\n  for (fn in selectors) {\n    val v1 = fn(a)\n    val v2 = fn(b)\n    val diff = compareValues(v1, v2)\n    if (diff != 0) return diff\n  }\n  return 0}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n *\n * @sample
samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n  return compareValues(selector(a), selector(b))}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects of type K which are then being\n * compared with the given [comparator].\n *\n * @sample
samples.comparisons.Comparisons.compareValuesByWithComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n  return comparator.compare(selector(a), selector(b))}\n\n//// Not so useful without type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n\n/**\n * Compares two values using the specified [comparator].\n *\n * @sample\n */\n@Suppress("NOTHING_TO_INLINE")\npublic inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a, b)\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n * @sample
samples.comparisons.Comparisons.compareValues\n *\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n  if (a === b) return 0\n  if (a == null) return -1\n  if (b == null) return 1\n  @Suppress("UNCHECKED_CAST")\n  return (a as Comparable<Any>).compareTo(b)}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample
samples.comparisons.Comparisons.compareByWithSelectors\n *\npublic fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {\n  require(selectors.size > 0)\n  return Comparator { a, b -> compareValuesByImpl(a, b, selectors) }\n}\n\n/**\n * Creates a comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareByWithSingleSelector\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n  Comparator { a, b -> compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample
samples.comparisons.Comparisons.compareByWithComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n  Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n  Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is reversed by this wrapper.\n *\n * @sample
samples.comparisons.Comparisons.compareByDescendingWithComparator\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n  Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample
samples.comparisons.Comparisons.thenBy\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>

```

```

Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n  Comparator { a, b ->\n    val previousCompare = this@thenBy.compare(a, b)\n    if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n  }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given
[comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n  Comparator { a, b ->\n    val previousCompare = this@thenBy.compare(a, b)\n    if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\n  }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n  Comparator { a, b ->\n    val previousCompare = this@thenByDescending.compare(a, b)\n    if (previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n  }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n  Comparator { a, b ->\n    val previousCompare = this@thenByDescending.compare(a, b)\n    if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n  }\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n *\n * @sample samples.comparisons.Comparisons.thenComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n  Comparator {\n    a, b ->\n    val previousCompare = this@thenComparator.compare(a, b)\n    if (previousCompare != 0) previousCompare else comparison(a, b)\n  }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.then\n */\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n  Comparator { a, b ->\n    val previousCompare = this@then.compare(a, b)\n    if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n  }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n */\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n  Comparator<T> { a, b ->\n    val previousCompare = this@thenDescending.compare(a, b)\n    if (previousCompare != 0) previousCompare else comparator.compare(b, a)\n  }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n  Comparator { a, b ->\n    when {\n      a === b -> 0\n      a == null -> -1\n      b == null -> 1\n      else -> comparator.compare(a, b)\n    }\n  }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =\n  nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any>

```



```

nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a\n            === b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/*\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any\n * other value.\n */\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n\n*\n\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =\n    nullsLast(naturalOrder())\n\n/*\n * Returns a comparator that compares [Comparable] objects in natural order.\n */\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n\n*\n\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")\n    (NaturalOrderComparator as Comparator<T>)\n\n/*\n * Returns a comparator that compares [Comparable] objects\n * in reversed natural order.\n */\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n\n*\n\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")\n    (ReverseOrderComparator as Comparator<T>)\n\n/*\n * Returns a comparator that imposes the reverse ordering\n * of this comparator.\n */\n * @sample samples.comparisons.Comparisons.reversed\n\n*\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic fun <T> Comparator<T>.reversed():\n    Comparator<T> = when (this) {\n        is ReversedComparator -> this.comparator\n        NaturalOrderComparator ->\n        @Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)\n        ReverseOrderComparator -> @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as\n            Comparator<T>)\n        else -> ReversedComparator(this)\n    }\n\nprivate\n    class ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n        override fun\n        compare(a: T, b: T): Int = comparator.compare(b, a)\n        @Suppress("VIRTUAL_MEMBER_HIDDEN")\n        fun\n        reversed(): Comparator<T> = comparator\n    }\n\nprivate object NaturalOrderComparator :  
    Comparator<Comparable<Any>> {\n        override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int =\n            a.compareTo(b)\n        @Suppress("VIRTUAL_MEMBER_HIDDEN")\n        fun reversed():  
        Comparator<Comparable<Any>> = ReverseOrderComparator\n    }\n\nprivate object ReverseOrderComparator :  
    Comparator<Comparable<Any>> {\n        override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int =\n            b.compareTo(a)\n        @Suppress("VIRTUAL_MEMBER_HIDDEN")\n        fun reversed():  
        Comparator<Comparable<Any>> = NaturalOrderComparator\n    }\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o.\n * and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license\n * that can\n * be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\n\nimport\n    kotlin.contracts.*\n\n/*\n * An exception is thrown to indicate that a method body remains to be implemented.\n */\n\npublic class NotImplementedError(message: String = "An operation is not implemented.") :  
    Error(message)\n\n/*\n * Always throws [NotImplementedError] stating that operation is not implemented.\n */\n\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/*\n * Always throws [NotImplementedError] stating that operation is not implemented.\n */\n * @param reason a string\n * explaining why the implementation is missing.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason: String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n/*\n * Calls\n * the specified function [block] and returns its result.\n */\n * @param receiver the receiver of the function [block]\n * For detailed usage information\n * see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/*\n * Calls the specified\n * function [block] with `this` value as its receiver and returns its result.\n */\n * @param receiver the receiver of the function [block]\n * For detailed usage information see the\n * documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/*\n * Calls the specified\n * function [block] with the given [receiver] as its receiver and returns its result.\n */\n * @param receiver the receiver of the function [block]\n * For detailed usage information\n * see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n */

```

```

*^@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return receiver.block()\n}\n\n/*\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block()\n  return this\n}\n\n/*\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n */\n*^@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block(this)\n  return this\n}\n\n/*\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block(this)\n}\n\n/*\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n*^@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n  }\n  return if (predicate(this)) this else null\n}\n\n/*\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n*^@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n  }\n  return if (!predicate(this)) this else null\n}\n\n/*\n * Executes the given function [action] specified number of [times].\n * A zero-based index of current iteration is passed as a parameter to [action].\n * @sample samples.misc.ControlFlow.repeat\n */\n*^@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n  contract {\n    callsInPlace(action)\n  }\n  for (index in 0 until times) {\n    action(index)\n  }\n}\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/*\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n*^@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n  return if (a >= b) a else b\n}\n\n/*\n * Returns the greater of two values.\n */\n*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n  return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/*\n * Returns the greater of two values.\n */\n*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n  return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/*\n * Returns the greater of two values.\n */\n*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n  return JsMath.max(a, b)\n}\n\n/*\n * Returns the greater of two values.\n */\n*^@SinceKotlin("1.1")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n  return if (a >= b) a else b\n}\n\n/*\n * Returns the greater of two values.\n * If either value is `NaN`, returns `NaN`.\n */\n*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float): Float {\n  return JsMath.max(a, b)\n}\n\n/*\n * Returns the greater of two values.\n * If either value is `NaN`, returns `NaN`.\n */\n*^@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual

```

inline

```
fun maxOf(a: Double, b: Double): Double {\n    return JsMath.max(a, b)\n}\n\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n\n * \n @SinceKotlin("1.1")\n public actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n    return maxOf(a, maxOf(b, c))\n}\n\n * Returns the greater of three values.\n\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n * Returns the greater of three values.\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun maxOf(a: Short, b: Short, c: Short): Short {\n    return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n * Returns the greater of three values.\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun maxOf(a: Int, b: Int, c: Int): Int {\n    return JsMath.max(a, b, c)\n}\n\n * Returns the greater of three values.\n\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun maxOf(a: Long, b: Long, c: Long): Long {\n    return maxOf(a, maxOf(b, c))\n}\n\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun maxOf(a: Float, b: Float, c: Float): Float {\n    return JsMath.max(a, b, c)\n}\n\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n    return JsMath.max(a, b, c)\n}\n\n * Returns the greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n\n * \n @SinceKotlin("1.4")\n public actual fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n * \n @SinceKotlin("1.4")\n public actual fun maxOf(a: Byte, vararg other: Byte): Byte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n * \n @SinceKotlin("1.4")\n public actual fun maxOf(a: Short, vararg other: Short): Short {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n * \n @SinceKotlin("1.4")\n public actual fun maxOf(a: Int, vararg other: Int): Int {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n\n * \n @SinceKotlin("1.4")\n public actual fun maxOf(a: Long, vararg other: Long): Long {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n * \n @SinceKotlin("1.4")\n public actual fun maxOf(a: Float, vararg other: Float): Float {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n\n * \n @SinceKotlin("1.4")\n public actual fun maxOf(a: Double, vararg other: Double): Double {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n\n * \n @SinceKotlin("1.1")\n public actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n    return if (a <= b) a else b\n}\n\n * Returns the smaller of two values.\n\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun minOf(a: Byte, b: Byte): Byte {\n    return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n * Returns the smaller of two values.\n\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun minOf(a: Short, b: Short): Short {\n    return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n * Returns the smaller of two values.\n\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun minOf(a: Int, b: Int): Int {\n    return JsMath.min(a, b)\n}\n\n * Returns the smaller of two values.\n\n * \n @SinceKotlin("1.1")\n @Suppress("NOTHING_TO_INLINE")\n public actual inline fun minOf(a: Long, b: Long): Long {\n    return if (a <= b) a else b\n}\n\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun minOf(a: Float, b: Float): Float {\n    return JsMath.min(a, b)\n}\n\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n\n * \n @SinceKotlin("1.1")\n @kotlin.internal.InlineOnly\n public actual inline fun
```

```

minOf(a: Double, b: Double): Double {\n    return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of three
values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n    return minOf(a,
minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte {\n    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of
three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b:
Short, c: Short): Short {\n    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n *
Returns the smaller of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline
fun minOf(a: Int, b: Int, c: Int): Int
{\n    return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long):
Long {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is
`NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a:
Float, b: Float, c: Float): Float {\n    return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n *
\n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual
inline fun minOf(a: Double, b: Double, c: Double): Double {\n    return JsMath.min(a, b, c)\n}\n\n/**\n * Returns
the smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n
*\n@SinceKotlin("1.4")\npublic actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T
{\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the
given values.\n *\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Byte, vararg other: Byte): Byte {\n    var min
= a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Short, vararg other: Short): Short {\n    var min = a\n    for (e
in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Int, vararg other: Int): Int {\n    var min = a\n    for (e in
other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given
values.\n * \n * If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic actual fun minOf(a:
Float, vararg other: Float): Float {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return
min\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic actual fun minOf(a: Double, vararg other: Double): Double {\n    var min = a\n
for (e in other) min = minOf(min, e)\n    return min\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npub
lic value class ULong @PublishedApi internal constructor(@PublishedApi internal
val data: Long) : Comparable<ULong> {\n    companion object {\n        /**\n         * A constant holding the
minimum value an instance of ULong can have.\n         *\n        public const val MIN_VALUE: ULong =
ULong(0)\n\n        /**\n         * A constant holding the maximum value an instance of ULong can have.\n         *
\n        public const val MAX_VALUE: ULong = ULong(-1)\n\n        /**\n         * The number of bytes used to represent
an instance of ULong in a binary form.\n         *\n        public const val SIZE_BYTES: Int = 8\n\n        /**\n         *
The number of bits used to represent an instance of ULong in a binary form.\n         *\n        public const val
SIZE_BITS: Int = 64\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns
zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive
number if it's greater than other.\n     *\n    @kotlin.internal.InlineOnly\n

```

```

public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n /**\n *
Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int =
this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a
positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the
specified value for order.\n * Returns zero if this value is equal
to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than
other.\n */\n @kotlin.internal.InlineOnly\n @Suppress("OVERRIDE_BY_INLINE")\n public override
inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n\n /** Adds the other
value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): ULong =
this.plus(other.toULong())\n\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n\n /** Adds the other value to this
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): ULong =
this.plus(other.toULong())\n\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))\n\n
/** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
minus(other: UByte): ULong = this.minus(other.toULong())\n\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): ULong =
this.minus(other.toULong())\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UInt): ULong = this.minus(other.toULong())\n\n /** Subtracts the other
value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong
= ULong(this.data.minus(other.data))\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): ULong =
this.times(other.toULong())\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline
operator fun times(other: UShort): ULong = this.times(other.toULong())\n\n /** Multiplies this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): ULong =
this.times(other.toULong())\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n /** Divides this
value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n\n /** Divides this value by the
other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n\n /** Divides this value by the other
value, truncating the result to an integer that is closer to zero.
*/\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): ULong =
this.div(other.toULong())\n\n /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
ulongDivide(this, other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n\n /**\n * Calculates the remainder
of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n
*/\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): ULong =
this.rem(other.toULong())\n\n /**\n * Calculates the remainder of truncating division of this value
by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n
public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n\n /**\n * Calculates the

```

```

remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong =
ulongRemainder(this, other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): ULong =
this.floorDiv(other.toULong())\n\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): ULong =
this.floorDiv(other.toULong())\n\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): ULong =
this.floorDiv(other.toULong())\n\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong =
div(other)\n\n /**\n * Calculates the remainder of flooring division of
this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned
types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.mod(other.toULong()).toUByte()\n\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline
fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n\n /**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n
* For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.mod(other.toULong()).toUInt()\n\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline
fun mod(other: ULong): ULong = rem(other)\n\n\n /**\n * Returns this value incremented by one.\n */\n @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun inc():
ULong = ULong(data.inc())\n\n\n /**\n * Returns this value decremented by one.\n */\n @sample
samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong =
ULong(data.dec())\n\n\n /**\n * Creates a range from this value to the specified [other] value.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: ULong): ULongRange =
ULongRange(this, other)\n\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n * \n * Note
that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * \n * The shift distance actually
used is therefore always in the range `0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun
shl(bitCount: Int): ULong = ULong(data shl bitCount)\n\n\n /**\n * Shifts this value right by the [bitCount]
number of bits, filling the leftmost bits with zeros.\n * \n * Note that only the six lowest-order bits of the
[bitCount] are used as the shift distance.\n * \n * The shift distance actually used is therefore always in the range
`0..63`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data
ushr bitCount)\n\n\n /**\n * Performs a bitwise AND operation between
the two values.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: ULong): ULong =
ULong(this.data and other.data)\n\n\n /**\n * Performs a bitwise OR operation between the two values.\n */\n
@kotlin.internal.InlineOnly\n public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n\n
/**\n * Performs a bitwise XOR operation between the two values.\n */\n @kotlin.internal.InlineOnly\n public inline
infix fun xor(other: ULong): ULong = ULong(this.data xor other.data)\n\n\n /**\n * Inverts the bits in this value.\n */\n

```

```

@kotlin.internal.InlineOnly\n public inline fun inv(): ULong = ULong(data.inv())\n /**\n * Converts this
[ULong] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting
`Byte` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `Byte` value is
represented by the least significant 8 bits of this `ULong` value.\n * Note
that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun
toByte(): Byte = data.toByte()\n /**\n * Converts this [ULong] value to [Short].\n *\n * If this value is less
than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same numerical value as
this `ULong`.\n *\n * The resulting `Short` value is represented by the least significant 16 bits of this `ULong`
value.\n * Note that the resulting `Short` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public
inline fun toShort(): Short = data.toShort()\n /**\n * Converts this [ULong] value to [Int].\n *\n * If this
value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n * the same numerical
value as this `ULong`.\n *\n * The resulting `Int` value is represented by the least significant 32 bits of this
`ULong` value.\n * Note that the resulting
`Int` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt()\n
/**\n * Converts this [ULong] value to [Long].\n *\n * If this value is less than or equals to
[Long.MAX_VALUE], the resulting `Long` value represents\n * the same numerical value as this `ULong`.
Otherwise the result is negative.\n *\n * The resulting `Long` value has the same binary representation as this
`ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data\n /**\n *
Converts this [ULong] value to [UByte].\n *\n * If this value is less than or equals to [UByte.MAX_VALUE],
the resulting `UByte` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting
`UByte` value is represented by the least significant 8 bits of this `ULong` value.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n
/**\n * Converts this [ULong] value to [UShort].\n *\n * If this value is less than or equals to
[UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `ULong`.\n
*\n * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /**\n * Converts this
[ULong] value to [UInt].\n *\n * If this value is less than or equals to [UInt.MAX_VALUE], the resulting
`UInt` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UInt` value is
represented by the least significant 32 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public
inline fun toUInt(): UInt = data.toUInt()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public
inline fun toULong(): ULong = this\n /**\n
* Converts this [ULong] value to [Float].\n *\n * The resulting value is the closest `Float` to this `ULong`
value.\n * In case when this `ULong` value is exactly between two `Float`s,\n * the one with zero at least
significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float =
this.toDouble().toFloat()\n /**\n * Converts this [ULong] value to [Double].\n *\n * The resulting value is
the closest `Double` to this `ULong` value.\n * In case when this `ULong` value is exactly between two
`Double`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = ulongToDouble(data)\n\n public override
fun toString(): String = ulongToString(data)\n\n /**\n * Converts this [Byte] value to [ULong].\n *\n * If this
value is positive, the resulting `ULong` value represents the same numerical value
as this `Byte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this
`Byte` value,\n * whereas the most significant 56 bits are filled with the sign bit of this value.\n */\n
@SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
public inline fun Byte.toULong(): ULong = ULong(this.toLong())\n /**\n * Converts this [Short] value to
[ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this
`Short`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short`
value,\n * whereas the most significant 48 bits are filled with the sign bit of this value.\n */\n
@SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n

```

```

public inline fun Short.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Int] value to [ULong].\n *\n * If this value
is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\n *\n * The least
significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n *\n * whereas the most
significant 32 bits are filled with the sign bit of this value.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
public inline fun Int.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting `ULong` value has the same binary representation as this `Long` value.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
public inline fun Long.toULong(): ULong = ULong(this)\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n
* Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than
`ULong.MAX_VALUE`.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
public inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\n/**\n * Converts this [Double]
value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n *\n * Returns zero if this
`Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly
public inline fun Double.toULong(): ULong = doubleToULong(this)\n", "/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n *
Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 2.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an
[IndexOutOfBoundsException] if the size of this list is less than 3.\n *\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component3():
T {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n * \n * Throws an
[IndexOutOfBoundsException] if the size of this list is less than 4.\n *\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component4(): T {\n    return get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n
* \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 5.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n    return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n *\n@kotlin.internal.InlineOnly\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if (this is Collection)\n        return contains(element)\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or
throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@kotlin.internal.InlineOnly\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n    if (this is List)\n        return get(index)\n    return
elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't contain element at index
$index.") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n    return

```



```

get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  if (this is List)\n    return
this.getOrElse(index, defaultValue)\n  if (index < 0)\n    return defaultValue(index)\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n
val element = iterator.next()\n    if (index == count++)\n      return element\n  }\n  return
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\npublic fun <T>
Iterable<T>.elementAtOrNull(index: Int): T? {\n  if (this is List)\n    return this.getOrElse(index)\n  if (index < 0)\n    return null\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n
val element = iterator.next()\n    if (index == count++)\n      return element\n  }\n  return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\n@kotlin.internal.InlineOnly\npublic inline fun
<T> List<T>.elementAtOrNull(index: Int): T? {\n  return this.getOrElse(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
List<T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the collection is empty.\n *\npublic fun <T>
Iterable<T>.first(): T {\n  when (this) {\n    is List -> return this.first()\n    else -> {\n      val iterator =
iterator()\n      if (!iterator.hasNext())\n        throw NoSuchElementException("Collection is empty.")\n      return iterator.next()\n    }\n  }\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the list is empty.\n *\npublic fun <T> List<T>.first(): T {\n  if (isEmpty())\n    throw NoSuchElementException("List is empty.")\n  return this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\npublic
inline fun <T> Iterable<T>.first(predicate: (T) -> Boolean): T {\n  for (element in this) if (predicate(element))
return element\n  throw NoSuchElementException("Collection contains no element matching the
predicate.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to
elements of this collection in iteration order,\n * or throws [NoSuchElementException] if no non-null value was
produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOf(transform: (T) ->
R?): R {\n  return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the
collection was transformed to a non-null value.")\n}\n\n/**\n * Returns the first non-null value produced by
[transform] function being applied to elements of this collection in iteration order,\n * or `null` if no non-null value
was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>

```

```

Iterable<T>.firstNotNullOrNull(transform: (T) -> R?): R? {\n  for (element in this) {\n    val result =
transform(element)\n    if (result != null) {\n      return result\n    }\n  }\n  return null\n}\n\nReturns the first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n  when (this) {\n    is List -> {\n      if (isEmpty())\n        return null\n      else\n        return this[0]\n    }\n    else -> {\n      val iterator = iterator()\n      if (!iterator.hasNext())\n        return null\n      return iterator.next()\n    }\n  }\n}\n\nReturns the first element, or `null` if the list is
empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n  return if (isEmpty()) null else this[0]\n}\n\nReturns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
<T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n  for (element in this) if (predicate(element)) return
element\n  return null\n}\n\nReturns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this list.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\nReturns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n */\n@sample
samples.collections.Collections.Elements.getOrNull\n */\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\nReturns first index of [element], or -
1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T>
Iterable<T>.indexOf(element: T): Int {\n  if (this is List) return this.indexOf(element)\n  var index = 0\n  for
(item in this) {\n    checkIndexOverflow(index)\n    if (element == item)\n      return index\n    index++\n  }\n  return -1\n}\n\nReturns first index of [element], or -1 if the list does not contain element.\n
*/\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element:
T): Int {\n  return indexOf(element)\n}\n\nReturns index of the first element matching the given
[predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n  var index = 0\n  for (item in this) {\n   
checkIndexOverflow(index)\n    if (predicate(item))\n      return index\n    index++\n  }\n  return -
1\n}\n\nReturns index of the first element matching the given [predicate], or -1 if the list does not contain
such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n  var index = 0\n
for (item in this) {\n    if (predicate(item))\n      return index\n    index++\n  }\n  return -1\n}\n\nReturns index of the last element matching the given [predicate], or -1 if the collection does not contain such
element.\n */\npublic inline fun <T> Iterable<T>.indexOfLast(predicate:
(T) -> Boolean): Int {\n  var lastIndex = -1\n  var index = 0\n  for (item in this) {\n   
checkIndexOverflow(index)\n    if (predicate(item))\n      lastIndex = index\n    index++\n  }\n  return
lastIndex\n}\n\nReturns index of the last element matching the given [predicate], or -1 if the list does not
contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n  val
iterator = this.listIterator(size)\n  while (iterator.hasPrevious()) {\n    if (predicate(iterator.previous())) {\n
return iterator.nextIndex()\n    }\n  }\n  return -1\n}\n\nReturns the last element.\n */\n@throws
NoSuchElementException if the collection is empty.\n */\n@sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.last(): T {\n  when (this) {\n    is
List -> return this.last()\n    else -> {\n      val iterator = iterator()\n      if (!iterator.hasNext())\n        throw NoSuchElementException("Collection is empty.")\n      var last = iterator.next()\n      while
(iterator.hasNext())\n        last = iterator.next()\n      return last\n    }\n  }\n}\n\nReturns the last
element.\n */\n@throws NoSuchElementException if the list is empty.\n */\n@sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.last(): T {\n  if (isEmpty())\n    throw
NoSuchElementException("List is empty.")\n  return this[lastIndex]\n}\n\nReturns the last element
matching the given [predicate].\n */\n@throws NoSuchElementException if no such element is found.\n */\n@sample
samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T)
-> Boolean): T {\n  var last: T? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))

```

```

    last = element
    found
    = true
    }
    }
    if (!found) throw NoSuchElementException("Collection contains no element matching the
predicate.")
    @Suppress("UNCHECKED_CAST")
    return last as T
}

/**
 * Returns the last element
matching the given [predicate].
 * @throws NoSuchElementException if no such element is found.
 */
@sample samples.collections.Collections.Elements.last
/**
 * Returns last element matching the given [predicate].
 */
public inline fun <T> List<T>.last(predicate: (T) ->
Boolean): T {
    val iterator = this.listIterator(size)
    while (iterator.hasPrevious()) {
        val element =
iterator.previous()
        if (predicate(element)) return element
    }
    throw NoSuchElementException("List
contains no element matching the predicate.")
}

/**
 * Returns last index of [element], or -1 if the collection
does not contain element.
 */
public fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element:
T): Int {
    if (this is List) return this.lastIndexOf(element)
    var lastIndex
    = -1
    var index = 0
    for (item in this) {
        checkIndexOverflow(index)
        if (element == item)
lastIndex = index
        index++
    }
    return lastIndex
}

/**
 * Returns last index of [element], or -1 if the
list does not contain element.
 */
@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning,
extension takes precedence in some cases
public fun <@kotlin.internal.OnlyInputTypes T>
List<T>.lastIndexOf(element: T): Int {
    return lastIndexOf(element)
}

/**
 * Returns the last element, or
`null` if the collection is empty.
 */
@sample samples.collections.Collections.Elements.last
/**
 * Returns the last element, or `null` if
the list is empty.
 */
public fun <T>
List<T>.lastOrNull(): T? {
    when (this) {
        is List -> return if (isEmpty()) null else this[size - 1]
    }
    else -> {
        val iterator = iterator()
        if (!iterator.hasNext())
            return null
        var last =
iterator.next()
        while (iterator.hasNext())
            last = iterator.next()
        return last
    }
}

/**
 * Returns the last element, or `null` if
the list is empty.
 */
@sample samples.collections.Collections.Elements.last
/**
 * Returns the last element
matching the given [predicate], or `null` if no such element was found.
 */
@sample
samples.collections.Collections.Elements.last
/**
 * Returns the last element
matching the given [predicate], or `null` if no such element was found.
 */
public inline fun <T> Iterable<T>.lastOrNull(predicate: (T) ->
Boolean): T? {
    var last: T? = null
    for (element in this) {
        if (predicate(element))
            last =
element
    }
    return last
}

/**
 * Returns the last element matching the given [predicate], or `null`
if no such element was found.
 */
@sample samples.collections.Collections.Elements.last
/**
 * Returns the last element matching the given [predicate], or `null`
if no such element was found.
 */
public inline
fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {
    val iterator
    = this.listIterator(size)
    while (iterator.hasPrevious()) {
        val element = iterator.previous()
        if
(predicate(element)) return element
    }
    return null
}

/**
 * Returns a random element from this
collection.
 */
@throws NoSuchElementException if this collection is empty.
/**
 * Returns a random element from this collection using the specified source of
randomness.
 */
@throws NoSuchElementException if this collection is empty.
/**
 * Returns a random element from this collection using the specified source of
randomness.
 */
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun <T> Collection<T>.random(): T {
    return random(Random)
}

/**
 * Returns a random element from this collection using the specified source of
randomness.
 */
@throws NoSuchElementException if this collection is empty.
/**
 * Returns a random element from this collection using the specified source of
randomness.
 */
@SinceKotlin("1.3")
public fun <T> Collection<T>.random(random: Random): T {
    if (isEmpty())
throw NoSuchElementException("Collection is empty.")
    return elementAt(random.nextInt(size))
}

/**
 * Returns a random element from this collection, or `null` if this collection is empty.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public
inline fun <T> Collection<T>.randomOrNull(): T? {
    return randomOrNull(Random)
}

/**
 * Returns a
random element from this collection using the specified source of randomness, or `null` if this collection is empty.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public fun <T>
Collection<T>.randomOrNull(random: Random): T? {
    if (isEmpty())
return null
    return
elementAt(random.nextInt(size))
}

/**
 * Returns the single element, or throws an exception if the collection is
empty or has more than one element.
 */
public fun <T> Iterable<T>.single(): T {
    when (this) {
        is List -
> return this.single()
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext())
throw NoSuchElementException("Collection is empty.")
            val single = iterator.next()
            if
(iterator.hasNext())
                throw IllegalArgumentException("Collection

```

```

has more than one element.}")\n    return single\n    }\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n
return when (size) {\n    0 -> throw NoSuchElementException("List is empty.")\n    1 -> this[0]\n    else ->
throw IllegalArgumentException("List has more than one element.")\n }\n }\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Collection contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found)
throw NoSuchElementException("Collection contains no element matching the predicate.")\n }\n }\n}\n\n@Suppress("UNCHECKED_CAST")\n return single as T\n}\n}\n\n/**\n * Returns single element, or `null` if the
collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n    when
(this) {\n        is List -> return if (size == 1) this[0] else null\n        else -> {\n            val iterator = iterator()\n
if (!iterator.hasNext())\n                return null\n            val single = iterator.next()\n            if (iterator.hasNext())\n
return null\n            return single\n        }\n    }\n}\n}\n\n/**\n * Returns single element, or `null` if the list is
empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n    return if (size == 1)
this[0] else null\n}\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was
found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n}\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T>
Iterable<T>.drop(n: Int): List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    if
(n == 0) return toList()\n    val list: ArrayList<T> = ArrayList<T>()\n    if (this is Collection<*>) {\n        val resultSize = size - n\n
if (resultSize <= 0)\n            return emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n        list =
ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for (index in n until size)\nlist.add(this[index])\n            } else {\n                for (item in listIterator(n))\n                    list.add(item)\n            }\n            return list\n        }\n    } else {\n        list = ArrayList<T>()\n        var count = 0\n        for (item in this) {\n
if (count >= n) list.add(item) else ++count\n        }\n        return list.optimizeReadOnlyList()\n}\n}\n}\n\n/**\n * Returns a list
containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int):
List<T> {\n    require(n >= 0) { "Requested element count $n is less than zero." }\n    return take((size -
n).coerceAtLeast(0))\n}\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy
the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline
fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous())) {\n                return
take(iterator.nextIndex() + 1)\n            }\n        }\n    }\n    return emptyList()\n}\n}\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
}\n    return list\n}\n}\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->
Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of an element and the

```

```

element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n * \n\npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n * \n\npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed { index,
element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n *
Returns a list containing all elements that are instances of specified type parameter R.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n * \n\npublic inline fun <reified R>
Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n * \n\npublic inline fun <reified R, C :
MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element
in this) if (element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all
elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n *
\n\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return
filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n *
\n * @sample samples.collections.Collections.Filtering.filterNotNull\n * \n\npublic fun <T : Any>
Iterable<T?>.filterNotNull(): List<T> {\n    return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all
elements that are not `null` to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterNotNullTo\n * \n\npublic fun <C : MutableCollection<in T>, T : Any>
Iterable<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null)
destination.add(element)\n    return destination\n}\n\n/**\n *
\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n * \n\npublic inline fun <T, C : MutableCollection<in T>>
Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *
\n\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) ->
Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n * \n\npublic
fun <T> List<T>.slice(indices: IntRange): List<T> {\n    if (indices.isEmpty()) return listOf()\n    return
this.subList(indices.start,
indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n *
\n\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing first [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n
require(n >= 0) { "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (this is
Collection<T>) {\n        if (n >= size) return toList()\n        if (n == 1) return listOf(first())\n    }\n    var count = 0\n
val list = ArrayList<T>(n)\n    for (item in this) {\n        list.add(item)\n        if
(++count == n)\n            break\n    }\n    return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n

```

```

require(n >= 0) { "Requested element count $n is less than zero." }
if (n == 0) return emptyList()
val size = size
if (n >= size) return toList()
if (n == 1) return listOf(last())
val list = ArrayList<T>(n)
if (this is RandomAccess) {
    for (index in size - n until size) list.add(this[index])
} else {
    for (item in listIterator(size - n)) list.add(item)
}
return list
}

/**
 * Returns a list containing last elements satisfying the given [predicate].
 * @sample samples.collections.Collections.Transformations.takeLastWhile
 */
public inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {
    if (isEmpty()) return emptyList()
    val iterator = listIterator(size)
    while (iterator.hasPrevious()) {
        if (!predicate(iterator.previous())) {
            iterator.next()
            val expectedSize = size - iterator.nextIndex()
            if (expectedSize == 0) return emptyList()
            return ArrayList<T>(expectedSize).apply {
                while (iterator.hasNext()) add(iterator.next())
            }
        }
    }
    return toList()
}

/**
 * Returns a list containing first elements satisfying the given [predicate].
 * @sample samples.collections.Collections.Transformations.takeWhile
 */
public inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {
    val list = ArrayList<T>()
    for (item in this) {
        if (!predicate(item)) break
        list.add(item)
    }
    return list
}

/**
 * Reverses elements in the list in-place.
 */
public expect fun <T> MutableList<T>.reverse(): Unit

/**
 * Returns a list with elements in reversed order.
 */
public fun <T> Iterable<T>.reversed(): List<T> {
    if (this is Collection && size <= 1) return toList()
    val list = toMutableList()
    list.reverse()
    return list
}

/**
 * Randomly shuffles elements in this list in-place using the specified [random] instance as the source of randomness.
 * @sample samples.collections.Collections.Transformations.shuffle
 * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm
 */
@SinceKotlin("1.3")
public fun <T> MutableList<T>.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        this[j] = this.set(i, this[j])
    }
}

/**
 * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
public inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {
    if (size > 1) sortBy(selector)
}

/**
 * Sorts elements in the list in-place descending according to natural sort order of the value returned by specified [selector] function.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
public inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {
    if (size > 1) sortByDescending(selector)
}

/**
 * Sorts elements in the list in-place descending according to their natural sort order.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
public fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {
    sortByDescending()
}

/**
 * Returns a list of all elements sorted according to their natural sort order.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
public fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {
    if (this is Collection) {
        if (size <= 1) return this.toList()
        @Suppress("UNCHECKED_CAST") return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()
    }
    return toMutableList().apply { sort() }
}

/**
 * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
@sample samples.collections.Collections.Sorting.sortedBy
public inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {
    return sortedWith(compareBy(selector))
}

/**
 * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
public inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {
    return sortedWith(compareByDescending(selector))
}

/**
 * Returns a list of all elements sorted descending according to their natural sort order.
 * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
 */
public fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {
    sortedByDescending()
}

```

```

{\n  return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator:
Comparator<in T>): List<T> {\n  if (this is Collection) {\n    if (size <= 1) return this.toList()\n    @Suppress("UNCHECKED_CAST")\n    return (toArray<Any?>() as Array<T>).apply {
sortedWith(comparator) }.asList()\n  }\n  return toMutableList().apply { sortedWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun
Collection<Boolean>.toBooleanArray(): BooleanArray {\n  val result = BooleanArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array of Byte
containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n
val result = ByteArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] = element\n  return
result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this collection.\n */\npublic fun
Collection<Char>.toCharArray():
CharArray {\n  val result = CharArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] =
element\n  return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n
*/\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n  val result = DoubleArray(size)\n  var
index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array
of Float containing all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray():
FloatArray {\n  val result = FloatArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] =
element\n  return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n
*/\npublic fun Collection<Int>.toIntArray(): IntArray {\n  val result = IntArray(size)\n  var index = 0\n  for
(element in this)\n    result[index++]
= element\n  return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this
collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n  val result = LongArray(size)\n  var
index = 0\n  for (element in this)\n    result[index++] = element\n  return result\n}\n\n/**\n * Returns an array
of Short containing all of the elements of this collection.\n */\npublic fun Collection<Short>.toShortArray():
ShortArray {\n  val result = ShortArray(size)\n  var index = 0\n  for (element in this)\n    result[index++] =
element\n  return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform]
function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last
one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n
*/\n * \n * @sample samples.collections.Collections.Transformations.associate\n
*/\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n  val
capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements
from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K>
Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements
would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V>
Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with

```

key-value pairs, where key is provided by the [keySelector] function applied to each element of the given collection and value is the element itself. If any two elements would have the same key returned by [keySelector] the last

one gets added to the map. @sample samples.collections.Collections.Transformations.associateByTo
public inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
 for (element in this) {
 destination.put(keySelector(element), element)
 }
 return destination
}
Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given collection. If any two elements would have the same key returned by [keySelector] the last one gets added to the map. @sample

samples.collections.Collections.Transformations.associateByToWithValueTransform
public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {
 for (element in this)

{
 destination.put(keySelector(element), valueTransform(element))
}
return destination
}
Populates and returns the [destination] mutable map with key-value pairs provided by [transform] function applied to each element of the given collection. If any of two pairs would have the same key the last one gets added to the map. @sample samples.collections.Collections.Transformations.associateTo
public inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
 for (element in this) {
 destination += transform(element)
 }
 return destination
}
Returns a [Map] where keys are elements from the given collection and values are produced by the [valueSelector] function applied to each element. If any two elements are equal, the last one gets added to the map. The returned map preserves the entry iteration order of the original

collection. @sample samples.collections.Collections.Transformations.associateWith
@SinceKotlin("1.3")
public inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
 val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))
 return associateWithTo(result, valueSelector)
}
Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection, where key is the element itself and value is provided by the [valueSelector] function applied to that key. If any two elements are equal, the last one overwrites the former value in the map. @sample

samples.collections.Collections.Transformations.associateWithTo
@SinceKotlin("1.3")
public inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {
 for (element in this) {
 destination.put(element, valueSelector(element))
 }
 return destination
}
Appends all elements to the given [destination] collection. @sample

public fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {
 for (item in this) {
 destination.add(item)
 }
 return destination
}
Returns a new [HashSet] of all elements. @sample
public fun <T> Iterable<T>.toHashSet(): HashSet<T> {
 return

toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))
Returns a [List] containing all elements. @sample
public fun <T> Iterable<T>.toList(): List<T> {
 if (this is Collection) {
 return when (size) {
 0 -> emptyList()
 1 -> listOf(if (this is List) get(0) else iterator().next())
 else -> this.toMutableList()
 }
 }
 return this.toMutableList().optimizeReadOnlyList()
}
Returns a new [MutableList] filled with all elements of this collection. @sample

public fun <T> Iterable<T>.toMutableList(): MutableList<T> {
 if (this is Collection<T>) {
 return this.toMutableList()
 }
 return

toCollection(ArrayList<T>())
Returns a new [MutableList] filled with all elements of this collection. @sample
public fun <T> Collection<T>.toMutableList(): MutableList<T> {
 return ArrayList(this)
}
Returns a [Set] of all elements. The returned set preserves the element iteration order of the original

collection. @sample
public fun <T> Iterable<T>.toSet(): Set<T> {
 if (this is Collection) {
 return when (size) {
 0 -> emptySet()
 1 -> setOf(if (this is List) this[0] else iterator().next())
 else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))
 }
 }
 return


```

toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original collection.\n
 * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its
index in the original collection, to the given [destination].\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in
R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original collection, to
the given [destination].\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return

```

destination\n\n\n**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n\n\n**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n\n\n**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * \n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n\n\n**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * \n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n\n\n**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * \n * @param [transform] function that takes the index of an element and the element itself\n * and

returns the result of the transform applied to the element.

```

public inline fun <T, R : Any, C :
MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C
{
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
}
return destination

```

Applies the given [transform] function to each element and its index in the original collection and appends the results to the given [destination].

@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.

```

public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform:
(index: Int, T) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(checkIndexOverflow(index++), item))
}
return destination

```

Returns a list containing only the non-null results of applying the given [transform] function to each element in the original collection.

@sample samples.collections.Collections.Transformations.mapNotNull

```

public inline fun
<T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(),
transform)
}

```

Applies the given [transform] function to each element in the original collection and appends only the non-null results to the given [destination].

public inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {

```

    forEach { element -> transform(element)?.let { destination.add(it) } }
}
return destination

```

Applies the given [transform] function to each element of the original collection and appends the results to the given [destination].

```

public inline fun <T, R, C : MutableCollection<in R>>
Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this)
        destination.add(transform(item))
}
return destination

```

Returns a lazy [Iterable] that wraps each element of the original collection into an [IndexedValue] containing the index of that element and the element itself.

```

public fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {
    return IndexingIterable {
        iterator()
    }
}

```

Returns a list containing only distinct elements from the given collection.

Among equal elements of the given collection, only the first one will be present in the resulting list.

The elements in the resulting list are in the same order as they were in the source collection.

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy

```

public fun <T> Iterable<T>.distinct(): List<T> {
    return this.toMutableSet().toList()
}

```

Returns a list containing only elements from the given collection having distinct keys returned by the given [selector] function.

Among elements of the given collection with equal keys, only the first one will be present in the resulting list.

The elements in the resulting list are in the same order as they were in the source collection.

@sample samples.collections.Collections.Transformations.distinctAndDistinctBy

```

public inline fun <T, K>
Iterable<T>.distinctBy(selector: (T) -> K): List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}

```

Returns a set containing all elements that are contained by both this collection and the specified collection.

The returned set preserves the element iteration order of the original collection.

To get a set containing all elements that are contained at least in one of these collections use [union].

```

public infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}

```

Returns a set containing all elements that are contained by this collection and not contained by the specified collection.

The returned set preserves the element iteration order of the original collection.

```

public infix fun <T> Iterable<T>.subtract(other:
Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

Returns a new [MutableSet] containing all distinct elements from the given collection.

The returned set preserves the element iteration order of the original collection.

```

public fun
<T> Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
        is Collection<T> ->
        LinkedHashSet(this)
        else -> toCollection(LinkedHashSet<T>())
    }
}

```

Returns a set containing all distinct elements from both collections.

The returned set preserves the element iteration order of the original collection.

Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection.

To get a set containing all elements that are contained in both collections use

```

[intersect].\n *\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection &&
isEmpty()) return true\n    for (element in this) if (!predicate(element)) return false\n    return true}\n\n/**\n *
Returns `true` if collection has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun <T> Iterable<T>.any(): Boolean {\n    if (this is
Collection) return !isEmpty()\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element
matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection &&
isEmpty()) return false\n    for (element in this) if (predicate(element)) return true\n    return false}\n\n/**\n *
Returns the number of elements in this collection.\n *\npublic fun <T> Iterable<T>.count(): Int {\n    if (this is
Collection)
return size\n    var count = 0\n    for (element in this) checkCountOverflow(++count)\n    return count}\n\n/**\n *
Returns the number of elements in this collection.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Collection<T>.count(): Int {\n    return size}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n    if (this is Collection
&& isEmpty()) return 0\n    var count = 0\n    for (element in this) if (predicate(element))
checkCountOverflow(++count)\n    return count}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the
specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n *\npublic inline fun <T, R>
Iterable<T>.fold(initial:
R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator =
operation(accumulator, element)\n    return accumulator}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right\n * to current accumulator value and each element with its index in
the original collection.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n *\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation:
(index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator
= operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if
the list is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and
calculates the next accumulator value.\n *\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T,
acc: R) -> R): R {\n    var accumulator = initial\n    if (!isEmpty()) {\n        val iterator = listIterator(size)\n        while
(iterator.hasPrevious()) {\n            accumulator = operation(iterator.previous(), accumulator)\n        }\n    }\n    return
accumulator}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original list and current accumulator value.\n * \n * Returns the
specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes the index of an element,
the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n *\npublic inline fun <T, R> List<T>.foldRightIndexed(initial:
R, operation: (index: Int, T, acc: R) -> R): R {\n    var accumulator = initial\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            val index = iterator.previousIndex()\n            accumulator =
operation(index, iterator.previous(), accumulator)\n        }\n    }\n    return accumulator}\n\n/**\n * Performs the
given [action] on each element.\n *\n@kotlin.internal.HidesMembers\npublic inline fun <T>
Iterable<T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that

```

```

takes the index of an element and the element itself\n * and performs the action on the element.\n *\npublic inline
fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T)
-> Unit): Unit {\n    var index = 0\n    for (item in this) action(checkIndexOverflow(index++),
item)\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxBy(selector: (T) -> R): T? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var
maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (maxValue <
v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while (iterator.hasNext())\n    return
maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is
`NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the collection is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOf(selector: (T) -> R): R
{\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (maxValue <
v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the collection or `null` if there are no
elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

```

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Double): Double? {n val iterator = iterator()n if (!iterator.hasNext()) return nulln var maxValue =
selector(iterator.next())n while (iterator.hasNext()) {n val v = selector(iterator.next())n
maxValue = maxOf(maxValue, v)n }n return maxValue}n/n/**n * Returns the largest value among all
values produced by [selector] functionn * applied to each element in the collection or `null` if there are no
elements.n * n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.n
*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {n val iterator = iterator()n if (!iterator.hasNext()) return nulln var maxValue =
selector(iterator.next())n while (iterator.hasNext()) {n val v = selector(iterator.next())n maxValue =
maxOf(maxValue, v)n }n return maxValue}n/n/**n * Returns the largest value among all values produced
by [selector] functionn * applied to each element in the collection or `null`
if there are no elements.n
*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T) -> R): R? {n val iterator = iterator()n if (!iterator.hasNext()) return
nulln var maxValue = selector(iterator.next())n while (iterator.hasNext()) {n val v =
selector(iterator.next())n if (maxValue < v) {n maxValue = v\n }n }n return
maxValue}n/n/**n * Returns the largest value according to the provided [comparator]n * among all values
produced by [selector] function applied to each element in the collection.n * n * @throws
NoSuchElementException if the collection is empty.n
*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T, R>
Iterable<T>.maxOfWith(comparator:
Comparator<in R>, selector: (T) -> R): R {n val iterator = iterator()n if (!iterator.hasNext()) throw
NoSuchElementException()n var maxValue = selector(iterator.next())n while (iterator.hasNext()) {n val v
= selector(iterator.next())n if (comparator.compare(maxValue, v) < 0) {n maxValue = v\n }n }n
return maxValue}n/n/**n * Returns the largest value according to the provided [comparator]n * among all
values produced by [selector] function applied to each element in the collection or `null` if there are no elements.n
*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T, R>
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {n val iterator =
iterator()n if (!iterator.hasNext()) return nulln var maxValue = selector(iterator.next())n
while (iterator.hasNext()) {n val v = selector(iterator.next())n if (comparator.compare(maxValue, v) <
0) {n maxValue = v\n }n }n return maxValue}n/n/**n * Returns the largest element or `null` if
there are no elements.n * n * If any of elements is `NaN` returns `NaN`.n *\/n@SinceKotlin("1.4")npublic fun
Iterable<Double>.maxOrNull(): Double? {n val iterator = iterator()n if (!iterator.hasNext()) return nulln var
max = iterator.next()n while (iterator.hasNext()) {n val e = iterator.next()n max = maxOf(max, e)n
}n return max}n/n/**n * Returns the largest element or `null` if there are no elements.n * n * If any of
elements is `NaN` returns `NaN`.n *\/n@SinceKotlin("1.4")npublic fun Iterable<Float>.maxOrNull(): Float? {n
val iterator = iterator()n if (!iterator.hasNext()) return nulln var max = iterator.next()n while
(iterator.hasNext()) {n val e = iterator.next()n
max = maxOf(max, e)n }n return max}n/n/**n * Returns the largest element or `null` if there are no
elements.n *\/n@SinceKotlin("1.4")npublic fun <T : Comparable<T>> Iterable<T>.maxOrNull(): T? {n val
iterator = iterator()n if (!iterator.hasNext()) return nulln var max = iterator.next()n while (iterator.hasNext())
{n val e = iterator.next()n if (max < e) max = e\n }n return max}n/n@Deprecated("Use
maxWithOrNull instead.",

```

```

ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the\n * provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T>\nIterable<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while\n    (iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use minOrNull instead.")\nReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\nhiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.min(): Double? {\n    return\n    minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")\nReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\nhiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.min(): Float? {\n    return\n    minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")\nReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\nhiddenSince = "1.6")\npublic fun <T : Comparable<T>> Iterable<T>.min():\n    T? {\n        return minOrNull()\n    }\n\n@Deprecated("Use minByOrNull instead.")\nReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =\n"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R):\n    T? {\n        return minByOrNull(selector)\n    }\n\n/**\n * Returns the first element yielding the smallest value of the\n * given function or `null` if there are no elements.\n */\n@sample\nsamples.collections.Collections.Aggregates.minByOrNull\n\n@SinceKotlin("1.4")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if\n    (!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var\n    minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue >\n        v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values\n * produced by [selector] function\n * applied to each element in the collection.\n */\n\n/**\n * If any of values produced by\n * [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@throws NoSuchElementException if the\n * collection is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->\n    Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var\n    minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all\n * values produced by [selector] function\n * applied to each element in\n * the collection.\n */\n\n/**\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n\n@throws NoSuchElementException if the collection is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->\n    Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var\n    minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all\n * values produced by [selector] function\n * applied to each element in the collection.\n */\n\n@throws\n * NoSuchElementException if the collection is empty.\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <T, R : Comparable<R>> Iterable<T>.minOf(selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.minOfOrNull(selector: (T) -> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.minOfOrNull(selector: (T) -> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

Returns the smallest value among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>> Iterable<T>.minOfOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the collection.
@throws NoSuchElementException if the collection is empty.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R> Iterable<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the collection or `null` if there are no elements.

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R> Iterable<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

Returns the smallest element or `null` if there are no elements.
If any of elements is `NaN` returns `NaN`.

@SinceKotlin("1.4")
public fun Iterable<Double>.minOrNull(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        min = minOf(min, e)
    }
    return min
}

Returns the smallest element or `null` if there are no elements.
If any of elements is `NaN` returns `NaN`.

@SinceKotlin("1.4")
public fun

```



```

Iterable<Float>.minOrNull(): Float? {\n    val iterator
= iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n
val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or
`null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>>
Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min =
iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n    }\n    return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator]
or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T>
Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if
the collection has no elements.\n */\n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun
<T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Performs the given [action] on each element and returns the collection itself
afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C
{\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each
element, providing sequential index with the element,\n * and returns the collection itself afterwards.\n */\n * @param
[action] function that takes the index of an element and the element itself\n * and performs the action on the
element.\n */\n@SinceKotlin("1.4")\npublic inline fun <T, C : Iterable<T>> C.onEachIndexed(action: (index: Int,
T) -> Unit): C {\n    return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element.\n */\n * @param
[operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n */\n *
@sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S>
Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n    if (!iterator.hasNext()) throw
UnsupportedOperationException("Empty collection can't be reduced.")\n    var accumulator: S = iterator.next()\n    while
(iterator.hasNext()) {\n        accumulator = operation(accumulator, iterator.next())\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n */\n * @param
[operation] function that takes the index of an element, current accumulator value and the element itself,\n * and
calculates the next accumulator value.\n */\n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic
inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val
iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't
be reduced.")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n
accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n */

```

```

* \n * Returns `null` if the collection is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceOrNull\n * \n *@SinceKotlin("1.4")\npublic inline fun
<S, T : S> Iterable<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n    val iterator =
this.iterator()\n    if (!iterator.hasNext()) return null\n    var index = 1\n    var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n        accumulator = operation(checkIndexOverflow(index++), accumulator,
iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if
the collection is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n *@SinceKotlin("1.4")\n *@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return null\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n
accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use
[reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that
takes an element and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline fun <S, T : S>
List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if
(!iterator.hasPrevious())\n        throw UnsupportedOperationException("Empty list can't be reduced.")\n    var
accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator =
operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with the last element and applying [operation] from right to left\n * to each element with its index in the original list
and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
*\n * @param [operation] function that takes the index of an
element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRight\n * \npublic inline fun <S, T : S>
List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if
(!iterator.hasPrevious())\n        throw UnsupportedOperationException("Empty list can't be reduced.")\n    var
accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n
accumulator = operation(index, iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original list and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself
and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n * \n *@SinceKotlin("1.4")\npublic inline fun <S,
T : S> List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n    val iterator =
listIterator(size)\n    if (!iterator.hasPrevious())\n        return null\n    var accumulator: S = iterator.previous()\n
while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n        accumulator = operation(index,
iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns `null` if the list is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

```

*^@SinceKotlin("1.4")^@WasExperimental(ExperimentalStdlibApi::class)^npublic inline fun <S, T : S>
List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {^n    val iterator = listIterator(size)^n    if
(!iterator.hasPrevious())^n        return null^n    var accumulator: S = iterator.previous()^n    while
(iterator.hasPrevious()) {^n        accumulator = operation(iterator.previous(), accumulator)^n    }^n    return
accumulator^n}^n/**^n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right^n * to each element and current accumulator value that starts with [initial] value.^n *
^n * Note that `acc` value passed to [operation] function should not be mutated;^n * otherwise it would affect the
previous value in resulting list.^n * ^n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.^n * ^n * @sample
samples.collections.Collections.Aggregates.runningFold^n *^@SinceKotlin("1.4")^npublic inline fun <T, R>
Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {^n    val estimatedSize =
collectionSizeOrDefault(9)^n    if (estimatedSize == 0) return listOf(initial)^n    val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }^n    var accumulator = initial^n    for (element in this) {^n
        accumulator = operation(accumulator, element)^n        result.add(accumulator)^n    }^n    return result^n}^n/**^n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right^n *
to each element, its index in the original collection and current accumulator value that starts with [initial] value.^n *
^n * Note that `acc` value passed to [operation] function should not be mutated;^n * otherwise it would affect the
previous value in resulting list.^n * ^n * @param [operation] function that takes the index of an
element, current accumulator value^n * and the element itself, and calculates the next accumulator value.^n * ^n *
^n * @sample samples.collections.Collections.Aggregates.runningFold^n *^@SinceKotlin("1.4")^npublic inline fun
<T, R> Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {^n    val
estimatedSize = collectionSizeOrDefault(9)^n    if (estimatedSize == 0) return listOf(initial)^n    val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }^n    var index = 0^n    var accumulator = initial^n    for
(element in this) {^n        accumulator = operation(index++, accumulator, element)^n        result.add(accumulator)^n
    }^n    return result^n}^n/**^n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right^n * to each element and current accumulator value that starts with the first element of
this collection.^n * ^n * Note that `acc` value passed to [operation] function should
not be mutated;^n * otherwise it would affect the previous value in resulting list.^n * ^n * @param [operation]
function that takes current accumulator value and the element, and calculates the next accumulator value.^n * ^n *
^n * @sample samples.collections.Collections.Aggregates.runningReduce^n *^@SinceKotlin("1.4")^n@WasExperimental(ExperimentalStdlibApi::class)^npublic inline fun <S, T : S>
Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {^n    val iterator = this.iterator()^n    if
(!iterator.hasNext()) return emptyList()^n    var accumulator: S = iterator.next()^n    val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }^n    while (iterator.hasNext()) {^n
        accumulator = operation(accumulator, iterator.next())^n        result.add(accumulator)^n    }^n    return
result^n}^n/**^n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right^n * to each element, its index in the
original collection and current accumulator value that starts with the first element of this collection.^n * ^n * Note
that `acc` value passed to [operation] function should not be mutated;^n * otherwise it would affect the previous
value in resulting list.^n * ^n * @param [operation] function that takes the index of an element, current accumulator
value^n * and the element itself, and calculates the next accumulator value.^n * ^n * @sample
samples.collections.Collections.Aggregates.runningReduce^n *^@SinceKotlin("1.4")^npublic inline fun <S, T :
S> Iterable<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {^n    val iterator =
this.iterator()^n    if (!iterator.hasNext()) return emptyList()^n    var accumulator: S = iterator.next()^n    val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }^n    var index = 1^n    while
(iterator.hasNext()) {^n        accumulator = operation(index++, accumulator, iterator.next())^n        result.add(accumulator)^n
    }^n}

```

}
return result
Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.
Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
@sample
samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n return runningFold(initial,
operation)\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right to each element, its index in the original collection
```

and current accumulator value that starts with [initial] value.
Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n return
runningFoldIndexed(initial, operation)\n}\n\n**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.
```

```
\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumBy(selector: (T) -> Int):
```

```
Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.
```

```
\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)
{\n sum += selector(element)\n }\n return sum\n}\n\n**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element
in this) {\n sum += selector(element)\n }\n return sum\n}\n\n**\n * Returns the sum of all values produced
by [selector] function applied to each element in the collection.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.sumOf(selector: (T) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum +=
selector(element)\n }\n return sum\n}\n\n**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element
in this) {\n sum += selector(element)\n }\n return sum\n}\n\n**\n * Returns the sum of all values produced
by [selector] function applied to each element in the collection.
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.
```

```

*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n
*\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n    for (element in this) {\n        if (element
== null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n}
\n\n@Suppress("UNCHECKED_CAST")\n    return this as Iterable<T>\n}\n\n/**\n * Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n
*\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n    for (element in this) {\n        if (element ==
null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n}\n}
\n\n@Suppress("UNCHECKED_CAST")\n    return this as List<T>\n}\n}\n\n/**\n * Splits this
collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have
fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be
positive and can be greater than the number of elements in this collection.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n *\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n
 * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform]
function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the
list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should
not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer
elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive
and can be greater than the number of elements in this collection.\n * \n * @sample
samples.text.Strings.chunkedTransform\n *\n@SinceKotlin("1.2")\npublic fun <T, R> Iterable<T>.chunked(size:
Int, transform: (List<T>) -> R): List<R> {\n    return windowed(size, size, partialWindows = true, transform =
transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence
of the given [element].\n *\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n    val result =
ArrayList<T>(collectionSizeOrDefault(10))\n    var removed = false\n    return this.filterTo(result) { if (!removed
&& it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of
the original collection except the elements contained in the given [elements] array.\n * \n * Before Kotlin 1.6, the
[elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required
to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive
invocations.\n * On JVM, you can enable this behavior back with the system property
`kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n *\npublic operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {\n    if (elements.isEmpty()) return this.toList()\n    val other
= elements.convertToSetForSetOperation()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list
containing all elements of the original collection except the elements contained in the given [elements] collection.\n
 * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the
operation, thus the elements
were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between
successive invocations.\n * On JVM, you can enable this behavior back with the system property
`kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n *\npublic operator fun <T>
Iterable<T>.minus(elements: Iterable<T>): List<T> {\n    val other =
elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toList()\n    return
this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the
elements contained in the given [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may have
been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and

```

stable implementation of `hashCode()` that didn't change between successive invocations.

* On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

public operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {
    val other = elements.convertToSetForSetOperation()
    if (other.isEmpty()) return this.toList()
    return this.filterNot { it in other }
}

```

* Returns a list containing all elements of the original collection without the first occurrence of the given [element].

```

@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.minusElement(element: T): List<T> {
    return minus(element)
}

```

* Splits the original collection into pair of lists, where `first` list contains elements for which [predicate] yielded `true`, while `second` list contains elements for which [predicate] yielded `false`.

* @sample `samples.collections.Iterables.Operations.partition`

```

public inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) first.add(element)
    } else {
        second.add(element)
    }
    return Pair(first, second)
}

```

* Returns a list containing all elements of the original collection and then the given [element].

```

public operator fun <T> Iterable<T>.plus(element: T): List<T> {
    if (this is Collection) return this.plus(element)
    val result = ArrayList<T>()
    result.addAll(this)
    result.add(element)
    return result
}

```

* Returns a list containing all elements of the original collection and then the given [element].

```

public operator fun <T> Collection<T>.plus(element: T): List<T> {
    val result = ArrayList<T>(size + 1)
    result.addAll(this)
    result.add(element)
    return result
}

```

* Returns a list containing all elements of the original collection and then all elements of the given [elements] array.

```

public operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {
    if (this is Collection) return this.plus(elements)
    val result = ArrayList<T>()
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

* Returns a list containing all elements of the original collection and then all elements of the given [elements] array.

```

public operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {
    val result = ArrayList<T>(this.size + elements.size)
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

* Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.

```

public operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {
    if (this is Collection) return this.plus(elements)
    val result = ArrayList<T>()
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

* Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.

```

public operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {
    if (elements is Collection) {
        val result = ArrayList<T>(this.size + elements.size)
        result.addAll(this)
        result.addAll(elements)
        return result
    } else {
        val result = ArrayList<T>(this)
        result.addAll(elements)
        return result
    }
}

```

* Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.

```

public operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {
    val result = ArrayList<T>()
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

* Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.

```

public operator fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {
    val result = ArrayList<T>(this.size + 10)
    result.addAll(this)
    result.addAll(elements)
    return result
}

```

* Returns a list containing all elements of the original collection and then the given [element].

```

@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.plusElement(element: T): List<T> {
    return plus(element)
}

```

* Returns a list containing all elements of the original collection and then the given [element].

```

@kotlin.internal.InlineOnly
public inline fun <T> Collection<T>.plusElement(element: T): List<T> {
    return plus(element)
}

```

* Returns a list of snapshots of the window of the given [size] sliding along this collection with the given [step], where each snapshot is a list.

* Several last lists may have fewer elements than the given [size].

* Both [size] and [step] must be positive and can be greater than the number of elements in this collection.

* @param size the

number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n * ^\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<List<T>>(resultCapacity)\n var index = 0\n while (index in 0 until thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (windowSize < size && !partialWindows) break\n result.add(List(windowSize) { this[it + index] })\n index += step\n }\n return result\n }\n val result = ArrayList<List<T>>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n result.add(it)\n }\n return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n * ^\n@SinceKotlin("1.2")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<R>(resultCapacity)\n val window = MovingSubList(this)\n var index = 0\n while (index in 0 until thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (!partialWindows && windowSize < size) break\n window.move(index, index + windowSize)\n result.add(transform(window))\n index += step\n }\n return result\n }\n val result = ArrayList<R>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n result.add(transform(it))\n }\n return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * ^\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * ^\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = other.size\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in this) {\n if (i >= arraySize) break\n list.add(transform(element, other[i++]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * ^\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to

```

each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R, V>
Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second
= other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),
other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n
list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two
adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two
elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n
*\n @SinceKotlin("1.2")\n public fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext
{ a, b -> a to b }\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this
collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n @SinceKotlin("1.2")\n public
inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current
= next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n
* elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \n public fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = '\n', prefix: CharSequence = "", postfix: CharSequence
= "", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if
(limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative
value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n
*\n public fun <T> Iterable<T>.joinToString(separator: CharSequence = '\n', prefix: CharSequence = "", postfix:
CharSequence = "", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null):
String {\n    return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated,
transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n * \n @kotlin.internal.InlineOnly\n public
inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n    return this\n}\n\n/**\n * Creates a [Sequence] instance
that wraps the original collection returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n * \n public fun <T> Iterable<T>.asSequence():
Sequence<T>
{\n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n @kotlin.jvm.JvmName("averageOfByte")\n public fun Iterable<Byte>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfShort")\n public fun
Iterable<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\n @kotlin.jvm.JvmName("averageOfInt")\n public fun Iterable<Int>.average(): Double {\n    var sum: Double =
0.0\n    var count: Int = 0\n    for

```



```

(element in this) {\n    sum += element\n    checkCountOverflow(++count)\n } \n return if (count == 0)
Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*/\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Iterable<Long>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    } \n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun
Iterable<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    } \n return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*/\n@kotlin.jvm.JvmName("averageOfDouble")\npublic
fun Iterable<Double>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this)
{\n        sum += element\n        checkCountOverflow(++count)\n    } \n return if (count == 0) Double.NaN else sum
/ count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    } \n return sum\n}\n\n/**\n * Returns the sum of all elements in the
collection.\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Iterable<Short>.sum(): Int {\n    var sum: Int
= 0\n    for (element in this) {\n        sum += element\n    } \n return sum\n}\n\n/**\n * Returns the sum of all
elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Iterable<Int>.sum(): Int {\n    var
sum: Int = 0\n    for (element in this) {\n        sum += element\n    } \n return sum\n}\n\n/**\n * Returns
the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun
Iterable<Long>.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    } \n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Iterable<Float>.sum(): Float {\n    var sum: Float = 0.0f\n
for (element in this) {\n        sum += element\n    } \n return sum\n}\n\n/**\n * Returns the sum of all elements in
the collection.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Iterable<Double>.sum(): Double {\n    var
sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    } \n return sum\n}\n\n", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\nimport
kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/**\n * Returns the array if it's not `null`, or an
empty array otherwise.\n */\n@sample samples.collections.Arrays.Usage.arrayOrEmpty\n
*/\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?:
emptyArray<T>()\n\n/**\n * Returns a *typed* array containing all of the elements of this collection.\n */\n\n *
Allocates an array of runtime type `T` having its size equal to the size of this collection\n * and populates the array
with the elements of this collection.\n */\n@sample
samples.collections.Collections.Collections.collectionToTypedArray\n\n@kotlin.internal.InlineOnly\npublic
actual inline fun <T> Collection<T>.toArray(): Array<T> =
copyToArray(this)\n\n@JsName("copyToArray")\n@PublishedApi\ninternal fun <T> copyToArray(collection:
Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n        collection.asDynamic().toArray().unsafeCast<Array<T>>()\n
    else\n        copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName("copyToArrayImpl")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName("copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection:
Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator = collection.iterator()\n    var index = 0\n
while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    } \n    if (index < array.size)

```

```

{\n    array[index] = null.unsafeCast<T>()\n } \n    return array\n}\n\n/**\n * Returns an immutable list
containing only the specified object [element].\n */\npublic fun <T> listOf(element:
T): List<T> =
arrayListOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual
inline fun <E> buildListInternal(builderAction: MutableList<E>().-> Unit): List<E> {\n    return
ArrayList<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.Inlin
eOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().-> Unit):
List<E> {\n    checkBuilderCapacity(capacity)\n    return
ArrayList<E>(capacity).apply(builderAction).build()\n}\n\n/**\n * Returns an immutable set containing only the
specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> =
hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <E> buildSetInternal(builderAction: MutableSet<E>().-> Unit): Set<E> {\n    return
LinkedHashSet<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.
InlineOnly\ninternal
actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().-> Unit): Set<E> {\n    return
LinkedHashSet<E>(capacity).apply(builderAction).build()\n}\n\n/**\n * Returns an immutable map, mapping
only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> =
hashMapOf(pair)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().-> Unit): Map<K, V> {\n    return
LinkedHashMap<K,
V>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninte
rnal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().-> Unit):
Map<K, V> {\n    return LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n}\n\n/**\n * Fills the
list with the provided [value].\n */\n * Each element in the list gets replaced
with the [value].\n */\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n    for
(index in 0..lastIndex) {\n        this[index] = value\n    }\n}\n\n/**\n * Randomly shuffles elements in this list.\n */\n * See: https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n */\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n */\n * @sample samples.collections.Collections.Sorting.sortMutableList\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n    collectionsSort(this,
naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with
[comparator].\n */\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\n * @sample samples.collections.Collections.Sorting.sortMutableListWith\n */\npublic actual fun
<T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n    collectionsSort(this,
comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n    if
(list.size <= 1) return\n\n    val array = copyToArray(list)\n    sortArrayWith(array, comparator)\n\n    for (i in 0 until
array.size) {\n        list[i] = array[i]\n    }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int):
Array<T> {\n    return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arrayCopy")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in
T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n    AbstractList.checkRangeIndexes(startIndex,
endIndex, source.size)\n    val rangeSize = endIndex - startIndex\n
AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n\n    if
(js("ArrayBuffer").isView(destination) && js("ArrayBuffer").isView(source)) {\n        val subrange =
source.asDynamic().subarray(startIndex, endIndex)\n        destination.asDynamic().set(subrange,

```

```

destinationOffset)\n } else {\n     if (source !== destination || destinationOffset <= startIndex) {\n         for
(index in 0 until rangeSize) {\n             destination[destinationOffset + index] = source[startIndex + index]\n
}\n     } else {\n         for (index in rangeSize - 1 downTo 0) {\n             destination[destinationOffset + index] =
source[startIndex + index]\n         }\n     }\n }\n\n// no singleton map implementation in js, return map as
is\n@Suppress(\\"NOTHING_TO_INLINE\\")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\\"NOTHING_TO_INLINE\\")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n\n@Suppress(\\"NOTHING_TO_INLINE\\")\ninternal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n    if (isVarargs)\n        // no need to copy vararg
array in JS\n        this\n    else\n        this.copyOfOf()\n\n\n@PublishedApi\ninternal actual fun
checkIndexOverflow(index: Int): Int {\n    if (index < 0) {\n        throwIndexOverflow()\n    }\n    return
index\n}\n\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n    if (count < 0) {\n
throwCountOverflow()\n    }\n    return count\n}\n\n\n/**\n * JS map and set implementations do not make use of
capacities or load factors.\n */\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) =
expectedSize\n\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in Map/Set constructor
yet.\n */\n@SinceKotlin(\\"1.3\\")\n@PublishedApi\ninternal fun checkBuilderCapacity(capacity: Int) {\n    require(capacity >= 0) { \"capacity must be non-negative.\" }\n}\n\n\ninternal actual fun
brittleContainsOptimizationEnabled(): Boolean = false\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n\n\n*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\\"CollectionsKt\\")\n\n\npackage
kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n\n/**\n * Returns an [Iterator]
that wraps each element produced by the original iterator\n * into an [IndexedValue] containing the index of that
element and the element itself.\n */\n@sample samples.collections.Iterators.withIndexIterator\n */\npublic fun
<T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n\n/**\n * Performs the given
[operation] on each element of this [Iterator].\n */\n@sample samples.collections.Iterators.forEachIterator\n */\npublic
inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n    for (element in this)
operation(element)\n}\n\n\n/**\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting
index from zero.\n */\n\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>) :
Iterator<IndexedValue<T>> {\n    private var index = 0\n    final override fun hasNext(): Boolean =
iterator.hasNext()\n    final override fun next(): IndexedValue<T> = IndexedValue(checkIndexOverflow(index++),
iterator.next())\n}\n\n\n\", \"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n\n*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\\"ComparisonsKt\\")\n\n\npackage
kotlin.comparisons\n\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\nimport kotlin.random.*\n\n\n/**\n * Returns the
greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\\"1.1\\")\npublic expect
fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\\"1.1\\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte):
Byte\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\\"1.1\\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Short, b: Short):
Short\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\\"1.1\\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\\"1.1\\")\n@kotlin.internal.InlineOnly\npublic expect inline

```

```

fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`,
returns `NaN`.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float,
b: Float): Float\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double):
Double\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the
first of them.\n */\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T, c: T):
T\n\n/**\n * Returns the greater
of three values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte,
b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int):
Int\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n * \n * If
any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n * \n * If any value is
`NaN`, returns `NaN`.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values
according to the order specified by the given [comparator].\n * \n * If there are multiple equal maximal values,
returns the first of them.\n */\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator:
Comparator<in T>): T {\n    return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the
greater of two values according to the order specified by the given [comparator].\n * \n * If values are equal, returns
the first one.\n */\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n
    return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If
there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin("1.4")\npublic expect fun
<T : Comparable<T>> maxOf(a: T, vararg other: T): T\n\n/**\n
* Returns the greater of the given values.\n */\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Byte, vararg
other: Byte): Byte\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin("1.4")\npublic expect
fun maxOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the greater of the given values.\n
*/\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the greater of
the given values.\n */\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Long, vararg other: Long):
Long\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin("1.4")\npublic expect fun maxOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the
greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin("1.4")\npublic
expect fun maxOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the greater of the given values
according
to the order specified by the given [comparator].\n * \n * If there are multiple equal maximal values, returns the first
of them.\n */\n@SinceKotlin("1.4")\npublic fun <T> maxOf(a: T, vararg other: T, comparator: Comparator<in
T>): T {\n    var max = a\n    for (e in other) if (comparator.compare(max, e) < 0) max = e\n    return
max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n
*/\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the
smaller of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a:
Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short):
Short\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int):
Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n * \n * If either

```

```

value is `NaN`, returns `NaN`.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun
 minOf(a: Float, b: Float): Float
 // Returns the smaller of two values.
 * If either value is `NaN`,
 returns `NaN`.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun minOf(a:
 Double, b: Double): Double
 // Returns the smaller of three values.
 * If there are multiple equal
 minimal values, returns the first of them.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect fun <T : Comparable<T>>
 minOf(a: T, b: T, c: T): T
 // Returns the smaller of three values.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun minOf(a: Byte, b: Byte, c: Byte):
 Byte
 // Returns
 the smaller of three values.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun
 minOf(a: Short, b: Short, c: Short): Short
 // Returns the smaller of three values.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun minOf(a: Int, b: Int, c: Int):
 Int
 // Returns the smaller of three values.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun minOf(a: Long, b: Long, c: Long):
 Long
 // Returns the smaller of three values.
 * If
 any value is `NaN`, returns `NaN`.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline
 fun minOf(a: Float, b: Float, c: Float): Float
 // Returns the smaller of three values.
 * If any value is
 `NaN`, returns `NaN`.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public expect inline fun minOf(a:
 Double, b: Double, c: Double): Double
 // Returns the smaller of three values according to
 the order specified by the given [comparator].
 * If there are multiple equal minimal values, returns the first of
 them.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {
 // return minOf(a, minOf(b, c, comparator), comparator)
 }
 // Returns the smaller of two values according to
 the order specified by the given [comparator].
 * If values are equal, returns the first one.
 * Since Kotlin("1.1")
 @kotlin.internal.InlineOnly
 public fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {
 // return if
 (comparator.compare(a, b) <= 0) a else b
 }
 // Returns the smaller of the given values.
 * If there are
 multiple equal minimal values, returns the first of them.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun <T :
 Comparable<T>> minOf(a: T, vararg other: T): T
 // Returns the smaller of the given values.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun minOf(a: Byte, vararg other: Byte): Byte
 // Returns the
 smaller
 of the given values.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun minOf(a: Short, vararg other: Short):
 Short
 // Returns the smaller of the given values.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun minOf(a:
 Int, vararg other: Int): Int
 // Returns the smaller of the given values.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun minOf(a: Long, vararg other: Long): Long
 // Returns the smaller of the given values.
 * If
 any value is `NaN`, returns `NaN`.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun minOf(a: Float, vararg other:
 Float): Float
 // Returns the smaller of the given values.
 * If any value is `NaN`, returns `NaN`.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public expect fun minOf(a: Double, vararg other: Double): Double
 // Returns
 the smaller of the given values according to the order specified by the given [comparator].
 * If there are
 multiple equal minimal values, returns the first of them.
 * Since Kotlin("1.4")
 @kotlin.internal.InlineOnly
 public
 fun <T> minOf(a: T, vararg other: T, comparator: Comparator<in T>): T {
 // var min = a
 // for (e in other) if
 (comparator.compare(min, e) > 0) min = e
 // return min
 }
 // Copyright 2010-2021 JetBrains s.r.o. and
 Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 can be found in the license/LICENSE.txt file.
 *
 @file:kotlin.jvm.JvmMultifileClass
 @file:kotlin.jvm.JvmName("MapsKt")
 package
 kotlin.collections
 // NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
 // See:
 https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
 //
 import kotlin.random.*
 import
 kotlin.ranges.contains
 import kotlin.ranges.reversed
 // Returns the first non-null value produced by
 [transform] function being applied to entries of this map in iteration order,
 * or throws
 [NoSuchElementException] if no non-null value was produced.
 * @sample
 samples.collections.Collections.Transformations.firstNotNullOf

```

```

*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the map was transformed to a non-null value.")\n}\n\n/**\n * Returns
the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n *
or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*^@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n *
Returns a [List] containing all key-value pairs.\n *^@public
fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n    if (size == 0)\n        return emptyList()\n    val iterator
= entries.iterator()\n    if (!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n    if
(!iterator.hasNext())\n        return listOf(first.toPair())\n    val result = ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n    return
result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked
on each entry of original map.\n * \n * @sample samples.collections.Maps.Transformations.flatMap\n *^@public
inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original
map.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n *^@public inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n    for (element in
this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n *
Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to
the given [destination].\n
*^@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <K, V, R, C :
MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) ->
Sequence<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapToList\n *^@public inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapNotNull\n
*^@public inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?):
List<R> {\n    return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform]
function to each entry in the original map\n * and appends only the non-null results to the given [destination].\n
*^@public inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C,
transform: (Map.Entry<K, V>) -> R?): C {\n    forEach { element -> transform(element)?.let { destination.add(it) }
}\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each entry of the original map\n *
and appends the results to the given [destination].\n *^@public inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {\n    for (item in this)\n

```

```

destination.add(transform(item))\n    return destination\n}\n\n/**\n * Returns `true` if all
entries match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n * \npublic
inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty())
return true\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if
map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n * \npublic fun <K,
V> Map<out K, V>.any(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n * \npublic
inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty())
return false\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the
number of entries in this map.\n * \n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<out K, V>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of entries matching the
given [predicate].\n * \npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean):
Int {\n    if (isEmpty()) return 0\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Performs the given [action] on each entry.\n * \n@kotlin.internal.HidesMembers\npublic inline
fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n    for (element in this)
action(element)\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>>
Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first entry yielding the
largest value of the given function or `null` if there are no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*\n@kotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out
K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n    return
entries.maxByOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@kotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value
among all values
produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@kotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n@kotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOf(selector: (Map.Entry<K, V>) -> R): R {\n    return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or
`null` if there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@kotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n    return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]

```

```

function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n return
entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfOrNull(selector)\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K,
V, R> Map<out K, V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n
return entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there
are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n return
entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use maxWithOrNull instead.",
ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWith(comparator: Comparator<in Map.Entry<K,
V>>): Map.Entry<K, V>? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the
largest value according to the provided [comparator] or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return
entries.maxWithOrNull(comparator)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector:
(Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first
entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V, R : Comparable<R>> Map<out K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R):
Map.Entry<K, V>? {\n return entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is
empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Double): Double {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```



```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector:
(Map.Entry<K, V>) -> Float): Float {\n    return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws
NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n    return entries.minOf(selector)\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n * \n * If any
of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n    return
entries.minOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n    return
entries.minOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n    return entries.minOrNull(selector)\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n    return
entries.minWith(comparator, selector)\n}\n\n/**\n * Returns
the smallest value according to the provided [comparator]\n * among all values produced by [selector] function
applied to each entry in the map or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n    return
entries.minWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in
Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first
entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>):
Map.Entry<K, V>? {\n    return entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no
entries.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <K, V> Map<out K,
V>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n *
\n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <K, V>
Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for
(element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each

```

entry and returns the map itself afterwards.
`@SinceKotlin("1.1") public inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {`

`return apply { for (element in this) action(element) }`
return apply { for (element in this) action(element) }
* Performs the given [action] on each entry, providing sequential index with the entry,
* and returns the map itself afterwards.
* @param [action] function that takes the index of an entry and the entry itself
* and performs the action on the entry.

`@SinceKotlin("1.4") public inline fun <K, V, M : Map<out K, V>> M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M {`
return apply { entries.forEachIndexed(action) }
* Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.

`@kotlin.internal.InlineOnly public inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {`
return entries
* Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.
`public fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {`
return entries.asSequence()
*
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

`package kotlin.text`
NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt
See: <https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib>
10 mappings totally
`internal fun Char.titlecaseImpl(): String {`

`val uppercase = uppercase() if (uppercase.length > 1) {`
return if (this == '\u0149') uppercase else uppercase[0] + uppercase.substring(1).lowercase()
}
return titlecaseChar().toString()

* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
* Converts this character to lower case using Unicode mapping rules
of the invariant locale.

`@Deprecated("Use lowercaseChar() instead.")`

`ReplaceWith("lowercaseChar()") @DeprecatedSinceKotlin(warningSince =`

`"1.5") @kotlin.internal.InlineOnly public actual inline fun Char.toLowerCase(): Char =`

`lowercaseChar()`
* Converts this character to lower case using Unicode mapping rules of the invariant locale.
* This function performs one-to-one character mapping.
* To support one-to-many character mapping use the [lowercase] function.
* If this character has no mapping equivalent, the character itself is returned.
* @sample samples.text.Chars.lowercase

`@SinceKotlin("1.5") @WasExperimental(ExperimentalStdlibApi::class) @kotlin.internal.InlineOnly public`
`actual inline fun Char.lowercaseChar(): Char = lowercase()[0]`
* Converts this character to lower case using Unicode mapping rules of the invariant locale.
* This function supports one-to-many character mapping, thus the length of the returned string

can be greater than one.
* For example, `'\u0130'.lowercase()` returns `'\u0069\u0307'`, where `'\u0130'` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`'\u0130'`).
* If this character has no lower case mapping, the result of ``toString()`` of this char is returned.
* @sample samples.text.Chars.lowercase

`@SinceKotlin("1.5") @WasExperimental(ExperimentalStdlibApi::class) @kotlin.internal.InlineOnly public`
`actual inline fun Char.lowercase(): String = toString().asDynamic().toLowerCase().unsafeCast<String>()`
* Converts this character to upper case using Unicode mapping rules of the invariant locale.

`@Deprecated("Use uppercaseChar() instead.")`

`ReplaceWith("uppercaseChar()") @DeprecatedSinceKotlin(warningSince =`

`"1.5") @kotlin.internal.InlineOnly public actual inline fun Char.toUpperCase(): Char =`

`uppercaseChar()`
* Converts this character to upper case using Unicode mapping rules of the invariant locale.
* This

function performs one-to-one character mapping.
* To support one-to-many character mapping use the [uppercase] function.
* If this character has no mapping equivalent, the character itself is returned.
* @sample samples.text.Chars.uppercase

`@SinceKotlin("1.5") @WasExperimental(ExperimentalStdlibApi::class) public actual fun`

```

Char.uppercaseChar(): Char {
    val uppercase = uppercase()
    return if (uppercase.length > 1) this else
    uppercase[0]
}

/**
 * Converts this character to upper case using Unicode mapping rules of the invariant
 * locale.
 * This function supports one-to-many character mapping, thus the length of the returned string can be
 * greater than one.
 * For example, `'\uFB00'.uppercase()` returns `'\u0046\u0046'`, where `'\uFB00` is the
 * LATIN SMALL LIGATURE FF character (`\ufb00`).
 * If this character has no upper case mapping, the result of
 * `toString()` of this char is returned.
 * @sample samples.text.Chars.uppercase
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public
c
actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()

/**
 * Converts this character to title case using Unicode mapping rules of the invariant locale.
 * This function
 * performs one-to-one character mapping.
 * To support one-to-many character mapping use the [titlecase]
 * function.
 * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.
 * @sample samples.text.Chars.titlecase
 */
@SinceKotlin("1.5")
public actual fun Char.titlecaseChar(): Char =
    titlecaseCharImpl()

/**
 * Returns `true` if this character is a Unicode high-surrogate code unit (also known as
 * leading-surrogate code unit).
 */
@public actual fun Char.isHighSurrogate(): Boolean = this in
    Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE

/**
 * Returns `true` if this character is a
 * Unicode low-surrogate
 * code unit (also known as trailing-surrogate code unit).
 */
@public actual fun Char.isLowSurrogate(): Boolean =
    this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE

/**
 * Returns the Unicode general
 * category of this character.
 */
@SinceKotlin("1.5")
@public actual val Char.category: CharCategory
    get() =
        CharCategory.valueOf(getCategoryValue())

/**
 * Returns `true` if this character (Unicode code point) is
 * defined in Unicode.
 * A character is considered to be defined in Unicode if its [category] is not
 * [CharCategory.UNASSIGNED].
 */
@SinceKotlin("1.5")
@public actual fun Char.isDefined(): Boolean {
    if (this < '\u0080') {
        return true
    }
    return getCategoryValue() !=
        CharCategory.UNASSIGNED.value
}

/**
 * Returns `true` if this character is a letter.
 * A character is
 * considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],
 * [CharCategory.LOWERCASE_LETTER], [CharCategory.TITLECASE_LETTER],
 * [CharCategory.MODIFIER_LETTER],
 * or [CharCategory.OTHER_LETTER].
 * @sample samples.text.Chars.isLetter
 */
@SinceKotlin("1.5")
@public actual fun Char.isLetter(): Boolean {
    if (this in 'a'..'z' || this in 'A'..'Z') {
        return true
    }
    if (this < '\u0080') {
        return false
    }
    return isLetterImpl()
}

/**
 * Returns
 * `true` if this character is a letter or digit.
 * @see isLetter
 * @see isDigit
 * @sample
 * samples.text.Chars.isLetterOrDigit
 */
@SinceKotlin("1.5")
@public actual fun Char.isLetterOrDigit(): Boolean
{
    if (this in 'a'..'z' || this in 'A'..'Z' || this in '0'..'9') {
        return true
    }
    if (this < '\u0080') {
        return
        false
    }
    return isDigitImpl() || isLetterImpl()
}

/**
 * Returns `true` if this character is a digit.
 * A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].
 * @sample samples.text.Chars.isDigit
 */
@SinceKotlin("1.5")
@public
actual fun Char.isDigit(): Boolean {
    if (this in '0'..'9') {
        return true
    }
    if (this < '\u0080') {
        return
        false
    }
    return isDigitImpl()
}

/**
 * Returns `true` if this character is upper case.
 * A
 * character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE_LETTER],
 * or it has contributory property Other_Uppercase as defined by the Unicode Standard.
 * @sample
 * samples.text.Chars.isUpperCase
 */
@SinceKotlin("1.5")
@public actual fun Char.isUpperCase(): Boolean {
    if (this in 'A'..'Z') {
        return true
    }
    if (this < '\u0080') {
        return
        false
    }
    return
    isUpperCaseImpl()
}

/**
 * Returns `true` if this character is lower case.
 * A character is considered to
 * be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],
 * or it has contributory
 * property Other_Lowercase as defined by the Unicode Standard.
 * @sample samples.text.Chars.isLowerCase
 */
@SinceKotlin("1.5")
@public actual fun
Char.isLowerCase(): Boolean {
    if (this in 'a'..'z') {
        return true
    }
    if (this < '\u0080') {
        return

```

```

false\n } \n return isLowerCaseImpl()\n}\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n * @sample samples.text.Chars.isTitleCase\n */\n@SinceKotlin("1.5")\npublic actual fun Char.isTitleCase(): Boolean {\n if (this < "\u0080") {\n return false\n }\n return getCategoryValue() == CharCategory.TITLECASE_LETTER.value\n}\n\n/**\n * Returns `true` if this character is an ISO control character.\n *\n * A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL],\n * meaning the Char is in the range `'\u0000'..' \u001F'` or in the range `'\u007F'..' \u009F'`.\n *\n * @sample samples.text.Chars.isISOControl\n */\n@SinceKotlin("1.5")\npublic actual fun Char.isISOControl(): Boolean {\n return this <= "\u001F" || this in "\u007F'..' \u009F'\n}\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n */\npublic actual fun Char.isWhitespace(): Boolean = isWhitespaceImpl()\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n *\n * @SinceKotlin("1.2")\n * @Deprecated("Use CharArray.concatToString() instead",\n * ReplaceWith("\nchars.concatToString()\n"))\n * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")\n * public actual fun\n * String(chars: CharArray): String {\n *     var result = ""\n *     for (char in chars) {\n *         result += char\n *     }\n *     return result\n * }\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars] array bounds.\n *\n * @SinceKotlin("1.2")\n * @Deprecated("Use CharArray.concatToString(startIndex, endIndex) instead",\n * ReplaceWith("\nchars.concatToString(offset, offset + length)\n"))\n * @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")\n * public actual fun String(chars: CharArray, offset: Int, length: Int): String {\n *     if (offset < 0 || length < 0 || chars.size - offset < length)\n *         throw IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n *     var result = ""\n *     for (index in offset until offset + length) {\n *         result += chars[index]\n *     }\n *     return result\n * }\n\n/**\n * Concatenates characters in this [CharArray] into a String.\n *\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * public actual fun\n * CharArray.concatToString(): String {\n *     var result = ""\n *     for (char in this) {\n *         result += char\n *     }\n *     return result\n * }\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters, size of this array by default.\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n *\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n * public actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String {\n *     AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n *     var result = ""\n *     for (index in startIndex until endIndex) {\n *         result += this[index]\n *     }\n *     return result\n * }\n\n/**\n * Returns a [CharArray] containing characters of this string.\n *\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * public actual fun\n * String.toCharArray(): CharArray {\n *     return CharArray(length) { get(it) }\n * }\n\n/**\n * Returns a [CharArray] containing characters of this string or its substring.\n *\n * @param startIndex the beginning (inclusive) of the substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n *\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")

```

```

ON_WITH_DEFAULT_ARGUMENTS`)npublic
    actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {
AbstractList.checkBoundsIndexes(startIndex, endIndex, length)n    return CharArray(endIndex - startIndex) {
get(startIndex + it) }n}n/n/**n * Decodes a string from the bytes in UTF-8 encoding in this array.n *n *
Malformed byte sequences are replaced by the replacement char `\\uFFFF`.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic actual fun
ByteArray.decodeToString(): String {n    return decodeUtf8(this, 0, size, false)n}n/n/**n * Decodes a string from
the bytes in UTF-8 encoding in this array or its subrange.n *n * @param startIndex the beginning (inclusive) of the
subrange to decode, 0 by default.n * @param endIndex the end (exclusive) of the subrange to decode, size of this
array by default.n * @param throwOnInvalidSequence specifies whether to
    throw an exception on malformed byte sequence or replace it by the replacement char `\\uFFFF`.n *n * @throws
IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.n *
@throws IllegalArgumentException if [startIndex] is greater than [endIndex].n * @throws
CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and
[throwOnInvalidSequence] is true.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@Suppress("ACTUAL_FUNCTI
ON_WITH_DEFAULT_ARGUMENTS`)npublic actual fun ByteArray.decodeToString(n    startIndex: Int = 0,n
endIndex: Int = this.size,n    throwOnInvalidSequence: Boolean = false)n): String {n
AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)n    return decodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)n}n/n/**n * Encodes this string to an array of bytes in UTF-8 encoding.n *n * Any
malformed char sequence is replaced by
    the replacement byte sequence.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)npublic actual fun
String.encodeToByteArray(): ByteArray {n    return encodeUtf8(this, 0, length, false)n}n/n/**n * Encodes this
string or its substring to an array of bytes in UTF-8 encoding.n *n * @param startIndex the beginning (inclusive)
of the substring to encode, 0 by default.n * @param endIndex the end (exclusive) of the substring to encode, length
of this string by default.n * @param throwOnInvalidSequence specifies whether to throw an exception on
malformed char sequence or replace.n *n * @throws IndexOutOfBoundsException if [startIndex] is less than zero
or [endIndex] is greater than the length of this string.n * @throws IllegalArgumentException if [startIndex] is
greater than [endIndex].n * @throws CharacterCodingException if this string contains malformed char sequence
and [throwOnInvalidSequence] is true.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@Suppress("ACTUAL_FUNCTI
ON_WITH_DEFAULT_ARGUMENTS`)npublic
    actual fun String.encodeToByteArray(n    startIndex: Int = 0,n    endIndex: Int = this.length,n
    throwOnInvalidSequence: Boolean = false)n): ByteArray {n    AbstractList.checkBoundsIndexes(startIndex,
endIndex, length)n    return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)n}n/n/**n * Returns
a copy of this string converted to upper case using the rules of the default locale.n */n@Deprecated("Use
uppercase() instead.", ReplaceWith("uppercase()"))n@DeprecatedSinceKotlin(warningSince =
"1.5")n@kotlin.internal.InlineOnlynpublic actual inline fun String.toUpperCase(): String =
asDynamic().toUpperCase()n/n/**n * Returns a copy of this string converted to upper case using Unicode mapping
rules of the invariant locale.n *n * This function supports one-to-many and many-to-one character mapping,n *
thus the length of the returned string can be different from the length
    of the original string.n *n * @sample samples.text.Strings.uppercase.n
*/n@SinceKotlin("1.5")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpubli
c actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()n/n/**n * Returns a copy of this string
converted to lower case using the rules of the default locale.n */n@Deprecated("Use lowercase() instead.",
ReplaceWith("lowercase()"))n@DeprecatedSinceKotlin(warningSince =
"1.5")n@kotlin.internal.InlineOnlynpublic actual inline fun String.toLowerCase(): String =

```

```

asDynamic().toLowerCase()\n\n/**\n * Returns a copy of this string converted to lower case using Unicode
mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character
mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n *
@sample samples.text.Strings.toLowerCase\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
    actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal
actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str,
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String,
fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s,
position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean =
asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int):
String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@Deprecated("Use String.plus() instead", ReplaceWith("this +
str"))\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
String.concat(str: String): String = asDynamic().concat(str)\n\n@Deprecated("Use Regex.findAll() instead or
invoke matches() on String dynamically:
this.asDynamic().match(regex)")\n@DeprecatedSinceKotlin(warningSince =
"1.6")\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? =
asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement
effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n/**\n * Compares two strings lexicographically, optionally ignoring case differences.\n *\n * If
[ignoreCase] is true, the result of `Char.toUpperCaseChar().toLowerCaseChar()` on each character
is compared.\n
*/\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n        val n1 =
this.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n        for
(index in 0 until min) {\n            var thisChar = this[index]\n            var otherChar = other[index]\n\n            if
(thisChar != otherChar) {\n                thisChar = thisChar.toUpperCaseChar()\n                otherChar =
otherChar.toUpperCaseChar()\n\n                if (thisChar != otherChar) {\n                    thisChar =
thisChar.toLowerCaseChar()\n                    otherChar = otherChar.toLowerCaseChar()\n\n                    if (thisChar !=
otherChar) {\n                        return thisChar.compareTo(otherChar)\n                    }\n                }\n            }\n            return n1 - n2\n        } else {\n
return compareTo(other)\n        }\n}\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the
contents of the specified [other],\n * i.e. both char sequences contain the same number of the same characters in the
same order.\n *\n * @sample samples.text.Strings.contentEquals\n
*/\n@SinceKotlin("1.5")\npublic actual infix
fun CharSequence?.contentEquals(other: CharSequence?): Boolean = contentEqualsImpl(other)\n\n/**\n * Returns
`true` if the contents of this char sequence are equal to the contents of the specified [other], optionally ignoring case
difference.\n *\n * @param ignoreCase `true` to ignore character case when comparing contents.\n *\n * @sample
samples.text.Strings.contentEquals\n
*/\n@SinceKotlin("1.5")\npublic actual fun
CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n    return if (ignoreCase)\n        this.contentEqualsIgnoreCaseImpl(other)\n    else\n        this.contentEqualsImpl(other)\n}\n\nprivate
val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true)
}\n\n@SinceKotlin("1.2")\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER:
Comparator<String>\n    get() = STRING_CASE_INSENSITIVE_ORDER\n", "/*\n * Copyright 2010-2021

```

```

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\nCharsKt\n")\n\npackage kotlin.text\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is
not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n
*\n * In this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample
samples.text.Chars.digitToInt\n
*\n\n@SinceKotlin("1.5\n")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic
fun Char.digitToInt(): Int {\n    return digitOf(this, 10).also {\n        if (it < 0) throw
IllegalArgumentException("\nChar $this is not a decimal digit\n")\n    }\n}\n\n/**\n * Returns the numeric value of the
digit that this Char represents in the specified [radix].\n * Throws an exception if the [radix] is not in the range
`2..36` or if this Char is not a valid digit in the specified [radix].\n *\n * A Char is considered to represent a digit in
the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode
decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is
returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix +
'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin
letters 'a' through 'z' and its [code] is less than `radix
+ 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin
capital letters '\n\uFF21' through '\n\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code -
0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\n\uFF41' through '\n\uFF5A' and
its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample
samples.text.Chars.digitToInt\n
*\n\n@SinceKotlin("1.5\n")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun Char.digitToInt(radix:
Int): Int {\n    return digitToIntOrNull(radix) ?: throw IllegalArgumentException("\nChar $this is not a digit in the
given radix=$radix\n")\n}\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents, or
`null` if this Char is not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is
true for the Char.\n *\n * In
this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample
samples.text.Chars.digitToIntOrNull\n
*\n\n@SinceKotlin("1.5\n")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun
Char.digitToIntOrNull(): Int? {\n    return digitOf(this, 10).takeIf { it >= 0 }\n}\n\n/**\n * Returns the numeric
value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the
specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36`.\n *\n * A Char is considered to
represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char
and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit
value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix
+ 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is
returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix +
'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital
letters '\n\uFF21' through '\n\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21
+ 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\n\uFF41' through '\n\uFF5A' and its [code]
is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample
samples.text.Chars.digitToIntOrNull\n
*\n\n@SinceKotlin("1.5\n")\n\n@WasExperimental(ExperimentalStdlibApi::class)\n\npublic fun
Char.digitToIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n    return digitOf(this, radix).takeIf { it >= 0
}\n}\n\n/**\n * Returns the Char that represents this decimal digit.\n * Throws an exception if this value is not in the
range `0..9`.\n *\n * If this value is in `0..9`,

```

the decimal digit Char with code `0'.code + this` is returned.

```

@SinceKotlin("1.5")@WasExperimental(ExperimentalStdlibApi::class)
public fun Int.digitToChar(): Char {
    if (this in 0..9) {
        return '0' + this
    }
    throw IllegalArgumentException("Int $this is not a decimal digit")
}

```

Returns the Char that represents this numeric digit value in the specified [radix]. Throws an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0` until radix. If this value is less than `10`, the decimal digit Char with code `0'.code + this` is returned. Otherwise, the uppercase Latin letter with code `A'.code + this - 10` is returned.

```

@SinceKotlin("1.5")@WasExperimental(ExperimentalStdlibApi::class)
public fun Int.digitToChar(radix: Int): Char {
    if (radix !in 2..36) {
        throw IllegalArgumentException("Invalid radix: $radix. Valid radix values are in range 2..36")
    }
    if (this < 0 || this >= radix) {
        throw IllegalArgumentException("Digit $this does not represent a valid digit in radix $radix")
    }
    return if (this < 10) {
        '0' + this
    } else {
        'A' + this - 10
    }
}

```

Converts this character to lower case using Unicode mapping rules of the invariant locale. Use lowercaseChar() instead.

```

@DeprecatedSinceKotlin(warningSince = "1.5")
public expect fun Char.toLowerCase(): Char

```

Converts this character to lower case using Unicode mapping rules of the invariant locale. This function performs one-to-one character mapping. To support one-to-many character mapping use the [toLowerCase] function. If this character has no mapping equivalent, the character itself is returned.

```

@SinceKotlin("1.5")@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Char.toLowerCaseChar(): Char

```

Converts this character to lower case using Unicode mapping rules of the invariant locale. This function supports one-to-many character mapping, thus the length of the returned string can be greater than one. For example, `"\u0130".toLowerCase()` returns `"\u0069\u0307"`, where `"\u0130"` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\ufffd\uffd`). If this character has no lower case mapping, the result of `toString()` of this char is returned.

```

@SinceKotlin("1.5")@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Char.toLowerCase(): String

```

Converts this character to upper case using Unicode mapping rules of the invariant locale. Use uppercaseChar() instead.

```

@DeprecatedSinceKotlin(warningSince = "1.5")
public expect fun Char.toUpperCase(): Char

```

Converts this character to upper case using Unicode mapping rules of the invariant locale. This function performs one-to-one character mapping. To support one-to-many character mapping use the [toUpperCase] function. If this character has no mapping equivalent, the character itself is returned.

```

@SinceKotlin("1.5")@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Char.toUpperCaseChar(): Char

```

Converts this character to upper case using Unicode mapping rules of the invariant locale. This function supports one-to-many character mapping, thus the length of the returned string can be greater than one. For example, `"\uFB00".toUpperCase()` returns `"\u0046\u0046"`, where `"\uFB00"` is the LATIN SMALL LIGATURE FF character (`\ufffd\uffd\uffd`). If this character has no upper case mapping, the result of `toString()` of this char is returned.

```

@SinceKotlin("1.5")@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Char.toUpperCase(): String

```

Converts this character to title case using Unicode mapping rules of the invariant locale. This function performs one-to-one character mapping. To support one-to-many character mapping use the [titlecase] function. If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.

```

@SinceKotlin("1.5")
public expect fun Char.titlecaseChar(): Char

```

Converts this character to title case using Unicode mapping rules of the invariant locale. This function supports one-to-many character mapping, thus the length of the returned string can be greater than one. For example, `"\uFB00".titlecase()` returns `"\u0046\u0066"`, where

`“\uFB00”` is the LATIN SMALL LIGATURE FF character
`(\ufffd\uFFFD\uFFFD)`.
 * If this character has no title case mapping, the result of `[uppercase]` is returned instead.
 * `@sample samples.text.Chars.titlecase`
`*\n@SinceKotlin("1.5")\npublic fun Char.titlecase(): String = titlecaseImpl()`
 * Concatenates this Char and a String.
 * `@sample samples.text.Chars.plus`
`*\n@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() + other`
 * Returns `true` if this character is equal to the `[other]` character, optionally ignoring character case.
 * Two characters are considered equal ignoring case if `Char.uppercaseChar().lowercaseChar()` on each character produces the same result.
 * `@param ignoreCase true` to ignore character case when comparing characters. By default `false`.
 * `@sample samples.text.Chars.equals`
`*\n\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean { \n if (this == other) return true \n if (!ignoreCase) \n return false \n \n val thisUpper = this.uppercaseChar() \n val otherUpper = other.uppercaseChar() \n \n return thisUpper == otherUpper || thisUpper.lowercaseChar() == otherUpper.lowercaseChar() } \n\n`
 * Returns `true` if this character is a Unicode surrogate code unit.
`*\n\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE`
 * Returns the Unicode general category of this character.
`*\n\n@SinceKotlin("1.5")\npublic expect val Char.category: CharCategory`
 * Returns `true` if this character (Unicode code point) is defined in Unicode.
 * A character is considered to be defined in Unicode if its `[category]` is not `[CharCategory.UNASSIGNED]`.
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isDefined(): Boolean`
 * Returns `true` if this character is a letter.
 * A character is considered to be a letter if its `[category]` is `[CharCategory.UPPERCASE_LETTER]`, `[CharCategory.LOWERCASE_LETTER]`, `[CharCategory.TITLECASE_LETTER]`, `[CharCategory.MODIFIER_LETTER]`, or `[CharCategory.OTHER_LETTER]`.
`*\n\n@sample samples.text.Chars.isLetter`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isLetter(): Boolean`
 * Returns `true` if this character is a letter or digit.
 * `@see isLetter`
 * `@see isDigit`
`*\n\n@sample samples.text.Chars.isLetterOrDigit`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isLetterOrDigit(): Boolean`
 * Returns `true` if this character is a digit.
 * A character is considered to be a digit if its `[category]` is `[CharCategory.DECIMAL_DIGIT_NUMBER]`.
`*\n\n@sample samples.text.Chars.isDigit`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isDigit(): Boolean`
 * Returns `true` if this character is upper case.
 * A character is considered to be an upper case character if its `[category]` is `[CharCategory.UPPERCASE_LETTER]`, or it has contributory property `Other_Uppercase` as defined by the Unicode Standard.
`*\n\n@sample samples.text.Chars.isUpperCase`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isUpperCase(): Boolean`
 * Returns `true` if this character is lower case.
 * A character is considered to be a lower case character if its `[category]` is `[CharCategory.LOWERCASE_LETTER]`, or it has contributory property `Other_Lowercase` as defined by the Unicode Standard.
`*\n\n@sample samples.text.Chars.isLowerCase`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isLowerCase(): Boolean`
 * Returns `true` if this character is a title case letter.
 * A character is considered to be a title case letter if its `[category]` is `[CharCategory.TITLECASE_LETTER]`.
`*\n\n@sample samples.text.Chars.isTitleCase`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isTitleCase(): Boolean`
 * Returns `true` if this character is an ISO control character.
 * A character is considered to be an ISO control character if its `[category]` is `[CharCategory.CONTROL]`, meaning the Char is in the range `“\u0000”..“\u001F”` or in the range `“\u007F”..“\u009F”`.
`*\n\n@sample samples.text.Chars.isISOControl`
`*\n\n@SinceKotlin("1.5")\npublic expect fun Char.isISOControl(): Boolean`
 * Determines whether a character is whitespace according to the Unicode standard.
 * Returns `true` if the character is whitespace.
`*\n\n@sample samples.text.Chars.isWhitespace`
`*\n\npublic expect fun Char.isWhitespace(): Boolean`
 *
 Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
`*\n\npackage kotlin`
`*\n\nCreates a Char with the specified [code], or throws an exception if the [code] is out of Char.MIN_VALUE.code..Char.MAX_VALUE.code.
 * If the program that calls this function is written in a way that only valid [code] is passed as the argument, using the overload that takes a [UShort] argument is`

preferable

```
(`Char(intValue.toUShort())`),\n * That overload doesn't check validity of the argument, and may improve program performance when the function is called routinely inside a loop.\n * \n * @sample samples.text.Chars.charFromCode\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Char(code: Int): Char {\n    if (code < Char.MIN_VALUE.code || code > Char.MAX_VALUE.code) {\n        throw IllegalArgumentException("Invalid Char code: $code")\n    }\n    return code.toChar()\n}\n\n/**\n * Creates a Char with the specified [code].\n * \n * @sample samples.text.Chars.charFromCode\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun Char(code: UShort): Char\n\n/**\n * Returns the code of this Char.\n * \n * Code of a Char is the value it was constructed with, and the UTF-16 code unit corresponding to this Char.\n * \n * @sample samples.text.Chars.code\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION")\npublic inline val Char.code: Int get() = this.toInt()\n\n/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage kotlin.sequences\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns `true` if [element] is found in the sequence.\n * \n * The operation is _terminal_.\n * \n * @public operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws
```

```
an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n * @public fun <T> Sequence<T>.elementAt(index: Int): T {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at index $index.") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
```

```
samples.collections.Collections.Elements.elementAtOrElse\n * \n * @public fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (index < 0)\n        return defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return defaultValue(index)\n}\n\n/**\n
```

```
 * Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n * \n * @public fun <T> Sequence<T>.elementAtOrNull(index: Int): T? {\n    if (index < 0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * The operation is _terminal_.\n * \n * @sample
```

```
samples.collections.Collections.Elements.find\n * \n * @kotlin.internal.InlineOnly\n * @public inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element
```

```
was found.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.find\n * \n * @kotlin.internal.InlineOnly\n * @public inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * \n * @throws [NoSuchElementException] if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @public fun <T> Sequence<T>.first(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * \n * @throws
```

```

[NoSuchElementException] if no such element is found.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun
<T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in
iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * The operation
is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*\n*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Sequence<T>.firstNotNullOf(transform: (T) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the sequence was transformed to a non-null value.")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in
iteration order,\n * or `null` if no non-null value was produced.\n * \n * The operation is _terminal_.\n * \n *
@\n*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R : Any> Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n    for (element in this)
{\n        val result = transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return
null\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n * \n * The operation is _terminal_.\n
*\n*\n@public fun <T> Sequence<T>.firstOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n    return null\n    return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if element was not found.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T>
Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns first index of [element], or -1 if the sequence does not contain
element.\n * \n * The operation is _terminal_.\n * \n\npublic fun <@kotlin.internal.OnlyInputTypes
T> Sequence<T>.indexOf(element: T): Int {\n    var index = 0\n    for (item in this) {\n
        checkIndexOverflow(index)\n        if (element == item)\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not
contain such element.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T>
Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n
        checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not
contain such element.\n * \n * The operation is _terminal_.\n * \n\npublic inline fun <T>
Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in
this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return
lastIndex\n}\n\n/**\n * Returns the last element.\n * \n * The operation is _terminal_.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic fun <T> Sequence<T>.last(): T {\n    val iterator =
iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    var last =
iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * The operation is _terminal_.\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun <T> Sequence<T>.last(predicate: (T) ->
Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element
in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found)
throw NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n\n@Suppress("UNCHECKED_CAST")\nreturn last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the
sequence does not contain element.\n * \n * The operation is _terminal_.\n * \n\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n    var lastIndex = -1\n    var
index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex =

```

```

index\n    index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is
empty.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Elements.last\n
*\n\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return
last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n
*\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Elements.last\n *\n\npublic
inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in
this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the
single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation
is _terminal_.\n *\n\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if
(!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n    val single =
iterator.next()\n    if (iterator.hasNext())\n        throw
IllegalArgumentException("Sequence has more than one element.")\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n *\n * The operation is _terminal_.\n *\n\npublic inline fun <T> Sequence<T>.single(predicate: (T) ->
Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))
{\n            if (found) throw IllegalArgumentException("Sequence contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Sequence
contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as
T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The
operation is _terminal_.\n *\n\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    val single = iterator.next()\n    if
(iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is
_intermediate_.\n *\n\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single:
T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return
null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return
single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n *\n\npublic
fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n    require(n >= 0) { "Requested element count $n is less than
zero." }\n    return when {\n        n == 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n        else ->
DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that
satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n *\n\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n    return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n * @sample samples.collections.Collections.Filtering.filter\n *\n\npublic fun <T> Sequence<T>.filter(predicate:
(T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * @param [predicate] function
that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the
element.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\n\npublic fun <T> Sequence<T>.filterIndexed(predicate:
(index: Int, T) -> Boolean): Sequence<T> {\n    // TODO: Rewrite with generalized MapFilterIndexingSequence\n    return
TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), {
it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n *\n * @sample

```

```

samples.collections.Collections.Filtering.filterIndexedTo
*/npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate:
(index: Int, T) -> Boolean): C { \n  forEachIndexed { index, element -> \n    if (predicate(index, element))
destination.add(element)\n  } \n  return destination\n} \n/n/** \n * Returns a sequence containing all elements that
are instances of specified type parameter R. \n * \n * The operation is _intermediate_ and _stateless_. \n * \n *
@sample samples.collections.Collections.Filtering.filterIsInstance \n */npublic inline fun <reified R>
Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> { \n
@Suppress("UNCHECKED_CAST") \n  return filter { it is R } as Sequence<R>\n} \n/n/** \n * Appends all
elements that are instances of specified type parameter R to the given [destination]. \n * \n * The operation is
_terminal_. \n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo \n */npublic inline fun
<reified
R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C { \n  for (element in this) if
(element is R) destination.add(element)\n  return destination\n} \n/n/** \n * Returns a sequence containing all
elements not matching the given [predicate]. \n * \n * The operation is _intermediate_ and _stateless_. \n * \n *
@sample samples.collections.Collections.Filtering.filter \n */npublic fun <T> Sequence<T>.filterNot(predicate: (T)
-> Boolean): Sequence<T> { \n  return FilteringSequence(this, false, predicate)\n} \n/n/** \n * Returns a sequence
containing all elements that are not `null`. \n * \n * The operation is _intermediate_ and _stateless_. \n * \n *
@sample samples.collections.Collections.Filtering.filterNotNull \n */npublic fun <T : Any> Sequence<T?>.filterNotNull():
Sequence<T> { \n  @Suppress("UNCHECKED_CAST") \n  return filterNot { it == null } as
Sequence<T>\n} \n/n/** \n * Appends all elements that are not `null` to the given [destination]. \n * \n * The operation
is _terminal_. \n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo \n */npublic fun <C :
MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C { \n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n} \n/n/** \n * Appends all elements not matching
the given [predicate] to the given [destination]. \n * \n * The operation is _terminal_. \n * \n * @sample
samples.collections.Collections.Filtering.filterTo \n */npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C { \n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n} \n/n/** \n * Appends all elements matching
the given [predicate] to the given [destination]. \n * \n * The operation is _terminal_. \n * \n * @sample
samples.collections.Collections.Filtering.filterTo \n */npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterTo(destination:
C, predicate: (T) -> Boolean): C { \n  for (element in this) if (predicate(element)) destination.add(element)\n
return destination\n} \n/n/** \n * Returns a sequence containing first [n] elements. \n * \n * The operation is
_intermediate_ and _stateless_. \n * \n * @throws IllegalArgumentException if [n] is negative. \n * \n * @sample
samples.collections.Collections.Transformations.take \n */npublic fun <T> Sequence<T>.take(n: Int): Sequence<T>
{ \n  require(n >= 0) { "Requested element count $n is less than zero." } \n  return when { \n    n == 0 ->
emptySequence()\n    this is DropTakeSequence -> this.take(n)\n    else -> TakeSequence(this, n)\n  }\n} \n/n/** \n * Returns a sequence containing first elements satisfying the given [predicate]. \n * \n * The operation
is _intermediate_ and _stateless_. \n * \n * @sample samples.collections.Collections.Transformations.take \n */npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> { \n
return TakeWhileSequence(this, predicate)\n} \n/n/** \n * Returns a sequence that yields elements of this sequence
sorted according to their natural sort order. \n * \n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting. \n * \n * The operation is _intermediate_ and _stateful_. \n */npublic fun <T
: Comparable<T>> Sequence<T>.sorted(): Sequence<T> { \n  return object : Sequence<T> { \n    override fun
iterator(): Iterator<T> { \n      val sortedList = this@sorted.toMutableList()\n      sortedList.sort()\n
return sortedList.iterator()\n    } \n  }\n} \n/n/** \n * Returns a sequence that yields elements of this sequence
sorted according to natural sort order of the value returned by specified [selector] function. \n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting. \n * \n * The operation
is _intermediate_ and _stateful_. \n * \n * @sample

```

```

samples.collections.Collections.Sorting.sortedBy\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n  return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation
is _intermediate_ and _stateful_.\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n *\n * The
operation is _intermediate_ and _stateful_.\n *\npublic fun <T : Comparable<T>>
Sequence<T>.sortedDescending(): Sequence<T> {\n  return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a
sequence that yields elements of this sequence sorted according to the specified [comparator].\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation
is _intermediate_ and _stateful_.\n *\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>):
Sequence<T> {\n  return object : Sequence<T> {\n    override fun iterator(): Iterator<T> {\n      val
sortedList = this@sortedWith.toMutableList()\n      sortedList.sortWith(comparator)\n      return
sortedList.iterator()\n    }\n  }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform]
function\n * applied to elements of the given sequence.\n * \n * If any of two pairs would have the same key the last
one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n *
The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Transformations.associate\n
*\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n  return
associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the
given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n *\n *
@sample samples.collections.Collections.Transformations.associateBy\n *\npublic inline fun <T, K>
Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  return associateByTo(LinkedHashMap<K,
T>(),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n *\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the
same key returned
by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.associateByTo\n *\npublic inline fun <T, K, M : MutableMap<in
K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this) {\n
destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and
value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The
operation is _terminal_.\n *\n * @sample

```

```

samples.collections.Collections.Transformations.associateByToWithValueTransform\n *\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination:
M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateTo\n *\npublic inline fun <T, K, V, M : MutableMap<in
K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this)
{\n destination += transform(element)\n }\n return destination\n}\n\n**\n * Returns a [Map] where keys are
elements from the given sequence and values are\n * produced by the [valueSelector] function applied to each
element.\n * \n * If any two
elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order
of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n *\n@SinceKotlin("1.3")\npublic inline fun <K,
V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K,
V>()\n return associateWithTo(result, valueSelector)\n}\n\n**\n * Populates and returns the [destination] mutable
map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is
provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one
overwrites the former value in the map.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n *\n@SinceKotlin("1.3")\npublic inline fun
<K, V, M : MutableMap<in K, in V>>
Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n**\n * Appends all elements to
the given [destination] collection.\n * \n * The operation is _terminal_.\n *\npublic fun <T, C :
MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination\n}\n\n**\n * Returns a new [HashSet] of all elements.\n * \n * The
operation is _terminal_.\n *\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return
toCollection(HashSet<T>())\n}\n\n**\n * Returns a [List] containing all elements.\n * \n * The operation is
_terminal_.\n *\npublic fun <T> Sequence<T>.toList(): List<T> {\n return
this.toMutableList().optimizeReadOnlyList()\n}\n\n**\n * Returns a new [MutableList] filled with all elements of
this sequence.\n * \n * The operation is _terminal_.\n
*\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return
toCollection(ArrayList<T>())\n}\n\n**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the
element iteration order of the original sequence.\n * \n * The operation is _terminal_.\n *\npublic fun <T>
Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n**\n *
Returns a single sequence of all elements from results of [transform] function being invoked on each element of
original sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIterable")\npublic fun <T, R>
Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {\n return FlatteningSequence(this,
transform, Iterable<R>::iterator)\n}\n\n**\n
* Returns a single sequence of all elements from results of [transform] function being invoked on each element of
original sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\npublic fun <T, R> Sequence<T>.flatMap(transform:
(T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this, transform,
Sequence<R>::iterator)\n}\n\n**\n * Returns a single sequence of all elements yielded from results of [transform]

```

```

function being invoked on each element\n * and its index in the original sequence.\n *\n * The operation is
_intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform: (index: Int,
T) -> Iterable<R>): Sequence<R> {\n    return flatMapIndexed(this, transform, Iterable<R>::iterator)\n}\n\n**\n *
Returns a single sequence of all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {\n    return
flatMapIndexed(this, transform, Sequence<R>::iterator)\n}\n\n**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original sequence, to the given
[destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c
inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npub
lic inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n    var index =
0\n    for (element in this) {\n        val list = transform(checkIndexOverflow(index++), element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original sequence, to the given [destination].\n *\n * The
operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIterableTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked
on each element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n *\npublic
inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) ->
Sequence<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n**\n * Groups elements of the original sequence by the key returned by the given
[keySelector] function\n * applied to each element and returns a map where each group key is associated with a list
of corresponding elements.\n *\n * The returned map preserves the entry iteration order of the keys produced from
the original sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K>
Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n**\n

```


* Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n public inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n }\n \n /**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * \n * @return The [destination] map.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n public inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n }\n \n /**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * \n * @return The [destination] map.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n * \n public inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n }\n \n /**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n * \n @SinceKotlin("1.1")\n public inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n }\n \n /**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the original sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.map\n * \n public fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n }\n \n /**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * \n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n public fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n }\n \n /**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * \n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n public fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n }\n \n /**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * \n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n * \n * The operation is _terminal_.\n * \n public inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index:

```

Int, T) -> R?): C {
    foreachIndexed { index, element -> transform(index, element)?.let
    { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element and its index in the original sequence and appends the results to the given [destination]. @param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element. The operation is `_terminal_`.

```

public inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(checkIndexOverflow(index++), item))
    return destination
}

```

Returns a sequence containing only the non-null results of applying the given [transform] function to each element in the original sequence. The operation is `_intermediate_` and `_stateless_`. @sample `samples.collections.Collections.Transformations.mapNotNull`

```

public
fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {
    return
    TransformingSequence(this, transform).filterNotNull()
}

```

Applies the given [transform] function to each element in the original sequence and appends only the non-null results to the given [destination]. The operation is `_terminal_`.

```

public inline fun <T, R : Any, C : MutableCollection<in R>>
Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    foreach { element ->
    transform(element)?.let { destination.add(it) } }
    return destination
}

```

Applies the given [transform] function to each element of the original sequence and appends the results to the given [destination]. The operation is `_terminal_`.

```

public inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

```

Returns a sequence that wraps each element of the original sequence into an [IndexedValue] containing the index of that element and the element itself. The operation is `_intermediate_` and `_stateless_`.

```

public fun <T>
Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {
    return IndexingSequence(this)
}

```

Returns a sequence containing only distinct elements from the given sequence. Among equal elements of the given sequence, only the first one will be present in the resulting sequence. The elements in the resulting sequence are in the same order as they were in the source sequence. The operation is `_intermediate_` and `_stateful_`. @sample `samples.collections.Collections.Transformations.distinctAndDistinctBy`

```

public
fun <T> Sequence<T>.distinct(): Sequence<T> {
    return this.distinctBy { it }
}

```

Returns a sequence containing only elements from the given sequence having distinct keys returned by the given [selector] function.

Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence. The elements in the resulting sequence are in the same order as they were in the source sequence.

The operation is `_intermediate_` and `_stateful_`. @sample `samples.collections.Collections.Transformations.distinctAndDistinctBy`

```

public fun <T, K>
Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {
    return DistinctSequence(this, selector)
}

```

Returns a new [MutableSet] containing all distinct elements from the given sequence. The returned set preserves the element iteration order of the original sequence. The operation is `_terminal_`.

```

public fun
<T> Sequence<T>.toMutableSet(): MutableSet<T> {
    val set = LinkedHashSet<T>()
    for (item in this)
        set.add(item)
    return set
}

```

Returns `true` if all elements match the given [predicate]. The operation is `_terminal_`.

@sample `samples.collections.Collections.Aggregates.all`

```

public inline fun <T>
Sequence<T>.all(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return
    false
    return true
}

```

Returns `true` if sequence has at least one element. The operation is `_terminal_`.

```

public inline fun <T>
Sequence<T>.any(): Boolean {
    return iterator().hasNext()
}

```

Returns `true` if at least one element matches the given [predicate]. The operation is `_terminal_`.

```

public inline fun <T>
Sequence<T>.anyWithPredicate(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
    true
}

```

```

true\n    return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is
_terminal_.\n */\npublic fun <T> Sequence<T>.count(): Int {\n    var count =
0\n    for (element in this) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Returns the number of
elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.count(predicate: (T) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) checkCountOverflow(++count)\n    return count\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n *\n * to current accumulator value and each element.\n *\n * Returns the specified [initial] value if the sequence is empty.\n *\n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n
*/\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator =
initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n *\n * to current
accumulator value and each element with its index in the original sequence.\n *\n * Returns the specified [initial]
value if the sequence is empty.\n *\n * @param [operation] function that takes the index of an element, current
accumulator value\n *\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is
_terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) ->
R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator\n}\n\n/**\n * Performs the
given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n *\n * @param [action]
function that takes the index of an element and the element itself\n *\n * and performs the action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) ->
Unit): Unit {\n    var index = 0\n    for (item in this) action(checkIndexOverflow(index++),
item)\n}\n\n@Deprecated("Use maxOrNull instead.")\nReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")\nReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull
instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.")\nReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) ->
R): T? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var maxValue = selector(maxElem)\n    do {\n        val e =
iterator.next()\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while (iterator.hasNext())\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n *\n * applied to each element in the sequence.\n *\n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n *\n * @throws NoSuchElementException if the
sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The
operation is _terminal_.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
sequence.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is
_terminal_.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * The operation is
_terminal_.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Sequence<T>.maxOfOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n
val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * The operation is
_terminal_.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext())\n        {\n            val v = selector(iterator.next())\n            if (maxValue < v) {\n
                maxValue = v\n            }\n        }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>

```

```

Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var max = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(max, v) < 0) {
            max = v
        }
    }
    return max
}

```

* Returns the largest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.
The operation is `_terminal_`.

```

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.maxOfOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(max, v) < 0) {
            max = v
        }
    }
    return max
}

```

* Returns the largest element or `null` if there are no elements.
* If any of elements is `NaN` returns `NaN`.
* The operation is `_terminal_`.

```

@SinceKotlin("1.4")
public fun Sequence<Double>.maxOrNull(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        max = maxOf(max, e)
    }
    return max
}

```

* Returns the largest element or `null` if there are no elements.
* If any of elements is `NaN` returns `NaN`.
* The operation is `_terminal_`.

```

@SinceKotlin("1.4")
public fun Sequence<Float>.maxOrNull(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        max = maxOf(max, e)
    }
    return max
}

```

* Returns the largest element or `null` if there are no elements.
* The operation is `_terminal_`.

```

@SinceKotlin("1.4")
public fun <T> Sequence<T>.maxOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (max < e) max = e
    }
    return max
}

```

`@Deprecated("Use maxWithOrNull instead.")`, `ReplaceWith("this.maxWithOrNull(comparator)")`
`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")`
`public fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {`
`return maxWithOrNull(comparator)`
`}`
* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.
* The operation is `_terminal_`.

```

@SinceKotlin("1.4")
public fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

```

`@Deprecated("Use minOrNull instead.")`, `ReplaceWith("this.minOrNull()")`
`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")`
`@SinceKotlin("1.1")`
`public fun Sequence<Double>.min(): Double? {`
`return minOrNull()`
`}`
`@Deprecated("Use minOrNull instead.")`, `ReplaceWith("this.minOrNull()")`
`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")`
`@SinceKotlin("1.1")`
`public fun Sequence<Float>.min(): Float? {`
`return minOrNull()`
`}`
`@Deprecated("Use minOrNull instead.")`, `ReplaceWith("this.minOrNull()")`
`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")`
`public fun <T : Comparable<T>> Sequence<T>.min(): T? {`
`return minOrNull()`
`}`
`@Deprecated("Use minByOrNull instead.")`, `ReplaceWith("this.minByOrNull(selector)")`
`@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")`
`public inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {`
`return minByOrNull(selector)`
`}`
* Returns the first element yielding the smallest value of the given function or `null` if there are no elements.
* The operation is `_terminal_`.
* `@sample`
`samples.collections.Collections.Aggregates.minByOrNull`
`@SinceKotlin("1.4")`
`public inline fun <T, R :`

```

Comparable<R>> Sequence<T>.minByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minElem = iterator.next()
    if (!iterator.hasNext()) return minElem
    var minValue = selector(minElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    } while (iterator.hasNext())
    return minElem
}

/**
 * Returns the smallest value among all values produced by [selector] function
 * applied to each element in the sequence.
 * If any of values produced by [selector] function is `NaN`, the returned result
 * is `NaN`.
 * @throws NoSuchElementException if the sequence is empty.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOf(selector: (T) -> Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all
 * values produced by [selector] function
 * applied to each element in the sequence.
 * If any of values
 * produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException
 * if the sequence is empty.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOf(selector: (T) -> Float): Float {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all
 * values produced by [selector] function
 * applied to each element in the sequence.
 * If any of values
 * produced by [selector] function is `NaN`, the returned result is `NaN`.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>> Sequence<T>.minOf(selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

/**
 * Returns the smallest value among all values produced by [selector]
 * function
 * applied to each element in the sequence or `null` if there are no elements.
 * If any of values
 * produced by [selector] function is `NaN`, the returned result is `NaN`.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOrNull(selector: (T) -> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all values produced by [selector] function
 * applied to each element in the sequence or `null` if there are no elements.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minOrNull(selector: (T) -> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue = minOf(minValue, v)
    }
    return minValue
}

/**
 * Returns the smallest value among all values produced by [selector] function
 * applied to each element in the
 * sequence or `null` if there are no elements.
 * The operation is _terminal_.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>>

```

```

Sequence<T>.minOfOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}

```

* Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence.
 @throws NoSuchElementException if the sequence is empty.
 The operation is `_terminal_`.

```

*
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

```

* Returns the smallest value according to the provided [comparator] among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.
 The operation is `_terminal_`.

```

*
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(minValue, v) > 0) {
            minValue = v
        }
    }
    return minValue
}

```

* Returns the smallest element or `null` if there are no elements.
 If any of elements is `NaN` returns `NaN`.
 The operation is `_terminal_`.

```

*
@SinceKotlin("1.4")
public fun Sequence<Double>.minOrNull(): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        min = minOf(min, e)
    }
    return min
}

```

* Returns the smallest element or `null` if there are no elements.
 If any of elements is `NaN` returns `NaN`.
 The operation is `_terminal_`.

```

*
@SinceKotlin("1.4")
public fun Sequence<Float>.minOrNull(): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        min = minOf(min, e)
    }
    return min
}

```

* Returns the smallest element or `null` if there are no elements.
 The operation is `_terminal_`.

```

*
@SinceKotlin("1.4")
public fun <T>
Comparable<T>> Sequence<T>.minOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (min > e) min = e
    }
    return min
}

```

@Deprecated("Use minWithOrNull instead.")
 ReplaceWith("this.minWithOrNull(comparator)")
 @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
 public fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {
 return minWithOrNull(comparator)
 }

* Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.
 The operation is `_terminal_`.

```

*
@SinceKotlin("1.4")
public fun <T> Sequence<T>.minWithOrNull(comparator: Comparator<in T>): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (comparator.compare(min, e) > 0) min = e
    }
    return min
}

```

* Returns `true` if the sequence has no elements.
 The operation is `_terminal_`.

```

*
@sample samples.collections.Collections.Aggregates.none
public fun <T> Sequence<T>.none(): Boolean {
    return !iterator().hasNext()
}

```

* Returns `true` if no elements match the given [predicate].
 The operation is `_terminal_`.

```

*
@sample samples.collections.Collections.Aggregates.noneWithPredicate
public inline fun <T>
Sequence<T>.none(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return
}

```

```

false\n return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the
original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n@SinceKotlin("1.1")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n return
map {\n action(it)\n it\n }\n}\n\n/**\n * Returns a sequence which performs the given [action] on each
element of the original sequence as they pass through it.\n *\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n *\n * The operation is _intermediate_
and _stateless_.\n *\n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.onEachIndexed(action: (index:
Int, T) -> Unit): Sequence<T> {\n return mapIndexed { index, element ->\n action(index, element)\n
element\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n *\n * Throws an exception if this sequence is empty. If
the sequence can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its
receiver is empty.\n *\n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun <S, T : S>
Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext())
throw UnsupportedOperationException("Empty sequence can't be reduced.")\n var accumulator: S =
iterator.next()\n
while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original sequence.\n *\n * Throws an
exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use
[reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n *\n * @param [operation] function
that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next
accumulator value.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun <S, T : S>
Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if
(!iterator.hasNext()) throw UnsupportedOperationException("Empty
sequence can't be reduced.")\n var index = 1\n var accumulator: S = iterator.next()\n while
(iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element with its index in the original sequence.\n *\n *
Returns `null` if the sequence is empty.\n *\n * @param [operation] function that takes the index of an element,
current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *\n * The
operation is _terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\npublic inline fun <S, T : S> Sequence<T>.reduceIndexedOrNull(operation: (index: Int,
acc: S, T) -> S): S? {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return null\n
var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n *\n * Returns `null` if the sequence is empty.\n *\n * @param [operation]
function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n *\n *
The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n val iterator = this.iterator()\n if
(!iterator.hasNext()) return null\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n
accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Returns a
sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each
element and current accumulator value that starts with [initial] value.\n *\n * Note that `acc` value passed to

```


[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n * \n * @SinceKotlin("1.4")\n * public fun <T, R> Sequence<T>.runningFold(initial: R, operation: (acc: R, T) -> R): Sequence<R>

```

{\n    return sequence {\n        yield(initial)\n        var accumulator = initial\n        for (element in this@runningFold)\n            accumulator = operation(accumulator, element)\n        yield(accumulator)\n    }\n}\n\n
```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n * \n * @SinceKotlin("1.4")\n * public fun <T, R> Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R>

```

{\n    return sequence {\n        yield(initial)\n        var index = 0\n        var accumulator = initial\n        for (element in this@runningFoldIndexed) {\n            accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n            yield(accumulator)\n        }\n    }\n}\n\n
```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n * \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n * public fun <S, T : S> Sequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S>

```

{\n    return sequence {\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n            yield(accumulator)\n            while (iterator.hasNext()) {\n                accumulator = operation(accumulator, iterator.next())\n            }\n            yield(accumulator)\n        }\n    }\n}\n\n
```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n * \n * @SinceKotlin("1.4")\n * public fun <S, T : S> Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S>

```

{\n    return sequence {\n        val iterator = iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n            yield(accumulator)\n            var index = 1\n            while (iterator.hasNext()) {\n                accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n                yield(accumulator)\n            }\n        }\n    }\n}\n\n
```

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * \n *

as it may be passed to [operation] function later because of sequence's lazy nature.

```

    * @param [operation]
    function that takes current accumulator value and an element, and calculates the next accumulator value.
    * operation is _intermediate_ and _stateless_.
    * @sample samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public fun <T, R>
    Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> { \n    return runningFold(initial,
    operation) \n } \n \n /** \n * Returns a sequence containing successive accumulation values generated by applying
    [operation] from left to right \n * to each element, its index in the original sequence and current accumulator value
    that starts with [initial] value. \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n
    * otherwise it would affect the previous value in resulting sequence. \n * The [initial] value should also be immutable
    (or should not be mutated) \n * as it may be passed to [operation] function later because of sequence's lazy nature. \n
    * \n * @param [operation] function that takes the index of an element, current accumulator value \n * and the
    element itself, and calculates the next accumulator value. \n * \n * The operation is _intermediate_ and _stateless_. \n
    * \n * @sample samples.collections.Collections.Aggregates.scan \n
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public fun <T, R>
    Sequence<T>.scanIndexed(initial:
    R, operation: (index: Int, acc: R, T) -> R): Sequence<R> { \n    return runningFoldIndexed(initial,
    operation) \n } \n \n /** \n * Returns the sum of all values produced by [selector] function applied to each element in the
    sequence. \n * \n * The operation is _terminal_. \n * \n @Deprecated("Use sumOf instead.",
    ReplaceWith("this.sumOf(selector)")) \n @DeprecatedSinceKotlin(warningSince = "1.5") \n public inline fun <T>
    Sequence<T>.sumBy(selector: (T) -> Int): Int { \n    var sum: Int = 0 \n    for (element in this) { \n        sum +=
    selector(element) \n    } \n    return sum \n } \n \n /** \n * Returns the sum of all values produced by [selector] function
    applied to each element in the sequence. \n * \n * The operation is _terminal_. \n * \n @Deprecated("Use sumOf
    instead.", ReplaceWith("this.sumOf(selector)")) \n @DeprecatedSinceKotlin(warningSince = "1.5") \n public inline
    fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double { \n    var sum: Double = 0.0 \n    for (element
    in this) { \n
        sum += selector(element) \n    } \n    return sum \n } \n \n /** \n * Returns the sum of all values produced by
    [selector] function applied to each element in the sequence. \n * \n * The operation is _terminal_. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.jvm.JvmName("sumOfDouble") \n @kotlin.internal.InlineOnly \n public inline fun
    <T> Sequence<T>.sumOf(selector: (T) -> Double): Double { \n    var sum: Double = 0.toDouble() \n    for (element
    in this) { \n        sum += selector(element) \n    } \n    return sum \n } \n \n /** \n * Returns the sum of all values produced
    by [selector] function applied to each element in the sequence. \n * \n * The operation is _terminal_. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.jvm.JvmName("sumOfInt") \n @kotlin.internal.InlineOnly \n public inline fun <T>
    Sequence<T>.sumOf(selector:
    (T) -> Int): Int { \n    var sum: Int = 0.toInt() \n    for (element in this) { \n        sum += selector(element) \n    } \n
    return sum \n } \n \n /** \n * Returns the sum of all values produced by [selector] function applied to each element in
    the sequence. \n * \n * The operation is _terminal_. \n
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.jvm.JvmName("sumOfLong") \n @kotlin.internal.InlineOnly \n public inline fun
    <T> Sequence<T>.sumOf(selector: (T) -> Long): Long { \n    var sum: Long = 0.toLong() \n    for (element in this)
    { \n        sum += selector(element) \n    } \n    return sum \n } \n \n /** \n * Returns the sum of all values produced
    by [selector] function applied to each element in the sequence. \n * \n * The operation is _terminal_. \n
    * \n @SinceKotlin("1.5") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.jvm.JvmName("sumOfUInt") \n @WasExperimental(ExperimentalUnsignedTypes::class) \n
    @kotlin.internal.InlineOnly \n public
    inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt { \n    var sum: UInt = 0.toUInt() \n    for (element
    in this) { \n        sum += selector(element) \n    } \n    return sum \n } \n \n /** \n * Returns the sum of all values produced

```

by [selector] function applied to each element in the sequence.

`Sequence.sumOf(selector: (T) -> ULong): ULong` {
 var sum: ULong = 0.toULong()
 for (element in this) {
 sum += selector(element)
 }
 return sum
}

* Returns an original collection containing all the non-`null` elements, throwing an `IllegalArgumentException` if there are any `null` elements.

The operation is `_intermediate_ and _stateless_`.

`Sequence.requireNonNulls(): Sequence` {
 return map { it ?: throw IllegalArgumentException("null element found in \$this.") }
}

* Splits this sequence into a sequence of lists each not exceeding the given [size].

The last list in the resulting sequence may have fewer elements than the given [size].

@param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.

The operation is `_intermediate_ and _stateful_`.

@sample
 samples.collections.Collections.Transformations.chunked

`Sequence.chunked(size: Int): Sequence<List<T>>` {
 return windowed(size, size, partialWindows = true)
}

* Splits this sequence into several lists each not exceeding the given [size] and applies the given [transform] function to an each.

@return sequence of results of the [transform] applied to an each list.

Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.

You should not store it or allow it to escape in some way, unless you made a snapshot of it.

The last list may have fewer elements than the given [size].

@param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.

The operation is `_intermediate_ and _stateful_`.

@sample
 samples.text.Strings.chunkedTransform

`Sequence.chunked(size: Int, transform: (List<T>) -> R): Sequence<R>` {
 return windowed(size, size, partialWindows = true, transform = transform)
}

* Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

The operation is `_intermediate_ and _stateless_`.

`Sequence.minus(element: T): Sequence` {
 return object: Sequence {
 override fun iterator(): Iterator {
 var removed = false
 return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()
 }
 }
}

* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.

Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

Before Kotlin 1.6, the [elements] array may have been converted to a `[HashSet]` to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property ``kotlin.collections.convert_arg_to_set_in_removeAll`` set to ``true``.

The operation is `_intermediate_ and _stateful_`.

`Sequence.minus(elements: Array<out T>): Sequence` {
 if (elements.isEmpty()) return this
 return object: Sequence {
 override fun iterator(): Iterator {
 val other = elements.convertToSetForSetOperation()
 return this@minus.filterNot { it in other }.iterator()
 }
 }
}

* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.

Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

Before Kotlin 1.6, the [elements] collection may have been converted to a `[HashSet]` to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property ``kotlin.collections.convert_arg_to_set_in_removeAll`` set to ``true``.

The operation is `_intermediate_ and _stateful_`.

`Sequence.minus(elements:`

```

Iterable<T>): Sequence<T> {\n    return object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val other = elements.convertToSetForSetOperation()\n            if (other.isEmpty())\n                return\n            this@minus.iterator()\n        } else\n            return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the\n * given [elements] sequence.\n * \n * Note that the source sequence and the sequence\n * being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of\n * them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this\n * sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements]\n * sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to\n * have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * \n * On JVM, you can enable this behavior back with the system property\n * `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\n\npublic operator fun <T>\nSequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n    return object: Sequence<T> {\n        override fun\n        iterator(): Iterator<T> {\n            val other = elements.convertToSetForSetOperation()\n            if (other.isEmpty())\n                return\n            this@minus.iterator()\n        } else\n            return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a\n * sequence containing all elements of the original sequence without the first occurrence of the given [element].\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T>\nSequence<T>.minusElement(element: T): Sequence<T> {\n    return minus(element)\n}\n\n/**\n * Splits the\n * original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * \n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Sequences.Transformations.partition\n */\n\npublic inline fun <T>\nSequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val\n    second = ArrayList<T>()\n    for (element in this) {\n        if (predicate(element))\n            {\n                first.add(element)\n            } else {\n                second.add(element)\n            }\n    }\n    return Pair(first,\n    second)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given\n * [element].\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\npublic operator fun <T>\nSequence<T>.plus(element: T): Sequence<T> {\n    return sequenceOf(this,\n    sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and\n * then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are\n * iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between\n * successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n    return\n    this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements]\n * collection.\n * \n * Note that the source sequence and the collection being added are iterated only when an `iterator`\n * is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect\n * the result.\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\npublic operator fun <T>\nSequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n    return sequenceOf(this,\n    elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and\n * then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being\n * added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them\n * between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n    return\n    sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original\n * sequence and then the given [element].\n * \n * The operation is _intermediate_ and _stateless_.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n    return\n    plus(element)\n}\n\n/**\n * Returns a sequence of snapshots\n * of the window of the given [size]\n * \n * sliding

```

along this sequence with the given [step], where each snapshot is a list. Several last lists may have fewer elements than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether

or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

```
samples.collections.Sequences.Transformations.takeWindows
*Since Kotlin("1.2")
public fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = false)
}
Returns a sequence of results of applying the given [transform] function to an each list representing a view over the window of the given [size] sliding along this sequence with the given [step].
Note that the list passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last lists may have fewer elements than the given [size]. Both [size] and [step] must be positive and can be greater than the
```

number of elements in this sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

```
samples.collections.Sequences.Transformations.averageWindows
*Since Kotlin("1.2")
public fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)
}
Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index. The resulting sequence ends as soon as the shortest input sequence ends.
The operation is _intermediate_ and _stateless_.
@sample
```

```
samples.collections.Sequences.Transformations.zip
*public infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {
    return MergingSequence(this, other) { t1, t2 -> t1 to t2 }
}
Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index using the provided [transform] function applied to each pair of elements. The resulting sequence ends as soon as the shortest input sequence ends.
The operation is _intermediate_ and _stateless_.
@sample
samples.collections.Sequences.Transformations.zipWithTransform
*public fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {
    return MergingSequence(this, other, transform)
}
Returns a sequence of pairs of each two adjacent elements in this sequence. The returned sequence is empty if this sequence contains less than two elements.
The operation is _intermediate_ and _stateless_.
@sample
```

```
samples.collections.Collections.Transformations.zipWithNext
*Since Kotlin("1.2")
public fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {
    return zipWithNext { a, b -> a to b }
}
Returns a sequence containing the results of applying the given [transform] function to an each pair of two adjacent elements in this sequence. The returned sequence is empty if this sequence contains less than two elements.
The operation is _intermediate_ and _stateless_.
@sample
```

```
samples.collections.Collections.Transformations.zipWithNextToFindDeltas
*Since Kotlin("1.2")
public fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {
    return sequenceResult {
        val iterator = iterator()
        if (!iterator.hasNext()) return @result
        var current = iterator.next()
        while (iterator.hasNext()) {
            val next = iterator.next()
            yield(transform(current, next))
            current = next
        }
    }
}
Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed
```

```

by the [truncated] string (which defaults to "...").\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.joinTo\n *\npublic fun <T, A : Appendable>
Sequence<T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((T) -> CharSequence)? = null): A
{\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element,
transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n
buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n *\n * If the collection could be huge, you can
specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed
by the [truncated] string (which defaults to "...").\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun <T>
Sequence<T>.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = "...\", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an
[Iterable]
instance that wraps the original sequence returning its elements when being iterated.\n *\npublic fun <T>
Sequence<T>.asIterable(): Iterable<T> {\n    return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as
a [Sequence].\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T>
{\n    return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is
_terminal_.\n *\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Sequence<Byte>.average(): Double {\n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Sequence<Short>.average(): Double {\n    var sum:
Double = 0.0\n    var count:
Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if
(count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n *
The operation is _terminal_.\n *\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun
Sequence<Int>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Sequence<Long>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average
value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Sequence<Float>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this)

```



```

    result.removeAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set
except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n    return
minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if
it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n
*\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(size + 1))\n    result.addAll(this)\n    result.add(element)\n    return
result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n *
which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original
set.\n *\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n    result.addAll(this)\n    result.addAll(elements)\n
return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements]
collection,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the
original set.\n *\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of
the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The returned set
preserves the element iteration order of the original set.\n *\npublic operator fun <T> Set<T>.plus(elements:
Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set and
then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order
of the original set.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T):
Set<T> {\n    return plus(element)\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n
* Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of
bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n *\npublic
expect fun CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if
the [index] is out of bounds of this char sequence.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.elementAtOrNull(index:
Int): Char? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given
[predicate], or `null` if no such character was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.find(predicate: (Char) -> Boolean): Char? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns
the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n *\npublic fun
CharSequence.first(): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Char sequence is
empty.")\n    return this[0]\n}\n\n/**\n * Returns

```


the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n *
`public inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {
 for (element in this) if (predicate(element)) return element
 throw NoSuchElementException("Char sequence contains no character matching the predicate.")
}`\n\n**\n * Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n *
`@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any> CharSequence.firstNotNullOf(transform: (Char) -> R?): R {
 return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the char sequence was transformed to a non-null value.")
}`\n\n**\n * Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n *
`@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any> CharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {
 for (element in this) {
 val result = transform(element)
 if (result != null) return result
 }
 return null
}`\n\n**\n * Returns the first character, or `null` if the char sequence is empty.\n *
`public fun CharSequence.firstOrNull(): Char? {
 return if (isEmpty()) null else this[0]
}`\n\n**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n *
`public inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {
 for (element in this) if (predicate(element)) return element
 return null
}`\n\n**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n *
`@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {
 return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
}`\n\n**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.getOrElseOrNull\n *
`public fun CharSequence.getOrElseOrNull(index: Int): Char? {
 return if (index >= 0 && index <= lastIndex) get(index) else null
}`\n\n**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n *
`public inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {
 for (index in indices) if (predicate(this[index])) return index
 return -1
}`\n\n**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n *
`public inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {
 for (index in indices.reversed()) if (predicate(this[index])) return index
 return -1
}`\n\n**\n * Returns the last character.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n *
`public fun CharSequence.last(): Char {
 if (isEmpty()) throw NoSuchElementException("Char sequence is empty.")
 return this[lastIndex]
}`\n\n**\n * Returns the last character matching the given [predicate].\n * \n * @throws NoSuchElementException if no such character is found.\n * \n * @sample samples.text.Strings.last\n *
`public inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {
 for (index in this.indices.reversed()) val element = this[index]
 if (predicate(element)) return element
 throw NoSuchElementException("Char sequence contains no character matching the predicate.")
}`\n\n**\n * Returns the last character, or `null` if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n *
`public fun CharSequence.lastOrNull(): Char? {
 return if (isEmpty()) null else this[length - 1]
}`\n\n**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.text.Strings.last\n *
`public inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {
 for (index in this.indices.reversed()) val element = this[index]
 if (predicate(element)) return element
 return null
}`\n\n**\n * Returns a random character from this char sequence.\n * \n * @throws NoSuchElementException

```

if this char sequence is empty.\n *\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.random(): Char {\n    return random(Random)\n}\n\n/**\n * Returns a random character from this
char sequence using the specified source of randomness.\n * \n * @throws NoSuchElementException if this char
sequence is empty.\n *\n@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n    if
(isEmpty())\n        throw NoSuchElementException("Char sequence is empty.")\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char
sequence is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random character from this char sequence using the specified source of randomness, or `null` if this char sequence is
empty.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n *\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n\n*\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Char sequence contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Char sequence
contains no character matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as
Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n\n*\npublic fun CharSequence.singleOrNull(): Char? {\n    return if (length == 1) this[0] else null\n}\n\n/**\n *
Returns the single character matching the given [predicate], or `null` if character was not found or more than one
character was found.\n *\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var
single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a subsequence of this char sequence
with the first [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.text.Strings.drop\n *\npublic fun CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0)
{\n        "Requested character count $n is less than zero." }\n    return subSequence(n.coerceAtMost(length),
length)\n}\n\n/**\n * Returns a string with the first [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n *\npublic fun
String.drop(n: Int): String {\n    require(n >= 0) {\n        "Requested character count $n is less than zero." }\n    return
substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence with the last [n]
characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n\n*\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n    require(n >= 0) {\n        "Requested character count
$n is less than zero." }\n    return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n]
characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n\n*\npublic fun String.dropLast(n: Int): String {\n    require(n >= 0) {\n        "Requested
character count $n is less than zero." }\n    return take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a
subsequence of this char sequence containing all characters except last characters that satisfy the given [predicate].\n\n*\n * @sample samples.text.Strings.drop\n *\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) ->
Boolean): CharSequence {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
subSequence(0, index + 1)\n    return ""\n}\n\n/**\n * Returns a string containing

```

```

all characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*\npublic inline fun String.dropLastWhile(predicate: (Char) -> Boolean): String {\n  for (index in lastIndex\n
downTo 0)\n    if (!predicate(this[index]))\n      return substring(0, index + 1)\n  return ""\n}\n\n*\n * Returns a subsequence of this char sequence containing all characters except first characters that satisfy the given\n
[predicate].\n * \n * @sample samples.text.Strings.drop\n *\npublic inline fun CharSequence.dropWhile(predicate:\n
(Char) -> Boolean): CharSequence {\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return\n
subSequence(index, length)\n  return ""\n}\n\n*\n * Returns a string containing all characters except first\n
characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n *\npublic inline fun\n
String.dropWhile(predicate: (Char) -> Boolean): String {\n\n  for (index in this.indices)\n    if (!predicate(this[index]))\n      return substring(index)\n  return\n
""\n}\n\n*\n * Returns a char sequence containing only those characters from the original char sequence that\n
match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n *\npublic inline fun\n
CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n  return filterTo(StringBuilder(),\n
predicate)\n}\n\n*\n * Returns a string containing only those characters from the original string that match the\n
given [predicate].\n * \n * @sample samples.text.Strings.filter\n *\npublic inline fun String.filter(predicate: (Char) -\n
> Boolean): String {\n  return filterTo(StringBuilder(), predicate).toString()\n}\n\n*\n * Returns a char sequence\n
containing only those characters from the original char sequence that match the given [predicate].\n * @param\n
[predicate] function that takes the index of a character and the character itself\n * and returns the\n
result of predicate evaluation on the character.\n * \n * @sample\n
samples.collections.Collections.Filtering.filterIndexed\n *\npublic inline fun CharSequence.filterIndexed(predicate:\n
(index: Int, Char) -> Boolean): CharSequence {\n  return filterIndexedTo(StringBuilder(), predicate)\n}\n\n*\n * Returns a string containing only those characters from the original string that match the given [predicate].\n *\n
@param [predicate] function that takes the index of a character and the character itself\n * and returns the result of\n
predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n  return\n
filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n*\n * Appends all characters matching the given\n
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of a character and the\n
character itself\n
* and returns the result of predicate evaluation on the character.\n * \n * @sample\n
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <C : Appendable>\n
CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n  for (index in this)\n    if (predicate(index, element)) destination.append(element)\n  }\n  return\n
destination\n}\n\n*\n * Returns a char sequence containing only those characters from the original char sequence\n
that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n *\npublic inline fun\n
CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n  return filterNotTo(StringBuilder(),\n
predicate)\n}\n\n*\n * Returns a string containing only those characters from the original string that do not match\n
the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n *\npublic inline fun\n
String.filterNot(predicate: (Char) -> Boolean):\n
String {\n  return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n*\n * Appends all characters not\n
matching the given [predicate] to the given [destination].\n * \n * @sample\n
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : Appendable>\n
CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if\n
(!predicate(element)) destination.append(element)\n  return destination\n}\n\n*\n * Appends all characters\n
matching the given [predicate] to the given [destination].\n * \n * @sample\n
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <C : Appendable>\n
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (index in 0 until length) {\n    val\n
element = get(index)\n    if (predicate(element)) destination.append(element)\n  }\n  return\n
destination\n}\n\n*\n * Returns a char sequence containing characters of the original char sequence at the

```

```

specified range of [indices].\n *\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n  if
(indices.isEmpty()) return ""\n  return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters
of the original string at the specified range of [indices].\n *\npublic fun String.slice(indices: IntRange): String {\n
if (indices.isEmpty()) return ""\n  return substring(indices)\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at specified [indices].\n *\npublic fun CharSequence.slice(indices:
Iterable<Int>): CharSequence {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return ""\n
val result = StringBuilder(size)\n  for (i in indices) {\n    result.append(get(i))\n  }\n  return result\n}\n\n/**\n
* Returns a string containing characters of the original string at specified [indices].\n
*\n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>):
String {\n  return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char
sequence containing the first [n] characters from this char sequence, or the entire char sequence if this char sequence
is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.take\n *\npublic fun CharSequence.take(n: Int): CharSequence {\n  require(n >= 0) {\n
"Requested character count $n is less than zero." }\n  return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n
* Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n
* \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n *\npublic fun
String.take(n: Int): String {\n  require(n >= 0) {\n    "Requested character count $n is less than zero." }\n  return
substring(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this
char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char
sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.take\n *\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n  require(n >= 0) {\n
"Requested character count $n is less than zero." }\n  val length = length\n  return subSequence(length -
n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or
the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.text.Strings.take\n *\npublic fun String.takeLast(n: Int): String {\n  require(n >= 0) {\n
"Requested character count $n is less than zero." }\n  val length = length\n  return substring(length -
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing last characters
that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n *\npublic inline fun
CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return subSequence(index + 1, length)\n    }\n  }\n  return
subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters that satisfy the given [predicate].\n
* \n * @sample samples.text.Strings.take\n *\npublic inline fun String.takeLastWhile(predicate: (Char) ->
Boolean): String {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return
substring(index + 1)\n    }\n  }\n  return this\n}\n\n/**\n * Returns a subsequence of this char sequence
containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n
*\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean): CharSequence
{\n  for (index in 0 until length)\n    if (!predicate(get(index))) {\n      return subSequence(0, index)\n    }\n
return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given
[predicate].\n * \n * @sample samples.text.Strings.take\n *\npublic inline fun String.takeWhile(predicate: (Char) ->
Boolean): String {\n  for (index in 0 until length)\n    if (!predicate(get(index))) {\n      return substring(0,
index)\n    }\n  return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n *\npublic
fun CharSequence.reversed(): CharSequence {\n  return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string
with characters in reversed order.\n *\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n
return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs
provided by [transform] function\n
* applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n
* \n * @sample samples.text.Strings.associate\n *\npublic inline fun <K, V> CharSequence.associate(transform:

```

```

(Char) -> Pair<K, V>: Map<K, V> { \n  val capacity = mapCapacity(length).coerceAtLeast(16)\n  return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n }\n\n/**\n * Returns a [Map] containing the characters
from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each
character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n *
@sample samples.text.Strings.associateBy\n */\npublic inline fun <K> CharSequence.associateBy(keySelector:
(Char) -> K): Map<K, Char> { \n  val capacity = mapCapacity(length).coerceAtLeast(16)\n  return
associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n }\n\n/**\n * Returns a [Map] containing the
values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char
sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added
to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n *
@sample samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> { \n  val capacity
= mapCapacity(length).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n }\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the
[keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n *
\n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.text.Strings.associateByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>>
CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M { \n  for (element in this) { \n
destination.put(keySelector(element), element)\n  }\n  return destination\n }\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any
two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
@sample samples.text.Strings.associateByToWithValueTransform\n */\npublic inline fun
<K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M { \n  for (element in this) { \n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n }\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each character of the given char
sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n *
@sample
samples.text.Strings.associateTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>>
CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M { \n  for (element in this) { \n
destination += transform(element)\n  }\n  return destination\n }\n\n/**\n * Returns a [Map] where keys are
characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each
character.\n
\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map preserves the
entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\npublic inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V):
Map<Char, V> { \n  val result = LinkedHashMap<Char,
V>(mapCapacity(length.coerceAtMost(128)).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n }\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
character of the given char sequence,\n * where key is the character itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n
*/\n\n/**\n * @SinceKotlin("1.3")\n */\npublic inline fun <V, M : MutableMap<in Char, in V>>
CharSequence.associateWithTo(destination:
M, valueSelector: (Char) -> V): M { \n  for (element in this) { \n    destination.put(element,
valueSelector(element))\n  }\n  return destination\n }\n\n/**\n * Appends all characters to the given [destination]

```

```

collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n
for (item in this) {\n    destination.add(item)\n } \n return destination\n}\n\n/**\n * Returns a new [HashSet] of
all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n    return
toCollection(HashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing
all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n    return when (length) {\n        0 ->
emptyList()\n        1 -> listOf(this[0])\n        else -> this.toMutableList()\n    }\n}\n\n/**\n * Returns a new
[MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList():
MutableList<Char> {\n    return toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all
characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic
fun CharSequence.toSet(): Set<Char> {\n    return when (length) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
else -> toCollection(LinkedHashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n    }\n}\n\n/**\n *
Returns a single list of all elements yielded from results of [transform] function being invoked on each character of
original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic
inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n    return
flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each character\n * and its index in the original char sequence.\n
* \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharSequence.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n    return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each character\n * and its index in the original char sequence, to the given
[destination].\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npublic
c inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform: (index:
Int, Char) -> Iterable<R>): C {\n
    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each character of original char sequence, to the given [destination].\n
*/\n\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char)
-> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the
given [keySelector] function\n * applied to each character and returns a map where each group key is associated
with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*/\n\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each character of the original char sequence\n * by the key returned by the
given [keySelector] function applied to the character\n * and returns a map where each group key is associated with
a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n\npublic inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
characters of the original char sequence by the key returned by

```

the given [keySelector] function applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.

```

return The [destination] map.
sample
samples.collections.Collections.Transformations.groupBy
*/npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<Char>() }
        list.add(element)
    }
    return destination
}
*/n/n/**
* Groups values returned by the [valueTransform] function applied to each character of the original char sequence by the key returned by the given [keySelector] function applied to the character and puts to the [destination] map each group key associated with a list of corresponding values.
* @return The [destination] map.
* @sample
samples.collections.Collections.Transformations.groupByKeysAndValues
*/npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {
    for (element in this) {
        val key = keySelector(element)
        val list = destination.getOrPut(key) { ArrayList<V>() }
        list.add(valueTransform(element))
    }
    return destination
}
*/n/n/**
* Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations using the specified [keySelector] function to extract a key from each character.
* @sample samples.collections.Grouping.groupingByEachCount
*/n@SinceKotlin("1.1")npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {
    return object : Grouping<Char, K> {
        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()
        override fun keyOf(element: Char): K = keySelector(element)
    }
}
*/n/n/**
* Returns a list containing the results of applying the given [transform] function to each character in the original char sequence.
* @sample samples.text.Strings.map
*/npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {
    return mapTo(ArrayList<R>(length), transform)
}
*/n/n/**
* Returns a list containing the results of applying the given [transform] function to each character and its index in the original char sequence.
* @param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
*/npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(length), transform)
}
*/n/n/**
* Returns a list containing only the non-null results of applying the given [transform] function to each character and its index in the original char sequence.
* @param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
*/npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {
    return mapIndexedNotNullTo(ArrayList<R>(), transform)
}
*/n/n/**
* Applies the given [transform] function to each character and its index in the original char sequence and appends only the non-null results to the given [destination].
* @param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
*/npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {
    forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }
    return destination
}
*/n/n/**
* Applies the given [transform] function to each character and its index in the original char sequence and appends the results to the given [destination].
* @param [transform] function that takes the index of a character and the character itself and returns the result of the transform applied to the character.
*/npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {
    var index = 0
    for (item in this) {
        destination.add(transform(index++, item))
    }
    return destination
}
*/n/n/**
* Returns a list containing only the non-null results of applying the given [transform] function to each character in the original char sequence.
* @sample samples.collections.Collections.Transformations.mapNotNull
*/npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}
*/n/n/**
* Applies the given [transform] function to each

```

```

character in the original char sequence\n * and appends only the non-null results to the given [destination].\n
*\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C,
transform: (Char) -> R?): C {\n  forEach { element -> transform(element)?.let { destination.add(it) } }\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n *
and appends the results to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n  for (item in this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each
character of the original char sequence\n * into an [IndexedValue] containing the index of that character and the
character itself.\n *\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n  return
IndexingIterable
{ iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun CharSequence.all(predicate: (Char) ->
Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return false\n  return true\n}\n\n/**\n *
Returns `true` if char sequence has at least one character.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n *\npublic fun CharSequence.any(): Boolean {\n  return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n *\npublic inline fun CharSequence.any(predicate:
(Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n  return
false\n}\n\n/**\n * Returns the length of this char sequence.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.count(): Int {\n
  return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n *\npublic inline
fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Returns the
specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes current
accumulator value and a character, and calculates the next accumulator value.\n *\npublic inline fun <R>
CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value
and each character with its index in the original char sequence.\n * \n * Returns the specified [initial] value if
the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, current
accumulator value\n * and the character itself, and calculates the next accumulator value.\n *\npublic inline fun
<R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each character and current accumulator value.\n * \n * Returns the specified [initial] value if the
char sequence is empty.\n * \n * @param [operation] function that takes a character and current accumulator value,
and calculates the next accumulator value.\n *\npublic inline fun <R> CharSequence.foldRight(initial:
R, operation: (Char, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >=
0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character
with its index in the original char sequence and current accumulator value.\n * \n * Returns the specified [initial]
value if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the
character itself\n * and current accumulator value, and calculates the next accumulator value.\n *\npublic inline fun <R>
CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n  var index =
lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n

```



```

* Performs the given [action] on each character.\n *\npublic inline fun CharSequence.forEach(action: (Char) ->
Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character,
providing sequential index with the character.\n * @param [action] function that takes the index of a character and
the character itself\n * and performs the action on the character.\n *\npublic inline fun
CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n  var index = 0\n  for (item in this)
action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharSequence.max(): Char? {\n  return maxOrNull()\n}\n\n@Deprecated("Use
maxByOrNull instead.")
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince
= "1.6")\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n
return maxByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the largest value of the given
function or `null` if there are no characters.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxVale =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxVale < v)
{\n      maxElem = e\n      maxVale = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If
any
of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxVale = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    maxVale = maxOf(maxVale, v)\n  }\n  return
maxVale\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.maxOf(selector: (Char) -> Float): Float {\n  if (isEmpty()) throw
NoSuchElementException()\n  var maxVale = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    maxVale = maxOf(maxVale, v)\n  }\n  return maxVale\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n
*\n * @throws NoSuchElementException if the char sequence is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.maxOf(selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
maxVale = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxVale
< v) {\n      maxVale = v\n    }\n  }\n  return maxVale\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no
characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Double): Double? {\n  if (isEmpty()) return null\n  var maxVale = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxVale = maxOf(maxVale, v)\n  }\n  return
maxVale\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to

```

each character in the char sequence or `null` if there are no characters.

```

    * \n * If any of values
    produced by [selector] function is `NaN`, the returned result is `NaN`.
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun CharSequence.maxOrNull(selector:
    (Char) -> Float): Float? { \n     if (isEmpty()) return null \n     var maxValue = selector(this[0]) \n     for (i in
    1..lastIndex) { \n         val v = selector(this[i]) \n         maxValue = maxOf(maxValue, v) \n     } \n     return
    maxValue \n } \n \n * Returns the largest value among all values produced by [selector] function \n * applied to
    each character in the char sequence or `null` if there are no characters.
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <R : Comparable<R>>
    CharSequence.maxOrNull(selector: (Char) -> R): R? { \n     if (isEmpty()) return null \n     var maxValue =
    selector(this[0]) \n     for (i in 1..lastIndex) { \n         val v = selector(this[i]) \n         if (maxValue < v) { \n
    maxValue = v \n         } \n     } \n     return maxValue \n } \n \n * Returns the largest value according to the provided [comparator] \n * among all
    values produced by [selector] function applied to each character in the char sequence. \n * \n * @throws
    NoSuchElementException if the char sequence is empty.
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <R> CharSequence.maxOfWith(comparator:
    Comparator<in R>, selector: (Char) -> R): R { \n     if (isEmpty()) throw NoSuchElementException() \n     var
    maxValue = selector(this[0]) \n     for (i in 1..lastIndex) { \n         val v = selector(this[i]) \n         if
    (comparator.compare(maxValue, v) < 0) { \n             maxValue = v \n         } \n     } \n     return maxValue \n } \n \n *
    Returns the largest value
    according to the provided [comparator] \n * among all values produced by [selector] function applied to each
    character in the char sequence or `null` if there are no characters.
    * \n @SinceKotlin("1.4") \n @OptIn(kotlin.experimental.ExperimentalTypeInference::class) \n @OverloadResolution
    ByLambdaReturnType \n @kotlin.internal.InlineOnly \n public inline fun <R>
    CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? { \n     if (isEmpty())
    return null \n     var maxValue = selector(this[0]) \n     for (i in 1..lastIndex) { \n         val v = selector(this[i]) \n
    if
    (comparator.compare(maxValue, v) < 0) { \n             maxValue = v \n         } \n     } \n     return maxValue \n } \n \n *
    Returns the largest character or `null` if there are no characters.
    * \n @SinceKotlin("1.4") \n public fun
    CharSequence.maxOrNull(): Char? { \n     if (isEmpty()) return null \n     var max = this[0] \n     for (i in 1..lastIndex)
    { \n         val e = this[i] \n         if (max < e) max = e \n     } \n     return max \n } \n \n @Deprecated("Use maxWithOrNull instead.",
    ReplaceWith("this.maxWithOrNull(comparator)")) \n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince
    = "1.5", hiddenSince = "1.6") \n public fun CharSequence.maxWith(comparator: Comparator<in Char>): Char?
    { \n     return maxWithOrNull(comparator) \n } \n \n * Returns the first character having the largest value
    according to the provided [comparator] or `null` if there are no characters.
    * \n @SinceKotlin("1.4") \n public fun
    CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char? { \n     if (isEmpty()) return null \n     var
    max = this[0] \n     for (i in 1..lastIndex) { \n         val e = this[i] \n         if (comparator.compare(max, e) < 0) max = e \n
    } \n     return max \n } \n \n @Deprecated("Use minOrNull instead.",
    ReplaceWith("this.minOrNull()")) \n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
    hiddenSince = "1.6") \n public fun CharSequence.min(): Char? { \n     return minOrNull() \n } \n \n @Deprecated("Use
    minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)")) \n @DeprecatedSinceKotlin(warningSince =
    "1.4", errorSince = "1.5", hiddenSince = "1.6") \n public inline fun <R : Comparable<R>>
    CharSequence.minBy(selector: (Char) -> R): Char? { \n     return minByOrNull(selector) \n } \n \n * Returns the
    first character yielding the smallest value of the given function or `null` if there are no characters. \n * \n * @sample
    samples.collections.Collections.Aggregates.minByOrNull
    * \n @SinceKotlin("1.4") \n public inline fun <R :
    Comparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? { \n     if (isEmpty()) return null \n     var

```

```

minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return
minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.minOf(selector: (Char) -> R): R
{\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOrNull(selector:
(Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each character in the char sequence or `null`
if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOrNull(selector:
(Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value
among all values produced by [selector] function\n * applied to each character in the char
sequence or `null` if there are no characters.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> CharSequence.minOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return
null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*/

```

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R> CharSequence.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {^n if (isEmpty()) throw NoSuchElementException(^n var
minValue = selector(this[0])^n for (i in 1..lastIndex) {^n val v
= selector(this[i])^n if (comparator.compare(minValue, v) > 0) {^n minValue = v^n }^n }^n return
minValue^n}^n/n/**^n * Returns the smallest value according to the provided [comparator]^n * among all values
produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@kotlin.internal.InlineOnly^public inline fun <R>
CharSequence.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {^n if (isEmpty())
return null^n var minValue = selector(this[0])^n for (i in 1..lastIndex) {^n val v = selector(this[i])^n if
(comparator.compare(minValue, v) > 0) {^n minValue = v^n }^n }^n return minValue^n}^n/n/**^n *
Returns the smallest character or `null` if there are no characters.^n
*^@SinceKotlin("1.4")^npublic fun
CharSequence.minOrNull(): Char? {^n if (isEmpty()) return null^n var min = this[0]^n for (i in 1..lastIndex)
{^n val e = this[i]^n if (min > e) min = e^n }^n return min^n}^n@Deprecated("Use minWithOrNull
instead.", ReplaceWith("this.minWithOrNull(comparator)")^n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")^npublic fun CharSequence.minWith(comparator: Comparator<in
Char>): Char? {^n return minWithOrNull(comparator)^n}^n/n/**^n * Returns the first character having the smallest
value according to the provided [comparator] or `null` if there are no characters.^n
*^@SinceKotlin("1.4")^npublic fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char?
{^n if (isEmpty()) return null^n var min = this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n if
(comparator.compare(min, e) > 0) min = e^n }^n return min^n}^n/n/**^n * Returns `true` if the char sequence has
no
characters.^n * ^n * @sample samples.collections.Collections.Aggregates.none^n *^npublic fun
CharSequence.none(): Boolean {^n return isEmpty(^n}^n/n/**^n * Returns `true` if no characters match the given
[predicate].^n * ^n * @sample samples.collections.Collections.Aggregates.noneWithPredicate^n *^npublic inline fun
CharSequence.none(predicate: (Char) -> Boolean): Boolean {^n for (element in this) if (predicate(element)) return
false^n return true^n}^n/n/**^n * Performs the given [action] on each character and returns the char sequence itself
afterwards.^n *^@SinceKotlin("1.1")^npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S
{^n return apply { for (element in this) action(element) }^n}^n/n/**^n * Performs the given [action] on each
character, providing sequential index with the character,^n * and returns the char sequence itself afterwards.^n *
@param [action] function that takes the index of a character and the character itself^n * and performs
the action on the character.^n *^@SinceKotlin("1.4")^npublic inline fun <S : CharSequence>
S.onEachIndexed(action: (index: Int, Char) -> Unit): S {^n return apply { forEachIndexed(action) }^n}^n/n/**^n *
Accumulates value starting with the first character and applying [operation] from left to right^n * to current
accumulator value and each character.^n * ^n * Throws an exception if this char sequence is empty. If the char
sequence can be empty in an expected way,^n * please use [reduceOrNull] instead. It returns `null` when its receiver
is empty.^n * ^n * @param [operation] function that takes current accumulator value and a character,^n * and
calculates the next accumulator value.^n * ^n * @sample samples.collections.Collections.Aggregates.reduce^n
*^npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {^n if (isEmpty())^n
throw UnsupportedOperationException("Empty char sequence can't be reduced.")^n var accumulator = this[0]^n
for (index in 1..lastIndex) {^n accumulator = operation(accumulator, this[index])^n }^n return
accumulator^n}^n/n/**^n * Accumulates value starting with the first character and applying [operation] from left to
right^n * to current accumulator value and each character with its index in the original char sequence.^n * ^n *
Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,^n *
please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.^n * ^n * @param [operation]
function that takes the index of a character, current accumulator value and the character itself,^n * and calculates the
next accumulator value.^n * ^n * @sample samples.collections.Collections.Aggregates.reduce^n *^npublic inline fun

```

```

CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {
    if (isEmpty())
        throw UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character with its index in the original char sequence. Returns `null` if the char sequence is empty.
 @param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.reduceOrNull

```

@SinceKotlin("1.4")
public inline fun CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first character and applying [operation] from left to right to current accumulator value and each character. Returns `null` if the char sequence is empty.
 @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.reduceOrNull

```

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public inline fun CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character and current accumulator value. Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value. Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
 @param [operation] function that takes the index of a character, the character itself and current accumulator value, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.reduceRight

```

public inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0)
        throw UnsupportedOperationException("Empty char sequence can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value. Returns `null` if the char sequence is empty.
 @param [operation] function that takes the index of a character, the character itself and current accumulator value, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.reduceRightOrNull

```

@SinceKotlin("1.4")
public inline fun CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {
    var index = lastIndex
    if (index < 0)
        return null
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with the last character and applying [operation] from right to left to each character and current accumulator value. Returns `null` if the char sequence is empty.
 @param [operation]

function that takes a character

and current accumulator value, and calculates the next accumulator value.

`samples.collections.Collections.Aggregates.reduceRightOrNull`

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
```

```
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =\n        operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive\n * accumulation values generated by applying [operation] from left to right\n * to each character and current\n * accumulator value that starts with [initial] value.\n * Note that `acc` value passed to [operation] function should\n * not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * @param [operation]
```

function that takes current accumulator value and a character,

and calculates the next accumulator value.

`samples.collections.Collections.Aggregates.runningFold`

```
*\n@SinceKotlin("1.4")\npublic inline fun <R>
```

```
CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(length + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n * [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator\n * value that starts with [initial] value.\n * Note that `acc` value passed to [operation] function should not be\n * mutated;\n * otherwise it would affect the previous value in resulting list.\n * @param [operation] function that
```

takes the index of a character,

current accumulator value and the character itself, and calculates the next accumulator value.

`samples.collections.Collections.Aggregates.runningFold`

```
*\n@SinceKotlin("1.4")\npublic inline fun <R>
```

```
CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(length + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n * values generated by applying [operation] from left to right\n * to each character and current accumulator value that\n * starts with the first character of this char sequence.\n * Note that `acc` value passed to [operation] function\n * should not be mutated;\n * otherwise it would affect the previous value in resulting
```

list.

`samples.collections.Collections.Aggregates.runningReduce`

```
*\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char):
```

```
List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result =\n    ArrayList<Char>(length).apply { add(accumulator) }\n    for (index in 1 until length) {\n        accumulator =\n        operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list\n * containing successive accumulation values generated by applying [operation] from left to right\n * to each character,\n * its index in the original char sequence and current accumulator value that starts with the first character of this char\n * sequence.\n * Note that `acc` value passed to [operation] function should not be mutated;\n *
```

```
* otherwise it would affect the previous value in resulting list.\n * @param [operation] function that takes the\n * index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator\n * value.\n * @sample samples.collections.Collections.Aggregates.runningReduce
```

```
*\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduceIndexed(operation: (index: Int, acc:
```

```
Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result =\n    ArrayList<Char>(length).apply { add(accumulator) }\n    for (index in 1 until length) {\n        accumulator =\n        operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n *
```

```
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with [initial] value.\n * Note that `acc` value
```



```

ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Splits this char sequence into a list of strings each not exceeding the given [size]. The last string in the resulting list may have fewer characters than the given [size]. @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence. @sample

```

samples.text.Strings.chunked

```

@SinceKotlin("1.2")

```

public fun CharSequence.chunked(size: Int):
List<String> {
    return windowed(size, size, partialWindows = true)
}

```

Splits this char sequence into several char sequences each not exceeding the given [size] and applies the given [transform] function to an each. @return list of results of the [transform] applied to an each char sequence. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. The last char sequence may have fewer characters than the given [size]. @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence. @sample

```

samples.text.Strings.chunkedTransform

```

@SinceKotlin("1.2")

```

public fun <R> CharSequence.chunked(size:
Int, transform: (CharSequence) -> R): List<R> {
    return windowed(size, size, partialWindows = true, transform =
transform)
}

```

Splits this char sequence into a sequence of strings each not exceeding the given [size]. The last string in the resulting sequence may have fewer characters than the given [size]. @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence. @sample

```

samples.collections.Collections.Transformations.chunked

```

@SinceKotlin("1.2")

```

public fun CharSequence.chunkedSequence(size: Int): Sequence<String> {
    return
chunkedSequence(size) { it.toString() }
}

```

Splits this char sequence into several char sequences each not exceeding the given [size] and applies the given [transform] function to an each. @return sequence of results of the [transform] applied to an each char sequence. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. The last char sequence may have fewer characters than the given [size]. @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence. @sample

```

samples.text.Strings.chunkedTransformToSequence

```

@SinceKotlin("1.2")

```

public fun <R>
CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {
    return
windowedSequence(size, size, partialWindows
= true, transform = transform)
}

```

Splits the original char sequence into pair of char sequences, where *first* char sequence contains characters for which [predicate] yielded `true`, while *second* char sequence contains characters for which [predicate] yielded `false`. @sample

```

samples.text.Strings.partition

```

@public inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence>

```

{
    val first = StringBuilder()
    val second = StringBuilder()
    for (element in this) {
        if (predicate(element)) {
            first.append(element)
        } else {
            second.append(element)
        }
    }
    return Pair(first, second)
}

```

Splits the original string into pair of strings, where *first* string contains characters for which [predicate] yielded `true`, while *second* string contains characters for which [predicate] yielded `false`. @sample

```

samples.text.Strings.partition

```

@public inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String>

```

{
    val first =
StringBuilder()
    val second =
StringBuilder()
    for (element in this) {
        if (predicate(element)) {
            first.append(element)
        } else {
            second.append(element)
        }
    }
    return Pair(first.toString(),
second.toString())
}

```

Returns a list of snapshots of the window of the given [size] sliding along this char sequence with the given [step], where each snapshot is a string. Several last strings may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows

in the end if any, by default `false` which means partial windows won't be preserved

```

@sample
samples.collections.Sequences.Transformations.takeWindows
@SinceKotlin("1.2")
public fun
CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {
    return
    windowed(size, step, partialWindows) { it.toString() }
}

```

Returns a list of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

```

@sample
samples.collections.Sequences.Transformations.averageWindows
@SinceKotlin("1.2")
public fun <R>
CharSequence.windowed(size: Int, step: Int = 1, partialWindows:
Boolean = false, transform: (CharSequence) -> R): List<R> {
    checkWindowSizeStep(size, step)
    val thisSize = this.length
    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1
    val result =
    ArrayList<R>(resultCapacity)
    var index = 0
    while (index in 0 until thisSize) {
        val end = index + size
        val coercedEnd = if (end < 0 || end > thisSize) {
            if (partialWindows) thisSize else break
        } else end
        result.add(transform(subSequence(index,
        coercedEnd)))
        index += step
    }
    return result
}

```

Returns a sequence of snapshots of the window of the given [size] sliding along this char sequence with the given [step], where each snapshot is a string. Several last strings may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

```

@sample
samples.collections.Sequences.Transformations.takeWindows
@SinceKotlin("1.2")
public fun
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false):
Sequence<String> {
    return
    windowedSequence(size, step, partialWindows) { it.toString() }
}

```

Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence. @param size the number of elements to take in each window @param step the number of elements to move the window forward by on an each step, by default 1 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

```

@sample
samples.collections.Sequences.Transformations.averageWindows
@SinceKotlin("1.2")
public fun <R>
CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform:
(CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = (if
    (partialWindows) indices else 0 until length - size + 1) step step
    return windows.asSequence().map { index ->
    val end = index + size
    val coercedEnd = if (end < 0 || end > length) length else end
    transform(subSequence(index, coercedEnd)) }
}

```

Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index. The returned list has length of the shortest char sequence. @sample samples.text.Strings.zip @public infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> { return

of the default locale, or the original string if it's empty or already starts with a lower case letter.

```

@sample samples.text.Strings.decapitalize
@Deprecated("Use replaceFirstChar instead.")
ReplaceWith("replaceFirstChar { it.lowercase() }")
@DeprecatedSinceKotlin(warningSince = "1.5")
public expect fun String.decapitalize(): String
Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate] removed.
public inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {
    var startIndex = 0
    var endIndex = length - 1
    var startFound = false
    while (startIndex <= endIndex) {
        val index = if (!startFound) startIndex else endIndex
        val match = predicate(this[index])
        if (!startFound) {
            if (!match) startFound = true
            else startIndex += 1
        } else {
            if (!match) break
            else endIndex -= 1
        }
    }
    return subSequence(startIndex, endIndex + 1)
}
Returns a string having leading and trailing characters matching the [predicate] removed.
public inline fun String.trim(predicate: (Char) -> Boolean): String = (this as CharSequence).trim(predicate).toString()
Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.
public inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {
    for (index in this.indices)
        if (!predicate(this[index]))
            return subSequence(index, length)
    return ""
}
Returns a string having leading characters matching the [predicate] removed.
public inline fun String.trimStart(predicate: (Char) -> Boolean): String = (this as CharSequence).trimStart(predicate).toString()
Returns a sub sequence of this char sequence having trailing characters matching the [predicate] removed.
public inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {
    for (index in this.indices.reversed())
        if (!predicate(this[index]))
            return subSequence(0, index + 1)
    return ""
}
Returns a string having trailing characters matching the [predicate] removed.
public inline fun String.trimEnd(predicate: (Char) -> Boolean): String = (this as CharSequence).trimEnd(predicate).toString()
Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.
public fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }
Returns a string having leading and trailing characters from the [chars] array removed.
public fun String.trim(vararg chars: Char): String = trim { it in chars }
Returns a sub sequence of this char sequence having leading characters from the [chars] array removed.
public fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }
Returns a string having leading characters from the [chars] array removed.
public fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }
Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.
public fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }
Returns a string having trailing characters from the [chars] array removed.
public fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }
Returns a sub sequence of this char sequence having leading and trailing whitespace removed.
public fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)
Returns a string having leading and trailing whitespace removed.
@kotlin.internal.InlineOnly
public inline fun String.trim(): String = (this as CharSequence).trim().toString()
Returns a sub sequence of this char sequence having leading whitespace removed.
public fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)
Returns a string having leading whitespace removed.
@kotlin.internal.InlineOnly
public inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()
Returns a sub sequence of this char sequence having trailing whitespace removed.
public fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)
Returns a string having trailing whitespace removed.
@kotlin.internal.InlineOnly
public inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()
Returns a char sequence with content of this char sequence padded at the beginning to the specified [length] with the specified character or space.
@param length the desired string length.
@param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.
@return Returns a char sequence of length at least [length] consisting of

```

```

`this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample
samples.text.Strings.padStart\n *^\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '):
CharSequence {\n if (length < 0)\n throw IllegalArgumentException("\Desired length $length is less than
zero.\")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb =
StringBuilder(length)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n sb.append(this)\n return
sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *
*\n * @param length the desired string length.\n * @param padChar the character to
pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a
string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are
necessary to reach that length.\n * @sample samples.text.Strings.padStart\n *^\npublic fun String.padStart(length:
Int, padChar: Char = ' '): String =\n (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns
a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified
character or space.\n **\n * @param length the desired string length.\n * @param padChar the character to pad string
with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence
of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are
necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n
*\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n
throw IllegalArgumentException("\Desired length $length is less than zero.\")\n if (length <= this.length)\n
return this.subSequence(0, this.length)\n\n val sb = StringBuilder(length)\n sb.append(this)\n for (i in
1..(length - this.length))\n sb.append(padChar)\n return sb\n}\n\n/**\n * Pads the string to the specified
[length] at the end with the specified character or space.\n **\n * @param length the desired string length.\n *
*\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by
default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar]
as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n *^\npublic fun
String.padEnd(length: Int, padChar: Char = ' '): String =\n (this
as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is
either `null` or empty.\n **\n * @sample samples.text.Strings.stringOrNullEmpty\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n
returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.length == 0\n}\n\n/**\n *
Returns `true` if this char sequence is empty (contains no characters).\n **\n * @sample
samples.text.Strings.stringIsEmpty\n *^\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty():
Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n **\n * @sample
samples.text.Strings.stringIsNotEmpty\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun
String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n/**\n *
Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n *
*\n * @sample samples.text.Strings.stringIsNotBlank\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either
`null` or empty or consists solely of whitespace characters.\n **\n * @sample
samples.text.Strings.stringOrNullBlank\n *^\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank !=
null)\n }\n\n return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n
*\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n
public override fun nextChar(): Char = get(index++)\n\n public override fun hasNext(): Boolean = index <
length\n}\n\n/**\n
Returns the string if it is not `null`, or the empty string otherwise. *\n@kotlin.internal.InlineOnly\npublic inline fun
String?.orEmpty(): String = this ?: ""\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of
calling [defaultValue] function if the char sequence is empty.\n **\n * @sample samples.text.Strings.stringIfEmpty\n

```

```

*\/n@SinceKotlin("1.3")\/n@kotlin.internal.InlineOnly\/npublic inline fun <C, R> C.isEmpty(defaultValue: () ->
R): R where C : CharSequence, C : R =\/n    if (isEmpty()) defaultValue() else this\/n\/n**\/n * Returns this char
sequence if it is not empty and doesn't consist solely of whitespace characters,\/n * or the result of calling
[defaultValue] function otherwise.\/n *\/n * @sample samples.text.Strings.stringIfBlank\/n
*\/n@SinceKotlin("1.3")\/n@kotlin.internal.InlineOnly\/npublic inline fun <C, R> C.isBlank(defaultValue: () -> R):
R where C : CharSequence, C : R =\/n    if (isBlank()) defaultValue() else this\/n\/n**\/n * Returns the range
of valid character indices for this char sequence.\/n *\/npublic val CharSequence.indices: IntRange\/n    get() =
0..length - 1\/n\/n**\/n * Returns the index of the last character in the char sequence or -1 if it is empty.\/n *\/npublic
val CharSequence.lastIndex: Int\/n    get() = this.length - 1\/n\/n**\/n * Returns `true` if this CharSequence has
Unicode surrogate pair at the specified [index].\/n *\/npublic fun CharSequence.hasSurrogatePairAt(index: Int):
Boolean {\/n    return index in 0..length - 2\/n        && this[index].isHighSurrogate()\/n        && this[index +
1].isLowSurrogate()\/n}\/n\/n**\/n * Returns a substring specified by the given [range] of indices.\/n *\/npublic fun
String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\/n\/n**\/n * Returns a
subsequence of this char sequence specified by the given [range] of indices.\/n *\/npublic fun
CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive
+ 1)\/n\/n**\/n * Returns a subsequence of this char sequence.\/n *\/n * This extension is chosen only for invocation
with old-named parameters.\/n * Replace parameter names with the same as those of [CharSequence.subSequence].\/n
*\/n@kotlin.internal.InlineOnly\/n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\/n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex
= start, endIndex = end)"))\/npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\/n\/n**\/n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex] and ending right before the [endIndex].\/n *\/n * @param startIndex the start index (inclusive).\/n *
@param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\/n
*\/n@kotlin.internal.InlineOnly\/npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length):
String = subSequence(startIndex,
    endIndex).toString()\/n\/n**\/n * Returns a substring of chars at indices from the specified [range] of this char
sequence.\/n *\/npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start,
range.endInclusive + 1).toString()\/n\/n**\/n * Returns a substring before the first occurrence of [delimiter].\/n * If the
string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\/n
*\/npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\/n    val index
= indexOf(delimiter)\/n    return if (index == -1) missingDelimiterValue else substring(0, index)\/n}\/n\/n**\/n *
Returns a substring before the first occurrence of [delimiter].\/n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\/n *\/npublic fun String.substringBefore(delimiter:
String, missingDelimiterValue: String = this): String {\/n    val index = indexOf(delimiter)\/n
    return if (index == -1) missingDelimiterValue else substring(0, index)\/n}\/n\/n**\/n * Returns a substring after the
first occurrence of [delimiter].\/n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\/n *\/npublic fun String.substringAfter(delimiter: Char, missingDelimiterValue:
String = this): String {\/n    val index = indexOf(delimiter)\/n    return if (index == -1) missingDelimiterValue else
substring(index + 1, length)\/n}\/n\/n**\/n * Returns a substring after the first occurrence of [delimiter].\/n * If the
string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\/n
*\/npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\/n    val index
= indexOf(delimiter)\/n    return if (index == -1) missingDelimiterValue else substring(index + delimiter.length,
length)\/n}\/n\/n**\/n * Returns a substring before the last
occurrence of [delimiter].\/n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\/n *\/npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue:
String = this): String {\/n    val index = lastIndexOf(delimiter)\/n    return if (index == -1) missingDelimiterValue else
substring(0, index)\/n}\/n\/n**\/n * Returns a substring before the last occurrence of [delimiter].\/n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\/n *\/npublic fun

```

```

String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

Returns a substring after the last occurrence of [delimiter].
If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + 1, length)
}

Returns a substring after the last occurrence of [delimiter].
If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)
}

Returns a char sequence with content of this char sequence where its part at the given range is replaced with the [replacement] char sequence.
@param startIndex the index of the first character to be replaced.
@param endIndex the index of the first character after the replacement to keep in the string.

public fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    val sb = StringBuilder()
    sb.appendRange(this, 0, startIndex)
    sb.append(replacement)
    sb.appendRange(this, endIndex, length)
    return sb
}

Replaces the part of the string at the given range with the [replacement] char sequence.
@param startIndex the index of the first character to be replaced.
@param endIndex the index of the first character after the replacement to keep in the string.

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()

Returns a char sequence with content of this char sequence where its part at the given [range] is replaced with the [replacement] char sequence.
The end index of the [range] is included in the part to be replaced.

public fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =
    replaceRange(range.start, range.endInclusive + 1, replacement)

Replace the part of string at the given [range] with the [replacement] string.
The end index of the [range] is included in the part to be replaced.

@kotlin.internal.InlineOnly
public inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(range, replacement).toString()

Returns a char sequence with content of this char sequence where its part at the given range is removed.
@param startIndex the index of the first character to be removed.
@param endIndex the index of the first character after the removed part to keep in the string.
[endIndex] is not included in the removed part.

public fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    if (endIndex == startIndex)
        return this.subSequence(0, length)
    val sb = StringBuilder(length - (endIndex - startIndex))
    sb.appendRange(this, 0, startIndex)
    sb.appendRange(this, endIndex, length)
    return sb
}

Removes the part of a string at a given range.
@param startIndex the index of the first character to be removed.
@param endIndex the index of the first character after the removed part to keep in the string.
[endIndex] is not included in the removed part.

@kotlin.internal.InlineOnly
public inline fun String.removeRange(startIndex: Int, endIndex: Int): String =
    (this as CharSequence).removeRange(startIndex, endIndex).toString()

Returns a char sequence with content of this char sequence where its part at the given [range] is removed.
The end index of the [range] is included in the removed part.

public fun CharSequence.removeRange(range: IntRange): CharSequence =
    removeRange(range.start, range.endInclusive + 1)

Removes the part of a string at the given [range].
The end index of the [range] is included in the removed part.

@kotlin.internal.InlineOnly
public inline fun String.removeRange(range: IntRange): String =
    (this as CharSequence).removeRange(range).toString()

If this char sequence starts with the given [prefix], returns a new char sequence with the prefix removed. Otherwise, returns a new char sequence with the same characters.

public fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {
    if

```

```

(startsWith(prefix)) {\n    return subSequence(prefix.length, length)\n } \n return subSequence(0,
length)\n}\n\n/**\n * If this
string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this
string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n    if (startsWith(prefix)) {\n
return substring(prefix.length)\n    }\n    return this\n}\n\n/**\n * If this char sequence ends with the given [suffix],
returns a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same
characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n    if
(endsWith(suffix)) {\n    return subSequence(0, length - suffix.length)\n    }\n    return subSequence(0,
length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix
removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n    if
(endsWith(suffix)) {\n    return substring(0, length - suffix.length)\n
}\n    return this\n}\n\n/**\n * When this char sequence starts with the given [prefix] and ends with the given
[suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns
a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix:
CharSequence, suffix: CharSequence): CharSequence {\n    if ((length >= prefix.length + suffix.length) &&
startsWith(prefix) && endsWith(suffix)) {\n    return subSequence(prefix.length, length - suffix.length)\n    }\n
return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only
if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic
fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n    if ((length >=
prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n    return substring(prefix.length,
length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this char sequence starts with and ends with the
given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n *
Otherwise returns a new char sequence with the same characters.\n */\npublic fun
CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter,
delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and
only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun
String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string
does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic
fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n
val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index,
replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the
[replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults
to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String,
missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first
occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter:
Char, replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n    val
index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(index +
delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given
delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter:

```

```

String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length,
replacement)
}

/** Replace part of string after the last occurrence of given delimiter with the [replacement]
string.
* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original
string.
*/
public fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String
= this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else
replaceRange(index + 1, length, replacement)
}

/** Replace part of string before the last occurrence of
given delimiter with the [replacement] string.
* If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.
*/
public fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String =
this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else
replaceRange(0, index, replacement)
}

/** Replace part of string before the last occurrence of given
delimiter with the [replacement] string.
* If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.
*/
public fun String.replaceBeforeLast(delimiter:
String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

// public fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific
// public fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific

/** Returns a new string obtained by replacing each substring of this char sequence that matches the given regular
expression
* with the given [replacement].
* The [replacement] can consist of any combination of literal text
and $-substitutions. To treat the replacement string
* literally escape it with the
[kotlin.text.Regex.Companion.escapeReplacement] method.
*/
@kotlin.internal.InlineOnly
public inline fun
CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)

/** Returns a new string obtained by replacing each substring of this char sequence that matches the given regular
expression
* with the result of the given function [transform] that takes [MatchResult] and returns a string to be
used as a
* replacement for that match.
*/
@kotlin.internal.InlineOnly
public inline fun
CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =
regex.replace(this, transform)

/** Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified
[replacement]
expression.
* @param replacement A replacement expression that can include substitutions. See
[Regex.replaceFirst] for details.
*/
@kotlin.internal.InlineOnly
public inline fun
CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this,
replacement)

/** Returns a copy of this string having its first character replaced with the result of the
specified [transform],
* or the original string if it's empty.
* @param transform function that takes the first
character and returns the result of the transform applied to the character.
*/
@sample
samples.text.Strings.replaceFirstChar

@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@JvmName("replaceFirstCharWithChar")
@kotlin.internal.InlineOnly
public
inline fun String.replaceFirstChar(transform: (Char) -> Char): String {
    return if (isEmpty())
transform(this[0]) + substring(1) else this
}

/** Returns a copy of this string having its first character
replaced with the result of the specified [transform],
* or the original string if it's empty.
*/
@sample
samples.text.Strings.replaceFirstChar

@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@JvmName("replaceFirstCharWithCharSequence")
@kotlin.internal.InlineOnly
public inline fun String.replaceFirstChar(transform: (Char) ->
CharSequence): String {
    return if (isEmpty()) transform(this[0]).toString() + substring(1) else

```



```

this}

/**
 * Returns `true` if this char sequence
 * matches the given regular expression.
 */
@kotlin.internal.InlineOnly
public inline infix fun
CharSequence.matches(regex: Regex): Boolean = regex.matches(this)

/**
 * Implementation of
 * [regionMatches] for CharSequences.
 * Invoked when it's already known
 * that arguments are not Strings, so that no
 * additional type checks are performed.
 */
internal fun CharSequence.regionMatchesImpl(thisOffset: Int, other:
CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {
    if ((otherOffset < 0) || (thisOffset <
0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {
        return false
    }
    for (index in 0 until length) {
        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))
            return false
    }
    return true
}

/**
 * Returns `true` if this char sequence starts with the specified
 * character.
 */
public fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false):
Boolean =
    this.length > 0 && this[0].equals(char, ignoreCase)

/**
 * Returns `true` if this char sequence
 * ends with the specified character.
 */
public fun CharSequence.endsWith(char: Char, ignoreCase: Boolean =
false): Boolean =
    this.length > 0 && this[lastIndex].equals(char, ignoreCase)

/**
 * Returns `true` if this
 * char sequence starts with the specified prefix.
 */
public fun CharSequence.startsWith(prefix: CharSequence,
ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && prefix is String)
        return
this.startsWith(prefix)
    else
        return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)
}

/**
 * Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified
 * prefix.
 */
public fun CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean =
false): Boolean {
    if (!ignoreCase && this is String && prefix is
String)
        return this.startsWith(prefix, startIndex)
    else
        return regionMatchesImpl(startIndex, prefix,
0, prefix.length, ignoreCase)
}

/**
 * Returns `true` if this char sequence ends with the specified suffix.
 */
public fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {
    if
(ignoreCase && this is String && suffix is String)
        return this.endsWith(suffix)
    else
        return
regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)
}

/**
 * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start
 * with this prefix,
 * taking care not to split surrogate pairs.
 * If this and [other] have no common prefix, returns
 * the empty string.
 * @param ignoreCase `true` to ignore character case when matching a character. By default
 * `false`.
 * @sample samples.text.Strings.commonPrefixWith
 */
public fun
CharSequence.commonPrefixWith(other:
CharSequence, ignoreCase: Boolean = false): String {
    val shortestLength = minOf(this.length, other.length)
    var i = 0
    while (i < shortestLength && this[i].equals(other[i], ignoreCase = ignoreCase)) {
        i++
    }
    if (this.hasSurrogatePairAt(i - 1) || other.hasSurrogatePairAt(i - 1)) {
        i--
    }
    return subSequence(0,
i).toString()
}

/**
 * Returns the longest string `suffix` such that this char sequence and [other] char sequence
 * both end with this suffix,
 * taking care not to split surrogate pairs.
 * If this and [other] have no common suffix,
 * returns the empty string.
 * @param ignoreCase `true` to ignore character case when matching a character. By
 * default `false`.
 * @sample samples.text.Strings.commonSuffixWith
 */
public fun
CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {
    val thisLength =
this.length
    val otherLength = other.length
    val
shortestLength = minOf(thisLength, otherLength)
    var i = 0
    while (i < shortestLength && this[thisLength -
i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {
        i++
    }
    if
(this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {
        i--
    }
    return subSequence(thisLength - i, thisLength).toString()
}

/**
 * Finds the index of the
 * first occurrence of any of the specified [chars] in this char sequence,
 * starting from the specified [startIndex] and
 * optionally ignoring the case.
 * @param ignoreCase `true` to ignore character case when matching a character.
 * By default `false`.
 * @return An index of the first occurrence of matched character from [chars] or -1 if none of
 * [chars] are found.
 */
public fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {
    if (!ignoreCase && chars.size == 1 && this is String)

```

```

    {\n    val char = chars.single()\n    return nativeIndexOf(char, startIndex)\n  }\n\n  for (index in
startIndex.coerceAtLeast(0)..lastIndex) {\n    val charAtIndex = get(index)\n    if (chars.any {
it.equals(charAtIndex, ignoreCase) })\n      return index\n  }\n  return -1\n}\n\n/**\n * Finds the index of the
last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n * @param startIndex The index of character to start searching at. The search
proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when
matching a character. By default `false`.\n * @return An index of the last occurrence of matched character from
[chars] or -1 if none of [chars] are found.\n */\n\npublic fun CharSequence.lastIndexOfAny(chars: CharArray,
startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n  if (!ignoreCase
&& chars.size == 1 && this is String) {\n    val char = chars.single()\n    return nativeLastIndexOf(char,
startIndex)\n  }\n\n  for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n    val charAtIndex =
get(index)\n    if (chars.any { it.equals(charAtIndex, ignoreCase) })\n      return index\n  }\n\n  return -
1\n}\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase:
Boolean, last: Boolean = false): Int {\n  val indices = if (!last)\n    startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n  else\n    startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n  if (this is String && other is String) { // smart cast\n    for (index in
indices) {\n      if (other.regionMatches(0, this, index, other.length, ignoreCase))\n        return index\n    }\n  } else {\n    for (index in indices) {\n      if (other.regionMatchesImpl(0, this,
index, other.length, ignoreCase))\n        return index\n    }\n  }\n\n  return -1\n}\n\nprivate fun
CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean):
Pair<Int, String>? {\n  if (!ignoreCase && strings.size == 1) {\n    val string = strings.single()\n    val index =
if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n    return if (index < 0) null else index to
string\n  }\n\n  val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex)
downTo 0\n\n  if (this is String) {\n    for (index in indices) {\n      val matchingString = strings.firstOrNull {
it.regionMatches(0, this, index, it.length, ignoreCase) }\n      if (matchingString != null)\n        return index
to matchingString\n    }\n  } else {\n    for (index in indices) {\n      val matchingString =
strings.firstOrNull { it.regionMatchesImpl(0,
this, index, it.length, ignoreCase) }\n      if (matchingString != null)\n        return index to matchingString\n    }\n  }\n\n  return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char
sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase
`true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first
occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n */\n
* To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n *
the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this
string at that position.\n */\n\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0,
ignoreCase: Boolean = false): Pair<Int,
String>? =\n  findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of
the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the
case.\n * @param startIndex The index of character to start searching at. The search proceeds backward toward
the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By
default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string
matched or `null` if none of [strings] are found.\n */\n * To avoid ambiguous results when strings in [strings] have
characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each
position the first element in [strings]\n * that matches this string at that position.\n */\n\npublic fun
CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndex,
ignoreCase: Boolean = false): Pair<Int, String>? =\n  findAnyOf(strings, startIndex, ignoreCase, last =
true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n *
starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore

```

character case when matching a string. By default `false`.
 @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.
 * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [strings] that matches this string at that position.
 ^\npublic fun
 CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =
 findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**
 Finds the index of the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.
 * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.
 ^\npublic fun
 CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndexOf, ignoreCase: Boolean = false): Int =
 findAnyOf(strings, startIndex, ignoreCase, last = true)?.first
 ?: -1\n\n// indexOf\n\n/**
 Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].
 * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
 * @return An index of the first occurrence of [char] or -1 if none is found.
 ^\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
 return if (ignoreCase || this !is String)
 indexOfAny(charArrayOf(char), startIndex, ignoreCase)
 else
 nativeIndexOf(char, startIndex)
 }\n\n/**
 Returns the index within this char sequence of the first occurrence of the specified [string], starting from the specified [startIndex].
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the first occurrence of [string] or -1 if none is found.
 * @sample samples.text.Strings.indexOf
 ^\npublic
 fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {
 return if (ignoreCase || this !is String)
 indexOf(string, startIndex, length, ignoreCase)
 else
 nativeIndexOf(string, startIndex)
 }\n\n/**
 Returns the index within this char sequence of the last occurrence of the specified character, starting from the specified [startIndex].
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
 * @return An index of the last occurrence of [char] or -1 if none is found.
 ^\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndexOf, ignoreCase: Boolean = false): Int {
 return if (ignoreCase || this !is String)
 lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)
 else
 nativeLastIndexOf(char, startIndex)
 }\n\n/**
 Returns the index within this char sequence of the last occurrence of the specified [string], starting from the specified [startIndex].
 * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
 * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
 * @return An index of the last occurrence of [string] or -1 if none is found.
 ^\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndexOf, ignoreCase: Boolean = false): Int {
 return if (ignoreCase || this !is String)
 indexOf(string, startIndex, 0, ignoreCase, last = true)
 else
 nativeLastIndexOf(string, startIndex)
 }\n\n/**
 Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.
 * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.
 ^\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun
 CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =
 if (other is String)
 indexOf(other, ignoreCase = ignoreCase) >= 0
 else
 indexOf(other, 0, length, ignoreCase) >= 0
 }\n\n/**
 Returns `true` if this char sequence contains the specified character [char].
 * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.
 ^\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(char:

```

Char, ignoreCase: Boolean = false): Boolean = indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns
`true` if this char sequence contains at least one match of the specified regular expression [regex].\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =
regex.containsMatchIn(this)\n\n// rangesDelimitedBy\n\nprivate class
DelimitedRangesSequence(\n private val input: CharSequence,\n private val startIndex: Int,\n private val
limit: Int,\n private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?) :
Sequence<IntRange> {\n\n override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n var
nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n var currentStartIndex: Int =
startIndex.coerceIn(0, input.length)\n var nextSearchIndex: Int = currentStartIndex\n var nextItem:
IntRange? = null\n var counter: Int = 0\n\n private fun calcNext() {\n if (nextSearchIndex < 0) {\n
nextState = 0\n nextItem = null\n } else {\n if (limit > 0 && ++counter >= limit ||
nextSearchIndex > input.length) {\n nextItem = currentStartIndex..input.lastIndex\n
nextSearchIndex = -1\n } else {\n
val match = input.getNextMatch(nextSearchIndex)\n if (match == null) {\n nextItem
= currentStartIndex..input.lastIndex\n nextSearchIndex = -1\n } else {\n val
(index, length) = match\n nextItem = currentStartIndex until index\n currentStartIndex
= index + length\n nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n }\n
}\n nextState = 1\n }\n }\n\n override fun next(): IntRange {\n if (nextState ==
-1)\n calcNext()\n if (nextState == 0)\n throw NoSuchElementException()\n val
result = nextItem as IntRange\n // Clean next to avoid keeping reference on yielded instance\n
nextItem = null\n nextState = -1\n return result\n
}\n\n override fun hasNext(): Boolean {\n if (nextState == -1)\n calcNext()\n return
nextState == 1\n }\n }\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence
around occurrences of the specified [delimiters].\n * @param delimiters One or more characters to be used as
delimiters.\n * @param startIndex The index to start searching delimiters from.\n * No range having its start value
less than [startIndex] is returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this
string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n *
@param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun
CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int
= 0): Sequence<IntRange> {\n requireNonNegativeLimit(limit)\n\n return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\n
indexOfAny(delimiters,
currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 } })\n}\n\n/**\n * Returns a sequence
of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n * @param
delimiters One or more strings to be used as delimiters.\n * @param startIndex The index to start searching
delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is coerced to
be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case
when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero
by default means no limit is set.\n * @param last To avoid ambiguous results when strings in [delimiters] have characters in
common, this method proceeds from\n * the beginning to the end
of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that
position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0,
ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n requireNonNegativeLimit(limit)\n val
delimitersList = delimiters.asList()\n return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->
findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length }
})\n}\n\ninternal fun requireNonNegativeLimit(limit: Int) =\n require(limit >= 0) { "Limit must be non-
negative, but was $limit" }\n\n// split\n\n/**\n * Splits this char sequence to a sequence of strings around
occurrences of the specified [delimiters].\n * @param delimiters One or more strings to be used as delimiters.\n
* @param ignoreCase `true` to ignore character case when matching a delimiter. By default

```

```

`false`.n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.n *
* To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from
* the beginning to the end of this string, and finds at each position the first element in [delimiters].n * that matches
this string at that position.n */npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase:
Boolean = false, limit: Int = 0): Sequence<String> =n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase,
limit = limit).map { substring(it) }n/n/**n * Splits this char sequence to a list of strings around occurrences of the
specified [delimiters].n * @param delimiters One or more strings to be used as delimiters.n * @param
ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.n * @param limit The
maximum number of substrings to return. Zero by default means no limit is set.n */n
* To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from
* the beginning to the end of this string, and matches at each position the first element in [delimiters].n * that is
equal to a delimiter in this instance at that position.n */npublic fun CharSequence.split(vararg delimiters: String,
ignoreCase: Boolean = false, limit: Int = 0): List<String> {n    if (delimiters.size == 1) {n        val delimiter =
delimiters[0]n        if (!delimiter.isEmpty()) {n            return split(delimiter, ignoreCase, limit)n        }n    }n
return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it)
}n}n/n/**n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].n
*n * @param delimiters One or more characters to be used as delimiters.n * @param ignoreCase `true` to ignore
character case when matching a delimiter. By default `false`.n
* @param limit The maximum number of substrings to return.n */npublic fun
CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =n    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)
}n/n/**n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].n *n *
@param delimiters One or more characters to be used as delimiters.n * @param ignoreCase `true` to ignore
character case when matching a delimiter. By default `false`.n * @param limit The maximum number of substrings
to return.n */npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
List<String> {n    if (delimiters.size == 1) {n        return split(delimiters[0].toString(), ignoreCase, limit)n    }n
return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it)
}n}n/n/**n
* Splits this char sequence to a list of strings around occurrences of the specified [delimiter].n * This is specialized
version of split which receives single non-empty delimiter and offers better performance.n */n * @param delimiter
String used as delimiter.n * @param ignoreCase `true` to ignore character case when matching a delimiter. By
default `false`.n * @param limit The maximum number of substrings to return.n */nprivate fun
CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {n
requireNonNegativeLimit(limit)n    var currentOffset = 0n    var nextIndex = indexOf(delimiter, currentOffset,
ignoreCase)n    if (nextIndex == -1 || limit == 1) {n        return listOf(this.toString())n    }n    val isLimited =
limit > 0n    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)n    do {n
result.add(substring(currentOffset, nextIndex))n        currentOffset = nextIndex + delimiter.lengthn        //
Do not search for next occurrence if we're reaching limitn        if (isLimited && result.size == limit - 1) breakn
nextIndex = indexOf(delimiter, currentOffset, ignoreCase)n    } while (nextIndex != -1)n    result.add(substring(currentOffset, length))n    return resultn}n/n/**n * Splits this char sequence to a list of
strings around matches of the given regular expression.n */n * @param limit Non-negative value specifying the
maximum number of substrings to return.n * Zero by default means no limit is set.n
*/n@kotlin.internal.InlineOnlynpublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)n/n/**n * Splits this char sequence to a sequence of strings around matches of the given
regular expression.n */n * @param limit Non-negative value specifying the maximum number of substrings to
return.n * Zero by default means no limit is set.n * @sample samples.text.Strings.splitToSequencen
*/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnlynpublic

```

```

inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =
    regex.splitToSequence(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the
following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line
separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n",
"\\r")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n\n/**\n * Returns `true` if the contents of this char
sequence are equal to the contents of the specified [other],\n *\n * i.e. both char sequences contain the same number of
the same characters in the
same order.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin("1.5")\npublic expect infix
fun CharSequence?.contentEquals(other: CharSequence?): Boolean\n\n/**\n * Returns `true` if the contents of this
char sequence are equal to the contents of the specified [other], optionally ignoring case difference.\n *\n * @param
ignoreCase `true` to ignore character case when comparing contents.\n *\n * @sample
samples.text.Strings.contentEquals\n */\n@SinceKotlin("1.5")\npublic expect fun
CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean\n\ninternal fun
CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {\n    if (this is String && other is
String) {\n        return this.equals(other, ignoreCase = true)\n    }\n    if (this === other) return true\n    if (this ==
null || other == null || this.length != other.length) return false\n    for (i in 0 until length) {\n        if
(!this[i].equals(other[i], ignoreCase = true))\n            {\n                return false\n            }\n        }\n    }\n    return true\n}\n\ninternal fun CharSequence?.contentEqualsImpl(other:
CharSequence?): Boolean {\n    if (this is String && other is String) {\n        return this == other\n    }\n    if (this
=== other) return true\n    if (this == null || other == null || this.length != other.length) return false\n    for (i in 0
until length) {\n        if (this[i] != other[i]) {\n            return false\n        }\n    }\n    return true\n}\n\n/**\n *
Returns `true` if the content of this string is equal to the word "true", `false` if it is equal to "false",\n *\n * and throws
an exception otherwise.\n *\n * There is also a lenient version of the function available on nullable String,
[String?.toBoolean].\n *\n * Note that this function is case-sensitive.\n *\n * @sample
samples.text.Strings.toBooleanStrict\n */\n@SinceKotlin("1.5")\npublic fun String.toBooleanStrict(): Boolean =
when (this) {\n    "true" -> true\n    "false" -> false\n    else -> throw IllegalArgumentException("The string doesn't represent a boolean value: $this")\n}\n\n/**\n *
Returns `true` if the content of this string is equal to the word "true", `false` if it is equal to "false",\n *\n * and `null`
otherwise.\n *\n * There is also a lenient version of the function available on nullable String, [String?.toBoolean].\n
*\n * Note that this function is case-sensitive.\n *\n * @sample samples.text.Strings.toBooleanStrictOrNull\n
*/\n@SinceKotlin("1.5")\npublic fun String.toBooleanStrictOrNull(): Boolean? = when (this) {\n    "true" ->
true\n    "false" -> false\n    else -> null\n},"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class UByteArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {\n    /**\n     * Creates a new array of the specified [size], with all elements initialized to zero. *\n
*/\n    public constructor(size: Int) : this(ByteArray(size))\n    /**\n     *\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     *\n     * where the behavior is unspecified.\n     */\n    public
operator fun get(index: Int): UByte = storage[index].toUByte()\n    /**\n     *\n     * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     *\n     * where the behavior is
unspecified.\n     */\n    public operator fun set(index: Int, value:
UByte) {\n        storage[index] = value.toByte()\n    }\n    /**\n     * Returns the number of elements in the array. *\n
*/\n    public override val size: Int get() = storage.size\n    /**\n     * Creates an iterator over the elements of the array. *\n
*/\n}

```

```

public override operator fun iterator(): kotlin.collections.Iterator<UByte> = Iterator(storage)\n\n
@Suppress(\\"DEPRECATION_ERROR\\")\n private class Iterator(private val array: ByteArray) : UByteIterator()
{\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUByte() = if
(index < array.size) array[index++].toUByte() else throw NoSuchElementException(index.toString())\n }\n\n
override fun contains(element: UByte): Boolean {\n // TODO: Eliminate this check after KT-30016 gets
fixed.\n // Currently JS BE does not generate special bridge method for this method.\n
@Suppress(\\"USELESS_CAST\\")\n if ((element as Any?) !is UByte) return false\n\n
return storage.contains(element.toByte())\n }\n\n override fun containsAll(elements: Collection<UByte>):
Boolean {\n return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\n }\n\n
override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size],
where each element is calculated by calling the specified\n * [init] function.\n * The function [init] is called for
each array element sequentially starting from the first one.\n * It should return the value for an array element given
its index.\n */\n\n@SinceKotlin(\\"1.3\\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n return UByteArray(ByteArray(size) { index ->
init(index).toByte()
})\n}\n\n@SinceKotlin(\\"1.3\\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n"/*\n
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated
file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin(\\"1.3\\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class
UIntArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt>
{\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public
constructor(size: Int) : this(IntArray(size))\n\n /**\n * Returns the array element at the given [index]. This
method can be called using the index operator.\n * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public
operator fun get(index: Int): UInt = storage[index].toUInt()\n\n
/**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index
operator.\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except
in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UInt) {\n
storage[index] = value.toInt()\n }\n\n /** Returns the number of elements in the array. */\n public override
val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override
operator fun iterator(): kotlin.collections.Iterator<UInt> = Iterator(storage)\n\n
@Suppress(\\"DEPRECATION_ERROR\\")\n private class Iterator(private val array: IntArray) : UIntIterator() {\n
private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUInt() = if (index
< array.size) array[index++].toUInt() else throw NoSuchElementException(index.toString())\n
}\n\n override fun contains(element: UInt): Boolean {\n // TODO: Eliminate this check after KT-30016 gets
fixed.\n // Currently JS BE does not generate special bridge method for this method.\n
@Suppress(\\"USELESS_CAST\\")\n if ((element as Any?) !is UInt) return false\n\n
return storage.contains(element.toInt())\n }\n\n override fun containsAll(elements: Collection<UInt>): Boolean {\n
return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n }\n\n override fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each
element is calculated by calling the specified\n * [init] function.\n * The function [init] is called for each array
element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n
*/\n\n@SinceKotlin(\\"1.3\\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n return UIntArray(IntArray(size) { index ->
init(index).toInt()
})\n}\n\n@SinceKotlin(\\"1.3\\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

uintArrayOf(vararg elements: UInt): UIntArray = elements\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class ULongArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) :
Collection<ULong> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. */\n
    public constructor(size: Int) : this(LongArray(size))\n\n    /**\n     * Returns the array element at the given [index]. This method can be called using the index operator.\n
    *\n     * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
    * where the behavior is unspecified.\n     */\n    public operator fun get(index: Int): ULong =
storage[index].toULong()\n\n    /**\n     * Sets the element at the given [index] to the given [value]. This method can
be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n    public
operator fun set(index: Int, value: ULong) {\n        storage[index] = value.toLong()\n    }\n\n    /** Returns the
number of elements in the array. */\n    public override val size: Int get() = storage.size\n\n    /** Creates an iterator
over the elements of the array. */\n    public override operator fun iterator():
kotlin.collections.Iterator<ULong> = Iterator(storage)\n\n    @Suppress("DEPRECATION_ERROR")\n    private
class Iterator(private val array: LongArray) : ULongIterator() {\n        private var index = 0\n        override fun
hasNext() = index < array.size\n        override fun nextULong() = if (index < array.size) array[index++].toULong()\n
else throw NoSuchElementException(index.toString())\n    }\n\n    override fun contains(element: ULong): Boolean
{\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        // Currently JS BE does not generate
special bridge method for this method.\n        @Suppress("USELESS_CAST")\n        if ((element as Any?) !is
ULong) return false\n        return storage.contains(element.toLong())\n    }\n\n    override fun
containsAll(elements: Collection<ULong>): Boolean {\n        return (elements as Collection<*>).all { it is ULong
&& storage.contains(it.toLong()) }\n    }\n\n    override fun isEmpty(): Boolean = this.storage.size == 0\n\n    /**\n
     * Creates a new array of the specified [size], where each element is calculated by calling the specified\n     * [init]
function.\n     */\n    *\n     * The function [init] is called for each array element sequentially starting from the first one.\n
     * It should return the value for an array element given its index.\n
    */\n\n    @SinceKotlin("1.3")\n    @ExperimentalUnsignedTypes\n    @kotlin.internal.InlineOnly\n    public inline fun
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n        return ULongArray(LongArray(size) { index ->
init(index).toLong()
    })\n    }\n\n    @SinceKotlin("1.3")\n    @ExperimentalUnsignedTypes\n    @kotlin.internal.InlineOnly\n    public inline fun
ulongArrayOf(vararg elements: ULong): ULongArray = elements\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class UShortArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) :
Collection<UShort> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. */\n
    public constructor(size: Int) : this(ShortArray(size))\n\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n    public
operator fun get(index: Int): UShort = storage[index].toUShort()\n\n    /**\n     * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where
the behavior is unspecified.\n     */\n    public operator fun set(index: Int, value: UShort) {\n        storage[index] =
value.toShort()\n    }\n\n    /** Returns the number of elements in the array. */\n    public override val size: Int get()
= storage.size\n\n    /** Creates an iterator over the elements of the array. */\n    public override operator fun
iterator(): kotlin.collections.Iterator<UShort> = Iterator(storage)\n\n    @Suppress("DEPRECATION_ERROR")\n

```



```

private class Iterator(private val array: ShortArray) : UShortIterator() {
    private var index = 0
    override fun hasNext() = index < array.size
    override fun nextUShort() = if (index < array.size)
array[index++].toUShort() else throw NoSuchElementException(index.toString())
}
override fun contains(element: UShort): Boolean {
    // TODO: Eliminate this check after KT-30016 gets fixed.
    // Currently JS BE does not generate special bridge method for this method.
    @Suppress("USELESS_CAST")
    if ((element as Any?) !is UShort) return false
    return storage.contains(element.toShort())
}
override fun containsAll(elements: Collection<UShort>): Boolean {
    return (elements as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }
}
override fun isEmpty(): Boolean = this.storage.size == 0
}

/**
 * Creates a new array of the specified [size], where each element is calculated by calling the specified [init] function.
 * The function [init] is called for each array element sequentially starting from the first one.
 * It should return the value for an array element given its index.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UShortArray(size: Int, init: (Int) -> UShort): UShortArray {
    return UShortArray(ShortArray(size) { index -> init(index).toShort() })
}

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements

"/
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("UArraysKt")
@file:kotlin.jvm.JvmPackageName("kotlin.collections.unsigned")
package kotlin.collections
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*
import kotlin.ranges.contains
import kotlin.ranges.reversed

/**
 * Returns 1st *element* from the array.
 * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS
 * where the behavior is unspecified.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UIntArray.component1(): UInt {
    return get(0)
}

/**
 * Returns 1st *element* from the array.
 * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS
 * where the behavior is unspecified.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun ULongArray.component1(): ULong {
    return get(0)
}

/**
 * Returns 1st *element* from the array.
 * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS
 * where the behavior is unspecified.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UByteArray.component1(): UByte {
    return get(0)
}

/**
 * Returns 1st *element* from the array.
 * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS
 * where the behavior is unspecified.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UShortArray.component1(): UShort {
    return get(0)
}

/**
 * Returns 2nd *element* from the array.
 * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS
 * where the behavior is unspecified.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun UIntArray.component2(): UInt {
    return get(1)
}

/**
 * Returns 2nd *element* from the array.
 * If the size of this
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline operator fun ULongArray.component2(): ULong {
    return get(1)
}

/**
 * Returns 2nd *element* from the array.
 * If the size of this
 */

```

array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2(): UByte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n *\n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n *\n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component3(): UInt {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n *\n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component3(): ULong {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n *\n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n *\n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component3(): UShort {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n *\n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component4(): UInt {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n *\n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component4(): ULong {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n *\n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component4(): UByte {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n *\n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component4(): UShort {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n *\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component5(): UInt {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n *\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n *\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the

behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component5(): UByte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *\n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the  
behavior is unspecified.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component5():
```

```
UShort {\n    return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an  
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int):  
UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is  
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int):  
ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]  
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int):  
UByte\n\n/**\n
```

```
 * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of  
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int):  
UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the  
[index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=  
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of  
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 &&  
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the  
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index  
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result  
of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 &&  
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or  
'null' if the [index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element  
at the given [index] or 'null' if the [index] is out of bounds of this array.\n * \n * @sample  
samples.collections.Collections.Elements.elementAtOrNull\n
```

```

*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ULongArray.elementAtOrNull(index:
    Int): ULong? {^ return this.getOrNull(index)^}\n\n/**^ * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this array.^ * ^ * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UByteArray.elementAtOrNull(index: Int): UByte? {^ return this.getOrNull(index)^}\n\n/**^ * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.^ * ^ * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UShortArray.elementAtOrNull(index: Int): UShort? {^ return this.getOrNull(index)^}\n\n/**^ * Returns the
first element matching the given [predicate], or `null` if no such element was found.^ * ^ * @sample
samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public
inline fun UIntArray.find(predicate: (UInt) -> Boolean): UInt? {^ return firstOrNull(predicate)^}\n\n/**^ *
Returns the first element matching the given [predicate], or `null` if no such element was found.^ * ^ * @sample
samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ULongArray.find(predicate: (ULong) -> Boolean): ULong? {^ return firstOrNull(predicate)^}\n\n/**^ *
Returns the first element matching the given [predicate], or `null` if no such element was found.^ * ^ * @sample
samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UByteArray.find(predicate: (UByte) -> Boolean): UByte? {^ return firstOrNull(predicate)^}\n\n/**^ * Returns
the first element matching the given [predicate], or `null` if no such element
was found.^ * ^ * @sample samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {^ return firstOrNull(predicate)^}\n\n/**^ *
Returns the last element matching the given [predicate], or `null` if no such element was found.^ * ^ * @sample
samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {^ return lastOrNull(predicate)^}\n\n/**^ * Returns the
last element matching the given [predicate], or `null` if no such element was found.^ * ^ * @sample
samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {^ return
lastOrNull(predicate)^}\n\n/**^ * Returns the last element matching the given [predicate], or `null` if no such
element was found.^ * ^ * @sample samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {^ return lastOrNull(predicate)^}\n\n/**^ *
Returns the last element matching the given [predicate], or `null` if no such element was found.^ * ^ * @sample
samples.collections.Collections.Elements.find\n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {^ return lastOrNull(predicate)^}\n\n/**^ *
Returns first element.^ * @throws [NoSuchElementException] if the array is empty.^ * ^ *
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UIntArray.first(): UInt {^
    return storage.first().toUInt()\n}\n\n/**^ * Returns first element.^ * @throws [NoSuchElementException] if the
array is empty.^ * ^ *
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public

```

```

inline fun ULongArray.first(): ULong {\n    return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws\n [NoSuchElementException] if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching\n the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\ninline fun UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element))\nreturn element\n    throw NoSuchElementException("Array contains no element matching the\npredicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws\n [NoSuchElementException] if no such element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.first(predicate: (ULong) -> Boolean): ULong {\n    for (element in this) if (predicate(element)) return\n element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such\n element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.first(predicate:\n (UByte) -> Boolean): UByte {\n    for (element in this) if (predicate(element)) return element\n    throw\n NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first\n element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.first(predicate: (UShort) -> Boolean): UShort {\n    for (element in this) if (predicate(element)) return\n element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n    return\n if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic\nfun ULongArray.firstOrNull(): ULong? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUByteArray.firstOrNull(): UByte? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n element, or `null` if the array is empty.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\nUShortArray.firstOrNull(): UShort? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first\n element matching the given [predicate], or `null` if element was not found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (element in this) if (predicate(element)) return\n element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element\n was not\n found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\nfun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (element in this) if\n (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given\n [predicate], or `null` if element was not found.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (element in this) if (predicate(element))\nreturn element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if\n element was not found.\n */

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.getOrNull(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrNull(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.getOrNull(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrNull(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n */\n * @sample samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample
samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample
samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n */\n * @sample
samples.collections.Collections.Elements.getOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index:
Int): UShort? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the
array does not contain element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n */^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the
given [predicate], or -1 if the array does not contain such element.\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfLast { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n */^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) ->
Boolean): Int {\n    return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n
*/\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(): UInt {\n    return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * \n * @throws
NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong {\n    return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.last(): UByte {\n    return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n
*/\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n    return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching
the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n    for (index in this.indices.reversed()) {\n        val element =

```

```

this[index]\n    if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains
no element matching the predicate.")\n}\n\n/**\n
 * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such
element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n    for (index in this.indices.reversed()) {\n
        val element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt):
    Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns last index of [element], or -1 if the array
does not contain element.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns the last element, or `null` if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.lastOrNull(): UShort? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n

```



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n  for (index in this.indices.reversed()) {\n    val
element = this[index]\n    if (predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n  for (index in this.indices.reversed()) {\n
val element = this[index]\n
    if (predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the last element matching the
given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n  for (index in this.indices.reversed()) {\n
val element = this[index]\n    if (predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n  for (index in this.indices.reversed()) {\n
val element = this[index]\n
    if (predicate(element)) return element\n  }\n  return null\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n  return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
* \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n  return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n  return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException
if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n  return random(Random)\n}\n\n/**\n * Returns a random element from this
array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element
from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array
is empty.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random:
Random): UByte {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n  if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n  return

```

```

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.randomOrNull():\n
UInt? {\n  return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this\n
array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n  return\n
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n  return\n
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort? {\n  return\n
randomOrNull(Random)\n}\n\n/**\n
*\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is\n
empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n\np\n
ublic fun UIntArray.randomOrNull(random: Random): UInt? {\n  if (isEmpty())\n    return null\n  return\n
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n
randomness, or `null` if this array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n\np\n
ublic fun ULongArray.randomOrNull(random: Random): ULong? {\n  if (isEmpty())\n    return null\n  return\n
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of\n
randomness, or `null` if this array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n\np\n
ublic fun UByteArray.randomOrNull(random:\n
Random): UByte? {\n  if (isEmpty())\n    return null\n  return\n
get(random.nextInt(size))\n}\n\n/**\n * Returns\n
a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n\np\n
ublic fun UShortArray.randomOrNull(random: Random): UShort? {\n  if (isEmpty())\n    return null\n  return\n
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or\n
has more than one element.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n
UIntArray.single(): UInt {\n  return storage.single().toInt()\n}\n\n/**\n * Returns the single element, or throws an\n
exception if the array is empty or has more than one element.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n
ULongArray.single(): ULong {\n  return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or\n
throws an exception if the array is empty or has more than one element.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n
UByteArray.single(): UByte {\n  return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or\n
throws an exception if the array is empty or has more than one element.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n
UShortArray.single(): UShort {\n  return storage.single().toUShort()\n}\n\n/**\n * Returns the single element\n
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n  var single: UInt? = null\n  var found =\n
false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw\n
IllegalArgumentException("Array contains more than one matching element.")\n      single = element\n

```

```

found = true\n    }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching
the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UInt\n}\n\n/**\n * Returns the
single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentOutOfRangeException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching the
predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as ULong\n}\n\n/**\n * Returns the single
element matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n    var single: UByte? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentOutOfRangeException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching the
predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UByte\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n    var single: UShort? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentOutOfRangeException("Array contains more than one matching element.")\n            single = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element matching the
predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.singleOrNull(): UInt? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element,
or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element,
or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.singleOrNull(): UByte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element,
or `null` if the array is empty or has more than one element was found.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n
found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n    var single: ULong? = null\n    var found
= false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found

```

or more than one element was found.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n    var single: UByte? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single =
element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n    var single: UShort? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
            single
= element\n            found
= true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a list containing all elements
except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing
all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.dropLast(n: Int): List<UByte> {\n    require(n >= 0) { \"Requested element count $n is less than
zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n    require(n >= 0) { "\"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0)
{\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte>
{\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n
        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy
the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex downTo
0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropWhile(predicate: (UInt)
-> Boolean): List<UInt> {\n    var yielding = false\n    val list = ArrayList<UInt>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    var yielding = false\n    val list =
ArrayList<ULong>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    var yielding = false\n    val list =
ArrayList<UByte>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    var yielding = false\n    val list =
ArrayList<UShort>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n  return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n  return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n  return filterTo(ArrayList<UShort>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n  return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n  return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n  return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n  return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * @param [predicate] function that takes the
index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n *
@sample samples.collections.Collections.Filtering.filterIndexedTo\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C
{\n  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <C :

```

MutableCollection<in

```
ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) -> Boolean): C {\n
forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n } \n return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    } \n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the
given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    } \n    return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n    return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C
{\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n *
Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n    for
```

```

(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n
for (element in this) if (!predicate(element))
    destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n
for (element
in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n
for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n
* Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n
for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n
* Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n
for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n
* Returns a list containing elements
at indices in the specified [indices] range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.slice(indices: IntRange): List<UInt> {\n
if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.slice(indices: IntRange): List<ULong> {\n
if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.slice(indices: IntRange): List<UByte> {\n
if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices
in the specified [indices] range.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.slice(indices: IntRange): List<UShort> {\n
if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n
val size = indices.collectionSizeOrDefault(10)\n
if (size == 0) return emptyList()\n
val list = ArrayList<UInt>(size)\n
for (index in indices) {\n
list.add(get(index))\n
}\n
return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n
val size = indices.collectionSizeOrDefault(10)\n
if (size == 0) return emptyList()\n
val list =
ArrayList<ULong>(size)\n

```



```

    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/**
 * Returns a list containing elements at specified [indices].
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.slice(indices: Iterable<Int>): List<UByte> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<UByte>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/**
 * Returns a list containing elements at specified [indices].
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.slice(indices: Iterable<Int>): List<UShort> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0) return emptyList()
    val list = ArrayList<UShort>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/**
 * Returns an array containing elements of this array at specified [indices].
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {
    return UIntArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements of this array at specified [indices].
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {
    return ULongArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements of this array at specified [indices].
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.sliceArray(indices: Collection<Int>): UByteArray {
    return UByteArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements of this array at specified [indices].
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.sliceArray(indices: Collection<Int>): UShortArray {
    return UShortArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements at indices in the specified [indices] range.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.sliceArray(indices: IntRange): UIntArray {
    return UIntArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements at indices in the specified [indices] range.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.sliceArray(indices: IntRange): ULongArray {
    return ULongArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements at indices in the specified [indices] range.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.sliceArray(indices: IntRange): UByteArray {
    return UByteArray(storage.sliceArray(indices))
}

/**
 * Returns an array containing elements at indices in the specified [indices] range.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.sliceArray(indices: IntRange): UShortArray {
    return UShortArray(storage.sliceArray(indices))
}

/**
 * Returns a list containing first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.take
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.take(n: Int): List<UInt> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >= size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<UInt>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

/**
 * Returns a list containing first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.take
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.take(n: Int): List<ULong> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >= size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<ULong>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

/**
 * Returns a list containing first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.take
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.take(n: Int): List<UByte> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    if (n == 0) return emptyList()
    if (n >= size) return toList()
    if (n == 1) return listOf(this[0])
    var count = 0
    val list = ArrayList<UByte>(n)
    for (item in this) {
        list.add(item)
        if (++count == n) break
    }
    return list
}

```

```

require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<UByte>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<UShort>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n:
Int): List<UInt> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list
= ArrayList<UInt>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val
size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<ULong>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val
size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<UByte>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>
{\n  require(n >= 0) { \"Requested element
count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size = size\n  if (n >= size) return toList()\n
if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<UShort>(n)\n  for (index in size - n until size)\n
list.add(this[index])\n  return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index]))\n    return drop(index + 1)\n  }\n  return toList()\n}\n\n/**\n * Returns a list
containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index]))\n      return drop(index + 1)\n    }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n*\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)

```

```

{\n    if (!predicate(this[index])) {\n        return drop(index + 1)\n    }\n } \n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex\n downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return\n toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    val list = ArrayList<UInt>()\n    for (item in\n this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list\n containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    val list = ArrayList<ULong>()\n    for\n (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing\n first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    val list = ArrayList<UByte>()\n    for\n (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing\n first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.takeWhile(predicate:\n (UShort) -> Boolean): List<UShort> {\n    val list = ArrayList<UShort>()\n    for (item in this) {\n        if\n (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the\n array in-place.\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun UIntArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.reverse(): Unit {\n    storage.reverse()\n}\n\n/**\n * Reverses elements of the array in the specified\n range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end\n of the range (exclusive) to reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero\n or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater\n than [toIndex].\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\n inline fun UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex,\n toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex\n the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the\n size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range\n (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the\n size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range\n (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the\n size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range\n (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the\n size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range\n (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the\n size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n samples.collections.Collections.Transformations.reverse\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n

```

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
 @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Reverses elements of the array in the specified range in-place.\n
 * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range
(exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]
is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    storage.reverse(fromIndex, toIndex)\n}\n\n/**\n *
Returns a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
inline fun UIntArray.reversed(): List<UInt> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.reversed(): List<ULong> {\n
if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns
a list with elements in reversed order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.reversed(): List<UByte> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.reversed(): List<UShort> {\n
if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reversedArray(): UIntArray {\n    return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an
array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reversedArray(): ULongArray {\n    return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reversedArray(): UByteArray {\n    return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns
an array with elements of this array in reversed order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reversedArray(): UShortArray {\n    return UShortArray(storage.reversedArray())\n}\n\n/**\n *
Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-
place.\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(): Unit {\n
shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random]
instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(random: Random): Unit
{\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =
this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles
elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(random: Random):
Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] =
this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified
[random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random):
Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] =
this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements
in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random):
Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] =
this[j]\n this[j] = copy\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their
natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n if
(size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(): Unit {\n if
(size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending
according to their natural sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a
list of all elements sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n return
copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort
order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted():
List<ULong> {\n return copyOf().apply { sort()
}.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n
return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural
sort order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted():
List<UShort> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this
array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n if
(isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of
this array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray
{\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n
if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray
{\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending():
UIntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns

```

an array with all elements of this array sorted descending according to their natural sort order.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():  
ULongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *  
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():
UByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():
UShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is `_stable_`. It means that equal elements preserve
their order relative to each other after sorting.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.sortedDescending(): List<UInt> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is `_stable_`. It
means that equal elements preserve their order relative to each other after sorting.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending():
List<ULong> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n * \n * The sort is `_stable_`. It means that equal elements preserve
their order relative to each other after sorting.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sortedDescending(): List<UByte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is `_stable_`. It
means that equal elements preserve their order relative to each other after sorting.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending():
List<UShort> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.asByteArray(): ByteArray {\n return storage\n}\n\n/**\n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.asIntArray(): IntArray {\n return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.asLongArray(): LongArray {\n return storage\n}\n\n/**\n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray {\n return storage\n}\n\n/**\n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of
this array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.asUByteArray(): UByteArray {\n return UByteArray(this)\n}\n\n/**\n * Returns an array of type

```

[UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n
 * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.asUIntArray(): UIntArray {\n    return UIntArray(this)\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.asULongArray(): ULongArray {\n    return ULongArray(this)\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.asUShortArray(): UShortArray {\n    return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally*\n * equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n
return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to
one another,\n * i.e. contain the same number of the same elements in the same order.\n *
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray):
Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same
order.\n *
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean
{\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the same order.\n *
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray):
Boolean {\n    return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun
UIntArray?.contentEquals(other: UIntArray?): Boolean {\n    return
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray?.contentEquals(other:
ULongArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the
two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements
in the same order.\n *
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun
UByteArray?.contentEquals(other: UByteArray?): Boolean {\n    return
this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray?.contentEquals(other:
UShortArray?): Boolean {\n    return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns a hash code
based on the contents of this array as if it is [List].\n *
*\n@Deprecated("Use Kotlin compiler 1.4 to avoid

```

```

deprecation warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n\n@Deprecated("Use Kotlin
compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n    return
this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n */\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray?.contentHashCode():
Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this
array as if it is [List].\n */\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray?.contentHashCode(): Int {\n    return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash
code based on the contents of this array as if it is [List].\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentHashCode(): Int {\n
return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns
a string representation of the contents of the specified array as if it is [List].\n */\n\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it
is [List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n\n@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it
is [List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin("1.3")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n    return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it
is [List].\n */\n\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of

```


the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String {\n
return this?.joinToString(", ", "[",
"]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n
* \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentToString(): String {\n
return this?.joinToString(", ", "[", "]") ?: "null"\n}\n\n/**\n * Copies this array or its subrange into the
[destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination
the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n
* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end
(exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
UIntArray {\n
storage.copyInto(destination.storage,
destinationOffset, startIndex, endIndex)\n
return destination\n}\n\n/**\n * Copies this array or its subrange into
the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy
to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param
startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive)
of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n
storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n
return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
*\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index
is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
```

```

UByteArray {n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)n return
destination\n}\n\n/**n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position
in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
* \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int
= size): UShortArray {n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)n return
destination\n}\n\n/**n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOf(): UIntArray {n return UIntArray(storage.copyOfOf())\n}\n\n/**n * Returns new array which is
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfOf(): ULongArray {n return ULongArray(storage.copyOfOf())\n}\n\n/**n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.copyOfOf(): UByteArray {n return UByteArray(storage.copyOfOf())\n}\n\n/**n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfOf(): UShortArray {n return UShortArray(storage.copyOfOf())\n}\n\n/**n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with zero values.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOf(newSize: Int): UIntArray {n return UIntArray(storage.copyOfOf(newSize))\n}\n\n/**n
* Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfOf(newSize: Int): ULongArray {n return ULongArray(storage.copyOfOf(newSize))\n}\n\n/**n
* Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater
than the size of the original array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfOf(newSize: Int): UByteArray {n return UByteArray(storage.copyOfOf(newSize))\n}\n\n/**n
* Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n

```

array, the extra elements in the copy array are filled with zero values.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified  
 * range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param  
 * toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is  
 * less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if  
 * [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return  
    UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the  
 * specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if  
 * [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
 * IllegalArgumentException if  
 * [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return  
    ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the  
 * specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if  
 * [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
 * IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return  
    UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the  
 * specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * \n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if  
 * [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
 * IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return  
    UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the  
 * specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws  
 * IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 * array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex:  
Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array  
 * or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to  
 * fill, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 * array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong,  
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange  
 * with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by  
 * default.\n * \n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
```

IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
 @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte,  
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n *  
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range  
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by  
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than  
the  
size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort,  
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n *  
Returns the range of valid indices for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n    get()  
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n    get()  
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n    get()  
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic  
inline val UShortArray.indices: IntRange\n    get() = storage.indices\n\n/**\n * Returns the last valid index for the  
array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n    get()  
= storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n    get()  
= storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n    get()  
= storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n    get()  
= storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given  
[element].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n    return UIntArray(storage +  
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given  
[element].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
operator fun ULongArray.plus(element: ULong): ULongArray {\n    return ULongArray(storage +  
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given  
[element].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
operator fun UByteArray.plus(element: UByte): UByteArray {\n    return UByteArray(storage +  
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array + and then the given  
[element].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline  
operator fun UShortArray.plus(element:  
UShort): UShortArray {\n    return UShortArray(storage + element.toShort())\n}\n\n/**\n * Returns an array  
containing all elements of the original array and then all elements of the given [elements] collection.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UIntArray.plus(elements:  
Collection<UInt>): UIntArray {\n    var index = size\n    val result = storage.copyOf(size + elements.size)\n    for  
(element in elements) result[index++] = element.toInt()\n    return UIntArray(result)\n}\n\n/**\n * Returns an array  
containing all elements of the original array and then all elements of the given [elements] collection.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun ULongArray.plus(elements:  
Collection<ULong>): ULongArray {\n    var index = size\n    val result = storage.copyOf(size + elements.size)\n    for  
(element in elements) result[index++] = element.toLong()\n    return ULongArray(result)\n}\n\n/**\n * Returns
```

```

an array containing all elements of the original array and then all elements of the given [elements] collection.
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements:
Collection<UByte>): UByteArray {\n    var index = size\n    val result = storage.copyOf(size + elements.size)\n
for (element in elements) result[index++] = element.toByte()\n    return UByteArray(result)\n}\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements] collection.
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator fun UShortArray.plus(elements:
Collection<UShort>): UShortArray {\n    var index = size\n    val result = storage.copyOf(size + elements.size)\n
for (element in elements) result[index++] = element.toShort()\n    return UShortArray(result)\n}\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements]
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UIntArray.plus(elements: UIntArray): UIntArray {\n    return UIntArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.plus(elements: ULongArray): ULongArray {\n    return ULongArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n    return UByteArray(storage +
elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.plus(elements: UShortArray): UShortArray {\n    return UShortArray(storage +
elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.sort(): Unit {\n    if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *
@sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n    if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.sort(): Unit {\n    if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts
the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n    if (size > 1)
sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex:
Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this, fromIndex,
toIndex)\n}\n\n/**\n * Sorts a range in the array
in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the
end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample
samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this,

```

```

fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is
greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0,
toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this,
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this, fromIndex, toIndex)\n}\n\n/**\n *
Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their
natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end
of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex,
toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted
descending according to their
natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end
of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or
[toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than
[toIndex].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n
reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The
elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the
range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException
if [fromIndex] is greater than [toIndex].\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n
reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The
elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the
range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex:
Int, toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns an
array of type [ByteArray], which is a copy of
this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.toByteArray(): ByteArray {\n    return storage.copyOf()\n}\n\n/**\n * Returns an array of type
[IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding
element of this array.\n

```

```

*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UIntArray.toIntArray(): IntArray {^n return storage.copyOf()\n}\n/n/**^n * Returns an array of type [LongArray],
which is a copy of this array where each element is a signed reinterpretation^n * of the corresponding element of this
array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ULongArray.toLongArray(): LongArray {^n return storage.copyOf()\n}\n/n/**^n * Returns an array
of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation^n * of the
corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
UShortArray.toShortArray(): ShortArray {^n return storage.copyOf()\n}\n/n/**^n * Returns a *typed* object array
containing all of the elements of this primitive array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun UIntArray.toTypedArray(): Array<UInt>
{^n return Array(size) { index -> this[index] }\n}\n/n/**^n * Returns a *typed* object array containing all of the
elements of this primitive array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
ULongArray.toTypedArray(): Array<ULong> {^n return Array(size) { index -> this[index] }\n}\n/n/**^n *
Returns a *typed* object array containing all of the elements of this primitive array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public
fun UByteArray.toTypedArray(): Array<UByte> {^n return Array(size) { index -> this[index] }\n}\n/n/**^n *
Returns a *typed* object array containing all of the elements of this primitive array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun UShortArray.toTypedArray():
Array<UShort> {^n return Array(size) { index -> this[index] }\n}\n/n/**^n * Returns an array of UByte containing
all of the elements of this generic array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
Array<out UByte>.toUByteArray(): UByteArray {^n return UByteArray(size) { index -> this[index] }\n}\n/n/**^n
* Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned
reinterpretation^n * of the corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ByteArray.toUByteArray(): UByteArray {^n return UByteArray(this.copyOf())\n}\n/n/**^n
* Returns an array of UInt containing all of the elements of this generic array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun Array<out UInt>.toUIntArray(): UIntArray
{^n return UIntArray(size) { index -> this[index] }\n}\n/n/**^n * Returns an array of type [UIntArray], which is a
copy of this array where each element is an unsigned reinterpretation^n * of the corresponding element of this
array.^n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
IntArray.toUIntArray(): UIntArray {^n return UIntArray(this.copyOf())\n}\n/n/**^n * Returns an array of ULong
containing all of the elements of this generic array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun Array<out ULong>.toULongArray():
ULongArray {^n return ULongArray(size) { index -> this[index] }\n}\n/n/**^n * Returns an array of type
[ULongArray], which is a copy of this array where each element is an unsigned reinterpretation^n
* of the corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
LongArray.toULongArray(): ULongArray {^n return ULongArray(this.copyOf())\n}\n/n/**^n * Returns an array
of UShort containing all of the elements of this generic array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun Array<out UShort>.toUShortArray():
UShortArray {^n return UShortArray(size) { index -> this[index] }\n}\n/n/**^n * Returns an array of type
[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation^n * of the
corresponding element of this array.^n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun
ShortArray.toUShortArray(): UShortArray {^n return UShortArray(this.copyOf())\n}\n/n/**^n * Returns a [Map]
where keys are elements from the given array and values are^n * produced by the [valueSelector] function

```

applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n    val result = LinkedHashMap<UInt,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <V> ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n    val result =
LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n    val result =
LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\n    val result =
LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function
applied to that key.\n * \n * If any two elements are equal, the last one overwrites
the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\n    for
(element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n *
where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If
any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination:
M, valueSelector: (ULong) -> V): M {\n    for (element in this) {\n        destination.put(element,
valueSelector(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs for each element of the given array,\n * where key is the element itself and value is
provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one
overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
```


MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n
for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs for each element of the given array.\n * where key is the element itself and value is provided by the
[valueSelector] function applied to that key.\n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M :
MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M
{\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return
destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMapIndexed(transform: (index: Int, UInt) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

```

inline fun <R> UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {
    return flatMapIndexedTo(ArrayList<R>(), transform)
}

/* Returns a single list of all elements yielded from results of [transform] function being invoked on each element and its index in the original array.
@sample samples.collections.Collections.Transformations.flatMapIndexed
*/

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R> UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {
    return flatMapIndexedTo(ArrayList<R>(), transform)
}

/* Appends all elements yielded from results of [transform] function being invoked on each element and its index in the original array, to the given [destination].
*/

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) -> Iterable<R>): C {
    var index = 0
    for (element in this) {
        val list = transform(index++, element)
        destination.addAll(list)
    }
    return destination
}

/* Appends all elements yielded from results of [transform] function being invoked on each element and its index in the original array, to the given [destination].
*/

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination: C, transform: (index: Int, ULong) -> Iterable<R>): C {
    var index = 0
    for (element in this) {
        val list = transform(index++, element)
        destination.addAll(list)
    }
    return destination
}

/* Appends all elements yielded from results of [transform] function being invoked on each element and its index in the original array, to the given [destination].
*/

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) -> Iterable<R>): C {
    var index = 0
    for (element in this) {
        val list = transform(index++, element)
        destination.addAll(list)
    }
    return destination
}

/* Appends all elements yielded from results of [transform] function being invoked on each element and its index in the original array, to the given [destination].
*/

@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) -> Iterable<R>): C {
    var index = 0
    for (element in this) {
        val list = transform(index++, element)
        destination.addAll(list)
    }
    return destination
}

/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].
*/

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].
*/

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

/* Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].
*/

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n
}\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <K> UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map
preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned
by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.groupByKeyAndValues\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {
ArrayList<UInt>()

```

```

        }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the original array by the key
returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each
group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K):
M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {
ArrayList<ULong>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each

```

```

group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):
M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {
ArrayList<UByte>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M,
keySelector: (UShort) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =

```

```

destination.getOrPut(key) { ArrayList<UShort>() } \n    list.add(element)\n } \n return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the\n key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each\n group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,\n M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K,\n valueTransform: (UInt) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =\n destination.getOrPut(key) { ArrayList<V>() } \n        list.add(valueTransform(element))\n    }\n    return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the\n original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,\n M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K,\n valueTransform: (ULong) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =\n destination.getOrPut(key) { ArrayList<V>() } \n        list.add(valueTransform(element))\n    }\n    return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the\n original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,\n M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K,\n valueTransform: (UByte) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =\n destination.getOrPut(key) { ArrayList<V>() } \n        list.add(valueTransform(element))\n    }\n    return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the\n key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each\n group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,\n M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UShort) -> K,\n valueTransform: (UShort) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =\n destination.getOrPut(key) { ArrayList<V>() } \n        list.add(valueTransform(element))\n    }\n    return destination\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each\n element\n in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n UIntArray.map(transform: (UInt) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original\n array.\n * \n * @sample samples.collections.Collections.Transformations.map\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\n ULongArray.map(transform: (ULong) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),\n transform)\n}\n\n**\n * Returns a list containing the results of applying the given [transform] function\n * to each\n element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n\n*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {
    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun <R>
UShortArray.map(transform: (UShort) -> R): List<R> {
    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun <R>
UIntArray.mapIndexed(transform: (index:
Int, UInt) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each element and its index in the original
array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the
result of the transform applied to the element.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun <R>
ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public
inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline
fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {
    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result
of the transform applied to the element.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun <R, C :
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {
    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original array\n * and appends the results
to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun <R, C :
MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {
    var
index = 0\n    for (item in this)\n        destination.add(transform(index++,
item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function\n * to each element and its index in
the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n
*\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun <R, C :
MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {
    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n
var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return
destination}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n
for (item in this)\n destination.add(transform(item))\n return destination}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n
destination.add(transform(item))\n return destination}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R):
C {\n for (item in this)\n destination.add(transform(item))\n return destination}\n\n/**\n * Returns a lazy
[Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that
element and the element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun
UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun
ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue]
containing the index of that element and the element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic
fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator()
}\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue]
containing the index of that element and the element itself.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex():
Iterable<IndexedValue<UShort>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun

```

```

UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n *
Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
*\n * @sample samples.collections.Collections.Aggregates.any\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.any(): Boolean {\n  return storage.any()\n}\n\n/**\n * Returns `true` if at least one element
matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.count(predicate: (UInt) -> Boolean): Int {\n  var count = 0\n
for (element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.count(predicate: (ULong) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n *\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n  var count = 0\n  for (element in this) if
(predicate(element)) ++count\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n *\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {\n  var count = 0\n  for
(element in this) if (predicate(element)) ++count\n  return count\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n  var accumulator = initial\n  for (element in this)

```



```

accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator,
  element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified
[initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element, and calculates the next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n *
\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n  var index
= 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n
  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator =
  operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n
\n *\/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

```

UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R { \n  var index = 0 \n  var accumulator = initial \n  for (element in this) accumulator = operation(index++, accumulator, element) \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R { \n  var index = lastIndex \n  var accumulator = initial \n  while (index >= 0) { \n    accumulator = operation(get(index--), accumulator) \n  } \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R { \n  var index = lastIndex \n  var accumulator = initial \n  while (index >= 0) { \n    accumulator = operation(get(index--), accumulator) \n  } \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R { \n  var index = lastIndex \n  var accumulator = initial \n  while (index >= 0) { \n    accumulator = operation(get(index--), accumulator) \n  } \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R { \n  var index = lastIndex \n  var accumulator = initial \n  while (index >= 0) { \n    accumulator = operation(get(index--), accumulator) \n  } \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element with its index in the original array and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param [operation] function that takes the index of an element, the element itself \n * and current accumulator value, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R { \n  var index = lastIndex \n  var accumulator = initial \n  while (index >= 0) { \n    accumulator = operation(index, get(index), accumulator) \n    --index \n  } \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element with its index in the original array and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param [operation] function that takes the index of an element, the element itself \n * and current accumulator value, and calculates the next accumulator value. \n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R { \n  var index = lastIndex \n  var accumulator = initial \n  while (index >= 0) { \n    accumulator = operation(index, get(index), accumulator) \n    --index \n  } \n  return accumulator \n } \n \n \n * Accumulates value starting with [initial] value and applying [operation] from right to left \n * to each element with its index in the original array and current accumulator value. \n * \n * Returns the specified [initial] value if the array is empty. \n * \n * @param

```

[operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n * Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.\n * Returns the specified [initial] value if the array is empty.\n * @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n * Performs the given [action] on each element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.forEach(action: (UInt) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n * Performs the given [action] on each element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.forEach(action: (ULong) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n * Performs the given [action] on each element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.forEach(action: (UByte) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n * Performs the given [action] on each element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEach(action: (UShort) -> Unit):\n    Unit {\n    for (element in this) action(element)\n}\n\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself and performs the action on the element.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.")
```

```

ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\npublic fun UIntArray.max():
UInt? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\npublic fun ULongArray.max():
ULong? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\npublic fun UByteArray.max():
UByte? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\npublic
fun UShortArray.max(): UShort? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince =
`1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince =
`1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince
= `1.4`, errorSince = `1.5`, hiddenSince =
`1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince =
`1.6`) \n@SinceKotlin("1.3") \n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4") \n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxByOrNull(selector:
(UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n
if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4") \n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n    if (isEmpty()) return null\n
var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue =
v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given
function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)\n            {\n                maxElem = e\n                maxValue = v\n            }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)\n            {\n                maxElem = e\n                maxValue = v\n            }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOf(selector: (ULong) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result

```

```

is `NaN`.n * n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.maxOf(selector: (UInt) -> Float): Float {n if (isEmpty()) throw NoSuchElementException()n var
maxValue = selector(this[0])n for (i in 1..lastIndex) {n val v = selector(this[i])n maxValue =
maxOf(maxValue, v)n }n return maxValue}n/n/**n * Returns the largest value among all values produced
by [selector] functionn * applied to each element in the array.n * n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.n * n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun ULongArray.maxOf(selector: (ULong) -> Float): Float {n if (isEmpty()) throw
NoSuchElementException()n var maxValue = selector(this[0])n for (i in 1..lastIndex) {n val v =
selector(this[i])n maxValue = maxOf(maxValue, v)n }n return maxValue}n/n/**n * Returns the
largest value among all values produced by [selector] functionn * applied to each element in the array.n * n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.n * n * @throws
NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {n if (isEmpty()) throw NoSuchElementException()n var
maxValue = selector(this[0])n for (i in 1..lastIndex) {n
val v = selector(this[i])n maxValue = maxOf(maxValue, v)n }n return maxValue}n/n/**n *
Returns the largest value among all values produced by [selector] functionn * applied to each element in the
array.n * n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.n * n *
@throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.maxOf(selector: (UShort) -> Float): Float {n if (isEmpty()) throw NoSuchElementException()n
var maxValue = selector(this[0])n for (i in 1..lastIndex) {n val v = selector(this[i])n maxValue =
maxOf(maxValue, v)n }n return maxValue}n/n/**n * Returns the largest value among all values produced
by [selector] functionn * applied to each element in the array.n
* n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R :
Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {n if (isEmpty()) throw
NoSuchElementException()n var maxValue = selector(this[0])n for (i in 1..lastIndex) {n val v =
selector(this[i])n if (maxValue < v) {n maxValue = v\n }n }n return maxValue}n/n/**n *
Returns the largest value among all values produced by [selector] functionn * applied to each element in the
array.n * n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R :
Comparable<R>>
ULongArray.maxOf(selector: (ULong) -> R): R {n if (isEmpty()) throw NoSuchElementException()n var
maxValue = selector(this[0])n for (i in 1..lastIndex) {n val v = selector(this[i])n if (maxValue < v) {n
maxValue = v\n }n }n return maxValue}n/n/**n * Returns the largest value among all values
produced by [selector] functionn * applied to each element in the array.n * n * @throws
NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R :

```

```

Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}
/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (maxValue < v) {
            maxValue = v
        }
    }
    return maxValue
}
/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array or `null` if there are no elements.
 * If any of values produced by [selector] function is `NaN`, the returned
 * result is `NaN`.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/**
 * Returns the largest value among all values produced
 * by [selector] function
 * applied to each element in the array or `null` if there are no elements.
 * If any of
 * values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun ULongArray.maxOfOrNull(selector: (ULong) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/**
 * Returns the
 * largest value among all values produced by [selector] function
 * applied to each element in the array or `null` if
 * there are no elements.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/**
 * Returns the largest value among all values produced
 * by [selector] function
 * applied to each element in the array or `null` if there are no elements.
 * If any of
 * values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/**
 * Returns the largest value among all values produced
 * by [selector] function
 * applied to each element in the array or `null` if there are no elements.
 * If any of
 * values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {
    if (isEmpty()) return null
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/**
 * Returns the largest value among all values produced
 * by [selector] function
 * applied to each element in the array or `null` if there are no elements.
 * If any of
 * values produced by [selector] function is `NaN`, the returned result is `NaN`.
 */

```

values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOfOrNull(selector: (UByte) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n
    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result
is `NaN`.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOfOrNull(selector: (UShort) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n
    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOfOrNull(selector:
(UInt) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOfOrNull(selector: (ULong) -> R): R? {\n    if (isEmpty()) return null\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOfOrNull(selector: (UByte) -> R): R? {\n    if (isEmpty()) return null\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>>
UShortArray.maxOfOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided

```


[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue,
v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*/\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if
(isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n        maxValue = v\n    }\n}\n\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*/\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n    if (isEmpty()) return
null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns
the largest value according to the provided [comparator]\n * among all values produced by [selector] function
applied to each element in the array or `null` if there are no elements.\n
*/\n

```

```

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {^n if (isEmpty())
return null^n var maxValue = selector(this[0])^n for (i in 1..lastIndex) {^n val v = selector(this[i])^n if
(comparator.compare(maxValue, v) < 0) {^n maxValue = v^n }^n }^n return maxValue^n}^n/n/**^n *
Returns the largest value according to the provided [comparator]^n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolution
ByLambdaReturnType^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^public
inline fun <R> UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {^n
if (isEmpty()) return null^n var maxValue = selector(this[0])^n for (i in 1..lastIndex) {^n val v =
selector(this[i])^n if (comparator.compare(maxValue, v) < 0) {^n maxValue = v^n }^n }^n return
maxValue^n}^n/n/**^n * Returns the largest element or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public fun UIntArray.maxOrNull(): UInt? {^n if
(isEmpty()) return null^n var max = this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n if (max < e) max
= e^n }^n return max^n}^n/n/**^n * Returns the largest element or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public fun ULongArray.maxOrNull():
ULong? {^n if (isEmpty()) return null^n var max = this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n
if (max < e) max = e^n }^n return max^n}^n/n/**^n * Returns the largest element or `null` if there are no
elements.^n *^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public fun UByteArray.maxOrNull():
UByte? {^n if (isEmpty()) return null^n var max = this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n if
(max < e) max = e^n }^n return max^n}^n/n/**^n * Returns the largest element or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public fun UShortArray.maxOrNull(): UShort? {^n if
(isEmpty()) return null^n var max = this[0]^n for (i in 1..lastIndex) {^n val e = this[i]^n if (max < e) max
= e^n }^n return max^n}^n/n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")^n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince =
"1.6")^n@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun UIntArray.maxWith(comparator:
Comparator<in UInt>): UInt? {^n return maxWithOrNull(comparator)^n}^n/n@Deprecated("Use maxWithOrNull
instead."), ReplaceWith("this.maxWithOrNull(comparator)")^n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")^n@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {^n return
maxWithOrNull(comparator)^n}^n/n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")^n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")^n@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun
UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {^n return
maxWithOrNull(comparator)^n}^n/n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")^n@DeprecatedSinceKotlin(warningSince
= "1.4", errorSince = "1.5", hiddenSince =
"1.6")^n@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public fun UShortArray.maxWith(comparator:
Comparator<in UShort>): UShort? {^n return maxWithOrNull(comparator)^n}^n/n/**^n * Returns the first element
having the largest value according to the provided [comparator] or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public fun UIntArray.maxWithOrNull(comparator:
Comparator<in UInt>): UInt? {^n if (isEmpty()) return null^n var max = this[0]^n for (i in 1..lastIndex) {^n
val e = this[i]^n if (comparator.compare(max, e) < 0) max = e^n }^n return max^n}^n/n/**^n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.^n
*^@SinceKotlin("1.4")^@ExperimentalUnsignedTypes^public fun ULongArray.maxWithOrNull(comparator:
Comparator<in

```

```

    ULong>): ULong? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e =
this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n
        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var max
= this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(max, e) < 0) max = e\n    }\n
return max\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt?
{\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min():
ULong? {\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min():
UByte? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.min(): UShort? {\n    return minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.")
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.")
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.minBy(selector:
(ULong) -> R): ULong? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n    return
minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.")
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n    return
minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)

```

```

{\n      minElem = e\n      minValue = v\n  }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minByOrNull(selector: (ULong) -> R): ULong? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n  if (isEmpty()) return null\n  var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue = selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v) {\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOf(selector: (UInt) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.minOf(selector: (ULong) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOf(selector: (UByte) -> Double): Double {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n
    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n
* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.minOf(selector: (UInt) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.minOf(selector: (ULong) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.minOf(selector: (UByte) -> Float): Float {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOf(selector: (UShort) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R : Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function
* applied to each element in the array.
* @throws NoSuchElementException if the array is empty.

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R :
Comparable<R>> UByteArray.minOf(selector: (UByte) -> R): R {
    if (isEmpty()) throw
NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all
values produced by [selector] function
* applied to each element in the array.
* @throws
NoSuchElementException if the array is empty.

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R :
Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {
    if (isEmpty()) throw
NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v =
selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced
by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {
    if (isEmpty()) return null
    var minValue =
selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function
*
applied to each element in the array or `null` if there are no elements.
* If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic
inline fun ULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {
    if (isEmpty()) return null
    var
minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue =
minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced
by [selector] function
* applied to each element in the array or `null` if there are no elements.
* If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {
    if (isEmpty()) return null
    var minValue
= selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return
minValue
}
Returns the smallest value among all values produced by [selector] function
* applied to
each element in the array or `null` if there are no elements.
* If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.

*\/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.minOfOrNull(selector: (UShort) -> Double): Double? {
    if (isEmpty()) return null
    var minValue
= selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return
minValue
}
Returns the smallest value among all values produced by [selector] function

```

* applied to each element in

the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.minOfOrNull(selector: (UInt) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\ninline fun\nULongArray.minOfOrNull(selector: (ULong) -> Float): Float? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =\n        minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.minOfOrNull(selector: (UByte) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all\n * values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\ninline fun <R : Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n    if (isEmpty()) return\n    null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if\n        (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value\n * among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no\n * elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :\nComparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :\nComparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n    if (isEmpty()) return null\n    var\n    minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
```

```

    minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> :
Comparable<R>> UShortArray.minOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty()) return null\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n
*\n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.minOfWith(comparator: Comparator<in
R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw NoSuchElementException\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(minValue,
v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n
*\n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue,
v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n
*\n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced
by [selector] function applied to each element in the array.\n
*\n * @throws NoSuchElementException if the array
is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n    if
(isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n

```



```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n if (isEmpty())
return null\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest value according
to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull():
ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull():
UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull():
UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex)
{\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n@Deprecated("Use minWithOrNull
instead.", ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n  return
minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.minWithOrNull(comparator: Comparator<in UShort>): UShort? {\n  if (isEmpty()) return null\n
var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(min, e) > 0) min =
e\n  }\n  return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
*\n
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(predicate: (UShort) -> Boolean): Boolean {\n  for (element

```

in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.forEach(action: (UInt) -> Unit): UIntArray {\n return apply { for (element in this) action(element)\n }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
```

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.forEach(action: (ULong) -> Unit): ULongArray {\n return apply { for (element in this)\n action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.forEach(action: (UByte) -> Unit): UByteArray {\n return apply { for (element in\n this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEach(action: (UShort) -> Unit): UShortArray {\n return apply { for (element in this)\n action(element) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the\n element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element\n and the element itself\n * and performs the action on the element.\n
```

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {\n return apply {\n forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index\n with the element,\n * and returns the array itself afterwards.\n
```

```
 * @param [action] function that takes the index of an element and the element itself\n * and performs the action on\n the element.\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): ULongArray {\n return apply {\n forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index\n with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an\n element and the element itself\n * and performs the action on the element.\n
```

```
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {\n return apply {\n forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index\n with the element,\n * and returns the array itself afterwards.\n
```

```
 * @param [action] function that takes the index of an element and the element itself\n * and performs the action on\n the element.\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {\n return apply {\n forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]\n from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is\n empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its\n receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
```

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic\ninline fun\nUIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw\n UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in\n 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current\n accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty\n in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next\n accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
```

```
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UByteArray.reduce(operation:

```
(acc: ULong, ULong) -> ULong): ULong {\n    if (isEmpty())\n        throw\n        UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty\n * in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UByteArray.reduce(operation: (acc: UByte,

```
UByte) -> UByte): UByte {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be\n        reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =\n        operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the\n * first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use\n * [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes\n * current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort):

```
UShort {\n    if (isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var\n    accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]\n * from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use\n * [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function\n * that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next\n * accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UIntArray.reduceIndexed(operation:

```
(index: Int, acc: UInt, UInt) -> UInt): UInt {\n    if (isEmpty())\n        throw\n        UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to\n * right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an\n * exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]\n * instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an\n * element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n    if
```

```
(isEmpty())\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =\n    this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from\n * left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws\n * an exception if this array is empty. If the array can be empty in an expected way,\n * please use\n * [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function
```

that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\n *\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n * if (isEmpty())\n * throw UnsupportedOperationException("Empty array can't be reduced.")\n * var accumulator = this[0]\n * for (index in 1..lastIndex) {\n * accumulator = operation(index, accumulator, this[index])\n * }\n * return accumulator\n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\n *\n * @SinceKotlin("1.3")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n * if (isEmpty())\n * throw UnsupportedOperationException("Empty array can't be reduced.")\n * var accumulator = this[0]\n * for (index in 1..lastIndex) {\n * accumulator = operation(index, accumulator, this[index])\n * }\n * return accumulator\n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n *\n * @SinceKotlin("1.4")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n * if (isEmpty())\n * return null\n * var accumulator = this[0]\n * for (index in 1..lastIndex) {\n * accumulator = operation(index, accumulator, this[index])\n * }\n * return accumulator\n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n *\n * @SinceKotlin("1.4")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n * if (isEmpty())\n * return null\n * var accumulator = this[0]\n * for (index in 1..lastIndex) {\n * accumulator = operation(index, accumulator, this[index])\n * }\n * return accumulator\n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n *\n * @SinceKotlin("1.4")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun UByteArray.reduceIndexedOrNull(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte? {\n * if (isEmpty())\n * return null\n * var accumulator = this[0]\n * for (index in 1..lastIndex) {\n * accumulator = operation(index, accumulator, this[index])\n * }\n * return accumulator\n * }\n * \n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n *\n *\n * @SinceKotlin("1.4")\n * @ExperimentalUnsignedTypes\n * @kotlin.internal.InlineOnly\n * public inline fun UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n * if

```

(isEmpty())\n    return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt?\n{\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting\n * with the first element and applying [operation] from left to right\n * to current accumulator value and each\n * element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current\n * accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) ->\n    ULong): ULong? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex)\n    {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates\n * value starting with the first element and applying [operation] from left to right\n * to current accumulator value and\n * each element.\n * \n * Returns `null` if the array\n * is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and\n * calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) ->\n    UByte): UByte? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex)\n    {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates\n * value starting with the first element and applying [operation] from left to right\n * to current accumulator value and\n * each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current\n * accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample\n * samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) ->\n    UShort): UShort? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex)\n    {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates\n * value starting with the last element and applying [operation] from right to left\n * to each element and current\n * accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected\n * way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param\n * [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator\n * value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n    UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to\n * left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the\n * array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its\n * receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *

```

```

and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n  var index = lastIndex\n  if
(index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n  var index = lastIndex\n  if (index
< 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n  var index = lastIndex\n  if
(index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n
}\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver
is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),

```

```

accumulator)\n    --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when
its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If
the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element
itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element
with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n    var
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original
array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n    var

```



```

index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array
is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n  var
index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt):
UInt? {\n  var index = lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index
>= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n  var index =
lastIndex\n  if (index < 0) return null\n  var accumulator = get(index--)\n  while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and
current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightOrNull(operation:
(UByte, acc: UByte) -> UByte): UByte? {\n  var index = lastIndex\n  if (index < 0) return null\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n
  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n *
\n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) ->
UShort): UShort? {\n  var index = lastIndex\n  if (index < 0) return
null\n  var accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--),
accumulator)\n  }\n  return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element and current accumulator value that starts
with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *

```

otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n  if (isEmpty()) return
listOf(initial)\n  val result = ArrayList<R>(size + 1).apply
  { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator,
element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n  if (isEmpty()) return
listOf(initial)\n  val result
= ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for (element in this) {\n
accumulator = operation(accumulator, element)\n  result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n  if (isEmpty()) return
listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator = initial\n  for
(element in this) {\n    accumulator = operation(accumulator, element)\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.runningFold(initial: R, operation: (acc: R, UShort) ->
R): List<R> {\n  if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n
var accumulator = initial\n  for (element in this) {\n    accumulator = operation(accumulator, element)\n
result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n
if (isEmpty()) return listOf(initial)\n  val result = ArrayList<R>(size + 1).apply { add(initial) }\n  var accumulator
= initial\n  for (index in indices) {\n    accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation

```

values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n    if\n    (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =\n    initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n * values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n * current accumulator value that starts with [initial] value.\n * Note that `acc` value passed to [operation] function\n * should not be mutated; otherwise it would affect the previous value in resulting list.\n * @param [operation]\n * function that takes
```

the index of an element, current accumulator value and the element itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n    if\n    (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =\n    initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n * values generated by applying [operation] from left to right\n * to each element, its index in the original array and\n * current accumulator value that starts with [initial] value.\n * Note that `acc` value passed to [operation] function\n * should not be mutated; otherwise it would affect the previous value in resulting list.\n * @param\n * [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and\n * calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.runningFold
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n    if\n    (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator =\n    initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation\n * values generated by applying [operation] from left to right\n * to each element and current accumulator\n * value that starts with the first element of this array.\n * Note that `acc` value passed to [operation] function\n * should not be mutated; otherwise it would affect the previous value in resulting list.\n * @param [operation]\n * function that takes current accumulator value and an element, and calculates the next accumulator value.
```

@sample samples.collections.Collections.Aggregates.runningReduce

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.runningReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n    if (isEmpty()) return\n    emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UInt>(size).apply { add(accumulator) }\n    for\n    (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying\n * [operation] from left
```

to right to each element and current accumulator value that starts with the first element of this array. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningReduce

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<ULong>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n
}\n return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element and current
accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation]
function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param
[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<UByte>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n
}\n return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n
*\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<UShort>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n accumulator = operation(accumulator,
this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original
array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value
passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting
list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the
element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n if (isEmpty())
return emptyList()\n var accumulator = this[0]\n
val result = ArrayList<UInt>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator
= operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element, its index in the original array and current accumulator value that starts with the first element of this
array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduceIndexed(operation:
(index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n if (isEmpty()) return emptyList()\n var
accumulator = this[0]\n val result = ArrayList<ULong>(size).apply { add(accumulator) }\n for (index in 1 until
size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n
}

```

```

return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index
of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *
\n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UShort>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R):
List<R> {\n  return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R):
List<R> {\n  return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic
inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n  return
runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by

```

applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n * \n * @Deprecated("Use sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince = "1.5")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

```

inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
// Returns the sum of all values produced by [selector]
// function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince =
// "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public inline fun
// ULongArray.sumBy(selector: (ULong) -> UInt): UInt {
//     var sum: UInt = 0
//     for (element in this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values produced by [selector]
// function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince =
// "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public
// inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {
//     var sum: UInt = 0
//     for (element in this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince =
// "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public inline fun
// UShortArray.sumBy(selector: (UShort) -> UInt): UInt {
//     var sum: UInt = 0
//     for (element in this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values produced by [selector]
// function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince =
// "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public
// inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {
//     var sum: Double = 0.0
//     for (element in this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values
// produced by [selector] function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince =
// "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public inline fun
// ULongArray.sumByDouble(selector: (ULong) -> Double): Double {
//     var sum: Double = 0.0
//     for (element in
// this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince
// = "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public inline fun
// UIntArray.sumByDouble(selector: (UInt) -> Double): Double {
//     var sum: Double = 0.0
//     for (element in
// this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// @Deprecated("Use sumOf instead.",
// ReplaceWith("this.sumOf(selector)"))
// @DeprecatedSinceKotlin(warningSince =
// "1.5")
// @SinceKotlin("1.3")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public inline fun
// UShortArray.sumByDouble(selector: (UShort) -> Double): Double {
//     var sum: Double = 0.0
//     for (element in
// this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values produced by
// [selector] function applied to each element in the array.
// @SinceKotlin("1.4")
// @OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// @OverloadResolution
// ByLambdaReturnType
// @Suppress("INAPPLICABLE_JVM_NAME")
// @kotlin.jvm.JvmName("sumOfDouble")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public
// inline fun UIntArray.sumOf(selector: (UInt) -> Double): Double {
//     var sum: Double = 0.toDouble()
//     for (element in this) {
//         sum += selector(element)
//     }
//     return sum
// }
// Returns the sum of all values
// produced by [selector] function applied to each element in the array.
// @SinceKotlin("1.4")
// @OptIn(kotlin.experimental.ExperimentalTypeInference::class)
// @OverloadResolution
// ByLambdaReturnType
// @Suppress("INAPPLICABLE_JVM_NAME")
// @kotlin.jvm.JvmName("sumOfDouble")
// @ExperimentalUnsignedTypes
// @kotlin.internal.InlineOnly
// public inline fun ULongArray.sumOf(selector:
// (ULong) -> Double): Double {
//     var sum: Double = 0.toDouble()
//     for (element in this) {
//         sum +=

```

```

selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum +=
selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfDouble")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Double): Double {\n var sum: Double
= 0.toDouble()\n for (element in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -
> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n } \n return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n } \n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfInt")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.sumOf(selector: (UShort) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt)
-> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n } \n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element
in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")\n
@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector:
(ULong) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum +=

```



```

selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector:
(UByte) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum +=
selector(element)\n
} \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each
element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfLong")
\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector:
(UShort) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum +=
selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this)
{\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n
for (element in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in
this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfUInt")\n
\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic
inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n
for (element in this) {\n
sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n } \n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n

```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
```

```
inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@Suppress("INAPPLICABLE_JVM_NAME")\n@kotlin.jvm.JvmName("sumOfULong")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Array<out R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Array<out R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val size = minOf(size,
```

```

other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list\n    = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterable\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample\nsamples.collections.Iterables.Operations.zipIterableWithTransform\n\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *

```

```

Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V>
{\n    val arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var
i = 0\n    for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n
        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of
`this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):
List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n
* The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform:
(a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n
for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of

```

```

values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n *
@sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array
and the [other] array with the same index\n * using the provided [transform] function applied to each pair of
elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Array<out UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.sum(): UInt {\n    return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements
in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.sum(): ULong {\n    return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all
elements in the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the
array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.sum(): UInt {\n    return sumOf { it.toUInt() }\n}\n\n", "*/\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in
the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UCollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the
elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UByte>.toUByteArray(): UByteArray {\n    val result = UByteArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of UInt containing
all of the elements of this collection.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<UInt>.toUIntArray(): UIntArray {\n    val result = UIntArray(size)\n    var index = 0\n    for (element

```

```

in this)\n    result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of ULong containing all of
the elements of this collection.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Collection<ULong>.toULongArray(): ULongArray {\n    val result = ULongArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of UShort
containing all of the elements of this collection.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray():
UShortArray {\n    val result = UShortArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] =
element\n    return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Iterable<UInt>.sum(): UInt {\n    var sum: UInt = 0\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<ULong>.sum(): ULong {\n    var sum: ULong = 0UL\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<UByte>.sum(): UInt {\n    var sum: UInt = 0\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Iterable<UShort>.sum(): UInt {\n    var sum: UInt = 0\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UComparisonsKt")\n\npackage
kotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
greater of two values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b:
UInt): UInt {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong,
b: ULong): ULong {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the
greater of two values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte,
b: UByte): UByte {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort,
b: UShort): UShort {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns
the greater of three values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the greater of three values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public
inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns
the greater of three values.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n    return maxOf(a, maxOf(b, c))\n}\n\n"/**\n

```

```

* Returns the greater of the given values.\n *^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
maxOf(a: UInt, vararg other: UInt): UInt {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return
max\n}\n\n/**\n * Returns the greater of the given values.\n
*^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, vararg other: ULong):
ULong {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the greater
of the given values.\n *^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic
fun maxOf(a: UByte, vararg other: UByte): UByte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n
return max\n}\n\n/**\n * Returns the greater of the given values.\n
*^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, vararg other: UShort):
UShort {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n/**\n * Returns the smaller
of two values.\n *^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
minOf(a: UInt, b: UInt): UInt {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: ULong,
b: ULong): ULong {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UByte,
b: UByte): UByte {\n    return
if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UShort,
b: UShort): UShort {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns
the smaller of three values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n *
Returns the smaller of three values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: UByte, b: UByte, c: UByte): UByte {\n    return minOf(a, minOf(b,
c))\n}\n\n/**\n * Returns the smaller of three values.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n
* Returns the smaller of the given values.\n *^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: UInt, vararg other: UInt): UInt {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return
min\n}\n\n/**\n * Returns the smaller of the given values.\n
*^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, vararg other: ULong):
ULong {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller
of the given values.\n *^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte,
vararg other: UByte): UByte {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n
* Returns the smaller of the given values.\n *^@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: UShort, vararg other: UShort): UShort {\n    var min = a\n    for (e in other) min = minOf(min, e)\n
return min\n}\n\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*^@n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("URangesKt")\n\npackage
kotlin.ranges\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*^@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun UIntRange.random():

```

```

    UInt { \n    return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws
IllegalArgumentExcepion if this range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentExcepion if
this range is empty.\n * \n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntRange.random(random: Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch(e:
IllegalArgumentExcepion) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentExcepion if this range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun ULongRange.random(random: Random): ULong {\n    try {\n        return random.nextULong(this)\n    }
catch(e: IllegalArgumentExcepion) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n *
Returns a random element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull():
UInt? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n * \n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull():
ULong? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness, or `null` if this range
is empty.\n * \n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n    if
(isEmpty())\n        return null\n    return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n    if
(isEmpty())\n        return null\n    return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n
* Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is
`null`.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n    return element != null &&
contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UByte): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
operator fun ULongRange.contains(value: UInt): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: ULong): Boolean {\n    return (value shr UInt.SIZE_BITS) == 0uL &&

```



```

contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UShort): Boolean {\n    return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n    return contains(value.toULong())\n}\n\n/**\n * Returns a
progression from this value down to the specified
[to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is
greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.downTo(to: UByte): UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -
1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value
the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UInt.downTo(to: UInt): UIntProgression {\n    return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n *
Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should
be less
than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULong.downTo(to: ULong): ULongProgression {\n    return ULongProgression.fromClosedRange(this, to, -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UShort.downTo(to: UShort): UIntProgression {\n    return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the
same step.\n * \n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UIntProgression.reversed(): UIntProgression {\n    return UIntProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n * \n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongProgression.reversed(): ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UIntProgression.step(step: Int): UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return
UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression
that goes over the same range with the given step.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULongProgression.step(step:
Long): ULongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.until(to: UByte): UIntRange {\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to:

```

```

UInt): UIntRange {\n  if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n  return this ..
(to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n *
If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULong.until(to: ULong): ULongRange {\n  if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n
return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UShort.until(to: UShort): UIntRange {\n  if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n  return
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified
[minimumValue].\n * \n * @return this value if it's greater
than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceAtLeast(minimumValue: UInt): UInt {\n  return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtLeast(minimumValue: ULong): ULong {\n  return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue]
otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceAtLeast(minimumValue: UByte): UByte {\n  return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtLeast(minimumValue: UShort): UShort {\n  return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceAtMost(maximumValue: UInt): UInt {\n  return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtMost(maximumValue: ULong): ULong {\n  return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UByte.coerceAtMost(maximumValue: UByte): UByte {\n  return if (this > maximumValue) maximumValue
else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return
this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtMost(maximumValue: UShort): UShort {\n    return if (this > maximumValue) maximumValue
else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n
* @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("\n    Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.\n")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("\n    Cannot
coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\n")\n    if (this
< minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n
* @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("\n    Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.\n")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n
* @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("\n    Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.\n")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<UInt>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("\n    Cannot coerce value to
an empty range: $range.\n")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive -
> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n
* @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or
`range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample

```

```

samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n    if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<ULong>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot
coerce value to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n", /*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nimport kotlin.random.*\n\n/**\n * Returns the
sum of all elements in the sequence.\n
*\n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedT
ypes::class)\npublic fun Sequence<UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum
+= element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * The
operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this)
{\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * The
operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * The operation is
_terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsigned
Types::class)\npublic fun Sequence<UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n
sum += element\n    }\n    return sum\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n\npackage kotlin\n\npublic expect open class Error : Throwable {\n
constructor()\n    constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n
constructor(cause: Throwable?)\n}\n\npublic expect open class Exception : Throwable {\n    constructor()\n
constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause:
Throwable?)\n}\n\npublic expect open class RuntimeException : Exception {\n    constructor()\n
constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause:
Throwable?)\n}\n\npublic expect open class IllegalArgumentException : RuntimeException {\n    constructor()\n
constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause:
Throwable?)\n}\n\npublic expect open class IllegalStateException : RuntimeException {\n    constructor()\n
constructor(message: String?)\n    constructor(message: String?, cause: Throwable?)\n    constructor(cause:
Throwable?)\n}\n\npublic expect open class IndexOutOfBoundsException : RuntimeException {\n    constructor()\n
constructor(message: String?)\n}\n\npublic expect open class ConcurrentModificationException :
RuntimeException {\n    constructor()\n    constructor(message: String?)\n    @Deprecated("The constructor is not
supported on all platforms and\n    will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\n
constructor(message: String?, cause: Throwable?)\n    @Deprecated("The constructor is not supported on all platforms and will be
removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\n    constructor(cause: Throwable?)\n}\n\npublic expect open class UnsupportedOperationException : RuntimeException {\n

```

```

constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n
constructor(cause: Throwable?)\n}\n\npublic expect open class NumberFormatException :
IllegalArgumentException {\n constructor()\n constructor(message: String?)\n}\n\npublic expect open class
NullPointerException : RuntimeException {\n constructor()\n constructor(message: String?)\n}\n\npublic expect
open class ClassCastException : RuntimeException {\n constructor()\n constructor(message:
String?)\n}\n\npublic expect open class AssertionError : Error {\n
constructor()\n constructor(message: Any?)\n}\n\npublic expect open class NoSuchElementException :
RuntimeException {\n constructor()\n constructor(message: String?)\n}\n\n@SinceKotlin("1.3")\npublic
expect open class ArithmeticException : RuntimeException {\n constructor()\n constructor(message:
String?)\n}\n\n@Deprecated("This exception type is not supposed to be thrown or caught in common code and will
be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\npublic expect open class
NoWhenBranchMatchedException : RuntimeException {\n constructor()\n constructor(message: String?)\n
constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\n@Deprecated("This
exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-
common soon.", level = DeprecationLevel.ERROR)\npublic expect class UninitializedPropertyAccessException :
RuntimeException {\n constructor()\n
constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause:
Throwable?)\n}\n\n/**\n * Thrown after invocation of a function or property that was expected to return `Nothing`,
but returned something instead.\n * \n * @SinceKotlin("1.4")\n * @PublishedApi\n * internal class
KotlinNothingValueException : RuntimeException {\n constructor(): super()\n constructor(message: String?) :
super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n
constructor(cause: Throwable?) : super(cause)\n}\n\n\n/**\n * Returns the detailed description of this throwable
with its stack trace.\n * \n * The detailed description includes:\n * - the short description (see [Throwable.toString])
of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions that were
[suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed description of each
throwable
in the [Throwable.cause] chain.\n * \n * @SinceKotlin("1.4")\n * public expect fun Throwable.stackTraceToString():
String\n\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to the standard
output or standard error output.\n
*\n * @SinceKotlin("1.4")\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n * public expect fun
Throwable.printStackTrace(): Unit\n\n\n/**\n * When supported by the platform, adds the specified exception to the
list of exceptions that were\n * suppressed in order to deliver this exception.\n
*\n * @SinceKotlin("1.4")\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n * public expect fun
Throwable.addSuppressed(exception: Throwable)\n\n\n/**\n * Returns a list of all exceptions that were suppressed in
order to deliver this exception.\n * \n * The list can be empty:\n * - if no exceptions were suppressed;\n * - if the
platform doesn't support suppressed exceptions;\n * - if this [Throwable] instance has disabled the suppression.\n
*\n * @SinceKotlin("1.4")\n * public
expect val Throwable.suppressedExceptions: List<Throwable>\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n * \n * \n * package kotlin.js\n * \n * import
kotlin.annotation.AnnotationTarget.\n * \n * \n * \n * Gives a declaration (a function, a property or a class) specific name
in JavaScript.\n * \n * @Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER,
PROPERTY_SETTER)\n * @OptionalExpectation\n * public expect annotation class JsName(val name: String)\n\n\n/**\n
* Marks experimental JS export annotations.\n * \n * Note that behavior of these annotations will likely be changed
in the future.\n * \n * Usages of such annotations will be reported as warnings unless an explicit opt-in with\n * the
[OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`,\n * or with the `Xopt-
in=kotlin.js.ExperimentalJsExport` compiler option

```

```

is given.\n *\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.WARNING)\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Since
Kotlin("1.4")\n\npublic annotation class ExperimentalJsExport\n\n/**\n * Exports top-level declaration on JS
platform.\n *\n * Compiled module exposes declarations that are marked with this annotation without name
mangling.\n *\n * This annotation can be applied to either files or top-level declarations.\n *\n * It is currently
prohibited to export the following kinds of declarations:\n *\n * * `expect` declarations\n * * inline functions with
reified type parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * *
extension properties\n * * enum classes\n * * annotation classes\n *\n * Signatures of exported declarations must
only contain "exportable" types:\n *\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`,
`Float`, `Double`\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n *
* `Array<exportable-type>`\n * * Function types with exportable parameters and return types\n * * `external` or
`@JsExport` classes and interfaces\n * * Nullable counterparts of types above\n * * Unit return type. Must not be
nullable\n *\n * This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n
*\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY,
FUNCTION, FILE)\n@SinceKotlin("1.4")\n@OptionalExpectation\n\npublic expect annotation class
JsExport(),"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.io\n\n/** Prints the line separator to the standard output stream. *\n\npublic expect fun
println()\n\n/**

```

```

Prints the given [message] and the line separator to the standard output stream. *\n\npublic expect fun
println(message: Any?)\n\n/** Prints the given [message] to the standard output stream. *\n\npublic expect fun
print(message: Any?)\n\n/**\n * Reads a line of input from the standard input stream and returns it,\n * or throws a
[RuntimeException] if EOF has already been reached when [readln] is called.\n *\n * LF or CRLF is treated as the
line terminator. Line terminator is not included in the returned string.\n *\n * Currently this function is not supported
in Kotlin/JS and throws [UnsupportedOperationException].\n *\n@SinceKotlin("1.6")\n\npublic expect fun
readln(): String\n\n/**\n * Reads a line of input from the standard input stream and returns it,\n * or return `null` if
EOF has already been reached when [readlnOrNull] is called.\n *\n * LF or CRLF is treated as the line terminator.
Line terminator is not included in the returned string.\n *\n * Currently this function is

```

```

not supported in Kotlin/JS and throws [UnsupportedOperationException].\n *\n@SinceKotlin("1.6")\n\npublic
expect fun readlnOrNull(): String?\n\ninternal class ReadAfterEOFException(message: String?) :
RuntimeException(message)\n\ninternal expect interface Serializable\n","/**\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n *\n@npackage kotlin.collections\n\nimport
kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can be represented as a
sequence of elements that can\n * be iterated over.\n * @param T the type of element being iterated over. The
iterator is covariant in its element type.\n *\n@npublic interface Iterable<out T> {\n // **\n * Returns an iterator
over the elements of this object.\n *\n *\n public operator fun iterator(): Iterator<T>\n }\n\n/**\n * Classes that
inherit from

```

```

this interface can be represented as a sequence of elements that can\n * be iterated over and that supports removing
elements during iteration.\n * @param T the type of element being iterated over. The mutable iterator is invariant in
its element type.\n *\n@npublic interface MutableIterable<out T> : Iterable<T> {\n // **\n * Returns an iterator
over the elements of this sequence that supports removing elements during iteration.\n *\n@n override fun
iterator(): MutableIterator<T>\n }\n\n/**\n * A generic collection of elements. Methods in this interface support only
read-only access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n *
@param E the type of elements contained in the collection. The collection is covariant in its element type.\n
*\n@npublic interface Collection<out E> : Iterable<E> {\n // Query Operations\n // **\n * Returns the size of the
collection.\n *\n *\n public val size: Int\n\n // **\n * Returns

```

```

`true` if the collection is empty (contains no elements), `false` otherwise.\n
 */\n
 public fun isEmpty():
 Boolean\n\n
 /**\n
  * Checks if the specified element is contained in this collection.\n
  */\n
 public operator
 fun contains(element: @UnsafeVariance E): Boolean\n\n
 override fun iterator(): Iterator<E>\n\n
 // Bulk
 Operations\n
 /**\n
  * Checks if all elements in the specified collection are contained in this collection.\n
  */\n
 public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n
} \n\n
/**\n
 * A generic collection of
 elements that supports adding and removing elements.\n
 */\n
 * @param E the type of elements contained in the
 collection. The mutable collection is invariant in its element type.\n
 */\n
public interface MutableCollection<E> :
 Collection<E>, MutableIterable<E> {\n
 // Query Operations\n
 override fun iterator(): MutableIterator<E>\n\n
 // Modification Operations\n
 /**\n
  * Adds the specified element
 to the collection.\n
 */\n
 * @return `true` if the element has been added, `false` if the collection does not support
 duplicates\n
 * and the element is already contained in the collection.\n
 */\n
 public fun add(element: E):
 Boolean\n\n
 /**\n
  * Removes a single instance of the specified element from this\n
  * collection, if it is
 present.\n
 */\n
 * @return `true` if the element has been successfully removed; `false` if it was not present in the
 collection.\n
 */\n
 public fun remove(element: E): Boolean\n\n
 // Bulk Modification Operations\n
 /**\n
  *
 Adds all of the elements of the specified collection to this collection.\n
 */\n
 * @return `true` if any of the
 specified elements was added to the collection, `false` if the collection was not modified.\n
 */\n
 public fun
 addAll(elements: Collection<E>): Boolean\n\n
 /**\n
  * Removes all of this collection's elements that are also
 contained in the specified collection.\n
 */\n
 * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was
 not modified.\n
 */\n
 public fun removeAll(elements: Collection<E>): Boolean\n\n
 /**\n
  * Retains only the
 elements in this collection that are contained in the specified collection.\n
 */\n
 * @return `true` if any element
 was removed from the collection, `false` if the collection was not modified.\n
 */\n
 public fun
 retainAll(elements: Collection<E>): Boolean\n\n
 /**\n
  * Removes all elements from this collection.\n
 */\n
 public fun clear(): Unit\n\n
} \n\n
/**\n
 * A generic ordered collection of elements. Methods in this interface support
 only read-only access to the list;\n
 * read/write access is supported through the [MutableList] interface.\n
 */\n
 * @param
 E the type of elements contained in the list. The list is covariant in its element type.\n
 */\n
public interface List<out
 E> : Collection<E> {\n
 // Query Operations\n\n
 override val
 size: Int\n\n
 override fun isEmpty(): Boolean\n\n
 override fun contains(element: @UnsafeVariance E): Boolean\n\n
 override fun iterator(): Iterator<E>\n\n
 // Bulk Operations\n\n
 override fun containsAll(elements:
 Collection<@UnsafeVariance E>): Boolean\n\n
 // Positional Access Operations\n
 /**\n
  * Returns the element
 at the specified index in the list.\n
 */\n
 public operator fun get(index: Int): E\n\n
 // Search Operations\n
 /**\n
  * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\n
  * element
 is not contained in the list.\n
 */\n
 public fun indexOf(element: @UnsafeVariance E): Int\n\n
 /**\n
  * Returns
 the index of the last occurrence of the specified element in the list, or -1 if the specified\n
  * element is not
 contained in the list.\n
 */\n
 public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n
 // List Iterators\n
 /**\n
  * Returns a list iterator over the elements
 in this list (in proper sequence).\n
 */\n
 public fun listIterator(): ListIterator<E>\n\n
 /**\n
  * Returns a list
 iterator over the elements in this list (in proper sequence), starting at the specified [index].\n
 */\n
 public fun
 listIterator(index: Int): ListIterator<E>\n\n
 // View\n
 /**\n
  * Returns a view of the portion of this list between
 the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n
  * The returned list is backed by this list, so non-
 structural changes in the returned list are reflected in this list, and vice-versa.\n
  */\n
 * Structural changes in the
 base list make the behavior of the view undefined.\n
 */\n
 public fun subList(fromIndex: Int, toIndex: Int):
 List<E>\n\n
} \n\n
/**\n
 * A generic ordered collection of elements that supports adding and removing elements.\n
 */\n
 * @param E the type of elements contained in the list. The mutable list is invariant in its element type.\n
 */\n
public
 interface MutableList<E> : List<E>,
 MutableCollection<E> {\n
 // Modification Operations\n
 /**\n
  * Adds the specified element to the end of this
 list.\n
 */\n
 * @return `true` because the list is always modified as the result of this operation.\n
 */\n
 override
 fun add(element: E): Boolean\n\n
 override fun remove(element: E): Boolean\n\n
 // Bulk Modification

```

```

Operations\n /**\n * Adds all of the elements of the specified collection to the end of this list.\n *\n * The
elements are appended in the order they appear in the [elements] collection.\n *\n * @return `true` if the list
was changed as the result of the operation.\n *\n override fun addAll(elements: Collection<E>): Boolean\n\n
/**\n * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].\n
*\n * @return `true` if the list was changed as the result of the operation.\n *\n public fun addAll(index: Int,
elements: Collection<E>):
Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements:
Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces
the element at the specified position in this list with the specified element.\n *\n * @return the element
previously at the specified position.\n *\n public operator fun set(index: Int, element: E): E\n\n /**\n *
Inserts an element into the list at the specified [index].\n *\n public fun add(index: Int, element: E): Unit\n\n
/**\n * Removes an element at the specified [index] from the list.\n *\n * @return the element that has been
removed.\n *\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator():
MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override
fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n
* A generic unordered collection of elements that does not support duplicate elements.\n * Methods in this interface
support only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n *
@param E the type of elements contained in the set. The set is covariant in its element type.\n *\n\npublic interface
Set<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty():
Boolean\n\n override fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator():
Iterator<E>\n\n // Bulk Operations\n\n override fun containsAll(elements: Collection<@UnsafeVariance E>):
Boolean\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements, and
supports\n * adding and removing elements.\n * @param E the type of elements contained in the set. The mutable
set is invariant in its element type.\n *\n\npublic interface MutableSet<E> : Set<E>,\n
MutableCollection<E> {\n // Query Operations\n\n override fun iterator(): MutableIterator<E>\n\n //
Modification Operations\n\n /**\n * Adds the specified element to the set.\n *\n * @return `true` if the
element has been added, `false` if the element is already contained in the set.\n *\n override fun add(element:
E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n\n override
fun addAll(elements: Collection<E>): Boolean\n\n override fun removeAll(elements: Collection<E>): Boolean\n\n
override fun retainAll(elements: Collection<E>): Boolean\n\n override fun clear(): Unit\n}\n\n/**\n * A collection
that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each
key. Map keys are unique; the map holds only one value for each key.\n * Methods in this interface support only
read-only access to the map; read-write access is supported through\n * the
[MutableMap] interface.\n * @param K the type of map keys. The map is invariant in its key type, as it\n *
can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n * @param V the type of
map values. The map is covariant in its value type.\n *\n\npublic interface Map<K, out V> {\n // Query
Operations\n /**\n * Returns the number of key/value pairs in the map.\n *\n public val size: Int\n\n
/**\n * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n *\n public fun
isEmpty(): Boolean\n\n /**\n * Returns `true` if the map contains the specified [key].\n *\n public fun
containsKey(key: K): Boolean\n\n /**\n * Returns `true` if the map maps one or more keys to the specified
[value].\n *\n public fun containsValue(value: @UnsafeVariance V): Boolean\n\n /**\n * Returns the
value corresponding to the given [key], or `null` if such a key is not present in
the map.\n *\n public operator fun get(key: K): V?\n\n /**\n * Returns the value corresponding to the
given [key], or [defaultValue] if such a key is not present in the map.\n *\n * @since JDK 1.8\n *\n\n
@SinceKotlin("1.1")\n @PlatformDependent\n public fun getOrDefault(key: K, defaultValue:
@UnsafeVariance V): V {\n // See default implementation in JDK sources\n\n throw
NotImplementedError()\n }\n\n // Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n *\n\n
public val keys: Set<K>\n\n /**\n * Returns a read-only [Collection] of all values in this map. Note that this

```



```

collection may contain duplicate values.\n    */\n    public val values: Collection<V>\n\n    /**\n     * Returns a read-only [Set] of all key/value pairs in this map.\n    */\n    public val entries: Set<Map.Entry<K, V>>\n\n    /**\n     * Represents a key/value pair held by a [Map].\n    */\n    public interface Entry<out K, out V> {\n        /**\n         * Returns the key of this key/value pair.\n        */\n        public val key: K\n\n        /**\n         * Returns the value of this key/value pair.\n        */\n        public val value: V\n    }\n\n    /**\n     * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n     * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n     * @param K the type of map keys. The map is invariant in its key type.\n     * @param V the type of map values. The mutable map is invariant in its value type.\n    */\n    public interface MutableMap<K, V> : Map<K, V> {\n        // Modification Operations\n        /**\n         * Associates the specified [value] with the specified [key] in the map.\n         * @return the previous value associated with the key, or `null` if the key was not present in the map.\n        */\n        public fun put(key: K, value: V): V?\n\n        /**\n         * Removes the specified key and its corresponding value from this map.\n         * @return the previous value associated with the key, or `null` if the key was not present in the map.\n        */\n        public fun remove(key: K): V?\n\n        /**\n         * Removes the entry for the specified key only if it is mapped to the specified value.\n         * @return true if entry was removed\n        */\n        @SinceKotlin("1.1")\n        @PlatformDependent\n        public fun remove(key: K, value: V): Boolean\n\n        // Bulk Modification Operations\n        /**\n         * Updates this map with key/value pairs from the specified map [from].\n        */\n        public fun putAll(from: Map<out K, V>): Unit\n\n        /**\n         * Removes all elements from this map.\n        */\n        public fun clear(): Unit\n\n        // Views\n        /**\n         * Returns a [MutableSet] of all keys in this map.\n        */\n        override val keys: MutableSet<K>\n\n        /**\n         * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n        */\n        override val values: MutableCollection<V>\n\n        /**\n         * Returns a [MutableSet] of all key/value pairs in this map.\n        */\n        override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n        /**\n         * Represents a key/value pair held by a [MutableMap].\n        */\n        public interface MutableEntry<K, V> : Map.Entry<K, V> {\n            /**\n             * Changes the value associated with the key of this entry.\n             * @return the previous value corresponding to the key.\n            */\n            public fun setValue(newValue: V): V\n        }\n    }\n\n    /* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. */\n\n    // Auto-generated file. DO NOT EDIT!\n\n    package kotlin.collections\n\n    /** An iterator over a sequence of values of type `Byte`. */\n    public abstract class ByteIterator : Iterator<Byte> {\n        override final fun next() = nextByte()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextByte(): Byte\n    }\n\n    /** An iterator over a sequence of values of type `Char`. */\n    public abstract class CharIterator : Iterator<Char> {\n        override final fun next() = nextChar()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextChar(): Char\n    }\n\n    /** An iterator over a sequence of values of type `Short`. */\n    public abstract class ShortIterator : Iterator<Short> {\n        override final fun next() = nextShort()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextShort(): Short\n    }\n\n    /** An iterator over a sequence of values of type `Int`. */\n    public abstract class IntIterator : Iterator<Int> {\n        override final fun next() = nextInt()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextInt(): Int\n    }\n\n    /** An iterator over a sequence of values of type `Long`. */\n    public abstract class LongIterator : Iterator<Long> {\n        override final fun next() = nextLong()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextLong(): Long\n    }\n\n    /** An iterator over a sequence of values of type `Float`. */\n    public abstract class FloatIterator : Iterator<Float> {\n        override final fun next() = nextFloat()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextFloat(): Float\n    }\n\n    /** An iterator over a sequence of values of type `Double`. */\n    public abstract class DoubleIterator : Iterator<Double> {\n        override final fun next() = nextDouble()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextDouble(): Double\n    }\n\n    /** An iterator over a sequence of values of type `Boolean`. */\n    public abstract

```

```

class BooleanIterator : Iterator<Boolean> {
    override fun next() = nextBoolean()
    /** Returns the next value in the sequence without boxing. */
    public abstract fun nextBoolean(): Boolean
}

/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
// Auto-generated file. DO NOT EDIT!

package kotlin.ranges

/** An iterator over a progression of values of type `Char`.
 * @property step the number by which the value is incremented on each step.
 */
internal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {
    private val finalElement: Int = last.code
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private var next: Int = if (hasNext) first.code else finalElement

    override fun hasNext(): Boolean = hasNext

    override fun nextChar(): Char {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value.toChar()
    }
}

/** An iterator over a progression of values of type `Int`.
 * @property step the number by which the value is incremented on each step.
 */
internal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {
    private val finalElement: Int = last
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private var next: Int = if (hasNext) first else finalElement

    override fun hasNext(): Boolean = hasNext

    override fun nextInt(): Int {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value
    }
}

/** An iterator over a progression of values of type `Long`.
 * @property step the number by which the value is incremented on each step.
 */
internal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {
    private val finalElement: Long = last
    private var hasNext: Boolean = if (step > 0) first <= last else first >= last
    private var next: Long = if (hasNext) first else finalElement

    override fun hasNext(): Boolean = hasNext

    override fun nextLong(): Long {
        val value = next
        if (value == finalElement) {
            if (!hasNext) throw kotlin.NoSuchElementException()
            hasNext = false
        } else {
            next += step
        }
        return value
    }
}

/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
// Auto-generated file. DO NOT EDIT!

package kotlin.ranges

import kotlin.internal.getProgressionLastElement

/** A progression of values of type `Char`.
 */
public open class CharProgression(
    internal constructor(
        start: Char,
        endInclusive: Char,
        step: Int
    ) : Iterable<Char> {
    init {
        if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-zero.")
        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to avoid overflow on negation.")
    }

    /** The first element in the progression.
     */
    public val first: Char = start

    /** The last element in the progression.
     */
    public val last: Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()

    /** The step of the progression.
     */
    public val step: Int = step

    override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)

    /** Checks if the progression is empty.
     */
    public fun isEmpty(): Boolean = if (step > 0) first > last else first < last

    override fun equals(other: Any?): Boolean =
        other is CharProgression && (isEmpty() && other.isEmpty() || first == other.first && last == other.last && step == other.step)

    override fun hashCode(): Int =
        if (isEmpty()) -1 else (31 * (31 * first.code + last.code) + step)

    override fun toString(): String =
        if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"
}

companion object {
    /** Creates CharProgression within the specified bounds of a closed range.
     */
    public fun range(start: Char, end: Char, step: Int): CharProgression {
        /** The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].
         * In order to go backwards the [step] must be negative.
         * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.
         */
        return CharProgression(start, end, step)
    }
}

```

```

*/\n    public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression =
CharProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n/**\n * A progression of values of type `Int`.\n */\n\npublic
open class IntProgression\n    internal constructor\n        (\n            start: Int,\n            endInclusive: Int,\n            step:
Int\n        ): Iterable<Int> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-
zero.")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than
Int.MIN_VALUE to avoid overflow
on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Int = start\n\n
/**\n     * The last element in the progression.\n     */\n    public val last: Int = getProgressionLastElement(start,
endInclusive, step)\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Int = step\n\n    override
fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n    /**\n     * Checks if the progression is
empty.\n     */\n    * Progression with a positive step is empty if its first element is greater than the last element.\n
* Progression with a negative step is empty if its first element is less than the last element.\n     */\n    public open
fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntProgression && (isEmpty() && other.isEmpty()) ||\n            first == other.first && last == other.last &&
step == other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n    override fun
toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"\n\n    companion
object {\n        /**\n         * Creates IntProgression within the specified bounds of a closed range.\n         */\n        *
The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the
specified [step].\n         * In order to go backwards the [step] must be negative.\n         */\n        * [step] must be
greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun fromClosedRange(rangeStart: Int,
rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n/**\n * A
progression of values of type `Long`.\n */\n\npublic open class LongProgression\n    internal constructor\n        (\n            start: Long,\n
            endInclusive: Long,\n            step: Long\n        ): Iterable<Long> {\n    init {\n        if (step == 0L) throw
kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step == Long.MIN_VALUE) throw
kotlin.IllegalArgumentException("Step must be greater than Long.MIN_VALUE to avoid overflow on
negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Long = start\n\n
/**\n     * The last element in the progression.\n     */\n    public val last: Long = getProgressionLastElement(start,
endInclusive, step)\n\n    /**\n     * The step of the progression.\n     */\n    public val step: Long = step\n\n    override
fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\n\n    /**\n     * Checks if the
progression is empty.\n     */\n    * Progression with a positive step is empty if its first element is greater than the last
element.\n    * Progression with a negative step is empty if its first element
is less than the last element.\n     */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last else first <
last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongProgression && (isEmpty() &&
other.isEmpty()) ||\n            first == other.first && last == other.last && step == other.step)\n\n    override fun
hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step
xor (step ushr 32))).toInt()\n\n    override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first
downTo $last step ${-step}"\n\n    companion object {\n        /**\n         * Creates LongProgression within the
specified bounds of a closed range.\n         */\n        * The progression starts with the [rangeStart] value and goes
toward the [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step]
must be negative.\n         */\n        * [step]
must be greater than `Long.MIN_VALUE` and not equal to zero.\n         */\n        public fun
fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart,
rangeEnd, step)\n    }\n}\n\n"/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example,
numbers or characters).\n * See the [Kotlin language

```

documentation](<https://kotlinlang.org/docs/reference/ranges.html>) for more information.

```

public interface
ClosedRange<T: Comparable<T>> {
    /**
     * The minimum value in the range.
     */
    public val start: T
    /**
     * The maximum value in the range (inclusive).
     */
    public val endInclusive: T
    /**
     * Checks whether the specified [value] belongs to the range.
     */
    public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive
    /**
     * Checks whether the range is empty.
     * The range is empty if its start value is greater than the end value.
     */
    public fun isEmpty(): Boolean = start > endInclusive
}

```

Copyright 2010-2015 JetBrains s.r.o.
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
<http://www.apache.org/licenses/LICENSE-2.0>
Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The type with only one value: the `Unit` object.

This type corresponds to the `void` type in Java.

```

public object Unit {
    override fun toString() =
        "kotlin.Unit"
}

```

Copyright 2010-2015 JetBrains s.r.o.
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
<http://www.apache.org/licenses/LICENSE-2.0>
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

AnnotationTarget

```

import kotlin.annotation.AnnotationTarget

```

Contains the list of code elements which are the possible annotation targets

```

public enum class AnnotationTarget {
    /** Class, interface or object,
     * annotation class is also included */
    CLASS,
    /** Annotation class only */
    ANNOTATION_CLASS,
    /** Generic type parameter */
    TYPE_PARAMETER,
    /** Property */
    PROPERTY,
    /** Field, including property's backing field */
    FIELD,
    /** Local variable */
    LOCAL_VARIABLE,
    /** Value parameter of a function or a constructor */
    VALUE_PARAMETER,
    /** Constructor only (primary or secondary) */
    CONSTRUCTOR,
    /** Function (constructors are not included) */
    FUNCTION,
    /** Property getter only */
    PROPERTY_GETTER,
    /** Property setter only */
    PROPERTY_SETTER,
    /** Type usage */
    TYPE,
    /** Any expression */
    EXPRESSION,
    /** File */
    FILE,
    /** Type alias */
    @SinceKotlin("1.1")
    TYPEALIAS
}

```

Contains the list of possible annotation's retentions.

Determines how an annotation is stored in binary output.

```

public enum class AnnotationRetention {
    /**
     * Annotation isn't stored in binary output
     */
    SOURCE,
    /**
     * Annotation is stored in binary output, but invisible for reflection
     */
    BINARY,
    /**
     * Annotation is stored in binary output and visible for reflection (default retention)
     */
    RUNTIME
}

```

This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.

If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements: [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].

@property allowedTargets list of allowed annotation targets

```

@Target(AnnotationTarget.ANNOTATION_CLASS)
@MustBeDocumented
public annotation class Target(
    vararg val allowedTargets: AnnotationTarget
)

```

This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.

@property value necessary annotation retention (RUNTIME, BINARY or SOURCE)

```

@Target(AnnotationTarget.ANNOTATION_CLASS)
public annotation class Retention(
    val value: AnnotationRetention = AnnotationRetention.RUNTIME
)

```

This meta-annotation determines that an annotation is applicable twice or more on a single code element

```

*\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation for the element to which the annotation is applied.\n
*\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n"/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the "License");\n *\n * you may not use this file except in compliance with the License.\n *\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n
*\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an "AS IS" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n
*\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n
*\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n
*\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n
*\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n
*\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@JsName("arrayIterator")\ninternal

```

```

fun arrayIterator(array: dynamic, type: String?) = when (type) {
    null -> {
        val arr: Array<dynamic> = array
        object : Iterator<dynamic> {
            var index = 0
            override fun hasNext() = index < arr.size
            override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("$index")
        }
        "BooleanArray" -> booleanArrayIterator(array)
        "ByteArray" -> byteArrayIterator(array)
        "ShortArray" -> shortArrayIterator(array)
        "CharArray" -> charArrayIterator(array)
        "IntArray" -> intArrayIterator(array)
        "LongArray" -> longArrayIterator(array)
        "FloatArray" -> floatArrayIterator(array)
        "DoubleArray" -> doubleArrayIterator(array)
        else -> throw IllegalStateException("Unsupported type argument for arrayIterator: $type")
    }
}

@JsName("booleanArrayIterator")
internal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("byteArrayIterator")
internal fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("shortArrayIterator")
internal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextShort() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("charArrayIterator")
internal fun charArrayIterator(array: CharArray) = object : CharIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("intArrayIterator")
internal fun intArrayIterator(array: IntArray) = object : IntIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("floatArrayIterator")
internal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("doubleArrayIterator")
internal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("longArrayIterator")
internal fun longArrayIterator(array: LongArray) = object : LongIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException("$index")
}

@JsName("PropertyMetadata")
internal class PropertyMetadata(@JsName("callableName") val name: String)

@JsName("noWhenBranchMatched")
internal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()

@JsName("subSequence")
internal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {
    if (c is String) {
        return c.substring(startIndex, endIndex)
    } else {
        return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)
    }
}

@JsName("captureStack")
internal fun captureStack(@Suppress("UNUSED_PARAMETER") baseClass: JsClass<in Throwable>, instance: Throwable) {
    if (js("Error").captureStackTrace) {
        // Using uncropped stack traces due to KT-37563.
        // Precise stack traces are implemented in JS IR compiler and stdlib
        js("Error").captureStackTrace(instance)
    } else {
        instance.asDynamic().stack = js("new Error()").stack
    }
}

@JsName("newThrowable")
internal fun newThrowable(message: String?, cause: Throwable?): Throwable {
    val throwable = js("new Error()")
    throwable.message = if (jsTypeOf(message) == "undefined") {
        if (cause != null) cause.toString()
    } else {
        message
    }
    throwable.cause = cause
    throwable.name = "Throwable"
    return throwable
}

@JsName("BoxedChar")
internal

```

```

class BoxedChar(val c: Int) : Comparable<Int> {
    override fun equals(other: Any?): Boolean {
        return other is BoxedChar && c == other.c
    }
    override fun hashCode(): Int {
        return c
    }
    override fun toString(): String {
        return js("this.c").unsafeCast<Char>().toString()
    }
    override fun compareTo(other: Int): Int {
        return js("this.c - other").unsafeCast<Int>()
    }
}
@JsName("valueOf")
public fun valueOf(): Int {
    return c
}
}
}
@kotlin.internal.InlineOnly
internal inline fun <T> concat(args: Array<T>): T {
    val typed = js("Array")(args.size)
    for (i in args.indices) {
        val arr = args[i]
        if (arr !is Array<*>) {
            typed[i] = js("[]").slice.call(arr)
        } else {
            typed[i] = arr
        }
    }
    return js("[]").concat.apply(js("[]"), typed)
}
}
}
/** Concat regular Array's and TypedArray's into an Array.
 *
 * @PublishedApi
 * @JsName("arrayConcat")
 * @Suppress("UNUSED_PARAMETER")
 * internal fun <T> arrayConcat(a: T, b: T): T {
    return concat(js("arguments"))
}
}
}
/** Concat primitive arrays. Main use:
 * prepare vararg arguments.
 * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.
 * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.
 * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.
 * If the first argument is a regular Array without the $type$ property default to arrayConcat.
 *
 * @PublishedApi
 * @JsName("primitiveArrayConcat")
 * @Suppress("UNUSED_PARAMETER")
 * internal fun <T> primitiveArrayConcat(a: T, b: T): T {
    val args: Array<T> = js("arguments")
    if (a is Array<*> && a.asDynamic().`$type$` === undefined) {
        return concat(args)
    } else {
        var size = 0
        for (i in args.indices) {
            size += args[i].asDynamic().length as Int
        }
        val result = js("new a.constructor(size)")
        kotlin.copyArrayType(a, result)
        size = 0
        for (i in args.indices) {
            val arr = args[i].asDynamic()
            for (j in 0 until arr.length) {
                result[size++] = arr[j]
            }
        }
        return result
    }
}
}
}
@JsName("booleanArrayOf")
internal fun booleanArrayOf() = withType("BooleanArray", js("[]").slice.call(arguments))
@JsName("charArrayOf")
// The arguments have to be slice'd here because of Rhino (see KT-16974)
internal fun charArrayOf() = withType("CharArray", js("new Uint16Array([]).slice.call(arguments)"))
@JsName("longArrayOf")
internal fun longArrayOf() = withType("LongArray", js("[]").slice.call(arguments))
}
}
@JsName("withType")
@kotlin.internal.InlineOnly
internal inline fun withType(type: String, array: dynamic): dynamic {
    array.`$type$` = type
    return array
}
}
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * @file: Suppress("UNUSED_PARAMETER", "NOTHING_TO_INLINE")
 * @package kotlin.js
 *
 * Function corresponding to JavaScript's `typeof` operator
 *
 * @kotlin.internal.InlineOnly
 * @Suppress("UNUSED_PARAMETER")
 * public inline fun jsTypeOf(a: Any?): String = js("typeof a")
}
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 *
 * @file: Suppress("UNUSED_PARAMETER", "NOTHING_TO_INLINE")
 * @package kotlin.js
 *
 * Returns an empty array of the specified type [T].
 *
 * @public inline fun <T> emptyArray(): Array<T> = js("[]")
}
}
@library
public fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally
@library
public fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally
@library
public fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally
@library
public fun longArrayOf(vararg elements: Long): LongArray = definedExternally
@library
public fun intArrayOf(vararg elements: Int): IntArray = definedExternally
@library
public fun charArrayOf(vararg elements: Char): CharArray = definedExternally
@library
public fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally
}
}
}

```

```

definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function
[initializer].\n *\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n *
Creates a new
instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode] parameter is
ignored. *\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization
function [initializer].\n *\n * The [lock] parameter is ignored.\n *\npublic actual fun <T> lazy(lock: Any?,
initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic):
dynamic {\n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index <
srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n}\n\n\ninternal fun arrayCopyResize(source:
dynamic, newSize: Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n
copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) {\n
        result.length = newSize\n        while (index < newSize) result[index++] = defaultValue\n    }\n    return
result\n}\n\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val
result = array.slice()\n    result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int =
array.length\n    for (element in collection) result[index++] = element\n    return result\n}\n\n\ninternal fun <T>
fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n
for (element in collection) dst[index++] = element\n    return dst\n}\n\n\ninternal inline fun copyArrayType(from:
dynamic, to: dynamic) {\n    if (from.`$type$` !== undefined) {\n        to.`$type$` = from.`$type$`\n
    }\n}\n\n\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js("Kotlin").isType(obj, jsClass),"/*\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin\n\n/**\n * Creates a Char with the specified [code].\n *\n * @sample
samples.text.Chars.charFromCode\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Char(code: UShort): Char {\n    return code.toInt().toChar()\n}\n\n",/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n@JsName("CoroutineImpl")\n\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? =
null\n    protected var exception: Throwable? = null\n    protected var finallyPath: Array<Int?> = null\n    public
override val context: CoroutineContext = resultContinuation.context\n    private var intercepted_:
Continuation<Any?>? = null\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_\n        ?:
(context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n        .also { intercepted_ = it }\n    public
override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? =
result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n        // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n
            with(current) {\n                val completion = resultContinuation\n                // Set result and exception fields in
the current continuation\n                if (currentException
== null) {\n                    this.result = currentResult\n                } else {\n                    state = exceptionState\n
                    exception = currentException\n                }\n                try {\n                    val outcome = doResume()\n
                    if (outcome === COROUTINE_SUSPENDED) return\n                    currentResult = outcome\n
                } catch (exception: dynamic) { // Catch all exceptions\n                    currentResult = null\n
                    currentException = exception.unsafeCast<Throwable>()\n                }\n                releaseIntercepted() // this state machine instance is terminating\n                if (completion is CoroutineImpl) {\n

```



```

        // unrolling recursion via loop\n        current = completion\n        } else {\n        // top-level completion reached -- invoke and return\n        currentException?.let\n        {\n        completion.resumeWithException(it)\n        } ?: completion.resume(currentResult)\n        return\n        }\n        }\n        }\n        }\n        private fun releaseIntercepted() {\n        val intercepted = intercepted_\n        if (intercepted != null && intercepted !== this) {\n        context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_ = CompletedContinuation // just in case\n        }\n        protected abstract fun doResume(): Any?\n        }\n        internal object CompletedContinuation : Continuation<Any?> {\n        override val context: CoroutineContext\n        get() = error(\"This continuation is already complete\")\n        override fun resumeWith(result: Result<Any?>) {\n        error(\"This continuation is already complete\")\n        }\n        override fun toString(): String = \"This continuation is already complete\"\n        }\n        } /*\n        * Copyright 2010-2018 JetBrains\n        s.r.o. and Kotlin Programming Language contributors.\n        * Use of this source code is governed by the Apache 2.0\n        license that can be found in the license/LICENSE.txt file.\n        */\n        @file:Suppress(\"UNCHECKED_CAST\", \"RedundantVisibilityModifier\")\n        package kotlin\n        import kotlin.contracts.*\n        import kotlin.internal.InlineOnly\n        import kotlin.jvm.JvmField\n        import kotlin.jvm.JvmInline\n        import kotlin.jvm.JvmName\n        /**\n        * A discriminated union that encapsulates a successful outcome with a value of type [T]\n        * or a failure with an arbitrary [Throwable] exception.\n        */\n        @SinceKotlin(\"1.3\")\n        @JvmInline\n        public value class Result<out T> @PublishedApi internal constructor(\n        @PublishedApi\n        internal val value: Any?)\n        : Serializable {\n        // discovery\n        /**\n        * Returns `true` if this instance represents a successful outcome.\n        * In this case [isFailure] returns `false`.\n        */\n        @JvmName(\"isSuccess\")\n        public val isSuccess: Boolean get() = value !is Failure\n        /**\n        * Returns `true` if this instance represents a failed outcome.\n        * In this case [isSuccess] returns `false`.\n        */\n        @JvmName(\"isFailure\")\n        public val isFailure: Boolean get() = value is Failure\n        // value & exception retrieval\n        /**\n        * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or `null`\n        * if it is [failure][Result.isFailure].\n        */\n        * This function is a shorthand for `getOrElse { null }` (see [getOrElse]) or\n        * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n        */\n        @InlineOnly\n        public inline fun getOrNull(): T? =\n        when {\n        isFailure -> null\n        else -> value as T\n        }\n        /**\n        * Returns the encapsulated [Throwable] exception if this instance represents [failure][isFailure] or `null`\n        * if it is [success][isSuccess].\n        */\n        * This function is a shorthand for `fold(onSuccess = { null }, onFailure = { it })`\n        (see [fold]).\n        */\n        @JvmName(\"exceptionOrNull\")\n        public fun exceptionOrNull():\n        Throwable? =\n        when (value) {\n        is Failure -> value.exception\n        else -> null\n        }\n        /**\n        * Returns a string `Success(v)` if this instance represents [success][Result.isSuccess]\n        * where `v` is a string representation of the value or a string `Failure(x)` if\n        * it is [failure][isFailure] where `x` is a string representation of the exception.\n        */\n        @JvmName(\"toString\")\n        public override fun toString(): String =\n        when (value) {\n        is Failure -> value.toString() // \"Failure($exception)\"\n        else -> \"Success($value)\"\n        }\n        // companion with constructors\n        /**\n        * Companion object for [Result] class that contains its constructor functions\n        * [success] and [failure].\n        */\n        @JvmName(\"companion\")\n        public companion object {\n        /**\n        * Returns an instance that encapsulates the given [value] as successful value.\n        */\n        @Suppress(\"INAPPLICABLE_JVM_NAME\")\n        @InlineOnly\n        @JvmName(\"success\")\n        public inline fun <T> success(value: T): Result<T> =\n        Result(value)\n        /**\n        * Returns an instance that encapsulates the given [Throwable] [exception] as failure.\n        */\n        @Suppress(\"INAPPLICABLE_JVM_NAME\")\n        @InlineOnly\n        @JvmName(\"failure\")\n        public inline fun <T> failure(exception: Throwable): Result<T> =\n        Result(createFailure(exception))\n        }\n        internal class Failure(\n        @JvmField\n        val exception:\n        Throwable\n        ): Serializable {\n        override fun equals(other: Any?): Boolean = other is Failure && exception == other.exception\n        override fun hashCode(): Int = exception.hashCode()\n        override fun toString(): String = \"Failure($exception)\"\n        }\n        /**\n        * Creates an instance of internal marker [Result.Failure] class to\n        * make sure that this class is not exposed in ABI.\n        */\n        @PublishedApi\n        @SinceKotlin(\"1.3\")\n        internal

```

```

fun createFailure(exception: Throwable): Any = \n    Result.Failure(exception)\n\n/**\n * Throws exception if the
result is failure. This internal function minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the
future we can\n * add some exception-augmenting logic here (if needed).\n
*/\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun Result<*>.throwOnFailure() {\n    if (value is
Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated
result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block]
function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun
<R> runCatching(block: () -> R): Result<R> {\n    return try {\n        Result.success(block())\n    } catch (e:
Throwable) {\n        Result.failure(e)\n    }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its
receiver and returns
its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from
the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic
inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n    return try {\n        Result.success(block())\n    }
catch (e: Throwable) {\n        Result.failure(e)\n    }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated
value if this instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if
it is [failure][Result.isFailure].\n */\n * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n
*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n
throwOnFailure()\n    return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents
[success][Result.isSuccess] or the\n * result of [onFailure] function for the
encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n */\n * Note, that this function rethrows any
[Throwable] exception thrown by [onFailure] function.\n */\n * This function is a shorthand for `fold(onSuccess = {
it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R>
Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n    contract {\n        callsInPlace(onFailure,
InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null ->
value as T\n        else -> onFailure(exception)\n    }\n}\n\n/**\n * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n */\n * This
function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n
*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrElse(defaultValue: R):
R {\n
    if (isFailure) return defaultValue\n    return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the
encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for
the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n */\n * Note, that this function rethrows
any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n
*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.fold(\n    onSuccess: (value: T) ->
R,\n    onFailure: (exception: Throwable) -> R\n): R {\n    contract {\n        callsInPlace(onSuccess,
InvocationKind.AT_MOST_ONCE)\n        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> onSuccess(value as T)\n        else ->
onFailure(exception)\n    }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given
[transform] function applied to the
encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated
[Throwable] exception if it is [failure][Result.isFailure].\n */\n * Note, that this function rethrows any [Throwable]
exception thrown by [transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n
*/\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R):
Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when
{\n        isSuccess -> Result.success(transform(value as T))\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns
the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance
represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is
[failure][Result.isFailure].\n */\n * This function catches any [Throwable] exception thrown

```

by [transform] function and encapsulates it as a failure.\n * See [map] for an alternative that rethrows exceptions from `transform` function.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n return when {\n isSuccess -> runCatching { transform(value as T) }\n else -> Result(value)\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n */\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [recoverCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n contract {\n callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> this\n else -> Result.success(transform(exception))\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n */\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [recover] for an alternative that rethrows exceptions.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n return when (val exception = exceptionOrNull()) {\n null -> this\n else -> runCatching { transform(exception) }\n }\n}\n\n/**\n * Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\n contract {\n callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n }\n exceptionOrNull()?.let { action(it) }\n return this\n }\n\n/**\n * Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n contract {\n callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n }\n if (isSuccess) action(value as T)\n return this\n }\n\n-----\n- -\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing a continuation after a suspension point that returns a value of type `T`.\n */\n@SinceKotlin("1.3")\npublic interface Continuation<in T> {\n /**\n * The context of the coroutine that corresponds to this continuation.\n */\n public val context: CoroutineContext\n\n /**\n * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\n * return value of the last suspension point.\n */\n public fun resumeWith(result: Result<T>)\n }\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension\n * `suspend` functions on this particular\n * receiver and are restricted from calling arbitrary suspension functions.\n */\n@SinceKotlin("1.3")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n resumeWith(Result.success(value))\n\n/**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension point.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\n resumeWith(Result.failure(exception))\n\n/**\n * Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic

```

inline fun <T> Continuation(\n context: CoroutineContext,\n crossinline resumeWith: (Result<T>) -> Unit)\n):
Continuation<T> =\n object : Continuation<T> {\n override val context: CoroutineContext\n get() =
context\n\n override fun resumeWith(result: Result<T>) =\n resumeWith(result)\n }\n\n/**\n * Creates
a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the
coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the
resulting continuation will produce an [IllegalStateException].\n
*\n*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).createCoroutine(\n completion: Continuation<T>)\n):
Continuation<Unit> =\n SafeContinuation(createCoroutineUnintercepted(completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This
function creates a new, fresh instance of suspendable computation every time it is invoked.\n * To start
executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent
invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n
*\n*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n receiver: R,\n completion: Continuation<T>)\n): Continuation<Unit> =\n
SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver
and with result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every
time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an
exception.\n *
*\n*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).startCoroutine(\n completion: Continuation<T>)\n) {\n
createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts a coroutine with receiver
type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or
an exception.\n *
*\n*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend
R.() -> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>)\n) {\n
createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current
continuation instance inside suspend functions and suspends\n * the currently running
coroutine.\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used
either synchronously in\n * the same stack-frame where the suspension function is run or asynchronously later in the
same thread or\n * from a different thread of execution. Subsequent invocation of any resume function will produce
an [IllegalStateException].\n *
*\n*\n@SinceKotlin("1.3")\n@InlineOnly\npublic suspend inline fun <T>
suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {\n contract { callsInPlace(block,
InvocationKind.EXACTLY_ONCE) }\n return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> -
->\n val safe = SafeContinuation(c.intercepted())\n block(safe)\n safe.getOrThrow()\n }\n}\n\n/**\n * Returns the context of the current coroutine.\n
*\n*\n@SinceKotlin("1.3")\n@Suppress("WRONG_MODIFIER_TARGET")\n@InlineOnly\npublic
suspend inline val coroutineContext: CoroutineContext\n get() {\n throw
NotImplementedError("Implemented as intrinsic")\n }\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *
*\n*\npackage kotlin.coroutines.intrinsics\n\nimport
kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts an unintercepted coroutine without a receiver
and with result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or
throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n *
*\n * The

```

coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")@InlineOnly
public actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(
    completion: Continuation<T>): Any? =
    this.asDynamic()(completion, false)

```

Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension. Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends. In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception. The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")@InlineOnly
public actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(
    receiver: R, completion: Continuation<T>): Any? =
    this.asDynamic()(receiver, completion, false)

```

internal actual inline fun <R, P, T> (suspend R.(P) -> T).startCoroutineUninterceptedOrReturn(
 receiver: R, param: P, completion: Continuation<T>): Any? = this.asDynamic()(receiver, param, completion, false)

Creates unintercepted coroutine without receiver and with result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by [ContinuationInterceptor]. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <T> (suspend () -> T).createCoroutineUnintercepted(
    completion: Continuation<T>): Continuation<Unit> =
    // Kotlin/JS suspend lambdas have an extra parameter `suspended`
    if (this.asDynamic().length == 2) {
        // When `suspended` is true the continuation is created, but not executed
        this.asDynamic()(completion, true)
    } else {
        createCoroutineFromSuspendFunction(completion) {
            this.asDynamic()(completion)
        }
    }

```

Creates unintercepted coroutine with receiver type [R] and result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by [ContinuationInterceptor]. Repeated invocation of any resume function on the resulting continuation

corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

* Since Kotlin("1.3")
public actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(
receiver: R,
completion: Continuation<T>): Continuation<Unit> =
// Kotlin/JS suspend lambdas have an
extra parameter `suspended`
if (this.asDynamic().length == 3) {
// When `suspended` is true the
continuation is created, but not executed
this.asDynamic()(receiver, completion, true)
} else {
createCoroutineFromSuspendFunction(completion) {
this.asDynamic()(receiver, completion)
}
}
}
* Intercepts this continuation with [ContinuationInterceptor].
* This function shall be used on the
immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],
in which
case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],
invokes
[ContinuationInterceptor.interceptContinuation], caches and returns the result.
* If this function is invoked on
other [Continuation] instances it returns `this` continuation unchanged.
* Since Kotlin("1.3")
public actual
fun <T> Continuation<T>.intercepted(): Continuation<T> =
(this as? CoroutineImpl)?.intercepted() ?:
this
private inline fun <T> createCoroutineFromSuspendFunction(
completion: Continuation<T>,
crossinline block: () -> Any?): Continuation<Unit> {
@Suppress("UNCHECKED_CAST")
return object
: CoroutineImpl(completion as Continuation<Any?>) {
override fun doResume(): Any? {
exception?.let { throw it }
return block()
}
}
}
}
* Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.
* package kotlin.js
// Mirrors signature
from JS IR BE
Used for
js.translator/testData/box/number/mulInt32.kt
@library
@jsName("imulEmulated")
@Suppress("UNUSED_PARAMETER")
internal fun imul(x: Int, y: Int): Int =
definedExternally
@Suppress("NOTHING_TO_INLINE")
internal inline fun isArrayish(o: dynamic) =
js("Kotlin").isArrayish(o)
}
}
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
* package kotlin
// NOTE: Do not author your exceptions as they are written in
this file, instead use this template:
public open class MyException : Exception {
constructor() : super()
constructor(message: String?) : super(message)
constructor(message: String?, cause: Throwable?) :
super(message, cause)
constructor(cause: Throwable?) : super(cause)
}
}
}
// TODO: remove primary
constructors, make all secondary
KT-22055
@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")
public
actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?:
null) {
actual constructor() : this(null, null)
actual constructor(message: String?) : this(message, null)
actual constructor(cause: Throwable?) : this(undefined,
cause)
}
}
@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")
public actual open class Exception actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {
actual constructor() :
this(null, null)
actual constructor(message: String?) : this(message, null)
actual constructor(cause:
Throwable?) : this(undefined, cause)
}
}
public actual open class RuntimeException actual constructor(message:
String?, cause: Throwable?) : Exception(message, cause) {
actual constructor() : this(null, null)
actual
constructor(message: String?) : this(message, null)
actual constructor(cause: Throwable?) : this(undefined,
cause)
}
}
public actual open class IllegalArgumentException actual constructor(message: String?, cause:
Throwable?) : RuntimeException(message, cause) {
actual constructor() : this(null, null)
actual
constructor(message: String?) : this(message, null)
actual constructor(cause: Throwable?) : this(undefined,
cause)
}
}
}
public actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {
actual constructor() : this(null, null)
actual constructor(message:
String?) : this(message, null)
actual constructor(cause: Throwable?) : this(undefined, cause)
}
}
}
public actual
open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {
actual
constructor() : this(null)
}
}
}
public actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {
actual constructor()
}
}
}

```

```

: this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class NumberFormatException actual
constructor(message: String?) : IllegalArgumentException(message) {\n actual constructor() :
this(null)\n}\n\npublic actual open class NullPointerException actual constructor(message: String?) :
RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic actual open class
ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() :
this(null)\n}\n\npublic actual open class
AssertionError\n@SinceKotlin("1.4")\nconstructor(message: String?, cause: Throwable?) : Error(message, cause)
{\n actual constructor() : this(null)\n constructor(message: String?) : this(message, null)\n actual
constructor(message: Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class
NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\n actual
constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\n\npublic actual open class ArithmeticException actual
constructor(message: String?) : RuntimeException(message) {\n actual constructor() : this(null)\n}\n\npublic
actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual
open class
UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n/*\n *
Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be
found in the license/LICENSE.txt file.\n *\n\n@file:Suppress("UNUSED_PARAMETER")\n\npackage
kotlin.js\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun jsDeleteProperty(obj: Any, property: Any) {\n
js("delete obj[property]")\n}\n\n@kotlin.internal.InlineOnly\n\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs:
Any?): Int =\n js("lhs | rhs").unsafeCast<Int>(), /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt
file.\n *\n\npackage kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n * If
[sign] is `NaN` the sign of the result is undefined.\n *\n\n@SinceKotlin("1.2")\n\npublic actual fun
Double.withSign(sign: Double): Double {\n val thisSignBit =
js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n return if (thisSignBit == newSignBit) this else -
this\n} /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout.\n
*\n\n@SinceKotlin("1.2")\n\n@library("doubleToBits")\n\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n *
according to the IEEE 754 floating-point "double format" bit layout,\n * preserving `NaN` values exact layout.\n
*\n\n@SinceKotlin("1.2")\n\n@library("doubleToRawBits")\n\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n
*\n\n@SinceKotlin("1.2")\n\n@kotlin.internal.InlineOnly\n\npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit

```

```

layout.\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n
*\n@SinceKotlin("1.2")\n@library("floatToBits")\npublic
actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-
point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit layout,\n * preserving NaN
values exact layout.\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can
represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and
back.\n *\n@SinceKotlin("1.2")\n@library("floatToRawBits")\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n
*\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float =
js("Kotlin").floatFromBits(bits).unsafeCast<Float>()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal
inline fun Long(low: Int, high: Int) = js("Kotlin").Long.fromBits(low,
high).unsafeCast<Long>()\ninternal inline val Long.low: Int get() =
this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get() =
this.asDynamic().getHighBits().unsafeCast<Int>()\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\nimport kotlin.reflect.KClass\n@PublishedApi\ninternal fun <T :
Annotation> KClass<*>.findAssociatedObject(@Suppress("UNUSED_PARAMETER") annotationClass:
KClass<T>): Any? {\n // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n
return null\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.text\n\n/**\n * Returns a string representation
of this [Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n *\n@SinceKotlin("1.2")\npublic actual fun Long.toString(radix: Int):
String = asDynamic().toString(checkRadix(radix))", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\npackage kotlin.text\n\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n// 1343 ranges totally\nprivate object Category
{\n val decodedRangeStart: IntArray\n val decodedRangeCategory: IntArray\n \n init {\n val toBase64 =
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/"\n val fromBase64 =
IntArray(128)\n for (i in toBase64.indices) {\n
fromBase64[toBase64[i].code] = i\n } \n // rangeStartDiff.length = 1482\n val
rangeStartDiff =
"gBCFEDCKCDCaDDaDBhBCEEDDDDDDEDXBHYBH5BRwBGDCHDCIDFHDCHFDCDEIRTEE7BGHDDJI
CBbSEMOFGERwDEDDDECEFCRBjBFDCYFFCCzBvBjBBFC3BohDBmBDGpBDDCtBBJlEECLGDFC
LDCgBBKVKEDiDDHCFECECKCEODBebC5CLBOKhBJDDDDWEBHFCEFCPBZDEL1BVBSLPBgBB2BDB
DICFBHKCKCPDBHEDWBHEDDDDEDEDIBDGDCKCCGDDDCGECWBFMDDCDEDDCHDDHKDDBK
DBHFCWBFGBDDDFEDBPDDKCHBGDCHEDWBFDFCEDEDBHDDGDCKCGJEGDBFDDFDDEDDME
FDBFDCGBOKDFDFDCGFCXBQDDDDDBEGEDFDDKHBHDDGFCXBKBFCEFCFCHCHECKDNCCHFC
oBEDECFDDDDHDCKJBGDSCSYBJEHBFDDEBIGKDCMuBFHEBGBIBKCKBFBFBXEIFJDFDGCKCEgB
BDPEDGKKGECIBkBEODFFLkBBIBBEFFECIBrBCEBEGDBKGGDDDDCHDENDCFEKDDIBDDFrBCD
pKBECGEECPBBEChBBECGEECPB5BBECjCCDJUDQKG2CCGDsTCRbaCDrCDDIHNBEDLSDCJSCMLFC
CM0BDHGFLBFDDKKGGEFDDBKGjBB1BHfChBDFmCKfDDDDDDCGDCFDKeCFLsBEaGKBDiBXDDD1
BDGDEIGJEKGGHGBGCMF/BEBvCEEDDFHEKHKJDDDeDDGDksBFEDCIEkBIICCFDKDDKeGcJHrBCDI
IDBNBHEBEFDBFsB/BNBiBIB6BBF1EiDiJIGCGCIIIIGCGCIIIIOCIIIIFEDDBFEDDDDEBDIFDDFEDBLF
GCEEICFBJCDEDEDCLKBFBKCCGDDKDDNDgBQNEBDMPPFFDEDEBFHECEBEEDFBEDDQjBCEDEFFC

```


CJHBeEEfsIIEUCHCxCBzZoBGICZLV8BuCW3FBJB2BIvDB4HOesBFCfKQgJjEW/BEGBCiIwBVCgnBCgBBp
DvBBuBEDBHEFGCCjDCGEDCFcfIBDDF4BHCOBXJHBHBHBHBHBHBHBhgBCECGHGEDI FBKCEDM
EtBaB5CM2GaMEDDCKCGFCJEDFDDDC2CDDDB6CDCFrBB+CDEKgbkBMQfBKeIBPgBKnBPgKguGgC9
vUDVB3jBD3BjoBGCsIBDQKCuUBDDKCCmCKCGIXJCNC/BBHGKDECEVFBEMCEEbqBDDGDFDXD
CEBDGEG0BEICyBQCICKGSGDEBkCIXLCLBdDDBvBDECCDNCKEFCFKFBpBFEDCJDBICCCKEQBG
DDByBEDCEfBYDCLeddCKGCGGJHBHBBrBBEJDEwCjBIDCKGk9KMXXEgGcGoGuLcQDmBHMFFC
KBNBFBIsDQRrLCQgCC2BoBMCCQGEgQDCQDDDFDGDCEEFbnEEBFEDCKCDCaDDaDBFCKBtBcf
DGCGFEDDDDCHECKDC"\n

```
    val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 1342)\n    val start = IntArray(diff.size + 1)\n    for (i in diff.indices) {\n        start[i + 1] = start[i] + diff[i]\n    }\n    decodedRangeStart = start\n    \n    // rangeCategory.length = 2033\n    val rangeCategory =  
    \"PsY44a41W54UYJZYB14W7XC15WZPsYa84b19Zw8b85Lr7C44brlerrYBZBCZCiBiBiBhCiiBhChiBhiCBhh  
    ChiCihBhChCChiBhChiCIBCfhjCiBiBihDhiBhCCihBiBhBhCCFCEbEbEb7EbGhCk7BixRkiCi4BRbh4BhRhCBR  
    BCiBBcIBChiZBCBCiBcGHhChCiBRBxxEYC40Rx8c6RGUm4GRFRFYRQZ44acG4wRYFEFGJYIIIGFIYGwc  
    GmkEmcGFJfI8cYxwFGFRGFGRJFGkkcYkxRm6aFEGEmmEmEGRYRFGxxYFRFRFRGQGIFmIFIGlooGF  
    GFGYJ4EFmoIRFlxRlxRFRFxlRxlFIIRxmFIGxxIoxRomFRIRxlFlmGRJFaL86F4mRxmGoRFRFRFRFIIRxGIGR  
    xmGxmGmxRxGRFIRRJmmFIIGYRmmIRFIIRIRFRFIIRFxxGFIGmmRoxImxRFRliGmxRJ4aRFGxmIoRFIxlRlR  
    FRFIIRFxxGIIImoGmmRxoIxoIGRmmIRxlFlmGRJ8FLRxxmFFRFIIRIRxxFIRlxRxlFRFRFRooGRlooRomRxFRIR  
    Jlc8aRmoIoGFIIIRIRFRFRImGmoIoGRGRGRxmGFRliGmxRJRyL8lGooYFIIRIRFRFRFRmIIXGooRGRIRlxFG  
    RJxlFRGIFIRIRFlmGIGxlooRomf8xRxxFIILFGRJLcFxmIoRFRFRFxlIRFRxxGxxlooGmmRRIRJxxIoYRFIIIG  
    RaFEGYJYRxIRFRFRIRFIIGlRfxEGRJRFRFcy84c8mGcJL8G1WIFRFRGIGmmYFGRGRcGc88RycYRFIGI  
    GmmIomGFJYFooGmlFIIGmmFIFIFGFmoIGIomFJIm8cbHRxxBC4ECFRFRFRIRFRFRFRFRFRFRFRIRFRFRFRFR  
    FRGYLRFcRBRCxxUF8YFMF1WRFYKFRFRFRFGYRFGRFIIRIRGRFmmIGlooGGY44E46FmxRJRLRY44  
    U44GmmQRJRFEFRFGRFGRFRfxmGmoIoGmoIxRxxIoGIGRxxcx4YJFRFRFRFRJLrcFmmIomRx4YFoGG  
    mRomIGIGmxRJRJRYEYRgmmHRGIFmIGmIoGFRJYcGcRmmIFomGmmIomGmlFJFmoGooGGIRYFIGIG  
    RYJRJFEYCRBRBYRGYGIGFGFIIGomGFRCECECEGRGHCCiBCBCBRBCBCCBRBCxBCCBRCDCCDCD  
    CiiRBj7CbCiiRbj7b7iCiiRxiCBRbCbBxxCiiRBj7bRMQUY9+V9+VytQMYYeY43X44Z1WY54XYMQRQRER  
    LZ12ELZ12RERaRGHGHR88B88BihBhiChhC8hcZBc8BB8CBcFi8cibZBC8Z8CLKhCKr8cRZcZc88ZcZc85  
    Z8ZcZc1WcZc1WcZcZcZcRcRlcLcZcZcZcZc1WLcZ1WZ1WZcZ1WZ1WZ1WZcZcZcRcRcBRcixBBcIBihc  
    CEBhCCChCGhCRY44LCiRRxxCFrkYRGRFRFRFRFRFRFRFRFRFRFRGY9eY49eY44U49e49e1WYEUUY04VY  
    48cRcRcRcRcRc4Y48EIK1Wc1W12U2cKGooUE88KqqEl4c8RFxxGm7bkkFUF4kEkFRFRFx8cLcFcRcRlclc  
    LcLcLcLcFcFRFEFRcRFEYFEYFJRhClmHnnYG4EhCEGFKGYRbEbhCCiBECiBhCk7bhCiBihiCIBBCBhCRhiBh  
    hCCRhiFkkCFIGIIIGlIGFooGmlcGRL88aRYRIFIGRYJRGFY14FGJFGYFGIRYFRGIFmoIGIGIYxEJRYFmEFJ  
    FRFGmoImoIGRFGFMIRJRYFEfCloGIFmlGmlFGFlmGFRliEYFomGo4YIkEoGRFRFRFRFRFRFCbEck7bRCFo  
    oG4oGRJRFRFRFRRTSFRFRFCRCRIGFZFRFRIxFFbRF2VRFRFRF6cRGY41WRG40UX1W44V24Y44X33Y44R  
    44U1WY50Z5R46YRFRFxxQY44a41W54UYJZYB14W7XC15WZ12YYFEFEFRFRFRFlxRIIRxxa65b86axcZc  
    RQcR\"\n
```

```
    decodedRangeCategory  
    = decodeVarLenBase64(rangeCategory, fromBase64, 1343)\n    private fun categoryValueFrom(code: Int,  
ch: Int): Int {\n    return when {\n        code < 0x20 -> code\n        code < 0x400 -> if ((ch and 1) == 1) code shr 5  
        else code and 0x1f\n        else -> when (ch % 3) {\n            2 -> code shr 10\n            1 -> (code shr 5)  
            and 0x1f\n            else -> code and 0x1f\n        }\n    }\n    /**\n     * Returns the Unicode general category of  
    this character as an Int.\n     */\n    internal fun Char.getCategoryValue(): Int {\n        val ch = this.code\n        val index =  
        binarySearchRange(Category.decodedRangeStart, ch)\n        val start = Category.decodedRangeStart[index]\n        val  
        code = Category.decodedRangeCategory[index]\n        val value = categoryValueFrom(code, ch - start)\n        return if  
        (value == 17) CharCategory.UNASSIGNED.value else value\n    }\n    internal fun decodeVarLenBase64(base64:  
String, fromBase64: IntArray, resultLength: Int):
```

```

IntArray { \n  val result = IntArray(resultLength)\n  var index = 0\n  var int = 0\n  var shift = 0\n  for (char in
base64) { \n    val sixBit = fromBase64[char.code]\n    int = int or ((sixBit and 0x1f) shl shift)\n    if (sixBit <
0x20) { \n      result[index++] = int\n      int = 0\n      shift = 0\n    } else { \n      shift += 5\n    } \n
} \n  return result\n}\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-
place.\n */\npublic actual fun <T> MutableList<T>.reverse():
Unit { \n  val midPoint = (size / 2) - 1\n  if (midPoint < 0) return\n  var reverseIndex = lastIndex\n  for (index in
0..midPoint) { \n    val tmp = this[index]\n    this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n
reverseIndex--\n  } \n}\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n// 37 ranges
totally\nprivate object Digit { \n  internal val rangeStart = intArrayOf(\n    0x0030, 0x0660, 0x06f0, 0x07c0,
0x0966, 0x09e6, 0x0a66, 0x0ae6, 0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20,
0x1040, 0x1090, 0x17e0, \n    0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50,
0x1bb0, 0x1c40, 0x1c50, 0xa620, 0xa8d0, 0xa900, 0xa9d0, 0xa9f0, 0xaa50, 0xabf0, 0xff10, \n  )\n}\n\n/**\n *
Returns the index of the largest element in [array] smaller or equal to the specified [needle],\n * or -1 if [needle] is
smaller than the smallest element in [array].\n */\ninternal fun binarySearchRange(array: IntArray, needle: Int): Int
{ \n  var bottom = 0\n  var top = array.size - 1\n  var middle = -1\n  var value = 0\n  while (bottom <= top) { \n
middle = (bottom + top) / 2\n  value = array[middle]\n  if (needle > value)\n    bottom = middle + 1\n  else if (needle == value)\n    return middle\n  else\n    top = middle - 1\n } \n  return middle - (if
(needle < value) 1 else 0)\n}\n\n/**\n * Returns an integer from 0..9 indicating the digit this character represents,\n *
or -1 if this character is not a digit.\n */\ninternal fun Char.digitToIntImpl(): Int { \n  val ch = this.code\n  val
index = binarySearchRange(Digit.rangeStart,
ch)\n  val diff = ch - Digit.rangeStart[index]\n  return if (diff < 10) diff else -1\n}\n\n/**\n * Returns `true` if this
character is a digit.\n */\ninternal fun Char.isDigitImpl(): Boolean { \n  return digitToIntImpl() >= 0\n}\n"/*\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n// 222 ranges totally\nprivate object Letter { \n
val decodedRangeStart: IntArray\n  val decodedRangeLength: IntArray\n  val decodedRangeCategory: IntArray\n
\n  init { \n    val toBase64 =
\n"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\n\n    val fromBase64 =
IntArray(128)\n    for (i in toBase64.indices)
\n    { \n      fromBase64[toBase64[i].code] = i\n    } \n\n    // rangeStartDiff.length = 356\n    val
rangeStartDiff =
\n"hCgBpCQGYHZH5BRpBPPPPPRMP5BPPICPP6BkEPPPPcXPzBvBrB3BOiDoBHwD+E3DauCnFmBmB2D
6E1BIBTiBmBIBP5BhBiBrBvBjBqBnBPRtBiCmCtBIB0BmB5BiB7BmBgEmChBZgCoEoGVpBSfRhBPqKQ2B
wBYoFgB4CJuTiEvBuCuDrF5DgEgFIJ1DgFmBQtBsBRGsB+BPiBID1EiJdPRPPPPPPPPPGQSQS/DxENVNU+
B9zCwBwBPPcKDPNnBPqDYY1R8B7FkFgTgwGgwUwmBgKwBuBScmEP/BPPPPPrBP8B7F1B/ErBqC6B7B
iBmBfQsBUwCw/KwqIwLwETPcPjQgJxFgBIBsD\n\n    val diff = decodeVarLenBase64(rangeStartDiff,
fromBase64, 222)\n    val start = IntArray(diff.size)\n    for (i in diff.indices) { \n      if (i == 0) start[i] =
diff[i]\n      else start[i] = start[i - 1] + diff[i]\n    } \n    decodedRangeStart = start\n\n    //
rangeLength.length = 328\n    val rangeLength =
\n"aaMBXHYH5BRpBPPPPPRMP5BPPICPPzBDOOPPcXPzBvBjB3BOhDmBBpB7DoDYxB+EiBP1DoExBkB

```

QhBekBPmBgBhBctBiBMWOOXhCsBpBkBUV3Ba4BkB0DiCgBXgBtD4FSdBfPhBPpKP0BvBXjEQ2CGsT8Dh
BtCqDpFvD1D3E0IrD2EkBJrBDOBsB+BPiBIB1EiJDPPPPPPPPPPGPPMNLsBNPNPKCvBvBPPCkDPBmBPh
DXXgD4B6FzEgDguG9vUtkB9JcuBSckEP/BPPPPPPBPf4FrBjEhBpC3B5BKaWPrBOWCk/KsCuLqDHPbPxPsFt
EaaqDL\"n

```
    decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n    \n    //  
rangeCategory.length = 959\n    val rangeCategory =  
\"GFjgggUHGGFFZZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1  
q1qB1q1q1+Bgi4wDTm74g3KigqxM60q1q1Bq1o1q1BF1qlrqrBZ2q5wprBGFZWWZGHFsjiioLowgmOowjkw  
CkgoiIk7ligGogioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkwC4gikQ//v+85BkwvoIsgoyl4ygu0whiw  
Eowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgxgmIoxgqYkwgk4DkxgmIkgoioBgsgso  
BgzyI8g9gL8g9ki0wgwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0go  
QkwgoQk3goQHGFHky0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFGGwwg  
sIHFH3q1q16BFHWFZ1q10q1B2qlwq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1q1B1g1q1+B//3q16B//q  
1qBH/qlq9Bholq9B1i00a1q10qD1op1HkwmigEigiy6Cptogq1Bixo1kDq7/j00B2qgoBWGFm1lz50B6s5q1+BG  
WhggzhwBFFhgk4//Bo2jigE8wguI8wguI8wguUog1qoB4qjmIwwi2KkgYHHH4IBgiFWkgIWoghssMmz5smrBZ  
3q1y50B5sm7gzBtz1smzB5smz50BqzqtmzB5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZo  
2giY0ghiIsgH24B4ghsQ8QF/v1q1OFs0O8iCHHF1qggz/B8wg6Iznv+//B08QgohsjK0QGfK7hsQ4gB\"n
```

```
    decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n    }\n}\n\n/* Returns  
`true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n    return getLetterType() !=  
0\n}\n\n/* Returns `true` if this character is a lower case letter, or it has contributory property  
Other_Lowercase.\n */\ninternal fun Char.isLowerCaseImpl(): Boolean {\n    return getLetterType() == 1 ||  
code.isOtherLowercase()\n}\n\n/* Returns `true` if this character is an upper case letter, or it has contributory  
property Other_Uppercase.\n */\ninternal fun Char.isUpperCaseImpl(): Boolean {\n    return getLetterType() == 2 ||  
code.isOtherUppercase()\n}\n}\n\n/* Returns
```

```
\n * - `1` if the character is a lower case letter,\n * - `2` if the character is an upper case letter,\n * - `3`  
if the character is a letter but not a lower or upper case letter,\n * - `0` otherwise.\n */\nprivate fun  
Char.getLetterType(): Int {\n    val ch = this.code\n    val index = binarySearchRange(Letter.decodedRangeStart,  
ch)\n    val rangeStart = Letter.decodedRangeStart[index]\n    val rangeEnd = rangeStart +  
Letter.decodedRangeLength[index] - 1\n    val code = Letter.decodedRangeCategory[index]\n    if (ch > rangeEnd)  
{\n        return 0\n    }\n    val lastTwoBits = code and 0x3\n    if (lastTwoBits == 0) { // gap pattern\n        var  
shift = 2\n        var threshold = rangeStart\n        for (i in 0..1) {\n            threshold += (code shr shift) and 0x7f\n            if (threshold > ch) {\n                return 3\n            }\n            shift += 7\n            threshold += (code shr shift) and  
0x7f\n
```

```
        if (threshold > ch) {\n            return 0\n        }\n        shift += 7\n    }\n    return 3\n}\n}\n\nif (code  
<= 0x7) {\n    return lastTwoBits\n}\n}\n    val distance = (ch - rangeStart)\n    val shift = if (code <= 0x1F)  
distance % 2 else distance\n    return (code shr (2 * shift)) and 0x3\n}\n}\n\n\", /*\n * Copyright 2010-2021 JetBrains  
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0  
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n\nNOTE: THIS FILE IS  
AUTO-GENERATED by the GenerateUnicodeData.kt\n// See:
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nprivate object OtherLowercase {\n    internal  
val otherLowerStart = intArrayOf(\n        0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0, 0x0345, 0x037a, 0x1d2c,  
0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770, 0xa7f8, 0xab5c, \n    )\n    internal
```

```
val otherLowerLength = intArrayOf(\n    1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13, 16, 26, 2, 2, 1, 2, 4, \n)\n}\n\ninternal fun Int.isOtherLowercase(): Boolean {\n    val index =  
binarySearchRange(OtherLowercase.otherLowerStart, this)\n    return index >= 0 && this <  
OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n}\n\n\", /*\n * Copyright  
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
```

by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\ninternal fun Int.isOtherUppercase(): Boolean {\n return this in 0x2160..0x216f\n || this in 0x24b6..0x24cf\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\npublic actual fun CharSequence.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: \$index, length: \$length}") }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n\n\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\n4 ranges totally\n\ninternal fun Char.titlecaseCharImpl(): Char {\n val code = this.code\n // Letters repeating <Lu, Lt, Ll> sequence and code of the Lt is a multiple of 3, e.g. <u01c4, u01c5, u01c6>\n if (code in 0x01c4..0x01cc || code in 0x01f1..0x01f3) {\n return (3 * ((code + 1) / 3)).toChar()\n }\n // Lower case letters whose title case mapping equivalent is equal to the original letter\n if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n return this\n }\n return uppercaseChar()\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\npackage kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n\nimport kotlin.js.*\n\nimport kotlin.ranges.contains\n\nimport kotlin.ranges.reversed\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: \$index, size: \$size") }\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: \$index, size: \$size") }\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: \$index, size: \$size") }\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: \$index, size: \$size") }\n}\n\n\n/**\n * Returns a [List] that wraps the original array.\n *\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n\npublic actual fun UIntArray.asList(): List<UInt> {\n return object : AbstractList<UInt>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UInt): Boolean = this@asList.contains(element)\n override fun get(index: Int): UInt {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun

```

indexOf(element: UInt): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is UInt)
return -1\n      return this@asList.indexOf(element)\n  }\n  override fun lastIndexOf(element: UInt): Int
{\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is UInt) return -1\n      return
this@asList.lastIndexOf(element)\n  }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public actual fun ULongArray.asList():
List<ULong> {\n  return object : AbstractList<ULong>(), RandomAccess {\n      override val size: Int get() =
this@asList.size\n      override fun isEmpty(): Boolean = this@asList.isEmpty()\n      override fun
contains(element: ULong): Boolean = this@asList.contains(element)\n      override fun get(index: Int): ULong {\n
          AbstractList.checkElementIndex(index, size)\n          return this@asList[index]\n      }\n      override fun
indexOf(element: ULong): Int {\n          @Suppress("USELESS_CAST")\n          if ((element as Any?) !is
ULong) return -1\n          return this@asList.indexOf(element)\n      }\n      override fun lastIndexOf(element:
ULong): Int {\n          @Suppress("USELESS_CAST")\n          if ((element as Any?) !is ULong) return -1\n
          return this@asList.lastIndexOf(element)\n      }\n  }\n}\n\n/**\n * Returns a [List] that wraps the original
array.\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public
actual fun UByteArray.asList(): List<UByte> {\n  return object : AbstractList<UByte>(), RandomAccess {\n
      override val size: Int get() = this@asList.size\n      override fun isEmpty(): Boolean = this@asList.isEmpty()\n
      override fun contains(element: UByte): Boolean = this@asList.contains(element)\n      override fun get(index: Int):
UByte {\n          AbstractList.checkElementIndex(index, size)\n          return this@asList[index]\n      }\n      override fun
indexOf(element: UByte): Int {\n          @Suppress("USELESS_CAST")\n          if ((element as
Any?) !is UByte) return -1\n          return this@asList.indexOf(element)\n      }\n      override fun
lastIndexOf(element: UByte): Int {\n          @Suppress("USELESS_CAST")\n          if ((element as Any?) !is
UByte) return -1\n          return this@asList.lastIndexOf(element)\n      }\n  }\n}\n\n/**\n * Returns a [List] that
wraps the original array.\n * \n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public
actual fun UShortArray.asList(): List<UShort> {\n  return object : AbstractList<UShort>(), RandomAccess {\n
      override val size: Int get() = this@asList.size\n      override fun isEmpty(): Boolean = this@asList.isEmpty()\n
      override fun contains(element: UShort): Boolean = this@asList.contains(element)\n      override fun get(index:
Int): UShort {\n          AbstractList.checkElementIndex(index, size)\n          return this@asList[index]\n      }\n      override fun
indexOf(element: UShort): Int {\n          @Suppress("USELESS_CAST")\n          if ((element as
Any?) !is UShort) return -1\n          return this@asList.indexOf(element)\n      }\n      override fun
lastIndexOf(element: UShort): Int {\n          @Suppress("USELESS_CAST")\n          if ((element as Any?) !is
UShort) return -1\n          return this@asList.lastIndexOf(element)\n      }\n  }\n}\n\n", /*\n * Copyright 2010-
2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n * \n package kotlin.text\n\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n 9 ranges totally\n */\n * Returns `true` if this
character is a whitespace.\n * \n internal fun Char.isWhitespaceImpl(): Boolean {\n  val ch = this.code\n  return ch
in 0x0009..0x000d\n      || ch in 0x001c..0x0020\n      || ch == 0x00a0\n      || ch > 0x1000 && (\n
ch == 0x1680\n      || ch in 0x2000..0x200a\n      || ch == 0x2028\n      || ch == 0x2029\n
|| ch == 0x202f\n      || ch == 0x205f\n      || ch == 0x3000\n      )\n}\n\n", /*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source
code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n package
kotlin\n\n public actual fun interface Comparator<T> {\n  @JsName("compare")\n  public actual fun
compare(a: T, b: T): Int\n}\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n package kotlin.js\n\n import
kotlin.annotation.AnnotationTarget.*\n\n @Target(FUNCTION)\n @Deprecated("Use inline extension function with
body using dynamic")\n public annotation class nativeGetter\n\n @Target(FUNCTION)\n @Deprecated("Use inline

```

extension function with body using dynamic")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using dynamic")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\ninternal annotation class library(public

val name: String = "")\n\n@Target(CLASS)\ninternal annotation class marker\n\n**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n * This may be useful in the following cases:\n * * There are two functions for which the compiler gives same name in JavaScript, you can mark one with `@JsName(...)` to prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript for a concept provided by the declaration, which is uncommon in Kotlin.\n * Example:\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println("Hello \$name!")\n * }\n * }\n * @JsName("helloWithGreeting")\n * fun hello(greeting: String) {\n * println("\$greeting \$name!")\n * }\n * }\n * ```\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required to denote a valid JavaScript identifier.\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`) the following rule applies:

all the declarations in the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object that contain all the declarations from the file.\n *\n * Example:\n * ``` kotlin\n * @JsModule("jquery")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule("jquery")\n * external fun JQuery(element: Element): JQuery\n * ```\n * @property import name of a module to import declaration from.\n * It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n *\n * However, by applying [JsModule] annotation you can make a declaration unavailable to plain module system.\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n * ``` kotlin\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("\$")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule("jquery")\n * @JsNonModule\n * @JsName("\$")\n * external fun JQuery(element: Element): JQuery\n * ```\n * @see JsModule\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler turns references to `external` declarations either to plain unprefix names (in case of plain modules)\n * or to plain imports.\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.\n *\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n * ```\n * @file:JsQualifier("my.jsPackageName")\n * ```

```

package some.kotlinPackage\n * \n * external fun foo(x: Int)\n * \n * external fun bar(): String\n * ``\n * \n *
@property value the qualifier to add to the declarations in the generated code.\n *      It must be a sequence of
valid JavaScript identifiers separated by the `.` character.\n *      Examples of valid qualifiers are: `foo`,
`bar.Baz`, `_$0.f`.\n * \n * @see JsModule\n
*\n *@Retention(AnnotationRetention.BINARY)\n @Target(AnnotationTarget.FILE)\n public
annotation class JsQualifier(val value: String)\n /**\n * Exports top-level declaration on JS platform.\n * \n *
Compiled module exposes declarations that are marked with this annotation without name mangling.\n * \n * This
annotation can be applied to either files or top-level declarations.\n * \n * It is currently prohibited to export the
following kinds of declarations:\n * \n * * `expect` declarations\n * * inline functions with reified type
parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * * extension
properties\n * * enum classes\n * * annotation classes\n * \n * Signatures of exported declarations must only
contain "exportable" types:\n * \n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`,
`Double`\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * *
`Array<exportable-type>`\n * * Function types with exportable
parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n * * Nullable counterparts of
types above\n * * Unit return type. Must not be nullable\n * \n * This annotation is experimental, meaning that
restrictions mentioned above are subject to change.\n
*\n *@ExperimentalJsExport\n @Retention(AnnotationRetention.BINARY)\n @Target(CLASS, PROPERTY,
FUNCTION, FILE)\n @SinceKotlin("1.3")\n public actual annotation class JsExport\n /**\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n *\n package kotlin.jvm\n / / these are
used in common generated code in stdlib\n / / TODO: find how to deprecate these
ones\n /
*\n @Target(AnnotationTarget.FIELD)\n @Retention(AnnotationRetention.SOURCE)\n public actual
annotation class Volatile\n /
*\n @Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n @Retention(AnnotationRetention.SOURCE)\n public
actual annotation class Synchronized\n /**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n *\n package kotlin.collections\n /**\n * Provides a skeletal implementation of the
[MutableCollection] interface.\n * \n * @param E the type of elements contained in the collection. The collection is
invariant in its element type.\n * \n *\n public actual abstract class AbstractMutableCollection<E> protected actual
constructor(): AbstractCollection<E>(), MutableCollection<E> {\n /n /n actual abstract override fun add(element: E):
Boolean\n /n /n actual override fun remove(element: E): Boolean {\n /n /n checkIsMutable()\n /n /n val iterator =
iterator()\n /n /n while (iterator.hasNext()) {\n /n /n if (iterator.next() == element) {\n /n /n iterator.remove()\n
/n /n return true\n /n /n }\n /n /n return false\n /n /n actual override fun addAll(elements:
Collection<E>): Boolean {\n /n /n checkIsMutable()\n /n /n var modified = false\n /n /n for (element in elements) {\n
/n /n if (add(element)) modified = true\n /n /n }\n /n /n return modified\n /n /n actual override fun
removeAll(elements: Collection<E>): Boolean {\n /n /n checkIsMutable()\n /n /n return (this as
MutableIterable<E>).removeAll { it in elements }\n /n /n actual override fun retainAll(elements:
Collection<E>): Boolean {\n /n /n checkIsMutable()\n /n /n return (this as MutableIterable<E>).removeAll { it !in
elements }\n /n /n actual override fun clear(): Unit {\n /n /n checkIsMutable()\n /n /n val iterator = this.iterator()\n
/n /n while (iterator.hasNext()) {\n /n /n iterator.next()\n /n /n iterator.remove()\n /n /n }\n /n /n
}\n /n /n
*\n @Deprecated("Provided so that subclasses inherit this function", level
= DeprecationLevel.HIDDEN)\n @JsName("toJSON")\n protected fun toJSON(): Any = this.toArray()\n /n /n /n
/**\n * This method is called every time when a mutating method is called on this mutable collection.\n * \n *
Mutable collections that are built (frozen) must throw `UnsupportedOperationException`.\n * \n *\n internal open
fun checkIsMutable(): Unit { }\n /n /n /n /**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n *\n /**\n * Based on GWT AbstractList\n * Copyright 2007 Google

```

```

Inc.\n*\n\npackage kotlin.collections\n*\n * Provides a skeletal implementation of the [MutableList]
interface.\n *\n * @param E the type of elements contained in the list. The list is invariant in its element type.\n
*\npublic actual abstract class AbstractMutableList<E> protected actual constructor() :
AbstractMutableCollection<E>(),
MutableList<E> {\n    protected var modCount: Int = 0\n\n    abstract override fun add(index: Int, element: E):
Unit\n    abstract override fun removeAt(index: Int): E\n    abstract override fun set(index: Int, element: E): E\n\n
/**\n    * Adds the specified element to the end of this list.\n    *\n    * @return `true` because the list is always
modified as the result of this operation.\n    *\n    actual override fun add(element: E): Boolean {\n
checkIsMutable()\n    add(size, element)\n    return true\n    }\n\n    actual override fun addAll(index: Int,
elements: Collection<E>): Boolean {\n    AbstractList.checkPositionIndex(index, size)\n\n
checkIsMutable()\n    var _index = index\n    var changed = false\n    for (e in elements) {\n
add(_index++, e)\n    changed = true\n    }\n    return changed\n    }\n\n    actual override fun clear() {\n
checkIsMutable()\n    removeRange(0, size)\n    }\n\n    actual override fun removeAll(elements: Collection<E>): Boolean {\n
checkIsMutable()\n    return
removeAll { it in elements }\n    }\n\n    actual override fun retainAll(elements: Collection<E>): Boolean {\n
checkIsMutable()\n    return removeAll { it !in elements }\n    }\n\n\n    actual override fun iterator():
MutableIterator<E> = IteratorImpl()\n\n    actual override fun contains(element: E): Boolean = indexOf(element) >=
0\n\n    actual override fun indexOf(element: E): Int {\n    for (index in 0..lastIndex) {\n    if (get(index) ==
element) {\n    return index\n    }\n    }\n    return -1\n    }\n\n    actual override fun
lastIndexOf(element: E): Int {\n    for (index in lastIndex downTo 0) {\n    if (get(index) == element) {\n
return index\n    }\n    }\n    return -1\n    }\n\n    actual override fun listIterator():
MutableListIterator<E> = listIterator(0)\n\n    actual override
fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n    actual override fun
subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n    /**\n    * Removes
the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n    *\n
protected open fun removeRange(fromIndex: Int, toIndex: Int) {\n    val iterator = listIterator(fromIndex)\n
repeat(toIndex - fromIndex) {\n    iterator.next()\n    iterator.remove()\n    }\n    }\n\n    /**\n    *
Compares this list with another list instance with the ordered structural equality.\n    *\n    * @return true, if [other]
instance is a [List] of the same size, which contains the same elements in the same order.\n    *\n    override fun
equals(other: Any?): Boolean {\n    if (other === this) return true\n    if (other !is List<*>) return false\n\n
return AbstractList.orderedEquals(this,
other)\n    }\n\n    /**\n    * Returns the hash code value for this list.\n    *\n    override fun hashCode(): Int =
AbstractList.orderedHashCode(this)\n\n\n    private open inner class IteratorImpl : MutableIterator<E> {\n    /**
the index of the item that will be returned on the next call to [next]() *\n    protected var index = 0\n    /**
the index of the item that was returned on the previous call to [next]() *\n    * or [ListIterator.previous]() (for
`ListIterator`),\n    * -1 if no such item exists\n    *\n    protected var last = -1\n\n    override fun
hasNext(): Boolean = index < size\n\n    override fun next(): E {\n    if (!hasNext()) throw
NoSuchElementException()\n    last = index++\n    return get(last)\n    }\n\n    override fun remove()
{\n    check(last != -1) { "Call next() or previous() before removing element from the iterator." }\n\n
removeAt(last)\n
index = last\n    last = -1\n    }\n    }\n\n    /**\n    * Implementation of `MutableListIterator` for abstract
lists.\n    *\n    private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n\n
init {\n    AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n    this.index = index\n
}\n\n    override fun hasPrevious(): Boolean = index > 0\n\n    override fun nextIndex(): Int = index\n\n
override fun previous(): E {\n    if (!hasPrevious()) throw NoSuchElementException()\n\n    last = --
index\n    return get(last)\n    }\n\n    override fun previousIndex(): Int = index - 1\n\n    override fun
add(element: E) {\n    add(index, element)\n    index++\n    last = -1\n    }\n\n    override fun
set(element: E) {\n    check(last != -1) { "Call next() or previous() before updating element value with the

```



```

iterator.\n    }\n        set(last, element)\n    }\n }\n\n private class SubList<E>(private val list:
AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n
    private var _size: Int = 0\n        init {\n            AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n
            this._size = toIndex - fromIndex\n        }\n\n        override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, _size)\n            list.add(fromIndex + index, element)\n            _size++\n
        }\n\n        override fun get(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n            return
list[fromIndex + index]\n        }\n\n        override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, _size)\n            val result = list.removeAt(fromIndex + index)\n
            _size--\n            return result\n        }\n\n        override fun set(index: Int, element: E): E {\n
            AbstractList.checkElementIndex(index, _size)\n            return list.set(fromIndex + index, element)\n
        }\n\n        override val size: Int get() = _size\n\n        internal
override fun checkIsMutable(): Unit = list.checkIsMutable()\n    }\n\n}\n\n"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractMap\n * Copyright
2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/*\n * Provides a skeletal implementation of the
[MutableMap] interface.\n * The implementor is required to implement [entries] property, which should return
mutable set of map entries, and [put] function.\n * @param K the type of map keys. The map is invariant in its
key type.\n * @param V the type of map values. The map is invariant in its value type.\n
*/\n\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(),
MutableMap<K, V> {\n\n    /**\n     * A mutable [Map.Entry] shared by several [Map] implementations.\n     */\n
    internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n
        constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n        private var _value = value\n
        override val value: V get() = _value\n        override fun setValue(newValue: V): V {\n            // Should check if
the map containing this entry is mutable.\n            // However, to not increase entry memory footprint it might be
worthwhile not to check it here and\n            // force subclasses that implement `build()` (freezing) operation to
implement their own `MutableEntry`.\n            this@AbstractMutableMap.checkIsMutable()\n            val oldValue
= this._value\n            this._value = newValue\n            return
            oldValue\n        }\n\n        override fun hashCode(): Int = entryHashCode(this)\n        override fun toString(): String
= entryToString(this)\n        override fun equals(other: Any?): Boolean = entryEquals(this, other)\n    }\n\n    //
intermediate abstract class to workaround KT-43321\n    internal abstract class AbstractEntrySet<E : Map.Entry<K,
V>, K, V> : AbstractMutableSet<E>() {\n        final override fun contains(element: E): Boolean =
containsEntry(element)\n        abstract fun containsEntry(element: Map.Entry<K, V>): Boolean\n        final override
fun remove(element: E): Boolean = removeEntry(element)\n        abstract fun removeEntry(element: Map.Entry<K,
V>): Boolean\n    }\n\n    actual override fun clear() {\n        entries.clear()\n    }\n\n    private var _keys:
MutableSet<K>? = null\n    actual override val keys: MutableSet<K>\n        get() {\n            if (_keys == null) {\n
                _keys = object : AbstractMutableSet<K>() {\n
                    override fun add(element: K): Boolean = throw UnsupportedOperationException("Add is not supported on
keys")\n                    override fun clear() {\n                        this@AbstractMutableMap.clear()\n                    }\n
                    override operator fun contains(element: K): Boolean = containsKey(element)\n                    override
operator fun iterator(): MutableIterator<K> {\n                        val entryIterator = entries.iterator()\n
                        return object : MutableIterator<K> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n
                            override fun next(): K = entryIterator.next().key\n                            override fun remove() =
entryIterator.remove()\n                        }\n                    }\n                    override fun remove(element: K): Boolean
{\n                        checkIsMutable()\n                        if (containsKey(element)) {\n
                            this@AbstractMutableMap.remove(element)\n                            return true\n                        }\n
                        return false\n                    }\n                    override val size: Int get() = this@AbstractMutableMap.size\n
                    override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n                }\n
            }\n            return _keys!!\n        }\n\n    actual abstract override fun put(key: K, value: V): V?\n\n    actual override

```

```

fun putAll(from: Map<out K, V>) {\n    checkIsMutable()\n    for ((key, value) in from) {\n        put(key, value)\n    }\n}\n\nprivate var _values: MutableCollection<V>? = null\n\nactual override val values: MutableCollection<V>\n    get() {\n        if (_values == null) {\n            _values = object : AbstractMutableCollection<V>() {\n                override fun add(element: V): Boolean = throw UnsupportedOperationException("Add is not supported on values")\n                override fun clear() = this@AbstractMutableMap.clear()\n                override operator fun contains(element: V): Boolean = containsValue(element)\n                override operator fun iterator(): MutableIterator<V> {\n                    val entryIterator = entries.iterator()\n                    return object : MutableIterator<V> {\n                        override fun hasNext(): Boolean = entryIterator.hasNext()\n                        override fun next(): V = entryIterator.next().value\n                        override fun remove() = entryIterator.remove()\n                    }\n                }\n                override val size: Int get() = this@AbstractMutableMap.size\n                override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n            }\n        }\n        return _values!!\n    }\n\nactual override fun remove(key: K): V? {\n    checkIsMutable()\n    val iter = entries.iterator()\n    while (iter.hasNext()) {\n        val entry = iter.next()\n        val k = entry.key\n        if (key == k) {\n            val value = entry.value\n            iter.remove()\n            return value\n        }\n    }\n    return null\n}\n\n/**\n * This method is called every time when a mutating method is called on this mutable map.\n * Mutable maps that are built (frozen) must throw `UnsupportedOperationException`.\n */\n\ninternal open fun checkIsMutable(): Unit {\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n"/*\n * Provides a skeletal implementation of the [MutableSet] interface.\n */\n\n@param E the type of elements contained in the set. The set is invariant in its element type.\n\npublic actual abstract class AbstractMutableSet<E>\nprotected actual constructor(): AbstractMutableCollection<E>(), MutableSet<E> {\n\n    /**\n     * Compares this set with another set instance with the unordered structural equality.\n     * @return `true`, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Set<*>) return false\n        return AbstractSet.setEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this set.\n     */\n    override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n"/*\n * Provides a [MutableList] implementation, which uses a resizable array as its backing storage.\n */\n\n/* This implementation doesn't provide a way to manage capacity, as backing JS array is resizable itself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not include any of the\n * capacity and \"growth increment\" concepts.\n */\n\npublic actual open class ArrayList<E>\ninternal constructor(private var array: Array<Any?>): AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n    private var isReadOnly: Boolean = false\n\n    /**\n     * Creates an empty [ArrayList].\n     */\n    public actual constructor(): this(emptyArray()) {\n\n        /**\n         * Creates an empty [ArrayList].\n         */\n        @param initialCapacity initial capacity (ignored)\n        public actual constructor(initialCapacity: Int): this(emptyArray()) {\n\n            /**\n             * Creates an [ArrayList] filled from the [elements] collection.\n             */\n            @param elements\n            public actual constructor(elements: Collection<E>): this(elements.toArray<Any?>()) {\n\n                @PublishedApi\n                internal fun build(): List<E> {\n                    checkIsMutable()\n                    isReadOnly = true\n                    return this\n                }\n\n                /** Does nothing in this ArrayList implementation. */\n                public actual fun trimToSize() {\n\n                    /** Does nothing in this ArrayList implementation. */\n                    public actual fun ensureCapacity(minCapacity: Int) {\n\n                        actual override val size: Int get() = array.size\n                        @Suppress("UNCHECKED_CAST")\n                        actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n                        actual override fun set(index: Int, element: E): E {\n                            checkIsMutable()\n                            rangeCheck(index)\n                            @Suppress("UNCHECKED_CAST")\n                            return

```

```

array[index].apply { array[index] = element } as E\n    }\n\n    actual override fun add(element: E): Boolean {\n
checkIsMutable()\n    array.asDynamic().push(element)\n    modCount++\n
    return true\n    }\n\n    actual override fun add(index: Int, element: E): Unit {\n    checkIsMutable()\n
array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n    modCount++\n    }\n\n    actual override
fun addAll(elements: Collection<E>): Boolean {\n    checkIsMutable()\n    if (elements.isEmpty()) return
false\n\n    array += elements.toArray<Any?>()\n    modCount++\n    return true\n    }\n\n    actual
override fun addAll(index: Int, elements: Collection<E>): Boolean {\n    checkIsMutable()\n
insertionRangeCheck(index)\n\n    if (index == size) return addAll(elements)\n    if (elements.isEmpty()) return
false\n    when (index) {\n        size -> return addAll(elements)\n        0 -> array =
elements.toArray<Any?>() + array\n        else -> array = array.copyOfRange(0,
index).asDynamic().concat(elements.toArray<Any?>(), array.copyOfRange(index, size))\n    }\n\n
modCount++\n
    return true\n    }\n\n    actual override fun removeAt(index: Int): E {\n    checkIsMutable()\n
rangeCheck(index)\n    modCount++\n    return if (index == lastIndex)\n        array.asDynamic().pop()\n
    else\n        array.asDynamic().splice(index, 1)[0]\n    }\n\n    actual override fun remove(element: E): Boolean {\n
checkIsMutable()\n    for (index in array.indices) {\n        if (array[index] == element) {\n
array.asDynamic().splice(index, 1)\n            modCount++\n            return true\n        }\n    }\n    return
false\n    }\n\n    override fun removeRange(fromIndex: Int, toIndex: Int) {\n    checkIsMutable()\n
modCount++\n    array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n    }\n\n    actual override fun
clear() {\n    checkIsMutable()\n    array = emptyArray()\n    modCount++\n    }\n\n\n    actual override fun
indexOf(element: E): Int =
array.indexOf(element)\n\n    actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n
override fun toString() = arrayToString(array)\n\n    @SuppressWarnings("UNCHECKED_CAST")\n    override fun <T>
toArray(array: Array<T>): Array<T> {\n    if (array.size < size) {\n        return toArray() as Array<T>\n
    }\n\n    (this.array as Array<T>).copyInto(array)\n\n    if (array.size > size) {\n        array[size] = null as T //
null-terminate\n    }\n\n    return array\n    }\n\n    override fun toArray(): Array<Any?> {\n    return
js("[]").slice.call(array)\n    }\n\n\n    internal override fun checkIsMutable() {\n    if (isReadOnly) throw
UnsupportedOperationException()\n    }\n\n    private fun rangeCheck(index: Int) = index.apply {\n
AbstractList.checkElementIndex(index, size)\n    }\n\n    private fun insertionRangeCheck(index: Int) = index.apply
{\n    AbstractList.checkPositionIndex(index, size)\n    }\n    }"/*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if
(getStableSortingIsSupported()) {\n        array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    }\n}\n\ninternal fun
<T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported())
{\n        val comparison = { a: T, b: T -> comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n
    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\ninternal fun
<T> sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n    if
(fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1,
comparator)\n    }\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n    if
(getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n    }\n    array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, naturalOrder())\n    }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun
getStableSortingIsSupported(): Boolean {\n    _stableSortingIsSupported?.let { return it }\n
_stableSortingIsSupported = false\n    val array = js("[]").unsafeCast<Array<Int>>()\n    // known
implementations may use stable sort for arrays of up to 512 elements\n    // so we create slightly more elements to
test stability\n    for (index in 0 until 600) array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a

```

```

and 3) - (b and 3) }
array.asDynamic().sort(comparison)

for (index in 1 until array.size) {
    val a = array[index - 1]
    val b = array[index]
    if ((a and 3) == (b and 3) && a >= b) return false
}
_stableSortingIsSupported = true
return true

private fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator: Comparator<in T>) {
    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()
    val result = mergeSort(array, buffer, start, endInclusive, comparator)
    if (result !== array) {
        for (i in start..endInclusive) array[i] = result[i]
    }
}

// Both start and end are inclusive indices.
private fun <T> mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {
    if (start == end) {
        return array
    }
    val median = (start + end) / 2
    val left = mergeSort(array, buffer, start, median, comparator)
    val right = mergeSort(array, buffer, median + 1, end, comparator)

    val target = if (left === buffer) array else buffer
    // Merge.
    var leftIndex = start
    var rightIndex = median + 1
    for (i in start..end) {
        when {
            leftIndex <= median && rightIndex <= end -> {
                val leftValue = left[leftIndex]
                val rightValue = right[rightIndex]
                if (comparator.compare(leftValue, rightValue) <= 0) {
                    target[i] = leftValue
                    leftIndex++
                } else {
                    target[i] = rightValue
                    rightIndex++
                }
            }
            leftIndex <= median -> {
                target[i] = left[leftIndex]
                leftIndex++
            }
            rightIndex <= end -> {
                target[i] = right[rightIndex]
                rightIndex++
            }
            Unit // TODO: Fix KT-31506
        }
    }
    return target
}

/*
 * Copyright
 * 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
@OptIn(ExperimentalUnsignedTypes::class)
@SinceKotlin("1.3")
@kotlin.js.JsName("contentDeepHashCodeImpl")
internal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {
    if (this == null) return 0
    var result = 1
    for (element in this) {
        val elementHash = when {
            element == null -> 0
            isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()
            element is UByteArray -> element.contentHashCode()
            element is UShortArray -> element.contentHashCode()
            element is UIntArray -> element.contentHashCode()
            element is ULongArray -> element.contentHashCode()
            else -> element.hashCode()
        }
        result = 31 * result + elementHash
    }
    return result
}

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
internal interface EqualityComparator {
    /**
     * Subclasses must override to return a value indicating whether or not two keys or values are equal.
     */
    abstract fun equals(value1: Any?, value2: Any?): Boolean

    /**
     * Subclasses must override to return the hash code of a given key.
     */
    abstract fun getHashCode(value: Any?): Int
}
interface HashCode : EqualityComparator {
    override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2
    override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0
}

/*
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
import kotlin.collections.MutableMap.MutableEntry
/**
 * Hash table based implementation of the [MutableMap] interface.
 * This implementation makes no guarantees regarding the order of enumeration of [keys], [values] and [entries] collections.
 * // Classes that extend HashMap and implement `build()` (freezing) operation
 * // have to make sure mutating methods check `checkIsMutable`.
 */
public actual open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {
    private inner class EntrySet : AbstractEntrySet<MutableEntry<K, V>, K, V>() {
        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")
        override fun clear() {
            this@HashMap.clear()
        }
        override fun containsEntry(element: Map.Entry<K, V>): Boolean = this@HashMap.containsEntry(element)
        override operator fun iterator(): MutableIterator<MutableEntry<K,

```



```

fun contains(element: E): Boolean = map.containsKey(element)\n\n  actual override fun isEmpty(): Boolean =
map.isEmpty()\n\n  actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n  actual override
fun remove(element: E): Boolean = map.remove(element) != null\n\n  actual override val size: Int get() =
map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified
[String] elements,\n * which elements the keys as properties of JS object without
hashing them.\n */\n\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n  return
HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT InternalHashMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n
* A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n
*\n * Implementation notes:\n *\n *\n * A key's hashCode is the index in backingMap which should contain that
key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all
entries whose\n * keys share the same hash.\n */\n\ninternal
class InternalHashMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n
private var backingMap: dynamic = createJsMap()\n  override var size: Int = 0\n  private set\n\n  override fun
put(key: K, value: V): V? {\n    val hashCode = equality.getHashCode(key)\n    val chainOrEntry =
getChainOrEntryOrNull(hashCode)\n    if (chainOrEntry == null) {\n      // This is a new chain, put it to the
map.\n      backingMap[hashCode] = SimpleEntry(key, value)\n    } else {\n      if (chainOrEntry !is
Array<*>) {\n        // It is an entry\n        val entry: SimpleEntry<K, V> = chainOrEntry\n        if
(equality.equals(entry.key, key)) {\n          return entry.setValue(value)\n        } else {\n
backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n          size++\n          return null\n
        }\n      } else {\n
        // Chain already exists, perhaps key also exists.\n        val chain: Array<MutableEntry<K, V>> =
chainOrEntry\n        val entry = chain.findEntryInChain(key)\n        if (entry != null) {\n          return
entry.setValue(value)\n        }\n        chain.asDynamic().push(SimpleEntry(key, value))\n      }\n    }\n
size++\n\n// structureChanged(host)\n    return null\n  }\n\n  override fun remove(key: K): V? {\n
val hashCode = equality.getHashCode(key)\n    val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return
null\n    if (chainOrEntry !is Array<*>) {\n      val entry: MutableEntry<K, V> = chainOrEntry\n      if
(equality.equals(entry.key, key)) {\n        jsDeleteProperty(backingMap, hashCode)\n        size--\n
return entry.value\n      } else {\n        return null\n      }\n    } else {\n      val
chain: Array<MutableEntry<K, V>> = chainOrEntry\n      for (index in chain.indices) {\n        val entry =
chain[index]\n        if (equality.equals(key, entry.key)) {\n          if (chain.size == 1) {\n
chain.asDynamic().length = 0\n            // remove the whole array\n
jsDeleteProperty(backingMap, hashCode)\n          } else {\n            // splice out the entry we're
removing\n            chain.asDynamic().splice(index, 1)\n          }\n          size--\n\n//
structureChanged(host)\n          return entry.value\n        }\n      }\n    }\n    return null\n  }\n\n
override fun clear() {\n    backingMap = createJsMap()\n    size = 0\n  }\n\n  override fun contains(key: K):
Boolean = getEntry(key) != null\n\n  override fun get(key: K): V? = getEntry(key)?.value\n\n  private fun
getEntry(key: K): MutableEntry<K, V>? {\n    val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n    if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n    if (equality.equals(entry.key, key)) {\n      return
entry\n    } else {\n      return null\n    }\n    } else {\n      val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n      return chain.findEntryInChain(key)\n    }\n  }\n\n  private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n    firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n  override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n
return object : MutableIterator<MutableEntry<K, V>> {\n    var state = -1 // -1 not ready, 0 - ready, 1 -

```

```

done\n\n        val keys: Array<String> = js("Object").keys(backingMap)\n        var keyIndex = -1\n\n        var chainOrEntry: dynamic = null\n        var isChain = false\n        var itemIndex = -1\n        var lastEntry: MutableEntry<K, V>? = null\n\n        private fun computeNext(): Int {\n            if (chainOrEntry != null && isChain) {\n                val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n                if (++itemIndex < chainSize)\n                    return 0\n            }\n            if (++keyIndex < keys.size) {\n                chainOrEntry = backingMap[keys[keyIndex]]\n                isChain = chainOrEntry is Array<*>\n                itemIndex = 0\n                return 0\n            } else {\n                chainOrEntry = null\n                return 1\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            if (state == -1)\n                state = computeNext()\n            return state == 0\n        }\n\n        override fun next(): MutableEntry<K, V> {\n            if (!hasNext()) throw NoSuchElementException()\n            val lastEntry = if (isChain) {\n                chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n            } else {\n                chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n            }\n            this.lastEntry = lastEntry\n            state = -1\n            return lastEntry\n        }\n\n        override fun remove() {\n            checkNotNull(lastEntry)\n            this@InternalHashMap.remove(lastEntry!!.key)\n            lastEntry = null\n            // the chain being iterated just got modified by InternalHashMap.remove\n            itemIndex--\n        }\n\n        private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n            val chainOrEntry = backingMap[hashCode]\n            return if (chainOrEntry === undefined) null\n                else chainOrEntry\n        }\n\n        /*\n        * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n        * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n        */\n\n        package kotlin.collections\n\n        /**\n        * The common interface of [InternalStringMap] and [InternalHashMap].\n        */\n\n        internal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\n            val equality: EqualityComparator\n            val size: Int\n            operator fun contains(key: K): Boolean\n            operator fun get(key: K): V?\n            fun put(key: K, value: V): V?\n            fun remove(key: K): V?\n            fun clear(): Unit\n            fun createJsMap(): dynamic {\n                val result = js("Object.create(null)")\n                // force to switch object representation to dictionary mode\n                result["foo"] = 1\n                jsDeleteProperty(result, "foo")\n                return result\n            }\n        }\n\n        /*\n        * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n        * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n        */\n\n        /*\n        * Based on GWT InternalStringMap\n        * Copyright 2008 Google Inc.\n        */\n\n        package kotlin.collections\n        import kotlin.collections.MutableMap.MutableEntry\n\n        /**\n        * A simple wrapper around JavaScript Map for key type is string.\n        * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\n        * because we want to have it erased to Any? in order not to generate type-safe override bridges for\n        * [get], [contains], [remove] etc, if they ever are generated.\n        */\n\n        internal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n            private var backingMap: dynamic = createJsMap()\n            override var size: Int = 0\n            private set\n\n            /**\n            * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n            * iterator entry is guaranteed to be still correct.\n            * This is to optimize for the common scenario where the values are not modified during\n            * iterations where the entries are never stale.\n            */\n            private var valueMod: Int = 0\n\n            override operator fun contains(key: K): Boolean {\n                if (key !is String) return false\n                return backingMap[key] !== undefined\n            }\n\n            override operator fun get(key: K): V? {\n                if (key !is String) return null\n                val value = backingMap[key]\n                return if (value !== undefined) value.unsafeCast<V>() else null\n            }\n\n            override fun put(key: K, value: V): V? {\n                require(key is String)\n                val oldValue = backingMap[key]\n                backingMap[key] = value\n                if (oldValue === undefined) {\n                    size++\n                    structureChanged(host)\n                } else {\n                    valueMod++\n                    return oldValue.unsafeCast<V>()\n                }\n            }\n\n            override fun remove(key: K): V? {\n                if (key !is String) return null\n                val value = backingMap[key]\n                if (value !== undefined) {\n                    jsDeleteProperty(backingMap, key)\n                    size--\n                }\n            }\n        }

```

```

structureChanged(host)\n        return value.unsafeCast<V>()\n    } else {\n//        valueMod++\n        return
null\n    }\n}\n\n override fun clear() {\n    backingMap = createJsMap()\n    size = 0\n }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n    return object :
MutableIterator<MutableEntry<K, V>> {\n        private val keys: Array<String> =
js("Object").keys(backingMap)\n        private val iterator = keys.iterator()\n        private var lastKey: String? =
null\n\n        override fun hasNext(): Boolean = iterator.hasNext()\n\n        override fun next():
MutableEntry<K, V> {\n            val key = iterator.next()\n            lastKey = key\n
            @Suppress("UNCHECKED_CAST")\n            return newMapEntry(key as K)\n        }\n\n        override fun remove() {\n            @Suppress("UNCHECKED_CAST")\n            this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n        }\n    }\n}\n\n private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n    override val key: K get() =
key\n    override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n    override fun
setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n    override fun
hashCode(): Int = AbstractMap.entryHashCode(this)\n\n    override fun toString(): String =
AbstractMap.entryToString(this)\n\n    override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this,
other)\n }\n}\n\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT
LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap]
interface, which additionally preserves the insertion order\n * of entries during the iteration.\n *\n * The insertion
order is preserved by maintaining a doubly-linked list of all of its entries.\n *\n * The entry we use includes
next/prev pointers for a doubly-linked circular\n * list with a head node. This reduces the special cases we have to
deal with\n * in the list operations.\n *\n * Note that we duplicate the key from the underlying hash map so we
can find\n * the eldest entry. The alternative would have been to modify HashMap so more\n * of the code was
directly usable here,
but this would have added some\n * overhead to HashMap, or to reimplement most of the HashMap code here
with\n * small modifications. Paying a small storage cost only if you use\n * LinkedHashMap and minimizing
code size seemed like a better tradeoff\n */\n private inner class ChainEntry<K, V>(key: K, value: V) :
AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n    internal var next: ChainEntry<K, V>? = null\n
internal var prev: ChainEntry<K, V>? = null\n\n    override fun setValue(newValue: V): V {\n
this@LinkedHashMap.checkIsMutable()\n        return super.setValue(newValue)\n    }\n}\n\n private inner
class EntrySet : AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n    private inner class EntryIterator :
MutableIterator<MutableEntry<K, V>> {\n        // The last entry that was returned from this iterator.\n
private var last: ChainEntry<K, V>? = null\n        // The next entry to return from
this iterator.\n        private var next: ChainEntry<K, V>? = null\n\n        init {\n            next = head\n//
recordLastKnownStructure(map, this)\n        }\n\n        override fun hasNext(): Boolean {\n            return
next != null\n        }\n\n        override fun next(): MutableEntry<K, V> {\n//
checkStructuralChange(map, this)\n            if (!hasNext()) throw NoSuchElementException()\n\n            val
current = next!!\n            last = current\n            next = current.next.takeIf { it != head }\n            return
current\n        }\n\n        override fun remove() {\n            check(last != null)\n
this@EntrySet.checkIsMutable()\n//            checkStructuralChange(map, this)\n            last!!.remove()\n
map.remove(last!!.key)\n//            recordLastKnownStructure(map, this)\n            last = null\n        }\n
}\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw
UnsupportedOperationException("Add is not supported on entries")\n    }\n\n    override fun clear() {\n
this@LinkedHashMap.clear()\n    }\n\n    override fun containsEntry(element: Map.Entry<K, V>): Boolean =
this@LinkedHashMap.containsEntry(element)\n\n    override operator fun iterator():

```



```

MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n    override fun removeEntry(element: Map.Entry<K,
V>): Boolean {\n        checkIsMutable()\n        if (contains(element)) {\n
this@LinkedHashMap.remove(element.key)\n            return true\n        }\n        return false\n    }\n\n    override val size: Int get() = this@LinkedHashMap.size\n\n    override fun checkIsMutable(): Unit =
this@LinkedHashMap.checkIsMutable()\n    }\n\n    /*\n     * The head of the insert order chain, which is a doubly-
linked circular\n     * list.\n     * \n     * The
most recently inserted node is at the end of the chain, ie.\n     * chain.prev.\n     * \n     * private var head: ChainEntry<K,
V>? = null\n\n     /**\n     * Add this node to the end of the chain.\n     * \n     * private fun ChainEntry<K,
V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev == null)\n\n        val _head
= head\n        if (_head == null) {\n            head = this\n            next = this\n            prev = this\n        } else {\n
// Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n
next = _head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n
_tail.next = this\n        }\n    }\n\n    /**\n     * Remove this node from the chain it is a part of.\n     * \n     * private fun
ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single element, remove
head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first element, move head
to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next = next\n        }\n
next
= null\n        prev = null\n    }\n\n    /*\n     * The hashmap that keeps track of our entries and the chain. Note that
we\n     * duplicate the key here to eliminate changes to HashMap and minimize the\n     * code here, at the expense of
additional space.\n     * \n     * private val map: HashMap<K, ChainEntry<K, V>>\n\n     private var isReadOnly:
Boolean = false\n\n     /**\n     * Constructs an empty [LinkedHashMap] instance.\n     * \n     * actual constructor() :
super() {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n     internal constructor(backingMap:
HashMap<K, Any>) : super() {\n        @Suppress("UNCHECKED_CAST") // expected to work due to erasure\n
map = backingMap as HashMap<K, ChainEntry<K,
V>>\n    }\n\n     /**\n     * Constructs an empty [LinkedHashMap] instance.\n     * \n     * @param initialCapacity
the initial capacity (ignored)\n     * @param loadFactor the load factor (ignored)\n     * \n     * @throws
IllegalArgumentOutOfRangeException if the initial capacity or load factor are negative\n     * \n     * actual
constructor(initialCapacity: Int, loadFactor: Float) : super(initialCapacity, loadFactor) {\n        map = HashMap<K,
ChainEntry<K, V>>()\n    }\n\n     actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n     /**\n     *
Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n     * \n     * actual
constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n
this.putAll(original)\n    }\n\n     @PublishedApi\n     internal fun build(): Map<K, V> {\n        checkIsMutable()\n
isReadOnly = true\n        return this\n    }\n\n     actual override fun clear() {\n
checkIsMutable()\n        map.clear()\n        head = null\n    }\n\n    // override fun clone(): Any {\n    //     return
LinkedHashMap(this)\n    // }\n\n     actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n     actual
override fun containsValue(value: V): Boolean {\n        var node: ChainEntry<K, V> = head ?: return false\n
do {\n            if (node.value == value) {\n                return true\n            }\n            node = node.next!!\n        }
while (node != head)\n        return false\n    }\n\n     internal override fun createEntrySet():
MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n     actual override operator fun get(key: K): V? =
map.get(key)?.value\n\n     actual override fun put(key: K, value: V): V? {\n        checkIsMutable()\n        val old =
map.get(key)\n        if (old == null) {\n            val newEntry = ChainEntry(key, value)\n            map.put(key,
newEntry)\n            newEntry.addToEnd()\n            return null\n        } else {\n            return old.setValue(value)\n        }\n    }\n\n     actual override fun remove(key:
K): V? {\n        checkIsMutable()\n        val entry = map.remove(key)\n        if (entry != null) {\n
entry.remove()\n            return entry.value\n        }\n        return null\n    }\n\n     actual override val size: Int get() =
map.size\n\n     internal override fun checkIsMutable() {\n        if (isReadOnly) throw
UnsupportedOperationException()\n    }\n\n    /**\n     * Constructs the specialized implementation of
[LinkedHashMap] with [String] keys, which stores the keys as properties of\n     * JS object without hashing them.\n     * \n     * public fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n        return

```

LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) } }

JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache

2.0 license that can be found in the license/LICENSE.txt file. Based on GWT LinkedHashSet Copyright 2008 Google Inc. The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance. This implementation preserves the insertion order of elements during the iteration. public actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E> { internal constructor(map: LinkedHashMap<E, Any>) : super(map) /** Constructs a new empty [LinkedHashSet]. actual constructor() : super(LinkedHashMap<E, Any>()) /** Constructs a new [LinkedHashSet] filled with the elements of the specified collection. actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) { addAll(elements) } /** Constructs a new empty [LinkedHashSet]. @param initialCapacity the initial capacity (ignored) @param loadFactor the load factor (ignored) @throws IllegalArgumentException if the initial capacity or load factor are negative actual constructor(initialCapacity: Int, loadFactor: Float) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor)) actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f) @PublishedApi internal fun build(): Set<E> { (map as LinkedHashMap<E, Any>).build() return this } internal override fun checkIsMutable(): Unit = map.checkIsMutable() // public override fun clone(): Any { // return LinkedHashSet(this) // } } /** Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements, which elements the keys as properties of JS object without hashing them. public fun linkedStringSetOf(vararg elements: String): LinkedHashMap<String> { return LinkedHashMap(linkedStringMapOf<Any>()).apply

{ addAll(elements) } }

Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. package kotlin.nimport kotlin.contracts.* @DeprecatedSinceKotlin(warningSince = "1.6") @Deprecated("Synchronization on any object is not supported in Kotlin/JS", ReplaceWith("run(block)")) @kotlin.internal.InlineOnly @Suppress("UNUSED_PARAMETER") public inline fun <R> synchronized(lock: Any, block: () -> R): R { contract { callsInPlace(block, InvocationKind.EXACTLY_ONCE) } return block() } }

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. package kotlin.io internal abstract class BaseOutput { open fun println() { print("\n") } open fun println(message: Any?) { print(message) println() } abstract fun print(message: Any?) open fun flush() } /** JsName used to make the declaration available outside of module to test it */ @JsName("NodeJsOutput") internal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() { override fun print(message: Any?) { // TODO: Using local variable because of bug in block decomposition lowering in IR backend val messageString = String(message) outputStream.write(messageString) } } /** JsName used to make the declaration available outside of module to test it */ @JsName("OutputToConsoleLog") internal class OutputToConsoleLog : BaseOutput() { override fun print(message: Any?) { console.log(message) } override fun println(message: Any?) { console.log(message) } override fun println() { console.log("") } } /** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */ @JsName("BufferedOutput") internal open class BufferedOutput : BaseOutput() { var buffer = "" override fun print(message: Any?) { buffer += String(message) } override fun flush() { buffer = "" } } /** JsName used to make the declaration available outside of module to test it */ @JsName("BufferedOutputToConsoleLog") internal class BufferedOutputToConsoleLog : BufferedOutput() { override fun print(message: Any?) { var s = String(message) val i = s.nativeLastIndexOf("\n",

```

0)\n    if (i >= 0) {\n        buffer += s.substring(0, i)\n        flush()\n        s = s.substring(i + 1)\n    }\n    buffer += s\n }\n\n override fun flush() {\n    console.log(buffer)\n    buffer = ""\n }\n}\n\n/** JsName
used to make the declaration available outside
of module to test it and use at try.kotl.in */\n@JsName("output")\ninternal var output = run {\n    val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n    if (isNode)
NodeJsOutput(js("process.stdout")) else
BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String =
js("String")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n
output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic
actual fun println(message: Any?) {\n    output.println(message)\n}\n\n/** Prints the given [message] to the standard
output stream. */\npublic actual fun print(message: Any?) {\n
output.print(message)\n}\n\n@SinceKotlin("1.6")\npublic actual fun readln(): String = throw
UnsupportedOperationException("readln is not supported in Kotlin/JS")\n\n@SinceKotlin("1.6")\npublic
actual fun readlnOrNull(): String? = throw UnsupportedOperationException("readlnOrNull is not supported in
Kotlin/JS"), "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal
actual class SafeContinuation<in T>\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n
initialResult: Any?)\n) : Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate:
Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n
get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun
resumeWith(result:
Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n                this.result =
result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n                this.result = RESUMED\n
                delegate.resumeWith(result)\n            }\n            else -> throw IllegalStateException("Already resumed")\n
        }\n    }\n\n    @PublishedApi\n    internal actual fun getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n
            result = COROUTINE_SUSPENDED\n            return COROUTINE_SUSPENDED\n        }\n        val result =
this.result\n        return when {\n            result === RESUMED -> COROUTINE_SUSPENDED // already called
continuation, indicate COROUTINE_SUSPENDED upstream\n            result is Result.Failure -> throw
result.exception\n            else -> result // either COROUTINE_SUSPENDED or data\n        }\n    }\n}\n\n"/*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.cancellation\n\n@SinceKotlin("1.4")\npublic actual
open class CancellationException : IllegalStateException {\n    actual constructor(): super()\n    actual
constructor(message: String?): super(message)\n    constructor(message: String?, cause: Throwable?) :
super(message, cause)\n    constructor(cause: Throwable?): super(cause)\n}, "/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport
kotlin.coroutines.Continuation\nimport
kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n    result.getOrThrow()\n}, "/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds:
Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year: Int, month: Int)\n\n    public

```

```

constructor(year: Int, month: Int, day: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n
public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n public constructor(year: Int, month:
Int, day: Int, hour: Int, minute: Int, second: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int,
minute: Int, second: Int, millisecond: Number)\n\n
    public fun getDate(): Int\n\n public fun getDay(): Int\n\n public fun getFullYear(): Int\n\n public fun
getHours(): Int\n\n public fun getMilliseconds(): Int\n\n public fun getMinutes(): Int\n\n public fun
getMonth(): Int\n\n public fun getSeconds(): Int\n\n public fun getTime(): Double\n\n public fun
getTimezoneOffset(): Int\n\n public fun getUTCDate(): Int\n\n public fun getUTCDay(): Int\n\n public fun
getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun getUTCMilliseconds(): Int\n\n public
fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public fun getUTCSeconds(): Int\n\n public
fun toDateString(): String\n\n public fun toISOString(): String\n\n public fun toJSON(): Json\n\n public fun
toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally):
String\n\n public fun toLocaleDateString(locales: String, options: LocaleOptions
= definedExternally): String\n\n public fun toLocaleString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: String, options: LocaleOptions
= definedExternally): String\n\n public fun toLocaleTimeString(locales: Array<String> = definedExternally,
options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: String, options:
LocaleOptions = definedExternally): String\n\n public fun toTimeString(): String\n\n public fun toUTCString():
String\n\n public companion object {\n\n public fun now(): Double\n\n public fun parse(dateString: String):
Double\n\n public fun UTC(year: Int, month: Int): Double\n\n public fun UTC(year: Int, month: Int, day:
Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\n\n public fun UTC(year:
Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n
    public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n public fun
UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n\n }
\n\n public interface LocaleOptions {\n\n public var localeMatcher: String?\n\n public var timeZone: String?\n\n
public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday: String?\n\n
public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n public var day:
String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var second: String?\n\n
public var timeZoneName: String?\n\n }\n\n\n public inline fun dateLocaleOptions(init: Date.LocaleOptions() ->
Unit): Date.LocaleOptions {\n\n val result = js("new Object()").unsafeCast<Date.LocaleOptions>()\n\n
init(result)\n\n return result\n\n }"/*\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n package
kotlin.dom\n\n import org.w3c.dom.Document\n\n import org.w3c.dom.Element\n\n import
kotlin.internal.LowPriorityInOverloadResolution\n\n import kotlinx.dom.appendElement as
newAppendElement\n\n import kotlinx.dom.createElement as newCreateElement\n\n /**\n * Creates a new element
with the specified [name].\n * The element is initialized with the specified [init] function.\n
*/\n\n @LowPriorityInOverloadResolution\n\n @Deprecated(\n\n message = "This API is moved to another package,
use 'kotlinx.dom.createElement' instead.",\n\n replaceWith = ReplaceWith("this.createElement(name, init)",
"kotlinx.dom.createElement")\n\n )\n\n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\n public
inline fun Document.createElement(name: String, noinline init: Element() -> Unit):
Element = this.newCreateElement(name, init)\n\n /**\n * Appends a newly created element with the specified
[name] to this element.\n * The element is initialized with the specified [init] function.\n
*/\n\n @LowPriorityInOverloadResolution\n\n @Deprecated(\n\n message = "This API is moved to another package,
use 'kotlinx.dom.appendElement' instead.",\n\n replaceWith = ReplaceWith("this.appendElement(name, init)",
"kotlinx.dom.appendElement")\n\n )\n\n @DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\n public
inline fun Element.appendElement(name: String, noinline init: Element() -> Unit): Element =
this.newAppendElement(name, init)\n\n */\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming

```

```

Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.addClass
as newAddClass\nimport kotlinx.dom.hasClass as newHasClass\nimport kotlinx.dom.removeClass as
newRemoveClass\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.hasClass' instead.\",\n    replaceWith = ReplaceWith(\"this.hasClass(cssClass)\",
\"kotlinx.dom.hasClass\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun
Element.hasClass(cssClass: String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element.
Has no effect if all specified classes are already in class attribute of the element\n * \n * @return true if at least one
class has been added\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved
to another package, use 'kotlinx.dom.addClass' instead.\",\n    replaceWith =
ReplaceWith(\"this.addClass(cssClasses)\", \"kotlinx.dom.addClass\")\n)\n\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.6\")\ninline fun Element.addClass(vararg cssClasses: String): Boolean =
this.newAddClass(*cssClasses)\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified
classes are missing in class attribute of the element\n * \n * @return true if at least one class has been removed\n
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.removeClass' instead.\",\n    replaceWith = ReplaceWith(\"this.removeClass(cssClasses)\",
\"kotlinx.dom.removeClass\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline
fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.isElement as newIsElement\nimport
kotlinx.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API
is moved to another package, use 'kotlinx.dom.isText' instead.\",\n    replaceWith = ReplaceWith(\"this.isText\",
\"kotlinx.dom.isText\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val
Node.isText: Boolean\n    inline get() = this.newIsText\n\n/**\n * Gets a value indicating whether this node is an
[Element].\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to
another package, use 'kotlinx.dom.isElement' instead.\",\n    replaceWith = ReplaceWith(\"this.isElement\",
\"kotlinx.dom.isElement\")\n)\n\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.6\")\npublic val Node.isElement: Boolean\n    inline get() = this.newIsElement\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) -> Unit): EventListener =
EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler: (Event) -> Unit) :
EventListener {\n    public override fun handleEvent(event: Event) {\n        handler(event)\n    }\n\n    public
override fun toString(): String = \"EventListenerHandler($handler)\"\n\n}

/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external
interface ItemArrayLike<out T> {\n    val length: Int\n    fun item(index: Int): T?\n\n}

/**\n * Returns the view of
this `ItemArrayLike<T>` collection as `List<T>`\n */\n\npublic fun <T> ItemArrayLike<T>.asList(): List<T> =
object : AbstractList<T>() {\n    override val size: Int get() = this@asList.length\n\n    override fun get(index: Int): T
= when (index) {\n        in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n        else -> throw
IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n    }\n\n}

/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport

```

```

org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlin.dom.appendText as newAppendText\nimport
kotlin.dom.clear as newClear\n\n/** Removes all the children
from this node. *\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to
another package, use 'kotlin.dom.clear' instead.\",\n    replaceWith = ReplaceWith(\"this.clear()\",
\"kotlin.dom.clear()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun
Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this
element\n *\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = \"This API is moved to another
package, use 'kotlin.dom.appendText' instead.\",\n    replaceWith = ReplaceWith(\"this.appendText(text)\",
\"kotlin.dom.appendText()\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun
Element.appendText(text: String): Element = this.newAppendText(text)\n\n\", /*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that
can be found in the license/LICENSE.txt file.\n *\n@package kotlin.js\n\n/**\n * Reinterprets this value as a value
of the [dynamic type](/docs/reference/dynamic-type.html).\n *\n@kotlin.internal.InlineOnly\npublic inline fun
Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any
actual type checking.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the
specified type [T] without any actual type checking.\n
*\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n *\n@kotlin.internal.DynamicExtension\npublic
operator fun dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n    return when {\n
this[\"iterator\"] != null ->\n        this[\"iterator\"]()\n        isArrayish(r) ->\n
r.unsafeCast<Array<*>>().iterator()\n        else ->\n        (r as Iterable<*>).iterator()\n    }\n}\n\n\", /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n@package kotlin.js\n\n
omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\ninternal fun
throwNPE(message: String) {\n    throw NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun
throwCCE() {\n    throw ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun
throwISE(message: String) {\n    throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun
throwUPAE(propertyName: String) {\n    throw UninitializedPropertyAccessException(\"lateinit property
${propertyName} has not been initialized\")\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@package kotlin.collections\n\n/**\n * Groups elements from the
[Grouping] source by key and counts elements in each group.\n *\n * @return a [Map] associating the key of each
group with the count of elements in the group.\n *\n * @sample
samples.collections.Grouping.groupingByEachCount\n *\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K>
Grouping<T, K>.eachCount(): Map<K, Int> =\n    fold(0) { acc, _ -> acc + 1 }\n\n/*\n * Groups elements from
the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each
group.\n *\n * @return a [Map] associating the key of each
group with the count of element in the group.\n *\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T,
K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n    fold(0) { acc, e -> acc + valueSelector(e)
}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n@package
kotlin.collections\n\n/**\n * Represents a source of elements with a [keyOf] function, which can be applied to each

```

element to get its key.
 * A [Grouping] structure serves as an intermediate step in group-and-fold operations:
 * they group elements by their keys and then fold each group with some aggregating operation.
 * It is created by attaching `keySelector: (T) -> K` function to a source of elements.
 * To get an instance of [Grouping] use one of `groupingBy`

```
extension functions:
- [Iterable.groupingBy]
- [Sequence.groupingBy]
- [Array.groupingBy]
- [CharSequence.groupingBy]

For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.

@SinceKotlin("1.1")
public interface Grouping<T, out K> {
    /** Returns an [Iterator] over the elements of the source of this grouping. */
    fun sourceIterator(): Iterator<T>
    /** Extracts the key of an [element]. */
    fun keyOf(element: T): K
}

Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in a new map.

The key for each element is provided by the [Grouping.keyOf] function.

@param operation function is invoked on each element with the following parameters:
- `key`: the key of the group this element belongs to;
- `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;
- `element`: the element from the source being aggregated;
- `first`: indicates whether it's the first `element` encountered in the group.

@return a [Map] associating the key of each group with the result of aggregation of the group elements.

@sample
samples.collections.Grouping.aggregateByRadix

@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.aggregate(
    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): Map<K, R> {
    return aggregateTo(mutableMapOf<K, R>(), operation)
}

Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map.

The
```

```
key for each element is provided by the [Grouping.keyOf] function.

@param operation a function that is invoked on each element with the following parameters:
- `key`: the key of the group this element belongs to;
- `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;
- `element`: the element from the source being aggregated;
- `first`: indicates whether it's the first `element` encountered in the group.

If the [destination] map already has a value corresponding to some key, then the elements being aggregated for that key are never considered as `first`.

@return the [destination] map associating the key of each group with the result of aggregation of the group elements.

@sample
samples.collections.Grouping.aggregateByRadixTo

@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(
    destination: M,
    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R): M {
    for (e in this.sourceIterator()) {
        val key = keyOf(e)
        val accumulator = destination[key]
        destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))
    }
    return destination
}

Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in a new map.

An initial value of accumulator is provided by [initialValueSelector] function.

@param initialValueSelector a function that provides an initial value of accumulator for each group.

It's invoked with parameters:
- `key`: the key of the group;
- `element`: the first element being encountered in that group.

@param operation a function that is invoked on each element with the following parameters:
- `key`: the key of the group this element belongs to;
- `accumulator`: the current value of the accumulator of the group;
- `element`: the element from the source being accumulated.

@return a [Map] associating the key of each group with the result of accumulating the group elements.

@sample
samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue

@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.fold(
    initialValueSelector: (key: K, element: T) -> R,
    operation: (key: K, accumulator: R, element: T) -> R): Map<K, R> =
    @Suppress("UNCHECKED_CAST")
    aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }

Groups
```

elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map. An initial value of accumulator is provided by [initialValueSelector] function.

@param initialValueSelector a function that provides an initial value of accumulator for each group. It's invoked with parameters:

- key: the key of the group;
- element: the first element being encountered in that group.

If the [destination] map already has a value corresponding to some key, that value is used as an initial value of the accumulator for that group and the [initialValueSelector] function is not called for that group.

@param operation a function that is invoked on each element with the following parameters:

- key: the key of the group this element belongs to;
- accumulator: the current value of the accumulator of the group;
- element: the element from the source being accumulated.

@return the [destination] map associating the key of each group with the result of accumulating the group elements.

```

@sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo
*/
@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
destination: M,
initialValueSelector: (key: K, element: T) -> R,
operation: (key: K, accumulator: R, element: T) -> R): M =
@Suppress("UNCHECKED_CAST")
aggregateTo(destination) { key, acc, e, first ->
operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }
*/
*/
Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in a new map. An initial value of accumulator is the same [initialValue] for each group.
@param operation a function that is invoked on each element with the following parameters:
accumulator: the current value of the accumulator of the group;
element: the element from the source being accumulated.
@return a [Map] associating the key of each group with the result of accumulating the group elements.
@sample
samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue
*/
@SinceKotlin("1.1")
public inline fun <T, K, R> Grouping<T, K>.fold(
initialValue: R,
operation: (accumulator: R, element: T) -> R): Map<K, R> =
@Suppress("UNCHECKED_CAST")
aggregate { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }
*/
*/
Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially, passing the previously accumulated value and the current element as arguments, and stores the results in the given [destination] map. An initial value of accumulator is the same [initialValue] for each group.
If the [destination] map already has a value corresponding to the key of some group, that value is used as an initial value of the accumulator for that group.
@param operation a function that is invoked on each element with the following parameters:
accumulator: the current value of the accumulator of the group;
element: the element from the source being accumulated.
@return the [destination] map associating the key of each group with the result of accumulating the group elements.
@sample
samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo
*/
@SinceKotlin("1.1")
public inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(
destination: M,
initialValue: R,
operation: (accumulator: R, element: T) -> R): M =
@Suppress("UNCHECKED_CAST")
aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }
*/
*/
Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group sequentially starting from the second element of the group, passing the previously accumulated value and the current element as arguments, and stores the results in a new map. An initial value of accumulator is the first element of the group.
@param operation a function that is invoked on each subsequent element of the group with the following parameters:
key: the key of the group this element belongs to;
accumulator: the current value of the accumulator of the group;
element: the element from the source being accumulated.
@return a [Map] associating the key of each group with the result of accumulating the group elements.
@sample
samples.collections.Grouping.reduceByMaxVowels
*/
@SinceKotlin("1.1")
public inline fun <S, T : S, K> Grouping<T, K>.reduce(
operation: (key: K, accumulator: S, element: T) -> S): S =

```



```

Map<K, S> =\n    aggregate { key, acc, e, first ->\n        @Suppress(\"UNCHECKED_CAST\")\n        if (first) e else operation(key, acc as S, e)\n    }\n\n/**\n * Groups elements from the [Grouping] source by key and\n * applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of\n * the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the\n * results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial\n * value of the accumulator for that group and the first element of that group is also\n * subjected to the\n * [operation].\n *\n * @param operation a function that is invoked on each subsequent element of the group with the\n * following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the\n * element from the source being folded;\n *\n * @return the [destination] map associating\n * the key of each group with the result of accumulating the group elements.\n *\n * @sample\n * samples.collections.Grouping.reduceByMaxVowelsTo\n */\n\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K,\n M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n    destination: M,\n    operation: (key: K, accumulator: S,\n element: T) -> S)\n: M =\n    aggregateTo(destination) { key, acc, e, first ->\n        @Suppress(\"UNCHECKED_CAST\")\n        if (first) e else operation(key, acc as S, e)\n    }\n\n/**\n * Groups\n * elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an\n * initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group\n * with the count of elements in the group.\n *\n * @sample\n * samples.collections.Grouping.groupingByEachCount\n */\n\n@SinceKotlin(\"1.1\")\npublic\n fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n    foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/**\n * Groups elements from the [Grouping] source by key and\n * sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination]\n * map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value\n * is used as an initial value of the sum for that group.\n *\n * @return the [destination] map associating the key of\n * each group with the sum of elements in the group.\n */\n\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, M :\n MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n    foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\n\n// TODO: sum by long and by double\noverloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T,\n K>.sumEachByLongTo(destination: M, valueSelector:\n (T) -> Long): M =\n    foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K>\n Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n    fold(0L) { acc, e -> acc +\n valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T,\n K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n    foldTo(destination, 0.0) { acc, e\n -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) ->\n Double): Map<K, Double> =\n    fold(0.0) { acc, e -> acc + valueSelector(e)}\n\n/*\n * Copyright 2010-2018\n * JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the\n * Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An\n * interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is\n * [Any?][Any].\n *\n * @public external interface Json {\n *     /**\n *      * Calls to the function will be translated to indexing operation\n *      (square brackets) on the receiver with [propertyName] as the argument.\n *      *\n *      * E.g. for next code:\n *      *\n *      ```kotlin\n *      fun test(j: Json, p: String) = j[\"prop\"] + j.get(p)\n *      ```\n *      *\n *      * will be generated:\n *      *\n *      ```js\n *      function test(j, p) {\n *          return j[\"prop\"] + j[p];\n *      }\n *      ```\n *      *\n *      * @operator fun\n *      get(propertyName: String): Any?\n *      *\n *      * Calls of the function will be translated to an assignment of [value]\n *      to the receiver indexed (with square brackets/index operation) with [propertyName].\n *      *\n *      * E.g. for the\n *      following code:\n *      *\n *      ```kotlin\n *      fun test(j: Json, p: String, newValue: Any) {\n *          j[\"prop\"] = 1\n *          j.set(p, newValue)\n *      }\n *      ```\n *      *\n *      * will be generated:\n *      *\n *      ```js\n *      function test(j, p, newValue)\n */

```

```

{\n * j["prop"]
= 1;\n * j[p] = newValue;\n * }\n * }\n * ```\n * ^\n operator fun set(propertyName: String, value:
Any?): Unit{\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names
and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic =
js("{}")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-
value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n
val keys: Array<String> = js("Object").keys(other)\n for (key in keys) {\n if
(other.asDynamic().hasOwnProperty(key)) {\n this[key] = other[key];\n }\n }\n return
this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n
*/\n@Suppress("NOT_DOCUMENTED")\npublic
external object JSON {\n public fun stringify(o: Any?): String\n public fun stringify(o: Any?, replacer: ((key:
String, value: Any?) -> Any?): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) ->
Any?)? = definedExternally, space: Int): String\n public fun stringify(o: Any?, replacer: ((key: String, value:
Any?) -> Any?)? = definedExternally, space: String): String\n public fun stringify(o: Any?, replacer:
Array<String>): String\n public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n public fun
stringify(o: Any?, replacer: Array<String>, space: String): String\n\n public fun <T> parse(text: String): T\n
public fun <T> parse(text: String, reviver: ((key: String, value: Any?) -> Any?): T)\n}\n"/\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage
kotlin.math\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.JsMath as nativeMath\n\n// region
===== Double Math =====\n\n/** Computes the
sine of the angle [x] given in radians.\n * \n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double =
nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n * \n * Special cases:\n * -
`cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun cos(x: Double):
Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n * \n * Special cases:\n
* - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x:
Double): Double = nativeMath.tan(x)\n\n/** Computes the arc sine of the value [x];\n * the returned value is an
angle in the range from `-PI/2` to
`PI/2` radians.\n * \n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Double): Double =
nativeMath.asin(x)\n\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle in the
range from `0.0` to `PI` radians.\n * \n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double =
nativeMath.acos(x)\n\n/** Computes the arc tangent of the value [x];\n * the returned value is an angle in the
range from `-PI/2` to `PI/2` radians.\n * \n * Special cases:\n * - `atan(NaN)` is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double =
nativeMath.atan(x)\n\n/** Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the
rectangular coordinates `(x, y)` by computing the arc tangent
of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n * \n * Special
cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0,
x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for `'-Inf < y <
0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y >
0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n
* - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline
fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/** Computes the hyperbolic sine of the
value [x].\n * \n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `

```

```

Inf` \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public
    actual inline fun sinh(x: Double): Double = nativeMath.sinh(x) \n \n /** \n * Computes the hyperbolic cosine of the
    value [x]. \n * \n * Special cases: \n * - `cosh(NaN)` is `NaN` \n * - `cosh(+Inf)` is `+Inf` \n
    * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun cosh(x: Double): Double =
    nativeMath.cosh(x) \n \n /** \n * Computes the hyperbolic tangent of the value [x]. \n * \n * Special cases: \n * -
    `tanh(NaN)` is `NaN` \n * - `tanh(+Inf)` is `1.0` \n * - `tanh(-Inf)` is `-1.0` \n
    * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun tanh(x: Double): Double =
    nativeMath.tanh(x) \n \n /** \n * Computes the inverse hyperbolic sine of the value [x]. \n * \n * The returned value is
    `y` such that `sinh(y) == x`. \n * \n * Special cases: \n * - `asinh(NaN)` is `NaN` \n * - `asinh(+Inf)` is `+Inf` \n * -
    `asinh(-Inf)` is `-Inf` \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun asinh(x: Double): Double
    = nativeMath.asinh(x) \n \n /** \n
    * Computes the inverse hyperbolic cosine of the value [x]. \n * \n * The returned value is positive `y` such that
    `cosh(y) == x`. \n * \n * Special cases: \n * - `acosh(NaN)` is `NaN` \n * - `acosh(x)` is `NaN` when `x < 1` \n * -
    `acosh(+Inf)` is `+Inf` \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun acosh(x: Double):
    Double = nativeMath.acosh(x) \n \n /** \n * Computes the inverse hyperbolic tangent of the value [x]. \n * \n * The
    returned value is `y` such that `tanh(y) == x`. \n * \n * Special cases: \n * - `tanh(NaN)` is `NaN` \n * - `tanh(x)` is
    `NaN` when `x > 1` or `x < -1` \n * - `tanh(1.0)` is `+Inf` \n * - `tanh(-1.0)` is `-Inf` \n
    * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun atanh(x: Double): Double =
    nativeMath.atanh(x) \n \n /** \n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow. \n * \n *
    Special cases: \n * - returns `+Inf` if any of arguments is infinite \n * - returns `NaN` if any of arguments is `NaN`
    and the
    other is not infinite \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun hypot(x: Double, y:
    Double): Double = nativeMath.hypot(x, y) \n \n /** \n * Computes the positive square root of the value [x]. \n * \n *
    Special cases: \n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN` \n
    * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun sqrt(x: Double): Double =
    nativeMath.sqrt(x) \n \n /** \n * Computes Euler's number `e` raised to the power of the value [x]. \n * \n * Special
    cases: \n * - `exp(NaN)` is `NaN` \n * - `exp(+Inf)` is `+Inf` \n * - `exp(-Inf)` is `0.0` \n
    * \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun exp(x: Double): Double =
    nativeMath.exp(x) \n \n /** \n * Computes `exp(x) - 1`. \n * \n * This function can be implemented to produce more
    precise result for [x] near zero. \n * \n * Special cases: \n * - `expm1(NaN)` is `NaN` \n * - `expm1(+Inf)` is `+Inf` \n
    * - `expm1(-Inf)` is `-1.0` \n * \n * @see [exp] function. \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public
    actual inline fun expm1(x: Double): Double = nativeMath.expm1(x) \n \n /** \n * Computes the logarithm of the
    value [x] to the given [base]. \n * \n * Special cases: \n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN` \n * -
    `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` \n * - `log(+Inf, +Inf)` is `NaN` \n * - `log(+Inf, b)` is
    `+Inf` for `b > 1` and `-Inf` for `b < 1` \n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1` \n * \n * See also
    logarithm functions for common fixed bases: [ln], [log10] and [log2]. \n * \n @SinceKotlin("1.2") \n public actual
    fun log(x: Double, base: Double): Double { \n     if (base <= 0.0 || base == 1.0) return Double.NaN \n     return
    nativeMath.log(x) / nativeMath.log(base) \n } \n \n /** \n * Computes the natural logarithm (base `E`) of the value [x]. \n
    * \n * Special cases: \n * - `ln(NaN)` is `NaN` \n * - `ln(x)` is `NaN` when `x < 0.0` \n * - `ln(+Inf)` is `+Inf` \n * -
    `ln(0.0)` is `-Inf` \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public
    actual inline fun ln(x: Double): Double = nativeMath.log(x) \n \n /** \n * Computes the common logarithm (base 10)
    of the value [x]. \n * \n * @see [ln] function for special cases. \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public
    actual inline fun log10(x: Double): Double = nativeMath.log10(x) \n \n /** \n * Computes the binary logarithm (base
    2) of the value [x]. \n * \n * @see [ln] function for special cases. \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public
    actual inline fun log2(x: Double): Double = nativeMath.log2(x) \n \n /** \n * Computes `ln(x + 1)`. \n * \n * This
    function can be implemented to produce more precise result for [x] near zero. \n * \n * Special cases: \n * -
    `ln1p(NaN)` is `NaN` \n * - `ln1p(x)` is `NaN` where `x < -1.0` \n * - `ln1p(-1.0)` is `-Inf` \n * - `ln1p(+Inf)` is
    `+Inf` \n * \n * @see [ln] function \n * @see [expm1] function \n * \n @SinceKotlin("1.2") \n @InlineOnly \n public

```

actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)

* Rounds the given value [x] to an integer towards positive infinity.
 @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.
 Special cases: - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x)

* Rounds the given value [x] to an integer towards negative infinity.
 @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.
 Special cases: - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x)

* Rounds the given value [x] to an integer towards zero.
 @return the value [x] having its fractional part truncated.

* Special cases: - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)

* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.
 Special cases: - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

@SinceKotlin("1.2")\npublic actual fun round(x: Double): Double {
 if (x % 0.5 != 0.0) {
 return nativeMath.round(x)
 }
 val floor = floor(x)
 return if (floor % 2 == 0.0) floor else ceil(x)
}

* Returns the absolute value of the given value [x].
 Special cases: - `abs(NaN)` is `NaN`
 @see absoluteValue extension property for [Double]

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)

* Returns the sign of the given value [x]:
 - `1.0` if the value is positive
 - `0.0` if the value is zero
 - `-1.0` if the value is negative
 Special case: - `sign(NaN)` is `NaN`

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sign(x: Double): Double = nativeMath.sign(x)

* Returns the smaller of two values.
 If either value is `NaN`, then the result is `NaN`.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)

* Returns the greater of two values.
 If either value is `NaN`, then the result is `NaN`.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)

// extensions

* Raises this value to the power [x].
 Special cases: - `b.pow(0.0)` is `1.0`
 - `b.pow(1.0) == b`
 - `b.pow(NaN)` is `NaN`
 - `NaN.pow(x)` is `NaN` for `x != 0.0`
 - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
 - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)

* Raises this value to the integer power [n].
 See the other overload of [pow] for details.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())

* Returns the absolute value of this value.
 Special cases: - `NaN.absoluteValue` is `NaN`
 @see abs function

@SinceKotlin("1.2")@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)

* Returns the sign of this value:
 - `1.0` if the value is positive
 - `0.0` if the value is zero
 - `-1.0` if the value is negative
 Special case: - `NaN.sign` is `NaN`

@SinceKotlin("1.2")@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)

* Returns this value with the sign bit same as of the [sign] value.

@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())

* Returns the ulp (unit in the last place) of this value.
 An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.
 Special Cases: - `NaN.ulp` is `NaN`
 - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`
 - `0.0.ulp` is `Double.MIN_VALUE`

@SinceKotlin("1.2")\npublic actual val Double.ulp: Double get() = when {
 this < 0 -> (-this).ulp
 this.isNaN() || this == Double.POSITIVE_INFINITY -> this
 this == Double.MAX_VALUE -> this - this.nextDown()
 else -> this.nextUp() - this
}

* Returns the [Double]

```

value nearest to this value in direction of positive infinity.\n *^@SinceKotlin("1.2")\npublic
actual fun Double.nextUp(): Double = when {\n  this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n  this == 0.0 -> Double.MIN_VALUE\n  else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -
1)\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n
*^@SinceKotlin("1.2")\npublic actual fun Double.nextDown(): Double = when {\n  this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\n  this == 0.0 -> -Double.MIN_VALUE\n  else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n\n/**\n * Returns the [Double] value nearest to this
value in direction from this value towards the value [to].\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if
either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *^@SinceKotlin("1.2")\npublic actual fun
Double.nextTowards(to: Double): Double = when {\n  this.isNaN() || to.isNaN() -> Double.NaN\n  to == this ->
to\n  to > this ->
this.nextUp()\n  else /* to < this */ -> this.nextDown()\n}\n\n\n/**\n * Rounds this [Double] value to the nearest
integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * -
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE`
when `x < Int.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n
*^@SinceKotlin("1.2")\npublic actual fun Double.roundToInt(): Int = when {\n  isNaN() -> throw
IllegalArgumentException("Cannot round NaN value.")\n  this > Int.MAX_VALUE -> Int.MAX_VALUE\n  this < Int.MIN_VALUE -> Int.MIN_VALUE\n  else -> nativeMath.round(this).toInt()\n}\n\n\n/**\n * Rounds this
[Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive
infinity.\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x >
Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE`
when `x < Long.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n
*^@SinceKotlin("1.2")\npublic actual fun Double.roundToLong(): Long = when {\n  isNaN() -> throw
IllegalArgumentException("Cannot round NaN value.")\n  this > Long.MAX_VALUE -> Long.MAX_VALUE\n  this < Long.MIN_VALUE -> Long.MIN_VALUE\n  else -> nativeMath.round(this).toLong()\n}\n\n\n//
endregion\n\n\n// region ===== Float Math
=====
\n\n/** Computes the sine of the angle [x] given in
radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n
*^@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float =
nativeMath.sin(x.toDouble()).toFloat()\n\n\n/** Computes the cosine of the angle [x] given in radians.\n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n *^@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n\n/**
Computes the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is
`NaN`\n *^@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float =
nativeMath.tan(x.toDouble()).toFloat()\n\n\n\n/** Computes the arc sine of the value [x];\n * the returned value is
an angle in the range from `-PI/2` to `PI/2` radians.\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) >
1` or x is `NaN`\n *^@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float =
nativeMath.asin(x.toDouble()).toFloat()\n\n\n\n/** Computes the arc cosine of the value [x];\n * the returned value
is an angle in the range from `0.0` to `PI` radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) >
1` or x is `NaN`\n *^@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float =
nativeMath.acos(x.toDouble()).toFloat()\n\n\n\n/** Computes the arc tangent of the value [x];\n * the
returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n * Special cases:\n * - `atan(NaN)` is
`NaN`\n *^@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float =
nativeMath.atan(x.toDouble()).toFloat()\n\n\n\n/** Returns the angle `theta` of the polar coordinates `(r, theta)` that
correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the
returned value is an angle in the range from `-PI` to `PI` radians.\n * Special cases:\n * - `atan2(0.0, 0.0)` is
`0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for `x > 0` and
`-PI` for `x < 0`\n * - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for `-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI`

```

for $0 < y < +\text{Inf}$ and $-\text{PI}$ for $-\text{Inf} < y < 0$ \n * $-\text{atan2}(y, 0.0)$ is $\text{PI}/2$ for $y > 0$ and $-\text{PI}/2$ for $y < 0$ \n * $-\text{atan2}(+\text{Inf}, x)$ is $\text{PI}/2$ for finite x \n

* $-\text{atan2}(-\text{Inf}, x)$ is $-\text{PI}/2$ for finite x \n * $-\text{atan2}(\text{NaN}, x)$ and $\text{atan2}(y, \text{NaN})$ is NaN \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat() \n \n /** \n * Computes the hyperbolic sine of the value [x]. \n * \n * Special cases: \n * $-\text{sinh}(\text{NaN})$ is NaN \n * $-\text{sinh}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{sinh}(-\text{Inf})$ is $-\text{Inf}$ \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat() \n \n /** \n * Computes the hyperbolic cosine of the value [x]. \n * \n * Special cases: \n * $-\text{cosh}(\text{NaN})$ is NaN \n * $-\text{cosh}(+\text{Inf}-\text{Inf})$ is $+\text{Inf}$ \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat() \n \n /** \n * Computes the hyperbolic tangent of the value [x]. \n * \n * Special cases: \n * $-\text{tanh}(\text{NaN})$ is NaN \n * $-\text{tanh}(+\text{Inf})$ is 1.0 \n * $-\text{tanh}(-\text{Inf})$ is -1.0 \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat() \n \n /** \n * Computes the inverse hyperbolic sine of the value [x]. \n * \n * The returned value is y such that $\text{sinh}(y) == x$. \n * \n * Special cases: \n * $-\text{asinh}(\text{NaN})$ is NaN \n * $-\text{asinh}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{asinh}(-\text{Inf})$ is $-\text{Inf}$ \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat() \n \n /** \n * Computes the inverse hyperbolic cosine of the value [x]. \n * \n * The returned value is positive y such that $\text{cosh}(y) == x$. \n * \n * Special cases: \n * $-\text{acosh}(\text{NaN})$ is NaN \n * $-\text{acosh}(x)$ is NaN when $x < 1$ \n * $-\text{acosh}(+\text{Inf})$ is $+\text{Inf}$ \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat() \n \n /** \n * Computes the inverse hyperbolic tangent of the value [x]. \n * \n * The returned value is y such that $\text{tanh}(y) == x$. \n * \n * Special cases: \n * $-\text{tanh}(\text{NaN})$ is NaN \n * $-\text{tanh}(x)$ is NaN when $x > 1$ or $x < -1$ \n * $-\text{tanh}(1.0)$ is $+\text{Inf}$ \n * $-\text{tanh}(-1.0)$ is $-\text{Inf}$ \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat() \n \n /** \n * Computes $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow. \n * \n * Special cases: \n * - returns $+\text{Inf}$ if any of arguments is infinite \n * - returns NaN if any of arguments is NaN and the other is not infinite \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat() \n \n /** \n * Computes the positive square root of the value [x]. \n * \n * Special cases: \n * $-\text{sqrt}(x)$ is NaN when $x < 0$ or x is NaN \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat() \n \n /** \n * Computes Euler's number e raised to the power of the value [x]. \n * \n * Special cases: \n * $-\text{exp}(\text{NaN})$ is NaN \n * $-\text{exp}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{exp}(-\text{Inf})$ is 0.0 \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat() \n \n /** \n * Computes $\text{exp}(x) - 1$. \n * \n * This function can be implemented to produce more precise result for [x] near zero. \n * \n * Special cases: \n * $-\text{expm1}(\text{NaN})$ is NaN \n * $-\text{expm1}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{expm1}(-\text{Inf})$ is -1.0 \n * @see [exp] function. \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat() \n \n /** \n * Computes the logarithm of the value [x] to the given [base]. \n * \n * Special cases: \n * $-\text{log}(x, b)$ is NaN if either x or b are NaN \n * $-\text{log}(x, b)$ is NaN when $x < 0$ or $b \leq 0$ or $b == 1.0$ \n * $-\text{log}(+\text{Inf}, +\text{Inf})$ is NaN \n * $-\text{log}(+\text{Inf}, b)$ is $+\text{Inf}$ for $b > 1$ and $-\text{Inf}$ for $b < 1$ \n * $-\text{log}(0.0, b)$ is $-\text{Inf}$ for $b > 1$ and $+\text{Inf}$ for $b > 1$ \n * \n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2]. \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat() \n \n /** \n * Computes the natural logarithm (base E) of the value [x]. \n * \n * Special cases: \n * $-\text{ln}(\text{NaN})$ is NaN \n * $-\text{ln}(x)$ is NaN when $x < 0.0$ \n * $-\text{ln}(+\text{Inf})$ is $+\text{Inf}$ \n * $-\text{ln}(0.0)$ is $-\text{Inf}$ \n

* \n @SinceKotlin("1.2") \n @InlineOnly \n public actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat() \n \n /** \n * Computes the common logarithm (base 10) of the value [x]. \n * \n

* @see [ln] function for special cases.
`fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()`
 Computes the binary logarithm (base 2) of the value [x].

* @see [ln] function for special cases.
`fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()`
 Computes $\ln(a + 1)$. This function can be implemented to produce more precise result for [x] near zero.
 Special cases:
 $\ln(\text{NaN})$ is NaN
 $\ln(x)$ is NaN where $x < -1.0$
 $\ln(-1.0)$ is $-\text{Inf}$
 $\ln(+\text{Inf})$ is $+\text{Inf}$
 @see [ln] function
 @see [expm1] function

* @see [ln] function
`fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()`
 Rounds the given value [x] to an integer towards positive infinity.
 @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.
 Special cases:
 $\text{ceil}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

* @see [ln] function
`fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()`
 Rounds the given value [x] to an integer towards negative infinity.
 @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.
 Special cases:
 $\text{floor}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

* @see [ln] function
`fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()`
 Rounds the given value [x] to an integer towards zero.
 @return the value [x] having its fractional part truncated.
 Special cases:
 $\text{truncate}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

* @see [ln] function
`fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()`
 Rounds the given value [x] towards the closest integer with ties rounded towards even integer.
 Special cases:
 $\text{round}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

* @see [ln] function
`fun round(x: Float): Float = round(x.toDouble()).toFloat()`
 Returns the absolute value of the given value [x].
 Special cases:
 $\text{abs}(\text{NaN})$ is NaN
 @see absoluteValue extension property for [Float]

* @see [ln] function
`fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()`
 Returns the sign of the given value [x]:
 -1.0 if the value is negative,
 zero if the value is zero,
 1.0 if the value is positive
 Special case:
 $\text{sign}(\text{NaN})$ is NaN

* @see [ln] function
`fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()`
 Returns the smaller of two values.
 If either value is NaN , then the result is NaN .

* @see [ln] function
`fun min(a: Float, b: Float): Float = nativeMath.min(a, b).toFloat()`
 Returns the greater of two values.
 If either value is NaN , then the result is NaN .

* @see [ln] function
`fun max(a: Float, b: Float): Float = nativeMath.max(a, b).toFloat()`
 Raises this value to the power [x].
 Special cases:
 $b.\text{pow}(0.0)$ is 1.0
 $b.\text{pow}(1.0) == b$
 $b.\text{pow}(\text{NaN})$ is NaN
 $\text{NaN}.\text{pow}(x)$ is NaN for $x != 0.0$
 $b.\text{pow}(\text{Inf})$ is NaN for $\text{abs}(b) == 1.0$
 $b.\text{pow}(x)$ is NaN for $b < 0$ and x is finite and not an integer

* @see [ln] function
`fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()`
 Raises this value to the integer power [n].
 See the other overload of [pow] for details.

* @see [ln] function
`fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()`
 Returns the absolute value of this value.
 Special cases:
 $\text{NaN}.\text{absoluteValue}$ is NaN
 @see abs function

* @see [ln] function
`val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()`
 Returns the sign of this value:
 -1.0 if the value is negative,
 zero if the value is zero,
 1.0 if the value is positive
 Special case:
 $\text{NaN}.\text{sign}$ is NaN

* @see [ln] function
`val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()`

`nativeMath.sign(this.toDouble()).toFloat()`
 Returns this value with the sign bit same as of the [sign] value.
 If [sign] is `NaN` the sign of the result is undefined.

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()

Returns this value with the sign bit same as of the [sign] value.

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()

Rounds this [Float] value to the nearest integer and converts the result to [Int].
 Ties are rounded towards positive infinity.
 Special cases:
 - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
 - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`
 @throws `IllegalArgumentException` when this value is `NaN`

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()

Rounds this [Float] value to the nearest integer and converts the result to [Long].
 Ties are rounded towards positive infinity.
 Special cases:
 - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`
 - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`
 @throws `IllegalArgumentException` when this value is `NaN`

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()

`endregion`
`region`

=====
`abs`
 Returns the absolute value of the given value [n].
 Special cases:
 - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow
 @see `absoluteValue` extension property for [Int]

`@SinceKotlin("1.2")`
`public`
 actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n

Returns the smaller of two values.

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)

Returns the greater of two values.

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)

Returns the absolute value of this value.
 Special cases:
 - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow
 @see `abs` function

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline val Int.absoluteValue: Int get() = abs(this)

Returns the sign of this value:
 - `-1` if the value is negative,
 - `0` if the value is zero,
 - `1` if the value is positive

`@SinceKotlin("1.2")`
`public`
 actual val Int.sign: Int get() = when {
 this < 0 -> -1
 this > 0 -> 1
 else -> 0
 }

Returns the absolute value of the given value [n].
 Special cases:
 - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow
 @see `absoluteValue` extension property for [Long]

`@SinceKotlin("1.2")`
`public`
 actual fun abs(n: Long): Long = if (n < 0) -n else n

Returns the smaller of two values.

`@SinceKotlin("1.2")`
`Suppress("NOTHING_TO_INLINE")`
`public`
 actual inline fun min(a: Long, b: Long): Long = if (a <= b) a else b

Returns the greater of two values.

`@SinceKotlin("1.2")`
`Suppress("NOTHING_TO_INLINE")`
`public`
 actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b

Returns the absolute value of this value.
 Special cases:
 - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow
 @see `abs` function

`@SinceKotlin("1.2")`
`InlineOnly`
`public`
 actual inline val Long.absoluteValue: Long get() = abs(this)

Returns the sign of this value:
 - `-1` if the value is negative,
 - `0` if the value is zero,
 - `1` if the value is positive

`@SinceKotlin("1.2")`
`public`
 actual val Long.sign: Int get() = when {
 this < 0 -> -1
 this > 0 -> 1
 else -> 0
 }

`endregion`
`"/`
 Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.

Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

`isNaN`
 Returns `true` if the specified number is a Not-a-Number (NaN) value, `false` otherwise.

`Double.isNaN(): Boolean = this != this`
 Returns `true` if the specified number is a Not-a-Number (NaN) value, `false` otherwise.

`Float.isNaN(): Boolean = this != this`
 Returns `true` if this value is infinitely large in magnitude.

`Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this ==`


```

Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic
actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
`false` otherwise
(for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean = !isInfinite() &&
!isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for
`NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() &&
!isNaN()\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) +
(v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F)
+ (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and
0x0000FFFF) + (v.ushr(16))\n return v}\n\n/**\n * Counts the number of consecutive most significant bits that
are zero in the binary representation
of this [Int] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of
consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with
countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this
number is zero.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n
* Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or
zero, if this number is zero.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -
this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of
bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the
right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit
count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
actual fun Int.rotateLeft(bitCount: Int): Int =\n shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n/**\n
* Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least
significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *
Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*/\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateRight(bitCount: Int): Int =\n shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n/**\n * Counts the
number of set bits in the binary representation of this [Long] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
actual fun Long.countOneBits(): Int =\n high.countOneBits() + low.countOneBits()\n\n/**\n * Counts the number
of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countLeadingZeroBits(): Int =\n when (val high = this.high) {\n 0 -> Int.SIZE_BITS +

```

```

low.countLeadingZeroBits() \n     else -> high.countLeadingZeroBits() \n } \n \n /** \n * Counts the number of
consecutive least significant bits that are zero in the binary representation of this [Long] number. \n
*\n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public actual fun
Long.countTrailingZeroBits(): Int = \n     when (val low = this.low) { \n         0 -> Int.SIZE_BITS +
high.countTrailingZeroBits() \n         else -> low.countTrailingZeroBits() \n     } \n \n /** \n * Returns a number having a
single
bit set in the position of the most significant set bit of this [Long] number, \n * or zero, if this number is zero. \n
*\n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public actual fun
Long.takeHighestOneBit(): Long = \n     when (val high = this.high) { \n         0 -> Long(low.takeHighestOneBit(),
0) \n         else -> Long(0, high.takeHighestOneBit()) \n     } \n \n /** \n * Returns a number having a single bit set in the
position of the least significant set bit of this [Long] number, \n * or zero, if this number is zero. \n
*\n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n public actual fun
Long.takeLowestOneBit(): Long = \n     when (val low = this.low) { \n         0 -> Long(0, high.takeLowestOneBit()) \n
        else -> Long(low.takeLowestOneBit(), 0) \n     } \n \n /** \n * Rotates the binary representation of this [Long]
number left by the specified [bitCount] number of bits. \n * The most significant bits pushed out from the left side
reenter the
number as the least significant bits on the right side. \n * \n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count: \n * `number.rotateLeft(-n) == number.rotateRight(n)` \n * \n *
Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally \n *
`number.rotateLeft(n) == number.rotateLeft(n % 64)` \n
*\n @SinceKotlin("1.6") \n @WasExperimental(ExperimentalStdlibApi::class) \n public actual fun
Long.rotateLeft(bitCount: Int): Long { \n     if ((bitCount and 31) != 0) { \n         val low = this.low \n         val high =
this.high \n         val newLow = low.shl(bitCount) or high.ushr(-bitCount) \n         val newHigh = high.shl(bitCount) or
low.ushr(-bitCount) \n         return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh,
newLow) \n     } else { \n         return if ((bitCount and 32) == 0) this else Long(high, low) \n     } \n } \n \n \n /** \n *
Rotates the binary representation of this [Long] number right by
the specified [bitCount] number of bits. \n * The least significant bits pushed out from the right side reenter the
number as the most significant bits on the left side. \n * \n * Rotating the number right by a negative bit count is the
same as rotating it left by the negated bit count: \n * `number.rotateRight(-n) == number.rotateLeft(n)` \n * \n *
Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally \n *
`number.rotateRight(n) == number.rotateRight(n % 64)` \n
*\n @SinceKotlin("1.6") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
c actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount) \n \n /** \n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file. \n * \n \n \n package kotlin.js \n \n import
kotlin.internal.LowPriorityInOverloadResolution \n \n /** \n * Exposes
the JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global\_Objects/Promise) to Kotlin. \n
*\n @Suppress("NOT_DOCUMENTED") \n public open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) { \n     @LowPriorityInOverloadResolution \n     public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S> \n \n     @LowPriorityInOverloadResolution \n     public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S> \n \n     public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S> \n \n     companion object { \n         public fun <S> all(promise:
Array<out Promise<S>>): Promise<Array<out S>> \n \n         public fun <S> race(promise: Array<out
Promise<S>>): Promise<S> \n \n         public fun reject(e: Throwable): Promise<Nothing> \n \n         public fun <S>
resolve(e: S): Promise<S> \n \n         public fun <S> resolve(e: Promise<S>): Promise<S> \n     } \n } \n \n // It's workaround
for

```

```

KT-19672 since we can fix it properly until KT-11265 isn't fixed.\n\ninline fun <T, S>
Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline
onFulfilled: ((T) -> S)?,\n    noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n    Random(js(\n        "(Math.random() *
Math.pow(2, 32)) | 0\").unsafeCast<Int>())\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val
INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27:
Int): Double =\n    hi26 * INV_2_26 + low27 * INV_2_53"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The
experimental marker for associated objects API.\n * Any usage of a declaration annotated with
`@ExperimentalAssociatedObjects` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.reflect.ExperimentalAssociatedObjects`. \n * Also, `@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n * @Retention(value = AnnotationRetention.BINARY)\n */\n\npublic annotation class
ExperimentalAssociatedObjects\n\n/**\n * Makes the annotated annotation class an associated object key.\n * An
associated object key annotation should have single
[KClass] parameter.\n * When applied to a class with reference to an object declaration as an argument, it binds\n *
the object to the class, making this binding discoverable at runtime using [findAssociatedObject].\n
*/\n\n@ExperimentalAssociatedObjects\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.A
NNOTATION_CLASS)\n\npublic annotation class AssociatedObjectKey\n\n/**\n * If [T] is an
@[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n * returns
object `S`. \n * Otherwise returns `null`. \n */\n\n@ExperimentalAssociatedObjects\n\npublic inline fun <reified T :
Annotation> KClass<*>.findAssociatedObject(): Any? =\n    this.findAssociatedObject(T::class)"/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
getKClass\n\nimport kotlin.reflect.KClass\n\nimport
kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be
passed to JavaScript APIs that expect a constructor reference.\n */\n\nexternal interface JsClass<T : Any> {\n    /**\n
 * Returns the unqualified name of the class represented by this instance.\n     */\n    val name: String\n}\n\n/**\n
 * Obtains a constructor reference for the given `KClass`. \n */\n\nval <T : Any> KClass<T>.js: JsClass<T>\n
get() =
(this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\n\nval
<T : Any> JsClass<T>.kotlin: KClass<T>\n
get() = getKClass(this)"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.reflect.*\n\ninternal abstract class KClassImpl<T
: Any>(\n    internal open val jClass: JsClass<T>)\n : KClass<T> {\n    override val qualifiedName: String?\n
get() = TODO()\n\n    override fun equals(other: Any?): Boolean {\n        return other is KClassImpl<*> && jClass
== other.jClass\n    }\n\n    // TODO: use FQN\n    override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n
override fun toString(): String {\n        // TODO: use FQN\n        return "class $simpleName"\n    }\n}\n\ninternal
class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n    override val simpleName:
String? = jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n    override fun
isInstance(value: Any?): Boolean {\n        return jsIsType(value, jClass)\n    }\n}\n\ninternal class
PrimitiveKClassImpl<T : Any>(\n    jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val
isInstanceFunction: (Any?) -> Boolean)\n : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?):

```

```

Boolean {\n    if (other !is PrimitiveKClassImpl<*>) return false\n    return super.equals(other) &&
givenSimpleName == other.givenSimpleName\n } \n\n override val simpleName: String? get() =
givenSimpleName\n\n override fun isInstance(value: Any?): Boolean {\n    return isInstanceFunction(value)\n
}\n}\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js(\"Object\")) {\n    override val simpleName:
String = \"Nothing\"\n\n    override fun isInstance(value: Any?): Boolean = false\n\n    override val jClass:
JsClass<Nothing>\n        get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing
type\")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun hashCode(): Int =
0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n    override val simpleName: String? get() =
error(\"Unknown simpleName for ErrorKClass\")\n\n    override val qualifiedName: String? get() = error(\"Unknown
qualifiedName for
ErrorKClass\")\n\n    override fun isInstance(value: Any?): Boolean = error(\"Can's check isInstance on
ErrorKClass\")\n\n    override fun equals(other: Any?): Boolean = other === this\n\n    override fun hashCode(): Int
= 0\n}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.reflect\n\ninternal actual inline val KClass<*>.qualifiedOrSimpleName: String? \n    get() =
simpleName\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n// a package is omitted to get declarations directly under the module\n\n// TODO: Remove once
JsReflectionAPICallChecker supports more reflection types\n\n@file:Suppress(\"Unsupported\")\n\nimport
kotlin.reflect.*\n\nimport
kotlin.reflect.js.internal.*\n\n@JsName(\"createKType\")\n\ninternal fun createKType(\n    classifier: KClassifier,\n
arguments: Array<KTypeProjection>,\n    isMarkedNullable: Boolean\n) =\n    KTypeImpl(classifier,
arguments.asList(), isMarkedNullable)\n\n@JsName(\"createDynamicKType\")\n\ninternal fun
createDynamicKType(): KType = DynamicKType\n\n@JsName(\"markKTypeNullable\")\n\ninternal fun
markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments,
true)\n\n@JsName(\"createKTypeParameter\")\n\ninternal fun createKTypeParameter(\n    name: String,\n
upperBounds: Array<KType>,\n    variance: String\n): KTypeParameter {\n    val kVariance = when (variance) {\n
    \"in\" -> KVariance.IN\n    \"out\" -> KVariance.OUT\n    else -> KVariance.INVARIANT\n    }\n\n    return
KTypeParameterImpl(name, upperBounds.asList(), kVariance,
false)\n}\n\n@JsName(\"getStarKTypeProjection\")\n\ninternal fun getStarKTypeProjection(): KTypeProjection =\n
KTypeProjection.STAR\n\n@JsName(\"createCovariantKTypeProjection\")\n\ninternal
fun createCovariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.covariant(type)\n\n@JsName(\"createInvariantKTypeProjection\")\n\ninternal fun
createInvariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.invariant(type)\n\n@JsName(\"createContravariantKTypeProjection\")\n\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.contravariant(type)\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n\n*\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n    override val classifier: KClassifier,\n    override val arguments: List<KTypeProjection>,\n
override val isMarkedNullable: Boolean\n) : KType {\n    override fun equals(other: Any?):
Boolean =\n        other is KTypeImpl &&\n            classifier == other.classifier && arguments ==
other.arguments && isMarkedNullable == other.isMarkedNullable\n\n    override fun hashCode(): Int =\n
(classifier.hashCode() * 31 + arguments.hashCode()) * 31 + isMarkedNullable.hashCode()\n\n    override fun
toString(): String {\n        val kClass = (classifier as? KClass<*>)\n        val classifierName = when {\n
            kClass
            == null -> classifier.toString()\n            kClass.simpleName != null -> kClass.simpleName\n
            else -> \"(non-
denotable type)\"\n        }\n\n        val args =\n            if (arguments.isEmpty()) \"\"\n            else
arguments.joinToString(\" \", \" \", \"<\", \">>\") { it.asString() }\n        val nullable = if (isMarkedNullable) \"?\" else

```

```

"\n\n    return classifierName + args + nullable\n } \n\n // TODO: this should be the implementation of
KTypeProjection.toString, see KT-30071\n private fun KTypeProjection.asString():
String {\n    if (variance == null) return "*" \n    return variance.prefixString() + type.toString()\n
}\n}\n\ninternal object DynamicKType : KType {\n    override val classifier: KClassifier? = null\n    override val
arguments: List<KTypeProjection> = emptyList()\n    override val isMarkedNullable: Boolean = false\n    override
fun toString(): String = "dynamic"\n}\n\ninternal fun KVariance.prefixString() =\n    when (this) {\n
KVariance.INVARIANT -> "\n    KVariance.IN -> "in "\n    KVariance.OUT -> "out "\n    }\n", /*\n *
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal data class KTypeParameterImpl(\n    override val
name: String,\n    override val upperBounds: List<KType>,\n    override val variance: KVariance,\n
    override val isReified: Boolean\n) : KTypeParameter {\n    override fun toString(): String = name\n}, /*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\n\ninternal object
PrimitiveClasses {\n    @JsName("anyClass")\n    val anyClass =
PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(), "Any", { it is Any })\n\n
    @JsName("numberClass")\n    val numberClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n\n
    @JsName("nothingClass")\n    val nothingClass = NothingKClassImpl\n\n    @JsName("booleanClass")\n    val
booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean
})\n\n    @JsName("byteClass")\n
    val byteClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n\n
    @JsName("shortClass")\n    val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),
"Short", { it is Short })\n\n    @JsName("intClass")\n    val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n\n
    @JsName("floatClass")\n    val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
"Float", { it is Float })\n\n    @JsName("doubleClass")\n    val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
    @JsName("arrayClass")\n    val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>>(), "Array", { it is Array<*> })\n\n
    @JsName("stringClass")\n    val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
"String", { it is String })\n\n
    @JsName("throwableClass")\n    val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
    @JsName("booleanArrayClass")\n    val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n    @JsName("charArrayClass")\n    val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n    @JsName("byteArrayClass")\n    val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
    @JsName("shortArrayClass")\n    val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n    @JsName("intArrayClass")\n    val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", {
    it is IntArray })\n\n    @JsName("longArrayClass")\n    val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
    @JsName("floatArrayClass")\n    val floatArrayClass =

```

```

PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n    val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n    functionClasses.asDynamic()[arity]
= result\n    result\n } }\n
}\n\nprivate val functionClasses = arrayOfNulls<KClassImpl<Any>>(0),"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get
declarations directly under the module\n\nimport kotlin.reflect.*\nimport
kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T : Any> getKClass(jClass: Any /*
JsClass<T> | Array<JsClass<T>> */): KClass<T> {\n    return if (js("Array").isArray(jClass)) {\n
getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n    } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n    }\n}\n\n@JsName("getKClassM")\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n    1 ->
getKClass1(jClasses[0])\n    0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n    else ->
ErrorKClass().unsafeCast<KClass<T>>()\n}\n\n@JsName("getKClassFromExpression")\ninternal
fun <T : Any> getKClassFromExpression(e: T): KClass<T> =\n    when (jsTypeOf(e)) {\n        "string" ->
PrimitiveClasses.stringClass\n        "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n        "boolean" -> PrimitiveClasses.booleanClass\n
        "function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n        else -> {\n            when {\n                e
is BooleanArray -> PrimitiveClasses.booleanArrayClass\n                e is CharArray ->
PrimitiveClasses.charArrayClass\n                e is ByteArray -> PrimitiveClasses.byteArrayClass\n                e is
ShortArray -> PrimitiveClasses.shortArrayClass\n                e is IntArray -> PrimitiveClasses.intArrayClass\n
                e is LongArray -> PrimitiveClasses.longArrayClass\n                e is FloatArray ->
PrimitiveClasses.floatArrayClass\n                e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n
                e is KClass<*> -> KClass::class\n                e is Array<*> -> PrimitiveClasses.arrayClass\n            else -
> {\n                val constructor = js("Object").getPrototypeOf(e).constructor\n                when {\n
                    constructor === js("Object") -> PrimitiveClasses.anyClass\n                    constructor === js("Error") ->
PrimitiveClasses.throwableClass\n                    else -> {\n                        val jsClass: JsClass<T> =
constructor\n                        getKClass1(jsClass)\n                    }\n                }\n            }\n        }\n    }.unsafeCast<KClass<T>>()\n\n@JsName("getKClass1")\ninternal fun <T : Any> getKClass1(jClass:
JsClass<T>): KClass<T> {\n    if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n    val metadata = jClass.asDynamic().`$metadata$\`\n\n
return if (metadata
!= null) {\n        if (metadata.`$kClass$` == null) {\n            val kClass = SimpleKClassImpl(jClass)\n
metadata.`$kClass$` = kClass\n            kClass\n        } else {\n            metadata.`$kClass$`\n        }\n    } else {\n
SimpleKClassImpl(jClass)\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n    public fun test(str: String): Boolean\n    public fun exec(str: String): RegExpMatch?\n\n
public override fun toString(): String\n\n    /**\n     * The lastIndex is a read/write integer property
of regular expressions that specifies the index at which to start the next match.\n     */\n    public var lastIndex:
Int\n\n    public val global: Boolean\n    public val ignoreCase: Boolean\n    public val multiline:

```

Boolean

```

\
\
/**
 * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will
 * match starting with the beginning of the input string.
 */
public fun RegExp.reset() {
    lastIndex = 0
}
\
\
// TODO: Inherit from array or introduce asArray() extension
/**
 * Represents the return value of
 * [RegExp.exec].
 */
@Suppress("NOT_DOCUMENTED")
public external interface RegExpMatch {
    public val index: Int
    public val input: String
    public val length: Int
}
\
\
/**
 * Returns the entire text matched by
 * [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis
 * at the given
 * index.
 */
public inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]
\
\
/**
 * Converts
 * the result of [RegExp.exec] to an array where the first element contains the entire matched text and each
 * subsequent
 * element is the text matched by each capturing parenthesis.
 */
public inline fun
RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()
\
\
/**
 * Copyright 2010-2018
 * JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
 * Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
\
\
package kotlin.sequences
\
\
internal
actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {
    private
    var sequenceRef: Sequence<T>? = sequence
\
\
    actual override fun iterator(): Iterator<T> {
        val sequence =
        sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")
        sequenceRef =
        null
        return sequence.iterator()
    }
}
\
\
/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
 * Programming
 * Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 * license/LICENSE.txt file.
 */
\
\
package kotlin.text
\
\
@SinceKotlin("1.5")
public actual enum class
CharCategory(internal val value: Int, public actual val code: String) {
    /**
     * General category "Cn" in the
     * Unicode specification.
     */
    UNASSIGNED(0, "Cn"),
\
\
    /**
     * General category "Lu" in the Unicode
     * specification.
     */
    UPPERCASE_LETTER(1, "Lu"),
\
\
    /**
     * General category "Ll" in the Unicode
     * specification.
     */
    LOWERCASE_LETTER(2, "Ll"),
\
\
    /**
     * General category "Lt" in the Unicode
     * specification.
     */
    TITLECASE_LETTER(3, "Lt"),
\
\
    /**
     * General category "Lm" in the Unicode
     * specification.
     */
    MODIFIER_LETTER(4, "Lm"),
\
\
    /**
     * General category "Lo" in the Unicode
     * specification.
     */
    OTHER_LETTER(5, "Lo"),
\
\
    /**
     * General
     * category "Mn" in the Unicode specification.
     */
    NON_SPACING_MARK(6, "Mn"),
\
\
    /**
     *
     * General category "Me" in the Unicode specification.
     */
    ENCLOSING_MARK(7, "Me"),
\
\
    /**
     *
     * General category "Mc" in the Unicode specification.
     */
    COMBINING_SPACING_MARK(8, "Mc"),
\
\
    /**
     * General category "Nd" in the Unicode specification.
     */
    DECIMAL_DIGIT_NUMBER(9,
    "Nd"),
\
\
    /**
     * General category "Nl" in the Unicode specification.
     */
    LETTER_NUMBER(10,
    "Nl"),
\
\
    /**
     * General category "No" in the Unicode specification.
     */
    OTHER_NUMBER(11,
    "No"),
\
\
    /**
     * General category "Zs" in the Unicode specification.
     */
    SPACE_SEPARATOR(12,
    "Zs"),
\
\
    /**
     * General category "Zl" in the Unicode specification.
     */
    LINE_SEPARATOR(13,
    "Zl"),
\
\
    /**
     * General category "Zp" in the Unicode specification.
     */
    PARAGRAPH_SEPARATOR(14,
    "Zp"),
\
\
    /**
     * General category "Cc" in the Unicode specification.
     */
    CONTROL(15,
    "Cc"),
\
\
    /**
     * General category "Cf" in the Unicode specification.
     */
    FORMAT(16, "Cf"),
\
\
    /**
     * General category "Co" in the Unicode specification.
     */
    PRIVATE_USE(18, "Co"),
\
\
    /**
     *
     * General category "Cs" in the Unicode specification.
     */
    SURROGATE(19, "Cs"),
\
\
    /**
     *
     * General category "Pd" in the Unicode specification.
     */
    DASH_PUNCTUATION(20, "Pd"),
\
\
    /**
     *
     * General category "Ps" in the Unicode specification.
     */
    START_PUNCTUATION(21, "Ps"),
\
\
    /**
     *
     * General category "Pe" in the Unicode specification.
     */
    END_PUNCTUATION(22, "Pe"),
\
\
    /**
     *
     * General category "Pc" in the Unicode specification.
     */
    CONNECTOR_PUNCTUATION(23,
    "Pc"),
\
\
    /**
     * General category "Po" in the Unicode specification.
     */
    OTHER_PUNCTUATION(24, "Po"),
\
\
    /**
     * General category "Sm" in the Unicode
     * specification.
     */
    MATH_SYMBOL(25, "Sm"),
\
\
    /**
     * General category "Sc" in the Unicode

```

```

specification.\n *^n CURRENCY_SYMBOL(26, \"Sc\"),\n\n /**\n * General category \"Sk\" in the
Unicode specification.\n *^n MODIFIER_SYMBOL(27, \"Sk\"),\n\n /**\n * General category \"So\" in the
Unicode specification.\n *^n OTHER_SYMBOL(28, \"So\"),\n\n /**\n * General category \"Pi\" in the
Unicode specification.\n *^n INITIAL_QUOTE_PUNCTUATION(29, \"Pi\"),\n\n /**\n * General
category \"Pf\" in the Unicode specification.\n *^n FINAL_QUOTE_PUNCTUATION(30, \"Pf\");\n\n /**\n
* Returns `true` if [char] character belongs to this category.\n *^n public actual operator fun contains(char:
Char): Boolean = char.getCategoryValue() == this.value\n\n companion object {\n internal fun
valueOf(category: Int): CharCategory =\n when (category) {\n in 0..16 -> values()[category]\n
in 18..30 -> values()[category - 1]\n else -> throw IllegalArgumentException(\"Category #${category} is
not defined.\")\n }\n }\n\n \"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n package kotlin.text\n\n /**\n * The exception thrown when a character encoding
or decoding error occurs.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
actual open class CharacterCodingException(message: String?) : Exception(message) {\n actual constructor() :
this(null)\n\n \"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n package kotlin.text\n\n /**\n * A mutable sequence of characters.\n
*\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\n\n public actual
class StringBuilder actual constructor(content: String) : Appendable, CharSequence {\n /**\n * Constructs an
empty string builder with the specified initial [capacity].\n */\n * In Kotlin/JS implementation of StringBuilder
the initial capacity has no effect on the further performance of operations.\n */\n actual constructor(capacity:
Int) : this() {\n }\n\n /** Constructs a string builder that contains the same characters as the specified [content]
char sequence. */\n actual constructor(content: CharSequence) : this(content.toString()) {\n }\n\n /** Constructs an
empty string builder. */\n actual constructor() : this(\"\")\n\n private var string: String = if (content !==
undefined) content else \"\"\n\n actual override
val length: Int\n get() = string.asDynamic().length\n\n actual override fun get(index: Int): Char =\n
string.getOrNull(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length\") }\n\n actual
override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n
actual override fun append(value: Char): StringBuilder {\n string += value\n return this\n }\n\n actual
override fun append(value: CharSequence?): StringBuilder {\n string += value.toString()\n return this\n
}\n\n actual override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n
this.appendRange(value ?: \"null\", startIndex, endIndex)\n\n /**\n * Reverses the contents of this string builder
and returns this instance.\n */\n * Surrogate pairs included in this string builder are treated as single
characters.\n * Therefore, the order of the high-low
surrogates is never reversed.\n */\n * Note that the reverse operation may produce new surrogate pairs that were
unpaired low-surrogates and high-surrogates before the operation.\n * For example, reversing
`\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n */\n actual fun
reverse(): StringBuilder {\n var reversed = \"\"\n var index = string.length - 1\n while (index >= 0) {\n
val low = string[index--]\n if (low.isLowSurrogate() && index >= 0) {\n val high =
string[index--]\n if (high.isHighSurrogate()) {\n reversed = reversed + high + low\n }
else {\n reversed = reversed + low + high\n }\n } else {\n reversed += low\n
}\n }\n string = reversed\n return this\n }\n\n /**\n * Appends the string representation of the
specified object
[value] to this string builder and returns this instance.\n */\n * The overall effect is exactly as if the [value] were
converted to a string by the `value.toString()` method,\n * and then that string was appended to this string
builder.\n */\n actual fun append(value: Any?): StringBuilder {\n string += value.toString()\n return
this\n }\n\n /**\n * Appends the string representation of the specified boolean [value] to this string builder and
returns this instance.\n */\n * The overall effect is exactly as if the [value] were converted to a string by the

```



```

`value.toString()` method,\n    * and then that string was appended to this string builder.\n    */\n
@SinceKotlin("1.3")\n    actual fun append(value: Boolean): StringBuilder {\n        string += value\n        return this\n    }\n    /**\n     * Appends characters in the specified character array [value] to this string builder and returns this instance.\n     */\n    * Characters are appended in order, starting at the index 0.\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun append(value: CharArray): StringBuilder {\n        string += value.concatToString()\n        return this\n    }\n    @Deprecated("Provided for binary compatibility.", level = DeprecationLevel.HIDDEN)\n    fun append(value: String): StringBuilder = append(value)\n    /**\n     * Appends the specified string [value] to this string builder and returns this instance.\n     */\n    * If [value] is `null`, then the four characters `"\n\n\n\n"` are appended.\n    */\n    @SinceKotlin("1.3")\n    actual fun append(value: String?): StringBuilder {\n        this.string += value ?: "\n\n\n\n"\n        return this\n    }\n    /**\n     * Returns the current capacity of this string builder.\n     */\n    * The capacity is the maximum length this string builder can have before an allocation occurs.\n    */\n    * In Kotlin/JS implementation of StringBuilder the value returned from this method may not indicate the actual size of the backing storage.\n    */\n    @SinceKotlin("1.3")\n    // @ExperimentalStdlibApi\n    @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common code.", level = DeprecationLevel.ERROR)\n    actual fun capacity(): Int = length\n    /**\n     * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n     */\n    * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n    * Otherwise, this method takes no action and simply returns.\n    */\n    * In Kotlin/JS implementation of StringBuilder the size of the backing storage is not extended to comply the given [minimumCapacity],\n    * thus calling this method has no effect on the further performance of operations.\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun ensureCapacity(minimumCapacity: Int) {\n    }\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     */\n    * Returns `-1` if the specified [string] does not occur in this string builder.\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun indexOf(string: String): Int = this.string.asDynamic().indexOf(string)\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string],\n     */\n    * starting at the specified [startIndex].\n    * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun indexOf(string: String, startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string].\n     */\n    * The last occurrence of empty string `""` is considered to be at the index equal to `this.length`.\n    * Returns `-1` if the specified [string] does not occur in this string builder.\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string],\n     */\n    * starting from the specified [startIndex] toward the beginning.\n    * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun lastIndexOf(string: String, startIndex: Int): Int {\n        if (string.isEmpty() && startIndex < 0) return -1\n        return this.string.asDynamic().lastIndexOf(string, startIndex)\n    }\n    /**\n     * Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.\n     */\n    * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n    * and then that string was inserted into this string builder at the specified [index].\n    * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n    */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Boolean): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n        string = string.substring(0, index) + value +

```

```

string.substring(index)\n    return this\n    }\n\n /**\n * Inserts the specified character [value] into this string
builder at the specified [index] and
returns this instance.\n * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than
the length of this string builder.\n * ^\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Char): StringBuilder {\n
    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) + value +
string.substring(index)\n    return this\n    }\n\n /**\n * Inserts characters in the specified character array
[value] into this string builder at the specified [index] and returns this instance.\n * \n * The inserted characters
go in same order as in the [value] character array, starting at [index].\n * \n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n * ^\n
@SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value:
CharArray): StringBuilder {\n    AbstractList.checkPositionIndex(index, length)\n\n    string =
string.substring(0, index) + value.concatToString() + string.substring(index)\n    return this\n    }\n\n /**\n *
Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and
returns this instance.\n * \n * The inserted characters go in the same order as in the [value] character sequence,
starting at [index].\n * \n * @param index the position in this string builder to insert at.\n * @param value the
character sequence from which characters are inserted. If [value] is `null`, then the four characters `"\null"` are
inserted.\n * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n * ^\n @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: CharSequence?):
StringBuilder
{\n    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0, index) +
value.toString() + string.substring(index)\n    return this\n    }\n\n /**\n * Inserts the string representation of
the specified object [value] into this string builder at the specified [index] and returns this instance.\n * \n * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then
that string was inserted into this string builder at the specified [index].\n * \n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n * ^\n
@SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value:
Any?): StringBuilder {\n    AbstractList.checkPositionIndex(index, length)\n\n    string = string.substring(0,
index) + value.toString() + string.substring(index)\n
return this\n    }\n\n @Deprecated("Provided for binary compatibility.", level =
DeprecationLevel.HIDDEN)\n    fun insert(index: Int, value: String): StringBuilder = insert(index, value)\n\n /**\n
* Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n * \n * If
[value] is `null`, then the four characters `"\null"` are inserted.\n * \n * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length of this string builder.\n * ^\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: String?): StringBuilder
{\n    AbstractList.checkPositionIndex(index, length)\n\n    val toInsert = value ?: "\null"\n    this.string =
this.string.substring(0, index) + toInsert + this.string.substring(index)\n    return this\n    }\n\n /**\n * Sets
the length of this string builder to the specified [newLength].\n
*\n * If the [newLength] is less than the current length, it is changed to the specified [newLength].\n *
Otherwise, null characters '\u0000' are appended to this string builder until its length is less than the [newLength].\n
*\n * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n *
Therefore, increasing length of this string builder and then updating each character by index may slow down your
program.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less
than zero.\n * ^\n @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun
setLength(newLength: Int) {\n    if (newLength < 0) {\n        throw IllegalArgumentException("Negative new
length: $newLength.")\n    }\n\n    if (newLength <= length) {\n        string = string.substring(0,
newLength)\n    } else {\n        for (i in length

```

```

until newLength) {\n      string += "\u0000"\n    }\n  }\n} \n\n /**\n * Returns a new [String]
that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n *\n
* @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string
builder.\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun
substring(startIndex: Int): String {\n    AbstractList.checkPositionIndex(startIndex, length)\n    return
string.substring(startIndex)\n  }\n} \n\n /**\n * Returns a new [String] that contains characters in this string builder
at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n *\n * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when
`startIndex > endIndex`.\n *\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int, endIndex: Int): String
{\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n    return string.substring(startIndex,
endIndex)\n  }\n} \n\n /**\n * Attempts to reduce storage used for this string builder.\n *\n * If the backing
storage of this string builder is larger than necessary to hold its current contents,\n * then it may be resized to
become more space efficient.\n * Calling this method may, but is not required to, affect the value of the [capacity]
property.\n *\n * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal
to the length of the string builder.\n *\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun trimToSize() {\n  }\n} \n\n override fun toString():
String = string\n\n /**\n * Clears the content of this string
builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n
*\n @SinceKotlin("1.3")\n public fun clear(): StringBuilder {\n    string = ""\n    return this\n  }\n} \n\n
/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n *\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public operator fun set(index: Int, value: Char) {\n
AbstractList.checkElementIndex(index, length)\n    string = string.substring(0, index) + value +
string.substring(index + 1)\n  }\n} \n\n /**\n * Replaces characters in the specified range of this string builder with
characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning
(inclusive) of the range to replace.\n * @param endIndex the
end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length
of this string builder, or `startIndex > endIndex`.\n *\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun setRange(startIndex: Int, endIndex: Int, value:
String): StringBuilder {\n    checkReplaceRange(startIndex, endIndex, length)\n    this.string =
this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n    return this\n  }\n} \n\n private fun
checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n    if (startIndex < 0 || startIndex > length) {\n
    throw IndexOutOfBoundsException("startIndex: $startIndex, length: $length")\n    }\n    if (startIndex >
endIndex) {\n        throw IllegalArgumentException("startIndex($startIndex) >
endIndex($endIndex)")\n    }\n  }\n} \n\n /**\n * Removes the character at the specified [index] from this
string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary
code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of
`Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string
builder.\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun
deleteAt(index: Int): StringBuilder {\n    AbstractList.checkElementIndex(index, length)\n    string =
string.substring(0, index) + string.substring(index + 1)\n    return this\n  }\n} \n\n /**\n * Removes characters in
the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning
(inclusive) of the range to remove.\n * @param endIndex
the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun

```

```

deleteRange(startIndex: Int, endIndex: Int): StringBuilder {\n
    checkReplaceRange(startIndex, endIndex,
length)\n\n
    string = string.substring(0, startIndex) + string.substring(endIndex)\n
    return this\n
}\n\n
/**\n
 * Copies characters from this string builder into the [destination] character array.\n
 * \n
 * @param
destination the array to copy to.\n
 * @param destinationOffset the position in the array to copy to, 0 by default.\n
 * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n
 * @param endIndex the end
(exclusive) of the range to copy, length of this string builder by default.\n
 * \n
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is
out of range of this string builder indices or when `startIndex > endIndex`.\n
 * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n
 * or when that index is out of the [destination] array indices range.\n
 */\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
public fun
toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {\n
    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n
AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
    var dstIndex = destinationOffset\n
    for (index in startIndex until endIndex) {\n
        destination[dstIndex++]
= string[index]\n
    }\n
}\n\n
/**\n
 * Appends characters in a subarray of the specified character array [value] to this string builder and returns this
instance.\n
 * \n
 * Characters are appended in order, starting at specified [startIndex].\n
 * \n
 * @param value
the array from which characters are appended.\n
 * @param startIndex the beginning (inclusive) of the subarray to
append.\n
 * @param endIndex the end (exclusive) of the subarray to append.\n
 * \n
 * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] array indices or when `startIndex > endIndex`.\n
 * \n
 */\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
public fun appendRange(value: CharArray, startIndex: Int,
endIndex: Int): StringBuilder {\n
    string += value.concatToString(startIndex, endIndex)\n
    return this\n
}\n\n
/**\n
 * Appends a subsequence of the specified character sequence [value] to this
string builder and returns this instance.\n
 * \n
 * @param value the character sequence from which a
subsequence is appended.\n
 * @param startIndex the beginning (inclusive) of the subsequence to append.\n
 * @param endIndex the end (exclusive) of the subsequence to append.\n
 * \n
 * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n
 * \n
 */\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
public fun appendRange(value: CharSequence, startIndex:
Int, endIndex: Int): StringBuilder {\n
    val stringCsq = value.toString()\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n
    string +=
stringCsq.substring(startIndex, endIndex)\n
    return this\n
}\n\n
/**\n
 * Inserts characters in a subarray of
the specified character array [value] into this string
builder at the specified [index] and returns this instance.\n
 * \n
 * The inserted characters go in same order as in
the [value] array, starting at [index].\n
 * \n
 * @param index the position in this string builder to insert at.\n
 * @param value the array from which characters are inserted.\n
 * @param startIndex the beginning (inclusive) of
the subarray to insert.\n
 * @param endIndex the end (exclusive) of the subarray to insert.\n
 * \n
 * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] array indices or when `startIndex > endIndex`.\n
 * @throws IndexOutOfBoundsException if [index] is
less than zero or greater than the length of this string builder.\n
 * \n
 */\n
@SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
public fun insertRange(index: Int, value: CharArray,
startIndex: Int, endIndex: Int): StringBuilder {\n
    AbstractList.checkPositionIndex(index,
this.length)\n\n
    string = string.substring(0, index) + value.concatToString(startIndex, endIndex) +
string.substring(index)\n
    return this\n
}\n\n
/**\n
 * Inserts characters in a subsequence of the specified
character sequence [value] into this string builder at the specified [index] and returns this instance.\n
 * \n
 * The
inserted characters go in the same order as in the [value] character sequence, starting at [index].\n
 * \n
 *

```

@param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n *

```

@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n     AbstractList.checkPositionIndex(index, length)\n     val stringCsq = value.toString()\n     AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n     string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) + string.substring(index)\n     return this\n }
  
```

* Clears the content of this string builder making it empty and returns this instance.\n * @sample samples.text.Strings.clearStringBuilder\n *

```

@SinceKotlin("1.3")\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n public actual inline fun StringBuilder.clear(): StringBuilder = this.clear()
  
```

Sets the character at the specified [index] to the specified [value].\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n *

```

@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n public actual inline operator fun StringBuilder.set(index: Int, value: Char) = this.set(index, value)
  
```

* Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n *

```

@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n public actual inline fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder = this.setRange(startIndex, endIndex, value)
  
```

* Removes the character at the specified [index] from this string builder and returns this instance.\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n * @param index the index of `Char` to remove.\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n *

```

@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n public actual inline fun StringBuilder.deleteAt(index: Int): StringBuilder = this.deleteAt(index)
  
```

* Removes characters in the specified range from this string builder and returns this instance.\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n *

```

@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n @Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n public actual inline fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex, endIndex)
  
```

* Copies characters from this string builder into the [destination] character array.\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n * @throws IndexOutOfBoundsException

or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE",  
"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun  
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
this.length) = \n    this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends  
characters in a subarray of the specified character array [value] to this string builder and returns this instance. \n * \n * Characters are appended in order, starting at specified [startIndex]. \n
```

```
\n * @param value the array from which characters are appended. \n * @param startIndex the beginning  
(inclusive) of the subarray to append. \n * @param endIndex the end (exclusive) of the subarray to append. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of the [value] array indices or when `startIndex > endIndex`. \n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
```

```
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder = \n  
this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a subsequence of the specified character  
sequence [value] to this string builder and returns this instance. \n * \n * @param value the character sequence from  
which a subsequence is appended. \n * @param startIndex the beginning (inclusive) of the subsequence to append. \n *  
* @param endIndex the end (exclusive) of the subsequence to append. \n * \n * @throws
```

```
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the  
[value] character sequence indices or when `startIndex > endIndex`. \n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
```

```
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder = \n  
this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray of the specified character  
array [value] into this string builder at the specified [index] and returns this instance. \n * \n * The inserted characters  
go in same order as in the [value] array, starting at [index]. \n * \n * @param index the position in this string builder  
to insert at. \n * @param value the array from which characters are inserted. \n * @param startIndex the  
beginning (inclusive) of the subarray to insert. \n * @param endIndex the end (exclusive) of the subarray to insert. \n *  
* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out  
of range of the [value] array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException if  
[index] is less than zero or greater than the length of this string builder. \n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
```

```
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder = \n  
this.insertRange(index, value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subsequence of the specified  
character sequence [value] into this string builder at the specified [index] and returns this instance. \n * \n * The  
inserted characters go in the same order as in the [value] character  
sequence, starting at [index]. \n * \n * @param index the position in this string builder to insert at. \n * @param value  
the character sequence from which a subsequence is inserted. \n * @param startIndex the beginning (inclusive) of the  
subsequence to insert. \n * @param endIndex the end (exclusive) of the subsequence to insert. \n * \n * @throws  
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the  
[value] character sequence indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException if  
[index] is less than zero or greater than the length of this string builder. \n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
```

```

DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n
this.insertRange(index, value, startIndex, endIndex)\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/**\n * Returns `true` if the content of this string is equal to the word "true", ignoring case, and `false` otherwise.\n
*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\n@kotlin.internal.InlineOnly\npublic actual inline
fun String.toBoolean(): Boolean = this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its content
is equal to the word "true", ignoring case, and `false` otherwise.\n */\n * There are also strict versions of the
function available on non-nullable String, [toBooleanStrict] and [toBooleanStrictOrNull].\n
*/\n@SinceKotlin("1.4")\npublic actual fun String?.toBoolean(): Boolean = this != null && this.lowercase() ==
"true"\n\n/**\n * Parses the string as
a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentOutOfRangeException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a
[Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentOutOfRangeException when [radix] is not a valid radix for string to
number conversion.\n */\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentOutOfRangeException when [radix] is not a valid radix for string to number conversion.\n */\npublic
actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string
as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation
of a number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is
not a valid representation of a number.\n * @throws IllegalArgumentOutOfRangeException when [radix] is not a valid radix for
string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toDouble(): Double = +(this.asDynamic()).unsafeCast<Double>().also {\n    if (it.isNaN() && !this.isNaN())\n    || it == 0.0 && this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation
of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf {\n    !(it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is
not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun

```

```

String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin("1.2")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.lowercase()) {\n    "nan", "+nan", "-nan" -> true\n    else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("radix $radix was not in valid range 2..36")\n    }\n    return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n    char >= '0' && char <= '9' -> char - '0'\n    char >= 'A' && char <= 'Z' -> char - 'A' + 10\n    char >= 'a' && char <= 'z' -> char - 'a' + 10\n    char < "\\u0080" -> -1\n    char >= "\\uFF21" && char <= "\\uFF3A" -> char - "\\uFF21" + 10 // full-width latin capital letter\n    char >= "\\uFF41" && char <= "\\uFF5A" -> char - "\\uFF41" + 10 // full-width latin small letter\n    else -> char.digitToIntImpl()\n}.let { if (it >= radix) -1 else it }\n"}\n\n/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOptions(val value: String) {\n    /** Enables case-insensitive matching. */\n    IGNORE_CASE("i"),\n    /** Enables multiline mode. */\n    MULTILINE("m"),\n    /** In multiline mode the expressions `^` and `$` match just after or just before, respectively, a line terminator or the end of the input sequence. */\n    DOT_MATCHES_LINE_TERMINATOR("s")\n}\n\nprivate fun Iterable<RegexOption>.toFlags(prepend: String): String = joinToString("\\", prefix = prepend) { it.value }\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n */\n@param value The value of captured group.\npublic actual data class MatchGroup(actual val value: String)\n\n/**\n * Represents a compiled regular expression.\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n * Note that `RegExp` objects under the hood are constructed with [the `u` flag](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp/unicode)\n * that enables Unicode-related features in regular expressions. This also makes the pattern syntax more strict,\n * for example, prohibiting unnecessary escape sequences.\n */\n@constructor Creates a regular expression from the specified [pattern] string and the specified set of [options].\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n    /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n    public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n    /** Creates a regular expression from the specified [pattern] string and the default options. */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n    private val nativePattern: RegExp = RegExp(pattern, options.toFlags("gu"))\n    private var nativeStickyPattern: RegExp? = null\n    private fun initStickyPattern():

```



```

RegExp = \n      nativeStickyPattern ? : RegExp(pattern, options.toFlags("\`yu\`")).also { nativeStickyPattern = it }\n\n
  private var nativeMatchesEntirePattern: RegExp? = null\n  private fun initMatchesEntirePattern(): RegExp = \n
  nativeMatchesEntirePattern ? : run {\n      if (pattern.startsWith('^')\n
  && pattern.endsWith('$'))\n          nativePattern\n          else\n          return
  RegExp("\`^$\`{pattern.trimStart('^').trimEnd('$')}$\`, options.toFlags("\`gu\`"))\n      }.also {
  nativeMatchesEntirePattern = it }\n\n\n  /** Indicates whether the regular expression matches the entire [input].
  *\n  public actual infix fun matches(input: CharSequence): Boolean {\n      nativePattern.reset()\n      val match
  = nativePattern.exec(input.toString())\n      return match != null && match.index == 0 && nativePattern.lastIndex
  == input.length\n  }\n\n  /** Indicates whether the regular expression can find at least one match in the specified
  [input]. *\n  public actual fun containsMatchIn(input: CharSequence): Boolean {\n      nativePattern.reset()\n
  return nativePattern.test(input.toString())\n  }\n\n  @SinceKotlin("1.5")\n  @ExperimentalStdlibApi\n  public
  actual fun matchesAt(input: CharSequence, index: Int): Boolean {\n      if (index < 0
  || index > input.length) {\n          throw IndexOutOfBoundsException("\`index out of bounds: $index, input length:
  $\`{input.length}\`")\n      }\n      val pattern = initStickyPattern()\n      pattern.lastIndex = index\n      return
  pattern.test(input.toString())\n  }\n\n  /**\n  * Returns the first match of a regular expression in the [input],
  beginning at the specified [startIndex].\n  *\n  * @param startIndex An index to start search with, by default 0.
  Must be not less than zero and not greater than `input.length`\n  * @return An instance of [MatchResult] if
  match was found or `null` otherwise.\n  * @throws IndexOutOfBoundsException if [startIndex] is less than zero
  or greater than the length of the [input] char sequence.\n  * @sample samples.text.Regexps.find\n  *\n  @Suppress("\`ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\`")\n  public actual fun find(input:
  CharSequence, startIndex: Int = 0): MatchResult? {\n      if (startIndex < 0 || startIndex
  > input.length) {\n          throw IndexOutOfBoundsException("\`Start index out of bounds: $startIndex, input
  length: $\`{input.length}\`")\n      }\n      return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n
  }\n\n  /**\n  * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning
  at the specified [startIndex].\n  *\n  * @throws IndexOutOfBoundsException if [startIndex] is less than zero or
  greater than the length of the [input] char sequence.\n  *\n  * @sample samples.text.Regexps.findAll\n  *\n  @Suppress("\`ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\`")\n  public actual fun findAll(input:
  CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n      if (startIndex < 0 || startIndex > input.length)
  {\n          throw IndexOutOfBoundsException("\`Start index out of bounds: $startIndex, input length:
  $\`{input.length}\`")\n      }\n      return generateSequence({ find(input, startIndex)
  }, { match -> match.next() })\n  }\n\n  /**\n  * Attempts to match the entire [input] CharSequence against the
  pattern.\n  *\n  * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n  *\n  public actual fun matchEntire(input: CharSequence): MatchResult? = \n
  initMatchesEntirePattern().findNext(input.toString(), 0, nativePattern)\n\n  @SinceKotlin("1.5")\n  @ExperimentalStdlibApi\n  public actual fun matchAt(input: CharSequence, index: Int): MatchResult? {\n      if
  (index < 0 || index > input.length) {\n          throw IndexOutOfBoundsException("\`index out of bounds: $index,
  input length: $\`{input.length}\`")\n      }\n      return initStickyPattern().findNext(input.toString(), index,
  nativePattern)\n  }\n\n  /**\n  * Replaces all occurrences of this regular expression in the specified [input]
  string with specified [replacement] expression.\n  *\n  * The replacement string may contain references
  to the captured groups during a match. Occurrences of `$index`\n  * in the replacement string will be substituted
  with the subsequences corresponding to the captured groups with the specified index.\n  * The first digit after '$' is
  always treated as part of group reference. Subsequent digits are incorporated\n  * into `index` only if they would
  form a valid group reference. Only the digits '0'..'9' are considered as potential components\n  * of the group
  reference. Note that indexes of captured groups start from 1, and the group with index 0 is the whole match.\n  *\n  * Backslash character `\` can be used to include the succeeding character as a literal in the replacement string, e.g,
  `\\$` or `\\\\`. \n  * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n
  *\n  * Note that referring named capturing groups by name is currently not supported in Kotlin/JS.\n  * However,
  you can still refer them by index.\n

```

```

*\n * @param input the char sequence to find matches of this regular expression in\n * @param replacement
the expression to replace found matches with\n * @return the result of replacing each occurrence of this regular
expression in [input] with the result of evaluating the [replacement] expression\n * @throws RuntimeException if
[replacement] expression is malformed, or capturing group with specified `name` or `index` does not exist\n */\n
public actual fun replace(input: CharSequence, replacement: String): String {\n    if (!replacement.contains("\\\\")
&& !replacement.contains("$")) {\n        return input.toString().nativeReplace(nativePattern, replacement)\n
}\n    return replace(input) { substituteGroupRefs(it, replacement) }\n }\n\n /**\n * Replaces all
occurrences of this regular expression in the specified [input] string with the result of\n * the given function
[transform] that takes [MatchResult] and returns a string
to be used as a\n * replacement for that match.\n */\n public actual fun replace(input: CharSequence,
transform: (MatchResult) -> CharSequence): String {\n    var match = find(input)\n    if (match == null) return
input.toString()\n\n    var lastStart = 0\n    val length = input.length\n    val sb = StringBuilder(length)\n
do {\n        val foundMatch = match!\n        sb.append(input, lastStart, foundMatch.range.start)\n
sb.append(transform(foundMatch))\n        lastStart = foundMatch.range.endInclusive + 1\n        match =
foundMatch.next()\n    } while (lastStart < length && match != null)\n\n    if (lastStart < length) {\n
sb.append(input, lastStart, length)\n    }\n\n    return sb.toString()\n }\n\n /**\n * Replaces the first
occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n */\n
* The replacement string may contain
references to the captured groups during a match. Occurrences of `$index`\n * in the replacement string will be
substituted with the subsequences corresponding to the captured groups with the specified index.\n * The first
digit after '$' is always treated as part of group reference. Subsequent digits are incorporated\n * into `index` only
if they would form a valid group reference. Only the digits '0'..'9' are considered as potential components\n * of
the group reference. Note that indexes of captured groups start from 1, and the group with index 0 is the whole
match.\n *\n * Backslash character '\\' can be used to include the succeeding character as a literal in the
replacement string, e.g. `\\$` or `\\\\`. \n * [Regex.escapeReplacement] can be used if [replacement] have to be
treated as a literal string.\n *\n * Note that referring named capturing groups by name is not supported currently
in Kotlin/JS.\n * However, you can still refer them
by index.\n *\n * @param input the char sequence to find a match of this regular expression in\n * @param
replacement the expression to replace the found match with\n * @return the result of replacing the first
occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n *
@throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or
`index` does not exist\n */\n public actual fun replaceFirst(input: CharSequence, replacement: String): String {\n
    if (!replacement.contains("\\\\") && !replacement.contains("$")) {\n        val nonGlobalOptions =
options.toFlags("\\u")\n        return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions),
replacement)\n    }\n\n    val match = find(input) ?: return input.toString()\n\n    return buildString {\n
append(input.substring(0, match.range.first))\n        append(substituteGroupRefs(match,
replacement))\n        append(input.substring(match.range.last + 1, input.length))\n    }\n }\n\n /**\n *
Splits the [input] CharSequence to a list of strings around matches of this regular expression.\n *\n * @param
limit Non-negative value specifying the maximum number of substrings the string can be split to.\n * Zero by
default means no limit is set.\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n    requireNonNegativeLimit(limit)\n    val matches =
findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n    val result = mutableListOf<String>()\n    var
lastStart = 0\n    for (match in matches) {\n        result.add(input.subSequence(lastStart,
match.range.start).toString())\n        lastStart = match.range.endInclusive + 1\n    }\n
result.add(input.subSequence(lastStart, input.length).toString())\n
return result\n }\n\n /**\n * Splits the [input] CharSequence to a sequence of strings around matches of
this regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of

```

```

substrings the string can be split to.\n * Zero by default means no limit is set.\n * @sample
samples.text.Regexps.splitToSequence\n *^\n @SinceKotlin("1.6")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun
splitToSequence(input: CharSequence, limit: Int = 0): Sequence<String> {\n
requireNonNegativeLimit(limit)\n\n return sequence {\n var match = find(input)\n if (match ==
null || limit == 1) {\n yield(input.toString())\n return@sequence\n }\n\n var
nextStart = 0\n var splitCount = 0\n\n do {\n val foundMatch = match!!\n
yield(input.substring(nextStart, foundMatch.range.first))\n nextStart =
foundMatch.range.endInclusive + 1\n match = foundMatch.next()\n } while (++splitCount != limit -
1 && match != null)\n\n yield(input.substring(nextStart, input.length))\n }\n }\n\n\n /**\n *
Returns the string representation of this regular expression, namely the [pattern] of this regular expression.\n *^\n
* Note that another regular expression constructed from the same pattern string may have different [options]\n *
and may match strings differently.\n *^\n public override fun toString(): String = nativePattern.toString()\n\n
actual companion object {\n /**\n * Returns a regular expression that matches the specified [literal] string
literally.\n * No characters of that string will have special meaning when searching for an occurrence of the
regular expression.\n *^\n public
actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n /**\n * Returns a regular
expression pattern string that matches the specified [literal] string literally.\n * No characters of that string will
have special meaning when searching for an occurrence of the regular expression.\n *^\n public actual fun
escape(literal: String): String = literal.nativeReplace(patternEscape, '\\\\\\\\$&\\')\n\n /**\n * Returns a literal
replacement expression for the specified [literal] string.\n * No characters of that string will have special
meaning when it is used as a replacement string in [Regex.replace] function.\n *^\n public actual fun
escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, '\\\\\\\\$&\\')\n\n private val
patternEscape = Regex("\\\\\\"[\\\\\\\\^$*+?.()|\\\\\\{ }\\\\""\\", \\\"g\\")\n private val replacementEscape =
Regex("\\\\\\"[\\\\\\\\$]\\\\\\\""\\", \\\"g\\")\n\n
internal fun nativeEscapeReplacement(literal: String): String = literal.nativeReplace(nativeReplacementEscape,
\\\"$$$\\")\n private val nativeReplacementEscape = Regex("\\\\\\"[\\\\\\\\\\$]\\\\\\\""\\", \\\"g\\")\n }\n}\n}\n\nprivate fun
Regex.findNext(input: String, from: Int, nextPattern: Regex): MatchResult? {\n this.lastIndex = from\n val
match = exec(input)\n if (match == null) return null\n val range = match.index..lastIndex - 1\n\n return object :
MatchResult {\n override val range: IntRange = range\n override val value: String\n get() =
match[0]!!\n\n override val groups: MatchGroupCollection = object : MatchGroupCollection,
AbstractCollection<MatchGroup?>() {\n override val size: Int get() = match.length\n override fun
iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n override fun get(index:
Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n }\n}\n}\n\n private var groupValues_: List<String?> = null\n\n override val groupValues: List<String?>\n get()
{\n if (groupValues_ == null) {\n groupValues_ = object : AbstractList<String?>() {\n
override val size: Int get() = match.length\n override fun get(index: Int): String? = match[index] ?:\\\"\\\"
}\n }\n }\n return groupValues_!!\n }\n}\n\n override fun next():
MatchResult? =\n nextPattern.findNext(input, if (range.isEmpty()) range.start + 1 else range.endInclusive +
1, nextPattern)\n }\n}\n\n// The same code from K/N Regex.kt\nprivate fun substituteGroupRefs(match:
MatchResult, replacement: String): String {\n var index = 0\n val result = StringBuilder(replacement.length)\n\n while (index < replacement.length) {\n val char = replacement[index++]\n if (char == '\\\\\\\\') {\n if
(index
== replacement.length)\n throw IllegalArgumentException("The Char to be escaped is missing")\n\n result.append(replacement[index++])\n } else if (char == '$') {\n if (index == replacement.length)\n throw IllegalArgumentException("Capturing group index is missing")\n\n if (replacement[index] ==
'{')\n throw IllegalArgumentException("Named capturing group reference currently is not supported")\n\n
}

```

```
        if (replacement[index] !in '0'..'9')\n            throw IllegalArgumentException("\Invalid capturing group\nreference")\n        val endIndex = replacement.readGroupIndex(index, match.groupValues.size)\n        val\n        groupIndex = replacement.substring(index, endIndex).toInt()\n        if (groupIndex >=\n        match.groupValues.size)\n            throw IndexOutOfBoundsException("Group with index $groupIndex does not\nexist")\n        result.append(match.groupValues[groupIndex])\n        index = endIndex\n    } else {\n        result.append(char)\n    }\n    }\n    return\n    result.toString()\n}\n\nprivate fun String.readGroupIndex(startIndex: Int, groupCount: Int): Int {\n    // at least one\n    digit after '$' is always captured\n    var index = startIndex + 1\n    var groupIndex = this[startIndex] - '0'\n    //\n    capture the largest valid group index\n    while (index < length && this[index] in '0'..'9') {\n        val newGroupIndex\n        = (groupIndex * 10) + (this[index] - '0')\n        if (newGroupIndex in 0 until groupCount) {\n            groupIndex =\n            newGroupIndex\n            index++\n        } else {\n            break\n        }\n    }\n    return index\n}"/*\n * Copyright\n    2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed\n    by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("EXTENSI\nON_SHADOWED_BY_MEMBER")\n\npackage\n    kotlin.text\nimport kotlin.contracts.*\n\n/**\n * A mutable sequence of characters.\n * A string builder can be\n    used to efficiently perform multiple string manipulation operations.\n */\nexpect class StringBuilder : Appendable,\n    CharSequence {\n    /**\n     * Constructs an empty string builder.\n     */\n    constructor()\n    /**\n     * Constructs an empty string\n    builder with the specified initial [capacity].\n     */\n    constructor(capacity: Int)\n    /**\n     * Constructs a string builder that\n    contains the same characters as the specified [content] char sequence.\n     */\n    constructor(content: CharSequence)\n    /**\n     * Constructs a string builder that contains the same characters as the specified [content] string.\n     */\n    @SinceKotlin("1.3")\n    // @ExperimentalStdlibApi\n    constructor(content: String)\n    override val length:\n    Int\n    override operator fun get(index: Int): Char\n    override fun subSequence(startIndex: Int, endIndex:\n    Int): CharSequence\n    override fun append(value: Char): StringBuilder\n    override fun append(value:\n    CharSequence?): StringBuilder\n    override fun append(value: CharSequence?, startIndex: Int, endIndex: Int):\n    StringBuilder\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n     *\n     * Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-\n    low surrogates is never reversed.\n     *\n     * Note that the reverse operation may produce new surrogate pairs that\n    were unpaired low-surrogates and high-surrogates before the operation.\n     *\n     * For example, reversing\n    "\\uDC00\\uD800" produces "\\uD800\\uDC00" which is a valid surrogate pair.\n     */\n    fun reverse():\n    StringBuilder\n    /**\n     * Appends the string representation of the specified object [value] to this string builder\n    and returns this instance.\n     *\n     * The overall effect is exactly as if the\n    [value] were converted to a string by the `value.toString()` method,\n     * and then that string was appended to this\n    string builder.\n     */\n    fun append(value: Any?): StringBuilder\n    /**\n     * Appends the string representation\n    of the specified boolean [value] to this string builder and returns this instance.\n     *\n     * The overall effect is\n    exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was\n    appended to this string builder.\n     */\n    @SinceKotlin("1.3")\n    fun append(value: Boolean): StringBuilder\n    /**\n     * Appends characters in the specified character array [value] to this string builder and returns this\n    instance.\n     *\n     * Characters are appended in order, starting at the index 0.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun append(value: CharArray): StringBuilder\n    /**\n     * Appends the specified string [value] to this\n    string builder and returns this instance.\n     *\n     * If [value] is `null`, then the four characters `\\null` are\n    appended.\n     */\n    @SinceKotlin("1.3")\n    fun append(value: String?): StringBuilder\n    /**\n     * Returns\n    the current capacity of this string builder.\n     *\n     * The capacity is the maximum length this string builder can\n    have before an allocation occurs.\n     */\n    @SinceKotlin("1.3")\n    // @ExperimentalStdlibApi\n    @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common code.", level =\n    DeprecationLevel.ERROR)\n    fun capacity(): Int\n    /**\n     * Ensures that the capacity of this string builder is\n    at least equal to the specified [minimumCapacity].\n     *\n     * If the current capacity is less than the
```

```

[minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method takes
no action and simply returns.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n
fun ensureCapacity(minimumCapacity: Int)\n\n /**\n * Returns the index within this string builder of the first
occurrence of the specified [string].\n *\n * Returns -1 if the specified [string] does not occur in this string
builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
indexOf(string: String): Int\n\n /**\n * Returns the index within this string builder of the first occurrence of the
specified [string],\n * starting at the specified [startIndex].\n *\n * Returns -1 if the specified [string] does
not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String, startIndex: Int): Int\n\n /**\n
* Returns the index within this string builder of the last occurrence of the specified [string].\n * The last
occurrence of empty string
`\"` is considered to be at the index equal to `this.length`.\n *\n * Returns -1 if the specified [string] does
not occur in this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String): Int\n\n /**\n * Returns
the index within this string builder of the last occurrence of the specified [string],\n * starting from the specified
[startIndex] toward the beginning.\n *\n * Returns -1 if the specified [string] does not occur in this string
builder starting at the specified [startIndex].\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String, startIndex: Int): Int\n\n
/**\n * Inserts the string representation of the specified boolean [value] into this string builder at the specified
[index] and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted
to a string by the `value.toString()` method,\n * and then that string was inserted into this string builder at the
specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the
length of this string builder.\n */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Boolean): String\n\n\n
/**\n * Inserts the specified character [value] into this string builder at the specified [index] and returns this
instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
insert(index: Int, value: Char): String\n\n\n /**\n * Inserts characters in the specified character array
[value] into this string builder at the specified [index] and returns this instance.\n *\n * The
inserted characters go in same order as in the [value] character array, starting at [index].\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value:
CharArray): String\n\n\n /**\n * Inserts characters in the specified character sequence [value] into this
string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same
order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string
builder to insert at.\n * @param value the character sequence from which characters are inserted. If [value] is
`null`, then the four characters `\"null\"` are inserted.\n *\n * @throws IndexOutOfBoundsException if [index]
is less than zero or greater than the length of this string
builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun
insert(index: Int, value: CharSequence?): String\n\n\n /**\n * Inserts the string representation of the
specified object [value] into this string builder at the specified [index] and returns this instance.\n *\n * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then
that string was inserted into this string builder at the specified [index].\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value:
Any?): String\n\n\n /**\n * Inserts the string [value] into this string builder at the specified [index] and
returns this instance.\n *\n * If [value] is `null`, then the four characters

```

```

`"\null"` are inserted.\n * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater
than the length of this string builder.\n * \n * @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: String?): StringBuilder\n\n
/**\n * Sets the length of this string builder to the specified [newLength].\n * \n * If the [newLength] is less
than the current length, it is changed to the specified [newLength].\n * Otherwise, null characters `'\u0000'` are
appended to this string builder until its length is less than the [newLength].\n * \n * Note that in Kotlin/JS [set]
operator function has non-constant execution time complexity.\n * Therefore, increasing length of this string
builder and then updating each character by index may slow down your program.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n
*\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n fun setLength(newLength:
Int)\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive)
and up to the [length] (exclusive).\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than
zero or greater than the length of this string builder.\n * \n * @SinceKotlin("1.4")\n
*\n * @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int): String\n\n /**\n * Returns
a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex]
(exclusive).\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * \n
*\n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex:
Int, endIndex: Int): String\n\n /**\n * Attempts to reduce storage used for this string builder.\n * \n * If the
backing storage of this string builder is larger than necessary to hold its current contents,\n * then it may be
resized to become more space efficient.\n * Calling this method may, but is not required to, affect the value of the
[capacity] property.\n * \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n
fun trimToSize()\n\n /**\n * Clears the content of this string builder making it empty and returns this instance.\n
*\n * @sample samples.text.Strings.clearStringBuilder\n * \n * @SinceKotlin("1.3")\n\n public expect fun
StringBuilder.clear(): String\n\n /**\n * Sets the character at the specified [index] to the specified [value].\n
*\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*\n * \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n\n public
expect operator fun StringBuilder.set(index: Int, value: Char)\n\n /**\n * Replaces characters in the specified range
of this string builder with characters in the specified string [value] and returns this instance.\n * \n * @param
startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to
replace.\n * @param value the string to replace with.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or
`startIndex > endIndex`.\n * \n * \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n\n
public expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): String\n\n /**\n * Removes
the character at the specified [index] from this string builder and returns this instance.\n * \n * If the `Char` at the
specified [index] is part of a supplementary code point, this method does not remove the entire
supplementary character.\n * \n * @param index the index of `Char` to remove.\n * \n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*\n * \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n\n public expect fun
StringBuilder.deleteAt(index: Int): String\n\n /**\n * Removes characters in the specified range from this
string builder and returns this instance.\n * \n * @param startIndex the beginning (inclusive) of the range to
remove.\n * @param endIndex the end (exclusive) of the range to remove.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder
indices or when `startIndex > endIndex`.\n
*\n * \n * @SinceKotlin("1.4")\n * @WasExperimental(ExperimentalStdlibApi::class)\n\n public expect fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): String\n\n /**\n * Copies characters from this
string builder into the [destination] character array.\n * \n

```

* @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
this.length)\n\n/**\n * Appends characters in a subarray of the specified character
```

```
array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at  
specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex  
the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to  
append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or  
[endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Appends a  
subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning  
(inclusive) of the subsequence
```

```
to append.\n *\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws  
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the  
[value] character sequence indices or when `startIndex > endIndex`.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts  
characters in a subarray of the specified character array [value] into this string builder at the specified [index] and  
returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters  
are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the  
end (exclusive) of the subarray to insert.\n
```

```
*\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out  
of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if  
[index] is less than zero or greater than the length of this string builder.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified  
[index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character  
sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value  
the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the  
subsequence to insert.\n
```

```
*\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws  
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the  
[value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if  
[index] is less than zero or greater than the length of this string builder.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun  
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int):  
StringBuilder\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n@Deprecated("Use  
append(value: Any?) instead", ReplaceWith("append(value = obj)"),
```

```

DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using
provided [builderAction]\n * and then converting it to [String].\n
*\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction: StringBuilder.() -> Unit): String {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return
StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly created
[StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to
[String].\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String {\n contract { callsInPlace(builderAction,
InvocationKind.EXACTLY_ONCE) }\n return
StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the given
StringBuilder.\n *\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n for (item in
value)\n append(item)\n return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n
*\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n for (item in value)\n
append(item)\n return this\n}\n\n/**\n * Appends a line feed character (`\n`) to this StringBuilder.
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine():
StringBuilder = append("\n")\n\n/**\n * Appends [value] to this [StringBuilder], followed by a line feed character
(`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
CharSequence?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this [StringBuilder],
followed by a line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: String?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to
this [StringBuilder], followed by a line feed character (`\n`).
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun StringBuilder.appendLine(value: Any?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends
[value] to this [StringBuilder], followed by a line feed character (`\n`).
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
CharArray): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this [StringBuilder], followed
by a line feed character (`\n`). *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: Char): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this
[StringBuilder], followed by a line feed character (`\n`).
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value:
Boolean): StringBuilder = append(value).appendLine()\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache
2.0 license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.text\n\nimport
kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char,
fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual
inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(),
fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return
nativeStartsWith(prefix, 0)\n else\n return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified
prefix.\n
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if
(!ignoreCase)\n return nativeStartsWith(prefix, startIndex)\n else\n return regionMatches(startIndex,
prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.
*\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return

```



```

nativeEndsWith(suffix)\n else\n     return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n\n@Deprecated("Use Regex.matches() instead",
ReplaceWith("regex.toRegex().matches(this)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.6")\npublic fun
String.matches(regex: String): Boolean {\n     @Suppress("DEPRECATION")\n     val result = this.match(regex)\n
return result != null && result.size != 0}\n\n/**\n * Returns `true` if this string is empty or consists solely of whitespace characters.\n * \n * @sample
samples.text.Strings.stringIsBlank\n * \n\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 ||
indices.all { this[it].isWhitespace() }\n\n/**\n * Returns `true` if this string is equal to [other], optionally ignoring
character case.\n * \n * Two strings are considered to be equal if they have the same length and the same character at
the same index.\n * \n * If [ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()` on each character
is compared.\n * \n * @param ignoreCase `true` to ignore character case when comparing strings. By default
`false`.\n * \n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {\n     if (this == null) return other == null\n     if
(other == null) return false\n     if (!ignoreCase) return this == other\n     if (this.length != other.length) return
false\n     for (index in 0 until this.length) {\n         val thisChar = this[index]\n         val otherChar = other[index]\n
if (!thisChar.equals(otherChar, ignoreCase)) {\n             return false\n         }\n     }\n     return
true}\n\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:
Boolean = false): Boolean =\n     regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default locale,\n * or the original
string if it's empty or already starts with a title case letter.\n * \n * The title case of a character is usually the same as
its upper case with several exceptions.\n * \n * The particular list of characters with the special title case form depends
on the underlying platform.\n * \n * @sample samples.text.Strings.capitalize\n * \n\n@Deprecated("Use
replaceFirstChar instead.", ReplaceWith("replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString()
}")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun String.capitalize(): String {\n     return if
(isNotEmpty()) substring(0, 1).uppercase() + substring(1) else this\n}\n\n\n/**\n * Returns a copy of this string having
its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts
with a lower case letter.\n * \n * @sample samples.text.Strings.decapitalize\n * \n\n@Deprecated("Use
replaceFirstChar instead.", ReplaceWith("replaceFirstChar { it.lowercase()
}")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun String.decapitalize(): String {\n     return
if (isNotEmpty()) substring(0, 1).lowercase() + substring(1) else this\n}\n\n\n/**\n * Returns a string containing this
char sequence repeated [n] times.\n * \n * @throws [IllegalArgumentException] when n < 0.\n * \n\n@sample samples.text.Strings.repeat\n * \n\npublic actual fun CharSequence.repeat(n: Int): String {\n     require(n
>= 0) {\n         "Count 'n' must be non-negative, but was $n." }\n     return when (n) {\n         0 -> ""\n         1 ->
this.toString()\n         else -> {\n             var result = ""\n             if (!isEmpty()) {\n                 var s = this.toString()\n
var count = n\n                 while (true) {\n                     if ((count and 1) == 1) {\n                         result += s\n
}\n                     count = count ushr 1\n                     if (count == 0) {\n                         break\n                     }\n
s += s\n                 }\n             }\n             return result\n         }\n     }\n}\n\n\n/**\n * Returns a new string
obtained by replacing all occurrences of the [oldValue] substring in this string\n * with the specified [newValue]
string.\n * \n * @sample samples.text.Strings.replace\n * \n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n     nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "gui" else "gu"),
Regex.nativeEscapeReplacement(newValue))\n\n\n/**\n * Returns a new string with all occurrences of [oldChar]
replaced with [newChar].\n * \n * @sample samples.text.Strings.replace\n * \n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n     nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "gui" else "gu"),

```

```

newChar.toString())\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"ui\" else \"u\"),
Regex.nativeEscapeReplacement(newValue))\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS")\npublic
actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"ui\" else \"u\"),
newChar.toString())\n\n\"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is
false, throws [CharacterCodingException] otherwise. */\nprivate fun malformed(size: Int, index: Int,
throwOnMalformed: Boolean): Int {\n    if (throwOnMalformed) throw CharacterCodingException(\"Malformed
sequence starting at ${index - 1}\")\n    return -size\n}\n\n/** Returns code point corresponding to UTF-16
surrogate pair,\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n
 * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n * @throws
CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n */\nprivate fun
codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n
if (high !in 0xD800..0xDBFF || index >= endIndex) {\n    return malformed(0, index, throwOnMalformed)\n }
\n    val low = string[index].code\n    if (low !in 0xDC00..0xDFFF) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the
[byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed
and [throwOnMalformed] is false.\n * @throws CharacterCodingException if the sequence of two bytes is
malformed and [throwOnMalformed]
is true.\n */\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int,
throwOnMalformed: Boolean): Int {\n    if (byte1 and 0x1E == 0 || index >= endIndex) {\n        return
malformed(0, index, throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte2 and 0xC0 != 0x80) {\n        return
malformed(0, index, throwOnMalformed)\n    }\n    return (byte1 shl 6) xor byte2 xor 0xF80\n}\n\n/**\n * Returns
code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1]
and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number
of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is
false.\n * @throws CharacterCodingException if the sequence of three bytes is malformed and
[throwOnMalformed] is true.\n */\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex:
Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0) {\n        if (byte2 and
0xE0 != 0xA0) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    }
else if (byte1 and 0xF == 0xD) {\n        if (byte2 and 0xE0 != 0x80) {\n            // Surrogate code point\n
return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte2 and 0xC0 != 0x80) {\n        return
malformed(0, index, throwOnMalformed)\n    }\n    if (index + 1 == endIndex) {\n        return malformed(1, index,
throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return
malformed(1, index, throwOnMalformed)\n    }\n    return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -
0x1E080\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence
of four bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting
from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed
sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n * @throws
CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is true.\n
 */\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:
Boolean): Int {\n    if (index >= endIndex) {\n        malformed(0, index, throwOnMalformed)\n    }\n    val byte2 =

```

```

bytes[index].toInt()\n  if (byte1 and 0xF == 0x0) {\n      if (byte2 and 0xF0 <= 0x80) {\n          // Non-shortest
form\n          return malformed(0, index, throwOnMalformed)\n      }\n  } else if (byte1 and 0xF == 0x4) {\n
if (byte2 and 0xF0 != 0x80) {\n          // Out of Unicode code points domain (larger than U+10FFFF)\n
          return malformed(0, index, throwOnMalformed)\n      }\n  } else if (byte1 and 0xF > 0x4) {\n      return
malformed(0, index, throwOnMalformed)\n  } else if (byte2 and 0xC0 != 0x80) {\n      return malformed(0, index,
throwOnMalformed)\n  }\n  }\n  if (index + 1 == endIndex) {\n      return malformed(1, index,
throwOnMalformed)\n  }\n  val byte3 = bytes[index + 1].toInt()\n  if (byte3 and 0xC0 != 0x80) {\n      return
malformed(1, index, throwOnMalformed)\n  }\n  }\n  if (index + 2 == endIndex) {\n      return malformed(2, index,
throwOnMalformed)\n  }\n  val byte4 = bytes[index + 2].toInt()\n  if (byte4 and 0xC0 != 0x80) {\n      return
malformed(2, index, throwOnMalformed)\n  }\n  }\n  return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor
byte4 xor 0x381F80)\n}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n * \n * Code points in
`0..0x7F` are encoded in a single byte.\n * Code points in `0x80..0x7FF` are encoded
in two bytes.\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate
code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in
`0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n *\nprivate
const val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a malformed UTF-16 char sequence is
replaced by.\n *\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = arrayOf(0xEF.toByte(),
0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n
*\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to
encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param
throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n *\n * @throws CharacterCodingException
if the char sequence is malformed and [throwOnMalformed] is true.\n *\ninternal fun encodeUtf8(string: String,
startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): ByteArray {\n  require(startIndex >= 0 && endIndex
<= string.length && startIndex <= endIndex)\n  val bytes = ByteArray((endIndex - startIndex) *
MAX_BYTES_PER_CHAR)\n  var byteIndex = 0\n  var charIndex = startIndex\n  while (charIndex <
endIndex) {\n      val code = string[charIndex++].code\n      when {\n          code < 0x80 ->\n
bytes[byteIndex++] = code.toByte()\n          code < 0x800 -> {\n              bytes[byteIndex++] = ((code shr 6) or
0xC0).toByte()\n              bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n          }\n          code <
0xD800 || code >= 0xE000 -> {\n              bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n
              bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\n              bytes[byteIndex++]
= ((code and 0x3F) or 0x80).toByte()\n              }\n          else -> { // Surrogate char value\n              val codePoint
= codePointFromSurrogate(string, code, charIndex, endIndex, throwOnMalformed)\n              if (codePoint <= 0)
{\n                  bytes[byteIndex++] = REPLACEMENT_BYTE_SEQUENCE[0]\n              }\n              bytes[byteIndex++]
= REPLACEMENT_BYTE_SEQUENCE[1]\n              bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n          }\n          } else {\n              bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n              bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
              bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n              bytes[byteIndex++] =
(((codePoint and 0x3F) or 0x80).toByte()\n                  charIndex++\n              }\n              }\n          }\n
}\n  }\n  return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a
malformed UTF-8 byte sequence is replaced by.\n *\nprivate const val REPLACEMENT_CHAR
= "\\uFFFD"\n\n/**\n * Decodes the UTF-8 [bytes] array and returns the resulting [String].\n *\n * @param bytes the
byte array to decode.\n * @param startIndex the start offset (inclusive) of the array to be decoded.\n * @param
endIndex the end offset (exclusive) of the array to be encoded.\n * @param throwOnMalformed whether to throw
on malformed byte sequence or replace by the [REPLACEMENT_CHAR].\n *\n * @throws
CharacterCodingException if the array is malformed UTF-8 byte sequence and [throwOnMalformed] is true.\n
*\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String
{\n  require(startIndex >= 0 && endIndex <= bytes.size && startIndex <= endIndex)\n  var byteIndex =

```

```

startIndex\n    val stringBuilder = StringBuilder()\n\n    while (byteIndex < endIndex) {\n        val byte =
bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->\n                stringBuilder.append(byte.toChar())\n                byte shr 5 == -2 -> {\n                    val code = codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                    if (code <= 0)\n                        stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else\n                stringBuilder.append(code.toChar())\n                byteIndex += 1\n            }\n        }\n        byte shr 4 == -2 -> {\n            val code = codePointFrom3(bytes, byte, byteIndex, endIndex,\nthrowOnMalformed)\n            if (code <= 0) {\n                stringBuilder.append(REPLACEMENT_CHAR)\n                byteIndex += -code\n            } else {\n                stringBuilder.append(code.toChar())\n                byteIndex += 2\n            }\n        }\n        byte shr 3 == -2 -> {\n            val code = codePointFrom4(bytes,\nbyte, byteIndex, endIndex, throwOnMalformed)\n            if (code <= 0) {\n                stringBuilder.append(REPLACEMENT_CHAR)\n                byteIndex += -code\n            } else {\n                val high = (code - 0x10000) shr 10 or 0xD800\n                val low = (code and 0x3FF) or 0xDC00\n                stringBuilder.append(high.toChar())\n                stringBuilder.append(low.toChar())\n                byteIndex +=\n3\n            }\n        }\n        else -> {\n            malformed(0, byteIndex, throwOnMalformed)\n            stringBuilder.append(REPLACEMENT_CHAR)\n        }\n    }\n}\n\nreturn\nstringBuilder.toString()\n}"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language\ncontributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n */\npackage kotlin\n/**\n * Returns the detailed\n * description of this throwable with its stack trace.\n * The detailed description includes:\n * - the short\n * description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of\n * the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed\n * description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin("1.4")\npublic actual fun\nThrowable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n/**\n * Prints the [detailed\n * description][Throwable.stackTraceToString] of this throwable to console error output.\n */\n@SinceKotlin("1.4")\npublic actual fun Throwable.printStackTrace() {\n    console.error(this.stackTraceToString())\n}\n/**\n * Adds the specified exception to the list of exceptions that\n * were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin("1.4")\npublic actual fun\nThrowable.addSuppressed(exception: Throwable)\n{\n    if (this != exception) {\n        val suppressed =\nthis.asDynamic()._suppressed.unsafeCast<MutableList<Throwable?>>()\n        if (suppressed == null) {\n            this.asDynamic()._suppressed = mutableListOf(exception)\n        } else {\n            suppressed.add(exception)\n        }\n    }\n}\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n */\n@SinceKotlin("1.4")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n    get() {\n        return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n    }\n}\nprivate class\nExceptionTraceBuilder {\n    private val target = StringBuilder()\n    private val visited = arrayOf<Throwable>()\n    private var topStack: String = ""\n    private var topStackStart: Int = 0\n    fun buildFor(exception: Throwable):\nString {\n        exception.dumpFullTrace("\\", "\\")\n        return target.toString()\n    }\n    private fun\nhasSeen(exception:\nThrowable): Boolean = visited.any { it === exception }\n    private fun Throwable.dumpFullTrace(indent: String,\nqualifier: String) {\n        this.dumpSelfTrace(indent, qualifier) || return\n        var cause = this.cause\n        while\n(cause != null) {\n            cause.dumpSelfTrace(indent, "Caused by: ") || return\n            cause = cause.cause\n        }\n    }\n    private fun Throwable.dumpSelfTrace(indent: String, qualifier: String): Boolean {\n        target.append(indent).append(qualifier)\n        val shortInfo = this.toString()\n        if (hasSeen(this)) {\n            target.append("[CIRCULAR REFERENCE, SEE ABOVE: ").append(shortInfo).append("\\n\\n")\n            return\nfalse\n        }\n        visited.asDynamic().push(this)\n        var stack = this.asDynamic().stack as String?\n        if\n(stack != null) {\n            val stackStart = stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }\n            if (stackStart == 0) target.append(shortInfo).append("\\n\\n")\n        }\n    }\n}

```

```

        if (topStack.isEmpty()) {\n            topStack = stack\n            topStackStart = stackStart\n        } else
{\n            stack = dropCommonFrames(stack, stackStart)\n        }\n        if (indent.isEmpty()) {\n
// indent stack, but avoid indenting exception message lines\n            val messageLines = if (stackStart == 0) 0
else 1 + shortInfo.count { c -> c == '\n' }\n            stack.lineSequence().forEachIndexed { index: Int, line: String -
>\n                if (index >= messageLines) target.append(indent)\n                target.append(line).append("\n")\n
            }\n        } else {\n            target.append(stack).append("\n")\n        } else {\n
target.append(shortInfo).append("\n")\n        }\n        val suppressed = suppressedExceptions\n        if
(suppressed.isNotEmpty()) {\n            val suppressedIndent =
indent + "\n"
            for (s in suppressed) {\n                s.dumpFullTrace(suppressedIndent, "Suppressed: ")\n
            }\n        }\n        return true\n    }\n    private fun dropCommonFrames(stack: String, stackStart: Int): String {\n
var commonFrames: Int = 0\n    var lastBreak: Int = 0\n    var preLastBreak: Int = 0\n    for (pos in 0 until
minOf(topStack.length - topStackStart, stack.length - stackStart)) {\n        val c = stack[stack.lastIndex - pos]\n
if (c != topStack[topStack.lastIndex - pos]) break\n        if (c == '\n') {\n            commonFrames += 1\n
preLastBreak = lastBreak\n            lastBreak = pos\n        }\n    }\n    if (commonFrames <= 1) return
stack\n    while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)] == '\n')\n        preLastBreak --
1\n    // leave 1 common frame to ease matching with the top exception stack\n    return
stack.dropLast(preLastBreak)
+ "\n... and ${commonFrames - 1} more common stack frames skipped"\n    }\n}"/\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport
kotlin.js.json\nimport kotlin.math.*\n\ninternal actual inline val durationAssertionsEnabled: Boolean get() =
true\n\ninternal actual fun formatToExactDecimals(value: Double, decimals: Int): String {\n    val rounded = if
(decimals == 0) {\n        value\n    } else {\n        val pow = 10.0.pow(decimals)\n        JsMath.round(abs(value) *
pow) / pow * sign(value)\n    }\n    return if (abs(rounded) < 1e21) {\n        // toFixed switches to scientific format
after 1e21\n        rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n    } else {\n        // toPrecision
outputs the specified number of digits, but only for positive numbers\n
        val positive = abs(rounded)\n        val positiveString = positive.asDynamic().toFixed(ceil(log10(positive)) +
decimals).unsafeCast<String>()\n        if (rounded < 0) {"-$positiveString"} else positiveString\n    }\n}\n\ninternal
actual fun formatUpToDecimals(value: Double, decimals: Int): String {\n    return
value.asDynamic().toLocaleString("en-us", json("maximumFractionDigits" to
decimals)).unsafeCast<String>()\n}\n}"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic actual enum class
DurationUnit(internal val scale: Double) {\n    /**\n     * Time unit representing one nanosecond, which is 1/1000 of
a microsecond.\n     */\n    NANOSECONDS(1e0),\n    /**\n     * Time unit representing one microsecond, which
is 1/1000 of a millisecond.\n     */\n    MICROSECONDS(1e3),\n    /**\n     * Time unit representing one
millisecond, which is 1/1000 of a second.\n     */\n    MILLISECONDS(1e6),\n    /**\n     * Time unit representing
one second.\n     */\n    SECONDS(1e9),\n    /**\n     * Time unit representing one minute.\n     */\n    MINUTES(60e9),\n    /**\n     * Time unit representing one hour.\n     */\n    HOURS(3600e9),\n    /**\n     * Time
unit representing one day, which is always equal to 24 hours.\n     */\n    DAYS(86400e9);\n}\n\n@SinceKotlin("1.3")\ninternal actual fun convertDurationUnit(value: Double, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Double {\n    val sourceCompareTarget =
sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n        sourceCompareTarget > 0 -> value *
(sourceUnit.scale / targetUnit.scale)\n        sourceCompareTarget < 0 -> value / (targetUnit.scale /
sourceUnit.scale)\n        else -> value\n    }\n}\n\n@SinceKotlin("1.5")\ninternal
actual fun convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long
{\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n    return when {\n

```

```

sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale).toLong()\n    sourceCompareTarget < 0
-> value / (targetUnit.scale / sourceUnit.scale).toLong()\n    else -> value\n
}\n}\n\n@SinceKotlin("1.5")\ninternal actual fun convertDurationUnit(value: Long, sourceUnit: DurationUnit,
targetUnit: DurationUnit): Long {\n    val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n
return when {\n    sourceCompareTarget > 0 -> {\n        val scale = (sourceUnit.scale /
targetUnit.scale).toLong()\n        val result = value * scale\n        when {\n            result / scale == value ->
result\n            value > 0 -> Long.MAX_VALUE\n            else -> Long.MIN_VALUE\n        }\n    }\n    sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n    else -> value\n
}\n}\n\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.time\nimport org.w3c.performance.GlobalPerformance\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal actual object
MonotonicTimeSource : TimeSource {\n    private val actualSource: TimeSource = run {\n        val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n        if
(isNode)\n            HrTimeSource(js("process").unsafeCast<Process>())\n        else\n
js("self").unsafeCast<GlobalPerformance?>()??.performance?.let(::PerformanceTimeSource)\n        ?:\n
DateNowTimeSource\n    }\n    override fun markNow():\n        TimeMark = actualSource.markNow()\n}\n\n\ninternal external interface Process {\n    fun hrtime(time:
Array<Double> = definedExternally): Array<Double>\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal
class HrTimeSource(val process: Process) : TimeSource {\n    override fun markNow(): TimeMark = object :
TimeMark() {\n        val startedAt = process.hrtime()\n        override fun elapsedNow(): Duration =\n        process.hrtime(startedAt).let { (seconds, nanos) -> seconds.toDuration(DurationUnit.SECONDS) +
nanos.toDuration(DurationUnit.NANOSECONDS) }\n    }\n    override fun toString(): String =
\n    "TimeSource(process.hrtime())"\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n    override fun read(): Double = performance.now()\n    override fun toString():
String = "TimeSource(self.performance.now())"\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n    override
fun read(): Double = kotlin.js.Date.now()\n    override fun toString(): String = "TimeSource(Date.now())"\n}\n\n\n", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage
kotlinx.dom\nimport org.w3c.dom.*\nimport kotlin.contracts.*\n\n\n/*\n * Creates a new element with the
specified [name].\n * The element is initialized with the specified [init] function.\n
*/\n\n@SinceKotlin("1.4")\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element {\n
    contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n    return
createElement(name).apply(init)\n}\n\n\n\n/*\n * Appends a newly created element with the specified [name] to this
element.\n * The element is initialized\n
with the specified [init] function.\n
*/\n\n@SinceKotlin("1.4")\npublic fun Element.appendChild(name: String,
init: Element.() -> Unit): Element {\n    contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n
return ownerDocument!!.createElement(name, init).also { appendChild(it) }\n}\n\n\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlinx.dom\nimport
org.w3c.dom.*\n\n\n/*\n * Returns true if the element has the given CSS class style in its 'class' attribute\n
*/\n\n@SinceKotlin("1.4")\nfun Element.hasClass(cssClass: String): Boolean =
className.matches("\\\\s*(^|\\\\s+)$cssClass(\\\\s+|\\\\s*$)"\\.toRegex())\n\n\n\n/*\n * Adds CSS class to element. Has no
effect if all specified classes are already in class attribute of the element\n
*/\n\n * @return true if at least one class has
been added\n
*/\n\n@SinceKotlin("1.4")\nfun

```

```

Element.addClass(vararg cssClasses: String): Boolean {
    val missingClasses = cssClasses.filterNot { hasClass(it) }
    if (missingClasses.isNotEmpty()) {
        val presentClasses = className.trim()
        className = buildString {
            append(presentClasses)
            if (!presentClasses.isEmpty()) {
                append(" ")
            }
            missingClasses.joinTo(this, " ")
        }
        return true
    }
    return false
}

Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element
@return true if at least one class has been removed
@SinceKotlin("1.4")
fun Element.removeClass(vararg cssClasses: String): Boolean {
    if (cssClasses.any { hasClass(it) }) {
        val toBeRemoved = cssClasses.toSet()
        className = className.trim().split("\\s+").toRegex().filter { it !in toBeRemoved }.joinToString(" ")
        return true
    }
    return false
}
"/

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StringsKt")
package kotlin.text

Converts the string into a regular expression [Regex] with the default options.
@kotlin.internal.InlineOnly
public inline fun String.toRegex(): Regex = Regex(this)

Converts the string into a regular expression [Regex] with the specified single [option].
@kotlin.internal.InlineOnly
public inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)

Converts the string into a regular expression [Regex] with the specified set of [options].
@kotlin.internal.InlineOnly
public inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)
"/

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlinx.dom
nimport org.w3c.dom

Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.
@SinceKotlin("1.4")
public val Node.isText: Boolean
    get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE

Gets a value indicating whether this node is an [Element].
@SinceKotlin("1.4")
public val Node.isElement: Boolean
    get() = nodeType == Node.ELEMENT_NODE
"/

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package kotlinx.dom
nimport org.w3c.dom

Removes all the children from this node.
@SinceKotlin("1.4")
public fun Node.clear() {
    while (hasChildNodes()) {
        removeChild(firstChild!!)
    }
}

Creates text node and append it to the element.
@return this element
@SinceKotlin("1.4")
fun Element.appendChild(text: String): Element {
    appendChild(ownerDocument!!.createTextNode(text))
    return this
}
"/

Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
package org.w3c.dom
@Deprecated("Use UnionMessagePortOrWindowProxy instead.", ReplaceWith("UnionMessagePortOrWindowProxy"))
typealias UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy
@Deprecated("Use `as` instead.", ReplaceWith("`as`"))
nvar HTMLLinkElement.as_
    get() = `as`
    set(value) {
        `as` = value
    }
@Deprecated("Use `is` instead.", ReplaceWith("`is`"))
nvar ElementCreationOptions.is_
    get() = `is`
    set(value) {
        `is` = value
    }
"/

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
@n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
n// See github.com/kotlin/dukat for details
package org.khronos.webgl
nimport kotlin.js
nimport org.w3c.dom
nimport org.w3c.dom.events

external interface WebGLContextAttributes {
    var alpha: Boolean? /* = true */
    get() = definedExternally
    set(value) = definedExternally
    var depth: Boolean? /* = true */
    get() = definedExternally
    set(value) = definedExternally
    var stencil: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var antialias: Boolean? /* = true */
    get() = definedExternally
    set(value) = definedExternally
    var premultipliedAlpha:

```

```

Boolean? /* = true */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
preserveDrawingBuffer: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var preferLowPowerToHighPerformance: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var failIfMajorPerformanceCaveat: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun WebGLContextAttributes(alpha:
Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha:
Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n    val o = js("({})")\n
o["alpha"]
= alpha\n    o["depth"] = depth\n    o["stencil"] = stencil\n    o["antialias"] = antialias\n
o["premultipliedAlpha"] = premultipliedAlpha\n    o["preserveDrawingBuffer"] = preserveDrawingBuffer\n
o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n
o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n    return o\n}\n\npublic external abstract
class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\n\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\n\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\n\npublic external
abstract class WebGLProgram : WebGLObject\n\n/**\n * Exposes
the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to
Kotlin\n */\n\npublic external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\n\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\n\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n
*/\n\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\n\npublic
external abstract class WebGLActiveInfo {\n    open val size: Int\n    open val type: Int\n    open val name:
String\n}\n\n/**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\n\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val
rangeMax: Int\n    open val precision:
Int\n}\n\n}\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface
WebGLRenderingContextBase {\n    val canvas: HTMLCanvasElement\n    val drawingBufferWidth: Int\n    val
drawingBufferHeight: Int\n    fun getContextAttributes(): WebGLContextAttributes?\n    fun isContextLost():
Boolean\n    fun getSupportedExtensions(): Array<String>?\n    fun getExtension(name: String): dynamic\n    fun
activeTexture(texture: Int)\n    fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n    fun
bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n    fun bindBuffer(target: Int, buffer:
WebGLBuffer?)\n    fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n
    fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n    fun bindTexture(target: Int, texture:
WebGLTexture?)\n    fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n    fun
blendEquation(mode: Int)\n    fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n    fun
blendFunc(sfactor: Int, dfactor: Int)\n    fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha:

```


Int)\n fun bufferData(target: Int, size: Int, usage: Int)\n fun bufferData(target: Int, data: BufferDataSource?,
 usage: Int)\n fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n fun
 checkFramebufferStatus(target: Int): Int\n fun clear(mask: Int)\n fun clearColor(red: Float, green: Float, blue:
 Float, alpha: Float)\n fun clearDepth(depth: Float)\n fun clearStencil(s: Int)\n fun colorMask(red: Boolean,
 green: Boolean, blue: Boolean, alpha: Boolean)\n fun compileShader(shader: WebGLShader?)\n fun
 compressedTexImage2D(target:
 Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n fun
 compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data:
 ArrayBufferView)\n fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int,
 height: Int, border: Int)\n fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int,
 width: Int, height: Int)\n fun createBuffer(): WebGLBuffer?\n fun createFramebuffer(): WebGLFramebuffer?\n
 fun createProgram(): WebGLProgram?\n fun createRenderbuffer(): WebGLRenderbuffer?\n fun
 createShader(type: Int): WebGLShader?\n fun createTexture(): WebGLTexture?\n fun cullFace(mode: Int)\n
 fun deleteBuffer(buffer: WebGLBuffer?)\n fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n fun
 deleteProgram(program: WebGLProgram?)\n fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n
 fun deleteShader(shader: WebGLShader?)\n fun deleteTexture(texture: WebGLTexture?)\n fun
 depthFunc(func: Int)\n fun depthMask(flag: Boolean)\n fun depthRange(zNear: Float, zFar: Float)\n fun
 detachShader(program: WebGLProgram?, shader: WebGLShader?)\n fun disable(cap: Int)\n fun
 disableVertexAttribArray(index: Int)\n fun drawArrays(mode: Int, first: Int, count: Int)\n fun
 drawElements(mode: Int, count: Int, type: Int, offset: Int)\n fun enable(cap: Int)\n fun
 enableVertexAttribArray(index: Int)\n fun finish()\n fun flush()\n fun framebufferRenderbuffer(target: Int,
 attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n fun framebufferTexture2D(target:
 Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n fun frontFace(mode: Int)\n fun
 generateMipmap(target: Int)\n fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n
 fun getActiveUniform(program: WebGLProgram?,
 index: Int): WebGLActiveInfo?\n fun getAttachedShaders(program: WebGLProgram?):
 Array<WebGLShader>\n fun getAttribLocation(program: WebGLProgram?, name: String): Int\n fun
 getBufferParameter(target: Int, pname: Int): Any?\n fun getParameter(pname: Int): Any?\n fun getError(): Int\n
 fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n fun
 getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n fun getProgramInfoLog(program:
 WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun
 getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shader: Int,
 precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n
 fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n
 fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?):
 Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun
 glVertexAttrib(index: Int, pname: Int): Any?\n fun glVertexAttribOffset(index: Int, pname: Int): Int\n fun
 hint(target: Int, mode: Int)\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n
 fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?):
 Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader:
 WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n
 fun linkProgram(program: WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun
 polygonOffset(factor: Float, units: Float)\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type:
 Int, pixels: ArrayBufferView?)\n fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int)\n
 fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun
 shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun
 stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun
 stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun

```

stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat:
Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target:
Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int,
pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target:
Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format:
Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int,
format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x: Float)\n
fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location: WebGLUniformLocation?, x: Int)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n
fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform3f(location:
WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v:
Float32Array)\n fun uniform3fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun
uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>)\n
fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform4fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform4iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniformMatrix2fv(location: WebGLUniformLocation?,
transpose: Boolean, value: Float32Array)\n fun uniformMatrix2fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix3fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix3fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix4fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix4fv(location:
WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun useProgram(program:
WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun vertexAttrib1f(index: Int, x:
Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun vertexAttrib2f(index: Int, x: Float, y: Float)\n
fun vertexAttrib2fv(index: Int, values: dynamic)\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun
vertexAttrib3fv(index: Int, values: dynamic)\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n
fun vertexAttrib4fv(index:
Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int,
offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val
DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n
val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val
TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n
val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA:
Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val
ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val
BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA:
Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val
BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val
BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR:

```

Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val
 BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val
 ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val
 STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val
 BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val
 FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val
 BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val
 SCISSOR_TEST: Int\n val
 POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val
 SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val
 INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW:
 Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val
 ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n
 val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val
 DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val
 STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS:
 Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK:
 Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val
 STENCIL_BACK_PASS_DEPTH_FAIL:
 Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val
 STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT:
 Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK:
 Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val
 MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val
 RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val
 DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val
 POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS:
 Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val
 SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val
 DONT_CARE: Int\n val FASTEST:
 Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val
 UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val
 UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n
 val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
 UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
 UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
 val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
 MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS:
 Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS:
 Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val
 CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val
 LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS:
 Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT:
 Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n
 val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val

NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
 TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
 MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val
 TEXTURE18:
 Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22:
 Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26:
 Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30:
 Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val
 CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val
 FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val
 INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val
 BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n
 val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED:
 Int\n val VERTEX_ATTRIB_ARRAY_SIZE:
 Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n
 val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n
 val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val
 IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT:
 Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val
 HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val
 FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val
 RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val
 STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val
 RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val
 RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE:
 Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val
 RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val
 FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val
 FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0:
 Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val
 DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n
 val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val
 FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val
 FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n
 val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val
 MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n

```

    val UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
*\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n
companion object {\n    val DEPTH_BUFFER_BIT: Int\n    val STENCIL_BUFFER_BIT: Int\n    val
COLOR_BUFFER_BIT: Int\n    val POINTS: Int\n    val LINES: Int\n    val LINE_LOOP: Int\n    val
LINE_STRIP: Int\n    val TRIANGLES: Int\n    val TRIANGLE_STRIP: Int\n    val TRIANGLE_FAN:
Int\n    val ZERO: Int\n    val ONE: Int\n    val SRC_COLOR: Int\n    val ONE_MINUS_SRC_COLOR:
Int\n    val SRC_ALPHA: Int\n    val ONE_MINUS_SRC_ALPHA: Int\n    val DST_ALPHA: Int\n
    val ONE_MINUS_DST_ALPHA: Int\n    val DST_COLOR: Int\n    val ONE_MINUS_DST_COLOR:
Int\n    val SRC_ALPHA_SATURATE: Int\n    val FUNC_ADD: Int\n    val BLEND_EQUATION: Int\n
    val BLEND_EQUATION_RGB: Int\n    val BLEND_EQUATION_ALPHA: Int\n    val FUNC_SUBTRACT:
Int\n    val FUNC_REVERSE_SUBTRACT: Int\n    val BLEND_DST_RGB: Int\n    val
BLEND_SRC_RGB: Int\n    val BLEND_DST_ALPHA: Int\n    val BLEND_SRC_ALPHA: Int\n    val
CONSTANT_COLOR: Int\n    val ONE_MINUS_CONSTANT_COLOR: Int\n    val CONSTANT_ALPHA:
Int\n    val ONE_MINUS_CONSTANT_ALPHA: Int\n    val BLEND_COLOR: Int\n    val
ARRAY_BUFFER: Int\n    val ELEMENT_ARRAY_BUFFER: Int\n    val ARRAY_BUFFER_BINDING:
Int\n    val ELEMENT_ARRAY_BUFFER_BINDING: Int\n    val STREAM_DRAW: Int\n    val
STATIC_DRAW: Int\n    val DYNAMIC_DRAW: Int\n    val BUFFER_SIZE: Int\n    val
BUFFER_USAGE: Int\n    val CURRENT_VERTEX_ATTRIB:
Int\n    val FRONT: Int\n    val BACK: Int\n    val FRONT_AND_BACK: Int\n    val CULL_FACE: Int\n
    val BLEND: Int\n    val DITHER: Int\n    val STENCIL_TEST: Int\n    val DEPTH_TEST: Int\n    val
SCISSOR_TEST: Int\n    val POLYGON_OFFSET_FILL: Int\n    val SAMPLE_ALPHA_TO_COVERAGE:
Int\n    val SAMPLE_COVERAGE: Int\n    val NO_ERROR: Int\n    val INVALID_ENUM: Int\n    val
INVALID_VALUE: Int\n    val INVALID_OPERATION: Int\n    val OUT_OF_MEMORY: Int\n    val CW:
Int\n    val CCW: Int\n    val LINE_WIDTH: Int\n    val ALIASED_POINT_SIZE_RANGE: Int\n    val
ALIASED_LINE_WIDTH_RANGE: Int\n    val CULL_FACE_MODE: Int\n    val FRONT_FACE: Int\n
    val DEPTH_RANGE: Int\n    val DEPTH_WRITEMASK: Int\n    val DEPTH_CLEAR_VALUE: Int\n    val
DEPTH_FUNC: Int\n    val STENCIL_CLEAR_VALUE: Int\n    val STENCIL_FUNC: Int\n    val
STENCIL_FAIL: Int\n    val STENCIL_PASS_DEPTH_FAIL:
Int\n    val STENCIL_PASS_DEPTH_PASS: Int\n    val STENCIL_REF: Int\n    val
STENCIL_VALUE_MASK: Int\n    val STENCIL_WRITEMASK: Int\n    val STENCIL_BACK_FUNC:
Int\n    val STENCIL_BACK_FAIL: Int\n    val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n    val
STENCIL_BACK_PASS_DEPTH_PASS: Int\n    val STENCIL_BACK_REF: Int\n    val
STENCIL_BACK_VALUE_MASK: Int\n    val STENCIL_BACK_WRITEMASK: Int\n    val VIEWPORT:
Int\n    val SCISSOR_BOX: Int\n    val COLOR_CLEAR_VALUE: Int\n    val COLOR_WRITEMASK:
Int\n    val UNPACK_ALIGNMENT: Int\n    val PACK_ALIGNMENT: Int\n    val
MAX_TEXTURE_SIZE: Int\n    val MAX_VIEWPORT_DIMS: Int\n    val SUBPIXEL_BITS: Int\n    val
RED_BITS: Int\n    val GREEN_BITS: Int\n    val BLUE_BITS: Int\n    val ALPHA_BITS: Int\n    val
DEPTH_BITS: Int\n    val STENCIL_BITS: Int\n    val POLYGON_OFFSET_UNITS: Int\n    val
POLYGON_OFFSET_FACTOR:
Int\n    val TEXTURE_BINDING_2D: Int\n    val SAMPLE_BUFFERS: Int\n    val SAMPLES: Int\n
    val SAMPLE_COVERAGE_VALUE: Int\n    val SAMPLE_COVERAGE_INVERT: Int\n    val
COMPRESSED_TEXTURE_FORMATS: Int\n    val DONT_CARE: Int\n    val FASTEST: Int\n    val
NICEST: Int\n    val GENERATE_MIPMAP_HINT: Int\n    val BYTE: Int\n    val UNSIGNED_BYTE:
Int\n    val SHORT: Int\n    val UNSIGNED_SHORT: Int\n    val INT: Int\n    val UNSIGNED_INT: Int\n
    val FLOAT: Int\n    val DEPTH_COMPONENT: Int\n    val ALPHA: Int\n    val RGB: Int\n    val

```

RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
 UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
 UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
 val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
 MAX_VARYING_VECTORS:
 Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
 val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
 SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
 val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
 Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
 TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
 MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n
 val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n
 val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n
 val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n
 val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n
 val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n
 val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE:
 Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val
 FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val
 INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val
 BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n
 val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val
 VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val
 VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val
 VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n
 val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val
 IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT:
 Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val
 HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val
 FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val
 RGB565: Int\n val DEPTH_COMPONENT16: Int\n
 val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val
 RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val

```

RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT:
Int\n    val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val
FRAMEBUFFER_UNSUPPORTED: Int\n    val FRAMEBUFFER_BINDING: Int\n    val
RENDERBUFFER_BINDING: Int\n    val MAX_RENDERBUFFER_SIZE: Int\n    val
INVALID_FRAMEBUFFER_OPERATION: Int\n    val UNPACK_FLIP_Y_WEBGL: Int\n    val
UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val CONTEXT_LOST_WEBGL: Int\n    val
UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val BROWSER_DEFAULT_WEBGL: Int\n
}\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*/\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface WebGLContextEventInit
: EventInit {\n    var statusMessage: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n    val o = js(\"({})\")\n    o[\"statusMessage\"] =
statusMessage\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n
*/\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value: Any?): Boolean\n    }\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n
*/\npublic
external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val byteOffset: Int\n    val
byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n
*/\npublic external open class
Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array:
Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Int8Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT:
Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int,

```

```

value: Byte) { asDynamic()[index] = value } \n\n/**\n * Exposes the JavaScript
[UInt8Array](https://developer.mozilla.org/en/docs/Web/API/UInt8Array) to Kotlin\n *\npublic external open class
UInt8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: UInt8Array)\n
constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: UInt8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset:
Int = definedExternally)\n    fun subarray(start: Int, end: Int): UInt8Array\n\n    companion object {\n        val
BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value } \n\n/**\n * Exposes the JavaScript
[UInt8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/UInt8ClampedArray) to Kotlin\n *\npublic
external open class UInt8ClampedArray : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array:
UInt8ClampedArray)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n
override
val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: UInt8ClampedArray, offset: Int =
definedExternally)\n    fun set(array: Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end:
Int): UInt8ClampedArray\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n
    }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
UInt8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
UInt8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value } \n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n *\npublic external open class
Int16Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int16Array)\n
constructor(array: Array<Short>)\n    constructor(buffer:
ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n    open val length: Int\n
override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array:
Int16Array, offset: Int = definedExternally)\n    fun set(array: Array<Short>, offset: Int = definedExternally)\n    fun
subarray(start: Int, end: Int): Int16Array\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n
    }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int,
value: Short) { asDynamic()[index] = value } \n\n/**\n * Exposes the JavaScript
[UInt16Array](https://developer.mozilla.org/en/docs/Web/API/UInt16Array) to Kotlin\n *\npublic external open
class UInt16Array
: ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: UInt16Array)\n    constructor(array:
Array<Short>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: UInt16Array, offset: Int = definedExternally)\n    fun set(array:
Array<Short>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): UInt16Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",

```



```

\ "INVISIBLE_MEMBER" )\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.set(index: Int,
value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes
the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n *\npublic
external open class Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n
  constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
  override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int32Array\n\n  companion object
{\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int
= asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the
JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n *\npublic
external open class Uint32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array:
Uint32Array)\n  constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n
  override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Uint32Array, offset: Int =
definedExternally)\n  fun set(array: Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end:
Int): Uint32Array\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline
operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n *\npublic external open
class Float32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float32Array)\n
  constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally)\n  fun
set(array: Array<Float>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Float32Array\n\n
  companion object
{\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int):
Float = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int,
value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n *\npublic external open
class Float64Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float64Array)\n
  constructor(array: Array<Double>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float64Array, offset: Int = definedExternally)\n  fun
set(array: Array<Double>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int):
Float64Array\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int):
Double = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int,

```

```

value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val
byteLength: Int\n  fun getInt8(byteOffset: Int): Byte\n  fun getUint8(byteOffset:
Int): Byte\n  fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n  fun
getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n  fun getInt32(byteOffset: Int,
littleEndian: Boolean = definedExternally): Int\n  fun getUint32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n  fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n  fun
getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n  fun setInt8(byteOffset: Int, value:
Byte)\n  fun setUint8(byteOffset: Int, value: Byte)\n  fun setInt16(byteOffset: Int, value: Short, littleEndian:
Boolean = definedExternally)\n  fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean =
definedExternally)\n  fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n  fun
setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n
  fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally)\n  fun
setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally)\n}\n\npublic external interface
BufferDataSource\n\npublic external interface TexImageSource", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface
ClipboardEventInit : EventInit {\n  var clipboardData: DataTransfer? /* = null */\n  get() = definedExternally\n
  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\n  val o = js("{}")\n
o["clipboardData"] = clipboardData\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n  open
val clipboardData: DataTransfer?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to
Kotlin\n */\npublic external abstract class Clipboard : EventTarget
{\n  fun read(): Promise<DataTransfer>\n  fun readText(): Promise<String>\n  fun write(data: DataTransfer):
Promise<Unit>\n  fun writeText(data: String): Promise<Unit>\n}\n\npublic external interface
ClipboardPermissionDescriptor {\n  var allowWithoutGesture: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n  val
o = js("{}")\n  o["allowWithoutGesture"] = allowWithoutGesture\n  return o\n}, "/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\npublic external
abstract class MediaList : ItemArrayLike<String> {\n  open var mediaText: String\n  fun
appendMedium(medium: String)\n  fun deleteMedium(medium: String)\n  override fun item(index: Int):
String?\n}\n\n@Suppress("INVISIBLE_REFERENCE",

```

```

\@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int):
String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n *\npublic external abstract
class StyleSheet {\n  open val type: String\n  open val href: String?\n  open val ownerNode:
UnionElementOrProcessingInstruction?\n  open val parentStyleSheet: StyleSheet?\n  open val title: String?\n
open val media: MediaList\n  open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet)
to Kotlin\n *\npublic external abstract class CSSStyleSheet : StyleSheet {\n  open val ownerRule: CSSRule?\n
open val cssRules: CSSRuleList\n  fun insertRule(rule: String, index: Int): Int\n  fun deleteRule(index:
Int)\n}\n\n/**\n * Exposes the JavaScript
[StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n *\npublic external
abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n  override fun item(index: Int):
StyleSheet?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n *\npublic external interface
LinkStyle {\n  val sheet: StyleSheet?\n  get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList)
to Kotlin\n *\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n  override fun
item(index: Int): CSSRule?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int):
CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n *\npublic external abstract class
CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val
parentStyleSheet: CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val
CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule)
to Kotlin\n *\npublic external abstract class CSSStyleRule : CSSRule {\n  open var selectorText: String\n  open
val style: CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val
CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n  open val
href: String\n  open val media: MediaList\n  open val styleSheet: CSSStyleSheet\n\n  companion object {\n
val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val
MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule)
to Kotlin\n *\npublic external abstract class CSSGroupingRule : CSSRule {\n  open val cssRules: CSSRuleList\n
fun insertRule(rule: String, index: Int): Int\n  fun deleteRule(index: Int)\n\n  companion object {\n    val
STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val
MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n *\npublic external
abstract class CSSMediaRule : CSSGroupingRule {\n  open val media: MediaList\n\n  companion object {\n
val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val

```

```

MARGIN_RULE: Short\n
    val NAMESPACE_RULE: Short\n } \n } \n \n /** \n * Exposes the JavaScript
[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin \n * \n public external
abstract class CSSPageRule : CSSGroupingRule { \n    open var selectorText: String \n    open val style:
CSSStyleDeclaration \n \n    companion object { \n        val STYLE_RULE: Short \n        val CHARSET_RULE:
Short \n        val IMPORT_RULE: Short \n        val MEDIA_RULE: Short \n        val FONT_FACE_RULE: Short \n
        val PAGE_RULE: Short \n        val MARGIN_RULE: Short \n        val NAMESPACE_RULE: Short \n
    } \n } \n \n public external abstract class CSSMarginRule : CSSRule { \n    open val name: String \n    open val style:
CSSStyleDeclaration \n \n    companion object { \n        val STYLE_RULE: Short \n        val CHARSET_RULE:
Short \n        val IMPORT_RULE: Short \n        val MEDIA_RULE: Short \n        val FONT_FACE_RULE: Short \n
        val PAGE_RULE: Short \n        val MARGIN_RULE: Short \n        val NAMESPACE_RULE:
Short \n    } \n } \n \n /** \n * Exposes the JavaScript
[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin \n * \n public
external abstract class CSSNamespaceRule : CSSRule { \n    open val namespaceURI: String \n    open val prefix:
String \n \n    companion object { \n        val STYLE_RULE: Short \n        val CHARSET_RULE: Short \n        val
IMPORT_RULE: Short \n        val MEDIA_RULE: Short \n        val FONT_FACE_RULE: Short \n        val
PAGE_RULE: Short \n        val MARGIN_RULE: Short \n        val NAMESPACE_RULE: Short \n    } \n } \n \n /** \n *
Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin \n * \n public
external abstract class CSSStyleDeclaration : ItemArrayLike<String> { \n    open var cssText: String \n    open val
parentRule: CSSRule? \n    open var cssFloat: String \n    open var alignContent: String \n    open var alignItems:
String \n    open var alignSelf: String \n    open
var animation: String \n    open var animationDelay: String \n    open var animationDirection: String \n    open var
animationDuration: String \n    open var animationFillMode: String \n    open var animationIterationCount: String \n
    open var animationName: String \n    open var animationPlayState: String \n    open var animationTimingFunction:
String \n    open var backfaceVisibility: String \n    open var background: String \n    open var backgroundAttachment:
String \n    open var backgroundClip: String \n    open var backgroundColor: String \n    open var backgroundImage:
String \n    open var backgroundOrigin: String \n    open var backgroundPosition: String \n    open var
backgroundRepeat: String \n    open var backgroundSize: String \n    open var border: String \n    open var
borderBottom: String \n    open var borderBottomColor: String \n    open var borderBottomLeftRadius: String \n
    open var borderBottomRightRadius: String \n    open var borderBottomStyle: String \n    open var
borderBottomWidth:
String \n    open var borderCollapse: String \n    open var borderColor: String \n    open var borderImage: String \n
    open var borderImageOutset: String \n    open var borderImageRepeat: String \n    open var borderImageSlice:
String \n    open var borderImageSource: String \n    open var borderImageWidth: String \n    open var borderLeft:
String \n    open var borderLeftColor: String \n    open var borderLeftStyle: String \n    open var borderLeftWidth:
String \n    open var borderRadius: String \n    open var borderRight: String \n    open var borderRightColor: String \n
    open var borderRightStyle: String \n    open var borderRightWidth: String \n    open var borderSpacing: String \n
    open var borderStyle: String \n    open var borderTop: String \n    open var borderTopColor: String \n    open var
borderTopLeftRadius: String \n    open var borderTopRightRadius: String \n    open var borderTopStyle: String \n
    open var borderTopWidth: String \n    open var borderWidth: String \n    open var bottom:
String \n    open var boxDecorationBreak: String \n    open var boxShadow: String \n    open var boxSizing: String \n
    open var breakAfter: String \n    open var breakBefore: String \n    open var breakInside: String \n    open var
captionSide: String \n    open var clear: String \n    open var clip: String \n    open var color: String \n    open var
columnCount: String \n    open var columnFill: String \n    open var columnGap: String \n    open var columnRule:
String \n    open var columnRuleColor: String \n    open var columnRuleStyle: String \n    open var columnRuleWidth:
String \n    open var columnSpan: String \n    open var columnWidth: String \n    open var columns: String \n    open
var content: String \n    open var counterIncrement: String \n    open var counterReset: String \n    open var cursor:

```

String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n open var textCombineUpright: String\n open var text-decoration: String\n open var textDecorationColor: String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent: String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle: String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi: String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace: String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n open var _dashed_attribute: String\n open var _camel_cased_attribute: String\n open var _webkit_cased_attribute: String\n fun getProperty(property: String): String\n fun getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String = definedExternally)\n

```

    fun setValue(property: String, value: String)\n    fun setPropertyPriority(property: String, priority:
String)\n    fun removeProperty(property: String): String\n    override fun item(index: Int):
String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface
ElementCSSInlineStyle {\n    val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\n\npublic external abstract class CSS {\n
companion object {\n    fun escape(ident: String): String\n    }\n}\n\npublic external interface
UnionElementOrProcessingInstruction, /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript
[MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration)
to Kotlin\n */\n\npublic external interface MediaKeySystemConfiguration {\n    var label: String? /* = \"\" */\n
get() = definedExternally\n    set(value) = definedExternally\n    var initDataTypes: Array<String>? /* = arrayOf()
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var audioCapabilities:
Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n
get() = definedExternally\n    set(value) = definedExternally\n
    var distinctiveIdentifier: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var persistentState: MediaKeysRequirement? /* =
MediaKeysRequirement.OPTIONAL */\n    get() = definedExternally\n    set(value) = definedExternally\n
    var sessionTypes: Array<String>?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label:
String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>? = undefined): MediaKeySystemConfiguration
{\n    val o = js(\"({})\")\n    o[\"label\"] = label\n    o[\"initDataTypes\"] = initDataTypes\n
o[\"audioCapabilities\"] = audioCapabilities\n    o[\"videoCapabilities\"] = videoCapabilities\n
o[\"distinctiveIdentifier\"] = distinctiveIdentifier\n    o[\"persistentState\"] = persistentState\n    o[\"sessionTypes\"]
= sessionTypes\n    return o\n}\n\npublic external interface MediaKeySystemMediaCapability {\n    var
contentType: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
robustness: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemMediaCapability(contentType: String? = \"\", robustness: String? = \"\"):
MediaKeySystemMediaCapability {\n    val o = js(\"({})\")\n    o[\"contentType\"] = contentType\n
o[\"robustness\"] = robustness\n
    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin\n
*/\n\npublic external abstract class MediaKeySystemAccess {\n    open val keySystem: String\n    fun
getConfiguration(): MediaKeySystemConfiguration\n    fun createMediaKeys(): Promise<MediaKeys>\n}\n\n/**\n
 * Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin\n

```

```

*\npublic external abstract class MediaKeys {\n  fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession\n  fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin\n */\npublic
external abstract class MediaKeySession : EventTarget {\n  open val sessionId: String\n  open val expiration:
Double\n  open val closed: Promise<Unit>\n  open val keyStatuses:
MediaKeyStatusMap\n  open var onkeystatuseschange: ((Event) -> dynamic)?\n  open var onmessage:
((MessageEvent) -> dynamic)?\n  fun generateRequest(initDataType: String, initData: dynamic): Promise<Unit>\n
fun load(sessionId: String): Promise<Boolean>\n  fun update(response: dynamic): Promise<Unit>\n  fun close():
Promise<Unit>\n  fun remove(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to Kotlin\n */\npublic
external abstract class MediaKeyStatusMap {\n  open val size: Int\n  fun has(keyId: dynamic): Boolean\n  fun
get(keyId: dynamic): Any?\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin\n
*/\npublic external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {\n  open val messageType: MediaKeyMessageType\n  open val message:
ArrayBuffer\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
MediaKeyMessageEventInit : EventInit {\n  var messageType: MediaKeyMessageType?\n  var message:
ArrayBuffer?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {\n  val o =
js(\"({})\")\n  o[\"messageType\"] = messageType\n  o[\"message\"] = message\n  o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\npublic external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {\n
open val initDataType: String\n
open val initData: ArrayBuffer?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
  }\n}\n\npublic external interface MediaEncryptedEventInit : EventInit {\n  var initDataType: String? /* = \"\" */\n
get() = definedExternally\n  set(value) = definedExternally\n  var initData: ArrayBuffer? /* = null */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaEncryptedEventInit(initDataType: String? = \"\", initData: ArrayBuffer? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {\n  val o = js(\"({})\")\n
o[\"initDataType\"] = initDataType\n  o[\"initData\"] = initData\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"]
= cancelable\n  o[\"composed\"]
= composed\n  return o\n}\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface MediaKeysRequirement {\n  companion object\n}\n\npublic inline val
MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() =
\"required\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() =
\"optional\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val
MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \"not-
allowed\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface MediaKeySessionType {\n  companion object\n}\n\npublic inline val

```

```

MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() =
    \"temporary\".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic
    inline val MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() =
    \"persistent-license\".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this
interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface MediaKeyStatus {\n    companion object\n}\n\npublic inline val
MediaKeyStatus.Companion.USABLE: MediaKeyStatus get() =
    \"usable\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() =
    \"expired\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() =
    \"released\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = \"output-
restricted\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_DOWNSCALED: MediaKeyStatus
    get() = \"output-downscaled\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = \"status-
pending\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val
MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = \"internal-
error\".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface MediaKeyMessageType {\n    companion object\n}\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = \"license-
request\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = \"license-
renewal\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType get() = \"license-
release\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic
    inline val MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get()
    = \"individualization-request\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\n/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes
the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n *\n\npublic external
open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n    open val view:
Window?\n    open val detail: Int\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n\n\npublic external interface
UIEventInit : EventInit {\n    var view: Window? /* = null *\n        get() = definedExternally\n        set(value) =
definedExternally\n    var detail: Int? /* = 0 *\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun UIEventInit(view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit
{\n    val o = js(\"({})\")\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n *\n\npublic external open class
FocusEvent(type: String, eventInitDict: FocusEventInit

```



```

= definedExternally) : UIEvent {\n  open val relatedTarget: EventTarget?\n\n  companion object {\n    val
NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n\n\npublic external interface FocusEventInit : UIEventInit {\n  var
relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget:
EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): FocusEventInit {\n  val o = js(\"({})\")\n  o[\"relatedTarget\"] =
relatedTarget\n  o[\"view\"] = view\n  o[\"detail\"] = detail\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] =
cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n\n/**\n * Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open
class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
UnionElementOrMouseEvent {\n  open val screenX: Int\n  open val screenY: Int\n  open val clientX: Int\n
open val clientY: Int\n  open val ctrlKey: Boolean\n  open val shiftKey: Boolean\n  open val altKey: Boolean\n
open val metaKey: Boolean\n  open val button: Short\n  open val buttons: Short\n  open val relatedTarget:
EventTarget?\n  open val region: String?\n  open val pageX: Double\n  open val pageY: Double\n  open val x:
Double\n  open val y: Double\n  open val offsetX: Double\n  open val offsetY: Double\n  fun
getModifierState(keyArg: String): Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
  }\n}\n\n\npublic external interface
MouseEventInit : EventModifierInit {\n  var screenX: Int? /* = 0 */\n    get() = definedExternally\n
set(value) = definedExternally\n  var screenY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var clientX: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var clientY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var button: Short? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var buttons: Short? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n    set(value)
= definedExternally\n  var region: String? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? =
0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false,
shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? =
false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MouseEventInit {\n  val o = js(\"({})\")\n  o[\"screenX\"] = screenX\n  o[\"screenY\"] = screenY\n
o[\"clientX\"] = clientX\n  o[\"clientY\"] = clientY\n  o[\"button\"] = button\n
o[\"buttons\"] = buttons\n  o[\"relatedTarget\"] = relatedTarget\n  o[\"region\"] = region\n  o[\"ctrlKey\"] =
ctrlKey\n  o[\"shiftKey\"] = shiftKey\n  o[\"altKey\"] = altKey\n  o[\"metaKey\"] = metaKey\n
o[\"modifierAltGraph\"] = modifierAltGraph\n  o[\"modifierCapsLock\"] = modifierCapsLock\n
o[\"modifierFn\"] = modifierFn\n  o[\"modifierFnLock\"] = modifierFnLock\n  o[\"modifierHyper\"] =
modifierHyper\n  o[\"modifierNumLock\"] = modifierNumLock\n  o[\"modifierScrollLock\"] =
modifierScrollLock\n  o[\"modifierSuper\"] = modifierSuper\n  o[\"modifierSymbol\"] = modifierSymbol\n
o[\"modifierSymbolLock\"] = modifierSymbolLock\n  o[\"view\"] = view\n  o[\"detail\"] = detail\n
o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return
o\n}\n\n\npublic external interface EventModifierInit : UIEventInit {\n  var ctrlKey: Boolean? /* = false */\n

```

```

get() = definedExternally\n    set(value)
= definedExternally\n    var shiftKey: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var altKey: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var metaKey: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n    get() = definedExternally\n    set(value)
= definedExternally\n    var modifierCapsLock: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n    get() = definedExternally\n
set(value) = definedExternally\n    var modifierNumLock:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
modifierScrollLock: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var modifierSuper: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var modifierSymbol: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n
var modifierSymbolLock: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean?
= false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? =
false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail:
Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): EventModifierInit
{\n    val o = js(\"({})\")\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n
o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] =
modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n
o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n
o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n
o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] =
view\n    o[\"detail\"] = detail\n    o[\"bubbles\"]
= bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/* Exposes
the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\n\npublic
external open class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n
    open val deltaX: Double\n    open val deltaY: Double\n    open val deltaZ: Double\n    open val deltaMode: Int\n\n
companion object {\n    val DOM_DELTA_PIXEL: Int\n    val DOM_DELTA_LINE: Int\n    val
DOM_DELTA_PAGE: Int\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n    }\n}\n\n\npublic external interface WheelEventInit :
MouseEventInit {\n    var deltaX: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var deltaY: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n
    var deltaZ: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
deltaMode: Int? /* = 0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun WheelEventInit(deltaX: Double? = 0.0,
deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX:
Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region:
String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean?
= false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,

```

```

modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n  val o =
js("{}")\n  o["deltaX"] = deltaX\n  o["deltaY"] = deltaY\n  o["deltaZ"] = deltaZ\n  o["deltaMode"] =
deltaMode\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] = clientX\n  o["clientY"]
= clientY\n  o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] = relatedTarget\n
o["region"] = region\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n
o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n  o["modifierCapsLock"] =
modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] = modifierFnLock\n
o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n *\npublic external open class
InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n  open val data: String\n
open val isComposing: Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface InputEventInit : UIEventInit {\n  var data: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var isComposing:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = "",
isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): InputEventInit {\n  val o = js("{}")\n  o["data"] = data\n
o["isComposing"] = isComposing\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n *\npublic external
open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n
open val key: String\n  open val code: String\n  open val location:
Int\n  open val ctrlKey: Boolean\n  open val shiftKey: Boolean\n  open val altKey: Boolean\n  open val
metaKey: Boolean\n  open val repeat: Boolean\n  open val isComposing: Boolean\n  open val charCode: Int\n
open val keyCode: Int\n  open val which: Int\n  fun getModifierState(keyArg: String): Boolean\n\n  companion
object {\n    val DOM_KEY_LOCATION_STANDARD: Int\n    val DOM_KEY_LOCATION_LEFT: Int\n
val DOM_KEY_LOCATION_RIGHT: Int\n    val DOM_KEY_LOCATION_NUMPAD: Int\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n  var key: String? /* = "" */
*\n  get() = definedExternally\n  set(value) = definedExternally\n  var code: String? /* = "" */\n  get()
= definedExternally\n  set(value) = definedExternally\n  var location: Int? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var repeat: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var isComposing: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = "",
code: String? = "", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean?
= false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,

```

```

modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): KeyEventInit {\n  val o = js(\{"\}\})\n  o["key"] = key\n  o["code"] = code\n  o["location"] =
location\n  o["repeat"] = repeat\n  o["isComposing"] = isComposing\n  o["ctrlKey"] = ctrlKey\n
o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] =
modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] =
modifierNumLock\n  o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic
external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {\n  open val data: String\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n  var data: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? =
"", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CompositionEventInit {\n  val o = js(\{"\}\})\n
o["data"] = data\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {\n  open val type: String\n  open val target:
EventTarget?\n  open val currentTarget: EventTarget?\n  open val eventPhase: Short\n  open val bubbles:
Boolean\n  open val cancelable: Boolean\n  open val defaultPrevented: Boolean\n  open val composed:
Boolean\n  open val isTrusted: Boolean\n  open val timeStamp: Number\n  fun composedPath():
Array<EventTarget>\n  fun stopPropagation()\n  fun stopImmediatePropagation()\n  fun preventDefault()\n
fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n  companion object {\n    val NONE:
Short\n
    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript [EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget)
to Kotlin\n */\npublic external abstract class EventTarget {\n  fun addEventListener(type: String, callback:
EventListener?, options: dynamic = definedExternally)\n  fun addEventListener(type: String, callback: ((Event) ->
Unit)?, options: dynamic = definedExternally)\n  fun removeEventListener(type: String, callback: EventListener?,
options: dynamic = definedExternally)\n  fun removeEventListener(type: String, callback: ((Event) -> Unit)?,
options: dynamic = definedExternally)\n  fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the
JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n */\npublic
external interface EventListener {\n  fun handleEvent(event: Event)\n}", "/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.mediasource.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n  open val length: Int\n  fun
item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n  fun namedItem(name:

```

```

String): UnionElementOrHTMLCollection?}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n * \npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes
the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n
*\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n  open var value:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*\npublic external abstract class HTMLOptionsCollection
: HTMLCollection {\n  override var length: Int\n  open var selectedIndex: Int\n  fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n  fun
remove(index: Int)\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n *
Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to
Kotlin\n * \npublic external abstract class HTMLInputElement : Element, GlobalEventHandlers,
DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n  open var title:
String\n  open var lang: String\n  open var translate: Boolean\n  open var dir: String\n  open val dataset:
DOMStringMap\n  open var hidden: Boolean\n  open var tabIndex: Int\n  open var accessKey: String\n  open
val accessKeyLabel:
String\n  open var draggable: Boolean\n  open val dropzone: DOMTokenList\n  open var contextMenu:
HTMLMenuElement?\n  open var spellcheck: Boolean\n  open var innerText: String\n  open val offsetParent:
Element?\n  open val offsetTop: Int\n  open val offsetLeft: Int\n  open val offsetWidth: Int\n  open val
offsetHeight: Int\n  fun click()\n  fun focus()\n  fun blur()\n  fun forceSpellCheck()\n\n  companion object {\n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n
*\npublic external abstract class HTMLUnknownElement : HTMLInputElement {\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING:

```

```

Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n *\npublic external
abstract class DOMStringMap\n\n@Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.get(name:
String): String? = asDynamic()[name]\n\n@Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.set(name:
String, value: String) { asDynamic()[name] = value }\n\n\n/**\n * Exposes the JavaScript
[HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n *\npublic
external abstract class HTMLHtmlElement : HTMLElement {\n    open var version: String\n\n    companion object
{\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n *\npublic
external abstract class HTMLHeadElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n
        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n *\npublic
external abstract class HTMLTitleElement : HTMLElement {\n    open var text: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n}\n\n\n/**\n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n *\npublic
external abstract class HTMLBaseElement : HTMLElement {\n    open var href: String\n    open var target:
String\n\n    companion object

```

```

{\n  val ELEMENT_NODE: Short\n  val ATTRIBUTE_NODE: Short\n  val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n  val ENTITY_REFERENCE_NODE: Short\n  val
ENTITY_NODE: Short\n  val PROCESSING_INSTRUCTION_NODE: Short\n  val COMMENT_NODE:
Short\n  val DOCUMENT_NODE: Short\n  val DOCUMENT_TYPE_NODE: Short\n  val
DOCUMENT_FRAGMENT_NODE: Short\n  val NOTATION_NODE: Short\n  val
DOCUMENT_POSITION_DISCONNECTED: Short\n  val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n  val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n  val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin \n
*/ \n public external abstract class HTMLLinkElement : HTMLElement, LinkStyle { \n  open var href: String\n
open var crossOrigin: String? \n  open var rel: String\n  open var `as`: RequestDestination\n  open val relList:
DOMTokenList\n  open var media: String\n  open var nonce: String\n  open var hreflang: String\n  open var
type: String\n  open val sizes: DOMTokenList\n  open varreferrerPolicy: String\n  open var charset: String\n
open var rev: String\n  open var target: String\n  open var scope: String\n  open var workerType:
WorkerType \n \n  companion object { \n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING:
Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val
DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the
JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin \n
*/ \n public external abstract class HTMLMetaElement : HTMLElement { \n  open var name: String\n  open var
httpEquiv: String\n  open var content: String\n  open var scheme: String \n \n  companion object { \n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n
val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes
the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to
Kotlin \n */ \n public external abstract class HTMLStyleElement : HTMLElement, LinkStyle { \n  open var media:
String\n  open var nonce: String\n  open var type: String \n \n  companion object { \n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n
val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:

```

Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n */\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n */\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\n\n * Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n */\npublic external abstract class HTMLHRElement : HTMLElement {\n open var align: String\n open var color: String\n open var noShade: Boolean\n open var size: String\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n


```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n *\npublic
external abstract class HTMLPreElement : HTMLInputElement {\n    open var width: Int\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n *\npublic
external abstract class HTMLQuoteElement : HTMLInputElement {\n    open var cite: String\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin\n *\npublic
external abstract class HTMLLOListElement : HTMLInputElement {\n    open var reversed: Boolean\n    open
var start: Int\n    open var type: String\n    open var compact: Boolean\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLUListElement) to Kotlin\n *\npublic
external
abstract class HTMLLUListElement : HTMLInputElement {\n    open var compact: Boolean\n    open var type: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n}\n\n/**\n * Exposes the JavaScript

```

[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement)

to Kotlin\n * public external abstract class HTMLLIElement : HTMLIElement {\n open var value: Int\n open var type: String\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\n/**\n * Exposes the JavaScript

[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement)

to Kotlin\n * public external abstract class HTMLDListElement : HTMLIElement {\n open var compact: Boolean\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\n/**\n * Exposes the JavaScript

[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement)

to Kotlin\n * public external abstract class HTMLDivElement : HTMLIElement {\n open var align: String\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } }\n\n/**\n * Exposes the JavaScript

[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement)

to Kotlin\n * public external abstract class HTMLAnchorElement : HTMLIElement,\n HTMLHyperlinkElementUtils {\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var hreflang: String\n open var type: String\n open var text: String\n open varreferrerPolicy: String\n open var coords: String\n open var charset: String\n open var name: String\n open var rev: String\n open var shape: String\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

```

Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to
Kotlin\n */\npublic external abstract class HTMLDataElement : HTMLElement {\n    open var value: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to
Kotlin\n */\npublic external abstract class HTMLTimeElement : HTMLElement {\n    open var dateTime: String\n\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to
Kotlin\n */\npublic external abstract class HTMLSpanElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n
*/\npublic external abstract class HTMLBRElement : HTMLElement {\n    open var clear: String\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript
[HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to
Kotlin\n */\npublic external interface HTMLHyperlinkElementUtils {\n    var href: String\n    val origin: String\n

```

```

var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname:
String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n/**\n * Exposes
the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to
Kotlin\n\n *\n\npublic external abstract class HTMLModElement
: HTMLElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n\n
*\n\npublic
external abstract class HTMLPictureElement : HTMLElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n\n
*\n\npublic external
abstract class HTMLSourceElement : HTMLElement {\n open var src: String\n open var type: String\n open
var srset: String\n open var sizes: String\n open var media: String\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n\n
*\n\npublic external abstract class HTMLImageElement : HTMLElement, HTMLOrSVGImageElement,
TexImageSource {\n open var alt: String\n open var src: String\n open var srset: String\n open var sizes:
String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var
width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val
complete: Boolean\n open val currentSrc: String\n open var referrerPolicy: String\n open var name: String\n
open var lowsrc: String\n open var align: String\n open var hspace: Int\n open var vspace: Int\n open var
longDesc: String\n open var border: String\n open val x: Int\n open val y: Int\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n

```

```

    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin \n
*/ \n public external abstract class HTMLIFrameElement : HTMLElement { \n    open var src: String \n
    open var srcdoc: String \n    open var name: String \n    open val sandbox: DOMTokenList \n
    open var allowFullscreen: Boolean \n    open var allowUserMedia: Boolean \n    open var width: String \n
    open var height: String \n    open var referrerPolicy: String \n    open val contentDocument: Document? \n
    open val contentWindow: Window? \n    open var align: String \n    open var scrolling: String \n
    open var frameborder: String \n    open var longDesc: String \n    open var marginHeight: String \n
    open var marginWidth: String \n    fun getSVGDocument(): Document? \n \n    companion object { \n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the
JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to
Kotlin \n */ \n public external abstract class HTMLEmbedElement : HTMLElement { \n    open var src: String \n
    open var type: String \n    open var width: String \n    open var height: String \n    open var align: String \n
    open var name: String \n    fun getSVGDocument(): Document? \n \n    companion object { \n
        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes
the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to
Kotlin \n */ \n public external abstract class HTMLObjectElement : HTMLElement { \n    open var data: String \n
    open var type: String \n    open var typeMustMatch: Boolean \n    open var name: String \n    open var useMap:
String \n    open val form: HTMLFormElement? \n    open var width: String \n    open var height: String \n
    open val contentDocument: Document? \n    open val contentWindow: Window? \n    open val willValidate: Boolean \n
    open val validity:
ValidityState \n    open val validationMessage: String \n    open var align: String \n    open var archive: String \n
    open var code: String \n    open var declare: Boolean \n    open var hspace: Int \n    open var standby: String \n
    open var vspace: Int \n    open var codeBase: String \n    open var codeType: String \n    open var border: String \n
    fun getSVGDocument(): Document? \n    fun checkValidity(): Boolean \n    fun reportValidity(): Boolean \n
    fun
setCustomValidity(error: String) \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val

```

ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED:
 Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
 DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
 [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n
 */\n\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var
 value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val
 ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
 CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
 Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE:
 Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n
 val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n
 val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY:
 Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes
 the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to
 Kotlin\n */\n\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource,
 TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val
 videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n\n companion object {\n val
 NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n
 val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA:
 Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val
 HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
 val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
 Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
 COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
 [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement)
 to Kotlin\n */\n\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object
 {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING:
 Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val
 HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA:
 Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val
 ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val

```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin \n * \n public
external abstract class HTMLTrackElement : HTMLElement { \n    open var kind: String \n    open var src: String \n
open var srclang: String \n    open var label: String \n    open var default: Boolean \n    open val readyState: Short\n
open val track: TextTrack \n \n    companion object { \n        val NONE: Short\n        val LOADING: Short\n        val
LOADED: Short\n        val ERROR: Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin \n
* \n public external abstract class HTMLMediaElement : HTMLElement { \n    open val error: MediaError? \n    open
var src: String \n    open var srcObject: MediaProvider? \n    open val currentSrc: String \n    open var crossOrigin:
String? \n    open val networkState: Short\n    open var preload: String \n    open val buffered: TimeRanges \n    open
val readyState: Short\n    open val seeking:
Boolean \n    open var currentTime: Double \n    open val duration: Double \n    open val paused: Boolean \n    open
var defaultPlaybackRate: Double \n    open var playbackRate: Double \n    open val played: TimeRanges \n    open val
seekable: TimeRanges \n    open val ended: Boolean \n    open var autoplay: Boolean \n    open var loop: Boolean \n
open var controls: Boolean \n    open var volume: Double \n    open var muted: Boolean \n    open var defaultMuted:
Boolean \n    open val audioTracks: AudioTrackList \n    open val videoTracks: VideoTrackList \n    open val
textTracks: TextTrackList \n    open val mediaKeys: MediaKeys? \n    open var onencrypted: ((Event) -> dynamic)? \n
    open var onwaitingforkey: ((Event) -> dynamic)? \n    fun load() \n    fun canPlayType(type: String):
CanPlayTypeResult \n    fun fastSeek(time: Double) \n    fun getStartDate(): dynamic \n    fun play():
Promise<Unit> \n    fun pause() \n    fun addTextTrack(kind: TextTrackKind, label: String = definedExternally,
language:
String = definedExternally): TextTrack \n    fun setMediaKeys(mediaKeys: MediaKeys?): Promise<Unit> \n \n
companion object { \n    val NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val
NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n
    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA: Short\n    val
HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val ELEMENT_NODE: Short\n
    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val

```

DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }n}\n\n/**\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external abstract class MediaError {\n open val code: Short\n\n companion object {\n val MEDIA_ERR_ABORTED: Short\n val MEDIA_ERR_NETWORK: Short\n val MEDIA_ERR_DECODE: Short\n val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n }n}\n\n/**\n * Exposes the JavaScript [AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\npublic external abstract class AudioTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String): AudioTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n */\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind: String\n open val label: String\n open val language: String\n open var enabled: Boolean\n open val sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n */\npublic external abstract class VideoTrackList : EventTarget {\n open val length: Int\n open val selectedIndex: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String): VideoTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n open val id: String\n open val kind: String\n open val label: String\n open val language: String\n open var selected: Boolean\n open val sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String): TextTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n open val kind: TextTrackKind\n open val label: String\n open val language: String\n open val id: String\n open val inBandMetadataTrackDispatchType: String\n open var mode: TextTrackMode\n open val cues: TextTrackCueList?\n open val activeCues: TextTrackCueList?\n open var oncuechange: ((Event) -> dynamic)?\n open val sourceBuffer: SourceBuffer?\n fun addCue(cue: TextTrackCue)\n fun removeCue(cue: TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n open val length: Int\n fun getCueById(id: String): TextTrackCue?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\npublic external abstract class TextTrackCue : EventTarget {\n open val track: TextTrack?\n open var id: String\n open var startTime: Double\n open var endTime: Double\n open var pauseOnExit: Boolean\n open var onenter: ((Event) -> dynamic)?\n open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript

[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract class TimeRanges {\n open val length: Int\n fun start(index: Int): Double\n fun end(index: Int): Double\n}\n\n/**\n * Exposes the JavaScript

[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) :

Event {\n open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface TrackEventInit : EventInit {\n var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\n val o = js(\"({})\")\n o[\"track\"] = track\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript

[HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin\n */\npublic external abstract class HTMLMapElement : HTMLElement {\n open var name: String\n open val areas: HTMLCollection\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript

[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n */\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n open var alt: String\n open var coords: String\n open var shape: String\n open var target: String\n open var download: String\n open var ping: String\n open var rel: String\n open val relList: DOMTokenList\n open var referrerPolicy: String\n open var noHref: Boolean\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript

[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic external abstract class HTMLTableElement : HTMLElement {\n open var caption: HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot: HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption()\n fun createTHead():

```

HTMLTableSectionElement fun deleteTHead(): HTMLTableSectionElement fun
deleteTFoot(): HTMLTableSectionElement fun createTBody(): HTMLTableSectionElement fun insertRow(index: Int =
definedExternally): HTMLTableRowElement fun deleteRow(index: Int): HTMLTableSectionElement companion object {
val ELEMENT_NODE: Short val ATTRIBUTE_NODE: Short val TEXT_NODE: Short val
CDATA_SECTION_NODE: Short val ENTITY_REFERENCE_NODE: Short val ENTITY_NODE:
Short val PROCESSING_INSTRUCTION_NODE: Short val COMMENT_NODE: Short val
DOCUMENT_NODE: Short val DOCUMENT_TYPE_NODE: Short val
DOCUMENT_FRAGMENT_NODE: Short val NOTATION_NODE: Short val
DOCUMENT_POSITION_DISCONNECTED: Short val DOCUMENT_POSITION_PRECEDING: Short
val DOCUMENT_POSITION_FOLLOWING: Short val DOCUMENT_POSITION_CONTAINS: Short
val DOCUMENT_POSITION_CONTAINED_BY: Short val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin *
public external abstract class HTMLTableCaptionElement : HTMLElement {
open var align:
String
companion object {
val ELEMENT_NODE: Short val ATTRIBUTE_NODE: Short
val TEXT_NODE: Short val CDATA_SECTION_NODE: Short val ENTITY_REFERENCE_NODE:
Short val ENTITY_NODE: Short val PROCESSING_INSTRUCTION_NODE: Short val
COMMENT_NODE: Short val DOCUMENT_NODE: Short val DOCUMENT_TYPE_NODE: Short
val DOCUMENT_FRAGMENT_NODE: Short val NOTATION_NODE: Short val
DOCUMENT_POSITION_DISCONNECTED: Short val DOCUMENT_POSITION_PRECEDING: Short
val DOCUMENT_POSITION_FOLLOWING: Short val DOCUMENT_POSITION_CONTAINS: Short
val DOCUMENT_POSITION_CONTAINED_BY:
Short val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement)
to Kotlin *
public external abstract class HTMLTableColElement : HTMLElement {
open var span: Int
open var align: String
open var ch: String
open var chOff: String
open var vAlign: String
open var
width: String
companion object {
val ELEMENT_NODE: Short val ATTRIBUTE_NODE:
Short val TEXT_NODE: Short val CDATA_SECTION_NODE: Short val
ENTITY_REFERENCE_NODE: Short val ENTITY_NODE: Short val
PROCESSING_INSTRUCTION_NODE: Short val COMMENT_NODE: Short val
DOCUMENT_NODE: Short val DOCUMENT_TYPE_NODE: Short val
DOCUMENT_FRAGMENT_NODE: Short val NOTATION_NODE: Short val
DOCUMENT_POSITION_DISCONNECTED: Short val DOCUMENT_POSITION_PRECEDING:
Short val DOCUMENT_POSITION_FOLLOWING: Short val
DOCUMENT_POSITION_CONTAINS: Short val DOCUMENT_POSITION_CONTAINED_BY: Short
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin *
public external abstract class HTMLTableSectionElement : HTMLElement {
open val rows:
HTMLCollection
open var align: String
open var ch: String
open var chOff: String
open var vAlign:
String
fun insertRow(index: Int = definedExternally): HTMLElement fun deleteRow(index: Int):
HTMLTableSectionElement
companion object {
val ELEMENT_NODE: Short val ATTRIBUTE_NODE: Short val
TEXT_NODE: Short val CDATA_SECTION_NODE: Short val ENTITY_REFERENCE_NODE:
Short val ENTITY_NODE: Short val PROCESSING_INSTRUCTION_NODE: Short val
COMMENT_NODE: Short val DOCUMENT_NODE: Short val DOCUMENT_TYPE_NODE:
Short val DOCUMENT_FRAGMENT_NODE: Short val NOTATION_NODE: Short val
DOCUMENT_POSITION_DISCONNECTED: Short val DOCUMENT_POSITION_PRECEDING: Short
val DOCUMENT_POSITION_FOLLOWING: Short val DOCUMENT_POSITION_CONTAINS: Short
}
}

```



```

\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline operator fun
HTMLFormElement.get(index: Int): Element? =
asDynamic()[index] \n \n @Suppress( "INVISIBLE_REFERENCE" ,
\ "INVISIBLE_MEMBER" ) \n @kotlin.internal.InlineOnly \n public inline operator fun
HTMLFormElement.get(name: String):
UnionElementOrRadioNodeList? = asDynamic()[name] \n \n /** \n * Exposes the JavaScript
[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin \n */ \n public
external abstract class HTMLLabelElement : HTMLElement { \n open val form: HTMLFormElement? \n open
var htmlFor: String \n open val control: HTMLFormElement? \n \n companion object { \n val ELEMENT_NODE:
Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val CDATA_SECTION_NODE:
Short \n val ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE: Short \n val
PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS:
Short \n val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n } \n \n /** \n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin \n */ \n public
external abstract class HTMLInputElement : HTMLFormElement, HTMLFormElement { \n open var accept: String \n open var alt: String \n
open var autocomplete: String \n open var autofocus: Boolean \n open var defaultChecked: Boolean \n open var
checked: Boolean \n open var dirName: String \n open var disabled: Boolean \n open val form:
HTMLFormElement? \n open val files: FileList? \n open var formAction: String \n open var formEnctype:
String \n open var formMethod: String \n open var formNoValidate: Boolean \n open var formTarget: String \n
open var height: Int \n open var indeterminate: Boolean \n open var inputMode: String \n open val list:
HTMLFormElement? \n open var max: String \n open var maxLength:
Int \n open var min: String \n open var minLength: Int \n open var multiple: Boolean \n open var name:
String \n open var pattern: String \n open var placeholder: String \n open var readOnly: Boolean \n open var
required: Boolean \n open var size: Int \n open var src: String \n open var step: String \n open var type: String \n
open var defaultValue: String \n open var value: String \n open var valueAsDate: dynamic \n open var
valueAsNumber: Double \n open var width: Int \n open val willValidate: Boolean \n open val validity:
ValidityState \n open val validationMessage: String \n open val labels: NodeList \n open var selectionStart:
Int? \n open var selectionEnd: Int? \n open var selectionDirection: String? \n open var align: String \n open var
useMap: String \n fun stepUp(n: Int = definedExternally) \n fun stepDown(n: Int = definedExternally) \n fun
checkValidity(): Boolean \n fun reportValidity(): Boolean \n fun setCustomValidity(error:
String) \n fun select() \n fun setRangeText(replacement: String) \n fun setRangeText(replacement: String, start:
Int, end: Int, selectionMode: SelectionMode = definedExternally) \n fun setSelectionRange(start: Int, end: Int,
direction: String = definedExternally) \n \n companion object { \n val ELEMENT_NODE: Short \n val
ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val CDATA_SECTION_NODE: Short \n val
ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE: Short \n val
PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n } \n \n /** \n * Exposes the
JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to

```

```

Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLInputElement {\n    open var autofocus:
Boolean\n    open var disabled: Boolean\n    open val form: HTMLFormElement?\n    open var formAction: String\n
    open var formEnctype: String\n    open var formMethod: String\n    open var formNoValidate: Boolean\n    open
var formTarget: String\n    open var name: String\n    open var type: String\n    open var value: String\n    open var
menu: HTMLMenuElement?\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val
validationMessage: String\n    open val labels: NodeList\n    fun checkValidity(): Boolean\n    fun reportValidity():
Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n\n    /**\n     * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\n\npublic
external abstract class HTMLSelectElement : HTMLInputElement, ItemArrayLike<Element> {\n    open var
autocomplete: String\n    open var autofocus: Boolean\n
    open var disabled: Boolean\n    open val form: HTMLFormElement?\n    open var multiple: Boolean\n    open var
name: String\n    open var required: Boolean\n    open var size: Int\n    open val type: String\n    open val options:
HTMLOptionsCollection\n    override var length: Int\n    open val selectedOptions: HTMLCollection\n    open var
selectedIndex: Int\n    open var value: String\n    open val willValidate: Boolean\n    open val validity:
ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n    fun namedItem(name:
String): HTMLOptionElement?\n    fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement,
before: dynamic = definedExternally)\n    fun remove(index: Int)\n    fun checkValidity(): Boolean\n    fun
reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n    override fun item(index: Int): Element?\n\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n\n    @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n    @kotlin.internal.InlineOnly\n    public inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n    @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n    @kotlin.internal.InlineOnly\n    public inline operator fun
HTMLSelectElement.set(index: Int, option:
HTMLOptionElement?) { asDynamic()[index] = option }\n\n    /**\n     * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n */\n\npublic
external abstract class HTMLDataListElement : HTMLInputElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:

```

```

Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*\npublic external abstract class HTMLOptGroupElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING:
Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val
DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*\npublic external abstract class HTMLOptionElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n
        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*\npublic external abstract class HTMLTextAreaElement : HTMLInputElement {\n    open var autocomplete: String\n
open var autofocus: Boolean\n    open var cols: Int\n    open var dirName: String\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var inputMode: String\n    open var maxLength: Int\n    open var
minLength: Int\n    open var name: String\n    open var placeholder:
String\n    open var readOnly: Boolean\n    open var required: Boolean\n    open var rows: Int\n    open var wrap:
String\n    open val type: String\n    open var defaultValue: String\n    open var value: String\n    open val
textLength: Int\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val
validationMessage: String\n    open val labels: NodeList\n    open var selectionStart: Int?\n    open var selectionEnd:
Int?\n    open var selectionDirection: String?\n    fun checkValidity(): Boolean\n    fun reportValidity(): Boolean\n
fun setCustomValidity(error: String)\n    fun select()\n    fun setRangeText(replacement: String)\n    fun

```

```

setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun
setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n
*\npublic external abstract class HTMLKeygenElement : HTMLInputElement {\n open var autofocus: Boolean\n
open var challenge: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open
var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open
val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun
checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n
*\npublic external abstract class HTMLOutputElement : HTMLInputElement {\n open val htmlFor: DOMTokenList\n
open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var
defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity:
ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity():
Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n
val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n
*\npublic external abstract class HTMLProgressElement : HTMLInputElement {\n open var value: Double\n open
var max: Double\n open val position: Double\n open val labels: NodeList\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:

```

```

Short val DOCUMENT_NODE: Short val DOCUMENT_TYPE_NODE: Short val
DOCUMENT_FRAGMENT_NODE: Short val NOTATION_NODE: Short val
DOCUMENT_POSITION_DISCONNECTED: Short val DOCUMENT_POSITION_PRECEDING: Short
val DOCUMENT_POSITION_FOLLOWING: Short val DOCUMENT_POSITION_CONTAINS: Short
val DOCUMENT_POSITION_CONTAINED_BY: Short val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short } } \n\n/** \n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin
*\npublic external abstract class HTMLMeterElement : HTMLElement {
    open var value: Double
    open var min: Double
    open var max: Double
    open var low: Double
    open var high: Double
    open var optimum: Double
    open val labels: NodeList
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
} \n\n/** \n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin
*\npublic external abstract class
HTMLFieldSetElement : HTMLElement {
    open var disabled: Boolean
    open val form:
HTMLFormElement?
    open var name: String
    open val type: String
    open val elements:
HTMLCollection
    open val willValidate: Boolean
    open val validity: ValidityState
    open val validationMessage: String
    fun checkValidity(): Boolean
    fun reportValidity(): Boolean
    fun setCustomValidity(error: String)
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
} \n\n/** \n * Exposes the JavaScript
[HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin
*\npublic external abstract class HTMLLegendElement : HTMLElement {
    open val form:
HTMLFormElement?
    open var align: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING:
Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

```



```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external
abstract class ValidityState {\n    open val valueMissing: Boolean\n    open val typeMismatch: Boolean\n    open val
patternMismatch: Boolean\n    open val tooLong: Boolean\n    open val tooShort: Boolean\n    open val
rangeUnderflow: Boolean\n    open val rangeOverflow: Boolean\n    open val stepMismatch: Boolean\n    open val
badInput: Boolean\n    open val customError: Boolean\n    open val valid: Boolean\n}\n\n/**\n * Exposes the
JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to
Kotlin\n */\npublic external abstract class HTMLDetailsElement
: HTMLElement {\n    open var open: Boolean\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLMenuElement : HTMLElement {\n    open var type: String\n    open var label: String\n    open var compact:
Boolean\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLMenuItemElement : HTMLElement {\n    open var type: String\n    open var label: String\n    open var icon:
String\n    open var disabled: Boolean\n    open var checked: Boolean\n    open var
radiogroup: String\n    open var default: Boolean\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class
RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n    open val
relatedTarget: EventTarget?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface RelatedEventInit : EventInit {\n
var relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget:

```

```

EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
RelatedEventInit {
    val o = js("{}")
    o["relatedTarget"] = relatedTarget
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin */
public external abstract class HTMLDialogElement : HTMLElement {
    open var open: Boolean
    open var returnValue: String
    fun show(anchor: UnionElementOrMouseEvent = definedExternally)
    fun showModal(anchor: UnionElementOrMouseEvent = definedExternally)
    fun close(returnValue: String = definedExternally)

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin */
public external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {
    open var src: String
    open var type: String
    open var charset: String
    open var async: Boolean
    open var defer: Boolean
    open var crossOrigin: String?
    open var text: String
    open var nonce: String
    open var event: String
    open var htmlFor: String

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin */
public external abstract class HTMLTemplateElement : HTMLElement {
    open val content: DocumentFragment

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/** Exposes the JavaScript [HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin */
public external abstract class HTMLSlotElement : HTMLElement {
    open var name: String
    fun assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val
    }
}

```

```

CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n
    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n\npublic external interface
AssignedNodesOptions { \n    var flatten: Boolean? /* = false */ \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n@kotlin.internal.InlineOnly \npublic inline fun AssignedNodesOptions(flatten:
Boolean? = false): AssignedNodesOptions { \n    val o = js("({})") \n    o["flatten"] = flatten \n    return
o \n} \n\n/** \n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement)
to Kotlin \n * \n\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource { \n    open var width: Int \n    open var height: Int \n    fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext? \n    fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String \n    fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally) \n    companion object { \n        val ELEMENT_NODE: Short \n        val
ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING:
Short \n        val DOCUMENT_POSITION_FOLLOWING: Short \n        val
DOCUMENT_POSITION_CONTAINS: Short \n        val DOCUMENT_POSITION_CONTAINED_BY: Short \n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n\npublic external interface
CanvasRenderingContext2DSettings { \n    var alpha: Boolean? /* = true */ \n    get() = definedExternally \n
set(value) = definedExternally \n} \n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n@kotlin.internal.InlineOnly \npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings { \n    val o =
js("({})") \n    o["alpha"] = alpha \n    return o \n} \n\n/** \n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin \n * \n\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles,
CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText,
CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles,
CanvasPath, RenderingContext { \n    open val canvas: HTMLCanvasElement \n} \n\npublic external interface
CanvasState { \n    fun save() \n    fun restore() \n} \n\npublic external interface CanvasTransform { \n    fun scale(x:
Double, y: Double) \n    fun rotate(angle: Double) \n    fun translate(x: Double, y: Double) \n    fun transform(a:
Double, b: Double, c: Double, d: Double, e: Double, f: Double) \n    fun getTransform(): DOMMatrix \n    fun
setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double) \n    fun setTransform(transform:
dynamic = definedExternally) \n    fun resetTransform() \n} \n\npublic external interface CanvasCompositing { \n
    var globalAlpha: Double \n    var globalCompositeOperation: String \n} \n\npublic external interface
CanvasImageSmoothing { \n    var imageSmoothingEnabled:
Boolean \n    var imageSmoothingQuality: ImageSmoothingQuality \n} \n\npublic external interface
CanvasFillStrokeStyles { \n    var strokeStyle: dynamic \n    get() = definedExternally \n    set(value) =

```

```

definedExternally\n  var fillStyle: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n  fun
createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n
fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface
CanvasShadowStyles {\n  var shadowOffsetX: Double\n  var shadowOffsetY: Double\n  var shadowBlur:
Double\n  var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n  var filter:
String\n}\n\npublic external interface CanvasRect {\n  fun clearRect(x: Double, y: Double, w: Double, h:
Double)\n  fun
fillRect(x: Double, y: Double, w: Double, h: Double)\n  fun strokeRect(x: Double, y: Double, w: Double, h:
Double)\n}\n\npublic external interface CanvasDrawPath {\n  fun beginPath()\n  fun fill(fillRule: CanvasFillRule
= definedExternally)\n  fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n  fun stroke()\n
fun stroke(path: Path2D)\n  fun clip(fillRule: CanvasFillRule = definedExternally)\n  fun clip(path: Path2D,
fillRule: CanvasFillRule = definedExternally)\n  fun resetClip()\n  fun isPointInPath(x: Double, y: Double,
fillRule: CanvasFillRule = definedExternally): Boolean\n  fun isPointInPath(path: Path2D, x: Double, y: Double,
fillRule: CanvasFillRule = definedExternally): Boolean\n  fun isPointInStroke(x: Double, y: Double): Boolean\n
fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface
CanvasUserInterface {\n  fun drawFocusIfNeeded(element: Element)\n  fun drawFocusIfNeeded(path: Path2D,
element: Element)\n  fun scrollPathIntoView()\n  fun scrollPathIntoView(path: Path2D)\n}\n\npublic external
interface CanvasText {\n  fun fillText(text: String, x: Double, y: Double, maxWidth: Double =
definedExternally)\n  fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n
  fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n  fun
drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n  fun drawImage(image: CanvasImageSource,
dx: Double, dy: Double, dw: Double, dh: Double)\n  fun drawImage(image: CanvasImageSource, sx: Double, sy:
Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface
CanvasHitRegion {\n  fun addHitRegion(options: HitRegionOptions = definedExternally)\n  fun
removeHitRegion(id: String)\n  fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n  fun
createImageData(sw: Double, sh:
Double): ImageData\n  fun createImageData(imagedata: ImageData): ImageData\n  fun getImageData(sx:
Double, sy: Double, sw: Double, sh: Double): ImageData\n  fun putImageData(imagedata: ImageData, dx: Double,
dy: Double)\n  fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double,
dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic external interface CanvasPathDrawingStyles {\n  var
lineWidth: Double\n  var lineCap: CanvasLineCap\n  var lineJoin: CanvasLineJoin\n  var miterLimit: Double\n
var lineDashOffset: Double\n  fun setLineDash(segments: Array<Double>)\n  fun getLineDash():
Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n  var font: String\n  var textAlign:
CanvasTextAlign\n  var textBaseline: CanvasTextBaseline\n  var direction: CanvasDirection\n}\n\npublic
external interface CanvasPath {\n  fun closePath()\n  fun moveTo(x: Double, y: Double)\n  fun.lineTo(x:
Double, y: Double)\n
  fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n  fun bezierCurveTo(cp1x: Double,
cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n  fun arcTo(x1: Double, y1: Double, x2:
Double, y2: Double, radius: Double)\n  fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX:
Double, radiusY: Double, rotation: Double)\n  fun rect(x: Double, y: Double, w: Double, h: Double)\n  fun arc(x:
Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean =
definedExternally)\n  fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double,
startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n}\n\n/**\n * Exposes the
JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\n\npublic
external abstract class CanvasGradient {\n  fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes
the JavaScript

```

[CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\npublic external abstract class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft: Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent: Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\n get() = definedExternally\n set(value) = definedExternally\n var id: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var parentID: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var cursor: String? /* = \"inherit\" */\n get() = definedExternally\n set(value) = definedExternally\n var control: Element? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var label: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var role: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n val o = js(\"({})\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] = id\n o[\"parentID\"] = parentID\n o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n o[\"role\"] = role\n return o\n}\n\n/**\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n constructor(sw: Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n open val height: Int\n open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript [Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\npublic external open class Path2D() : CanvasPath {\n constructor(path: Path2D)\n constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n constructor(d: String)\n fun addPath(path: Path2D, transform: dynamic = definedExternally)\n override fun closePath()\n override fun moveTo(x: Double, y: Double)\n override fun lineTo(x: Double, y: Double)\n override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n override fun rect(x: Double, y: Double, w: Double, h: Double)\n override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */)\n override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */)\n}\n\n/**\n * Exposes the JavaScript [ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n open val canvas: HTMLCanvasElement\n fun transferFromImageBitmap(bitmap: ImageBitmap?)\n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n val o = js(\"({})\")\n o[\"alpha\"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript

```

[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin
*/\npublic external abstract class CustomElementRegistry {\n    fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally)\n    fun get(name: String): Any?\n    fun
whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n    var
extends: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends:
String? = undefined): ElementDefinitionOptions {\n    val o = js("{}")\n    o["extends"] = extends\n    return
o\n}\n\npublic external interface ElementContentEditable {\n    var contentEditable: String\n    val
isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer)
to Kotlin
*/\npublic external abstract class DataTransfer {\n    open var dropEffect: String\n    open var
effectAllowed: String\n    open val items: DataTransferItemList\n    open val types: Array<out String>\n    open val
files: FileList\n    fun setDragImage(image: Element, x: Int, y: Int)\n    fun getData(format: String): String\n    fun
setData(format: String, data: String)\n    fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes
the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to
Kotlin
*/\npublic external abstract class DataTransferItemList {\n    open val length: Int\n    fun add(data: String,
type: String): DataTransferItem?\n    fun add(data: File): DataTransferItem?\n    fun remove(index: Int)\n    fun
clear()\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
DataTransferItemList.get(index: Int): DataTransferItem?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin
*/\npublic
external abstract class DataTransferItem {\n    open val kind: String\n    open val type: String\n    fun
getAsString(_callback: ((String) -> Unit)?)\n    fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin
*/\npublic external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n    open val
dataTransfer: DataTransfer?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE:
Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
DragEventInit : MouseEventInit {\n    var dataTransfer: DataTransfer? /* = null */\n    get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer:
DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): DragEventInit {\n    val o = js("{}")\n    o["dataTransfer"] = dataTransfer\n    o["screenX"]
= screenX\n    o["screenY"] = screenY\n    o["clientX"] = clientX\n    o["clientY"] = clientY\n    o["button"] =
button\n    o["buttons"] = buttons\n    o["relatedTarget"] = relatedTarget\n    o["region"] = region\n
o["ctrlKey"] = ctrlKey\n    o["shiftKey"] = shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n
o["modifierAltGraph"] = modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n    o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] =
modifierHyper\n    o["modifierNumLock"] = modifierNumLock\n    o["modifierScrollLock"] =
modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n    o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] = view\n    o["detail"] = detail\n

```

```

of["bubbles"] = bubbles\n of["cancelable"] = cancelable\n of["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript
[Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n *\npublic external abstract class
Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope,
WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindowProxy {\n open
val window: Window\n open val self: Window\n open val document: Document\n open var name: String\n
open val location: Location\n open val history: History\n open val customElements: CustomElementRegistry\n
open val locationbar: BarProp\n open val menubar: BarProp\n open val personalbar: BarProp\n open val
scrollbars: BarProp\n open val statusbar: BarProp\n open val toolbar: BarProp\n open var status: String\n
open val closed: Boolean\n open val frames: Window\n open val length: Int\n open val top: Window\n open
var opener: Any?\n open val parent: Window\n open val frameElement: Element?\n open val navigator:
Navigator\n
open val applicationCache: ApplicationCache\n open val external: External\n open val screen: Screen\n
open val innerWidth: Int\n open val innerHeight: Int\n open val scrollX: Double\n open val pageXOffset:
Double\n open val scrollY: Double\n open val pageYOffset: Double\n open val screenX: Int\n open val
screenY: Int\n open val outerWidth: Int\n open val outerHeight: Int\n open val devicePixelRatio: Double\n
fun close()\n fun stop()\n fun focus()\n fun blur()\n fun open(url: String = definedExternally, target: String =
definedExternally, features: String = definedExternally): Window?\n fun alert()\n fun alert(message: String)\n
fun confirm(message: String = definedExternally): Boolean\n fun prompt(message: String = definedExternally,
default: String = definedExternally): String?\n fun print()\n fun requestAnimationFrame(callback: (Double) ->
Unit): Int\n fun cancelAnimationFrame(handle: Int)\n fun postMessage(message:
Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n fun captureEvents()\n fun
releaseEvents()\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x: Int, y: Int)\n fun
moveBy(x: Int, y: Int)\n fun resizeTo(x: Int, y: Int)\n fun resizeBy(x: Int, y: Int)\n fun scroll(options:
ScrollToOptions = definedExternally)\n fun scroll(x: Double, y: Double)\n fun scrollTo(options:
ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n fun scrollBy(options:
ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun getComputedStyle(elt:
Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun Window.get(name: String):
dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n open val visible: Boolean\n}\n\n/**\n * Exposes
the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n *\npublic external
abstract class History {\n open val length: Int\n open var scrollRestoration: ScrollRestoration\n open val state:
Any?\n fun go(delta: Int = definedExternally)\n fun back()\n fun forward()\n fun pushState(data: Any?, title:
String, url: String? = definedExternally)\n fun replaceState(data: Any?, title: String, url: String? =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n *\npublic external abstract class
Location {\n open var href: String\n open val origin: String\n open var protocol: String\n open var host:
String\n open var hostname: String\n open var port: String\n open var pathname: String\n open var search:
String\n open var hash: String\n open val ancestorOrigins: Array<out String>\n fun assign(url: String)\n fun
replace(url:
String)\n fun reload()\n}\n\n/**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n *\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n open val
state: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface PopStateEventInit
: EventInit {\n var state: Any? /* = null */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n    val o
= js(\"({})\")\n    o[\"state\"] = state\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] =
cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n *\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n    open val oldURL: String\n    open val newURL: String\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n    var oldURL: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var newURL: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL:
String? = \"\", newURL: String? = \"\",
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n
val o = js(\"({})\")\n    o[\"oldURL\"] = oldURL\n    o[\"newURL\"] = newURL\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n *\npublic
external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {\n    open val persisted: Boolean\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n    var persisted: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): PageTransitionEventInit {\n    val o = js(\"({})\")\n    o[\"persisted\"] =
persisted\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n *\npublic
external open class BeforeUnloadEvent : Event {\n    var returnValue: String\n\n    companion object {\n        val
NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n    open
val status: Short\n    open var onchecking: ((Event) -> dynamic)?\n    open var onerror: ((Event) -> dynamic)?\n
open var onnoupdate:
((Event) -> dynamic)?\n    open var ondownloading: ((Event) -> dynamic)?\n    open var onprogress:
((ProgressEvent) -> dynamic)?\n    open var onunreadystatechange: ((Event) -> dynamic)?\n    open var oncached: ((Event)
-> dynamic)?\n    open var onobsolete: ((Event) -> dynamic)?\n    fun update()\n    fun abort()\n    fun
swapCache()\n\n    companion object {\n        val UNCACHED: Short\n        val IDLE: Short\n        val
CHECKING: Short\n        val DOWNLOADING: Short\n        val UPDATEREADY: Short\n        val OBSOLETE:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic
external interface NavigatorOnLine {\n    val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n    open val message:
String\n    open val filename: String\n    open val lineno: Int\n    open val colno: Int\n    open val error: Any?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ErrorEventInit : EventInit {\n
var message: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var

```



```

filename: String? /* = "" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var lineno:
Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var colno: Int? /* = 0 */\n
get() = definedExternally\n    set(value) = definedExternally\n    var error: Any? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
    ErrorEventInit(message: String? = "", filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n    val o =
js("{}")\n    o["message"] = message\n    o["filename"] = filename\n    o["lineno"] = lineno\n    o["colno"] =
colno\n    o["error"] = error\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n
*/\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
Event {\n    open val promise: Promise<Any?>\n    open val reason: Any?\n\n    companion object {\n        val
NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n\npublic
    external interface PromiseRejectionEventInit : EventInit {\n        var promise: Promise<Any?>?\n        var reason:
Any??\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise:
Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): PromiseRejectionEventInit {\n    val o = js("{}")\n    o["promise"] = promise\n
o["reason"] = reason\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*/\npublic external interface GlobalEventHandlers {\n    var onabort: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n
    var onblur: ((FocusEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var oncancel: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var oncanplay: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var oncanplaythrough: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var onchange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var onclick: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var onclose: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
    var oncontextmenu: ((MouseEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var oncuechange: ((Event) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondblclick: ((MouseEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondrag: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondragend: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondragenter: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondragexit: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondragleave: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondragover: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n
    var ondragstart: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n
    set(value) = definedExternally\n
    var ondrop: ((DragEvent) -> dynamic)?\n
    get() = definedExternally\n
    set(value) = definedExternally\n
    var ondurationchange: ((Event) -> dynamic)?\n
    get() = definedExternally\n
    set(value) = definedExternally\n
    var onemptied: ((Event) -> dynamic)?\n
    get() = definedExternally\n
    set(value) = definedExternally\n
    var onended: ((Event) -> dynamic)?\n
    get() = definedExternally\n

```

```

set(value) = definedExternally\n  var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var onfocus: ((FocusEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oninput: ((InputEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oninvalid: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n
  var onkeydown: ((KeyboardEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var onkeypress: ((KeyboardEvent) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onkeyup: ((KeyboardEvent) -> dynamic)?\n  get() = definedExternally\n
  set(value) = definedExternally\n  var onload: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onloadeddata: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onloadedmetadata: ((Event) -> dynamic)?\n  get() = definedExternally\n
  set(value) = definedExternally\n  var onloadend: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onloadstart: ((ProgressEvent) -> dynamic)?\n  get() = definedExternally\n
  set(value) = definedExternally\n  var onmousedown:
((MouseEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onmouseenter: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n
  var onmouseleave: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var onmousemove: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onmouseout: ((MouseEvent) -> dynamic)?\n  get() = definedExternally\n
  set(value) = definedExternally\n  var onmouseover: ((MouseEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var onmouseup: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n  set(value) = definedExternally\n  var onwheel: ((WheelEvent) -> dynamic)?\n
get() = definedExternally\n  set(value) = definedExternally\n  var onpause: ((Event)
-> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onplay: ((Event) ->
dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onplaying: ((Event) ->
dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onprogress:
((ProgressEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onratechange: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onreset: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onresize: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onscroll: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onseeked: ((Event) -> dynamic)?\n  get() = definedExternally\n
  set(value) = definedExternally\n  var onseeking: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onselect: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onshow: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onstalled: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onsubmit: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onsuspend: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var ontimeupdate: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var ontoggle: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onvolumechange: ((Event) ->
dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var onwaiting: ((Event) ->
dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var ongotpointercapture:
((PointerEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n  var
onlostpointercapture: ((PointerEvent) -> dynamic)?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var onpointerdown: ((PointerEvent) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  var onpointermove: ((PointerEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var onpointerup: ((PointerEvent) -> dynamic)?\n

```

```

get() = definedExternally\n    set(value) = definedExternally\n    var onpointercancel: ((PointerEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpointerover:
((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpointerout: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onpointerenter: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpointerleave: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\npublic external interface WindowEventHandlers {\n    var onafterprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeunload: ((BeforeUnloadEvent) ->
String)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onhashchange: ((HashChangeEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onlanguagechange: ((Event)
-> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onmessage:
((MessageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onoffline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
ononline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpagehide: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpageshow: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpopstate: ((PopStateEvent) -> dynamic)?\n    get()
= definedExternally\n    set(value) = definedExternally\n    var onrejectionhandled: ((Event) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onstorage: ((StorageEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onunload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n    var oncopy:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oncut:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpaste: ((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n*\npublic external interface WindowOrWorkerGlobalScope {\n    val origin: String\n    val caches:
CacheStorage\n    fun btoa(data: String): String\n    fun atob(data: String): String\n    fun setTimeout(handler:
dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n    fun clearTimeout(handle: Int =
definedExternally)\n    fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n    fun clearInterval(handle: Int = definedExternally)\n    fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n    fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n    fun fetch(input: dynamic, init: RequestInit = definedExternally):
Promise<Response>\n}\n\n/**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n*\npublic external abstract class
Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,
NavigatorPlugins, NavigatorConcurrentHardware {\n    open val clipboard: Clipboard\n    open val mediaDevices:
MediaDevices\n    open val maxTouchPoints: Int\n    open val serviceWorker: ServiceWorkerContainer\n    fun
requestMediaKeySystemAccess(keySystem: String, supportedConfigurations:
Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>\n    fun getUserMedia(constraints:

```

```

MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n fun
vibrate(pattern: dynamic): Boolean\n}\n\n**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface
NavigatorID {\n val appCodeName:
String\n val appName: String\n val appVersion: String\n val platform: String\n val product: String\n val
productSub: String\n val userAgent: String\n val vendor: String\n val vendorSub: String\n val oscpu:
String\n fun taintEnabled(): Boolean\n}\n\n**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic
external interface NavigatorLanguage {\n val language: String\n val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n fun registerProtocolHandler(scheme: String, url: String, title:
String)\n fun registerContentHandler(mimeType: String, url: String, title: String)\n fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n fun isContentHandlerRegistered(mimeType:
String, url: String): String\n fun unregisterProtocolHandler(scheme: String, url: String)\n fun
unregisterContentHandler(mimeType: String,
url: String)\n}\n\npublic external interface NavigatorCookies {\n val cookieEnabled: Boolean\n}\n\n**\n *
Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to
Kotlin\n */\npublic external interface NavigatorPlugins {\n val plugins: PluginArray\n val mimeTypes:
MimeTypeArray\n fun javaEnabled(): Boolean\n}\n\n**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n fun refresh(reload: Boolean = definedExternally)\n override fun
item(index: Int): Plugin?\n fun namedItem(name: String):
Plugin?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(index: Int):
Plugin? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator
fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n override fun item(index: Int): MimeType?\n
fun namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(index:
Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(name:
String): MimeType? = asDynamic()[name]\n\n**\n * Exposes the JavaScript
[Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract class Plugin
: ItemArrayLike<MimeType> {\n open val name: String\n open val description: String\n open val filename:
String\n override
fun item(index: Int): MimeType?\n fun namedItem(name: String):
MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int):
MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String):
MimeType? = asDynamic()[name]\n\n**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract
class MimeType {\n open val type: String\n open val description: String\n open val suffixes: String\n open
val enabledPlugin: Plugin\n}\n\n**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n open val width: Int\n open val height:
Int\n fun close()\n}\n\npublic

```

```

external interface ImageBitmapOptions {
    var imageOrientation: ImageOrientation? /* =
ImageOrientation.NONE */
    get() = definedExternally
    set(value) = definedExternally
    var
premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */
    get() = definedExternally
    set(value) = definedExternally
    var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */
    get() = definedExternally
    set(value) = definedExternally
    var
resizeWidth: Int?
    get() = definedExternally
    set(value) = definedExternally
    var resizeHeight: Int?
    get() = definedExternally
    set(value) = definedExternally
    var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */
    get() = definedExternally
    set(value) =
definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun
ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {
    val o = js("{}")
    o["imageOrientation"] =
imageOrientation
    o["premultiplyAlpha"] = premultiplyAlpha
    o["colorSpaceConversion"] =
colorSpaceConversion
    o["resizeWidth"] = resizeWidth
    o["resizeHeight"] = resizeHeight
    o["resizeQuality"] = resizeQuality
    return o
}
/**
 * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin
 */
public external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {
    open val data:
Any?
    open val origin: String
    open val lastEventId: String
    open val source:
UnionMessagePortOrWindowProxy?
    open val ports: Array<out MessagePort>
    fun initMessageEvent(type: String, bubbles: Boolean, cancelable:
Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindowProxy?, ports:
Array<MessagePort>):
companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface
MessageEventInit : EventInit {
    var data: Any? /* = null */
    get() = definedExternally
    set(value) =
definedExternally
    var origin: String? /* = "" */
    get() = definedExternally
    set(value) =
definedExternally
    var lastEventId: String? /* = "" */
    get() = definedExternally
    set(value) =
definedExternally
    var source: UnionMessagePortOrWindowProxy? /* = null */
    get() =
definedExternally
    set(value) = definedExternally
    var ports: Array<MessagePort>? /* = arrayOf()
*/
    get() = definedExternally
    set(value) =
definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MessageEventInit(data: Any? = null,
origin: String? = "", lastEventId: String? = "", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {
    val o = js("{}")
    o["data"] = data
    o["origin"] = origin
    o["lastEventId"] = lastEventId
    o["source"] = source
    o["ports"] = ports
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin
 */
public external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget
{
    open val url: String
    open val withCredentials: Boolean
    open val readyState: Short
    var onopen:
((Event) -> dynamic)?
    var onmessage: ((MessageEvent) -> dynamic)?
    var onerror: ((Event) -> dynamic)?
    fun close()
    companion object {
        val CONNECTING: Short
        val OPEN: Short
        val CLOSED:
Short
    }
}
public external interface EventSourceInit {
    var withCredentials: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun EventSourceInit(withCredentials:
Boolean? = false): EventSourceInit {
    val o = js("{}")
    o["withCredentials"] = withCredentials
    return
}

```

```

o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to
Kotlin\n * \npublic external open class WebSocket(url: String, protocols: dynamic
= definedExternally) : EventTarget {\n  open val url: String\n  open val readyState: Short\n  open val
bufferedAmount: Number\n  var onopen: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  var
onclose: ((Event) -> dynamic)?\n  open val extensions: String\n  open val protocol: String\n  var onmessage:
((MessageEvent) -> dynamic)?\n  var binaryType: BinaryType\n  fun close(code: Short = definedExternally,
reason: String = definedExternally)\n  fun send(data: String)\n  fun send(data: Blob)\n  fun send(data:
ArrayBuffer)\n  fun send(data: ArrayBufferView)\n\n  companion object {\n    val CONNECTING: Short\n
val OPEN: Short\n    val CLOSING: Short\n    val CLOSED: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n * \npublic external open class
CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n  open val
wasClean: Boolean\n  open val code: Short\n  open val reason: String\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface CloseEventInit : EventInit {\n  var wasClean: Boolean? /* = false */\n
  get() = definedExternally\n  set(value) = definedExternally\n  var code: Short? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var reason: String? /* = "" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? =
false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CloseEventInit {\n  val o = js(\"({})\")\n  o[\"wasClean\"] = wasClean\n  o[\"code\"]
= code\n  o[\"reason\"] = reason\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n * \npublic external
open class MessageChannel {\n  open val port1: MessagePort\n  open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
* \npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open var onmessage:
((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n  fun start()\n  fun close()\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n * \npublic
external
open class BroadcastChannel(name: String) : EventTarget {\n  open val name: String\n  var onmessage:
((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?)\n  fun close()\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
* \npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n  open val self: WorkerGlobalScope\n  open val location: WorkerLocation\n  open val
navigator: WorkerNavigator\n  open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  open var
onlanguagechange: ((Event) -> dynamic)?\n  open var onoffline: ((Event) -> dynamic)?\n  open var ononline:
((Event) -> dynamic)?\n  open var onrejectionhandled: ((Event) -> dynamic)?\n  open var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n  fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes the
JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope)
to Kotlin\n * \npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n  open var
onmessage: ((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n  fun close()\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n * \npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n  open val name:
String\n  open val applicationCache: ApplicationCache\n  open var onconnect: ((Event) -> dynamic)?\n  fun

```

```

close()\n}\n\n/**\n * Exposes the JavaScript
[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n *\npublic external
interface AbstractWorker {\n    var onerror: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value)
= definedExternally\n}\n\n/**\n
* Exposes the JavaScript [Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n *\npublic
external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget,
AbstractWorker {\n    var onmessage: ((MessageEvent) -> dynamic)?\n    override var onerror: ((Event) ->
dynamic)?\n    fun terminate()\n    fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n}\n\npublic external interface WorkerOptions {\n    var type: WorkerType? /* =
WorkerType.CLASSIC */\n    get() = definedExternally\n    set(value) = definedExternally\n    var credentials:
RequestCredentials? /* = RequestCredentials.OMIT */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? =
WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions
{\n    val o = js(\"({})\")\n    o[\"type\"] = type\n    o[\"credentials\"] = credentials\n    return o\n}\n\n/**\n *
Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n
*\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options:
WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n    open val port: MessagePort\n    override
var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript
[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to
Kotlin\n *\npublic external interface NavigatorConcurrentHardware {\n    val hardwareConcurrency:
Number\n}\n\n/**\n * Exposes the JavaScript
[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n *\npublic
external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine,
NavigatorConcurrentHardware
{\n    open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript
[WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n *\npublic external
abstract class WorkerLocation {\n    open val href: String\n    open val origin: String\n    open val protocol: String\n
open val host: String\n    open val hostname: String\n    open val port: String\n    open val pathname: String\n    open
val search: String\n    open val hash: String\n}\n\n/**\n * Exposes the JavaScript
[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n *\npublic external abstract class
Storage {\n    open val length: Int\n    fun key(index: Int): String?\n    fun removeItem(key: String)\n    fun clear()\n
fun getItem(key: String): String?\n    fun setItem(key: String, value:
String)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String):
String?
= asDynamic()[key]\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value:
String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n
*\npublic external interface WindowSessionStorage {\n    val sessionStorage: Storage\n}\n\n/**\n * Exposes the
JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to
Kotlin\n *\npublic external interface WindowLocalStorage {\n    val localStorage: Storage\n}\n\n/**\n * Exposes
the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n *\npublic
external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n
    open val key: String?\n    open val oldValue: String?\n    open val newValue: String?\n    open val url:
String\n    open val storageArea: Storage?\n\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n

```

```

}\n}\n\npublic external interface StorageEventInit : EventInit {\n    var key: String? /* = null */\n        get() =
definedExternally\n    set(value) = definedExternally\n    var oldValue: String? /* = null */\n        get() =
definedExternally\n    set(value) = definedExternally\n    var newValue: String? /* = null */\n        get() =
definedExternally\n    set(value) = definedExternally\n    var url: String? /* = \"\" */\n        get() =
definedExternally\n    set(value) = definedExternally\n    var storageArea: Storage? /* = null */\n        get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null,
oldValue: String?
= null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n    val o = js(\"({})\")\n    o[\"key\"]
= key\n    o[\"oldValue\"] = oldValue\n    o[\"newValue\"] = newValue\n    o[\"url\"] = url\n    o[\"storageArea\"] =
storageArea\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n
return o\n}\n\npublic external abstract class HTMLAppletElement : HTMLElement {\n    open var align: String\n
open var alt: String\n    open var archive: String\n    open var code: String\n    open var codeBase: String\n    open
var height: String\n    open var hspace: Int\n    open var name: String\n    open var _object: String\n    open var
vspace: Int\n    open var width: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n
*\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n    open var behavior: String\n    open
var bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open
var loop: Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open
var vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish:
((Event) -> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start()\n    fun stop()\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n    open var
cols: String\n    open var rows: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val

```



```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING:
Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val
DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
HTMLFrameElement : HTMLElement {\n    open var name: String\n    open var scrolling: String\n    open var src:
String\n    open var frameBorder: String\n    open var longDesc: String\n    open var noResize: Boolean\n    open val
contentDocument: Document?\n    open val contentWindow: Window?\n    open var marginHeight: String\n    open
var marginWidth: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
abstract class HTMLDirectoryElement : HTMLElement {\n    open var compact: Boolean\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to
Kotlin\n */\n\npublic external abstract class HTMLFontElement : HTMLElement {\n    open var color: String\n
open var face: String\n    open var size: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n
        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
External {\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n    var bubbles: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var cancelable: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var composed: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed:

```

```

Boolean? = false): EventInit {\n  val o = js("{}")\n  o["bubbles"] = bubbles\n  o["cancelable"] =
cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic external open
class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n  open val detail:
Any?\n  fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail: Any?)\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface CustomEventInit : EventInit {\n  var detail: Any?
/* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail:
Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
CustomEventInit {\n  val o = js("{}")\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"]
= cancelable\n  o["composed"] = composed\n  return o\n}\n\npublic external interface EventListenerOptions {\n
var capture: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions {\n  val o = js("{}")\n  o["capture"] = capture\n  return
o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n  var passive: Boolean? /* =
false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var once: Boolean? /* = false */\n
get() = definedExternally\n  set(value)
= definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n  val o =
js("{}")\n  o["passive"] = passive\n  o["once"] = once\n  o["capture"] = capture\n  return o\n}\n\npublic
external interface NonElementParentNode {\n  fun getElementById(elementId: String): Element?\n}\n\n/**\n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n *\npublic external interface DocumentOrShadowRoot {\n  val fullscreenElement: Element?\n  get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n *\npublic external interface
ParentNode {\n  val children: HTMLCollection\n  val firstElementChild: Element?\n  get() = definedExternally\n
val lastElementChild: Element?\n  get() = definedExternally\n  val
childElementCount: Int\n  fun prepend(vararg nodes: dynamic)\n  fun append(vararg nodes: dynamic)\n  fun
querySelector(selectors: String): Element?\n  fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n *
Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n *\npublic external interface NonDocumentTypeChildNode {\n  val previousElementSibling: Element?\n
get() = definedExternally\n  val nextElementSibling: Element?\n  get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n *\npublic external interface ChildNode {\n  fun before(vararg nodes: dynamic)\n  fun after(vararg nodes:
dynamic)\n  fun replaceWith(vararg nodes: dynamic)\n  fun remove()\n}\n\n/**\n * Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n *\npublic external interface
Slotable {\n  val assignedSlot: HTMLSlotElement?\n  get() = definedExternally\n}\n\n/**\n * Exposes the
JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n *\npublic external
abstract class NodeList : ItemArrayLike<Node> {\n  override fun item(index: Int):
Node?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int):
Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript

```

```

[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic
external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n
override fun item(index: Int): Element?\n fun namedItem(name: String):
Element?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun HTMLCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name:
String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n */\npublic
external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n fun
observe(target: Node, options: MutationObserverInit = definedExternally)\n fun disconnect()\n fun
takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript
[MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n
*/\npublic external interface MutationObserverInit {\n var childList: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var attributes:
Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var characterData: Boolean?\n
get() = definedExternally\n set(value) = definedExternally\n var subtree: Boolean? /* = false */\n get()
= definedExternally\n set(value) = definedExternally\n var attributeOldValue: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var characterDataOldValue: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var attributeFilter: Array<String>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList:
Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false,
attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined,
attributeFilter: Array<String>? = undefined): MutationObserverInit {\n val o = js(\"({})\")\n o[\"childList\"] =
childList\n o[\"attributes\"] = attributes\n o[\"characterData\"] = characterData\n o[\"subtree\"] = subtree\n
o[\"attributeOldValue\"] = attributeOldValue\n o[\"characterDataOldValue\"] = characterDataOldValue\n
o[\"attributeFilter\"] = attributeFilter\n return o\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external
abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes:
NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling:
Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to
Kotlin\n
*/\npublic external abstract class Node : EventTarget {\n open val nodeType: Short\n open val nodeName:
String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument: Document?\n
open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes: NodeList\n open
val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n open val nextSibling:
Node?\n open var nodeValue: String?\n open var textContent: String?\n fun getRootNode(options:
GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun normalize()\n fun
cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode: Node?): Boolean\n fun
isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other: Node): Short\n fun
contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun
lookupNamespaceURI(prefix: String?):
String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun insertBefore(node: Node, child: Node?):
Node\n fun appendChild(node: Node): Node\n fun replaceChild(node: Node, child: Node): Node\n fun
removeChild(child: Node): Node\n\n companion object {\n val ELEMENT_NODE: Short\n val

```

```

ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n } \n} \n\npublic external interface GetRootNodeOptions { \n    var composed: Boolean? /* = false */ \n
get() = definedExternally \n    set(value) = definedExternally \n} \n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\") \n@kotlin.internal.InlineOnly \npublic inline fun GetRootNodeOptions(composed:
Boolean? = false): GetRootNodeOptions { \n    val o = js(\\"{\}\") \n    o[\"composed\"] = composed \n    return
o \n} \n\n/* \n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to
Kotlin \n */ \npublic external open class Document : Node, GlobalEventHandlers,
DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode,
GeometryUtils { \n    open val implementation: DOMImplementation \n    open val URL: String \n    open val
documentURI: String \n    open val origin: String \n    open val compatMode: String \n    open val characterSet:
String \n    open val charset: String \n    open val inputEncoding:
String \n    open val contentType: String \n    open val doctype: DocumentType? \n    open val documentElement:
Element? \n    open val location: Location? \n    var domain: String \n    open val referrer: String \n    var cookie:
String \n    open val lastModified: String \n    open val readyState: DocumentReadyState \n    var title: String \n    var
dir: String \n    var body: HTMLElement? \n    open val head: HTMLHeadElement? \n    open val images:
HTMLCollection \n    open val embeds: HTMLCollection \n    open val plugins: HTMLCollection \n    open val links:
HTMLCollection \n    open val forms: HTMLCollection \n    open val scripts: HTMLCollection \n    open val
currentScript: HTMLScriptElement? \n    open val defaultView: Window? \n    open val activeElement:
Element? \n    var designMode: String \n    var onreadystatechange: ((Event) -> dynamic)? \n    var fgColor: String \n
var linkColor: String \n    var vlinkColor: String \n    var alinkColor: String \n    var bgColor: String \n    open
val anchors: HTMLCollection \n    open val applets: HTMLCollection \n    open val all: HTMLAllCollection \n
open val scrollingElement: Element? \n    open val styleSheets: StyleSheetList \n    open val rootElement:
SVGElement? \n    open val fullscreenEnabled: Boolean \n    open val fullscreen: Boolean \n    var
onfullscreenchange: ((Event) -> dynamic)? \n    var onfullscreenerror: ((Event) -> dynamic)? \n    override var
onabort: ((Event) -> dynamic)? \n    override var onblur: ((FocusEvent) -> dynamic)? \n    override var oncancel:
((Event) -> dynamic)? \n    override var oncanplay: ((Event) -> dynamic)? \n    override var oncanplaythrough:
((Event) -> dynamic)? \n    override var onchange: ((Event) -> dynamic)? \n    override var onclick: ((MouseEvent) ->
dynamic)? \n    override var onclose: ((Event) -> dynamic)? \n    override var oncontextmenu: ((MouseEvent) ->
dynamic)? \n    override var oncuechange: ((Event) -> dynamic)? \n    override var ondblclick: ((MouseEvent) ->
dynamic)? \n    override
var ondrag: ((DragEvent) -> dynamic)? \n    override var ondragend: ((DragEvent) -> dynamic)? \n    override var
ondragenter: ((DragEvent) -> dynamic)? \n    override var ondragexit: ((DragEvent) -> dynamic)? \n    override var
ondragleave: ((DragEvent) -> dynamic)? \n    override var ondragover: ((DragEvent) -> dynamic)? \n    override var
ondragstart: ((DragEvent) -> dynamic)? \n    override var ondrop: ((DragEvent) -> dynamic)? \n    override var
ondurationchange: ((Event) -> dynamic)? \n    override var onemptied: ((Event) -> dynamic)? \n    override var
onended: ((Event) -> dynamic)? \n    override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)? \n
override var onfocus: ((FocusEvent) -> dynamic)? \n    override var oninput: ((InputEvent) -> dynamic)? \n    override
var oninvalid: ((Event) -> dynamic)? \n    override var onkeydown: ((KeyboardEvent) -> dynamic)? \n    override var
onkeypress: ((KeyboardEvent) -> dynamic)? \n    override var onkeyup: ((KeyboardEvent) -> dynamic)? \n

```

```

    override var onload: ((Event) -> dynamic)?\n    override var onloadeddata: ((Event) -> dynamic)?\n    override var
onloadedmetadata: ((Event) -> dynamic)?\n    override var onloadend: ((Event) -> dynamic)?\n    override var
onloadstart: ((ProgressEvent) -> dynamic)?\n    override var onmousedown: ((MouseEvent) -> dynamic)?\n
    override var onmouseenter: ((MouseEvent) -> dynamic)?\n    override var onmouseleave: ((MouseEvent) ->
dynamic)?\n    override var onmousemove: ((MouseEvent) -> dynamic)?\n    override var onmouseout:
((MouseEvent) -> dynamic)?\n    override var onmouseover: ((MouseEvent) -> dynamic)?\n    override var
onmouseup: ((MouseEvent) -> dynamic)?\n    override var onwheel: ((WheelEvent) -> dynamic)?\n    override var
onpause: ((Event) -> dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n    override var onplaying: ((Event)
-> dynamic)?\n    override var onprogress: ((ProgressEvent) -> dynamic)?\n    override var onratechange: ((Event) ->
dynamic)?\n
    override var onreset: ((Event) -> dynamic)?\n    override var onresize: ((Event) -> dynamic)?\n    override var
onscroll: ((Event) -> dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n    override var onseeking:
((Event) -> dynamic)?\n    override var onselect: ((Event) -> dynamic)?\n    override var onshow: ((Event) ->
dynamic)?\n    override var onstalled: ((Event) -> dynamic)?\n    override var onsubmit: ((Event) -> dynamic)?\n
    override var onsuspend: ((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) -> dynamic)?\n    override
var ontoggle: ((Event) -> dynamic)?\n    override var onvolumechange: ((Event) -> dynamic)?\n    override var
onwaiting: ((Event) -> dynamic)?\n    override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    override
var onlostpointercapture: ((PointerEvent) -> dynamic)?\n    override var onpointerdown: ((PointerEvent) ->
dynamic)?\n    override var onpointermove: ((PointerEvent) -> dynamic)?\n    override var onpointerup:
((PointerEvent)
-> dynamic)?\n    override var onpointercancel: ((PointerEvent) -> dynamic)?\n    override var onpointerover:
((PointerEvent) -> dynamic)?\n    override var onpointerout: ((PointerEvent) -> dynamic)?\n    override var
onpointerenter: ((PointerEvent) -> dynamic)?\n    override var onpointerleave: ((PointerEvent) -> dynamic)?\n
    override var oncopy: ((ClipboardEvent) -> dynamic)?\n    override var oncut: ((ClipboardEvent) -> dynamic)?\n
    override var onpaste: ((ClipboardEvent) -> dynamic)?\n    override val fullscreenElement: Element?\n    override val
children: HTMLCollection\n    override val firstElementChild: Element?\n    override val lastElementChild:
Element?\n    override val childElementCount: Int\n    fun getElementsByTagName(qualifiedName: String):
HTMLCollection\n    fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n    fun
getElementsByTagName(className: String): HTMLCollection\n    fun createElement(localName: String,
options:
    ElementCreationOptions = definedExternally): Element\n    fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n    fun
createDocumentFragment(): DocumentFragment\n    fun createTextNode(data: String): Text\n    fun
createCDATASection(data: String): CDATASection\n    fun createComment(data: String): Comment\n    fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n    fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n    fun adoptNode(node: Node): Node\n    fun
createAttribute(localName: String): Attr\n    fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n    fun createEvent(`interface`: String): Event\n    fun createRange(): Range\n    fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n    fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally,
    filter: ((Node) -> Short)? = definedExternally): NodeIterator\n    fun createTreeWalker(root: Node, whatToShow:
Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\n    fun createTreeWalker(root: Node,
whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n    fun
getElementsByName(elementName: String): NodeList\n    fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n    fun open(url: String, name: String, features: String): Window\n    fun
close()\n    fun write(vararg text: String)\n    fun writeln(vararg text: String)\n    fun hasFocus(): Boolean\n    fun
execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally):
Boolean\n    fun queryCommandEnabled(commandId: String): Boolean\n    fun

```

```

queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String):
Boolean\n fun queryCommandSupported(commandId:
String): Boolean\n fun queryCommandValue(commandId: String): String\n fun clear()\n fun
captureEvents()\n fun releaseEvents()\n fun elementFromPoint(x: Double, y: Double): Element?\n fun
elementsFromPoint(x: Double, y: Double): Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double):
CaretPosition?\n fun createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int,
screenX: Int, screenY: Int): Touch\n fun createTouchList(vararg touches: Touch): TouchList\n fun
exitFullscreen(): Promise<Unit>\n override fun getElementById(elementId: String): Element?\n override fun
prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun
querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override
fun convertQuadFromNode(quad: dynamic, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val
DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String):
dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n *\npublic external
open class XMLDocument : Document {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
ElementCreationOptions {\n var `is`: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String?
= undefined): ElementCreationOptions {\n val o = js(\"{\}\")\n o[\"is\"] = `is`\n return o\n}\n\n/**\n *
Exposes the JavaScript
[DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n
*\npublic external abstract class DOMImplementation {\n fun createDocumentType(qualifiedName: String,
publicId: String, systemId: String): DocumentType\n fun createDocument(namespace:

```

```

String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n fun
createHTMLDocument(title: String = definedExternally): Document\n fun hasFeature(): Boolean\n}\n\n/**\n *
Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to
Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n open val name: String\n open
val publicId: String\n open val systemId: String\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n override val children:
HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n
override val childElementCount: Int\n override fun getElementById(elementId: String): Element?\n override fun
prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun
querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n\n
companion object {\n val ELEMENT_NODE:
Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n open val mode: ShadowRootMode\n
open val host: Element\n
override val fullscreenElement: Element?\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class
Element : Node, ParentNode,
NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils, UnionElementOrHTMLCollection,
UnionElementOrRadioNodeList, UnionElementOrMouseEvent, UnionElementOrProcessingInstruction {\n open

```

```

val namespaceURI: String?
open val prefix: String?
open val localName: String
open val tagName: String
open val id: String
open val className: String
open val classList: DOMTokenList
open val slot: String
open val attributes: NamedNodeMap
open val shadowRoot: ShadowRoot?
open val scrollTop: Double
open val scrollLeft: Double
open val scrollWidth: Int
open val scrollHeight: Int
open val clientTop: Int
open val clientLeft: Int
open val clientWidth: Int
open val clientHeight: Int
open val innerHTML: String
open val outerHTML: String
fun hasAttributes(): Boolean
fun getAttributeNames(): Array<String>
fun getAttribute(qualifiedName: String): String?
fun getAttributeNS(namespace: String?, localName: String): String?
fun setAttribute(qualifiedName: String, value: String)
fun setAttributeNS(namespace: String?, qualifiedName: String, value: String)
fun removeAttribute(qualifiedName: String)
fun removeAttributeNS(namespace: String?, localName: String)
fun hasAttribute(qualifiedName: String): Boolean
fun hasAttributeNS(namespace: String?, localName: String): Boolean
fun getAttributeNode(qualifiedName: String): Attr?
fun getAttributeNodeNS(namespace: String?, localName: String): Attr?
fun setAttributeNode(attr: Attr): Attr?
fun setAttributeNodeNS(attr: Attr): Attr?
fun removeAttributeNode(attr: Attr): Attr?
fun attachShadow(init: ShadowRootInit): ShadowRoot
fun closest(selectors: String): Element?
fun matches(selectors: String): Boolean
fun webkitMatchesSelector(selectors: String): Boolean
fun getElementsByTagName(qualifiedName: String): HTMLCollection
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection
fun getElementsByTagName(className: String): HTMLCollection
fun insertAdjacentElement(where: String, element: Element): Element?
fun insertAdjacentText(where: String, data: String)
fun getClientRects(): Array<DOMRect>
fun getBoundingClientRect(): DOMRect
fun scrollIntoView()
fun scrollIntoView(arg: dynamic)
fun scroll(options: ScrollToOptions = definedExternally)
fun scroll(x: Double, y: Double)
fun scrollTo(options: ScrollToOptions = definedExternally)
fun scrollTo(x: Double, y: Double)
fun scrollBy(options: ScrollToOptions = definedExternally)
fun scrollBy(x: Double, y: Double)
fun insertAdjacentHTML(position: String, text: String)
fun setPointerCapture(pointerId: Int)
fun releasePointerCapture(pointerId: Int)
fun hasPointerCapture(pointerId: Int): Boolean
fun requestFullscreen(): Promise<Unit>
companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}
}

public external interface ShadowRootInit {
    var mode: ShadowRootMode?
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ShadowRootInit(mode: ShadowRootMode?): ShadowRootInit {
    val o = js("{}")
    o["mode"] = mode
    return o
}

/** Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin */
public external abstract class NamedNodeMap : ItemArrayLike<Attr> {
    fun getNamedItemNS(namespace: String?, localName: String): Attr?
    fun setNamedItem(attr: Attr): Attr?
    fun setNamedItemNS(attr: Attr): Attr?
    fun removeNamedItem(qualifiedName: String): Attr?
    fun removeNamedItemNS(namespace: String?, localName: String): Attr?
    override fun item(index: Int): Attr?
    fun getNamedItem(qualifiedName: String): Attr?
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline operator fun NamedNodeMap.get(index:

```



```

Int): Attr? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes
the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n\n*/\n\npublic external abstract
class Attr : Node {\n\n    open val namespaceURI: String?\n\n    open val prefix: String?\n\n    open val localName:
String\n\n    open val name: String\n\n    open var value: String\n\n    open val ownerElement: Element?\n\n    open val
specified: Boolean\n\n\n    companion object {\n\n        val ELEMENT_NODE: Short\n\n        val ATTRIBUTE_NODE:
Short\n\n        val TEXT_NODE: Short\n\n        val CDATA_SECTION_NODE: Short\n\n        val
ENTITY_REFERENCE_NODE: Short\n\n        val ENTITY_NODE: Short\n\n        val
PROCESSING_INSTRUCTION_NODE: Short\n\n        val COMMENT_NODE: Short\n\n        val
DOCUMENT_NODE: Short\n\n        val DOCUMENT_TYPE_NODE: Short\n\n        val
DOCUMENT_FRAGMENT_NODE: Short\n\n        val NOTATION_NODE: Short\n\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n\n        val DOCUMENT_POSITION_PRECEDING: Short\n\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n\n        val DOCUMENT_POSITION_CONTAINS:
Short\n\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n\n    }\n\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n\n*/\n\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n\n    open var data: String\n\n    open
val length: Int\n\n    fun substringData(offset: Int, count: Int): String\n\n    fun appendData(data: String)\n\n    fun
insertData(offset: Int, data: String)\n\n    fun deleteData(offset: Int, count: Int)\n\n    fun replaceData(offset: Int, count:
Int, data: String)\n\n\n    companion object {\n\n        val ELEMENT_NODE: Short\n\n        val ATTRIBUTE_NODE:
Short\n\n        val TEXT_NODE: Short\n\n        val CDATA_SECTION_NODE: Short\n\n        val
ENTITY_REFERENCE_NODE: Short\n\n        val ENTITY_NODE: Short\n\n        val
PROCESSING_INSTRUCTION_NODE: Short\n\n        val COMMENT_NODE: Short\n\n        val
DOCUMENT_NODE:
Short\n\n        val DOCUMENT_TYPE_NODE: Short\n\n        val DOCUMENT_FRAGMENT_NODE: Short\n
        val NOTATION_NODE: Short\n\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n\n        val
DOCUMENT_POSITION_PRECEDING: Short\n\n        val DOCUMENT_POSITION_FOLLOWING: Short\n\n
        val DOCUMENT_POSITION_CONTAINS: Short\n\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n\n    }\n\n}\n\n/**\n * Exposes
the JavaScript [Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n\n*/\n\npublic external open
class Text(data: String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n\n    open val wholeText:
String\n\n    override val assignedSlot: HTMLSlotElement?\n\n    override val previousElementSibling: Element?\n\n
    override val nextElementSibling: Element?\n\n    fun splitText(offset: Int): Text\n\n    override fun
getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n\n    override fun
convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n\n    override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n\n    override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n    override fun before(vararg nodes:
dynamic)\n\n    override fun after(vararg nodes: dynamic)\n\n    override fun replaceWith(vararg nodes: dynamic)\n\n
    override fun remove()\n\n\n    companion object {\n\n        val ELEMENT_NODE: Short\n\n        val
ATTRIBUTE_NODE: Short\n\n        val TEXT_NODE: Short\n\n        val CDATA_SECTION_NODE: Short\n\n        val
ENTITY_REFERENCE_NODE: Short\n\n        val ENTITY_NODE: Short\n\n        val
PROCESSING_INSTRUCTION_NODE: Short\n\n        val COMMENT_NODE: Short\n\n        val
DOCUMENT_NODE: Short\n\n        val DOCUMENT_TYPE_NODE: Short\n\n        val
DOCUMENT_FRAGMENT_NODE:

```

```

Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n
*/\npublic external open class CDATASection : Text {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE:
Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to
Kotlin\n */\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n    open val target: String\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external open class
Comment(data: String = definedExternally) : CharacterData {\n    override val previousElementSibling: Element?\n
override val nextElementSibling: Element?\n    override fun before(vararg nodes: dynamic)\n    override fun
after(vararg nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n    override fun remove()\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n */\npublic external open class Range {\n
open val startContainer: Node\n    open val startOffset: Int\n    open val endContainer: Node\n    open val
endOffset: Int\n    open val collapsed: Boolean\n    open val commonAncestorContainer:
Node\n    fun setStart(node: Node, offset: Int)\n    fun setEnd(node: Node, offset: Int)\n    fun setStartBefore(node:
Node)\n    fun setStartAfter(node: Node)\n    fun setEndBefore(node: Node)\n    fun setEndAfter(node: Node)\n
fun collapse(toStart: Boolean = definedExternally)\n    fun selectNode(node: Node)\n    fun
selectNodeContents(node: Node)\n    fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n    fun

```

```

deleteContents()\n fun extractContents(): DocumentFragment\n fun cloneContents(): DocumentFragment\n fun insertNode(node: Node)\n fun surroundContents(newParent: Node)\n fun cloneRange(): Range\n fun detach()\n fun isPointInRange(node: Node, offset: Int): Boolean\n fun comparePoint(node: Node, offset: Int): Short\n fun intersectsNode(node: Node): Boolean\n fun getClientRects(): Array<DOMRect>\n fun getBoundingClientRect(): DOMRect\n fun createContextualFragment(fragment: String): DocumentFragment\n\ncompanion object
{\n    val START_TO_START: Short\n    val START_TO_END: Short\n    val END_TO_END: Short\n    val END_TO_START: Short\n}\n}\n\n/**\n * Exposes the JavaScript
[NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n */\n\npublic external abstract class NodeIterator {\n    open val root: Node\n    open val referenceNode: Node\n    open val pointerBeforeReferenceNode: Boolean\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    fun nextNode(): Node?\n    fun previousNode(): Node?\n    fun detach()\n}\n\n/**\n * Exposes the JavaScript
[TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n */\n\npublic external abstract class TreeWalker {\n    open val root: Node\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    open var currentNode: Node\n    fun parentNode(): Node?\n    fun firstChild(): Node?\n    fun lastChild(): Node?\n    fun previousSibling(): Node?\n    fun nextSibling(): Node?\n    fun previousNode(): Node?\n    fun nextNode(): Node?\n}\n\n/**\n * Exposes the JavaScript
[NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n */\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface NodeFilter {\n    fun acceptNode(node: Node): Short\n\n    companion object {\n        val FILTER_ACCEPT: Short\n        val FILTER_REJECT: Short\n        val FILTER_SKIP: Short\n        val SHOW_ALL: Int\n        val SHOW_ELEMENT: Int\n        val SHOW_ATTRIBUTE: Int\n        val SHOW_TEXT: Int\n        val SHOW_CDATA_SECTION: Int\n        val SHOW_ENTITY_REFERENCE: Int\n        val SHOW_ENTITY: Int\n        val SHOW_PROCESSING_INSTRUCTION: Int\n        val SHOW_COMMENT: Int\n        val SHOW_DOCUMENT: Int\n        val SHOW_DOCUMENT_TYPE: Int\n        val SHOW_DOCUMENT_FRAGMENT: Int\n        val SHOW_NOTATION: Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n */\n\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n    open var value: String\n    fun contains(token: String): Boolean\n    fun add(vararg tokens: String)\n    fun remove(vararg tokens: String)\n    fun toggle(token: String, force: Boolean = definedExternally): Boolean\n    fun replace(token: String, newToken: String)\n    fun supports(token: String): Boolean\n    override fun item(index: Int): String?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\n\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n    open val x: Double\n    open val y: Double\n    open val z: Double\n    open val w: Double\n    fun matrixTransform(matrix: DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\n\npublic external open class DOMPoint : DOMPointReadOnly {\n    constructor(point: DOMPointInit)\n    constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n\n    override var x: Double\n    override var y: Double\n    override var z: Double\n    override var w: Double\n}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n */\n\npublic external interface DOMPointInit {\n    var x: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var y: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally\n    var z: Double? /* = 0.0 */\n    get() = definedExternally\n    set(value) = definedExternally

```

```

definedExternally\n    var w: Double? /* = 1.0 */\n
    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y:
Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n    val o = js(\"({})\")\n    o[\"x\"] = x\n
o[\"y\"] = y\n    o[\"z\"] = z\n    o[\"w\"] = w\n    return o}\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n    override var x: Double\n    override var y: Double\n
    override var width: Double\n    override var height: Double}\n}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic
external open class DOMRectReadOnly(x:
    Double, y: Double, width: Double, height: Double) {\n    open val x: Double\n    open val y: Double\n    open val
width: Double\n    open val height: Double\n    open val top: Double\n    open val right: Double\n    open val bottom:
Double\n    open val left: Double}\n}\n\npublic external interface DOMRectInit {\n    var x: Double? /* = 0.0 */\n
get() = definedExternally\n    set(value) = definedExternally\n    var y: Double? /* = 0.0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var width: Double? /* = 0.0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var height: Double? /* = 0.0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y:
Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n    val o = js(\"({})\")\n
    o[\"x\"] = x\n    o[\"y\"] = y\n    o[\"width\"] = width\n    o[\"height\"] = height\n    return o}\n}\n\npublic external
interface DOMRectList : ItemArrayLike<DOMRect> {\n    override fun item(index: Int):
DOMRect?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int):
DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n    constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n    constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n    open val p2: DOMPoint\n    open val p3: DOMPoint\n    open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly)
to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n    open val
a: Double\n    open val b: Double\n    open val c: Double\n    open val d: Double\n    open val e: Double\n    open val
f: Double\n    open val m11: Double\n    open val m12: Double\n    open val m13: Double\n    open val m14:
Double\n    open val m21: Double\n    open val m22: Double\n    open val m23: Double\n    open val m24: Double\n
open val m31: Double\n    open val m32: Double\n    open val m33: Double\n    open val m34: Double\n    open val
m41: Double\n    open val m42: Double\n    open val m43: Double\n    open val m44: Double\n    open val is2D:
Boolean\n    open val isIdentity: Boolean\n    fun translate(tx: Double, ty: Double, tz: Double = definedExternally):
DOMMatrix\n    fun scale(scale: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n    fun scale3d(scale: Double, originX: Double = definedExternally,
originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n    fun
scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally,
originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally):
DOMMatrix\n    fun rotate(angle: Double, originX: Double = definedExternally, originY: Double =
definedExternally): DOMMatrix\n    fun rotateFromVector(x: Double, y: Double): DOMMatrix\n    fun
rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n    fun skewX(sx: Double):
DOMMatrix\n    fun skewY(sy: Double): DOMMatrix\n    fun multiply(other: DOMMatrix): DOMMatrix\n    fun

```

```

flipX(): DOMMatrix\n fun flipY(): DOMMatrix\n fun inverse(): DOMMatrix\n fun transformPoint(point:
DOMPointInit = definedExternally): DOMPoint\n fun toFloat32Array(): Float32Array\n fun toFloat64Array():
Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix)
to Kotlin\n *\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n constructor(transformList:
String)\n constructor(other: DOMMatrixReadOnly)\n constructor(array32: Float32Array)\n
constructor(array64: Float64Array)\n constructor(numberSequence: Array<Double>)\n override var a: Double\n
override var b: Double\n override var c: Double\n override var d: Double\n override var e: Double\n
override var f: Double\n override var m11: Double\n override var m12: Double\n override var m13: Double\n
override var m14: Double\n override var m21: Double\n override var m22: Double\n override var m23:
Double\n override var m24: Double\n override var m31: Double\n override var m32: Double\n override var
m33: Double\n override var m34: Double\n override var m41: Double\n override var m42: Double\n override
var m43: Double\n override var m44: Double\n
fun multiplySelf(other: DOMMatrix): DOMMatrix\n fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n
fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n fun scaleSelf(scale:
Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun
scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ:
Double = definedExternally): DOMMatrix\n fun scaleNonUniformSelf(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotateSelf(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x:
Double, y: Double): DOMMatrix\n fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewXSelf(sx:
Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun invertSelf(): DOMMatrix\n fun
setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n var
behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior:
ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js(\"({})\")\n o[\"behavior\"] = behavior\n
return o}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n *\npublic external
interface ScrollToOptions : ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var top: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? =
undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n
val o = js(\"({})\")\n o[\"left\"] = left\n o[\"top\"] = top\n o[\"behavior\"] = behavior\n return o}\n\n/**\n *
Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to
Kotlin\n *\npublic external abstract class MediaQueryList : EventTarget {\n open val media: String\n open val
matches: Boolean\n open var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?)\n
fun addListener(listener: ((Event) -> Unit)?)\n fun removeListener(listener: EventListener?)\n fun
removeListener(listener: ((Event) -> Unit)?)\n}\n\n/**\n * Exposes the JavaScript
[MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n
*\npublic
external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit =
definedExternally) : Event {\n open val media: String\n open val matches: Boolean\n\n companion object {\n
val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface MediaQueryListEventInit : EventInit {\n var

```

```

media: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var matches:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media:
String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): MediaQueryListEventInit {\n    val o = js(\"({})\")\n    o[\"media\"] = media\n    o[\"matches\"] = matches\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class
Screen {\n    open val availWidth: Int\n    open val availHeight: Int\n    open val width: Int\n    open val height: Int\n
open val colorDepth: Int\n    open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript
[CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external
abstract class CaretPosition {\n    open val offsetNode: Node\n    open val offset: Int\n    fun getClientRect():
DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n    var block:
ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var inline: ScrollLogicalPosition? /*
= ScrollLogicalPosition.CENTER */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block:
ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? =
ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n
val o = js(\"({})\")\n    o[\"block\"] = block\n    o[\"inline\"] = inline\n    o[\"behavior\"] = behavior\n    return
o\n}\n\npublic external interface BoxQuadOptions {\n    var box: CSSBoxType? /* = CSSBoxType.BORDER */\n
get() = definedExternally\n    set(value) = definedExternally\n    var relativeTo: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType?
= CSSBoxType.BORDER,
relativeTo: dynamic = undefined): BoxQuadOptions {\n    val o = js(\"({})\")\n    o[\"box\"] = box\n
o[\"relativeTo\"] = relativeTo\n    return o\n}\n\npublic external interface ConvertCoordinateOptions {\n    var
fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox:
CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER):
ConvertCoordinateOptions {\n    val o = js(\"({})\")\n    o[\"fromBox\"] = fromBox\n    o[\"toBox\"] = toBox\n
return o\n}\n\n/**\n * Exposes the JavaScript
[GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external
interface GeometryUtils {\n    fun
getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n    fun
convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally):
DOMQuad\n    fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options:
ConvertCoordinateOptions = definedExternally): DOMQuad\n    fun convertPointFromNode(point: DOMPointInit,
from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\n/**\n * Exposes the
JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract
class Touch {\n    open val identifier: Int\n    open val target: EventTarget\n    open val screenX: Int\n    open val
screenY: Int\n    open val clientX: Int\n    open val clientY: Int\n    open val pageX: Int\n    open val pageY: Int\n
open val region: String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n    override fun
item(index: Int): Touch?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",

```

```

\ "INVISIBLE_MEMBER" )\n @kotlin.internal.InlineOnly\n public inline operator fun TouchList.get(index: Int):
Touch? = asDynamic()[index]\n\n public external open class TouchEvent : UIEvent {\n    open val touches:
TouchList\n    open val targetTouches: TouchList\n    open val changedTouches: TouchList\n    open val altKey:
Boolean\n    open val metaKey: Boolean\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n\n    /**\n     * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n     */\n\n    public external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n        override var
onabort: ((Event) -> dynamic)?\n        override var onblur: ((FocusEvent) -> dynamic)?\n        override var oncancel:
((Event) -> dynamic)?\n        override
var oncanplay: ((Event) -> dynamic)?\n        override var oncanplaythrough: ((Event) -> dynamic)?\n        override var
onchange: ((Event) -> dynamic)?\n        override var onclick: ((MouseEvent) -> dynamic)?\n        override var onclose:
((Event) -> dynamic)?\n        override var oncontextmenu: ((MouseEvent) -> dynamic)?\n        override var oncuechange:
((Event) -> dynamic)?\n        override var ondblclick: ((MouseEvent) -> dynamic)?\n        override var ondrag:
((DragEvent) -> dynamic)?\n        override var ondragend: ((DragEvent) -> dynamic)?\n        override var ondragenter:
((DragEvent) -> dynamic)?\n        override var ondragexit: ((DragEvent) -> dynamic)?\n        override var ondragleave:
((DragEvent) -> dynamic)?\n        override var ondragover: ((DragEvent) -> dynamic)?\n        override var ondragstart:
((DragEvent) -> dynamic)?\n        override var ondrop: ((DragEvent) -> dynamic)?\n        override var ondurationchange:
((Event) -> dynamic)?\n        override var onemptied: ((Event) -> dynamic)?\n        override var onended: ((Event)
-> dynamic)?\n        override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n        override var onfocus:
((FocusEvent) -> dynamic)?\n        override var oninput: ((InputEvent) -> dynamic)?\n        override var oninvalid:
((Event) -> dynamic)?\n        override var onkeydown: ((KeyboardEvent) -> dynamic)?\n        override var onkeypress:
((KeyboardEvent) -> dynamic)?\n        override var onkeyup: ((KeyboardEvent) -> dynamic)?\n        override var onload:
((Event) -> dynamic)?\n        override var onloadeddata: ((Event) -> dynamic)?\n        override var onloadedmetadata:
((Event) -> dynamic)?\n        override var onloadend: ((Event) -> dynamic)?\n        override var onloadstart:
((ProgressEvent) -> dynamic)?\n        override var onmousedown: ((MouseEvent) -> dynamic)?\n        override var
onmouseenter: ((MouseEvent) -> dynamic)?\n        override var onmouseleave: ((MouseEvent) -> dynamic)?\n        override
var onmousemove: ((MouseEvent) -> dynamic)?\n        override var onmouseout: ((MouseEvent) ->
dynamic)?\n        override
var onmouseover: ((MouseEvent) -> dynamic)?\n        override var onmouseup: ((MouseEvent) -> dynamic)?\n        override
var onwheel: ((WheelEvent) -> dynamic)?\n        override var onpause: ((Event) -> dynamic)?\n        override
var onplay: ((Event) -> dynamic)?\n        override var onplaying: ((Event) -> dynamic)?\n        override var onprogress:
((ProgressEvent) -> dynamic)?\n        override var onratechange: ((Event) -> dynamic)?\n        override var onreset:
((Event) -> dynamic)?\n        override var onresize: ((Event) -> dynamic)?\n        override var onscroll: ((Event) ->
dynamic)?\n        override var onseeked: ((Event) -> dynamic)?\n        override var onseeking: ((Event) -> dynamic)?\n
        override var onselect: ((Event) -> dynamic)?\n        override var onshow: ((Event) -> dynamic)?\n        override
var onstalled: ((Event) -> dynamic)?\n        override var onsubmit: ((Event) -> dynamic)?\n        override var onsuspend:
((Event) -> dynamic)?\n        override var ontimeupdate: ((Event) -> dynamic)?\n        override var ontoggle:
((Event) -> dynamic)?\n        override var onvolumechange: ((Event) -> dynamic)?\n        override var onwaiting:
((Event) -> dynamic)?\n        override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n        override var
onlostpointercapture: ((PointerEvent) -> dynamic)?\n        override var onpointerdown: ((PointerEvent) -> dynamic)?\n
        override var onpointermove: ((PointerEvent) -> dynamic)?\n        override var onpointerup: ((PointerEvent) ->
dynamic)?\n        override var onpointercancel: ((PointerEvent) -> dynamic)?\n        override var onpointerover:
((PointerEvent) -> dynamic)?\n        override var onpointerout: ((PointerEvent) -> dynamic)?\n        override var
onpointerenter: ((PointerEvent) -> dynamic)?\n        override var onpointerleave: ((PointerEvent) -> dynamic)?\n
        override var oncopy: ((ClipboardEvent) -> dynamic)?\n        override var oncut: ((ClipboardEvent) -> dynamic)?\n
        override var onpaste: ((ClipboardEvent) -> dynamic)?\n        override var contentEditable: String\n        override val

```

```

isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg
nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String):
Element?\n  override fun querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes:
dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n
override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally
*/): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertPointFromNode(point:
DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n
companion object {\n  val ELEMENT_NODE: Short\n  val ATTRIBUTE_NODE: Short\n  val
TEXT_NODE: Short\n  val CDATA_SECTION_NODE: Short\n  val ENTITY_REFERENCE_NODE:
Short\n  val ENTITY_NODE: Short\n  val PROCESSING_INSTRUCTION_NODE: Short\n  val
COMMENT_NODE: Short\n  val DOCUMENT_NODE: Short\n  val DOCUMENT_TYPE_NODE: Short\n
  val DOCUMENT_FRAGMENT_NODE: Short\n  val NOTATION_NODE: Short\n  val
DOCUMENT_POSITION_DISCONNECTED: Short\n  val DOCUMENT_POSITION_PRECEDING: Short\n
  val DOCUMENT_POSITION_FOLLOWING: Short\n  val DOCUMENT_POSITION_CONTAINS: Short\n
  val DOCUMENT_POSITION_CONTAINED_BY:
Short\n  val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\npublic external
open class Audio(src: String = definedExternally) : HTMLAudioElement {\n  override var onabort: ((Event) ->
dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel: ((Event) -> dynamic)?\n
override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough: ((Event) -> dynamic)?\n
override var onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) -> dynamic)?\n  override
var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) -> dynamic)?\n  override var
oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) -> dynamic)?\n  override var
ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) -> dynamic)?\n  override var
ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) -> dynamic)?\n
  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) -> dynamic)?\n
override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) -> dynamic)?\n
override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) -> dynamic)?\n
override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) ->
dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n
  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown: ((MouseEvent) ->
dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var onmouseleave:
((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n  override var
onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) -> dynamic)?\n  override
var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) -> dynamic)?\n  override
var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n  override var onplaying:
((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n  override var onratechange:
((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) ->

```



```

dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n
override var onseeking:
  ((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var onshow: ((Event) ->
dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit: ((Event) -> dynamic)?\n
override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) -> dynamic)?\n  override
var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) -> dynamic)?\n  override var
onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override
var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown: ((PointerEvent) ->
dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var onpointerup:
((PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n  override var
onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout: ((PointerEvent) -> dynamic)?\n
  override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave: ((PointerEvent) ->
dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) ->
dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n
override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg
nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String):
Element?\n  override fun querySelectorAll(selectors: String): NodeList\n  override fun before(vararg
nodes: dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes:
dynamic)\n  override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n  companion object {\n    val
NETWORK_EMPTY: Short\n    val NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n
val NETWORK_NO_SOURCE: Short\n    val HAVE_NOTHING: Short\n    val HAVE_METADATA:
Short\n    val HAVE_CURRENT_DATA: Short\n    val HAVE_FUTURE_DATA: Short\n    val
HAVE_ENOUGH_DATA:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open class
Option(text: String = definedExternally, value: String = definedExternally, defaultSelected:
Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLInputElement {\n  override var
onabort: ((Event) -> dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel:
((Event) -> dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough:
((Event) -> dynamic)?\n  override var onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) ->
dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) ->

```

```

dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) ->
dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) ->
dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent)
-> dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -
> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent)
-> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var onmouseleave:
((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n  override var
onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) -> dynamic)?\n  override
var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) -> dynamic)?\n  override
var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n  override var onplaying:
((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n  override var onratechange:
((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) ->
dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n
override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override
var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit:
((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) -
> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) ->
dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent)
-> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown:
((PointerEvent) -> dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var
onpointerup: ((PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n
override var onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout: ((PointerEvent) ->
dynamic)?\n  override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave:
((PointerEvent) -> dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override var oncut:
((ClipboardEvent) -> dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var
contentEditable: String\n  override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n
override val children: HTMLCollection\n  override val firstElementChild: Element?\n  override val
lastElementChild: Element?\n  override val childElementCount: Int\n  override val previousElementSibling:
Element?\n  override val nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n
override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun
querySelector(selectors: String): Element?\n  override fun querySelectorAll(selectors: String): NodeList\n
override fun before(vararg nodes: dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun
replaceWith(vararg
nodes: dynamic)\n  override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val

```

```

CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE:
Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic
external interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic
external interface UnionMessagePortOrWindowProxy\n\npublic external interface MediaProvider\n\npublic
external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement :
CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic external
interface ImageBitmapSource\n\npublic
external interface HTMLOrSVGScriptElement\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface DocumentReadyState {\n    companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
"loading".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface CanPlayTypeResult {\n    companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
""\n\npublic
inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
"maybe".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface TextTrackMode {\n    companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = "disabled".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface TextTrackKind {\n    companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES:
TextTrackKind get() = "subtitles".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
"captions".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
"descriptions".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
"chapters".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val

```

```

TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface SelectionMode {\n  companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT:
SelectionMode get() = \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic
inline val SelectionMode.Companion.START: SelectionMode get() =
\"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.END:
SelectionMode get() = \"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.PRESERVE: SelectionMode get() =
\"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasFillRule {\n  companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO:
CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ImageSmoothingQuality
{\n  companion object\n}\n\npublic inline val ImageSmoothingQuality.Companion.LOW:
ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasLineCap {\n  companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
\"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/*
please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasLineJoin {\n  companion object\n}\n\npublic inline val CanvasLineJoin.Companion.ROUND:
CanvasLineJoin get() = \"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.BEVEL: CanvasLineJoin get() =
\"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.MITER:
CanvasLineJoin get() = \"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this
interface! *\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface CanvasTextAlign {\n  companion object\n}\n\npublic inline val
CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get()
= \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.LEFT:
CanvasTextAlign get() = \"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() =
\"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external

```

```

interface CanvasTextBaseline { \n  companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
\"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get()
= \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
\"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
\"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
\"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasDirection { \n  companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
\"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT:
CanvasDirection
get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ScrollRestoration { \n  companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO:
ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
\"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ImageOrientation { \n  companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE:
ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val
ImageOrientation.Companion.FLIPY: ImageOrientation get() =
\"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please,
don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface PremultiplyAlpha { \n  companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ColorSpaceConversion { \n  companion object\n}\n\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
\"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion
get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ResizeQuality { \n  companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED:
ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.LOW: ResizeQuality get() =
\"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM:

```

```

ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/*
please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface BinaryType {\n    companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType
get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val
BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
\"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface WorkerType {\n    companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
\"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ShadowRootMode {\n    companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ScrollBehavior {\n    companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
\"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! */\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface ScrollLogicalPosition {\n    companion object\n}\n\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
\"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.CENTER:
ScrollLogicalPosition get() = \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*/\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface CSSBoxType {\n    companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN:
CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.BORDER: CSSBoxType get() =
\"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING:
CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.CONTENT:
CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>())\n\n/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the
JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\n\npublic external open
class Headers(init: dynamic = definedExternally) {\n    fun append(name: String, value: String)\n    fun delete(name:

```

```

String)\n fun get(name: String): String?\n fun has(name: String): Boolean\n fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n */\npublic external
interface Body {\n val bodyUsed: Boolean\n fun arrayBuffer(): Promise<ArrayBuffer>\n fun blob():
Promise<Blob>\n fun formData(): Promise<FormData>\n fun json(): Promise<Any?>\n fun text():
Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n open val method: String\n open val
url: String\n open val headers: Headers\n open val type: RequestType\n open val destination:
RequestDestination\n open val referrer: String\n open val referrerPolicy: dynamic\n open val mode:
RequestMode\n open val credentials: RequestCredentials\n open val cache: RequestCache\n open val redirect:
RequestRedirect\n open val integrity: String\n open val keepalive: Boolean\n override val bodyUsed:
Boolean\n fun clone(): Request\n override fun arrayBuffer(): Promise<ArrayBuffer>\n
override fun blob(): Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json():
Promise<Any?>\n override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n var
method: String?\n get() = definedExternally\n set(value) = definedExternally\n var headers: dynamic\n
get() = definedExternally\n set(value) = definedExternally\n var body: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var referrer: String?\n get() = definedExternally\n
set(value) = definedExternally\n var referrerPolicy: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var mode: RequestMode?\n get() = definedExternally\n set(value) =
definedExternally\n var credentials: RequestCredentials?\n get() = definedExternally\n set(value) =
definedExternally\n var cache: RequestCache?\n get()
= definedExternally\n set(value) = definedExternally\n var redirect: RequestRedirect?\n get() =
definedExternally\n set(value) = definedExternally\n var integrity: String?\n get() = definedExternally\n
set(value) = definedExternally\n var keepalive: Boolean?\n get() = definedExternally\n set(value) =
definedExternally\n var window: Any?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? =
undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy:
dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache:
RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive:
Boolean? = undefined, window: Any? = undefined):
RequestInit {\n val o = js(\"({})\")\n o[\"method\"] = method\n o[\"headers\"] = headers\n o[\"body\"] =
body\n o[\"referrer\"] = referrer\n o[\"referrerPolicy\"] = referrerPolicy\n o[\"mode\"] = mode\n
o[\"credentials\"] = credentials\n o[\"cache\"] = cache\n o[\"redirect\"] = redirect\n o[\"integrity\"] = integrity\n
o[\"keepalive\"] = keepalive\n o[\"window\"] = window\n return o\n}\n\n/**\n * Exposes the JavaScript
[Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n */\npublic external open class
Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\n open val type:
ResponseType\n open val url: String\n open val redirected: Boolean\n open val status: Short\n open val ok:
Boolean\n open val statusText: String\n open val headers: Headers\n open val body: dynamic\n open val
trailer: Promise<Headers>\n override val bodyUsed: Boolean\n fun clone():
Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n
override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text():
Promise<String>\n}\n\ncompanion object {\n fun error(): Response\n fun redirect(url: String, status: Short =
definedExternally): Response\n }\n}\n\npublic external interface ResponseInit {\n var status: Short? /* = 200
*/\n get() = definedExternally\n set(value) = definedExternally\n var statusText: String? /* = \"OK\" */\n
get() = definedExternally\n set(value) = definedExternally\n var headers: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",

```

```

\INVISIBLE_MEMBER\)\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {
    val o = js("{}")\n
    o[\"status\"] = status\n    o[\"statusText\"] = statusText\n    o[\"headers\"] = headers\n    return o\n}\n/* please,
don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestType {\n    companion object\n}\n\npublic inline val RequestType.Companion.EMPTY:
RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.AUDIO: RequestType get() =
\"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT:
RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.TRACK: RequestType get() =
\"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO:
RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this
interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestDestination {\n    companion object\n}\n\npublic inline val
RequestDestination.Companion.EMPTY: RequestDestination get() =
\"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
\"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline
val RequestDestination.Companion.IMAGE: RequestDestination get() =
\"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline
val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val

```



```

RequestDestination.Companion.XSLT: RequestDestination get() =
\`xslt\`.asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*\n@JsName(\`"null"\`)\n@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`)\npublic external
interface RequestMode {\n  companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = \`navigate\`.asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \`same-
origin\`.asDynamic().unsafeCast<RequestMode>()\n\npublic
inline val RequestMode.Companion.NO_CORS: RequestMode get() = \`no-
cors\`.asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.CORS:
RequestMode get() = \`cors\`.asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this
interface! *\n@JsName(\`"null"\`)\n@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`)\npublic
external interface RequestCredentials {\n  companion object\n}\n\npublic inline val
RequestCredentials.Companion.OMIT: RequestCredentials get() =
\`omit\`.asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \`same-
origin\`.asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
\`include\`.asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*\n@JsName(\`"null"\`)\n@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`)\npublic external
interface
RequestCache {\n  companion object\n}\n\npublic inline val RequestCache.Companion.DEFAULT:
RequestCache get() = \`default\`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.NO_STORE: RequestCache get() = \`no-
store\`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.RELOAD:
RequestCache get() = \`reload\`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.NO_CACHE: RequestCache get() = \`no-
cache\`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \`force-
cache\`.asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \`only-if-
cached\`.asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*\n@JsName(\`"null"\`)\n@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`)\npublic external
interface RequestRedirect {\n  companion object\n}\n\npublic
inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
\`follow\`.asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = \`error\`.asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
\`manual\`.asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*\n@JsName(\`"null"\`)\n@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`)\npublic external
interface ResponseType {\n  companion object\n}\n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = \`basic\`.asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.CORS: ResponseType get() =
\`cors\`.asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT:
ResponseType get() = \`default\`.asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.ERROR:
ResponseType get() = \`error\`.asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUE: ResponseType get() =
\`opaque\`.asDynamic().unsafeCast<ResponseType>()\n\npublic inline val

```

```

ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
  \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()\", \"/*\n * Copyright 2010-2021 JetBrains s.r.o. and
  Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
  can be found in the license/LICENSE.txt file.\n *^n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
  EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
  kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
  the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n *^n\npublic
  external open class MediaStream() : EventTarget, MediaProvider {\n  constructor(stream:
  MediaStream)\n  constructor(tracks: Array<MediaStreamTrack>)\n  open val id: String\n  open val active:
  Boolean\n  var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n  var onremovetrack:
  ((MediaStreamTrackEvent) -> dynamic)?\n  fun getAudioTracks(): Array<MediaStreamTrack>\n  fun
  getVideoTracks(): Array<MediaStreamTrack>\n  fun getTracks(): Array<MediaStreamTrack>\n  fun
  getTrackById(trackId: String): MediaStreamTrack?\n  fun addTrack(track: MediaStreamTrack)\n  fun
  removeTrack(track: MediaStreamTrack)\n  fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript
  [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n *^n\npublic
  external abstract class MediaStreamTrack : EventTarget {\n  open val kind: String\n  open val id: String\n  open
  val label: String\n  open var enabled: Boolean\n  open val muted: Boolean\n  open var onmute: ((Event) ->
  dynamic)?\n  open var onunmute: ((Event) -> dynamic)?\n
  open val readyState: MediaStreamTrackState\n  open var onended: ((Event) -> dynamic)?\n  open var
  onoverconstrained: ((Event) -> dynamic)?\n  fun clone(): MediaStreamTrack\n  fun stop()\n  fun
  getCapabilities(): MediaTrackCapabilities\n  fun getConstraints(): MediaTrackConstraints\n  fun getSettings():
  MediaTrackSettings\n  fun applyConstraints(constraints: MediaTrackConstraints = definedExternally):
  Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
  [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
  ts) to Kotlin\n *^n\npublic external interface MediaTrackSupportedConstraints {\n  var width: Boolean? /* = true
  *^n  get() = definedExternally\n  set(value) = definedExternally\n  var height: Boolean? /* = true *^n
  get() = definedExternally\n  set(value) = definedExternally\n  var aspectRatio: Boolean? /* = true *^n  get()
  = definedExternally\n  set(value) = definedExternally\n
  var frameRate: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n  var
  facingMode: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n  var
  resizeMode: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n  var
  volume: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n  var
  sampleRate: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n  var
  sampleSize: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n  var
  echoCancellation: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n
  var autoGainControl: Boolean? /* = true *^n  get() = definedExternally\n  set(value) = definedExternally\n
  var noiseSuppression: Boolean? /* = true
  *^n  get() = definedExternally\n  set(value) = definedExternally\n  var latency: Boolean? /* = true *^n
  get() = definedExternally\n  set(value) = definedExternally\n  var channelCount: Boolean? /* = true *^n
  get() = definedExternally\n  set(value) = definedExternally\n  var deviceId: Boolean? /* = true *^n  get() =
  definedExternally\n  set(value) = definedExternally\n  var groupId: Boolean? /* = true *^n  get() =
  definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
  \"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
  MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
  frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
  sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl:
  Boolean? = true,

```

```

noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true, deviceId: Boolean? =
true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n  val o = js("{}")\n  o["width"] =
width\n  o["height"] = height\n  o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n
o["facingMode"] = facingMode\n  o["resizeMode"] = resizeMode\n  o["volume"] = volume\n
o["sampleRate"] = sampleRate\n  o["sampleSize"] = sampleSize\n  o["echoCancellation"] =
echoCancellation\n  o["autoGainControl"] = autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n
o["latency"] = latency\n  o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] =
groupId\n  return o\n}\n\npublic external interface MediaTrackCapabilities {\n  var width: ULongRange?\n
get() = definedExternally\n  set(value) = definedExternally\n  var height: ULongRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var aspectRatio: DoubleRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var frameRate: DoubleRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var facingMode: Array<String>?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var resizeMode: Array<String>?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var volume: DoubleRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var sampleRate: ULongRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var sampleSize: ULongRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var echoCancellation: Array<Boolean>?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var autoGainControl: Array<Boolean>?\n  get() =
definedExternally\n
  set(value) = definedExternally\n  var noiseSuppression: Array<Boolean>?\n  get() = definedExternally\n
  set(value) = definedExternally\n  var latency: DoubleRange?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var channelCount: ULongRange?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var deviceId: String?\n  get() = definedExternally\n  set(value) = definedExternally\n
var groupId: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange?
= undefined, sampleSize: ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined,
autoGainControl: Array<Boolean>? = undefined, noiseSuppression: Array<Boolean>? = undefined, latency:
DoubleRange? = undefined, channelCount: ULongRange? = undefined, deviceId: String? = undefined, groupId:
String? = undefined): MediaTrackCapabilities {\n  val o = js("{}")\n  o["width"] = width\n  o["height"] =
height\n  o["aspectRatio"] = aspectRatio\n  o["frameRate"] = frameRate\n  o["facingMode"] = facingMode\n
  o["resizeMode"] = resizeMode\n  o["volume"] = volume\n  o["sampleRate"] = sampleRate\n
o["sampleSize"] = sampleSize\n  o["echoCancellation"] = echoCancellation\n  o["autoGainControl"] =
autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n  o["latency"] = latency\n
o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] = groupId\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*\n\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n  var advanced:
Array<MediaTrackConstraintSet>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,

```

```

noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined,
groupId: dynamic = undefined): MediaTrackConstraints {
    val o = js("{}")
    o["advanced"] = advanced
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] =
frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] =
echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] =
groupId
    return o
}

public external interface MediaTrackConstraintSet {
    var width: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var height: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var frameRate: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var facingMode: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var resizeMode: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var volume: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var sampleRate: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var sampleSize: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var echoCancellation: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var autoGainControl: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var noiseSuppression: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var latency: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var channelCount: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var deviceId: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var groupId: dynamic
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun MediaTrackConstraintSet(
    width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined,
    facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined,
    sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined,
    latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet {
    val o = js("{}")
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

/** Exposes the JavaScript [MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin */
public external interface MediaTrackSettings {
    var width: Int?
    get() = definedExternally
    set(value) = definedExternally
    var height: Int?
    get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: Double?
    get() = definedExternally
    set(value) = definedExternally
    var frameRate: Double?
    get() = definedExternally
    set(value) = definedExternally
    var facingMode: String?
    get() = definedExternally
    set(value) = definedExternally
    var resizeMode: String?
    get() = definedExternally
    set(value) = definedExternally
    var volume: Double?
    get() = definedExternally
    set(value) = definedExternally
    var sampleRate: Int?
    get() = definedExternally
    set(value) = definedExternally
    var sampleSize: Int?
    get() = definedExternally
    set(value) = definedExternally
}

```

```

var echoCancellation: Boolean? \n    get() = definedExternally \n    set(value) = definedExternally \n    var
autoGainControl: Boolean? \n    get() = definedExternally \n
    set(value) = definedExternally \n    var noiseSuppression: Boolean? \n    get() = definedExternally \n
set(value) = definedExternally \n    var latency: Double? \n    get() = definedExternally \n    set(value) =
definedExternally \n    var channelCount: Int? \n    get() = definedExternally \n    set(value) = definedExternally \n
    var deviceId: String? \n    get() = definedExternally \n    set(value) = definedExternally \n    var groupId:
String? \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun MediaTrackSettings(width: Int? =
undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl:
Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int?
= undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings { \n    val o =
js("{}") \n    o["width"] = width \n    o["height"] = height \n    o["aspectRatio"] = aspectRatio \n
o["frameRate"] = frameRate \n    o["facingMode"] = facingMode \n    o["resizeMode"] = resizeMode \n
o["volume"] = volume \n    o["sampleRate"] = sampleRate \n    o["sampleSize"] = sampleSize \n
o["echoCancellation"] = echoCancellation \n    o["autoGainControl"] = autoGainControl \n
o["noiseSuppression"] = noiseSuppression \n    o["latency"] = latency \n    o["channelCount"] = channelCount \n
o["deviceId"] = deviceId \n    o["groupId"] = groupId \n    return o \n} \n \n /** \n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin \n
*/ \n public external open
class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) : Event { \n    open val
track: MediaStreamTrack \n \n    companion object { \n        val NONE: Short \n        val CAPTURING_PHASE:
Short \n        val AT_TARGET: Short \n        val BUBBLING_PHASE: Short \n    } \n \n \n public external interface
MediaStreamTrackEventInit : EventInit { \n    var track:
MediaStreamTrack? \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun MediaStreamTrackEventInit(track:
MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
MediaStreamTrackEventInit { \n    val o = js("{}") \n    o["track"] = track \n    o["bubbles"] = bubbles \n
o["cancelable"] = cancelable \n    o["composed"] = composed \n    return o \n} \n \n public external open class
OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event { \n    open val error:
dynamic \n \n
    companion object { \n        val NONE: Short \n        val CAPTURING_PHASE: Short \n        val AT_TARGET:
Short \n        val BUBBLING_PHASE: Short \n    } \n \n \n public external interface OverconstrainedErrorEventInit :
EventInit { \n    var error: dynamic /* = null */ \n    get() = definedExternally \n    set(value) =
definedExternally \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit { \n    val o = js("{}") \n    o["error"] = error \n    o["bubbles"] = bubbles \n
o["cancelable"] = cancelable \n    o["composed"] = composed \n    return o \n} \n \n /** \n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin \n
*/ \n public external
abstract class MediaDevices : EventTarget { \n    open var ondevicechange:
((Event) -> dynamic)? \n    fun enumerateDevices(): Promise<Array<MediaDeviceInfo>> \n    fun
getSupportedConstraints(): MediaTrackSupportedConstraints \n    fun getUserMedia(constraints:
MediaStreamConstraints = definedExternally): Promise<MediaStream> \n} \n \n /** \n * Exposes the JavaScript
[MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin \n
*/ \n public external abstract class MediaDeviceInfo { \n    open val deviceId: String \n    open val kind: MediaDeviceKind \n

```

```

open val label: String\n  open val groupId: String\n  fun toJSON(): dynamic\n}\n\npublic external abstract class
InputDeviceInfo : MediaDeviceInfo {\n  fun getCapabilities(): MediaTrackCapabilities\n}\n\n/**\n * Exposes the
JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to
Kotlin\n */\n\npublic external interface MediaStreamConstraints {\n  var video: dynamic /* = false */\n  get() =
definedExternally\n  set(value)
= definedExternally\n  var audio: dynamic /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n  val o = js(\"({})\")\n  o[\"video\"] =
video\n  o[\"audio\"] = audio\n  return o\n}\n\n\npublic external interface ConstrainablePattern {\n  var
onoverconstrained: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n
fun getCapabilities(): Capabilities\n  fun getConstraints(): Constraints\n  fun getSettings(): Settings\n  fun
applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n\n/**\n * Exposes the
JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\n\npublic
external interface DoubleRange {\n  var max:
Double?\n  get() = definedExternally\n  set(value) = definedExternally\n  var min: Double?\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun DoubleRange(max: Double? =
undefined, min: Double? = undefined): DoubleRange {\n  val o = js(\"({})\")\n  o[\"max\"] = max\n  o[\"min\"] =
min\n  return o\n}\n\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n  var exact: Double?\n
get() = definedExternally\n  set(value) = definedExternally\n  var ideal: Double?\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun ConstrainDoubleRange(exact: Double?
= undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange {\n  val o =
js(\"({})\")\n  o[\"exact\"] = exact\n  o[\"ideal\"] = ideal\n  o[\"max\"] = max\n  o[\"min\"] = min\n  return
o\n}\n\n\npublic external interface ULongRange {\n  var max: Int?\n  get() = definedExternally\n  set(value)
= definedExternally\n  var min: Int?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun ULongRange(max: Int? = undefined,
min: Int? = undefined): ULongRange {\n  val o = js(\"({})\")\n  o[\"max\"] = max\n  o[\"min\"] = min\n  return
o\n}\n\n\npublic external interface ConstrainULongRange : ULongRange {\n  var exact: Int?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ideal: Int?\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun ConstrainULongRange(exact:
Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n
val o = js(\"({})\")\n  o[\"exact\"] = exact\n  o[\"ideal\"] = ideal\n  o[\"max\"] = max\n  o[\"min\"] = min\n
return o\n}\n\n\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin\n */\n\npublic external interface ConstrainBooleanParameters {\n  var exact: Boolean?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ideal: Boolean?\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline fun ConstrainBooleanParameters(exact:
Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n  val o = js(\"({})\")\n
o[\"exact\"] = exact\n  o[\"ideal\"] = ideal\n  return o\n}\n\n\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n */\n\npublic external interface ConstrainDOMStringParameters {\n  var exact: dynamic\n  get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var ideal: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n    val o = js("{}")\n    o["exact"] = exact\n    o["ideal"] = ideal\n    return
o\n}\n\npublic external interface Capabilities\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n    val o
= js("{}")\n    return o\n}\n\npublic external interface Settings\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n    val o =
js("{}")\n    return o\n}\n\npublic external interface ConstraintSet\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n
val o = js("{}")\n    return o\n}\n\npublic external interface Constraints : ConstraintSet {\n    var advanced:
Array<ConstraintSet>?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n    val o = js("{}")\n    o["advanced"] = advanced\n
return o\n}\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaStreamTrackState {\n
    companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState
get() = "live".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
"ended".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoFacingModeEnum {\n    companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
"user".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
"environment".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
"left".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.RIGHT:
VideoFacingModeEnum get() = "right".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't
implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface VideoResizeModeEnum {\n    companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
"none".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = "crop-and-
scale".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaDeviceKind {\n    companion object\n}\n\npublic inline val
MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
"audioinput".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
"audiooutput".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic
inline val MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
"videoinput".asDynamic().unsafeCast<MediaDeviceKind>()),"/*\n * Copyright 2010-2021 JetBrains s.r.o. and

```

```

Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *^n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n\n\npublic
external open class MediaSource : EventTarget, MediaProvider {\n    open val sourceBuffers: SourceBufferList\n
open val activeSourceBuffers: SourceBufferList\n    open val readyState: ReadyState\n    var duration: Double\n
var onsourceopen: ((Event) -> dynamic)?\n    var onsourceended: ((Event) -> dynamic)?\n    var onsourceclose:
((Event) -> dynamic)?\n    fun addSourceBuffer(type: String): SourceBuffer\n    fun
removeSourceBuffer(sourceBuffer: SourceBuffer)\n    fun endOfStream(error: EndOfStreamError =
definedExternally)\n    fun setLiveSeekableRange(start: Double, end: Double)\n    fun clearLiveSeekableRange()\n\n
companion object {\n    fun isTypeSupported(type: String): Boolean\n    }\n}\n\n/**\n * Exposes the JavaScript
[SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n\n\npublic external
abstract class SourceBuffer : EventTarget {\n    open var mode: AppendMode\n    open val updating: Boolean\n
open val buffered: TimeRanges\n    open var timestampOffset: Double\n    open val audioTracks: AudioTrackList\n
open val videoTracks: VideoTrackList\n    open val textTracks: TextTrackList\n    open var appendWindowStart:
Double\n    open var appendWindowEnd:
Double\n    open var onupdatestart: ((Event) -> dynamic)?\n    open var onupdate: ((Event) -> dynamic)?\n    open
var onupdateend: ((Event) -> dynamic)?\n    open var onerror: ((Event) -> dynamic)?\n    open var onabort: ((Event)
-> dynamic)?\n    fun appendBuffer(data: dynamic)\n    fun abort()\n    fun remove(start: Double, end:
Double)\n}\n\n/**\n * Exposes the JavaScript
[SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n\n\npublic
external abstract class SourceBufferList : EventTarget {\n    open val length: Int\n    open var onaddsourcebuffer:
((Event) -> dynamic)?\n    open var onremovesourcebuffer: ((Event) ->
dynamic)?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SourceBufferList.get(index:
Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ReadyState {\n    companion object\n}\n\n\npublic inline val ReadyState.Companion.CLOSED: ReadyState
get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\n\npublic inline val ReadyState.Companion.OPEN:
ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\n\n\npublic inline val
ReadyState.Companion.ENDED: ReadyState get() = \"ended\".asDynamic().unsafeCast<ReadyState>()\n\n\n/*
please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface EndOfStreamError {\n    companion object\n}\n\n\n\npublic inline val
EndOfStreamError.Companion.NETWORK: EndOfStreamError get() =
\"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\n\n\npublic inline val
EndOfStreamError.Companion.DECODE: EndOfStreamError get() =
\"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface
AppendMode {\n    companion object\n}\n\n\n\npublic inline val AppendMode.Companion.SEGMENTS:
AppendMode get() = \"segments\".asDynamic().unsafeCast<AppendMode>()\n\n\n\npublic inline val
AppendMode.Companion.SEQUENCE: AppendMode get() =
\"sequence\".asDynamic().unsafeCast<AppendMode>())\n\n\n/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport

```



```

org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface
PointerEventInit : MouseEventInit {\n    var pointerId: Int? /* = 0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var width: Double? /* = 1.0 */\n        get() = definedExternally\n    set(value)
= definedExternally\n    var height: Double? /* = 1.0 */\n        get() = definedExternally\n    set(value) =
definedExternally\n    var pressure: Float? /* = 0f */\n        get() = definedExternally\n    set(value) =
definedExternally\n    var tangentialPressure: Float? /* = 0f */\n        get() = definedExternally\n    set(value) =
definedExternally\n    var tiltX: Int? /* = 0 */\n        get() = definedExternally\n    set(value) = definedExternally\n
    var tiltY: Int? /* = 0 */\n        get() = definedExternally\n    set(value) = definedExternally\n    var twist: Int? /* =
0 */\n        get() = definedExternally\n    set(value) = definedExternally\n    var pointerType: String? /* = \"\" */\n
        get() = definedExternally\n    set(value) = definedExternally\n    var isPrimary: Boolean? /* = false */\n
        get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f,
tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary:
Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean?
= false, composed: Boolean? = false): PointerEventInit {\n    val o = js(\"({})\")\n    o[\"pointerId\"] = pointerId\n
o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"pressure\"] = pressure\n    o[\"tangentialPressure\"] =
tangentialPressure\n    o[\"tiltX\"] = tiltX\n    o[\"tiltY\"] = tiltY\n    o[\"twist\"] = twist\n    o[\"pointerType\"] =
pointerType\n    o[\"isPrimary\"] = isPrimary\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n
o[\"clientX\"] = clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n
o[\"relatedTarget\"] = relatedTarget\n    o[\"region\"] = region\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] =
shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] =
modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n
o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n
o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n
o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"]
= modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\n\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n    open val
pointerId: Int\n    open val width: Double\n    open val height: Double\n    open val pressure: Float\n    open val
tangentialPressure: Float\n    open val tiltX: Int\n    open val tiltY: Int\n    open val twist: Int\n    open val
pointerType: String\n    open val isPrimary: Boolean\n\n    companion object {\n        val NONE: Short\n
        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n
    }\n}\n\n/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n//
NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\n\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n    open val
dataset: DOMStringMap\n    open val ownerSVGElement: SVGSVGElement?\n    open val

```

```

viewportElement: SVGElement?
open var tabIndex: Int
fun focus()
fun blur()
companion object
{
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}
}

public external interface
SVGBoundingBoxOptions {
    var fill: Boolean? /* = true */
    get() = definedExternally
    set(value) = definedExternally
    var stroke: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var markers: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var clipped: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun SVGBoundingBoxOptions(fill: Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {
    val o = js("{}")
    o["fill"] = fill
    o["stroke"] = stroke
    o["markers"] = markers
    o["clipped"] = clipped
    return o
}

/** Exposes the JavaScript [SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin */
public external abstract class SVGGraphicsElement : SVGElement, SVGTests {
    open val transform: SVGAnimatedTransformList
    fun getBBox(options: SVGBoundingBoxOptions = definedExternally): DOMRect
    fun getCTM(): DOMMatrix?
    fun getScreenCTM(): DOMMatrix?
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin */
public external abstract class SVGGeometryElement : SVGGraphicsElement {
    open val pathLength: SVGAnimatedNumber
    fun isPointInFill(point: DOMPoint): Boolean
    fun isPointInStroke(point: DOMPoint): Boolean
    fun getTotalLength(): Float
    fun getPointAtLength(distance: Float): DOMPoint
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin */
public external abstract class SVGNumber {
    open var value: Float
}

/** Exposes the JavaScript

```

```

[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n *\npublic external abstract
class SVGLength {\n  open val unitType: Short\n  open var value: Float\n  open var valueInSpecifiedUnits:
Float\n  open var valueAsString: String\n  fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n  fun convertToSpecifiedUnits(unitType: Short)\n\n  companion object {\n    val
SVG_LENGTHTYPE_UNKNOWN: Short\n    val SVG_LENGTHTYPE_NUMBER: Short\n    val
SVG_LENGTHTYPE_PERCENTAGE: Short\n    val SVG_LENGTHTYPE_EMS: Short\n    val
SVG_LENGTHTYPE_EXS: Short\n    val SVG_LENGTHTYPE_PX: Short\n    val
SVG_LENGTHTYPE_CM: Short\n    val SVG_LENGTHTYPE_MM: Short\n    val
SVG_LENGTHTYPE_IN: Short\n    val SVG_LENGTHTYPE_PT: Short\n    val SVG_LENGTHTYPE_PC:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n *\npublic external abstract
class SVGAngle {\n  open val unitType: Short\n  open var value: Float\n  open var valueInSpecifiedUnits:
Float\n  open var valueAsString: String\n  fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n  fun convertToSpecifiedUnits(unitType: Short)\n\n  companion object {\n    val
SVG_ANGLETYPE_UNKNOWN: Short\n    val SVG_ANGLETYPE_UNSPECIFIED: Short\n    val
SVG_ANGLETYPE_DEG: Short\n    val SVG_ANGLETYPE_RAD: Short\n    val
SVG_ANGLETYPE_GRAD: Short\n  }\n}\n\npublic external abstract class SVGNameList {\n  open val length:
Int\n  open val numberOfItems: Int\n  fun clear()\n  fun initialize(newItem:
dynamic): dynamic\n  fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n  fun replaceItem(newItem:
dynamic, index: Int): dynamic\n  fun removeItem(index: Int): dynamic\n  fun appendItem(newItem: dynamic):
dynamic\n  fun getItem(index: Int): dynamic\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n *\npublic external
abstract class SVGNumberList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun
initialize(newItem: SVGNumber): SVGNumber\n  fun insertItemBefore(newItem: SVGNumber, index:
Int): SVGNumber\n  fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n  fun removeItem(index:
Int): SVGNumber\n  fun appendItem(newItem: SVGNumber): SVGNumber\n  fun getItem(index: Int):
SVGNumber\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.get(index:
Int): SVGNumber? = asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n *\npublic external
abstract class SVGLengthList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun
initialize(newItem: SVGLength): SVGLength\n  fun insertItemBefore(newItem: SVGLength, index: Int):
SVGLength\n  fun replaceItem(newItem: SVGLength,
index: Int): SVGLength\n  fun removeItem(index: Int): SVGLength\n  fun appendItem(newItem: SVGLength):
SVGLength\n  fun getItem(index: Int): SVGLength\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index:
Int): SVGLength? = asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int,
newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n
*\npublic external abstract class SVGAnimatedBoolean {\n  open var baseVal: Boolean\n  open val animVal:
Boolean\n}\n\n/**\n * Exposes the JavaScript

```

[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n *\\npublic external abstract class SVGAnimatedEnumeration

```
{\\n  open var baseVal: Short\\n  open val animVal: Short\\n}\\n\\n/**\\n * Exposes the JavaScript
```

[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n *\\npublic external abstract class SVGAnimatedInteger {\\n open var baseVal: Int\\n open val animVal: Int\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n *\\npublic external abstract class SVGAnimatedNumber {\\n open var baseVal: Float\\n open val animVal: Float\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n *\\npublic external abstract class SVGAnimatedLength {\\n open val baseVal: SVGLength\\n open val animVal: SVGLength\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n *\\npublic external abstract class SVGAnimatedAngle {\\n open val baseVal: SVGAngle\\n open val animVal: SVGAngle\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n *\\npublic external abstract class SVGAnimatedString {\\n open var baseVal: String\\n open val animVal: String\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n *\\npublic external abstract class SVGAnimatedRect {\\n open val baseVal: DOMRect\\n open val animVal: DOMRectReadOnly\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n *\\npublic external abstract class SVGAnimatedNumberList {\\n open val baseVal: SVGNumberList\\n open val animVal: SVGNumberList\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n *\\npublic external abstract class SVGAnimatedLengthList {\\n open val baseVal: SVGLengthList\\n open val animVal: SVGLengthList\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n *\\npublic external abstract class SVGStringList {\\n open val length: Int\\n open val numberOfItems: Int\\n fun clear()\\n fun initialize(newItem: String): String\\n fun insertItemBefore(newItem: String, index: Int): String\\n fun replaceItem(newItem: String, index: Int): String\\n fun removeItem(index: Int): String\\n fun appendItem(newItem: String): String\\n fun getItem(index: Int): String\\n}\\n\\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\\n@kotlin.internal.InlineOnly\\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\\n\\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\\n@kotlin.internal.InlineOnly\\npublic inline operator fun SVGStringList.set(index: Int, newItem: String) { asDynamic()[index] = newItem }\\n\\n/**\\n * Exposes the JavaScript

[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n *\\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\\npublic external interface SVGUnitTypes {\\n companion object {\\n val SVG_UNIT_TYPE_UNKNOWN: Short\\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\\n }\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n *\\npublic external interface SVGTTests {\\n val requiredExtensions: SVGStringList\\n val systemLanguage: SVGStringList\\n}\\n\\npublic external interface SVGFitToViewBox {\\n val viewBox: SVGAnimatedRect\\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\\n}\\n\\n/**\\n * Exposes the JavaScript

[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n

```

*\/\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface SVGZoomAndPan {\n    var zoomAndPan: Short\n\n    companion object {\n        val
SVG_ZOOMANDPAN_UNKNOWN: Short\n        val SVG_ZOOMANDPAN_DISABLE: Short\n        val
SVG_ZOOMANDPAN_MAGNIFY: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic
external interface SVGURIReference {\n    val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript
[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic
external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan,
WindowEventHandlers {\n    open val x: SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val
width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n    open var currentScale: Float\n    open
val currentTranslate: DOMPointReadOnly\n    fun getIntersectionList(rect: DOMRectReadOnly, referenceElement:
SVGElement?): NodeList\n
        fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n    fun
checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n    fun checkEnclosure(element:
SVGElement, rect: DOMRectReadOnly): Boolean\n    fun deselectAll()\n    fun createSVGNumber():
SVGNumber\n    fun createSVGLength(): SVGLength\n    fun createSVGAngle(): SVGAngle\n    fun
createSVGPoint(): DOMPoint\n    fun createSVGMatrix(): DOMMatrix\n    fun createSVGRect(): DOMRect\n
    fun createSVGTransform(): SVGTransform\n    fun createSVGTransformFromMatrix(matrix:
DOMMatrixReadOnly): SVGTransform\n    fun getElementById(elementId: String): Element\n    fun
suspendRedraw(maxWaitMilliseconds: Int): Int\n    fun unsuspendRedraw(suspendHandleID: Int)\n    fun
unsuspendRedrawAll()\n    fun forceRedraw()\n\n    companion object {\n        val
SVG_ZOOMANDPAN_UNKNOWN: Short\n        val SVG_ZOOMANDPAN_DISABLE: Short\n        val
SVG_ZOOMANDPAN_MAGNIFY: Short\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external
abstract class SVGGElement : SVGGraphicsElement {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGUnknownElement : SVGGraphicsElement {\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val

```

```

ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic
external abstract class SVGDefsElement : SVGGraphicsElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n
        val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic
external abstract class SVGDescElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE:
Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val
DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to
Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE:
Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val
DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val
NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val
DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n
*/\npublic external abstract class SVGTitleElement : SVGElement {\n    companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic
external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n */\npublic external
abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n    open val instanceRoot: SVGElement?\n    open val animatedInstanceRoot:
SVGElement?\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external interface
SVGElementInstance {\n    val correspondingElement: SVGElement?\n    get() = definedExternally\n    val
correspondingUseElement: SVGUseElement?\n    get() = definedExternally\n}\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n    open val sourceAnimation: dynamic\n}\n\n/**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n */\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val

```

```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument(): Document\n}\n\n/**\n * Exposes
the JavaScript [SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n
*/\n\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n    open
var media: String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n
*/\n\npublic external
abstract class SVGTransform {\n    open val type: Short\n    open val matrix: DOMMatrix\n    open val angle:
Float\n    fun setMatrix(matrix: DOMMatrixReadOnly)\n    fun setTranslate(tx: Float, ty: Float)\n    fun setScale(sx:
Float, sy: Float)\n    fun setRotate(angle: Float, cx: Float, cy: Float)\n    fun setSkewX(angle: Float)\n    fun
setSkewY(angle: Float)\n\n    companion object {\n        val SVG_TRANSFORM_UNKNOWN: Short\n        val
SVG_TRANSFORM_MATRIX: Short\n        val SVG_TRANSFORM_TRANSLATE: Short\n        val
SVG_TRANSFORM_SCALE: Short\n        val SVG_TRANSFORM_ROTATE: Short\n        val
SVG_TRANSFORM_SKEWX: Short\n        val SVG_TRANSFORM_SKEWY: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList)
to Kotlin\n
*/\n\npublic external abstract class SVGTransformList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: SVGTransform): SVGTransform\n    fun
insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n    fun replaceItem(newItem:
SVGTransform, index: Int): SVGTransform\n    fun removeItem(index: Int): SVGTransform\n    fun
appendItem(newItem: SVGTransform): SVGTransform\n    fun createSVGTransformFromMatrix(matrix:
DOMMatrixReadOnly): SVGTransform\n    fun consolidate(): SVGTransform?\n    fun getItem(index: Int):
SVGTransform\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGTransformList.get(index:
Int): SVGTransform? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGTransformList.set(index:
Int, newItem: SVGTransform) { asDynamic()[index] = newItem
}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n
*/\n\npublic external abstract class SVGAnimatedTransformList {\n    open val baseVal:
SVGTransformList\n    open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*/\n\npublic external abstract class SVGPreserveAspectRatio {\n    open var align: Short\n    open var meetOrSlice:
Short\n\n    companion object {\n        val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n        val
SVG_PRESERVEASPECTRATIO_NONE: Short\n        val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n        val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n        val

```



```

SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n    val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n    val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n    val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n
    val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n    val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n    val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n    val SVG_MEETORSLICE_UNKNOWN: Short\n
    val SVG_MEETORSLICE_MEET: Short\n    val SVG_MEETORSLICE_SLICE: Short\n    }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n *\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n    open val baseVal:
SVGPreserveAspectRatio\n    open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n *\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n *\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n    open val x: SVGAnimatedLength\n    open
val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n
    open val rx: SVGAnimatedLength\n    open val ry:
SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n *\npublic
external abstract class SVGCircleElement : SVGGeometryElement
{\n    open val cx: SVGAnimatedLength\n    open val cy: SVGAnimatedLength\n    open val r:
SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement)
to Kotlin\n */\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\n    open val cx:
SVGAnimatedLength\n    open val cy: SVGAnimatedLength\n    open val rx: SVGAnimatedLength\n    open val ry:
SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic
external abstract class SVGLineElement : SVGGeometryElement {\n    open val x1: SVGAnimatedLength\n    open
val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val y2: SVGAnimatedLength\n\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n
*/\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
*/\npublic external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: DOMPoint): DOMPoint\n    fun
insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n    fun replaceItem(newItem: DOMPoint, index:
Int): DOMPoint\n    fun removeItem(index: Int): DOMPoint\n    fun appendItem(newItem: DOMPoint):
DOMPoint\n    fun getItem(index: Int): DOMPoint\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index: Int):
DOMPoint?

```

```

= asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGPointList.set(index: Int,
newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n
*\n\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n
companion object {\n
    val ELEMENT_NODE: Short\n
    val ATTRIBUTE_NODE: Short\n
    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n
    val ENTITY_REFERENCE_NODE: Short\n
    val ENTITY_NODE: Short\n
    val PROCESSING_INSTRUCTION_NODE: Short\n
    val COMMENT_NODE: Short\n
    val DOCUMENT_NODE: Short\n
    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n
    val NOTATION_NODE: Short\n
    val DOCUMENT_POSITION_DISCONNECTED: Short\n
    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n/**\n * Exposes the
JavaScript [SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to
Kotlin\n
*\n\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n
companion object {\n
    val ELEMENT_NODE: Short\n
    val ATTRIBUTE_NODE: Short\n
    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n
    val ENTITY_REFERENCE_NODE: Short\n
    val ENTITY_NODE: Short\n
    val PROCESSING_INSTRUCTION_NODE: Short\n
    val COMMENT_NODE: Short\n
    val DOCUMENT_NODE: Short\n
    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n
    val NOTATION_NODE: Short\n
    val DOCUMENT_POSITION_DISCONNECTED: Short\n
    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n
    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n/**\n * Exposes the
JavaScript [SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to
Kotlin\n
*\n\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n
    open val textLength: SVGAnimatedLength\n
    open val lengthAdjust: SVGAnimatedEnumeration\n
    fun getNumberOfChars(): Int\n
    fun getComputedTextLength(): Float\n
    fun getSubStringLength(charnum: Int, nchars: Int): Float\n
    fun getStartPositionOfChar(charnum: Int): DOMPoint\n
    fun getEndPositionOfChar(charnum: Int): DOMPoint\n
    fun getExtentOfChar(charnum: Int): DOMRect\n
    fun getRotationOfChar(charnum: Int): Float\n
    fun getCharNumAtPosition(point: DOMPoint): Int\n
    fun selectSubString(charnum: Int, nchars: Int)\n\n
    companion object {\n
        val LENGTHADJUST_UNKNOWN: Short\n
        val LENGTHADJUST_SPACING: Short\n
        val LENGTHADJUST_SPACINGANDGLYPHS: Short\n
        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n
        val ENTITY_NODE: Short\n
        val PROCESSING_INSTRUCTION_NODE: Short\n
        val COMMENT_NODE: Short\n
        val DOCUMENT_NODE: Short\n
        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n
        val NOTATION_NODE: Short\n
        val DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement)
to Kotlin\n
*\n\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n
    open val x: SVGAnimatedLengthList\n
    open val y: SVGAnimatedLengthList\n
    open val dx: SVGAnimatedLengthList\n
    open val dy: SVGAnimatedLengthList\n
    open val rotate:

```

```

SVGAnimatedNumberList companion object {
    val LENGTHADJUST_UNKNOWN: Short
    val LENGTHADJUST_SPACING: Short
    val LENGTHADJUST_SPACINGANDGLYPHS: Short
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/** Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin */
public external abstract class SVGTextElement : SVGTextPositioningElement {
    companion object {
        val LENGTHADJUST_UNKNOWN: Short
        val LENGTHADJUST_SPACING: Short
        val LENGTHADJUST_SPACINGANDGLYPHS: Short
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }

    /** Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin */
    public external abstract class SVGTSpanElement : SVGTextPositioningElement {
        companion object {
            val LENGTHADJUST_UNKNOWN: Short
            val LENGTHADJUST_SPACING: Short
            val LENGTHADJUST_SPACINGANDGLYPHS: Short
            val ELEMENT_NODE: Short
            val ATTRIBUTE_NODE: Short
            val TEXT_NODE: Short
            val CDATA_SECTION_NODE: Short
            val ENTITY_REFERENCE_NODE: Short
            val ENTITY_NODE: Short
            val PROCESSING_INSTRUCTION_NODE: Short
            val COMMENT_NODE: Short
            val DOCUMENT_NODE: Short
            val DOCUMENT_TYPE_NODE: Short
            val DOCUMENT_FRAGMENT_NODE: Short
            val NOTATION_NODE: Short
            val DOCUMENT_POSITION_DISCONNECTED: Short
            val DOCUMENT_POSITION_PRECEDING: Short
            val DOCUMENT_POSITION_FOLLOWING: Short
            val DOCUMENT_POSITION_CONTAINS: Short
            val DOCUMENT_POSITION_CONTAINED_BY: Short
            val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
        }

        /** Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin */
        public external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {
            open val startOffset: SVGAnimatedLength
            open val method: SVGAnimatedEnumeration
            open val spacing: SVGAnimatedEnumeration

            companion object {
                val TEXTPATH_METHODTYPE_UNKNOWN: Short
                val TEXTPATH_METHODTYPE_ALIGN: Short
                val TEXTPATH_METHODTYPE_STRETCH: Short
                val TEXTPATH_SPACINGTYPE_UNKNOWN: Short
                val TEXTPATH_SPACINGTYPE_AUTO: Short
                val TEXTPATH_SPACINGTYPE_EXACT: Short
                val LENGTHADJUST_UNKNOWN: Short
                val LENGTHADJUST_SPACING: Short
                val LENGTHADJUST_SPACINGANDGLYPHS: Short
                val ELEMENT_NODE: Short
                val ATTRIBUTE_NODE: Short
                val TEXT_NODE: Short
                val CDATA_SECTION_NODE: Short
            }
        }
    }
}

```

```

ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY:
Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n
*\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLorSVGImageElement {\n    open val x: SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open
val width: SVGAnimatedLength\n    open val height: SVGAnimatedLength\n    open val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio\n    open var crossOrigin: String?\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript
[SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to
Kotlin\n
*\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE:
Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val
DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n    open val refX: SVGAnimatedLength\n
    open val refY: SVGAnimatedLength\n    open val markerUnits: SVGAnimatedEnumeration\n    open val
markerWidth: SVGAnimatedLength\n    open val markerHeight: SVGAnimatedLength\n    open val orientType:
SVGAnimatedEnumeration\n    open val orientAngle: SVGAnimatedAngle\n    open var orient: String\n    fun
setOrientToAuto()\n    fun setOrientToAngle(angle:
SVGAngle)\n\n    companion object {\n        val SVG_MARKERUNITS_UNKNOWN: Short\n        val
SVG_MARKERUNITS_USERSPACEONUSE: Short\n        val SVG_MARKERUNITS_STROKEWIDTH:
Short\n        val SVG_MARKER_ORIENT_UNKNOWN: Short\n        val SVG_MARKER_ORIENT_AUTO:
Short\n        val SVG_MARKER_ORIENT_ANGLE: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to
Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n    companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n
*/\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n
open val gradientUnits: SVGAnimatedEnumeration\n    open val gradientTransform: SVGAnimatedTransformList\n
open val spreadMethod: SVGAnimatedEnumeration\n\n    companion object {\n        val
SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD: Short\n        val
SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT: Short\n        val
SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n    open val x1:
SVGAnimatedLength\n    open val y1: SVGAnimatedLength\n    open val x2: SVGAnimatedLength\n    open val
y2: SVGAnimatedLength\n\n    companion object {\n        val SVG_SPREADMETHOD_UNKNOWN: Short\n
        val SVG_SPREADMETHOD_PAD: Short\n        val SVG_SPREADMETHOD_REFLECT: Short\n        val
SVG_SPREADMETHOD_REPEAT: Short\n        val SVG_UNIT_TYPE_UNKNOWN: Short\n        val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:
    Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n    open val cx:
SVGAnimatedLength\n    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n    open val fx:
SVGAnimatedLength\n    open val fy: SVGAnimatedLength\n    open val fr: SVGAnimatedLength\n\n    companion
object {\n        val SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD:
Short\n        val SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT:
Short\n        val SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n        val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n
        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n    companion object {\n        val
SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD: Short\n        val
SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT: Short\n        val
SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n

```

```

    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin \n * \n public
external abstract class SVGStopElement : SVGElement { \n    open val offset: SVGAnimatedNumber \n \n
companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        } \n} \n \n /** \n * Exposes the JavaScript
[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin \n * \n public
external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference,
SVGUnitTypes { \n    open val patternUnits: SVGAnimatedEnumeration \n    open val patternContentUnits:
SVGAnimatedEnumeration \n    open val patternTransform: SVGAnimatedTransformList \n    open val x:
SVGAnimatedLength \n    open val y: SVGAnimatedLength \n    open val width: SVGAnimatedLength \n
    open val height: SVGAnimatedLength \n \n    companion object { \n        val SVG_UNIT_TYPE_UNKNOWN:
Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n public external abstract class
SVGHatchElement : SVGElement { \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n public external abstract class
SVGHatchpathElement : SVGElement { \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE:

```



```

Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic
external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n
    open var type: String\n
    open var crossOrigin: String?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external
abstract class SVGElement : SVGGraphicsElement,
SVGURIReference {\n    open val target: SVGAnimatedString\n    open val download: SVGAnimatedString\n
    open val rel: SVGAnimatedString\n    open val relList: SVGAnimatedString\n    open val hreflang:
SVGAnimatedString\n    open val type: SVGAnimatedString\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC:

```

```

Short\n } \n\n**\n * Exposes the JavaScript
[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n *\npublic
external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n companion
object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE:
Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val
DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n}"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport
org.w3c.xhr.*\n\n**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to
Kotlin\n *\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options:
BlobPropertyBag = definedExternally) : MediaProvider, ImageBitmapSource {\n open val size: Number\n open
val type: String\n open val isClosed: Boolean\n
fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally):
Blob\n fun close()\n}\n\npublic external interface BlobPropertyBag {\n var type: String? /* = \"\" */\n get()
= definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"):
BlobPropertyBag {\n val o = js(\"({})\")\n o[\"type\"] = type\n return o\n}\n\n**\n * Exposes the JavaScript
[File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n *\npublic external open class File(fileBits:
Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n open val name:
String\n open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n var
lastModified: Int?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n val o = js(\"({})\")\n o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n return o\n}\n\n**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n *\npublic external abstract class
FileList : ItemArrayLike<File> {\n override fun item(index: Int):
File?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File?
= asDynamic()[index]\n\n**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n *\npublic external open class
FileReader : EventTarget {\n open val readyState: Short\n open val result: dynamic\n open val error:
dynamic\n var onloadstart:
((ProgressEvent) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n var onload: ((Event) ->
dynamic)?\n var onabort: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n var onloadend:
((Event) -> dynamic)?\n fun readAsArrayBuffer(blob: Blob)\n fun readAsBinaryString(blob: Blob)\n fun
readAsText(blob: Blob, label: String = definedExternally)\n fun readAsDataURL(blob: Blob)\n fun abort()\n}

```

```

companion object {
    val EMPTY: Short
    val LOADING: Short
    val DONE: Short
}

/** Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin
 */
@public external open class FileReaderSync {
    fun readAsArrayBuffer(blob: Blob): ArrayBuffer
    fun readAsBinaryString(blob: Blob): String
    fun readAsText(blob: Blob, label: String = definedExternally): String
    fun readAsDataURL(blob: Blob): String
}

/** Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!
// See github.com/kotlin/dukat for details
@package org.w3c.notifications
@import kotlin.js
@import org.khronos.webgl
@import org.w3c.dom.events
@import org.w3c.workers

/** Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin
 */
@public external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {
    var onclick: ((MouseEvent) -> dynamic)?
    var onerror: ((Event) -> dynamic)?
    open val title: String
    open val dir: NotificationDirection
    open val lang: String
    open val body: String
    open val tag: String
    open val image: String
    open val icon: String
    open val badge: String
    open val sound: String
    open val vibrate: Array<out Int>
    open val timestamp: Number
    open val renotify: Boolean
    open val silent: Boolean
    open val noscreen: Boolean
    open val requireInteraction: Boolean
    open val sticky: Boolean
    open val data: Any?
    open val actions: Array<out NotificationAction>
    fun close()
    companion object {
        val permission: NotificationPermission
        val maxActions: Int
        fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>
    }
}

@public external interface NotificationOptions {
    var dir: NotificationDirection? /* = NotificationDirection.AUTO */
    get() = definedExternally
    set(value) = definedExternally
    var lang: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var body: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var tag: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var image: String?
    get() = definedExternally
    set(value) = definedExternally
    var icon: String?
    get() = definedExternally
    set(value) = definedExternally
    var badge: String?
    get() = definedExternally
    set(value) = definedExternally
    var sound: String?
    get() = definedExternally
    set(value) = definedExternally
    var vibrate: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var timestamp: Number?
    get() = definedExternally
    set(value) = definedExternally
    var renotify: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var silent: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var noscreen: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var requireInteraction: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var sticky: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var data: Any? /* = null */
    get() = definedExternally
    set(value) = definedExternally
    var actions: Array<NotificationAction>? /* = arrayOf() */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
@public inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body: String? = "", tag: String? = "", image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {
    val o = js("{}")
    o["dir"] = dir
    o["lang"] = lang
    o["body"] = body
    o["tag"] = tag
    o["image"] = image
    o["icon"] = icon
    o["badge"] = badge
    o["sound"] = sound
    o["vibrate"] = vibrate
    o["timestamp"] = timestamp
    o["renotify"] = renotify
    o["silent"] = silent
    o["noscreen"] = noscreen
}

```

```

o["requireInteraction"] = requireInteraction\n  o["sticky"] = sticky\n  o["data"] = data\n  o["actions"] =
actions\n  return o\n}\n\npublic external interface NotificationAction {\n  var action: String?\n  var title:
String?\n  var icon: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic
inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\n  val
o = js("{}")\n  o["action"] = action\n  o["title"] = title\n  o["icon"] = icon\n  return o\n}\n\npublic
external interface GetNotificationOptions {\n  var tag: String? /* = "" */\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? =
""): GetNotificationOptions {\n  val o = js("{}")\n  o["tag"] = tag\n  return o\n}\n\n/**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*/\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n  open val notification: Notification\n  open val action: String\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n
var notification: Notification?\n  var action: String? /* = "" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n  val o = js("{}")\n  o["notification"] = notification\n  o["action"] =
action\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\n/* please, don't implement this interface!
*/\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic
external interface NotificationPermission {\n  companion object\n}\n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
"default".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
"denied".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
"granted".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*/\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface NotificationDirection {\n  companion object\n}\n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
"auto".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
"ltr".asDynamic().unsafeCast<NotificationDirection>()\n\npublic
inline val NotificationDirection.Companion.RTL: NotificationDirection get() =
"rtl".asDynamic().unsafeCast<NotificationDirection>()"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.fetch.*\nimport
org.w3c.notifications.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n
*/\n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n  open val scriptURL: String\n  open val state:
ServiceWorkerState\n

```

```

open var onstatechange: ((Event) -> dynamic)?\n fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n\n * public external abstract class ServiceWorkerRegistration : EventTarget {\n open val installing:
ServiceWorker?\n open val waiting: ServiceWorker?\n open val active: ServiceWorker?\n open val scope:
String\n open var onupdatefound: ((Event) -> dynamic)?\n open val APISpace: dynamic\n fun update():
Promise<Unit>\n fun unregister(): Promise<Boolean>\n fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer)
to Kotlin\n\n * public external abstract class ServiceWorkerContainer : EventTarget {\n open val controller:
ServiceWorker?\n open val ready: Promise<ServiceWorkerRegistration>\n open var oncontrollerchange:
((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n fun startMessages()\n}\n\n public external interface
RegistrationOptions {\n var scope: String?\n get() = definedExternally\n set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n @kotlin.internal.InlineOnly\n public
inline fun RegistrationOptions(scope: String? = undefined, type: WorkerType? = WorkerType.CLASSIC):
RegistrationOptions {\n val o = js(\"({})\")\n o[\"scope\"] = scope\n o[\"type\"] = type\n return o\n}\n\n /**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n\n * public external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n open val data: Any?\n open val origin:
String\n open val lastEventId: String\n open val source: UnionMessagePortOrServiceWorker?\n open val
ports: Array<out MessagePort>?\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\n public external interface ServiceWorkerMessageEventInit : EventInit {\n var data: Any?\n get()
= definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n
set(value) = definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) =
definedExternally\n var source: UnionMessagePortOrServiceWorker?\n get() = definedExternally\n
set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n @Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n @kotlin.internal.InlineOnly\n public inline fun ServiceWorkerMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n val o =
js(\"({})\")\n o[\"data\"] = data\n
o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n o[\"ports\"] = ports\n
o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return
o\n}\n\n /**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n\n * public external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n open val clients:
Clients\n open val registration: ServiceWorkerRegistration\n open var oninstall: ((Event) -> dynamic)?\n open
var onactivate: ((Event) -> dynamic)?\n open var onfetch: ((FetchEvent) -> dynamic)?\n open var

```

```

onforeignfetch: ((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n  open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n  open var onfunctionalevent: ((Event) -> dynamic)?\n  fun skipWaiting():
  Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n  open val url: String\n  open val frameType: FrameType\n
open val id: String\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n */\npublic external abstract class WindowClient : Client {\n  open val visibilityState: dynamic\n  open
val focused: Boolean\n  fun focus(): Promise<WindowClient>\n  fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class
Clients {\n  fun get(id: String): Promise<Any?>\n  fun matchAll(options: ClientQueryOptions =
definedExternally):
  Promise<Array<Client>>\n  fun openWindow(url: String): Promise<WindowClient?>\n  fun claim():
Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n  var includeUncontrolled: Boolean? /* =
false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var type: ClientType? /* =
ClientType.WINDOW */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW):
ClientQueryOptions {\n  val o = js("{}")\n  o["includeUncontrolled"] = includeUncontrolled\n  o["type"] =
type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external
open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit =
definedExternally) : Event {\n  fun waitUntil(f: Promise<Any?>)\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface ExtendableEventInit :
EventInit\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n  val o =
js("{}")\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n  fun
registerForeignFetch(options: ForeignFetchOptions)\n\n  companion object
{\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface ForeignFetchOptions {\n  var scopes:
Array<String>?\n  var origins: Array<String>?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n  val o = js("{}")\n  o["scopes"] =
scopes\n  o["origins"] = origins\n  return o\n}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n  open val request: Request\n  open
val clientId: String?\n  open val isReload: Boolean\n  fun respondWith(r: Promise<Response>)\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE:
Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
FetchEventInit : ExtendableEventInit {\n  var request: Request?\n  var clientId: String? /* = null */\n  get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var isReload: Boolean? /* = false */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?,
clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): FetchEventInit {\n    val o = js(\"({})\")\n    o[\"request\"] = request\n    o[\"clientId\"]
= clientId\n    o[\"isReload\"] = isReload\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\npublic external open class ForeignFetchEvent(type:
String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n    open val request: Request\n    open val
origin: String\n    fun respondWith(r: Promise<ForeignFetchResponse>)\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n    var request:
Request?\n    var origin: String? /* = \"null\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n    val o = js(\"({})\")\n    o[\"request\"] = request\n    o[\"origin\"] = origin\n
o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\npublic external interface ForeignFetchResponse {\n    var
response: Response?\n    var origin: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var headers: Array<String>?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n    val o =
js(\"({})\")\n    o[\"response\"] = response\n    o[\"origin\"] = origin\n    o[\"headers\"] = headers\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*/\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent
{\n    open val data: Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source:
UnionClientOrMessagePortOrServiceWorker?\n    open val ports: Array<out MessagePort>?\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ExtendableMessageEventInit :
ExtendableEventInit {\n    var data: Any?\n    get() = definedExternally\n    set(value) = definedExternally\n
var origin: String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var lastEventId:
String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var source:
UnionClientOrMessagePortOrServiceWorker?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var ports: Array<MessagePort>?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n
val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n
o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n
*/\npublic external abstract class Cache
{\n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n    fun
matchAll(request: dynamic

```

```

= definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Response>>\n fun
add(request: dynamic): Promise<Unit>\n fun addAll(requests: Array<dynamic>): Promise<Unit>\n fun
put(request: dynamic, response: Response): Promise<Unit>\n fun delete(request: dynamic, options:
CacheQueryOptions = definedExternally): Promise<Boolean>\n fun keys(request: dynamic = definedExternally,
options: CacheQueryOptions = definedExternally): Promise<Array<Request>>\n}\n\npublic external interface
CacheQueryOptions {\n var ignoreSearch: Boolean? /* = false */\n get() = definedExternally\n set(value)
= definedExternally\n var ignoreMethod: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var ignoreVary: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var cacheName: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined):
CacheQueryOptions {\n val o = js(\"({})\")\n o[\"ignoreSearch\"] = ignoreSearch\n o[\"ignoreMethod\"] =
ignoreMethod\n o[\"ignoreVary\"] = ignoreVary\n o[\"cacheName\"] = cacheName\n return o\n}\n\npublic
external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) =
definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n
var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options:
CacheQueryOptions?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline fun CacheBatchOperation(type: String? = undefined, request: Request? = undefined, response: Response? =
undefined, options: CacheQueryOptions? = undefined): CacheBatchOperation {\n val o = js(\"({})\")\n
o[\"type\"] = type\n o[\"request\"] = request\n o[\"response\"] = response\n o[\"options\"] = options\n return
o\n}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external
abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String):
Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys():
Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n
val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface
UnionMessagePortOrServiceWorker\n\npublic external interface
UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ServiceWorkerState {\n companion object\n}\n\npublic inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
\"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
\"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
\"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
\"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic
inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
\"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface FrameType {\n companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY:
FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val

```



```

FrameType.Companion.TOP_LEVEL: FrameType get() = `top-
level`.asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType
get() = `nested`.asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE:
FrameType get() = `none`.asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*/\n\n@JsName(`null`)\n\n@Suppress(`NESTED_CLASS_IN_EXTERNAL_INTERFACE`)\n\npublic external
interface ClientType {\n    companion object{\n}\n\npublic inline val ClientType.Companion.WINDOW:
ClientType get() = `window`.asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.WORKER: ClientType get() =
`worker`.asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
`sharedworker`.asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = `all`.asDynamic().unsafeCast<ClientType>()`, /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n See github.com/kotlin/dukat for details\n\npackage org.w3c.xr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.files.*\n\n/*\n *
Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget)
to Kotlin\n\n */\n\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n    open var
onloadstart: ((ProgressEvent) -> dynamic)?\n    open var onprogress: ((ProgressEvent) -> dynamic)?\n    open var
onabort: ((Event) -> dynamic)?\n    open var onerror: ((Event) -> dynamic)?\n    open var onload: ((Event) ->
dynamic)?\n    open var ontimeout: ((Event) -> dynamic)?\n    open var onloadend: ((Event) ->
dynamic)?\n}\n\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/*\n *
Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to
Kotlin\n\n */\n\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n    var
onreadystatechange: ((Event) -> dynamic)?\n    open val readyState: Short\n    var timeout: Int\n    var
withCredentials: Boolean\n    open val upload: XMLHttpRequestUpload\n    open val responseURL: String\n    open
val status: Short\n
    open val statusText: String\n    var responseType: XMLHttpRequestResponseType\n    open val response: Any?\n
    open val responseText: String\n    open val responseXML: Document?\n    fun open(method: String, url: String)\n
    fun open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? =
definedExternally)\n    fun setRequestHeader(name: String, value: String)\n    fun send(body: dynamic =
definedExternally)\n    fun abort()\n    fun getResponseHeader(name: String): String?\n    fun
getAllResponseHeaders(): String\n    fun overrideMimeType(mime: String)\n\n    companion object {\n        val
UNSENT: Short\n        val OPENED: Short\n        val HEADERS_RECEIVED: Short\n        val LOADING:
Short\n        val DONE: Short\n    }\n}\n\n\n/*\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n\n */\n\npublic external open class
FormData(form: HTMLFormElement = definedExternally) {\n    fun
append(name: String, value: String)\n    fun append(name: String, value: Blob, filename: String =
definedExternally)\n    fun delete(name: String)\n    fun get(name: String): dynamic\n    fun getAll(name: String):
Array<dynamic>\n    fun has(name: String): Boolean\n    fun set(name: String, value: String)\n    fun set(name:
String, value: Blob, filename: String = definedExternally)\n}\n\n\n/*\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n\n */\n\npublic external open
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n    open val
lengthComputable: Boolean\n    open val loaded: Number\n    open val total: Number\n\n    companion object {\n
        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\n\npublic external interface ProgressEventInit : EventInit {\n    var
lengthComputable: Boolean? /* = false

```

```

*^n    get() = definedExternally^n    set(value) = definedExternally^n    var loaded: Number? /* = 0 */^n
get() = definedExternally^n    set(value) = definedExternally^n    var total: Number? /* = 0 */^n    get() =
definedExternally^n    set(value) = definedExternally^n}^n^n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")^n@kotlin.internal.InlineOnly^npublic inline fun ProgressEventInit(lengthComputable:
Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): ProgressEventInit {^n    val o = js("{}")^n    o["lengthComputable"] =
lengthComputable^n    o["loaded"] = loaded^n    o["total"] = total^n    o["bubbles"] = bubbles^n
o["cancelable"] = cancelable^n    o["composed"] = composed^n    return o^n}^n^n/* please, don't implement this
interface! */^n@JsName("null")^n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")^npublic
external interface
XMLHttpRequestResponseType {^n    companion object^n}^n^npublic inline val
XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()^n^npublic inline val
XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
"arraybuffer".asDynamic().unsafeCast<XMLHttpRequestResponseType>()^n^npublic inline val
XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
"blob".asDynamic().unsafeCast<XMLHttpRequestResponseType>()^n^npublic inline val
XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
"document".asDynamic().unsafeCast<XMLHttpRequestResponseType>()^n^npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
"json".asDynamic().unsafeCast<XMLHttpRequestResponseType>()^n^npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
"text".asDynamic().unsafeCast<XMLHttpRequestResponseType>()", /*^n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.^n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.^n */^n^npackage
kotlin^n^nimport kotlin.annotation.AnnotationRetention.BINARY^n^nimport
kotlin.annotation.AnnotationRetention.SOURCE^n^nimport kotlin.annotation.AnnotationTarget.*^n^nimport
kotlin.internal.RequireKotlin^n^nimport kotlin.internal.RequireKotlinVersionKind^n^nimport
kotlin.reflect.KClass^n^n/**^n * Signals that the annotated annotation class is a marker of an experimental API.^n *^n
* Any declaration annotated with that marker is considered an experimental declaration^n * and its call sites should
accept the experimental aspect of it either by using [UseExperimental],^n * or by being annotated with that marker
themselves, effectively causing further propagation of that experimental aspect.^n *^n * This class is deprecated in
favor of a
more general approach provided by [RequiresOptIn]/[OptIn].^n
*/^n@Target(ANNOTATION_CLASS)^n@Retention(BINARY)^n@SinceKotlin("1.2")^n@RequireKotlin("1.2.50
", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)^n@Deprecated("Please use RequiresOptIn
instead.")^npublic annotation class Experimental(val level: Level = Level.ERROR) {^n    /**^n     * Severity of the
diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental
aspect^n     * of that API either by using [UseExperimental] or by being annotated with the corresponding marker
annotation.^n     */^n    public enum class Level {^n        /** Specifies that a warning should be reported on incorrect
usages of this experimental API. */^n        WARNING,^n        /** Specifies that an error should be reported on
incorrect usages of this experimental API. */^n        ERROR,^n        }^n}^n^n/**^n * Allows to use experimental API
denoted by the given markers in the annotated file,
declaration, or expression.^n * If a declaration is annotated with [UseExperimental], its usages are **not** required
to opt-in to that experimental API.^n *^n * This class is deprecated in favor of a more general approach provided by
[RequiresOptIn]/[OptIn].^n */^n@Target(^n    CLASS, PROPERTY, LOCAL_VARIABLE,
VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER,
EXPRESSION, FILE,

```

```

TYPEALIAS\n\n@Retention(SOURCE)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated("Please use OptIn instead.",
ReplaceWith("OptIn(*markerClass)", "kotlin.OptIn"))\npublic annotation class UseExperimental(\n    vararg val
markerClass: KClass<out Annotation>\n)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,
TYPEALIAS)\n@Retention(BINARY)\ninternal annotation class WasExperimental(\n    vararg val markerClass:
KClass<out Annotation>\n)\n\n", "package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n
 * This annotation marks the standard library API that is considered experimental and is not subject to the\n *
[general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given
for the standard library:\n * the behavior of such API may be changed or the API may be removed completely in any
further release.\n * > Beware using the annotated API especially if you're developing a library, since your library
might become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a
declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the
[OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.ExperimentalStdlibApi`. \n *\n @Suppress("DEPRECATION")\n @Experimental(level =
Experimental.Level.ERROR)\n @RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n @Retention(AnnotationRetention.BINARY)\n @Target(\n
    CLASS,\n    ANNOTATION_CLASS,\n    PROPERTY,\n    FIELD,\n    LOCAL_VARIABLE,\n
    VALUE_PARAMETER,\n    CONSTRUCTOR,\n    FUNCTION,\n    PROPERTY_GETTER,\n
    PROPERTY_SETTER,\n    TYPEALIAS\n)\n @MustBeDocumented\n @SinceKotlin("1.3")\n public annotation
class ExperimentalStdlibApi\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\nimport
kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function
from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a
generic function parameter of a function,\n * it enables to infer the type arguments of that generic function from the
lambda body passed to that parameter.\n *\n * The calls that affect
inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type.
The extensions must be themselves annotated with `@BuilderInference`. \n *\n * Example: we declare\n * ```\n * fun
<T> sequence(@BuilderInference block: suspend SequenceScope<T>().) -> Unit): Sequence<T>\n * ```\n * and use
it like\n * ```\n * val result = sequence { yield("result") }\n * ```\n * Here the type argument of the resulting
sequence is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside
the lambda passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on
how to opt-in for it.\n *\n @Target(VALUE_PARAMETER, FUNCTION,
PROPERTY)\n @Retention(AnnotationRetention.BINARY)\n @SinceKotlin("1.3")\n @ExperimentalTypeInferenc
e\n public annotation class BuilderInference\n\n\n/**\n * Enables overload selection based on the type of the value
returned from lambda argument.\n
*\n * When two or more function overloads have otherwise the same parameter lists that differ only in the return
type\n * of a functional parameter, this annotation enables overload selection by the type of the value returned
from\n * the lambda function passed to this functional parameter.\n *\n * Example:\n * ```\n *
@OverloadResolutionByLambdaReturnType\n * fun create(intProducer: () -> Int): Int\n * fun
create(doubleProducer: () -> Double): Double\n * val newValue = create { 3.14 }\n * ```\n *\n * The annotation
being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned\n * from the
lambda function.\n *\n * This annotation is also used to discriminate the annotated overloads in case if overload
selection still cannot\n * choose one of them even taking in account the result of lambda parameter analysis. In that
case a warning is reported.\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how
to opt-in
for it.\n
*\n @Target(FUNCTION)\n @Retention(AnnotationRetention.BINARY)\n @SinceKotlin("1.4")\n @Experimental

```

```

TypeInference\npublic annotation class OverloadResolutionByLambdaReturnType", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n */\n *
Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating
that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n * or by using the
compiler argument `-Xopt-in=kotlin.ExperimentalMultiplatform`\n\n
*/\n\n@Suppress("DEPRECATION")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n
TYPE_ALIAS)\n\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic annotation class ExperimentalMultiplatform\n\n/**\n *
Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n */\n *
This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as
`optional`.\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional
annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no
corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased when
compiling code on that platform.\n */\n\n
* Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\n\n
*/\n\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic
annotation class OptionalExpectation\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an API that requires an explicit opt-in.\n */\n * Call sites of any declaration annotated
with that
marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker themselves,
effectively causing further propagation of the opt-in requirement.\n */\n * This class requires opt-in itself and can
only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`\n * @property message message to
be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The
default message is: `\"This declaration is experimental and its usage should be marked with 'Marker`\n *
or '@OptIn(Marker::class)`\", where `Marker` is the opt-in requirement marker.\n * @property level specifies how
usages of API without an explicit opt-in are reported in code.\n\n
*/\n\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70
", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic annotation class RequiresOptIn(\n
val message: String = "",\n
val level: Level = Level.ERROR)\n) {\n    /**\n     * Severity of the diagnostic that should be reported on usages
which did not explicitly opt into\n     * the API either by using [OptIn] or by being annotated with the
corresponding marker annotation.\n     */\n    public enum class Level {\n        /** Specifies that a warning should be
reported on incorrect usages of this API. */\n        WARNING,\n        /** Specifies that an error should be reported
on incorrect usages of this API. */\n        ERROR,\n    }\n}\n\n/**\n * Allows to use the API denoted by the given
markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [OptIn], its usages are
**not** required to opt in to that API.\n */\n * This class requires opt-in itself and can only be used with the

```

```

compiler argument `Xopt-in=kotlin.RequiresOptIn`.n */n@Target(n CLASS, PROPERTY,
LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER,
PROPERTY_SETTER, EXPRESSION,
FILE, TYPEALIAS)n)n@Retention(SOURCE)n@SinceKotlin("1.3")n@RequireKotlin("1.3.70", versionKind
= RequireKotlinVersionKind.COMPILER_VERSION)npublic annotation class OptIn(n vararg val markerClass:
KClass<out Annotation>n)n", "/*n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.n */npackage kotlin.collections.nimport kotlin.js.JsName\n\n/**n * Provides a skeletal
implementation of the read-only [Collection] interface.n */n * @param E the type of elements contained in the
collection. The collection is covariant in its element type.n */n@SinceKotlin("1.1")npublic abstract class
AbstractCollection<out E> protected constructor() : Collection<E> {n abstract override val size: Int\n abstract
override fun iterator(): Iterator<E>n\n override fun contains(element: @UnsafeVariance E): Boolean = any { it
== element
}n\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =n elements.all {
contains(it) } // use when js will support bound refs: elements.all(this::contains)n\n override fun isEmpty():
Boolean = size == 0\n\n override fun toString(): String = joinToString(", ", "[", "]") {n if (it === this)
\"(this Collection)\" else it.toString()\n }n\n /**n * Returns new array of type `Array<Any?>` with the
elements of this collection.n */n @JsName("toArray")n protected open fun toArray(): Array<Any?> =
copyToArrayImpl(this)n\n /**n * Fills the provided [array] or creates new array of the same type\n * and
fills it with the elements of this collection.n */n protected open fun <T> toArray(array: Array<T>): Array<T>
= copyToArrayImpl(this, array)n\n", "/*n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.n * Use of this source code is governed by the Apache
2.0 license that can be found in the license/LICENSE.txt file.n */npackage kotlin.collections.n\nprivate enum
class State {n Ready,n NotReady,n Done,n Failed\n}\n\n/**n * A base class to simplify implementing
iterators so that implementations only have to implement [computeNext]\n * to implement the iterator, calling
[done] when the iteration is complete.n */npublic abstract class AbstractIterator<T> : Iterator<T> {n private var
state = State.NotReady\n private var nextValue: T? = null\n\n override fun hasNext(): Boolean {n
require(state != State.Failed)\n return when (state) {n State.Done -> false\n State.Ready -> true\n
else -> tryToComputeNext()\n }n }n\n override fun next(): T {n if (!hasNext()) throw
NoSuchElementException()\n state = State.NotReady\n @Suppress("UNCHECKED_CAST")n
return nextValue as T\n }n\n private fun tryToComputeNext(): Boolean
{n state = State.Failed\n computeNext()\n return state == State.Ready\n }n\n /**n * Computes
the next item in the iterator.n */n * This callback method should call one of these two methods:n */n * *
[setNext] with the next value of the iteration\n * * [done] to indicate there are no more elements\n */n *
Failure to call either method will result in the iteration terminating with a failed state\n */n abstract protected
fun computeNext(): Unit\n\n /**n * Sets the next value in the iteration, called from the [computeNext]
function\n */n protected fun setNext(value: T): Unit {n nextValue = value\n state = State.Ready\n
}n\n /**n * Sets the state to done so that the iteration terminates.n */n protected fun done() {n state
= State.Done\n }n}\n\n", "/*n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.n */n\n\n *
Based on GWT AbstractList\n * Copyright 2007 Google Inc.n */npackage kotlin.collections.n\n\n/**n * Provides
a skeletal implementation of the read-only [List] interface.n */n * This class is intended to help implementing read-
only lists so it doesn't support concurrent modification tracking.n */n * @param E the type of elements contained in
the list. The list is covariant in its element type.n */n@SinceKotlin("1.1")npublic abstract class AbstractList<out
E> protected constructor() : AbstractCollection<E>(), List<E> {n abstract override val size: Int\n abstract
override fun get(index: Int): E\n\n override fun iterator(): Iterator<E> = IteratorImpl()\n\n override fun
indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }n\n override fun

```

```

lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\n\n override
fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> =
ListIteratorImpl(index)\n\n override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex,
toIndex)\n\n private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex:
Int) : AbstractList<E>(), RandomAccess {\n    private var _size: Int = 0\n    init {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n        this._size = toIndex - fromIndex\n    }\n\n
override fun get(index: Int): E {\n        checkElementIndex(index, _size)\n        return list[fromIndex +
index]\n    }\n\n    override val size: Int get() = _size\n }\n\n /**\n * Compares this list with other list
instance with the ordered structural equality.\n * @return true, if [other] instance is a [List] of the same
size, which contains the same elements in the same
order.\n */\n override fun equals(other: Any?): Boolean {\n    if (other === this) return true\n    if (other !is
List<*>) return false\n\n    return orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for
this list.\n */\n override fun hashCode(): Int = orderedHashCode(this)\n\n private open inner class IteratorImpl
: Iterator<E> {\n    /** the index of the item that will be returned on the next call to [next]`() */\n    protected
var index = 0\n\n    override fun hasNext(): Boolean = index < size\n\n    override fun next(): E {\n        if
(!hasNext()) throw NoSuchElementException()\n        return get(index++)\n    }\n }\n\n /**\n *
Implementation of [ListIterator] for abstract lists.\n */\n private open inner class ListIteratorImpl(index: Int) :
IteratorImpl(), ListIterator<E> {\n    init {\n        checkPositionIndex(index, this@AbstractList.size)\n
this.index
= index\n    }\n\n    override fun hasNext(): Boolean = index > 0\n\n    override fun nextIndex(): Int =
index\n\n    override fun previous(): E {\n        if (!hasPrevious()) throw NoSuchElementException()\n
return get(--index)\n    }\n\n    override fun previousIndex(): Int = index - 1\n }\n\n internal companion
object {\n    internal fun checkElementIndex(index: Int, size: Int) {\n        if (index < 0 || index >= size) {\n
throw IndexOutOfBoundsException("index: $index, size: $size")\n        }\n    }\n\n    internal fun
checkPositionIndex(index: Int, size: Int) {\n        if (index < 0 || index > size) {\n            throw
IndexOutOfBoundsException("index: $index, size: $size")\n        }\n    }\n\n    internal fun
checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n        if (fromIndex < 0 || toIndex > size) {\n
throw IndexOutOfBoundsException("fromIndex:
$fromIndex, toIndex: $toIndex, size: $size")\n        }\n        if (fromIndex > toIndex) {\n            throw
IllegalArgumentException("fromIndex: $fromIndex > toIndex: $toIndex")\n        }\n    }\n\n    internal fun
checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n        if (startIndex < 0 || endIndex > size) {\n
throw IndexOutOfBoundsException("startIndex: $startIndex, endIndex: $endIndex, size: $size")\n        }\n
if (startIndex > endIndex) {\n            throw IllegalArgumentException("startIndex: $startIndex > endIndex:
$endIndex")\n        }\n    }\n\n    internal fun orderedHashCode(c: Collection<*>): Int {\n        var
hashCode = 1\n        for (e in c) {\n            hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n        }\n
return hashCode\n    }\n\n    internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean
{\n        if (c.size != other.size) return false\n\n        val otherIterator = other.iterator()\n        for (elem in c)
{\n            val elemOther = otherIterator.next()\n            if (elem != elemOther) {\n                return false\n
            }\n        }\n        return true\n    }\n }\n\n /**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n /**\n * Based on GWT AbstractMap\n * Copyright 2007 Google
Inc.\n */\n\n package kotlin.collections\n\n /**\n * Provides a skeletal implementation of the read-only [Map]
interface.\n * The implementor is required to implement [entries] property, which should return read-only set of
map entries.\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type of
map values. The map is covariant
in its value type.\n */\n @SinceKotlin("1.1")\n public abstract class AbstractMap<K, out V> protected constructor()
: Map<K, V> {\n    override fun containsKey(key: K): Boolean {\n        return implFindEntry(key) != null\n    }\n\n
override fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n

```

```

internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {
    // since entry comes from @UnsafeVariance
    // parameters it can be virtually anything
    if (entry !is Map.Entry<*, *>) return false
    val key = entry.key
    val value = entry.value
    val ourValue = get(key)
    if (value != ourValue) {
        return false
    }
    // Perhaps it was null and we don't contain the key?
    if (ourValue == null && !containsKey(key)) {
        return false
    }
    return true
}

/**
 * Compares this map with other instance with the
 * ordered structural equality.
 */
@return true, if [other] instance is a [Map] of the same size, all entries of which are contained in the
[entries] set of this map.
override fun equals(other: Any?): Boolean {
    if (other === this) return true
    if (other !is Map<*, *>) return false
    if (size != other.size) return false
    return other.entries.all { containsEntry(it) }
}

override operator fun get(key: K): V? =
    implFindEntry(key)?.value

/**
 * Returns the hash code value for this map.
 * It is the same as the hashCode of [entries] set.
 */
override fun hashCode(): Int = entries.hashCode()

override fun isEmpty(): Boolean = size == 0

override val size: Int get() = entries.size

/**
 * Returns a read-only [Set] of all keys in this map.
 * Accessing this property first time creates a keys view from [entries].
 * All subsequent accesses just return the created instance.
 */
override val keys: Set<K> get() {
    if (_keys == null) {
        _keys = object :
AbstractSet<K>() {
            override operator fun contains(element: K): Boolean = containsKey(element)

            override operator fun iterator(): Iterator<K> {
                val entryIterator = entries.iterator()
                return object : Iterator<K> {
                    override fun hasNext(): Boolean = entryIterator.hasNext()
                    override fun next(): K = entryIterator.next().key
                }
            }

            override val size: Int get() = this@AbstractMap.size
        }
        return _keys!!
    }
}

@kotlin.jvm.Volatile
private var _keys: Set<K>? = null

override fun toString(): String =
    entries.joinToString(", ", "{", "}") { toString(it) }

private fun toString(entry: Map.Entry<K,
V>): String = toString(entry.key) + "=" + toString(entry.value)

private fun toString(o: Any?): String = if (o
=== this) "(this Map)" else o.toString()

/**
 * Returns a read-only [Collection] of all values in this map.
 * Accessing this property first time creates a values view from [entries].
 * All subsequent accesses just
return the created instance.
 */
override val values: Collection<V> get() {
    if (_values == null) {
        _values = object : AbstractCollection<V>() {
            override operator fun contains(element:
@UnsafeVariance V): Boolean = containsValue(element)

            override operator fun iterator():
Iterator<V> {
                val entryIterator = entries.iterator()
                return object : Iterator<V> {
                    override fun hasNext(): Boolean = entryIterator.hasNext()
                    override fun next():
V = entryIterator.next().value
                }
            }

            override val size: Int get() =
this@AbstractMap.size
        }
        return _values!!
    }
}

@kotlin.jvm.Volatile
private var _values: Collection<V>? = null

private fun implFindEntry(key: K): Map.Entry<K, V>? =
    entries.firstOrNull { it.key == key }

internal companion object {
    internal fun entryHashCode(e:
Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }

    internal fun
entryToString(e: Map.Entry<*, *>): String = with(e) { "$key=$value" }

    internal fun entryEquals(e:
Map.Entry<*, *>, other: Any?): Boolean {
        if (other !is Map.Entry<*, *>) return false
        return e.key
== other.key && e.value == other.value
    }
}

/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package
kotlin.collections

/**
 * Provides a skeletal implementation of the read-only [Set] interface.
 * This class is
intended to help implementing read-only sets so it doesn't support concurrent modification tracking.
 */
@param
E the type of elements contained in the set. The set is covariant in its element type.

@SinceKotlin("1.1")
public abstract class AbstractSet<out E> protected constructor() :
AbstractCollection<E>(), Set<E> {
    /**
 * Compares this set with other set instance with the unordered
structural equality.
 */
    @return true, if [other] instance is a [Set] of the same size, all elements of which are
contained in this set.
    override fun equals(other: Any?): Boolean {
        if (other === this) return true

```

```

if (other !is Set<*>) return false\n    return setEquals(this, other)\n } \n\n /**\n
 * Returns the hash code value for this set.\n * \n override fun hashCode(): Int =
unorderedHashCode(this)\n\n internal companion object {\n    internal fun unorderedHashCode(c:
Collection<*>): Int {\n        var hashCode = 0\n        for (element in c) {\n            hashCode +=
(element?.hashCode() ?: 0)\n        }\n        return hashCode\n    }\n\n    internal fun setEquals(c: Set<*>,
other: Set<*>): Boolean {\n        if (c.size != other.size) return false\n        return c.containsAll(other)\n    }\n}
}\n\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.collections\n\n/**\n * Resizable-array implementation of the deque data structure.\n * \n * The
name deque is short for "double ended queue" and is usually pronounced "deck".\n * \n *
The collection provide methods for convenient access to the both ends.\n * It also implements [MutableList]
interface and supports efficient get/set operations by index.\n
*\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic class ArrayDeque<E> :
AbstractMutableList<E> {\n    private var head: Int = 0\n    private var elementData: Array<Any?>\n\n    override
var size: Int = 0\n    private set\n\n    /**\n     * Constructs an empty deque with specified [initialCapacity], or
throws [IllegalArgumentException] if [initialCapacity] is negative.\n     * \n     public constructor(initialCapacity:
Int) {\n        elementData = when {\n            initialCapacity == 0 -> emptyElementData\n            initialCapacity > 0 -
> arrayOfNulls(initialCapacity)\n            else -> throw IllegalArgumentException("Illegal Capacity:
$initialCapacity")\n        }\n    }\n\n    /**\n     * Constructs an empty deque.\n     * \n     public constructor() {\n
elementData
= emptyElementData\n    }\n\n    /**\n     * Constructs a deque that contains the same elements as the specified
[elements] collection in the same order.\n     * \n     public constructor(elements: Collection<E>) {\n
elementData = elements.toArray()\n        size = elementData.size\n        if (elementData.isEmpty())
elementData = emptyElementData\n    }\n\n    /**\n     * Ensures that the capacity of this deque is at least equal to
the specified [minCapacity].\n     * \n     * If the current capacity is less than the [minCapacity], a new backing
storage is allocated with greater capacity.\n     * \n     * Otherwise, this method takes no action and simply returns.\n     * \n
private fun ensureCapacity(minCapacity: Int) {\n        if (minCapacity < 0) throw IllegalStateException("Deque is
too big.") // overflow\n        if (minCapacity <= elementData.size) return\n        if (elementData ===
emptyElementData) {\n            elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n
            return\n        }\n        val newCapacity = newCapacity(elementData.size, minCapacity)\n
copyElements(newCapacity)\n    }\n\n    /**\n     * Creates a new array with the specified [newCapacity] size and
copies elements in the [elementData] array to it.\n     * \n     private fun copyElements(newCapacity: Int) {\n
val newElements = arrayOfNulls<Any?>(newCapacity)\n        elementData.copyInto(newElements, 0, head,
elementData.size)\n        elementData.copyInto(newElements, elementData.size - head, 0, head)\n        head = 0\n
elementData = newElements\n    }\n\n    @kotlin.internal.InlineOnly\n    private inline fun
internalGet(internalIndex: Int): E {\n        @Suppress("UNCHECKED_CAST")\n        return
elementData[internalIndex] as E\n    }\n\n    private fun positiveMod(index: Int): Int = if (index >=
elementData.size) index - elementData.size else index\n\n    private fun negativeMod(index: Int): Int = if (index < 0)
index +
elementData.size else index\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalIndex(index: Int): Int =
positiveMod(head + index)\n\n    private fun incremented(index: Int): Int = if (index == elementData.lastIndex) 0
else index + 1\n\n    private fun decremented(index: Int): Int = if (index == 0) elementData.lastIndex else index -
1\n\n    override fun isEmpty(): Boolean = size == 0\n\n    /**\n     * Returns the first element, or throws
[NoSuchElementException] if this deque is empty.\n     * \n     public fun first(): E = if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n    /**\n     * Returns the first
element, or `null` if this deque is empty.\n     * \n     public fun firstOrNull(): E? = if (isEmpty()) null else
internalGet(head)\n\n    /**\n     * Returns the last element, or throws [NoSuchElementException] if this deque is
empty.\n     * \n     public fun last(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque

```



```

is empty.\") else internalGet(internalIndex(lastIndex))\n\n /**\n * Returns the last element, or `null` if this
deque is empty.\n */\n public fun lastOrNull(): E? = if (isEmpty()) null else
internalGet(internalIndex(lastIndex))\n\n /**\n * Prepends the specified [element] to this deque.\n */\n
public fun addFirst(element: E) {\n    ensureCapacity(size + 1)\n\n    head = decremented(head)\n
elementData[head] = element\n    size += 1\n } \n\n /**\n * Appends the specified [element] to this deque.\n
*/\n public fun addLast(element: E) {\n    ensureCapacity(size + 1)\n\n    elementData[internalIndex(size)] =
element\n    size += 1\n } \n\n /**\n * Removes the first element from this deque and returns that removed
element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun removeFirst(): E {\n
if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n\n    val element = internalGet(head)\n
    elementData[head] = null\n    head = incremented(head)\n    size -=
1\n    return element\n } \n\n /**\n * Removes the first element from this deque and returns that removed
element, or returns `null` if this deque is empty.\n */\n public fun removeFirstOrNull(): E? = if (isEmpty()) null
else removeFirst()\n\n /**\n * Removes the last element from this deque and returns that removed element, or
throws [NoSuchElementException] if this deque is empty.\n */\n public fun removeLast(): E {\n    if
(isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n\n    val internalLastIndex =
internalIndex(lastIndex)\n    val element = internalGet(internalLastIndex)\n    elementData[internalLastIndex] =
null\n    size -= 1\n    return element\n } \n\n /**\n * Removes the last element from this deque and returns
that removed element, or returns `null` if this deque
is empty.\n */\n public fun removeLastOrNull(): E? = if (isEmpty()) null else removeLast()\n\n //
MutableList, MutableCollection\n public override fun add(element: E): Boolean {\n    addLast(element)\n
return true\n } \n\n public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n\n    if (index == size) {\n        addLast(element)\n
return\n    } else if (index == 0) {\n        addFirst(element)\n        return\n    } \n\n    ensureCapacity(size
+ 1)\n\n    // Elements in circular array lay in 2 ways:\n    // 1. `head` is less than `tail`:    [#, #, e1, e2, e3,
#]\n    // 2. `head` is greater than `tail`:    [e3, #, #, #, e1, e2]\n    // where head is the index of the first element
in the circular array,\n    // and tail is the index following the last element.\n    // \n\n    // At this point the
insertion index is not equal to head or tail.\n\n    // Also the circular array can store at least one more element.\n    // \n\n    // Depending on where the given
element must be inserted the preceding or the succeeding\n    // elements will be shifted to make room for the
element to be inserted.\n    // \n\n    // In case the preceding elements are shifted:\n    // * if the insertion index
is greater than the head (regardless of circular array form)\n    // -> shift the preceding elements\n    // *
otherwise, the circular array has (2) form and the insertion index is less than tail\n    // -> shift all elements in
the back of the array\n    // -> shift preceding elements in the front of the array\n    // In case the succeeding
elements are shifted:\n    // * if the insertion index is less than the tail (regardless of circular array form)\n    //
-> shift the succeeding elements\n    // * otherwise, the circular array has (2) form and the insertion
index is greater than head\n    // -> shift all elements in the front of the array\n    // -> shift succeeding
elements in the back of the array\n\n    val internalIndex = internalIndex(index)\n\n    if (index < (size + 1) shr
1) {\n        // closer to the first element -> shift preceding elements\n        val decrementedInternalIndex =
decremented(internalIndex)\n        val decrementedHead = decremented(head)\n        if
(decrementedInternalIndex >= head) {\n            elementData[decrementedHead] = elementData[head] // head can
be zero\n            elementData.copyInto(elementData, head, head + 1, decrementedInternalIndex + 1)\n        }
else { // head > tail\n            elementData.copyInto(elementData, head - 1, head, elementData.size) // head can't be
zero\n            elementData[elementData.size - 1] = elementData[0]\n            elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n
        }\n        elementData[decrementedInternalIndex] = element\n        head = decrementedHead\n    } else
{\n        // closer to the last element -> shift succeeding elements\n        val tail = internalIndex(size)\n\n
if (internalIndex < tail) {\n            elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n
        } else { // head > tail\n            elementData.copyInto(elementData, 1, 0, tail)\n            elementData[0] =

```

```

elementData[elementData.size - 1]\n        elementData.copyInto(elementData, internalIndex + 1, internalIndex,
elementData.size - 1)\n        }\n        elementData[internalIndex] = element\n    }\n    size += 1\n    }\n\nprivate fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n    val iterator =
elements.iterator()\n    for (index in internalIndex until elementData.size) {\n        if (!iterator.hasNext())
break\n
        elementData[index] = iterator.next()\n    }\n    for (index in 0 until head) {\n        if
(!iterator.hasNext()) break\n        elementData[index] = iterator.next()\n    }\n    size += elements.size\n
}\n\npublic override fun addAll(elements: Collection<E>): Boolean {\n    if (elements.isEmpty()) return false\n
ensureCapacity(this.size + elements.size)\n    copyCollectionElements(internalIndex(size), elements)\n
return true\n    }\n\npublic override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
AbstractList.checkPositionIndex(index, size)\n    if (elements.isEmpty()) {\n        return false\n    } else if
(index == size) {\n        return addAll(elements)\n    }\n    ensureCapacity(this.size + elements.size)\n
val tail = internalIndex(size)\n    val internalIndex = internalIndex(index)\n    val elementsSize =
elements.size\n    if (index < (size +
1) shr 1) {\n        // closer to the first element -> shift preceding elements\n        var shiftedHead = head -
elementsSize\n        if (internalIndex >= head) {\n            if (shiftedHead >= 0) {\n
elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n            } else { // head < tail, insertion
leads to head >= tail\n                shiftedHead += elementData.size\n                val elementsToShift =
internalIndex - head\n                val shiftToBack = elementData.size - shiftedHead\n                if (shiftToBack
>= elementsToShift) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n
                } else {\n                    elementData.copyInto(elementData, shiftedHead, head, head + shiftToBack)\n
                    elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n                }\n
            } else { // head > tail, internalIndex < tail\n                elementData.copyInto(elementData, shiftedHead, head,
elementData.size)\n                if (elementsSize >= internalIndex) {\n                    elementData.copyInto(elementData,
elementData.size - elementsSize, 0, internalIndex)\n                } else {\n
                    elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n
                    elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n                }\n            }\n
            head =
shiftedHead\n            copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n        } else
{\n            // closer to the last element -> shift succeeding elements\n            val shiftedInternalIndex =
internalIndex + elementsSize\n            if (internalIndex < tail) {\n                if (tail + elementsSize <=
elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex,
internalIndex, tail)\n                } else { // head < tail, insertion leads to head >= tail\n                    if
(shiftedInternalIndex >= elementData.size) {\n                        elementData.copyInto(elementData,
shiftedInternalIndex - elementData.size, internalIndex, tail)\n                    } else {\n                        val shiftToFront =
tail + elementsSize - elementData.size\n                        elementData.copyInto(elementData, 0, tail - shiftToFront,
tail)\n                        elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail - shiftToFront)\n
                    }\n                }\n            } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, elementsSize, 0, tail)\n            if (shiftedInternalIndex >= elementData.size)\n
{\n                elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex,
elementData.size)\n            }\n        } else {\n            elementData.copyInto(elementData, 0, elementData.size - elementsSize,
elementData.size)\n            elementData.copyInto(elementData, shiftedInternalIndex, internalIndex,
elementData.size - elementsSize)\n        }\n    }\n    copyCollectionElements(internalIndex,
elements)\n    }\n\nreturn true\n    }\n\npublic override fun get(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n    return internalGet(internalIndex(index))\n    }\n\npublic
override fun set(index: Int, element: E): E {\n    AbstractList.checkElementIndex(index, size)\n    val
internalIndex = internalIndex(index)\n    val oldElement = internalGet(internalIndex)\n
elementData[internalIndex] = element\n    return oldElement\n    }\n\npublic override fun contains(element:

```

```

E): Boolean = indexOf(element) != -1\n\n public override fun indexOf(element: E): Int {\n    val tail
= internalIndex(size)\n\n    if (head < tail) {\n        for (index in head until tail) {\n            if (element ==
elementData[index]) return index - head\n        }\n    } else if (head >= tail) {\n        for (index in head until
elementData.size) {\n            if (element == elementData[index]) return index - head\n        }\n    } for
(index in 0 until tail) {\n        if (element == elementData[index]) return index + elementData.size - head\n
    }\n\n    return -1\n }\n\n public override fun lastIndexOf(element: E): Int {\n    val tail =
internalIndex(size)\n\n    if (head < tail) {\n        for (index in tail - 1 downTo head) {\n            if (element ==
elementData[index]) return index - head\n        }\n    } else if (head > tail) {\n        for (index in tail - 1
downTo 0) {\n            if (element == elementData[index]) return index + elementData.size - head\n
        }\n    } for (index in elementData.lastIndex downTo head) {\n        if (element ==
elementData[index]) return index - head\n    }\n\n    return -1\n }\n\n public override fun
remove(element: E): Boolean {\n    val index = indexOf(element)\n    if (index == -1) return false\n
removeAt(index)\n    return true\n }\n\n public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n\n    if (index == lastIndex) {\n        return removeLast()\n    }
else if (index == 0) {\n        return removeFirst()\n    }\n\n    val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n\n    if (index < size shr 1) {\n        // closer to the first element ->
shift preceding elements\n        if (internalIndex >= head) {\n            elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n        } else {\n
// head > tail, internalIndex < head\n            elementData.copyInto(elementData, 1, 0, internalIndex)\n
elementData[0] = elementData[elementData.size - 1]\n            elementData.copyInto(elementData, head + 1,
head, elementData.size - 1)\n        }\n        elementData[head] = null\n        head = incremented(head)\n
    } else {\n        // closer to the last element -> shift succeeding elements\n        val internalLastIndex =
internalIndex(lastIndex)\n        if (internalIndex <= internalLastIndex) {\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, internalLastIndex + 1)\n        } else { // head
> tail, internalIndex > head\n            elementData.copyInto(elementData, internalIndex, internalIndex + 1,
elementData.size)\n            elementData[elementData.size - 1] = elementData[0]\n
elementData.copyInto(elementData, 0, 1, internalLastIndex + 1)\n        }\n\n        elementData[internalLastIndex] = null\n    }\n\n    size -- 1\n\n    return element\n }\n\n public
override fun removeAll(elements: Collection<E>): Boolean = filterInPlace { !elements.contains(it) }\n\n public
override fun retainAll(elements: Collection<E>): Boolean = filterInPlace { elements.contains(it) }\n\n private
inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n    if (this.isEmpty() || elementData.isEmpty())\n
return false\n\n    val tail = internalIndex(size)\n    var newTail = head\n    var modified = false\n\n    if
(head < tail) {\n        for (index in head until tail) {\n            val element = elementData[index]\n\n
@Suppress("UNCHECKED_CAST")\n            if (predicate(element as E))\n
elementData[newTail++] = element\n            else\n                modified = true\n        }\n\n
elementData.fill(null, newTail, tail)\n\n    } else {\n        for (index in head until elementData.size) {\n            val element = elementData[index]\n
elementData[index] = null\n\n            @Suppress("UNCHECKED_CAST")\n            if
(predicate(element as E))\n                elementData[newTail++] = element\n            else\n                modified =
true\n        }\n\n        newTail = positiveMod(newTail)\n\n        for (index in 0 until tail) {\n            val
element = elementData[index]\n            elementData[index] = null\n\n            @Suppress("UNCHECKED_CAST")\n            if (predicate(element as E)) {\n
elementData[newTail] = element\n                newTail = incremented(newTail)\n            } else {\n
modified = true\n            }\n        }\n\n        if (modified)\n            size = negativeMod(newTail -
head)\n\n        return modified\n    }\n\n    public override fun clear() {\n        val tail = internalIndex(size)\n        if (head < tail) {\n
elementData.fill(null, head, tail)\n        } else if (isNotEmpty()) {\n            elementData.fill(null, head,
elementData.size)\n            elementData.fill(null, 0, tail)\n        }\n        head = 0\n        size = 0\n    }\n\n

```

```

@Suppress("NOTHING_TO_OVERRIDE")\n override fun <T> toArray(array: Array<T>): Array<T> {\n
@Suppress("UNCHECKED_CAST")\n     val dest = (if (array.size >= size) array else arrayOfNulls(array, size))
as Array<Any?>\n\n     val tail = internalIndex(size)\n     if (head < tail) {\n         elementData.copyInto(dest,
startIndex = head, endIndex = tail)\n     } else if (isEmpty()) {\n         elementData.copyInto(dest,
destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n         elementData.copyInto(dest,
destinationOffset = elementData.size - head, startIndex = 0, endIndex = tail)\n
    }\n    if (dest.size > size) {\n        dest[size] = null // null-terminate\n    }\n\n
@Suppress("UNCHECKED_CAST")\n    return dest as Array<T>\n }\n\n
@Suppress("NOTHING_TO_OVERRIDE")\n override fun toArray(): Array<Any?> {\n    return
toArray(arrayOfNulls<Any?>(size))\n }\n\n // for testing\n internal fun <T> testToArray(array: Array<T>):
Array<T> = toArray(array)\n internal fun testToArray(): Array<Any?> = toArray()\n\n internal companion
object {\n    private val emptyElementData = emptyArray<Any?>()\n    private const val maxArraySize =
Int.MAX_VALUE - 8\n    private const val defaultMinCapacity = 10\n    internal fun
newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n        // overflow-conscious\n        var newCapacity =
oldCapacity + (oldCapacity shr 1)\n        if (newCapacity - minCapacity < 0)\n            newCapacity =
minCapacity\n        if (newCapacity - maxArraySize > 0)\n            newCapacity = if (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n        return
newCapacity\n    }\n }\n\n // For testing only\n internal fun internalStructure(structure: (head: Int, elements:
Array<Any?>) -> Unit) {\n    val tail = internalIndex(size)\n    val head = if (isEmpty() || head < tail) head else
head - elementData.size\n    structure(head, toArray())\n }\n\n }"/\n\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*/\n\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("ArraysKt")\n\n\npackage
kotlin.collections\n\nimport kotlin.contracts.*\n\n\n/**\n * Returns a single list of all elements from all arrays in the
given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\n\npublic fun <T> Array<out
Array<out T>>.flatten():
List<T> {\n    val result = ArrayList<T>(sumOf { it.size })\n    for (element in this) {\n
result.addAll(element)\n    }\n    return result\n }\n\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from
the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this
array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\n\npublic fun <T, R> Array<out
Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>(size)\n    val listR =
ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return
listT to listR\n }\n\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample
samples.collections.Arrays.Usage.arrayOrNullOrEmpty\n
*/\n\n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\n\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean
{\n    contract {\n        returns(false) implies (this@isNullOrEmpty
!= null)\n    }\n    return this == null || this.isEmpty()\n }\n\n\n/**\n * Returns this array if it's not empty\n * or the
result of calling [defaultValue] function if the array is empty.\n * @sample
samples.collections.Arrays.Usage.arrayIfEmpty\n
*/\n\n @SinceKotlin("1.3")\n @kotlin.internal.InlineOnly\n\n @Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\n\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n    if (isEmpty())
defaultValue() else
this\n\n\n @OptIn(ExperimentalUnsignedTypes::class)\n @SinceKotlin("1.3")\n @PublishedApi\n @kotlin.jvm.Jvm
Name("contentDeepEquals")\n @kotlin.js.JsName("contentDeepEqualsImpl")\n\ninternal fun <T> Array<out
T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n    if (this === other) return true\n    if (this == null
|| other == null || this.size != other.size) return false\n    for (i in indices) {\n        val v1 = this[i]\n        val v2 =
other[i]\n        if (v1 === v2) {\n            continue\n

```

```

    } else if (v1 == null || v2 == null) {\n        return false\n    }\n\n    when {\n        v1 is Array<*> &&\n        v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false\n        v1 is ByteArray && v2 is ByteArray -\n        > if (!v1.contentEquals(v2)) return false\n        v1 is ShortArray && v2 is ShortArray -> if\n        (!v1.contentEquals(v2)) return false\n        v1 is IntArray && v2 is IntArray -> if (!v1.contentEquals(v2))\n        return false\n        v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2)) return false\n        v1\n        is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false\n        v1 is DoubleArray && v2\n        is DoubleArray -> if (!v1.contentEquals(v2)) return false\n        v1 is CharArray && v2 is CharArray -> if\n        (!v1.contentEquals(v2)) return false\n        v1 is BooleanArray && v2 is BooleanArray -> if\n        (!v1.contentEquals(v2)) return false\n\n        v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false\n        v1 is UShortArray\n        && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false\n        v1 is UIntArray && v2 is UIntArray -\n        > if (!v1.contentEquals(v2)) return false\n        v1 is ULongArray && v2 is ULongArray -> if\n        (!v1.contentEquals(v2)) return false\n    } else -> if (v1 != v2) return false\n    }\n\n    return\n    true\n}\n\n\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.JvmName("contentDeepToString")\n@kotlin.js.\nJsName("contentDeepToStringImpl")\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n    if (this == null) return "null"\n    val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not\n    to overflow Int.MAX_VALUE\n    return buildString(length) {\n        contentDeepToStringInternal(this,\n        mutableListOf())\n    }\n}\n\n@OptIn(ExperimentalUnsignedTypes::class)\nprivate fun <T> Array<out\nT>.contentDeepToStringInternal(result:\nString\nBuilder, processed: MutableList<Array<*>>) {\n    if (this in processed) {\n        result.append("[...]")\n        return\n    }\n    processed.add(this)\n    result.append("[")\n    for (i in indices) {\n        if (i != 0) {\n            result.append(", ")\n        }\n        val element = this[i]\n        when (element) {\n            null ->\n            result.append("null")\n            is Array<*> -> element.contentDeepToStringInternal(result, processed)\n            is ByteArray -> result.append(element.contentToString())\n            is ShortArray ->\n            result.append(element.contentToString())\n            is IntArray -> result.append(element.contentToString())\n            is LongArray -> result.append(element.contentToString())\n            is FloatArray ->\n            result.append(element.contentToString())\n            is DoubleArray -> result.append(element.contentToString())\n            is CharArray -> result.append(element.contentToString())\n            is BooleanArray -> result.append(element.contentToString())\n            is UByteArray ->\n            result.append(element.contentToString())\n            is UShortArray -> result.append(element.contentToString())\n            is UIntArray -> result.append(element.contentToString())\n            is ULongArray ->\n            result.append(element.contentToString())\n            else -> result.append(element.toString())\n        }\n    }\n    result.append("]")\n    processed.removeAt(processed.lastIndex)\n}"/**\n * Copyright 2010-2021 JetBrains\ns.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0\nlicense that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/** Returns true if\nthe brittle contains optimization is enabled. See KT-45438. */\ninternal expect fun\nbrittleContainsOptimizationEnabled(): Boolean\n\n/** Returns true if [brittleContainsOptimizationEnabled]\nis true\n * and it's safe to convert this collection to a set without changing contains method behavior.\n */\nprivate\nfun <T> Collection<T>.safeToConvertToSet() = brittleContainsOptimizationEnabled() && size > 2 && this is\nArrayList\n\n/**\n * When [brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is\nnot a [Collection].\n * - Converts this [Collection] to a set, when it's worth so and it doesn't change contains method\nbehavior.\n * - Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this\n[Iterable] to a list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T>\nIterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\nwhen (this) {\n    is\nSet -> this\n    is Collection -> when {\n        source is Collection && source.size < 2 -> this\n        else -> if (this.safeToConvertToSet()) toHashSet()\n        else this\n    }\n    else -> if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n}\n\n/**\n * When [brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a

```

[Collection].\n * - Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * - Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a list if it is not a [Collection].\n * - Otherwise returns this.\n */\n\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n }\n\n/**\n * Converts this sequence to a set if [brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\n\ninternal fun <T> Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n\n/**\n * Converts this array to a set if [brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\n\ninternal fun <T> Array<T>.convertToSetForSetOperation(): Collection<T> =\n if (brittleContainsOptimizationEnabled()) toHashSet() else asList()"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\n */\n * @property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n */\n\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n\n @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n this.put(property.name, value)\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault] method.\n * @throws NoSuchElementException

```

when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n
*\n@kotlin.jvm.JvmName("\ngetOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K,\n
V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return\n
this.getOrImplicitDefault(key)\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key\n
is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value\n
provided with the specified function [defaultValue].\n * This implicit default value is used when the original\n
map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for\n
example when properties are delegated to the map.\n * This\n * When this map already has an implicit default value\n
provided with a former call to [withDefault], it is being replaced by this call.\n *\n\npublic fun <K, V> Map<K,\n
V>.withDefault(defaultValue:\n
(key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault -> this.map.withDefault(defaultValue)\n
        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns a wrapper of this mutable map, having\n
the implicit default value provided with the specified function [defaultValue].\n * This implicit default value is\n
used when the original map doesn't contain a value for the key specified\n * and a value is obtained with\n
[Map.getValue] function, for example when properties are delegated to the map.\n * This\n * When this map already has\n
an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n *\n\n*\n@kotlin.jvm.JvmName("\nwithDefaultMutable")\npublic fun <K, V> MutableMap<K,\n
V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n    when (this) {\n        is\n
MutableMapWithDefault -> this.map.withDefault(defaultValue)\n        else -> MutableMapWithDefaultImpl(this,\n
defaultValue)\n    }\n\nprivate\n
interface MapWithDefault<K, out V> : Map<K, V> {\n    public val map: Map<K, V>\n    public fun\n
getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> : MutableMap<K, V>,\n
MapWithDefault<K, V> {\n    public override val map: MutableMap<K, V>\n}\n\nprivate class\n
MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :\n
MapWithDefault<K, V> {\n    override fun equals(other: Any?): Boolean = map.equals(other)\n    override fun\n
hashCode(): Int = map.hashCode()\n    override fun toString(): String = map.toString()\n    override val size: Int get()\n
= map.size\n    override fun isEmpty(): Boolean = map.isEmpty()\n    override fun containsKey(key: K): Boolean =\n
map.containsKey(key)\n    override fun containsValue(value: @UnsafeVariance V): Boolean =\n
map.containsValue(value)\n    override fun get(key: K): V? = map.get(key)\n    override val keys: Set<K> get() =\n
map.keys\n    override val values: Collection<V> get()\n
= map.values\n    override val entries: Set<Map.Entry<K, V>> get() = map.entries\n}\n\nprivate class\n
MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) ->\n
V) : MutableMapWithDefault<K, V> {\n    override fun equals(other: Any?): Boolean = map.equals(other)\n\n
override fun hashCode(): Int = map.hashCode()\n    override fun toString(): String = map.toString()\n    override val\n
size: Int get() = map.size\n    override fun isEmpty(): Boolean = map.isEmpty()\n    override fun containsKey(key:\n
K): Boolean = map.containsKey(key)\n    override fun containsValue(value: @UnsafeVariance V): Boolean =\n
map.containsValue(value)\n    override fun get(key: K): V? = map.get(key)\n    override val keys: MutableSet<K>\n
get() = map.keys\n    override val values: MutableCollection<V> get() = map.values\n    override val entries:\n
MutableSet<MutableMap.MutableEntry<K,\n
V>> get() = map.entries\n\n    override fun put(key: K, value: V): V? = map.put(key, value)\n    override fun\n
remove(key: K): V? = map.remove(key)\n    override fun putAll(from: Map<out K, V>) = map.putAll(from)\n\n
override fun clear() = map.clear()\n    override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key,\n
{ default(key) })\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language\n
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n
license/LICENSE.txt file.\n\n\n*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\nCollectionsKt")\n\npackage\n
kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element

```

from this collection, if it is present. Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`. @return `true` if the element has been successfully removed; `false` if it was not present in the collection.

```

@kotlin.internal.InlineOnly
public inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean =
@Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).remove(element)

```

Removes all of this collection's elements that are also contained in the specified collection. Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`. @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.

```

*\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =
@Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).removeAll(elements)

```

Retains only the elements in this collection that are contained in the specified collection.

Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`. @return `true` if any element was removed from the collection, `false` if the collection was not modified.

```

*\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =
@Suppress("UNCHECKED_CAST") (this as MutableCollection<T>).retainAll(elements)

```

Adds the specified [element] to this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\n this.add(element)\n}

```

Adds all elements of the given [elements] collection to this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n this.addAll(elements)\n}

```

Adds all elements of the given [elements] array to this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\n this.addAll(elements)\n}

```

Adds all elements of the given [elements] sequence to this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n this.addAll(elements)\n}

```

Removes a single instance of the specified [element] from this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\n this.remove(element)\n}

```

Removes all elements contained in the given [elements] collection from this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n this.removeAll(elements)\n}

```

Removes all elements contained in the given [elements] array from this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\n this.removeAll(elements)\n}

```

Removes all elements contained in the given [elements] sequence from this mutable collection.

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n this.removeAll(elements)\n}

```

Adds all elements of the given [elements] collection to this [MutableCollection].

```

*\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n when (elements) {\n is Collection -> return addAll(elements)\n else -> {\n var result: Boolean = false\n for (item in elements)\n if (add(item)) result = true\n return result\n }\n }\n}

```

Adds all elements of the given [elements] sequence to this [MutableCollection].

```

*\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\n var result: Boolean = false\n for (item in elements) {\n if (add(item)) result = true\n }\n return result\n}

```

Adds all elements of the given [elements] array to this [MutableCollection].

```

*\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n return addAll(elements.asList())\n}

```

Removes all elements from this [MutableCollection] that are also contained in the given [elements] collection.

```

*\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n return removeAll(elements.convertToSetForSetOperationWith(this))\n}

```

Removes all elements from this


```

[MutableCollection] that are also contained in the given [elements] sequence.\n *\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n    val set =
elements.convertToSetForSetOperation()\n    return set.isNotEmpty()
    && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the
given [elements] array.\n *\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>):
Boolean {\n    return elements.isNotEmpty() && removeAll(elements.convertToSetForSetOperation())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] collection.\n
*\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n    return
retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array.\n *\npublic fun <T> MutableCollection<in
T>.retainAll(elements: Array<out T>): Boolean {\n    if (elements.isNotEmpty())\n        return
retainAll(elements.convertToSetForSetOperation())\n    else\n        return retainNothing()\n}\n\n/**\n * Retains only
elements of this [MutableCollection]
that are contained in the given [elements] sequence.\n *\npublic fun <T> MutableCollection<in
T>.retainAll(elements: Sequence<T>): Boolean {\n    val set = elements.convertToSetForSetOperation()\n    if
(set.isNotEmpty())\n        return retainAll(set)\n    else\n        return retainNothing()\n}\n\nprivate fun
MutableCollection<*>.retainNothing(): Boolean {\n    val result = isEmpty()\n    clear()\n    return
result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and
collection was not modified.\n *\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean):
Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the
given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when all
elements were retained
and collection was not modified.\n *\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean):
Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) ->
Boolean, predicateResultToRemove: Boolean): Boolean {\n    var result = false\n    with(iterator()) {\n        while
(hasNext())\n            if (predicate(next()) == predicateResultToRemove) {\n                remove()\n                result =
true\n            }\n    }\n    return result\n}\n\n/**\n * Removes the element at the specified [index] from this list.\n *
In Kotlin one should use the [MutableList.removeAt] function instead.\n *\n@Deprecated("Use removeAt(index)
instead.", ReplaceWith("removeAt(index)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index:
Int): T = removeAt(index)\n\n/**\n * Removes the first element from this mutable list and returns that removed
element, or throws [NoSuchElementException]
if this list is empty.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
<T> MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(lastIndex)\n\n/**\n * Removes the last element from this mutable list and returns that removed
element, or returns `null` if this list is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all
elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was
removed from this collection, or `false` when no elements were removed and collection was not modified.\n

```

```

*/\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T)
-> Boolean, predicateResultToRemove: Boolean): Boolean {\n    if (this !is RandomAccess)\n        return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n    var writeIndex: Int = 0\n    for
(readIndex in 0..lastIndex) {\n        val element = this[readIndex]\n        if (predicate(element) ==
predicateResultToRemove)\n            continue\n\n        if (writeIndex != readIndex)\n            this[writeIndex] =
element\n\n        writeIndex++\n    }\n    if (writeIndex < size) {\n        for (removeIndex in lastIndex downTo
writeIndex)\n            removeAt(removeIndex)\n\n        return true\n    } else {\n        return false\n    }\n}\n"/**\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate
open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {\n    override val
size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n\n    override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n\n    override fun add(index: Int, element: T) {\n
delegate.add(reversePositionIndex(index), element)\n    }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n    if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element index
$index must be in
range [${0..lastIndex}]")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n    if (index in 0..size) size -
index else throw IndexOutOfBoundsException("Position index $index must be in range [${0..size}]")\n\n\n/**\n *
Returns a reversed read-only view of the original List.\n * All changes made in the original list will be reflected in
the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n */\n\npublic fun <T>
List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n\n/**\n * Returns a reversed mutable view of the
original mutable List.\n * All changes made in the original list will be reflected in the reversed one and vice versa.\n
* @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n\n@kotlin.jvm.JvmName("asReversedMutable")\n\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:OptIn(Experimenta
lTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n\n/**\n * Builds a
[Sequence] lazily yielding values one by one.\n * @see kotlin.sequences.generateSequence\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n */\n\n@SinceKotlin("1.3")\n\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().() -> Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'sequence { }' function instead.",
ReplaceWith("sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\n\npublic inline fun
<T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>().() -> Unit):
Sequence<T> = Sequence { iterator(builderAction) }\n\n\n/**\n * Builds an [Iterator] lazily yielding values one by

```

```

one.\n *\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample
samples.collections.Iterables.Building.iterable\n *\n@SinceKotlin("1.3")\npublic fun <T>
iterator(@BuilderInference block: suspend SequenceScope<T>().() -> Unit): Iterator<T> {\n    val iterator =
SequenceBuilderIterator<T>()\n    iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator,
completion = iterator)\n    return iterator\n}\n\n@SinceKotlin("1.3")\n@Deprecated("Use 'iterator { }' function
instead.", ReplaceWith("iterator(builderAction)"), level =
DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildIterator(@BuilderInference
noinline builderAction: suspend SequenceScope<T>().() -> Unit): Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension
functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*\n@RestrictsSuspension\n@SinceKotlin("1.3")\npublic abstract class SequenceScope<in T> internal
constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is
requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n     *\n     public abstract suspend fun yield(value:
T)\n     *\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these
values are iterated and the next one is requested.\n     *\n     * The sequence of values returned by the given
iterator can be potentially infinite.\n     *\n     * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n     *\n     public abstract suspend fun
yieldAll(iterator: Iterator<T>)\n     *\n     * Yields a collections of values to the [Iterator] being built\n     * and
suspends until all these values are iterated and the next one is requested.\n     *\n     * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n     *\n     public suspend fun yieldAll(elements:
Iterable<T>) {\n         if (elements is Collection && elements.isEmpty()) return\n         return
yieldAll(elements.iterator())\n     }\n     *\n     * Yields potentially infinite sequence of values to the [Iterator]
being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The
sequence can be potentially infinite.\n     *\n     * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n     *\n     public suspend fun
yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n}\n\n@Deprecated("Use SequenceScope class
instead.", ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias
SequenceBuilder<T> = SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady:
State = 0\n\nprivate const val State_ManyNotReady: State = 1\n\nprivate const val State_ManyReady: State =
2\n\nprivate const val State_Ready: State = 3\n\nprivate const val State_Done: State = 4\n\nprivate const val State_Failed:
State = 5\n\nprivate class SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private
var state = State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? =
null\n    var nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n
            when (state) {\n                State_NotReady -> {}\n                State_ManyNotReady ->\n
                    if (nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n
                    }\n                State_Done -> return false\n                State_Ready, State_ManyReady -> return true\n                State_Failed\n                    val step = nextStep!!\n                    nextStep = null\n                    step.resume(Unit)\n                }\n            }\n\n            override fun next(): T {\n                when (state) {\n                    State_NotReady, State_ManyNotReady -> return
                    nextNotReady()\n                    State_ManyReady -> {\n                        state = State_ManyNotReady\n                        return
                        nextIterator!!.next()\n                    }\n                    State_Ready -> {\n                        state = State_NotReady\n
                        @Suppress("UNCHECKED_CAST")\n                        val result = nextValue as T\n                        nextValue
                        = null\n                        return result\n                    }\n                    else -> throw exceptionalState()\n                }\n            }\n\n            private fun
            nextNotReady(): T {\n                if (!hasNext()) throw NoSuchElementException() else return next()\n            }\n\n            private
            fun exceptionalState(): Throwable = when (state) {\n                State_Done -> NoSuchElementException()\n

```

```

State_Failed -> IllegalStateException("Iterator has failed.")\n    else -> IllegalStateException("Unexpected state
of the iterator: $state")\n    }\n\n    override suspend fun yield(value: T) {\n        nextValue = value\n        state =
State_Ready\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    override suspend fun yieldAll(iterator: Iterator<T>) {\n        if
(iterator.hasNext()) return\n        nextIterator = iterator\n        state = State_ManyReady\n        return
suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    // Completion continuation
implementation\n    override fun resumeWith(result: Result<Unit>) {\n        result.getOrThrow() // just rethrow
exception if it is there\n        state = State_Done\n    }\n\n    override val context: CoroutineContext\n        get() =
EmptyCoroutineContext\n    }\n\n    /*\n    * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n    */\n\n    @package kotlin.collections\n\n    @internal fun checkWindowSizeStep(size: Int, step:
Int) {\n        require(size > 0 && step > 0) {\n            if (size != step)\n                \"Both size $size and step $step must be
greater than zero.\"\n            else\n                \"size $size must be greater than zero.\"\n        }\n    }\n\n    @internal fun <T>
Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Sequence<List<T>> {\n        checkWindowSizeStep(size, step)\n        return Sequence { windowedIterator(iterator(),
size, step, partialWindows, reuseBuffer) }\n    }\n\n    @internal fun <T> windowedIterator(iterator: Iterator<T>, size: Int,
step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\n        if (!iterator.hasNext()) return
EmptyIterator\n        return iterator<List<T>> {\n            val bufferInitialCapacity = size.coerceAtMost(1024)\n            val
gap = step - size\n            if (gap >= 0) {\n                var buffer = ArrayList<T>(bufferInitialCapacity)\n                var skip =
0\n                for (e in iterator) {\n                    if (skip > 0) { skip -= 1; continue }\n                    buffer.add(e)\n                    if
(buffer.size == size) {\n                        yield(buffer)\n                        if (reuseBuffer) buffer.clear() else buffer =
ArrayList(size)\n                        skip = gap\n                    }\n                    if (buffer.isEmpty()) {\n                        if (partialWindows || buffer.size == size) yield(buffer)\n                    } else {\n                        var buffer =
RingBuffer<T>(bufferInitialCapacity)\n                        for (e in iterator) {\n                            buffer.add(e)\n                            if
(buffer.isFull()) {\n                                if (buffer.size < size) { buffer = buffer.expanded(maxCapacity = size); continue
}\n                                yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                                buffer.removeFirst(step)\n                            }\n                        }\n                        if (partialWindows) {\n                            while (buffer.size > step) {\n                                yield(if
(reuseBuffer) buffer else ArrayList(buffer))\n                                buffer.removeFirst(step)\n                            }\n                            if
(buffer.isNotEmpty()) yield(buffer)\n                        }\n                    }\n                }\n            }\n\n            @internal class MovingSubList<out E>(private val
list: List<E>) : AbstractList<E>(), RandomAccess {\n                private var fromIndex: Int = 0\n                private var _size:
Int = 0\n                fun move(fromIndex: Int, toIndex: Int) {\n                    checkRangeIndexes(fromIndex, toIndex, list.size)\n                    this.fromIndex = fromIndex\n                    this._size = toIndex - fromIndex\n                }\n                override fun get(index: Int): E {\n                    checkElementIndex(index, _size)\n                    return list[fromIndex + index]\n                }\n                override val size: Int\n                    get() =
_size\n            }\n\n            /*\n            * Provides ring buffer implementation.\n            * Buffer overflow is not allowed so [add] doesn't
overwrite tail but raises an exception.\n            */\n            @private class RingBuffer<T>(private val buffer: Array<Any?>,
filledSize: Int) : AbstractList<T>(), RandomAccess {\n                init {\n                    require(filledSize >= 0) { \"ring buffer filled
size should not be negative but it is $filledSize\" }\n                    require(filledSize <= buffer.size) { \"ring buffer filled size:
$filledSize cannot be larger than the buffer size: ${buffer.size}\" }\n                }\n                constructor(capacity: Int) :
this(arrayOfNulls<Any?>(capacity), 0)\n                private
val capacity = buffer.size\n                private var startIndex: Int = 0\n                override var size: Int = filledSize\n                private
set\n                override fun get(index: Int): T {\n                    checkElementIndex(index, size)\n                    @Suppress(\"UNCHECKED_CAST\")\n                    return buffer[startIndex.forward(index)] as T\n                }\n                fun isFull() =
size == capacity\n                override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n                    private var count
= size\n                    private var index = startIndex\n                    override fun computeNext() {\n                        if (count == 0) {\n                            done()\n                        } else {\n                            @Suppress(\"UNCHECKED_CAST\")\n                            setNext(buffer[index] as
T)\n                            index = index.forward(1)\n                            count--\n                        }\n                    }\n                }\n            }\n\n            @Suppress(\"UNCHECKED_CAST\")\n            override fun <T> toArray(array: Array<T>): Array<T> {\n                val

```

```

result: Array<T?> =\n        if (array.size < this.size) array.copyOf(this.size)
else array as Array<T?>\n\n        val size = this.size\n        var widx = 0\n        var idx = startIndex\n        while
(widx < size && idx < capacity) {\n            result[widx] = buffer[idx] as T\n            widx++\n            idx++\n
}\n\n        idx = 0\n        while (widx < size) {\n            result[widx] = buffer[idx] as T\n            widx++\n
idx++\n        }\n        if (result.size > this.size) result[this.size] = null\n        return result as Array<T>\n    }\n\n
override fun toArray(): Array<Any?> {\n        return toArray(arrayOfNulls(size))\n    }\n\n    /**\n     * Creates a
new ring buffer with the capacity equal to the minimum of [maxCapacity] and 1.5 * [capacity].\n     * The returned
ring buffer contains the same elements as this ring buffer.\n     */\n    fun expanded(maxCapacity: Int):
RingBuffer<T> {\n        val newCapacity = (capacity + (capacity shr 1) + 1).coerceAtMost(maxCapacity)\n        val
newBuffer = if (startIndex
== 0) buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n        return RingBuffer(newBuffer,
size)\n    }\n\n    /**\n     * Add [element] to the buffer or fail with [IllegalStateException] if no free space available
in the buffer\n     */\n    fun add(element: T) {\n        if (isFull()) {\n            throw IllegalStateException("ring buffer
is full")\n        }\n        buffer[startIndex.forward(size)] = element\n        size++\n    }\n\n    /**\n     * Removes [n]
first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to
remove\n     */\n    fun removeFirst(n: Int) {\n        require(n >= 0) {\n            "n shouldn't be negative but it is $n"
}\n        require(n <= size) {\n            "n shouldn't be greater than the buffer size: n = $n, size = $size"
}\n        if (n > 0) {\n            val start = startIndex\n            val end = start.forward(n)\n            if (start > end) {\n                buffer.fill(null,
start, capacity)\n                buffer.fill(null, 0, end)\n            } else {\n                buffer.fill(null, start, end)\n
}\n            startIndex = end\n            size -= n\n        }\n    }\n\n    @Suppress("NOTHING_TO_INLINE")\n    private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n\n    /**\n     * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n     */\n\npackage kotlin.collections\n\n// UByteArray
=====\n\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UByteArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UByteArray, left:
Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// UShortArray
=====\n\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UShortArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array:
UShortArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// UIntArray
=====\n\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UIntArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array:
UIntArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// ULongArray
=====\n\n@Exp

```

```

erimentalUnsignedTypes\nprivate fun partition(\n    array: ULongArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun\nquickSort(\n    array: ULongArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index\n        - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// Interfaces\n=====\n\n* Sorts the given array using qsort algorithm.\n*\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array:\n    UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex -\n    1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) =\n    quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray,\n    fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex -\n    1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) =\n    quickSort(array, fromIndex, toIndex - 1)" /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming\n    Language contributors.\n * Use of this source code is governed by the Apache 2.0\n    license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport\n    kotlin.internal.InlineOnly\n\n/**\n * Compares this object with the specified object for order. Returns zero if this\n    object is equal\n * to the specified [other] object, a negative number if it's less than [other], or a positive number\n    * if it's greater than [other].\n * This function delegates to [Comparable.compareTo] and allows to call it in infix\n    form.\n */\n@InlineOnly\n@SinceKotlin("1.6")\npublic inline infix fun <T> Comparable<T>.compareTo(other:\n    T): Int =\n    this.compareTo(other)\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\n    Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport\n    kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is\n    used to opt-in for that feature\n * when declaring contracts of user functions.\n * Any usage of a declaration\n    annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn]\n    annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xopt-\n    in=kotlin.contracts.ExperimentalContracts`\n */\n\n@Suppress("DEPRECATION")\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@Ex\n    perimental\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n    * can be used to describe the contract of a function.\n * This type is used as a receiver type of the lambda function passed to the\n    [contract] function.\n * @see contract\n */\n\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic interface ContractBuilder {\n    /**\n     * Describes a situation when\n    a function returns normally, without any exceptions thrown.\n     * Use [SimpleEffect.implies] function to\n    describe a conditional effect that happens in such case.\n     */\n    @sample\n    samples.contracts.returnsContract\n    @ContractsDsl\n    public fun returns(): Returns\n\n    /**\n     * Describes a\n    situation when a function returns normally with the specified return [value].\n     * The possible values of\n    [value] are limited to `true`, `false` or `null`.\n     * Use [SimpleEffect.implies] function to describe a\n    conditional effect that happens in such case.\n     */\n    @sample\n    samples.contracts.returnsTrueContract\n    // @sample\n    samples.contracts.returnsFalseContract\n    // @sample\n    samples.contracts.returnsNullContract\n    @ContractsDsl\n    public fun returns(value: Any?): Returns\n\n    /**\n     * Describes a situation when a function\n    returns normally with any value that is not `null`.\n     * Use [SimpleEffect.implies] function\n    to describe a conditional effect that happens in such case.\n     */\n    @sample\n    samples.contracts.returnsNotNullContract\n    @ContractsDsl\n    public fun returnsNotNull(): ReturnsNotNull\n\n    /**\n     * Specifies that the function parameter [lambda] is invoked in place.\n     * This contract specifies

```

that:\n * 1. the function [lambda] can only be invoked during the call of the owner function,\n * and it won't be invoked after that owner function call is completed;\n * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter,\n * see the [InvocationKind] enum for possible values.\n *\n * A function declaring the `callsInPlace` effect must be _inline_.\n *\n */\n @sample samples.contracts.callsInPlaceAtMostOnceContract\n @sample samples.contracts.callsInPlaceAtLeastOnceContract\n @sample samples.contracts.callsInPlaceExactlyOnceContract\n @sample samples.contracts.callsInPlaceUnknownContract\n\n *\n @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n/**\n * Specifies how many times a function invokes its function parameter in place.\n *\n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n *\n @ContractsDsl\n @ExperimentalContracts\n @SinceKotlin("1.3")\n\n public enum class InvocationKind {\n\n /**\n * A function parameter will be invoked one time or not invoked at all.\n *\n // @sample samples.contracts.callsInPlaceAtMostOnceContract\n @ContractsDsl AT_MOST_ONCE,\n\n /**\n * A function parameter will be invoked one or more times.\n *\n // @sample samples.contracts.callsInPlaceAtLeastOnceContract\n @ContractsDsl AT_LEAST_ONCE,\n\n /**\n * A function parameter will be invoked exactly one time.\n *\n // @sample samples.contracts.callsInPlaceExactlyOnceContract\n\n @ContractsDsl EXACTLY_ONCE,\n\n /**\n * A function parameter is called in place, but it's unknown how many times it can be called.\n *\n // @sample samples.contracts.callsInPlaceUnknownContract\n\n @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the contract of a function.\n *\n * The contract description must be at the beginning of a function and have at least one effect.\n *\n * Only the top-level functions can have a contract for now.\n *\n * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n *\n */\n @sample samples.contracts.returnsContract\n @sample samples.contracts.returnsTrueContract\n @sample samples.contracts.returnsFalseContract\n @sample samples.contracts.returnsNullContract\n @sample samples.contracts.returnsNotNullContract\n @sample samples.contracts.callsInPlaceAtMostOnceContract\n @sample samples.contracts.callsInPlaceAtLeastOnceContract\n @sample samples.contracts.callsInPlaceExactlyOnceContract\n\n @sample samples.contracts.callsInPlaceUnknownContract\n\n @ContractsDsl\n @ExperimentalContracts\n @InlineOnly\n\n @SinceKotlin("1.3")\n\n @Suppress("UNUSED_PARAMETER")\n\n public inline fun contract(builder: ContractBuilder.() -> Unit) { }\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n package kotlin.coroutines\n\n\n /**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n *\n * [ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n * its implementation delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey]\n * to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n * [ContinuationInterceptor] subtypes can be extracted from the coroutine context using either [ContinuationInterceptor.Key]\n * or subtype key if it extends [AbstractCoroutineContextKey].\n *\n @SinceKotlin("1.3")\n\n public interface ContinuationInterceptor : CoroutineContext.Element {\n\n /**\n * The key that defines *the* context interceptor.\n *\n companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n /**\n * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n * This function is invoked by coroutines framework when needed and the resulting continuations are\n * cached internally per each instance of the original [continuation].\n *\n * This function may simply return original [continuation] if it does not want to intercept

```

this particular continuation.\n    *\n    * When the original [continuation]
completes, coroutine framework invokes [releaseInterceptedContinuation]\n    * with the resulting continuation if it
was intercepted, that is if `interceptContinuation` had previously\n    * returned a different continuation instance.\n
*/\n    public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>{\n\n    /**\n    *
Invoked for the continuation instance returned by [interceptContinuation] when the original\n    * continuation
completes and will not be used anymore. This function is invoked only if [interceptContinuation]\n    * had returned
a different continuation instance from the one it was invoked with.\n    *\n    * Default implementation does
nothing.\n    *\n    * @param continuation Continuation instance returned by this interceptor's
[interceptContinuation] invocation.\n    */\n    public fun releaseInterceptedContinuation(continuation:
Continuation<*>) {\n        /* do nothing by default */\n    }\n\n    public override operator
fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? {\n        // getPolymorphicKey
specialized for ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is
AbstractCoroutineContextKey<*, *>) {\n            @Suppress("\UNCHECKED_CAST")\n            return if
(key.isSubKey(this.key)) key.tryCast(this) as? E else null\n        }\n        @Suppress("\UNCHECKED_CAST")\n
return if (ContinuationInterceptor === key) this as E else null\n    }\n\n    public override fun minusKey(key:
CoroutineContext.Key<*>): CoroutineContext {\n        // minusPolymorphicKey specialized for
ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is
AbstractCoroutineContextKey<*, *>) {\n            return if (key.isSubKey(this.key) && key.tryCast(this) != null)
EmptyCoroutineContext else this\n        }\n        return if (ContinuationInterceptor === key)
EmptyCoroutineContext else this\n    }\n}\n"/\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An
indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].\n
*/\n\n@SinceKotlin("1.3")\npublic interface CoroutineContext {\n    /**\n    * Returns the element with the given
[key] from this context or `null`.\n    */\n    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n
 * Accumulates entries of this context starting with [initial] value and applying [operation]\n    * from left to right to
current accumulator value and each element of this context.\n    */\n    public fun <R> fold(initial: R, operation: (R,
Element) -> R): R\n\n    /**\n    * Returns a context containing elements from this
context and elements from other [context].\n    * The elements from this context with the same key as in the other
one are dropped.\n    */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if
(context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) {
acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed ===
EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus
is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if
(interceptor == null) CombinedContext(removed, element) else {\n                        val left =
removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext)\n                            CombinedContext(element, interceptor) else\n                                CombinedContext(CombinedContext(left,
element), interceptor)\n                    }\n                }\n            }\n\n    /**\n    * Returns a context containing elements
from this context, but without an element with\n    * the specified [key].\n    */\n    public fun minusKey(key:
Key<*>): CoroutineContext\n\n    /**\n    * Key for the elements of [CoroutineContext]. [E] is a type of element
with this key.\n    */\n    public interface Key<E : Element> {\n        /**\n        * An element of the [CoroutineContext].
An element of the coroutine context is a singleton context by itself.\n        */\n        public interface Element :
CoroutineContext {\n            /**\n            * A key of this coroutine context element.\n            */\n            public val key:
Key<*>\n\n            public override operator fun <E : Element> get(key: Key<E>): E? =\n                @Suppress("\UNCHECKED_CAST")\n                if (this.key == key) this as E else null\n            public override fun
<R> fold(initial: R, operation: (R, Element) -> R):

```



```

R =\n      operation(initial, this)\n      public override fun minusKey(key: Key<*>): CoroutineContext =\n      if (this.key == key) EmptyCoroutineContext else this\n    }\n  }\n  "/>\n  * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n  * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n  */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.CoroutineContext.Element\n\nimport kotlin.coroutines.CoroutineContext.Key\n\n/**\n  * Base class
for [CoroutineContext.Element] implementations.\n  */\n\n@SinceKotlin("1.3")\npublic abstract class
AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n  * Base class for
[CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.\n  */\n
Polymorphic element implementation implies delegating its [get][Element.get] and
[minusKey][Element.minusKey]\n  * to [getPolymorphicElement] and
[minusPolymorphicKey] respectively.\n  */\n  * Polymorphic elements can be extracted from the coroutine context
using both element key and its supertype key.\n  * Example of polymorphic elements:\n  * ```\n  * open class
BaseElement : CoroutineContext.Element {\n  *     companion object Key : CoroutineContext.Key<BaseElement>\n  *
    override val key: CoroutineContext.Key<*> get() = Key\n  *     // It is important to use getPolymorphicKey and
minusPolymorphicKey\n  *     override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? = getPolymorphicElement(key)\n  *     override fun minusKey(key: CoroutineContext.Key<*>):
CoroutineContext = minusPolymorphicKey(key)\n  * }\n  */\n  * class DerivedElement : BaseElement() {\n  *
    companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as?
DerivedElement })\n  * }\n  * // Now it is possible to query both `BaseElement` and `DerivedElement`\n  *
someContext[BaseElement] // Returns BaseElement?,
non-null both for BaseElement and DerivedElement instances\n  * someContext[DerivedElement] // Returns
DerivedElement?, non-null only for DerivedElement instance\n  * ```\n  * @param B base class of a polymorphic
element\n  * @param baseKey an instance of base key\n  * @param E element type associated with the current key\n
  * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type\n
  * and return the element if it is a subtype of [E] or `null` otherwise.\n
  */\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic abstract class AbstractCoroutineContextKey<B :
Element, E : B>(\n    baseKey: Key<B>,\n    private val safeCast: (element: Element) -> E?) : Key<E> {\n
    private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else
baseKey\n\n    internal fun tryCast(element: Element): E? = safeCast(element)\n    internal fun isSubKey(key:
Key<*>): Boolean = key === this || topmostKey
=== key\n}\n\n/**\n  * Returns the current element if it is associated with the given [key] in a polymorphic manner
or `null` otherwise.\n  * This method returns non-null value if either [Element.key] is equal to the given [key] or if
the [key] is associated\n  * with [Element.key] via [AbstractCoroutineContextKey].\n  * See
[AbstractCoroutineContextKey] for the example of usage.\n
  */\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <E : Element>
Element.getPolymorphicElement(key: Key<E>): E? {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n
        @Suppress("UNCHECKED_CAST")\n        return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n
    }\n    @Suppress("UNCHECKED_CAST")\n    return if (this.key === key) this as E else null\n}\n\n/**\n  * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n  * or `null` otherwise.\n  * This method returns empty context if either [Element.key] is equal to the given
[key] or if the [key] is associated\n  * with [Element.key] via [AbstractCoroutineContextKey].\n  * See
[AbstractCoroutineContextKey] for the example of usage.\n
  */\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>):
CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key)
EmptyCoroutineContext else this\n}\n\n/**\n  * An empty coroutine context.\n  */\n\n@SinceKotlin("1.3")\npublic
object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long =
0\n    private fun readResolve(): Any = EmptyCoroutineContext\n    public override fun <E : Element> get(key:

```

```

Key<E>(): E? = null\n public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n public
override fun plus(context: CoroutineContext): CoroutineContext
= context\n public override fun minusKey(key: Key<*>): CoroutineContext = this\n public override fun
hashCode(): Int = 0\n public override fun toString(): String = "EmptyCoroutineContext"\n\n//-----
- internal impl -----\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-
biased list, so that `plus` works naturally\n@SinceKotlin("1.3")\ninternal class CombinedContext(\n private val
left: CoroutineContext,\n private val element: Element\n) : CoroutineContext, Serializable {\n\n override fun <E
: Element> get(key: Key<E>): E? {\n var cur = this\n while (true) {\n cur.element[key]?.let { return
it }\n val next = cur.left\n if (next is CombinedContext) {\n cur = next\n } else {\n
return next[key]\n }\n }\n }\n\n public override fun <R> fold(initial: R, operation: (R, Element) -
> R): R =\n
operation(left.fold(initial, operation), element)\n\n public override fun minusKey(key: Key<*>):
CoroutineContext {\n element[key]?.let { return left }\n val newLeft = left.minusKey(key)\n return
when {\n newLeft === left -> this\n newLeft === EmptyCoroutineContext -> element\n else ->
CombinedContext(newLeft, element)\n }\n }\n\n private fun size(): Int {\n var cur = this\n var size
= 2\n while (true) {\n cur = cur.left as? CombinedContext ?: return size\n size++\n }\n }\n\n private fun
contains(element: Element): Boolean =\n get(element.key) == element\n\n private fun
containsAll(context: CombinedContext): Boolean {\n var cur = context\n while (true) {\n if
(!contains(cur.element)) return false\n val next = cur.left\n if (next is CombinedContext) {\n
cur = next\n } else
{\n return contains(next as Element)\n }\n }\n }\n\n override fun equals(other: Any?):
Boolean =\n this === other || other is CombinedContext && other.size() == size() &&
other.containsAll(this)\n\n override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n override
fun toString(): String =\n "[" + fold("") { acc, element ->\n if (acc.isEmpty()) element.toString() else
"\$acc, \$element"\n } + "]" \n\n private fun writeReplace(): Any {\n val n = size()\n val elements =
arrayOfNulls<CoroutineContext>(n)\n var index = 0\n fold(Unit) { _, element -> elements[index++] =
element }\n check(index == n)\n @Suppress("UNCHECKED_CAST")\n return Serialized(elements
as Array<CoroutineContext>)\n }\n\n private class Serialized(val elements: Array<CoroutineContext>) :
Serializable {\n companion object {\n private const val serialVersionUID:
Long = 0L\n }\n\n private fun readResolve(): Any = elements.fold(EmptyCoroutineContext,
CoroutineContext::plus)\n }\n}\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.coroutines.intrinsics\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.*\nimport
kotlin.internal.InlineOnly\n\n/**\n * Obtains the current continuation instance inside suspend functions and either
suspends\n * currently running coroutine or returns result immediately without suspension.\n * If the [block]
returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution
and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\n
* resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes
available to resume the computation.\n * Otherwise, the return value of the [block] must have a type assignable
to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the
[Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as
`Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend
function's author.\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's
thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's
[CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n
* [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Note that

```

it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current continuation instance.

```
*\n@SinceKotlin("1.3")\n@InlineOnly\n@Suppress("UNUSED_PARAMETER",  
"RedundantSuspendModifier")\npublic suspend inline fun <T>  
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE) }\n    throw NotImplementedError("Implementation of  
suspendCoroutineUninterceptedOrReturn is intrinsic")\n}\n\n/**\n * This value is used as a return value of  
[suspendCoroutineUninterceptedOrReturn] `block` argument to state that  
the execution was suspended and will  
not return any result immediately.\n *\n * **Note: this value should not be used in general code.** Using it outside  
of the context of `suspendCoroutineUninterceptedOrReturn`  
function return value (including, but not limited to, storing this value in other properties, returning it from other  
functions, etc) can lead to unspecified behavior of the code.\n *\n * It is implemented as property with getter to  
avoid ProGuard <clint> problem with multifile IntrinsicsKt class\n@SinceKotlin("1.3")\npublic val  
COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum  
here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization  
frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly  
see toString() value of those objects and what package they come from\n@SinceKotlin("1.3")\n@PublishedApi //  
This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum  
class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n", "/*\n * Copyright  
2010-2018
```

JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```
\npackage kotlin.experimental\n\n/**  
Performs a bitwise AND operation between the two values.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte =  
(this.toInt() and other.toInt()).toByte()\n\n/**  
Performs a bitwise OR operation between the two values.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte =  
(this.toInt() or other.toInt()).toByte()\n\n/**  
Performs a bitwise XOR operation between the two values.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte =  
(this.toInt() xor other.toInt()).toByte()\n\n/**  
Inverts the bits in this value.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte =  
(this.toInt().inv()).toByte()\n\n/**
```

Performs a bitwise AND operation between the two values.

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short =  
(this.toInt() and other.toInt()).toShort()\n\n/**  
Performs a bitwise OR operation between the two values.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short =  
(this.toInt() or other.toInt()).toShort()\n\n/**  
Performs a bitwise XOR operation between the two values.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short =  
(this.toInt() xor other.toInt()).toShort()\n\n/**  
Inverts the bits in this value.
```

```
\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short =  
(this.toInt().inv()).toShort()\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language  
contributors. Use of this source code is governed by the Apache
```

```
2.0 license that can be found in the license/LICENSE.txt file.\n *\n * \npackage kotlin.experimental\n\n/**\n * The  
experimental marker for type inference augmenting annotations.\n *\n * Any usage of a declaration annotated with  
`@ExperimentalTypeInference` must be accepted either by  
annotating that usage with the [OptIn] annotation,  
e.g. `@OptIn(ExperimentalTypeInference::class)` or by using the compiler argument  
`-Xopt-in=kotlin.experimental.ExperimentalTypeInference`.  
 *\n * \n@Suppress("DEPRECATION")\n@Experimental(level =  
Experimental.Level.ERROR)\n@RequiresOptIn(level =
```

RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin("1.3")\npublic annotation class ExperimentalTypeInference\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

*\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n *\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n *\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n *\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without inlining\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n *\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n\n@SinceKotlin("1.2")\n\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n *\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR,

```

AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin("1.2")\ninternal
annotation class RequireKotlin(\n    val version: String,\n    val message: String = "",\n    val level:
DeprecationLevel = DeprecationLevel.ERROR,\n    val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n    val errorCode: Int = -1)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n */\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n    LANGUAGE_VERSION,\n    COMPILER_VERSION,\n    API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation
class ContractsDsl\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage
kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Standard property delegates.\n */\n\npublic object
Delegates {\n    /**\n     * Returns a property delegate for a read/write property with a non-`null` value that is
initialized not during\n     * object construction time but at a later time. Trying to read the property before the initial
value has been\n     * assigned results in an exception.\n     */\n     * @sample
samples.properties.Delegates.notNullDelegate\n     */\n     public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n\n    /**\n     * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n     * @param initialValue the initial value of the property.\n     * @param onChange the callback which is called after the change of the property is made. The value of the
property\n     * has already been changed when this callback is invoked.\n     */\n     * @sample
samples.properties.Delegates.observableDelegate\n     */\n     public inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>,\noldValue: T, newValue: T) -> Unit):\n         ReadWriteProperty<Any?, T> =\n         object :
ObservableProperty<T>(initialValue) {\n             override fun afterChange(property: KProperty<*>, oldValue: T,\nnewValue: T) = onChange(property, oldValue, newValue)\n         }\n\n     /**\n     * Returns a property delegate for a
read/write property that calls a specified callback function when changed,\n     * allowing the callback to veto the
modification.\n     * @param initialValue the initial value of the property.\n     * @param onChange the callback
which is called before a change to the property value is attempted.\n     * The value of the property hasn't been
changed yet, when this callback is invoked.\n     * If the callback returns `true` the value of the property is being set
to the new value,\n     * and if the callback returns `false` the
new value is discarded and the property remains its old value.\n     */\n     * @sample
samples.properties.Delegates.vetoableDelegate\n     */\n     * @sample
samples.properties.Delegates.throwVetoableDelegate\n     */\n     public inline fun <T> vetoable(initialValue: T,\ncrossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n         ReadWriteProperty<Any?, T> =\n         object : ObservableProperty<T>(initialValue) {\n             override fun
beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue,\nnewValue)\n         }\n\n     private class NotNullVar<T : Any>(): ReadWriteProperty<Any?, T> {\n         private var
value: T? = null\n         public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n             return value
?: throw IllegalStateException("Property ${property.name} should be initialized before get.")\n         }\n         public
override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n             this.value = value\n         }\n     }\n\n     /**\n     * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n     */\n\n     package kotlin.properties\n\n     import kotlin.reflect.KProperty\n\n     /**\n     * Base
interface that can be used for implementing property delegates of read-only properties.\n     */\n     * This is provided only
for convenience; you don't have to extend this interface\n     * as long as your property delegate has methods with the
same signatures.\n     */\n     * @param T the type of object which owns the delegated property.\n     * @param V the type of
the property value.\n     */\n     public fun interface ReadOnlyProperty<in T, out V> {\n         /**\n          * Returns the value of

```

```

the property for the given object.\n * @param thisRef the object for which the value is requested.\n * @param
property the metadata for the property.\n * @return the property value.\n
*/\n public operator fun getValue(thisRef: T, property: KProperty<*>): V\n\n/**\n * Base interface that can
be used for implementing property delegates of read-write properties.\n *\n * This is provided only for convenience;
you don't have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n
*\n * @param T the type of object which owns the delegated property.\n * @param V the type of the property
value.\n */\npublic interface ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n /**\n * Returns the
value of the property for the given object.\n * @param thisRef the object for which the value is requested.\n *
@param property the metadata for the property.\n * @return the property value.\n */\n public override
operator fun getValue(thisRef: T, property: KProperty<*>): V\n\n /**\n * Sets the value of the property for the
given object.\n * @param thisRef the object for which the value is requested.\n
* @param property the metadata for the property.\n * @param value the value to set.\n */\n public
operator fun setValue(thisRef: T, property: KProperty<*>, value: V)\n\n/**\n * Base interface that can be used
for implementing property delegate providers.\n *\n * This is provided only for convenience; you don't have to
extend this interface\n * as long as your delegate provider has a method with the same signature.\n *\n * @param T
the type of object which owns the delegated property.\n * @param D the type of property delegates this provider
provides.\n */\n@SinceKotlin("1.4")\npublic fun interface PropertyDelegateProvider<in T, out D> {\n /**\n *
Returns the delegate of the property for the given object.\n *\n * This function can be used to extend the logic
of creating the object (e.g. perform validation checks)\n * to which the property implementation is delegated.\n
*\n * @param thisRef the object for which property delegate is requested.\n
* @param property the metadata for the property.\n * @return the property delegate.\n */\n public
operator fun provideDelegate(thisRef: T, property: KProperty<*>): D\n\n"/\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport
kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that
calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic
abstract class ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n private var value =
initialValue\n\n /**\n * The callback which is called before a change to the property value is attempted.\n *
The value of the property hasn't been changed yet, when this callback is invoked.\n *
If the callback returns `true` the value of the property is being set to the new value.\n * and if the callback returns
`false` the new value is discarded and the property remains its old value.\n */\n protected open fun
beforeChange(property: KProperty<*>, oldValue: V, newValue: V): Boolean = true\n\n /**\n * The callback
which is called after the change of the property is made. The value of the property\n * has already been changed
when this callback is invoked.\n */\n protected open fun afterChange(property: KProperty<*>, oldValue: V,
newValue: V): Unit { }\n\n public override fun getValue(thisRef: Any?, property: KProperty<*>): V {\n
return value\n }\n\n public override fun setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n val
oldValue = this.value\n if (!beforeChange(property, oldValue, value)) {\n return\n }\n this.value
= value\n afterChange(property, oldValue, value)\n }\n}"/\n
* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress("PackageDirectoryMismatch")\npackage kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An
extension operator that allows delegating a read-only property of type [V]\n * to a property reference to a property
of type [V] or its subtype.\n *\n * @receiver A property reference to a read-only or mutable property of type [V] or
its subtype.\n * The reference is without a receiver, i.e. it either references a top-level property or\n * has the
receiver bound to it.\n *\n * Example:\n *\n * ```\n * class Login(val username: String)\n * val defaultLogin =
Login("Admin")\n * val defaultUsername by defaultLogin::username\n * // equivalent to\n * val defaultUserName
get() = defaultLogin.username\n * ```\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline

```

```

operator fun <V> KProperty0<V>.getValue(thisRef: Any?, property: KProperty<*>): V {\n    return
get()\n}\n\n/**\n * An extension operator that allows delegating a mutable property of type [V]\n * to a property
reference to a mutable property of the same type [V].\n *\n * @receiver A property reference to a mutable property
of type [V].\n *\n * The reference is without a receiver, i.e. it either references a top-level property or\n
*\n * has the receiver bound to it.\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var
incorrectAttemptCounter: Int = 0)\n * val defaultLogin = Login("Admin")\n * var defaultLoginAttempts by
defaultLogin::incorrectAttemptCounter\n * // equivalent to\n * var defaultLoginAttempts: Int\n *     get() =
defaultLogin.incorrectAttemptCounter\n *     set(value) { defaultLogin.incorrectAttemptCounter = value }\n * ```\n
*\n *\n * @SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KMutableProperty0<V>.setValue(thisRef: Any?,
property: KProperty<*>, value: V) {\n    set(value)\n}\n\n\n/**\n * An extension operator that allows delegating a
read-only member or extension property of type [V]\n * to a property reference to a member or extension property
of type [V] or its subtype.\n *\n * @receiver A property reference to a read-only or mutable property of type [V] or
its subtype.\n *\n * The reference has an unbound receiver of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val
username: String)\n * val Login.user by Login::username\n * // equivalent to\n * val Login.user get() =
this.username\n * ```\n *\n * @SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V>
KProperty1<T, V>.getValue(thisRef: T, property: KProperty<*>): V {\n    return get(thisRef)\n}\n\n\n/**\n * An
extension operator that allows delegating a mutable member or extension property of type [V]\n * to a property
reference to a member or extension mutable property of the same type [V].\n *\n * @receiver A property
reference to a read-only or mutable property of type [V] or its subtype.\n *\n * The reference has an unbound receiver
of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int)\n *
var Login.attempts by Login::incorrectAttemptCounter\n * // equivalent to\n * var Login.attempts: Int\n *     get() =
this.incorrectAttemptCounter\n *     set(value) { this.incorrectAttemptCounter = value }\n * ```\n
*\n *\n * @SinceKotlin("1.4")\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KMutableProperty1<T,
V>.setValue(thisRef: T, property: KProperty<*>, value: V) {\n    set(thisRef, value)\n}\n\n\n/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.nextDown\n\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n
*\n * The companion object [Random.Default] is the default instance of [Random].\n *\n * To get a seeded instance
of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n
*\n *\n * @SinceKotlin("1.3")\n */\npublic abstract class Random {\n\n    /**\n     * Gets the next random [bitCount] number
of bits.\n     *\n     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining
upper bits are zero.\n     *\n     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the
behavior is unspecified.\n     *\n     * @sample samples.random.Randoms.nextBits\n     */\n    public abstract fun
nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next random `Int` from the random number generator.\n     *\n
* Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE`
(inclusive).\n     *\n     * @sample samples.random.Randoms.nextInt\n     */\n    public
open fun nextInt(): Int = nextBits(32)\n\n    /**\n     * Gets the next random non-negative `Int` from the random
number generator less than the specified [until] bound.\n     *\n     * Generates an `Int` random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be
positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample
samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n
    /**\n     * Gets the next random `Int` from the random number generator in the specified range.\n     *\n     *
Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
     *\n     * @sample samples.random.Randoms.nextIntFromUntil\n     */\n\n    public open fun nextInt(from: Int, until: Int): Int {\n        checkRangeBounds(from, until)\n        val n = until -
from\n        if (n > 0 || n == Int.MIN_VALUE) {\n            val rnd = if (n and -n == n) {\n                val bitCount =

```

```

fastLog2(n)\n        nextBits(bitCount)\n        } else {\n            var v: Int\n            do {\n                val\n                bits = nextInt().ushr(1)\n                v = bits % n\n            } while (bits - v + (n - 1) < 0)\n            v\n        }\n        return from + rnd\n    } else {\n        while (true) {\n            val rnd = nextInt()\n            if (rnd in\n            from until until) return rnd\n        }\n    }\n} /**\n * Gets the next random `Long` from the random\nnumber generator.\n *\n * Generates a `Long` random value uniformly distributed between\n`Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n *\n * @sample\nsamples.random.Randoms.nextLong\n\n *\n public open fun nextLong(): Long = nextInt().toLong().shl(32) + nextInt()\n /**\n * Gets the next\nrandom non-negative `Long` from the random number generator less than the specified [until] bound.\n *\n * Generates a `Long` random value uniformly distributed between `0` (inclusive) and the specified [until] bound\n(exclusive).\n *\n * @param until must be positive.\n *\n * @throws IllegalArgumentException if [until]\nis negative or zero.\n *\n * @sample samples.random.Randoms.nextLongFromUntil\n *\n public open fun\nnextLong(until: Long): Long = nextLong(0, until)\n /**\n * Gets the next random `Long` from the random\nnumber generator in the specified range.\n *\n * Generates a `Long` random value uniformly distributed\nbetween the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws\nIllegalArgumentException if [from] is greater than or equal to [until].\n *\n * @sample\nsamples.random.Randoms.nextLongFromUntil\n *\n public open fun nextLong(from: Long, until: Long):\nLong {\n    checkRangeBounds(from, until)\n    val n = until - from\n    if (n > 0) {\n        val rnd: Long\n        if (n and -n == n) {\n            val nLow = n.toInt()\n            val nHigh = (n ushr 32).toInt()\n            rnd =\n            when {\n                nLow != 0 -> {\n                    val bitCount = fastLog2(nLow)\n                    //\ntoUInt().toLong()\n                    nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                }\n                nHigh == 1 ->{\n                    // toUInt().toLong()\n                    nextInt().toLong() and 0xFFFF_FFFF\n                }\n                else -> {\n                    val bitCount = fastLog2(nHigh)\n                    nextBits(bitCount).toLong().shl(32) +\n                    (nextInt().toLong() and 0xFFFF_FFFF)\n                }\n            } else\n            {\n                var v: Long\n                do {\n                    val bits = nextLong().ushr(1)\n                    v = bits % n\n                }\n                while (bits - v + (n - 1) < 0)\n                rnd = v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextLong()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n} /**\n * Gets the next random [Boolean] value.\n *\n * @sample\nsamples.random.Randoms.nextBoolean\n *\n public open fun nextBoolean(): Boolean = nextBits(1) != 0\n /**\n * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n *\n * @sample samples.random.Randoms.nextDouble\n *\n public open fun nextDouble(): Double =\ndoubleFromParts(nextBits(26), nextBits(27))\n /**\n * Gets the next random non-negative `Double` from the\nrandom number generator less than\nthe specified [until] bound.\n *\n * Generates a `Double` random value uniformly distributed between 0\n(inclusive) and [until] (exclusive).\n *\n * @throws IllegalArgumentException if [until] is negative or zero.\n *\n * @sample samples.random.Randoms.nextDoubleFromUntil\n *\n public open fun nextDouble(until:\nDouble): Double = nextDouble(0.0, until)\n /**\n * Gets the next random `Double` from the random number\ngenerator in the specified range.\n *\n * Generates a `Double` random value uniformly distributed between the\nspecified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * [from] and [until] must be finite otherwise\nthe behavior is unspecified.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to\n[until].\n *\n * @sample samples.random.Randoms.nextDoubleFromUntil\n *\n public open fun\nnextDouble(from: Double, until: Double): Double {\n    checkRangeBounds(from,\nuntil)\n    val size = until - from\n    val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n        val r1 = nextDouble() * (until / 2 - from / 2)\n        from + r1 + r1\n    } else {\n        from + nextDouble() * size\n    }\n    return if (r >= until) until.nextDown() else r\n}\n /**\n * Gets the next random [Float]\nvalue uniformly distributed between 0 (inclusive) and 1 (exclusive).\n *\n * @sample\nsamples.random.Randoms.nextFloat\n *\n public open fun nextFloat(): Float = nextBits(24) / (1 shl\n24).toFloat()\n /**\n * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and

```



```

ending [toIndex] exclusive\n    * with random bytes.\n    *\n    * @return [array] with the subrange filled with
random bytes.\n    *\n    * @sample samples.random.Randoms.nextBytes\n    */\n    public open fun
nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size):
    ByteArray {\n        require(fromIndex in 0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or
toIndex ($toIndex) are out of range: 0..${array.size}.\" }\n        require(fromIndex <= toIndex) { \"fromIndex
($fromIndex) must be not greater than toIndex ($toIndex).\" }\n        val steps = (toIndex - fromIndex) / 4\n        var position = fromIndex\n        repeat(steps) {\n            val v = nextInt()\n            array[position] = v.toByte()\n            array[position + 1] = v.ushr(8).toByte()\n            array[position + 2] = v.ushr(16).toByte()\n            array[position +
3] = v.ushr(24).toByte()\n            position += 4\n        }\n        val remainder = toIndex - position\n        val vr =
nextInt(remainder * 8)\n        for (i in 0 until remainder) {\n            array[position + i] = vr.ushr(i * 8).toByte()\n
        }\n        return array\n    }\n    /**\n     * Fills the specified byte [array] with random bytes and returns it.\n     *\n     * @return [array] filled with random bytes.\n     *\n     * @sample samples.random.Randoms.nextBytes\n     */\n    public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)\n    /**\n     * Creates a
byte array of the specified [size], filled with random bytes.\n     *\n     * @sample
samples.random.Randoms.nextBytes\n     */\n    public open fun nextBytes(size: Int): ByteArray =
nextBytes(ByteArray(size))\n    /**\n     * The default random number generator.\n     *\n     * On JVM this
generator is thread-safe, its methods can be invoked from multiple threads.\n     *\n     * @sample
samples.random.Randoms.defaultRandom\n     */\n    companion object Default : Random(), Serializable {\n        private val defaultRandom: Random = defaultPlatformRandom()\n        private object Serialized : Serializable {\n
            private const val serialVersionUID = 0L\n            private fun readResolve(): Any = Random\n        }\n        private fun
writeReplace(): Any = Serialized\n        override fun nextBits(bitCount: Int): Int =
defaultRandom.nextBits(bitCount)\n        override fun nextInt(): Int = defaultRandom.nextInt()\n        override fun
nextInt(until: Int): Int = defaultRandom.nextInt(until)\n        override fun nextInt(from: Int, until: Int): Int =
defaultRandom.nextInt(from, until)\n        override fun nextLong(): Long = defaultRandom.nextLong()\n        override fun
nextLong(until: Long): Long = defaultRandom.nextLong(until)\n        override fun nextLong(from:
Long, until: Long): Long = defaultRandom.nextLong(from, until)\n        override fun nextBoolean(): Boolean =
defaultRandom.nextBoolean()\n        override fun nextDouble(): Double = defaultRandom.nextDouble()\n        override fun
nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n        override fun
nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n        override fun
nextFloat(): Float
= defaultRandom.nextFloat()\n        override fun nextBytes(array: ByteArray): ByteArray =
defaultRandom.nextBytes(array)\n        override fun nextBytes(size: Int): ByteArray =
defaultRandom.nextBytes(size)\n        override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int):
ByteArray =\n            defaultRandom.nextBytes(array, fromIndex, toIndex)\n    }\n    /**\n     * Returns a repeatable
random number generator seeded with the given [seed] `Int` value.\n     *\n     * Two generators with the same seed
produce the same sequence of values within the same version of Kotlin runtime.\n     *\n     * *Note:* Future versions of
Kotlin may change the algorithm of this seeded number generator so that it will return\n     * a sequence of values
different from the current one for a given seed.\n     *\n     * On JVM the returned generator is NOT thread-safe. Do not
invoke it from multiple threads without proper synchronization.\n     *\n     * @sample
samples.random.Randoms.seededRandom\n     */\n    @SinceKotlin(\"1.3\")\n    public
fun Random(seed: Int): Random = XorWowRandom(seed, seed.shr(31))\n    /**\n     * Returns a repeatable random
number generator seeded with the given [seed] `Long` value.\n     *\n     * Two generators with the same seed produce the
same sequence of values within the same version of Kotlin runtime.\n     *\n     * *Note:* Future versions of Kotlin may
change the algorithm of this seeded number generator so that it will return\n     * a sequence of values different from
the current one for a given seed.\n     *\n     * On JVM the returned generator is NOT thread-safe. Do not invoke it from
multiple threads without proper synchronization.\n     *\n     * @sample samples.random.Randoms.seededRandom\n     */\n    @SinceKotlin(\"1.3\")\n    public fun Random(seed: Long): Random = XorWowRandom(seed.toInt(),

```

```

seed.shr(32).toInt())\n\n/**\n * Gets the next random `Int` from the random number generator in the specified
[range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start`
inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n
*/\n\n@SinceKotlin("1.3")\npublic fun Random.nextInt(range: IntRange): Int = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < Int.MAX_VALUE ->
nextInt(range.first, range.last + 1)\n    range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n
else -> nextInt()\n}\n\n/**\n * Gets the next random `Long` from the random number generator in the specified
[range].\n *\n * Generates a `Long` random value uniformly distributed in the specified [range]:\n * from
`range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is
empty.\n */\n\n@SinceKotlin("1.3")\npublic fun Random.nextLong(range: LongRange): Long = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last <
Long.MAX_VALUE
-> nextLong(range.first, range.last + 1)\n    range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last)
+ 1\n    else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom(): Random\n\ninternal expect fun
doubleFromParts(hi26: Int, low27: Int): Double\n\n\ninternal fun fastLog2(value: Int): Int = 31 -
value.countLeadingZeroBits()\n\n/**\n * Takes upper [bitCount] bits (0..32) from this number. */\n\ninternal fun
Int.takeUpperBits(bitCount: Int): Int =\n    this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\n\ninternal fun
checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun
checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun
checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until)
}\n\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = "Random range is empty: [$from,
$until)."\n", "/*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.random\n\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *\n * Generates a
[UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(): UInt = nextInt().toUInt()\n\n\n/**\n * Gets the next random [UInt] from the random number
generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed
between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if
[until] is zero.\n */\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(until: UInt): UInt = nextUInt(0u,
until)\n\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified range.\n *\n *
Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(from: UInt, until: UInt): UInt {\n    checkUIntRangeBounds(from, until)\n\n    val signedFrom =
from.toInt() xor Int.MIN_VALUE\n    val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n    val signedResult =
nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n    return signedResult.toUInt()\n}\n\n\n/**\n * Gets the next
random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value
uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*\n * @throws
IllegalArgumentException if [range] is empty.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(range: UIntRange): UInt = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < UInt.MAX_VALUE ->
nextUInt(range.first, range.last + 1u)\n    range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) +
1u\n    else -> nextUInt()\n}\n\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n *

```

```

Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly
distributed between
`0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is
zero.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from
the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(from: ULong, until: ULong): ULong {\n    checkULongRangeBounds(from, until)\n\n    val
signedFrom = from.toLong() xor Long.MIN_VALUE\n    val signedUntil = until.toLong() xor
Long.MIN_VALUE\n\n    val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n
return signedResult.toULong()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator in the
specified [range].\n *\n * Generates a
[ULong] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to
`range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(range: ULongRange): ULong = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < ULong.MAX_VALUE -
> nextULong(range.first, range.last + 1u)\n    range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u,
range.last) + 1u\n    else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned byte [array] with random bytes
and returns it.\n *\n * @return [array] filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray):
UByteArray {\n    nextBytes(array.asByteArray())\n    return array\n}\n\n/**\n * Creates an unsigned byte array of
the specified [size], filled with random bytes.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the
specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random
UBytes.\n *\n * @return [array] with the subrange filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray,
fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n    nextBytes(array.asByteArray(), fromIndex,
toIndex)\n    return array\n}\n\n\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until >
from) { boundsErrorMessage(from, until) }\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) =
require(until > from) { boundsErrorMessage(from,
until) }\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.random\n\n/**\n * Random number generator, using Marsaglia's "xorwow" algorithm\n *\n *
Cycles after 2^192 - 2^32 repetitions.\n *\n * For more details, see Marsaglia, George (July 2003). "Xorshift
RNGs". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n *\n * Available at
https://www.jstatsoft.org/v08/i14/paper\n *\n *\ninternal class XorWowRandom internal constructor(\n    private
var x: Int,\n    private var y: Int,\n    private var z: Int,\n    private var w: Int,\n    private var v: Int,\n    private var
addend: Int\n) : Random(), Serializable {\n    internal constructor(seed1: Int, seed2: Int) : this(seed1,
seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n    init {\n        require((x
or y or z or w or v) != 0) { "Initial state must have at least one non-zero element." }\n        // some trivial seeds
can produce several values with zeroes in upper bits, so we discard first 64\n        repeat(64) { nextInt() }\n    }\n}

```

```

override fun nextInt(): Int {
    // Equivalent to the xorxow algorithm // From Marsaglia, G. 2003. Xorshift
    RNGs. J. Statis. Soft. 8, 14, p. 5
    var t = x
    t = t xor (t ushr 2)
    x = y
    y = z
    z = w
    val v0 = v
    w = v0
    t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)
    v = t
    addend += 362437
    return t + addend
}
override fun nextBits(bitCount: Int): Int =
    nextInt().takeUpperBits(bitCount)
private companion object {
    private const val serialVersionUID: Long = 0L
}
}
/*
 * Copyright
 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed
  by

```

the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*
 * @file:kotlin.jvm.JvmMultifileClass
 * @file:kotlin.jvm.JvmName("RangesKt")
 * package
 kotlin.ranges
 * Represents a range of [Comparable] values.
 *
 * private open class ComparableRange<T :
 Comparable<T>> {
    override val start: T
    override val endInclusive: T
    : ClosedRange<T> {
    override
 fun equals(other: Any?): Boolean {
    return other is ComparableRange<*> && (isEmpty() && other.isEmpty())
 ||
 start == other.start && endInclusive == other.endInclusive
 }
    override fun hashCode(): Int
 {
    return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()
 }
    override fun
 toString(): String = "$start..$endInclusive"
}
 * Creates a range from this [Comparable] value to the
 specified [that] value.
 * This value needs to be smaller than or equal to [that] value, otherwise the returned
 range will be empty.

```

```

 * @sample samples.ranges.Ranges.rangeFromComparable
 *
 * public operator fun <T : Comparable<T>>
 T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)
 * Represents a range of floating
 point numbers.
 * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing
 values of range domain type.
 * This interface is implemented by floating point ranges returned by
 [Float.rangeTo] and [Double.rangeTo] operators to
 * achieve IEEE-754 comparison order instead of total order of
 floating point numbers.
 *
 * @SinceKotlin("1.1")
 * public interface ClosedFloatingPointRange<T :
 Comparable<T>> : ClosedRange<T> {
    override fun contains(value: T): Boolean = lessThanOrEquals(start,
 value) && lessThanOrEquals(value, endInclusive)
    override fun isEmpty(): Boolean = !lessThanOrEquals(start,
 endInclusive)
}
 * Compares two values of range domain type and returns true if first is less than or
 equal to second.

```

```

 fun lessThanOrEquals(a: T, b: T): Boolean
}
 * A closed range of values of type `Double`.
 * Numbers are compared with the ends of this range according to IEEE-754.
 *
 * private class
 ClosedDoubleRange {
    start: Double,
    endInclusive: Double
    : ClosedFloatingPointRange<Double> {
    private val _start = start
    private val _endInclusive = endInclusive
    override val start: Double get() = _start
    override val endInclusive: Double get() = _endInclusive
    override fun lessThanOrEquals(a: Double, b:
 Double): Boolean = a <= b
    override fun contains(value: Double): Boolean = value >= _start && value <=
 _endInclusive
    override fun isEmpty(): Boolean = !(_start <= _endInclusive)
    override fun equals(other:
 Any?): Boolean {
    return other is ClosedDoubleRange && (isEmpty() && other.isEmpty()) ||
 _start
 == other._start && _endInclusive == other._endInclusive
 }
    override fun hashCode(): Int {
    return
 if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()
 }
    override fun toString(): String
 = "$_start..$_endInclusive"
}
 * Creates a range from this [Double] value to the specified [that] value.
 * Numbers are compared with the ends of this range according to IEEE-754.
 *
 * @sample
 samples.ranges.Ranges.rangeFromDouble
 *
 * @SinceKotlin("1.1")
 * public operator fun Double.rangeTo(that:
 Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)
 * A closed range of
 values of type `Float`.
 * Numbers are compared with the ends of this range according to IEEE-754.
 *
 * private class
 ClosedFloatRange {
    start: Float,
    endInclusive: Float
    : ClosedFloatingPointRange<Float>
 {
    private val _start = start
    private val _endInclusive = endInclusive
    override val start: Float get() =
 _start
    override val endInclusive: Float get() = _endInclusive
    override fun lessThanOrEquals(a: Float,
 b: Float): Boolean = a <= b
    override fun contains(value: Float): Boolean = value >= _start && value <=
 _endInclusive
    override fun isEmpty(): Boolean = !(_start <= _endInclusive)
    override fun equals(other:
 Any?): Boolean {
    return other is ClosedFloatRange && (isEmpty() && other.isEmpty()) ||
 _start

```

```

== other._start && _endInclusive == other._endInclusive)\n  }\n\n  override fun hashCode(): Int {\n    return if
(isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n  }\n\n  override fun toString(): String =
\"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n * \n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample
samples.ranges.Ranges.rangeFromFloat\n * \n * @SinceKotlin("1.1")\n * \n * public operator fun Float.rangeTo(that:
Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n * \n * Returns `true` if this
iterable range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n * @SinceKotlin("1.3")\n * \n * @kotlin.internal.InlineOnly\n * \n * public inline operator fun <T, R> R.contains(element: T?):
Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n  element != null &&
contains(element)\n * \n * \n * internal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n  if (!isPositive)
throw IllegalArgumentException("Step must be positive, was: $step.")\n * \n * \n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n * \n * @file:kotlin.jvm.JvmName("KClasses")\n * \n * @file:Suppress("UNCHECKED_CAST")\n * \n * \n * package
kotlin.reflect\n * \n * import kotlin.internal.LowPriorityInOverloadResolution\n * \n * /**\n * Casts the given [value] to the
class represented by this [KClass] object.\n * \n * Throws an exception if the value
is `null` or if it is not an instance of this class.\n * \n * This is an experimental function that behaves as a similar
function from kotlin.reflect.full on JVM.\n * \n * @see [KClass.isInstance]\n * \n * @see [KClass.safeCast]\n
*\n * @SinceKotlin("1.4")\n * \n * @WasExperimental(ExperimentalStdlibApi::class)\n * \n * @LowPriorityInOverloadResoluti
on\n * \n * fun <T : Any> KClass<T>.cast(value: Any?): T {\n  if (!isInstance(value)) throw ClassCastException("Value
cannot be cast to $qualifiedOrSimpleName")\n  return value as T\n * \n * \n * // TODO: replace with qualifiedName
when it is fully supported in K/JS\n * \n * internal expect val KClass<*>.qualifiedOrSimpleName: String?\n * \n * /**\n * Casts
the given [value] to the class represented by this [KClass] object.\n * \n * Returns `null` if the value is `null` or if it is not
an instance of this class.\n * \n * This is an experimental function that behaves as a similar function from
kotlin.reflect.full on JVM.\n * \n * @see [KClass.isInstance]\n * \n * @see [KClass.cast]\n
*\n * @SinceKotlin("1.4")\n * \n * @WasExperimental(ExperimentalStdlibApi::class)\n * \n * @LowPriorityInOverloadResoluti
on\n * \n * fun
<T : Any> KClass<T>.safeCast(value: Any?): T? {\n  return if (isInstance(value)) value as T else null\n * \n * \n * // \n * \n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * \n * \n * package
kotlin.reflect\n * \n * import kotlin.jvm.JvmField\n * \n * import kotlin.jvm.JvmStatic\n * \n * /**\n * Represents a type
projection. Type projection is usually the argument to another type in a type usage.\n * \n * For example, in the type
`Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n * \n * \n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n * \n * \n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n * \n * for more information.\n * \n * @SinceKotlin("1.1")\n * \n * \n * public data class KTypeProjection constructor(\n  /**\n * The use-site variance specified in the projection, or `null` if this is a star projection.\n * \n * \n * public val variance:
KVariance?,\n  /**\n * The type specified in the projection, or `null` if this is a star projection.\n * \n * \n * public val type: KType?\n) {\n  init {\n    require((variance == null) == (type == null)) {\n      if (variance ==
null)\n        "Star projection must have no type specified."
\n      else\n        "The projection variance
$variance requires type to be specified."
\n    }\n  }\n  override fun toString(): String = when (variance) {\n    null -> " "*\n    KVariance.INVARIANT -> type.toString()\n    KVariance.IN -> "in $type"\n    KVariance.OUT -> "out $type"\n  }\n * \n * \n * public companion object {\n  // provided for compiler access\n  @JvmField\n  @PublishedApi\n  internal val star: KTypeProjection = KTypeProjection(null, null)\n * \n * \n * /**\n * \n * Star projection, denoted by the `*` character.\n * \n * For example, in the type `KClass<*>`, `*` is the star
projection.\n * \n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n * \n * for more

```

```

information.\n      */\n      public val STAR: KTypeProjection get() = star\n\n      /**\n      * Creates an invariant projection of a given type. Invariant projection is just the type itself,\n      * without any use-site variance modifiers applied to it.\n      * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\n      */\n      @JvmStatic\n      public fun invariant(type: KType): KTypeProjection =\n      KTypeProjection(KVariance.INVARIANT, type)\n\n      /**\n      * Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.\n      * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n      */\n      @JvmStatic\n      public fun contravariant(type: KType): KTypeProjection =\n      KTypeProjection(KVariance.IN, type)\n\n      /**\n      * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n      * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.\n      */\n      @JvmStatic\n      public fun covariant(type: KType): KTypeProjection =\n      KTypeProjection(KVariance.OUT, type)\n    }\n  }"/>\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type in a projection (*use-site variance*).\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n */\n@SinceKotlin("1.1")\nenum class KVariance {\n    /**\n     * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n     */\n    INVARIANT,\n    /**\n     * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.\n     */\n    IN,\n    /**\n     * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.\n     */\n    OUT,\n  }"/>\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Returns a runtime representation of the given reified type [T] as an instance of [KType].\n * Note that on JVM, the created type has no annotations ([KType.annotations] returns an empty list)\n * even if the type in the source code is annotated. Support for type annotations might be added in a future version.\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <reified T> typeOf(): KType =\n  throw UnsupportedOperationException("This function is implemented as an intrinsic on all supported platforms.")\n"/>\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\npackage kotlin.text\n\n/**\n * An object to which char sequences and values can be appended.\n */\nexpect interface Appendable {\n    /**\n     * Appends the specified character [value] to this Appendable and returns this instance.\n     */\n    @param value the character to append.\n    fun append(value: Char): Appendable\n\n    /**\n     * Appends the specified character sequence [value] to this Appendable and returns this instance.\n     */\n    @param value the character sequence to append. If [value] is `null`, then the four characters `\\`null`` are appended to this Appendable.\n    fun append(value: CharSequence?): Appendable\n\n    /**\n     * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n     */\n    @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n    * then characters are appended as if [value] contained the four characters `\\`null``.\n    * @param startIndex the beginning (inclusive) of the subsequence to append.\n    * @param endIndex the end (exclusive) of the subsequence to append.\n    * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n    */\n    fun append(value: CharSequence?, startIndex: Int, endIndex: Int): Appendable\n  }\n"/>\n * Appends a subsequence of

```

the specified character sequence [value] to this Appendable and returns this instance.\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun <T : Appendable> T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n
@Suppress("UNCHECKED_CAST")\n    return append(value, startIndex, endIndex) as T}\n\n/**\n * Appends
all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value:
CharSequence?): T {\n    for (item in value)\n        append(item)\n    return this}\n\n/**\n * Appends a line feed
character (`\n`) to this Appendable. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(): Appendable = append("\n")\n\n/**\n * Appends value to the given Appendable and a line
feed character (`\n`) after it. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/**\n * Appends value
to the given Appendable and a line feed character (`\n`) after it.
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun Appendable.appendLine(value: Char): Appendable = append(value).appendLine()\n\n\ninternal fun <T>
Appendable.appendElement(element: T, transform: ((T) -> CharSequence?)) {\n    when {\n        transform != null -
> append(transform(element))\n        element is CharSequence? -> append(element)\n        element is Char ->
append(element)\n        else -> append(element.toString())\n    }\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
```

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n * \n * Doesn't
affect a line if it doesn't
```

```
contain [marginPrefix] except the first and the last blank lines.\n * \n * Doesn't preserve the original line endings.\n
*\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n
*\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n */\npublic
fun String.trimMargin(marginPrefix: String = "|"): String =\n    replaceIndentByMargin("|",
marginPrefix)\n\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n
*\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n
*/\n\npublic fun String.replaceIndentByMargin(newIndent: String = "|", marginPrefix: String = "|"): String {\n
require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank string." }\n    val lines = lines()\n    return
lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), {\n
```

```
line ->{\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n        when {\n
firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix, firstNonWhitespaceIndex) ->
line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and
the last\n * lines if they are blank (notice difference blank vs empty).\n * \n * Note that blank lines do not affect the
detected indent level.\n * \n * In case if there are non-blank lines with no leading whitespace characters (no indent at
all) then the\n * common indent is 0, and therefore this function doesn't change the indentation.\n * \n * Doesn't
preserve the original line endings.\n * \n * @sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see
kotlin.text.isBlank\n */\npublic fun String.trimIndent(): String = replaceIndent("|")\n\n\n/**\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n
*/\n\npublic fun String.replaceIndent(newIndent: String = "|"): String {\n    val lines = lines()\n    val
minCommonIndent = lines\n        .filter(String::isNotBlank)\n        .map(String::indentWidth)\n        .minOrNull() ?:
0\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->
```

```
line.drop(minCommonIndent) })\n\n\n * Prepends [indent] to every line of the original string.\n * Doesn't preserve the original line endings.\n\n\n\npublic fun String.prependIndent(indent: String = "\n\n"): String =\nlineSequence()\n    .map {\n        when {\n            it.isBlank() -> {\n                when {\n                    it.length < indent.length -> indent\n                    else -> it\n                }\n            }\n        }\n    }.joinToString("\n\n")\n\nprivate fun String.indentWidth(): Int = indexOfFirst {\n    !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction: (String) -> String,\n    indentCutFunction: (String) -> String?): String {\n    val lastIndex = lastIndex\n    return mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n            null\n        else\n            indentCutFunction(value)?.let(indentAddFunction)?: value\n    }\n    .joinTo(StringBuilder(resultSizeEstimate), "\n\n")\n    .toString()\n}\n\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
```

```
license that can be found in the license/LICENSE.txt file.\n\n\npackage kotlin.text\n\n\n * Defines names for Unicode symbols used in proper Typography.\n\n\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark */\n    public const val quote: Char = "\u0022"n /** The character &#x24; \u2013 dollar sign */\n    public const val dollar: Char = "\u0024"n /** The character &#x26; \u2013 ampersand */\n    public const val amp: Char = "\u0026"n /** The character &#x3C; \u2013 less-than sign */\n    public const val less: Char = "\u003C"n /** The character &#x3E; \u2013 greater-than sign */\n    public const val greater: Char = "\u003E"n /** The non-breaking space character */\n    public const val nbsp: Char = "\u00A0"n /** The character &#xD7; */\n    public const val times: Char = "\u00D7"n /** The character &#xA2; */\n    public const val cent: Char = "\u00A2"n /** The character &#xA3; */\n    public const val pound: Char = "\u00A3"n /** The character &#xA7; */\n    public const val section: Char = "\u00A7"n /** The character &#xA9; */\n    public const val copyright: Char = "\u00A9"n /** The character &#xAB; */\n    @SinceKotlin("1.6")n public const val leftGuillemet: Char = "\u00AB"n /** The character &#xBB; */\n    @SinceKotlin("1.6")n public const val rightGuillemet: Char = "\u00BB"n /** The character &#xAE; */\n    public const val registered: Char = "\u00AE"n /** The character &#xB0; */\n    public const val degree: Char = "\u00B0"n /** The character &#xB1; */\n    public const val plusMinus: Char = "\u00B1"n /** The character &#xB6; */\n    public const val paragraph: Char = "\u00B6"n /** The character &#xB7; */\n    public const val middleDot: Char = "\u00B7"n /** The character &#xBD; */\n    public const val half: Char = "\u00BD"n /** The character &#x2013; */\n    public const val ndash: Char = "\u2013"n /** The character &#x2014; */\n    public const val mdash: Char = "\u2014"n /** The character &#x2018; */\n    public const val leftSingleQuote: Char = "\u2018"n /** The character &#x2019; */\n    public const val rightSingleQuote: Char = "\u2019"n /** The character &#x201A; */\n    public const val lowSingleQuote: Char = "\u201A"n /** The character &#x201C; */\n    public const val leftDoubleQuote: Char = "\u201C"n /** The character &#x201D; */\n    public const val rightDoubleQuote: Char = "\u201D"n /** The character &#x201E; */\n    public const val lowDoubleQuote: Char = "\u201E"n /** The character &#x2020; */\n    public const val dagger: Char = "\u2020"n /** The character &#x2021; */\n    public const val doubleDagger: Char = "\u2021"n /** The character &#x2022; */\n    public const val bullet: Char = "\u2022"n /** The character &#x2026; */\n    public const val ellipsis: Char = "\u2026"n /** The character &#x2032; */\n    public const val prime: Char = "\u2032"n /** The character &#x2033; */\n    public const val doublePrime: Char = "\u2033"n /** The character &#x20AC; */\n    public const val euro: Char = "\u20AC"n /** The character &#x2122; */\n    public const val tm: Char = "\u2122"n /** The character &#x2248; */\n    public const val almostEqual: Char = "\u2248"n /** The character &#x2260; */\n    public const val notEqual: Char = "\u2260"n /** The character &#x2264; */\n    public const val lessOrEqual: Char = "\u2264"n /** The character &#x2265; */\n    public const val greaterOrEqual: Char = "\u2265"n\n    /** The character &#xAB; */\n    @Deprecated("This constant has a typo in the name. Use leftGuillemet instead.")\n    ReplaceWith("\u2013Typography.leftGuillemet")\n}
```



```

@DeprecatedSinceKotlin("1.6")\n public const val leftGuillemete: Char = "\u00AB\n\n /** The character
&#xBB; *\n @Deprecated("This constant has a typo in the name. Use rightGuillemet instead.\n",
ReplaceWith("Typography.rightGuillemet"))\n @DeprecatedSinceKotlin("1.6")\n public const val
rightGuillemete: Char = "\u00BB\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a
single match of a regular expression.\n * This collection has size of `groupCount + 1` where `groupCount` is the
count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index
0 corresponds to the entire match.\n * An element of the collection at the particular index can be `null`,\n * if the
corresponding group in the regular expression is optional and\n * there was no match captured by that group.\n
*/\n\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n /** Returns a group with
the specified [index].\n * \n * @return An instance of [MatchGroup] if the group with the specified [index] was
matched or `null` otherwise.\n * \n * Groups are indexed from 1 to the count of groups in the regular expression.
A group with the index 0\n * corresponds to the entire match.\n */\n public operator fun get(index: Int):
MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get matched groups by name,
when regex supports it.\n */\n\n@SinceKotlin("1.1")\n\npublic interface MatchNamedGroupCollection :
MatchGroupCollection {\n\n /**\n * Returns a named group with the specified [name].\n * \n * @return An
instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n * \n * @throws
IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.\n * \n
* @throws UnsupportedOperationException if getting named groups isn't supported on the current platform.\n
*/\n\n public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the results from a single
regular expression match.\n */\n\npublic interface MatchResult {\n\n /** The range of indices in the original string
where match was captured. *\n public val range: IntRange\n /** The substring from the input string captured by
this match. *\n public val value: String\n /**\n * A collection of groups matched by the regular expression.\n
*\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular
expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire
match.\n */\n public val groups: MatchGroupCollection\n /**\n * A list of matched indexed group values.\n
*\n * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular
expression.\n * Groups are indexed from 1 to `groupCount` and
group with the index 0 corresponds to the entire match.\n * \n * If the group in the regular expression is
optional and there were no match captured by that group,\n * corresponding item in [groupValues] is an empty
string.\n * \n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val
groupValues: List<String>\n /**\n * An instance of [MatchResult.Destructured] wrapper providing
components for destructuring assignment of group values.\n * \n * component1 corresponds to the value of the
first group, component2 \u2014 of the second, and so on.\n * \n * @sample
samples.text.Regexps.matchDestructuringToGroupValues\n */\n public val destructured: Destructured get() =
Destructured(this)\n\n /** Returns a new [MatchResult] with the results for the next match, starting at the
position\n * at which the last match ended (at the character after the last matched character).\n */\n public fun
next(): MatchResult?\n\n /**\n * Provides components for destructuring assignment of group values.\n * \n * [component1]
corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n * \n * If the group
in the regular expression is optional and there were no match captured by that group,\n * corresponding
component value is an empty string.\n * \n * @sample
samples.text.Regexps.matchDestructuringToGroupValues\n */\n\n public class Destructured internal
constructor(public val match: MatchResult) {\n\n @kotlin.internal.InlineOnly\n public operator inline fun
component1(): String = match.groupValues[1]\n\n @kotlin.internal.InlineOnly\n public operator inline fun
component2(): String = match.groupValues[2]\n\n @kotlin.internal.InlineOnly\n public operator inline fun
component3(): String = match.groupValues[3]\n\n @kotlin.internal.InlineOnly\n public operator inline fun

```

```

component4():
    String = match.groupValues[4]\n        @kotlin.internal.InlineOnly\n        public operator inline fun component5():
String = match.groupValues[5]\n        @kotlin.internal.InlineOnly\n        public operator inline fun component6():
String = match.groupValues[6]\n        @kotlin.internal.InlineOnly\n        public operator inline fun component7():
String = match.groupValues[7]\n        @kotlin.internal.InlineOnly\n        public operator inline fun component8():
String = match.groupValues[8]\n        @kotlin.internal.InlineOnly\n        public operator inline fun component9():
String = match.groupValues[9]\n        @kotlin.internal.InlineOnly\n        public operator inline fun component10():
String = match.groupValues[10]\n        /**\n        * Returns destructured group values as a list of strings.\n        *
First value in the returned list corresponds to the value of the first group, and so on.\n        *\n        * @sample
samples.text.Regexps.matchDestructuringToGroupValues\n
        *\n        public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n
}\n}", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName("DurationUnitKt")\n\npackage
kotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n *
The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24
[HOURS].\n *\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic expect enum class
DurationUnit {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n *\n
NANOSECONDS,\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n
*\n
*\n
MICROSECONDS,\n /**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n *\n
MILLISECONDS,\n /**\n * Time unit representing one second.\n *\n SECONDS,\n /**\n * Time unit
representing one minute.\n *\n MINUTES,\n /**\n * Time unit representing one hour.\n *\n
HOURS,\n /**\n * Time unit representing one day, which is always equal to 24 hours.\n *\n
DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified
[targetUnit]. *\n@SinceKotlin("1.3")\ninternal expect fun convertDurationUnit(value: Double, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Double\n\n// overflown result is
unspecified\n@SinceKotlin("1.5")\ninternal expect fun convertDurationUnitOverflow(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range
boundaries\n@SinceKotlin("1.5")\ninternal expect
fun convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit):
Long\n\n\n@SinceKotlin("1.3")\n@Suppress("REDUNDANT_ELSE_IN_WHEN")\ninternal fun
DurationUnit.shortName(): String = when (this) {\n DurationUnit.NANOSECONDS -> "ns"\n
DurationUnit.MICROSECONDS -> "us"\n DurationUnit.MILLISECONDS -> "ms"\n
DurationUnit.SECONDS -> "s"\n DurationUnit.MINUTES -> "m"\n DurationUnit.HOURS -> "h"\n
DurationUnit.DAYS -> "d"\n else -> error("Unknown unit: $this")\n}\n\n@SinceKotlin("1.5")\ninternal fun
durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n "ns" ->
DurationUnit.NANOSECONDS\n "us" -> DurationUnit.MICROSECONDS\n "ms" ->
DurationUnit.MILLISECONDS\n "s" -> DurationUnit.SECONDS\n "m" -> DurationUnit.MINUTES\n
"h" -> DurationUnit.HOURS\n "d" -> DurationUnit.DAYS\n else -> throw
IllegalArgumentException("Unknown duration unit short name:
$shortName")\n}\n\n@SinceKotlin("1.5")\ninternal
fun durationUnitByIsoChar(isoChar: Char, isTimeComponent: Boolean): DurationUnit =\n when {\n
!isTimeComponent -> {\n when (isoChar) {\n 'D' -> DurationUnit.DAYS\n else -> throw
IllegalArgumentException("Invalid or unsupported duration ISO non-time unit: $isoChar")\n }
}\n else -> {\n when (isoChar) {\n 'H' -> DurationUnit.HOURS\n 'M' ->
DurationUnit.MINUTES\n 'S' -> DurationUnit.SECONDS\n else -> throw
IllegalArgumentException("Invalid duration ISO time unit: $isoChar")\n }
}\n }\n }", /*\n * Copyright

```

2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.time
import kotlin.annotation.AnnotationTarget

/** This annotation marks the experimental preview of the standard library API for measuring time and working with durations.
  * > Note that this API is in a preview state and has a very high chance of being changed in the future.
  * Do not use it if you develop a library since your library will become binary incompatible with the future versions of the standard library.
  * Any usage of a declaration annotated with `@ExperimentalTime` must be accepted either by
  * annotating that usage with the [OptIn] annotation, e.g.
  * `@OptIn(ExperimentalTime::class)`,
  * or by using the compiler argument `-Xopt-in=kotlin.time.ExperimentalTime`.
  * @Suppress("DEPRECATION")
  * @Experimental(level = Experimental.Level.ERROR)
  * @RequiresOptIn(level = RequiresOptIn.Level.ERROR)
  * @MustBeDocumented
  * @Retention(AnnotationRetention.BINARY)
  * @Target(
  * CLASS,
  * ANNOTATION_CLASS,
  * PROPERTY,
  * FIELD,
  * LOCAL_VARIABLE,
  * VALUE_PARAMETER,
  * CONSTRUCTOR,
  * FUNCTION,
  * PROPERTY_GETTER,
  * PROPERTY_SETTER,
  * TYPEALIAS)
  */
@SinceKotlin("1.3")
public annotation class ExperimentalTime

"/** Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
  * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
  */
package kotlin.time

/** A source of time for measuring time intervals.
  * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to query the elapsed time later.
  * @see [measureTime]
  * @see [measureTimedValue]
  */
@SinceKotlin("1.3")
@ExperimentalTime
public interface TimeSource {
    /** Marks a point in time on this time source.
     * The returned [TimeMark] instance encapsulates the captured time point and allows querying
     * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.
     */
    public fun markNow(): TimeMark
}

/** The most precise time source available in the platform.
  * This time source returns its readings from a source of monotonic time when it is available in a target platform,
  * and resorts to a non-monotonic time source otherwise.
  */
public object Monotonic : TimeSource by MonotonicTimeSource {
    override fun toString(): String = MonotonicTimeSource.toString()
}

/** Companion object.
  */
public companion object {
    /** Represents a time point notched on a particular [TimeSource]. Remains bound to the time source it was taken from
     * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).
     */
    @SinceKotlin("1.3")
    @ExperimentalTime
    public abstract class TimeMark {
        /** Returns the amount of time passed from this mark measured with the time source from which this mark was taken.
         * Note that the value returned by this function can change on subsequent invocations.
         */
        public abstract fun elapsedNow(): Duration

        /** Returns a time mark on the same time source that is ahead of this time mark by the specified [duration].
         * The returned time mark is more _late_ when the [duration] is positive, and more _early_ when the [duration] is negative.
         */
        public open operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)

        /** Returns a time mark on the same time source that is behind this time mark by the specified [duration].
         * The returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is negative.
         */
        public open operator fun minus(duration: Duration): TimeMark = plus(-duration)

        /** Returns true if this time mark has passed according to the time source from which this mark was taken.
         * Note that the value returned by this function can change on subsequent invocations.
         */
        public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()

        /** Returns false if this time mark has not passed according to the time source from which this mark was taken.
         * Note that the value returned by this function can change on subsequent invocations.
         */
        public fun hasNotPassedNow(): Boolean = !hasPassedNow()
    }
}

```

```

Boolean =
elapsedNow().isNegative()\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@
Deprecated(\n  \n\nSubtracting one TimeMark from another is not a well defined operation because these time marks
could have been obtained from the different time sources.\",\n  level =
DeprecationLevel.ERROR\n)\n\n@Suppress(\"UNUSED_PARAMETER\")\npublic
inline operator fun TimeMark.minus(other: TimeMark): Duration = throw Error(\"Operation is
disallowed.\")\n\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Deprecated(\n
\n\nComparing one TimeMark to another is not a well defined operation because these time marks could have been
obtained from the different time sources.\",\n  level =
DeprecationLevel.ERROR\n)\n\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error(\"Operation is
disallowed.\")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment:
Duration) : TimeMark() {\n  override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n
  override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)\n}\n\""/\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect object MonotonicTimeSource :
TimeSource\n\n/*\n * An abstract class used to implement time sources that return their readings as [Long] values
in the specified [unit].\n * \n * @property unit The unit in which this time source's readings are expressed.\n
*\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val
unit: DurationUnit) : TimeSource {\n  /*\n   * This protected method should be overridden to return the current
reading of the time source expressed as a [Long] number\n   * in the unit specified by the [unit] property.\n   *\n
*\n@SinceKotlin("1.3")\n@ExperimentalTime\nprivate class LongTimeMark(private val startedAt: Long, private val
timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n  override fun
elapsedNow():
Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n  override fun plus(duration:
Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n  }\n\n  override fun
markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n\n/*\n * An abstract class used to
implement time sources that return their readings as [Double] values in the specified [unit].\n * \n * @property unit
The unit in which this time source's readings are expressed.\n
*\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractDoubleTimeSource(protected val
unit: DurationUnit) : TimeSource {\n  /*\n   * This protected method should be overridden to return the current
reading of the time source expressed as a [Double] number\n   * in the unit specified by the [unit] property.\n
*\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\nprivate class DoubleTimeMark(private val startedAt: Double,
private val timeSource: AbstractDoubleTimeSource,
private val offset: Duration) : TimeMark() {\n  override fun elapsedNow(): Duration = (timeSource.read() -
startedAt).toDuration(timeSource.unit) - offset\n  override fun plus(duration: Duration): TimeMark =
DoubleTimeMark(startedAt, timeSource, offset + duration)\n  }\n\n  override fun markNow(): TimeMark =
DoubleTimeMark(read(), this, Duration.ZERO)\n}\n\n\n/*\n * A time source that has programmatically updatable
readings. It is useful as a predictable source of time in tests.\n * \n * The current reading value can be advanced by
the specified duration amount with the operator [plusAssign]:\n * \n * ```\n * val timeSource = TestTimeSource()\n *
timeSource += 10.seconds\n * ```\n * \n * Implementation note: the current reading value is stored as a [Long]
number of nanoseconds,\n * thus it's capable to represent a time range of approximately \u00b11292 years.\n *
\n * Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException]
is thrown.\n *\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic class TestTimeSource :
AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n  private var reading: Long = 0L\n\n  override fun read(): Long = reading\n\n  /*\n   * Advances the current reading value of this time source by the
specified [duration].\n   * \n   * [duration] value is rounded down towards zero when converting it to a [Long]

```

```

number of nanoseconds.\n * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't
advance because\n * the duration value is rounded to zero nanoseconds.\n * @throws
IllegalStateException when the reading value overflows as the result of this operation.\n * public operator fun
plusAssign(duration: Duration) {\n val longDelta = duration.toLong(unit)\n reading = if (longDelta !=
Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n // when delta fits in long, add it as long\n
val
newReading = reading + longDelta\n if (reading xor longDelta >= 0 && reading xor newReading < 0)
overflow(duration)\n newReading\n } else {\n val delta = duration.toDouble(unit)\n // when
delta is greater than long, add it as double\n val newReading = reading + delta\n if (newReading >
Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n newReading.toLong()\n
}\n }\n private fun overflow(duration: Duration) {\n throw IllegalStateException("TestTimeSource will
overflow if its reading ${reading}ns is advanced by $duration.")\n }\n }"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport
kotlin.contracts.*\n\n/**\n * Executes the given function [block] and returns the duration
of elapsed time interval.\n * The elapsed time is measured with [TimeSource.Monotonic].\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun measureTime(block: () -> Unit): Duration {\n
contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return
TimeSource.Monotonic.measureTime(block)\n}\n\n\n/**\n * Executes the given function [block] and returns the
duration of elapsed time interval.\n * The elapsed time is measured with the specified `this` [TimeSource]
instance.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: ()
-> Unit): Duration {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n val
mark = markNow()\n block()\n return mark.elapsedNow()\n}\n\n\n/**\n * Data class representing a result of
executing an action, along with the duration of elapsed time interval.\n * @property value the result of the
action.\n * @property duration the time
elapsed to execute the action.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic data class
TimedValue<T>(val value: T, val duration: Duration)\n\n\n/**\n * Executes the given function [block] and returns an
instance of [TimedValue] class, containing both\n * the result of the function execution and the duration of elapsed
time interval.\n * The elapsed time is measured with [TimeSource.Monotonic].\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun <T> measureTimedValue(block: () -> T):
TimedValue<T> {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n return
TimeSource.Monotonic.measureTimedValue(block)\n}\n\n\n/**\n * Executes the given [block] and returns an
instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time
interval.\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic
inline fun <T> TimeSource.measureTimedValue(block: () -> T): TimedValue<T> {\n contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n\n val mark = markNow()\n val result =
block()\n return TimedValue(result, mark.elapsedNow())\n}\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.native.concurrent.SharedImmutable\n\n\n/**\n * Defines deep recursive
function that keeps its stack on the heap,\n * which allows very deep recursive computations that do not use the
actual call stack.\n * To initiate a call to this deep recursive function use its [invoke] function.\n * As a rule of
thumb, it should be used if recursion goes deeper than a thousand calls.\n * The [DeepRecursiveFunction] takes
one
parameter of type [T] and returns a result of type [R].\n * The [block] of code defines the body of a recursive
function. In this block\n * [callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a
recursive call\n * to the declared function. Other instances of [DeepRecursiveFunction] can be called\n * in this

```

scope with `callRecursive` extension, too. For example, take a look at the following recursive tree class and a deeply recursive instance of this tree with 100K nodes:

```

class Tree(val left: Tree? = null, val right: Tree? = null) {
    val deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()
}

```

A regular recursive function can be defined to compute a depth of a tree:

```

fun depth(t: Tree?): Int =
    if (t == null) 0 else max(depth(t.left), depth(t.right)) + 1

```

If this `depth` function is called for a `deepTree` it produces

[StackOverflowError] because of deep recursion. However, the `depth` function can be rewritten using `DeepRecursiveFunction` in the following way, and then it successfully computes

```

depth(deepTree)

```

```

DeepRecursiveFunction<Tree?, Int> { t ->
    if (t == null) 0 else max(callRecursive(t.left),

```

```

callRecursive(t.right)) + 1
}

```

Deep recursive functions can also mutually call each other using a heap for the stack via

```

[callRecursive][DeepRecursiveScope.callRecursive]

```

extension. For example, the following pair of mutually recursive functions computes the number of tree nodes at even depth in the tree.

```

val mutualRecursion = object {
    val even:

```

```

DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->
    if (t == null) 0 else

```

```

odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1
    val odd: DeepRecursiveFunction<Tree?,

```

```

Int> = DeepRecursiveFunction { t ->
    if (t == null) 0 else even.callRecursive(t.left) +

```

```

even.callRecursive(t.right)
}

```

@param [T] the function parameter type. @param [R] the function result type. @param block the function body.

```

@SinceKotlin("1.4")@ExperimentalStdlibApi
public class DeepRecursiveFunction<T, R> {
    internal val

```

```

block: suspend DeepRecursiveScope<T, R>.(T) -> R
}

```

Initiates a call to this deep recursive function, forming a root of the call tree. This operator should not be used from inside of [DeepRecursiveScope] as it

uses the call stack slot for initial recursive invocation. From inside of [DeepRecursiveScope] use

```

[callRecursive][DeepRecursiveScope.callRecursive].

```

```

@SinceKotlin("1.4")@ExperimentalStdlibApi
public operator fun <T, R> DeepRecursiveFunction<T,

```

```

R>.invoke(value: T): R =
    DeepRecursiveScopeImpl<T, R>(block, value).runCallLoop()
}

```

A scope class for [DeepRecursiveFunction] function declaration that defines [callRecursive] methods to

recursively call this function or another [DeepRecursiveFunction] putting the call activation frame on the heap.

@param [T] function parameter type. @param [R] function result type.

```

@RestrictsSuspension
@SinceKotlin("1.4")@ExperimentalStdlibApi
public sealed class

```

```

DeepRecursiveScope<T, R> {
    /**
     * Makes recursive call to this [DeepRecursiveFunction] function putting
     the call activation frame on the heap,
     * as opposed to the actual call stack that is used by a regular recursive

```

```

call.
    public abstract suspend fun callRecursive(value: T): R
    /**
     * Makes call to the specified

```

```

[DeepRecursiveFunction] function putting the call activation frame on the heap,
     * as opposed to the actual call

```

```

stack that is used by a regular call.
    public abstract suspend fun <U, S> DeepRecursiveFunction<U,

```

```

S>.callRecursive(value:

```

```

U): S
    @Deprecated(
        level = DeprecationLevel.ERROR,
        message = "'invoke' should not be

```

```

called from DeepRecursiveScope." +
        "'Use 'callRecursive' to do recursion in the heap instead of the call

```

```

stack.",
        replaceWith = ReplaceWith("this.callRecursive(value)")
    )

```

```

@Suppress("UNUSED_PARAMETER")
public operator fun DeepRecursiveFunction<*, *>.invoke(value:

```

```

Any?): Nothing =
    throw UnsupportedOperationException("Should not be called from

```

```

DeepRecursiveScope")
}
// ===== Implementation

```

```

=====
@ExperimentalStdlibApi
private typealias DeepRecursiveFunctionBlock = suspend

```

```

DeepRecursiveScope<*, *>.(Any?) -> Any?
@SharedImmutable
private val UNDEFINED_RESULT =

```

```

Result.success(COROUTINE_SUSPENDED)
@Suppress("UNCHECKED_CAST")
@ExperimentalStdlibApi

```

```

private class DeepRecursiveScopeImpl<T, R> {
    block: suspend DeepRecursiveScope<T, R>.(T) -> R,

```

```

value: T
}

```

```

: DeepRecursiveScope<T, R>(), Continuation<R> {\n // Active function block\n private var function:
DeepRecursiveFunctionBlock = block as DeepRecursiveFunctionBlock\n // Value to call function with\n
private var value: Any? = value\n // Continuation of the current call\n private var cont: Continuation<Any?>?
= this as Continuation<Any?>\n // Completion result (completion of the whole call stack)\n private var result:
Result<Any?> = UNDEFINED_RESULT\n override val context: CoroutineContext\n get() =
EmptyCoroutineContext\n override fun resumeWith(result: Result<R>) {\n this.cont = null\n this.result
= result\n }\n override suspend fun callRecursive(value: T): R = suspendCoroutineUninterceptedOrReturn {
cont ->\n // calling the same function that is currently active\n this.cont = cont as Continuation<Any?>\n
this.value = value\n COROUTINE_SUSPENDED\n }\n override suspend fun <U, S>
DeepRecursiveFunction<U,
S>.callRecursive(value: U): S = suspendCoroutineUninterceptedOrReturn { cont ->\n // calling another
recursive function\n val function = block as DeepRecursiveFunctionBlock\n
with(this@DeepRecursiveScopeImpl) {\n val currentFunction = this.function\n if (function !==
currentFunction) {\n // calling a different function -- create a trampoline to restore function ref\n
this.function = function\n this.cont = crossFunctionCompletion(currentFunction, cont as
Continuation<Any?>)\n } else {\n // calling the same function -- direct\n this.cont = cont
as Continuation<Any?>\n }\n this.value = value\n }\n COROUTINE_SUSPENDED\n }\n\n private fun crossFunctionCompletion(\n currentFunction: DeepRecursiveFunctionBlock,\n cont:
Continuation<Any?>\n ): Continuation<Any?> = Continuation(EmptyCoroutineContext)
{\n this.function = currentFunction\n // When going back from a trampoline we cannot just call
cont.resume (stack usage!)\n // We delegate the cont.resumeWith(it) call to runCallLoop\n this.cont =
cont\n this.result = it\n }\n\n @Suppress("UNCHECKED_CAST")\n fun runCallLoop(): R {\n while
(true) {\n // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith when the whole computation
completes\n val result = this.result\n val cont = this.cont\n ?: return (result as
Result<R>).getOrThrow() // done -- final result\n // The order of comparison is important here for that case of
rogue class with broken equals\n if (UNDEFINED_RESULT == result) {\n // call "function" with
"value" using "cont" as completion\n val r = try {\n // This is block.startCoroutine(this,
value, cont)\n function.startCoroutineUninterceptedOrReturn(this,
value, cont)\n } catch (e: Throwable) {\n cont.resumeWithException(e)\n
continue\n }\n // If the function returns without suspension -- calls its continuation immediately\n
if (r !== COROUTINE_SUSPENDED)\n cont.resume(r as R)\n } else {\n // we
returned from a crossFunctionCompletion trampoline -- call resume here\n this.result =
UNDEFINED_RESULT // reset result back\n cont.resumeWith(result)\n }\n }\n }\n\n"}\n\n
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated
file. DO NOT
EDIT!\n\n@file:kotlin.jvm.JvmName("NumbersKt")\n@file:kotlin.jvm.JvmMultifileClass\npackage
kotlin\n\nimport
kotlin.math.sign\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to
negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other:
Byte): Int = \n this.toInt().floorDiv(other.toInt())\n\n**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute
value less than the absolute value of the divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic
inline fun Byte.mod(other: Byte): Byte = \n this.toInt().mod(other.toInt()).toByte()\n\n** Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Short): Int = \n
this.toInt().floorDiv(other.toInt())\n\n**\n * Calculates the remainder of flooring

```

division of this value by the other value. \n * \n * The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor. \n

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Short): Short = \n    this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Int): Int = \n    this.toInt().floorDiv(other)\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor. \n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Int): Int = \n    this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Long): Long = \n    this.toLong().floorDiv(other)\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor. \n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Long): Long = \n    this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Byte): Int = \n    this.toInt().floorDiv(other.toInt())\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either
```

zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor. \n

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Byte): Byte = \n    this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Short): Int = \n    this.toInt().floorDiv(other.toInt())\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor. \n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Short): Short = \n    this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Int): Int = \n    this.toInt().floorDiv(other)\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor. \n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Int): Int = \n    this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Long): Long = \n    this.toLong().floorDiv(other)\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor. \n
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Long): Long = \n    this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n    this.floorDiv(other.toInt())\n\n/** \n * Calculates the remainder of flooring division of this value by the other value. \n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor. \n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Byte): Byte = \n    this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
```

```
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic
```



```

inline fun Int.floorDiv(other: Short): Int = \n  this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Short): Short = \n
this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Int.floorDiv(other: Int): Int {\n  var q = this / other\n  if (this xor other < 0 && q * other != this) q-- \n  return
q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
either zero or has the same sign as the _divisor_ and has the absolute value less
than the absolute value of the divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Int): Int {\n  val r = this % other\n  return r + (other and (((r xor other) and (r or -r)) shr
31))\n}\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative
infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n
this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less
than the absolute value of the divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Int.mod(other: Long): Long = \n  this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring
the result to an integer that is closer to negative infinity.
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic
inline fun Long.floorDiv(other: Byte): Long = \n  this.floorDiv(other.toLong())\n\n/**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign
as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Byte): Byte = \n
this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that
is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Long.floorDiv(other: Short): Long = \n  this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value
of the divisor.\n *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Short):
Short = \n  this.mod(other.toLong()).toShort()\n\n/** Divides this value by the other value, flooring the result to an
integer that is closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Long.floorDiv(other: Int): Long = \n  this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring
division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Int): Int = \n
this.mod(other.toLong()).toInt()\n\n/** Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity. *\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun
Long.floorDiv(other:
Long): Long {\n  var q = this / other\n  if (this xor other < 0 && q * other != this) q-- \n  return q\n}\n\n/**\n *
Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has
the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Long): Long {\n  val r
= this % other\n  return r + (other and (((r xor other) and (r or -r)) shr 63))\n}\n\n/**\n * Calculates the remainder
of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be
represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result
can be less than or _equal to_ the absolute

```

```

value of the divisor.\n *^@\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other:
Float): Float {\n    val r = this % other\n    return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else
r}\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the
divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this
case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Double): Double = \n
this.toDouble().mod(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is either zero or has the same sign as the _divisor_ and
has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly,
it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or
_equal to_ the absolute value of the divisor.\n *^@\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline
fun Double.mod(other: Float): Double = \n    this.mod(other.toDouble())\n\n/**\n * Calculates the remainder of
flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the
_divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be
represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result
can be less than or _equal to_ the absolute value of the divisor.\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Double): Double {\n
    val r = this % other\n    return if (r != 0.0 && r.sign != other.sign) r + other else r}\n}\n\n"/*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *^@\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n * \n *
@see Any.hashCode\n *^@\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun Any?.hashCode(): Int =
this?.hashCode() ?: 0\n\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *^@\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n
*\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not
greater
than 255 ([MAX_COMPONENT_VALUE]).\n * \n * @constructor Creates a version from all three components.\n
*\n@SinceKotlin("1.1")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) :
Comparable<KotlinVersion> {\n    /**\n     * Creates a version from [major] and [minor] components, leaving
[patch] component zero.\n     * \n     * @param major The major component.\n     * @param minor The minor component.\n
     * @return A KotlinVersion instance.\n     */\n    public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n    private val
version = versionOf(major, minor, patch)\n\n    private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n
        require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
0..MAX_COMPONENT_VALUE) {\n            "Version components are out of range: $major.$minor.$patch"\n        }\n
        return major.shl(16) + minor.shl(8) + patch\n    }\n\n    /**\n     * Returns the string representation of this
version.\n     * \n     * @return A string representation of the version.\n     */\n    override fun toString(): String = "$major.$minor.$patch"\n\n    override fun equals(other:
Any?):
Boolean {\n        if (this === other) return true\n        val otherVersion = (other as? KotlinVersion) ?: return false\n
        return this.version == otherVersion.version\n    }\n\n    override fun hashCode(): Int = version\n\n    override fun
compareTo(other: KotlinVersion): Int = version - other.version\n\n    /**\n     * Returns `true` if this version is not
less than the version specified\n     * with the provided [major] and [minor] components.\n     * \n     * @param major The major component.\n     * @param minor The minor component.\n
     * @return `true` if this version is not less than the version specified.\n     */\n    public fun
isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n        this.major > major ||
(this.major == major &&\n            this.minor >= minor)\n\n    /**\n     * Returns `true` if this version is not less
than the version specified\n     * with the provided [major], [minor] and [patch] components.\n     * \n     * @param major The major component.\n     * @param minor The minor component.\n     * @param patch The patch component.\n
     * @return `true` if this version is not less than the version specified.\n     */\n    public fun
isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n
        this.major > major || (this.major

```

```

== major &&\n      (this.minor > minor || this.minor == minor &&\n      this.patch >= patch))\n\n
companion object {\n    /**\n     * Maximum value a version component can have, a constant value 255.\n
*/\n    // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized in
JS\n    public const val MAX_COMPONENT_VALUE = 255\n\n    /**\n     * Returns the current version of
the Kotlin standard library.\n    */\n    @kotlin.jvm.JvmField\n    public val CURRENT: KotlinVersion =
KotlinVersionCurrentValue.get()\n  }\n\n// this class is ignored during classpath normalization when
considering whether to recompile dependencies in Kotlin build\nprivate object KotlinVersionCurrentValue {\n
@kotlin.jvm.JvmStatic\n    fun get(): KotlinVersion = KotlinVersion(1, 6, 10) // value is written here automatically
during build\n}"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LateinitKt")\n@file:Suppress("unused")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n * \n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*/\n\n@SinceKotlin("1.2")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n    get() = throw NotImplementedError("Implementation is
intrinsic")\n}"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("LazyKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin\n\nimport kotlin.reflect.KProperty\n\n/**\n * Represents a value with lazy initialization.\n * \n * To create an
instance of [Lazy] use the [lazy] function.\n * \n * public interface Lazy<out T> {\n    /**\n     * Gets the lazily
initialized value of the current Lazy instance.\n     * \n * Once the value was initialized it must not change during the rest
of lifetime of this Lazy instance.\n    */\n    public val value: T\n\n    /**\n     * Returns `true` if a value for this Lazy
instance has been already initialized, and `false` otherwise.\n     * \n * Once this function has returned `true` it stays
`true` for the rest of lifetime of this Lazy instance.\n    */\n    public fun isInitialized(): Boolean\n}\n\n/**\n *
Creates a new instance of the [Lazy] that is already initialized with the specified [value].\n */\n\npublic fun <T>
lazyOf(value: T): Lazy<T> = InitializedLazyImpl(value)\n\n/**\n * An extension to delegate
a read-only property of type [T] to an instance of [Lazy].\n * \n * This extension allows to use instances of Lazy for
property delegation:\n * \n * val property: String by lazy { initializer }\n */\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a
[Lazy] instance synchronizes initialization among multiple threads.\n */\n\npublic enum class LazyThreadSafetyMode
{\n\n    /**\n     * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n     */\n
    SYNCHRONIZED,\n\n    /**\n     * Initializer function can be called several times on concurrent access to
uninitialized [Lazy] instance value,\n     * but only the first returned value will be used as the value of [Lazy]
instance.\n     */\n    PUBLICATION,\n\n    /**\n     * No locks are used to synchronize an access to the [Lazy]
instance value; if the instance is accessed from multiple threads, its behavior
is undefined.\n     * \n * This mode should not be used unless the [Lazy] instance is guaranteed never to be
initialized from more than one thread.\n     */\n    NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n//
internal to be called from lazy in JS\n\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>,\n
Serializable {\n    private var initializer: (() -> T)? = initializer\n    private var _value: Any? =
UNINITIALIZED_VALUE\n\n    override val value: T\n        get() {\n            if (_value ===
UNINITIALIZED_VALUE) {\n                _value = initializer!!()\n                initializer = null\n            }\n
\n            @Suppress("UNCHECKED_CAST")\n            return _value as T\n        }\n\n        override fun isInitialized():
Boolean = _value !== UNINITIALIZED_VALUE\n\n        override fun toString(): String = if (isInitialized())
value.toString() else "Lazy value not initialized yet.\n\n        private fun writeReplace(): Any =
InitializedLazyImpl(value)\n}\n\n\ninternal

```

```

class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {
    override fun isInitialized(): Boolean = true
    override fun toString(): String = value.toString()
}
/*
 * Copyright 2010-2019
 * JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
 * Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("NumbersKt")
package kotlin

Counts the number of set bits in the binary representation of this [Int] number.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.countOneBits(): Int
/*
 * Counts the number of consecutive most significant bits that are zero in the binary
 * representation of this [Int] number.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.countLeadingZeroBits(): Int
/*
 * Counts
 * the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.countTrailingZeroBits(): Int
/*
 * Returns a number having a single bit set in the position of the most
 * significant set bit of this [Int] number,
 * or zero, if this number is zero.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.takeHighestOneBit(): Int
/*
 * Returns a number having a single bit set in the position of the least
 * significant set bit of this [Int] number,
 * or zero, if this number is zero.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.takeLowestOneBit(): Int
/*
 * Rotates the binary representation of this [Int] number left by the specified
 * [bitCount] number of bits.
 * The most significant bits pushed out from the left side reenter the
 * number as the least significant bits on the right side.
 * Rotating the number left by a negative bit count is the
 * same as rotating it right by the negated bit count:
 * number.rotateLeft(-n) == number.rotateRight(n)
 * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number,
 * or more generally
 * number.rotateLeft(n) == number.rotateLeft(n % 32)

@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.rotateLeft(bitCount: Int): Int
/*
 * Rotates the binary representation of this [Int] number right by the
 * specified [bitCount] number of bits.
 * The least significant bits pushed out from the right side reenter the number
 * as the most significant bits on the left side.
 * Rotating the number right by a negative bit count is the same as
 * rotating it left by the negated bit count:
 * number.rotateRight(-n) == number.rotateLeft(n)
 * Rotating by a
 * multiple of [Int.SIZE_BITS] (32) returns the same number,
 * or more generally
 * number.rotateRight(n) == number.rotateRight(n % 32)

@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Int.rotateRight(bitCount: Int): Int
/*
 * Counts the number of set bits in the binary representation of this
 * [Long] number.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Long.countOneBits(): Int
/*
 * Counts the number of consecutive most significant bits that are zero in the
 * binary representation of this [Long] number.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Long.countLeadingZeroBits(): Int
/*
 * Counts the number of consecutive least significant bits that are zero in
 * the binary representation of this [Long] number.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Long.countTrailingZeroBits(): Int
/*
 * Returns a number having a single bit set
 * in the position of the most significant set bit of this [Long] number,
 * or zero, if this number is zero.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Long.takeHighestOneBit(): Long
/*
 * Returns a number having a single bit set in the position of the least
 * significant set bit of this [Long] number,
 * or zero, if this number is zero.

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public expect fun Long.takeLowestOneBit(): Long
/*
 * Rotates the binary representation of this [Long] number left by the

```

specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
```

Long.rotateLeft(bitCount: Int): Long\n\n**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
```

Long.rotateRight(bitCount: Int): Long\n\n**\n * Counts the number of set bits in the binary representation of this [Byte] number.\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
```

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
```

Byte.rotateLeft(bitCount: Int): Byte =\n (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
```

```

fun Byte.rotateRight(bitCount: Int): Byte = (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()

```

Counts the number of set bits in the binary representation of this [Short] number.

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly
public inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()

```

Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly
public inline fun Short.countLeadingZeroBits(): Int = (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)

```

Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly
public

```

```

inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()

```

Returns a number having a single bit set in the position of the most significant set bit of this [Short] number, or zero, if this number is zero.

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly
public

```

```

inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()

```

Returns a number having a single bit set in the position of the least significant set bit of this [Short] number, or zero, if this number is zero.

```

@SinceKotlin("1.4")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly
public

```

```

inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()

```

Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits. The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side. Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count: `number.rotateLeft(-n) == number.rotateRight(n)` Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally `number.rotateLeft(n) == number.rotateLeft(n % 16)`

```

@SinceKotlin("1.6")@WasExperimental(ExperimentalStdlibApi::class)
public fun

```

```

Short.rotateLeft(bitCount: Int): Short = (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()

```

Rotates the binary representation of this [Short] number right by the specified [bitCount] number of bits. The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side. Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count: `number.rotateRight(-n) == number.rotateLeft(n)` Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally `number.rotateRight(n) == number.rotateRight(n % 16)`

```

@SinceKotlin("1.6")@WasExperimental(ExperimentalStdlibApi::class)
public fun

```

```

Short.rotateRight(bitCount: Int): Short = (toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()

```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin
import kotlin.internal.RequireKotlin
import kotlin.internal.RequireKotlinVersionKind
@kotlin.internal.InlineOnly
@SinceKotlin("1.2")
@Suppress("INVISIBLE_MEMBER", "INVISIBLE_REFERENCE")
@RequireKotlin("1.2.30", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
public inline fun

```

```

suspend(noinline block: suspend () -> R): suspend () -> R = block

```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmName("TuplesKt")
package kotlin

```

Represents a generic pair of two values. There is no meaning attached to values in this class, it can be used for any purpose. Pair exhibits value semantics, i.e. two pairs are equal if both components are equal. An example of decomposing it into

```

values:\n * @sample samples.misc.Tuples.pairDestructuring\n * \n * @param A type of the first value.\n * @param
B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor
Creates a new instance of Pair.\n * \n public data
class Pair<out A, out B>(\n    public val first: A,\n    public val second: B\n) : Serializable {\n    /**\n     * Returns
string representation of the [Pair] including its [first] and [second] values.\n     * \n     public override fun toString():
String = \"($first, $second)\"}\n    /**\n     * Creates a tuple of type [Pair] from this and [that].\n     * \n     * This can be
useful for creating [Map] literals with less noise, for example:\n     * @sample
samples.collections.Maps.Instantiation.mapFromPairs\n     * \n public infix fun <A, B> A.to(that: B): Pair<A, B> =
Pair(this, that)\n    /**\n     * Converts this pair into a list.\n     * @sample samples.misc.Tuples.pairToList\n     * \n public
fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n    /**\n     * Represents a triad of values\n     * \n     * There is
no meaning attached to values in this class, it can be used for any purpose.\n     * Triple exhibits value semantics, i.e.
two triples are equal if all three components are equal.\n     * An example of decomposing it
into values:\n     * @sample samples.misc.Tuples.tripleDestructuring\n     * \n     * @param A type of the first value.\n     *
@param B type of the second value.\n     * @param C type of the third value.\n     * @property first First value.\n     *
@property second Second value.\n     * @property third Third value.\n     * \n public data class Triple<out A, out B, out
C>(\n    public val first: A,\n    public val second: B,\n    public val third: C\n) : Serializable {\n    /**\n     *
Returns string representation of the [Triple] including its [first], [second] and [third] values.\n     * \n     public
override fun toString(): String = \"($first, $second, $third)\"}\n    /**\n     * Converts this triple into a list.\n     *
@param samples.misc.Tuples.tripleToList\n     * \n public fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first,
second, third)\n    }, "/**\n     * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     *
Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n     * \n // Auto-generated file. DO NOT EDIT!\n     * \n package kotlin.ranges\n     * \n \n import
kotlin.internal.*\n    /**\n     * A range of values of type `UInt`.\n     * \n     * @SinceKotlin("1.5")\n     * @WasExperimental(ExperimentalUnsignedTypes::class)\n     * \n public class UIntRange(start:
UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n    override val start:
UInt get() = first\n    override val endInclusive: UInt get() = last\n    override fun contains(value: UInt): Boolean =
first <= value && value <= last\n    /**\n     * Checks if the range is empty.\n     * \n     * The range is empty if its
start value is greater than the end value.\n     * \n     override fun isEmpty(): Boolean = first > last\n    override fun
equals(other: Any?): Boolean =\n        other is UIntRange && (isEmpty() && other.isEmpty()) ||\n        first ==
other.first && last == other.last\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 *
first.toInt() + last.toInt())\n    override fun toString(): String = \"$first..$last\"\n    companion object {\n    /**\n     * An empty range of values of type UInt.\n     * \n     public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE,
UInt.MIN_VALUE)\n    }\n    /**\n     * A progression of values of type `UInt`.\n     * \n     * @SinceKotlin("1.5")\n     * @WasExperimental(ExperimentalUnsignedTypes::class)\n     * \n public open class
UIntProgression\n    internal constructor(\n        start: UInt,\n        endInclusive: UInt,\n        step: Int\n) : Iterable<UInt> {\n    init {\n        if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step
== Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to
avoid overflow on negation.")\n    }\n    /**\n     * The first element in the progression.\n     * \n     public val first:
UInt = start\n    /**\n     * The last element in the progression.\n     * \n     public val last: UInt =
getProgressionLastElement(start,
endInclusive, step)\n    /**\n     * The step of the progression.\n     * \n     public val step: Int = step\n    final
override fun iterator(): Iterator<UInt> = UIntProgressionIterator(first, last, step)\n    /**\n     * Checks if the
progression is empty.\n     * \n     * Progression with a positive step is empty if its first element is greater than the last
element.\n     * \n     * Progression with a negative step is empty if its first element is less than the last element.\n     * \n     * \n     public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n    override fun equals(other: Any?):
Boolean =\n        other is UIntProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first &&
last == other.last && step == other.step\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31
* first.toInt() + last.toInt()) + step.toInt())\n    override fun toString(): String = if (step > 0) \"$first..$last

```

```

step $step}" else \"$first downTo $last step ${-step}}"\n\n  companion object {\n    /**\n     * Creates
UIntProgression within the specified bounds of a closed range.\n    * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n    * In order
to go backwards the [step] must be negative.\n    * [step] must be greater than `Int.MIN_VALUE` and
not equal to zero.\n    */\n    public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int):
UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n  }\n}\n\n/**\n * An iterator over a progression
of values of type `UInt`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin("1.3")\n@Suppress("DEPRECATION_ERROR")\nprivate class UIntProgressionIterator(first:
UInt, last: UInt, step: Int) : UIntIterator() {\n  private val finalElement = last\n  private
var hasNext: Boolean = if (step > 0) first <= last else first >= last\n  private val step = step.toUInt() // use 2-
complement math for negative steps\n  private var next = if (hasNext) first else finalElement\n\n  override fun
hasNext(): Boolean = hasNext\n\n  override fun nextUInt(): UInt {\n    val value = next\n    if (value ==
finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n      hasNext = false\n    }
else {\n      next += step\n    }\n    return value\n  }\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.collections\n\n/**\n * An iterator over a sequence of values of type `UByte`.\n */\n@Deprecated("This class is not
going to be stabilized and is to be removed soon.", level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class UByteIterator : Iterator<UByte> {\n
final override fun next() = nextUByte()\n  /**\n   * Returns the next value in the sequence without boxing.\n */\n
public abstract fun nextUByte(): UByte\n}\n\n/**\n * An iterator over a sequence of values of type `UShort`.\n */\n@Deprecated("This class is not going to be stabilized and is to be removed soon.", level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class UShortIterator : Iterator<UShort> {\n
final override fun next() = nextUShort()\n  /**\n   * Returns the next value in the sequence without boxing.\n */\n
public abstract fun nextUShort(): UShort\n}\n\n/**\n * An iterator over a sequence of values of type `UInt`.\n */\n@Deprecated("This class is not going to be stabilized and is to be removed soon.", level =
DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class UIntIterator : Iterator<UInt> {\n  final
override fun next() = nextUInt()\n\n  /**\n   * Returns the next value in the sequence without boxing.\n */\n
public abstract fun nextUInt(): UInt\n}\n\n/**\n * An iterator over a sequence of values of type `ULong`.\n */\n@Deprecated("This class is not going to be stabilized
and is to be removed soon.", level = DeprecationLevel.ERROR)\n@SinceKotlin("1.3")\npublic abstract class
ULongIterator : Iterator<ULong> {\n  final override fun next() = nextULong()\n  /**\n   * Returns the next value in
the sequence without boxing.\n */\n  public abstract fun nextULong(): ULong\n}\n\n"/**\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `ULong`.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class
ULongRange(start:
ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n  override
val start: ULong get() = first\n  override val endInclusive: ULong get() = last\n  override fun contains(value:
ULong): Boolean = first <= value && value <= last\n  /**\n   * Checks if the range is empty.\n   * The
range is empty if its start value is greater than the end value.\n   */\n  override fun isEmpty(): Boolean = first >
last\n  override fun equals(other: Any?): Boolean =\n    other is ULongRange && (isEmpty() &&
other.isEmpty()) ||\n    first == other.first && last == other.last\n  override fun hashCode(): Int =\n    if
(isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\n  override fun
toString(): String = \"$first..$last"\n\n  companion object {\n    /**\n     * An empty range of values of type ULong.\n     */\n    public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE,

```



```

ULong.MIN_VALUE)\n } }\n\n/**\n * A progression of values of type `ULong`.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class
ULongProgression\ninternal constructor(\n start: ULong,\n endInclusive: ULong,\n step: Long)\n :
Iterable<ULong> {\n init {\n if (step == 0.toLong()) throw kotlin.IllegalArgumentException("\nStep must be
non-zero.\n")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("\nStep must be greater
than Long.MIN_VALUE to avoid overflow on negation.\n")\n }\n\n /**\n * The first element in the
progression.\n *\n public val first: ULong = start\n\n /**\n * The last element in the progression.\n *\n
public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the
progression.\n *\n public val step: Long = step\n\n final override fun iterator(): Iterator<ULong> =
ULongProgressionIterator(first,
last, step)\n\n /**\n * Checks if the progression is empty.\n\n * Progression with a positive step is empty
if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element
is less than the last element.\n *\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first <
last\n\n override fun equals(other: Any?): Boolean =\n other is ULongProgression && (isEmpty() &&
other.isEmpty()) ||\n first == other.first && last == other.last && step == other.step)\n\n override fun
hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt()) + (last xor (last shr
32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n override fun toString(): String = if (step > 0) "\n$first.$last step
$step" else "\n$first downTo $last step ${-step}"\n\n companion object {\n /**\n * Creates
ULongProgression within the
specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward
the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be
negative.\n *\n * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n *\n
public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression =
ULongProgression(rangeStart, rangeEnd, step)\n } }\n\n\n/**\n * An iterator over a progression of values of type
`ULong`.\n * @property step the number by which the value is incremented on each step.\n
*\n@SinceKotlin("1.3")\n@Suppress("DEPRECATION_ERROR")\nprivate class
ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n private val finalElement =
last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private val step =
step.toULong() // use 2-complement
math for negative steps\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext():
Boolean = hasNext\n\n override fun nextULong(): ULong {\n val value = next\n if (value ==
finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }
else {\n next += step\n }\n return value\n }\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.math\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun min(a: UInt, b: UInt): UInt {\n return minOf(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public
inline fun min(a: ULong, b: ULong): ULong {\n return minOf(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun max(a: UInt, b: UInt): UInt {\n return maxOf(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
public inline fun max(a: ULong, b: ULong): ULong {\n return maxOf(a, b)\n}\n", /*\n * Copyright 2010-2021

```

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```

*\n\n@file:kotlin.jvm.JvmName("\UNumbersKt")\npackage kotlin\n\n/**\n * Counts the number of set bits in the
binary representation of this [UInt] number.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits(): Int =
toInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [UInt] number.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int =
toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the
binary representation of this [UInt] number.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int =
toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UInt]
number,\n * or zero, if this number is zero.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt =
toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt =
toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the
negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of
[UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n
*\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int):
UInt = toInt().rotateLeft(bitCount).toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is
the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *
Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n)
== number.rotateRight(n % 32)`\n
*\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateRight(bitCount: Int):
UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n * Counts the number of set bits in the binary representation
of this [ULong] number.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int =
toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [ULong] number.\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int =
toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant

```

bits that are zero in the binary representation of this [ULong] number.\n

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int
= toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong
= toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun ULong.takeLowestOneBit(): ULong = toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the
binary representation of this [ULong] number left by the specified [bitCount] number of bits.\n * The most
significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n *
Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong]
number right by the specified [bitCount] number
of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits
on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the
negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of
[ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n *\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount:
Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary
representation of this [UByte] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int =
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [UByte]
number.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int =
toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int =
toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if
this number is zero.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte =
toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by

```

the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount:
Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte]
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit
count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n
*\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 8)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UByte.rotateRight(bitCount: Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts
the number of set bits in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int =
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int
= toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [UShort] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int
= toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort
= toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort
= toInt().takeLowestOneBit().toUShort()\n\n/**\n * Rotates the binary representation
of this [UShort] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out
from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left
by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount:
Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this
[UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the
right side reenter the number as the most significant
bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the
negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of
```

```

[UShort.SIZE_BITS] (16) returns the same number, or more generally
number.rotateRight(n % 16)
@SinceKotlin("1.6")
@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun UShort.rotateRight(bitCount:
Int): UShort = toShort().rotateRight(bitCount).toUShort()
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 */
package kotlin.internal
private fun
differenceModulo(a: UInt, b: UInt, c: UInt): UInt {
    val ac = a % c
    val bc = b % c
    return if (ac >= bc) ac -
bc
else ac - bc + c
}
private fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {
    val ac = a % c
    val bc = b % c
    return if (ac >= bc) ac - bc else ac - bc + c
}
"/**
 * Calculates the final element of a
bounded arithmetic progression, i.e. the last element of the progression which is in the range
 * from [start] to [end]
in case of a positive [step], or from [end] to [start] in case of a negative
 * [step].
 * No validation on passed
parameters is performed. The given parameters should satisfy the condition:
 * - either `step > 0` and `start <=
end`,
 * - or `step < 0` and `start >= end`.
 * @param start first element of the progression
 * @param end
ending bound for the progression
 * @param step increment, or difference of successive elements in the
progression
 * @return the final element of the progression
 * @suppress
 */
@PublishedApi
@SinceKotlin("1.3")
internal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int):
UInt = when {
    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())
    step <
0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())
    else -> throw
kotlin.IllegalArgumentException("Step is zero.")
}
"/**
 * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range
 * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative
 * [step].
 * No validation on passed
parameters is performed. The given parameters should satisfy the condition:
 * - either `step > 0` and `start <=
end`,
 * - or `step < 0` and `start >= end`.
 * @param start first element of the progression
 * @param end
ending bound for the progression
 * @param step increment, or difference of successive elements in the
progression
 * @return the final element of the progression
 * @suppress
 */
@PublishedApi
@SinceKotlin("1.3")
internal
fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {
    step > 0 -> if (start >=
end) end else end - differenceModulo(end, start, step.toULong())
    step < 0 -> if (start <= end) end else end +
differenceModulo(start, end, (-step).toULong())
    else -> throw kotlin.IllegalArgumentException("Step is
zero.")
}
"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("UStringsKt") // string representation of unsigned numbers
package
kotlin.text
"/**
 * Returns a string representation of this [Byte] value in the specified [radix].
 * @throws
IllegalArgumentException when [radix] is not a valid radix for number to string conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public
/*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)
"/**
 * Returns a string
representation of this [Short] value in the specified [radix].
 * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public
/*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)
"/**
 * Returns a string
representation of this [Int] value in the specified [radix].
 * @throws IllegalArgumentException when [radix] is
not a valid radix for number to string conversion.
 */
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public
/*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)
"/**
 * Returns a string
representation of this [Long] value in the specified [radix].
 */

```

```

*\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n * Parses the string
as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun String.toUByte():
UByte = toUByteOrNull() ?: numberFormatException(this)\n * Parses the string as a signed [UByte] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toUByte(radix:
Int): UByte = toUByteOrNull(radix) ?: numberFormatException(this)\n * Parses the string as a [UShort]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toUShort(): UShort = toUShortOrNull() ?: numberFormatException(this)\n * Parses the string as a
[UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public
fun String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatException(this)\n * Parses the
string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of
a number.\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toUInt(): UInt = toUIntOrNull() ?: numberFormatException(this)\n * Parses the string as an [UInt] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatException(this)\n * Parses the string as a
[ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun String.toULong():
ULong = toULongOrNull() ?: numberFormatException(this)\n * Parses the string as a [ULong] number and
returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatException(this)\n * Parses
the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n * Parses the string as an [UByte] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public
fun String.toUByteOrNull(radix: Int): UByte? {
    val int = this.toUIntOrNull(radix) ?: return null
    if (int > UByte.MAX_VALUE) return null
    return int.toUByte()\n * Parses the string as an [UShort] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n * @SinceKotlin("1.5")\n * @WasExperimental(ExperimentalUnsignedTypes::class)\n * public fun
String.toUShortOrNull(): UShort? = toUShortOrNull(radix = 10)\n * Parses the string as an [UShort] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws

```

```

IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUShortOrNull(radix: Int): UShort? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UShort.MAX_VALUE) return null\n    return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation
of a number.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUIntOrNull(radix: Int): UInt? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0)
return null\n\n    val limit: UInt = UInt.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if (firstChar
< '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n
start = 0\n    }\n\n    val limitForMaxRadix = 119304647u // limit / 36\n\n    var limitBeforeMul =
limitForMaxRadix\n    val uradix = radix.toUInt()\n    var result = 0u\n    for (i in start until length) {\n        val digit
= digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if
(limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n\n                if (result >
limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n
}\n\n        result *= uradix\n\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result <
beforeAdding) return null // overflow has happened\n    }\n\n    return result\n}\n\n\n/**\n * Parses the string as an
[ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n\n/**\n * Parses the string as an [ULong]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(radix: Int): ULong? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length ==
0) return null\n\n    val limit: ULong = ULong.MAX_VALUE\n    val start: Int\n\n    val firstChar = this[0]\n    if
(firstChar < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n
start = 0\n    }\n\n    val limitForMaxRadix = 512409557603043100uL // limit / 36\n\n    var limitBeforeMul =
limitForMaxRadix\n    val uradix = radix.toULong()\n    var result = 0uL\n
    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n
        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit /
uradix\n\n                if (result > limitBeforeMul) {\n                    return null\n                }\n            }
else {\n                return null\n            }\n        }\n\n        result *= uradix\n\n        val beforeAdding = result\n
        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n\n
return result\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\npackage kotlin\n\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the experimental unsigned
types, including those types themselves.\n *\n * Usages of such API will be reported as warnings unless an explicit
opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`,\n * or with the `-Xopt-in=kotlin.ExperimentalUnsignedTypes`
compiler option is given.\n *\n * It's recommended to propagate the experimental status to the API that depends on
unsigned types by annotating it with this annotation.\n
*\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.WARNING)\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,

```

PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER,

TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic

annotation class ExperimentalUnsignedTypes\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MathKt")\n\npackage

kotlin.math\n\n\n// constants, can't use them from nativeMath as they are not constants there\n/** Ratio of the
circumference of a circle to its diameter, approximately 3.14159. *\n@SinceKotlin("1.2")\npublic const val PI:
Double = 3.141592653589793\n** Base of the natural logarithms, approximately 2.71828.

*\n@SinceKotlin("1.2")\npublic const val E: Double = 2.718281828459045\n\n// region =====
Double Math =====\n\n/** Computes the sine of the angle [x]

given in radians.\n * \n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\npublic
expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n * \n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun cos(x: Double):

Double\n\n/** Computes the tangent of the angle [x] given in radians.\n * \n * Special cases:\n * - `tan(NaN|+Inf|-
Inf)` is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun tan(x: Double): Double\n\n/** Computes the arc
sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n * \n * Special
cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun
asin(x: Double): Double\n\n/** Computes the arc cosine of the value [x];\n * the returned value is an angle in
the range from `0.0` to `PI` radians.\n * \n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is
`NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun acos(x: Double): Double\n\n/**

* Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2`
radians.\n * \n * Special cases:\n * - `atan(NaN)` is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun atan(x:
Double): Double\n\n/** Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the
rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle
in the range from `-PI` to `PI` radians.\n * \n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is
`0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`\n * - `atan2(y,
+Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for `-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI`
for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for
finite `x`\n * \n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n

*\n@SinceKotlin("1.2")\npublic expect fun atan2(y: Double, x: Double): Double\n\n/** Computes the
hyperbolic sine of the value [x].\n * \n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n *
- `sinh(-Inf)` is `-Inf`\n *\n@SinceKotlin("1.2")\npublic expect fun sinh(x: Double): Double\n\n/** Computes
the hyperbolic cosine of the value [x].\n * \n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is
`+Inf`\n *\n@SinceKotlin("1.2")\npublic expect fun cosh(x: Double): Double\n\n/** Computes the hyperbolic
tangent of the value [x].\n * \n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-
Inf)` is `-1.0`\n *\n@SinceKotlin("1.2")\npublic expect fun tanh(x: Double): Double\n\n/** Computes the
inverse hyperbolic sine of the value [x].\n * \n * The returned value is `y` such that `sinh(y)
== x`\n * \n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `
-Inf`\n *\n@SinceKotlin("1.2")\npublic expect fun asinh(x: Double): Double\n\n/** Computes the inverse
hyperbolic cosine of the value [x].\n * \n * The returned value is positive `y` such that `cosh(y) == x`\n * \n * Special
cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n

*\n@SinceKotlin("1.2")\npublic expect fun acosh(x: Double): Double\n\n/** Computes the inverse hyperbolic
tangent of the value [x].\n * \n * The returned value is `y` such that `tanh(y) == x`\n * \n * Special cases:\n * -
`tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-

1.0) is `-Inf` `*\n@SinceKotlin("1.2")\npublic expect fun atanh(x: Double): Double\n\n/**\n * Computes $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow.\n * Special cases:\n * - returns +Inf if any of arguments is infinite\n * - returns NaN if any of arguments is NaN and the other is not infinite\n *@\n@SinceKotlin("1.2")\npublic expect fun hypot(x: Double, y: Double): Double\n\n/**\n * Computes the positive square root of the value [x].\n * Special cases:\n * - \sqrt{x} is NaN when $x < 0$ or x is NaN\n *@\n@SinceKotlin("1.2")\npublic expect fun sqrt(x: Double): Double\n\n/**\n * Computes Euler's number e raised to the power of the value [x].\n * Special cases:\n * - $\exp(\text{NaN})$ is NaN\n * - $\exp(+\text{Inf})$ is +Inf\n * - $\exp(-\text{Inf})$ is 0.0\n *@\n@SinceKotlin("1.2")\npublic expect fun exp(x: Double): Double\n\n/**\n * Computes $\exp(x) - 1$.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - $\text{expm1}(\text{NaN})$ is NaN\n * - $\text{expm1}(+\text{Inf})$ is +Inf\n * - $\text{expm1}(-\text{Inf})$ is -1.0\n * @see [exp] function.\n *@\n@SinceKotlin("1.2")\npublic expect fun expm1(x: Double): Double\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n * Special cases:\n * - $\log(x, b)$ is NaN if either x or b are NaN\n * - $\log(x, b)$ is NaN when $x < 0$ or $b <= 0$ or $b == 1.0$ \n * - $\log(+\text{Inf}, +\text{Inf})$ is NaN\n * - $\log(+\text{Inf}, b)$ is +Inf for $b > 1$ and -Inf for $b < 1$ \n * - $\log(0.0, b)$ is -Inf for $b > 1$ and +Inf for $b > 1$ \n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n *@\n@SinceKotlin("1.2")\npublic expect fun log(x: Double, base: Double): Double\n\n/**\n * Computes the natural logarithm (base E) of the value [x].\n * Special cases:\n * - $\ln(\text{NaN})$ is NaN\n * - $\ln(x)$ is NaN when $x < 0.0$ \n * - $\ln(+\text{Inf})$ is +Inf\n * - $\ln(0.0)$ is -Inf\n *@\n@SinceKotlin("1.2")\npublic expect fun ln(x: Double): Double\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function for special cases.\n *@\n@SinceKotlin("1.2")\npublic expect fun log10(x: Double): Double\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function for special cases.\n *@\n@SinceKotlin("1.2")\npublic expect fun log2(x: Double): Double\n\n/**\n * Computes $\ln(x + 1)$.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - $\ln1p(\text{NaN})$ is NaN\n * - $\ln1p(x)$ is NaN where $x < -1.0$ \n * - $\ln1p(-1.0)$ is -Inf\n * - $\ln1p(+\text{Inf})$ is +Inf\n * @see [ln] function\n * @see [expm1] function\n *@\n@SinceKotlin("1.2")\npublic expect fun ln1p(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - $\text{ceil}(x)$ is x where x is NaN or +Inf or -Inf or already a mathematical integer.\n *@\n@SinceKotlin("1.2")\npublic expect fun ceil(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - $\text{floor}(x)$ is x where x is NaN or +Inf or -Inf or already a mathematical integer.\n *@\n@SinceKotlin("1.2")\npublic expect fun floor(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n * @return the value [x] having its fractional part truncated.\n * Special cases:\n * - $\text{truncate}(x)$ is x where x is NaN or +Inf or -Inf or already a mathematical integer.\n *@\n@SinceKotlin("1.2")\npublic expect fun truncate(x: Double): Double\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n * Special cases:\n * - $\text{round}(x)$ is x where x is NaN or +Inf or -Inf or already a mathematical integer.\n *@\n@SinceKotlin("1.2")\npublic expect fun round(x: Double): Double\n\n/**\n * Returns the absolute value of the given value [x].\n * Special cases:\n * - $\text{abs}(\text{NaN})$ is NaN\n * @see absoluteValue extension property for [Double]\n *@\n@SinceKotlin("1.2")\npublic expect fun abs(x: Double): Double\n\n/**\n * Returns the sign of the given value [x]:\n * - -1.0 if the value is negative,\n * - zero if the value is zero,\n * - 1.0 if the value is positive\n * Special case:\n * - $\text{sign}(\text{NaN})$ is NaN\n *@\n@SinceKotlin("1.2")\npublic expect fun sign(x: Double): Double\n\n/**\n * Returns the smaller of two values.\n * If either value is NaN, then the result is NaN.\n *@\n@SinceKotlin("1.2")\npublic expect fun min(a: Double, b: Double): Double\n\n/**\n * Returns the greater of two values.\n * If either value is NaN, then the result is NaN.\n *@\n@SinceKotlin("1.2")\npublic expect fun max(a: Double, b: Double):`

Double\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n\npublic expect fun Double.pow(x: Double): Double\n\n/**\n * Raises this value to the integer power [n].\n * See the other overload of [pow] for details.\n */\n\npublic expect fun Double.pow(n: Int): Double\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n * - @see abs function\n */\n\npublic expect val Double.absoluteValue: Double\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n\npublic expect val Double.sign: Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n\npublic expect fun Double.withSign(sign: Double): Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n\npublic expect fun Double.withSign(sign: Int): Double\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n\npublic expect val Double.ulp: Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n\npublic expect fun Double.nextUp(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n\npublic expect fun Double.nextDown(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n */\n\npublic expect fun Double.nextTowards(to: Double): Double\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n * - @throws IllegalArgumentException when this value is `NaN`\n */\n\npublic expect fun Double.roundToInt(): Int\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n * - @throws IllegalArgumentException when this value is `NaN`\n */\n\npublic expect fun Double.roundToLong(): Long\n\n// endregion\n\n// region ===== Float Math\n\n/**\n * Computes the sine of the angle [x] given in radians.\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n\npublic expect fun sin(x: Float): Float\n\n/**\n * Computes the cosine of the angle [x] given in radians.\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n\npublic expect fun cos(x: Float): Float\n\n/**\n * Computes the tangent of the angle [x] given in radians.\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n\npublic expect fun tan(x: Float): Float\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n\npublic expect fun asin(x: Float): Float\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n\npublic expect fun acos(x: Float): Float\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n\npublic expect fun atan(x: Float): Float\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that

correspond to the rectangular coordinates (x, y) by computing the arc tangent of the value y / x ; the returned value is an angle in the range from $-\pi$ to π radians.

Special cases:

- $\text{atan2}(0.0, 0.0)$ is 0.0
- $\text{atan2}(0.0, x)$ is 0.0 for $x > 0$ and π for $x < 0$
- $\text{atan2}(-0.0, x)$ is -0.0 for $x > 0$ and $-\pi$ for $x < 0$
- $\text{atan2}(y, +\text{Inf})$ is 0.0 for $0 < y < +\text{Inf}$ and -0.0 for $-\text{Inf} < y < 0$
- $\text{atan2}(y, -\text{Inf})$ is π for $0 < y < +\text{Inf}$ and $-\pi$ for $-\text{Inf} < y < 0$
- $\text{atan2}(y, 0.0)$ is $\pi/2$ for $y > 0$ and $-\pi/2$ for $y < 0$
- $\text{atan2}(+\text{Inf}, x)$ is $\pi/2$ for finite $x > 0$ and $-\pi/2$ for finite $x < 0$
- $\text{atan2}(\text{NaN}, x)$ and $\text{atan2}(y, \text{NaN})$ is NaN

`SinceKotlin("1.2")\npublic expect fun atan2(y: Float, x: Float): Float`

Computes the hyperbolic sine of the value x .

Special cases:

- $\text{sinh}(\text{NaN})$ is NaN
- $\text{sinh}(+\text{Inf})$ is $+\text{Inf}$
- $\text{sinh}(-\text{Inf})$ is $-\text{Inf}$

`SinceKotlin("1.2")\npublic expect fun sinh(x: Float): Float`

Computes the hyperbolic cosine of the value x .

Special cases:

- $\text{cosh}(\text{NaN})$ is NaN
- $\text{cosh}(+\text{Inf})$ is $+\text{Inf}$
- $\text{cosh}(-\text{Inf})$ is $+\text{Inf}$

`SinceKotlin("1.2")\npublic expect fun cosh(x: Float): Float`

Computes the hyperbolic tangent of the value x .

Special cases:

- $\text{tanh}(\text{NaN})$ is NaN
- $\text{tanh}(+\text{Inf})$ is 1.0
- $\text{tanh}(-\text{Inf})$ is -1.0

`SinceKotlin("1.2")\npublic expect fun tanh(x: Float): Float`

Computes the inverse hyperbolic sine of the value x . The returned value is y such that $\text{sinh}(y) == x$.

Special cases:

- $\text{asinh}(\text{NaN})$ is NaN
- $\text{asinh}(+\text{Inf})$ is $+\text{Inf}$
- $\text{asinh}(-\text{Inf})$ is $-\text{Inf}$

`SinceKotlin("1.2")\npublic expect fun asinh(x: Float): Float`

Computes the inverse hyperbolic cosine of the value x . The returned value is positive y such that $\text{cosh}(y) == x$.

Special cases:

- $\text{acosh}(\text{NaN})$ is NaN
- $\text{acosh}(x)$ is NaN when $x < 1$
- $\text{acosh}(+\text{Inf})$ is $+\text{Inf}$

`SinceKotlin("1.2")\npublic expect fun acosh(x: Float): Float`

Computes the inverse hyperbolic tangent of the value x . The returned value is y such that $\text{tanh}(y) == x$.

Special cases:

- $\text{atanh}(\text{NaN})$ is NaN
- $\text{atanh}(x)$ is NaN when $x > 1$ or $x < -1$
- $\text{atanh}(1.0)$ is $+\text{Inf}$
- $\text{atanh}(-1.0)$ is $-\text{Inf}$

`SinceKotlin("1.2")\npublic expect fun atanh(x: Float): Float`

Computes $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow.

Special cases:

- returns $+\text{Inf}$ if any of arguments is infinite
- returns NaN if any of arguments is NaN and the other is not infinite

`SinceKotlin("1.2")\npublic expect fun hypot(x: Float, y: Float): Float`

Computes the positive square root of the value x .

Special cases:

- $\text{sqrt}(x)$ is NaN when $x < 0$ or x is NaN

`SinceKotlin("1.2")\npublic expect fun sqrt(x: Float): Float`

Computes Euler's number e raised to the power of the value x .

Special cases:

- $\text{exp}(\text{NaN})$ is NaN
- $\text{exp}(+\text{Inf})$ is $+\text{Inf}$
- $\text{exp}(-\text{Inf})$ is 0.0

`SinceKotlin("1.2")\npublic expect fun exp(x: Float): Float`

Computes $\text{exp}(x) - 1$.

This function can be implemented to produce more precise result for x near zero.

Special cases:

- $\text{expm1}(\text{NaN})$ is NaN
- $\text{expm1}(+\text{Inf})$ is $+\text{Inf}$
- $\text{expm1}(-\text{Inf})$ is -1.0

@see [exp] function.

`SinceKotlin("1.2")\npublic expect fun expm1(x: Float): Float`

Computes the logarithm of the value x to the given [base].

Special cases:

- $\log(x, b)$ is NaN if either x or b are NaN
- $\log(x, b)$ is NaN when $x < 0$ or $b \leq 0$ or $b == 1.0$
- $\log(+\text{Inf}, +\text{Inf})$ is NaN
- $\log(+\text{Inf}, b)$ is $+\text{Inf}$ for $b > 1$ and $-\text{Inf}$ for $b < 1$
- $\log(0.0, b)$ is $-\text{Inf}$ for $b > 1$ and $+\text{Inf}$ for $b > 1$

See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

`SinceKotlin("1.2")\npublic expect fun log(x: Float, base: Float): Float`

Computes the natural logarithm (base E) of the value x .

Special cases:

- $\ln(\text{NaN})$ is NaN
- $\ln(x)$ is NaN when $x < 0.0$
- $\ln(+\text{Inf})$ is $+\text{Inf}$
- $\ln(0.0)$ is $-\text{Inf}$

`SinceKotlin("1.2")\npublic expect fun ln(x: Float): Float`

Computes the common logarithm (base 10) of the value x .

@see [ln] function for special cases.

`SinceKotlin("1.2")\npublic expect fun log10(x: Float): Float`

Computes the binary logarithm (base 2) of the value x .

@see [ln] function for special cases.

`SinceKotlin("1.2")\npublic expect fun log2(x: Float): Float`

Computes $\ln(a + 1)$.

This function can be implemented to produce more precise result for x near zero.

Special cases:

- $\ln1p(\text{NaN})$ is NaN
- $\ln1p(x)$ is NaN where $x < -1.0$
- $\ln1p(-1.0)$ is $-\text{Inf}$
- $\ln1p(+\text{Inf})$ is $+\text{Inf}$

@see [ln] function

@see [expm1] function

`SinceKotlin("1.2")\npublic expect fun ln1p(x: Float): Float`

Rounds the given value x to an

integer towards positive infinity.
`@return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.`
`Special cases:`
`-`ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.`
`@SinceKotlin("1.2")\npublic expect fun ceil(x: Float): Float\n\n**\n * Rounds the given value [x] to an integer towards negative infinity.`
`@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.`
`Special cases:`
`-`floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.`
`@SinceKotlin("1.2")\npublic expect fun floor(x: Float): Float\n\n**\n * Rounds the given value [x] to an integer towards zero.`
`@return the value [x] having its fractional part truncated.`
`Special cases:`
`-`truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.`
`@SinceKotlin("1.2")\npublic expect fun truncate(x: Float): Float\n\n**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.`
`Special cases:`
`-`round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.`
`@SinceKotlin("1.2")\npublic expect fun round(x: Float): Float\n\n**\n * Returns the absolute value of the given value [x].`
`Special cases:`
`-`abs(NaN)` is `NaN`\n\n**\n * @see absoluteValue extension property for [Float]`
`@SinceKotlin("1.2")\npublic expect fun abs(x: Float): Float\n\n**\n * Returns the sign of the given value [x]:`
`-`-1.0` if the value is negative,`
`- zero if the value is zero,`
`- `1.0` if the value is positive\n\n**\n * Special case:`
`-`sign(NaN)` is `NaN`\n\n**\n * @SinceKotlin("1.2")\npublic expect fun sign(x: Float): Float\n\n**\n * Returns the smaller of two values.`
`If either value is `NaN`, then the result is `NaN`.\n\n**\n * @SinceKotlin("1.2")\npublic expect fun min(a: Float, b: Float): Float\n\n**\n * Returns the greater of two values.`
`If either value is `NaN`, then the result is `NaN`.\n\n**\n * @SinceKotlin("1.2")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n**\n * Raises this value to the power [x].`
`Special cases:`
`-`b.pow(0.0)` is `1.0`\n\n**\n * -`b.pow(1.0) == b`\n\n**\n * -`b.pow(NaN)` is `NaN`\n\n**\n * -`NaN.pow(x)` is `NaN` for `x != 0.0`\n\n**\n * -`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n\n**\n * -`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n\n**\n * @SinceKotlin("1.2")\npublic expect fun Float.pow(x: Float): Float\n\n**\n * Raises this value to the integer power [n].`
`See the other overload of [pow] for details.`
`@SinceKotlin("1.2")\npublic expect fun Float.pow(n: Int): Float\n\n**\n * Returns the absolute value of this value.`
`Special cases:`
`-`NaN.absoluteValue` is `NaN`\n\n**\n * @see abs function\n\n**\n * @SinceKotlin("1.2")\npublic expect val Float.absoluteValue: Float\n\n**\n * Returns the sign of this value:`
`-`-1.0` if the value is negative,`
`- zero if the value is zero,`
`- `1.0` if the value is positive\n\n**\n * Special case:`
`-`NaN.sign` is `NaN`\n\n**\n * @SinceKotlin("1.2")\npublic expect val Float.sign: Float\n\n**\n * Returns this value with the sign bit same as of the [sign] value.`
`If [sign] is `NaN` the sign of the result is undefined.`
`@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Float): Float\n\n**\n * Returns this value with the sign bit same as of the [sign] value.`
`@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int): Float\n\n**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].`
`Ties are rounded towards positive infinity.`
`Special cases:`
`-`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n\n**\n * -`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n\n**\n * @throws IllegalArgumentException when this value is `NaN`\n\n**\n * @SinceKotlin("1.2")\npublic expect fun Float.roundToInt(): Int\n\n**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].`
`Ties are rounded towards positive infinity.`
`Special cases:`
`-`x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n\n**\n * -`x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n\n**\n * @throws IllegalArgumentException when this value is `NaN`\n\n**\n * @SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long\n\n**\n // endregion\n\n**\n * Returns the absolute value of the given value [n].`
`Special cases:`
`-`abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n\n**\n * @see absoluteValue extension property for [Int]`
`@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int\n\n**\n * Returns the smaller of two values.`
`@SinceKotlin("1.2")\npublic expect fun min(a: Int, b: Int): Int\n\n**\n * Returns the greater of two values.`

```

*/n@SinceKotlin("1.2")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n * @see abs function\n */n@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */n@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n/**\n * Returns the absolute value of the given value [n].\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n * @see absoluteValue extension property for [Long]\n */n@SinceKotlin("1.2")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */n@SinceKotlin("1.2")\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */n@SinceKotlin("1.2")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * @see abs function\n */n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */n@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n// endregion\n"],"names":[],"mappings":":AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAl,UAAW,IAAG,MAAM,IAAI,C,C;IACI,MAAM,CAAC,QAAD,EAaW,CAAC,SAAD,CAAX,EAaWb,OAaxB,C;SAEL,IAAI,OAAO,OAAQ,KAAl,QAavB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAaO,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OAaOd,CAA5C,KAaK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAaW,KAAG,CAAC,OAAQ,KAAl,c;G;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAaU,IAAG,CAAC,OAAQ,KAAl,c;G;EAGlD,MAAM,aAAc,GAAE,a;IACiB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,WAAY,IAAG,CAAC,OAAQ,KAAl,W;G;EAGpD,MAAM,WAAY,GAAE,a;IACbB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,aAAc,GAAE,a;IACiB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAaK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAl,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAaK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAY,GAAE,a;IACbB,OAAO,KAaK,QAAQ,CAAC,CAAD,CAAI,IAAG,WAaW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,CAAE,KAAl,IAAV,C;MAAgB,OAAO,M;IACvB,IAAI,WAaW,MAAM,YAAY,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAaWb,MAAM,S;IACnE,OAAO,GAAl,GAAE,KAaK,UAAU,IAAI,KAaK,CAAC,CAAD,EAAl,a;MAAc,OAAO,QAAQ,CAAC,CAAD,C;KAAjC,CAawC,KAaK,CAAC,IAAD,CAAO,GAAE,G;G;EAG/F,MAAM,kBAaMb,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAawB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,CAAE,KAAl,CAAV,C;MACl,OAAO,I;KAEX,IAAI,CAAE,KAAl,IAAK,IAAG,CAAE,KAAl,IAAK,IAAG,CAAC,MAAM,WAaW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAl,CAAC,OAavE,C;MACl,OAAO,K;KAGX,KAaK,IAAI,IAAI,CAAR,EAaW,IAAI,CAAC,OAARb,EAa8B,CAAE,GAAE,CAAlC,EAaqC,CAAC,EAAtC,C;MACl,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EAaO,CAAC,CAAC,CAAD,CAAR,CAAlB,C;QACl,OAAO,K;;IAGf,OAAO,I;G;EAGX,MAAM,gBAaiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAAY,sBAAsB,CAAC,CAAD,EAAl,CAAJ,C;G;EAGlD,MAAM,cAAe,GAAE,e;IACnB,IAAI,GAAl,KAAl,IAAZ,C;MAAkB,OAAO,C;IACzB,IAAI,SAAS,C;IACb,KAaK,IAAI,IAAI,CAAR,EAaW,IAAI,GAAG,OAavB,EAagC,CAAE,GAAE,CAApC,EAaUc,CAAC,EAaxC,C;MACl,MAAO,GAaqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM,kBAaMb,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAY,wBAawB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAaoB,GAAE,iB;IACxB,KAaK,KAaK,CAAC,MAAM,gBAAP,C;G;ECPFd,MAAM,eAAgB,GAAE,mB;IACpB,CAAC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAawB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IACb,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAaMb,CAAC,MAAD,EAAS,MAAT,EAaiB,6BAA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACl,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAAl,UAAW,GAAE,KAaK,QAAP,GAaKb,KAaK,UARd,C;IACvC,GAAG,YAAa,GAAE,G;IACiB,OA

```

AO,G;G;EAGX,IAAI,gCAAgC,CACChC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,k
B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC
,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,I
AAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KA
AK,MAAO,KAAL,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,I
AFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QA
AS,GAAE,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAA
E,a;IACZ,OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IAC
Z,OAAO,CAAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,
CAAF,GAAM,MAAM,KAAK,WAAW,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE
,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAY,CAAC,CAAD,C;G;EAGpE,MAA
M,cAAe,GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGzB,MA
AM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,M
AAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,
CAAC,MAAM,YAAY,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,U
AAR,C;MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAA
E,C;G;EAGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,Y
AAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,M
AAM,UAAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,
CAAD,C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;K
AGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAL,IAAb,C;MACI,OAAO,IAAK,KAA
LI,I;KAGpB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAL,UAAvD,C;MACI,OAAO,IAAI,O
AAO,CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAK,KAAL,QAAhD,C;MACI,OA
AO,IAAK,KAAL,IAAK,KAAL,IAAK,KAAL,CAAE,IAAG,CAAE,GAAE,IAAK,KAAL,CAAE,GAAE,IAAnC,C;K
AGzB,OAAO,IAAK,KAAL,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GAAL,IAAG,IAAX,C;MACI,OAAO,
C;KAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAL,OAAjB,C;MACI,OAAO,UAAW,KAAL,OAAO,GAA
G,SAAU,GAAE,GAAG,SAAS,EAAd,GAAMb,iBAAiB,CAAC,GAAD,C;KAEf,IAAI,UAAW,KAAL,OAAAnB,C;
MACI,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAL,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAA
C,GAAD,C;KAEhC,IAAI,SAAU,KAAL,OAAIB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,
MAAM,CAAC,GAAD,C;IACHb,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,
CAAE,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O
;;MAGP,OAAO,CAAC,SAAS,E;G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EA
E,8BAA+B,IAAG,GAAPc,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MA
AM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAA
G,CAAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAE,GAAE,G
AAG,OAAvB,EAAGc,CAAC,EAajC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,G
AAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAakB,GAAE,iB;EC9C1
B,MAAM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAL,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GA
AE,C;G;EAGtB,MAAM,KAAK,WAAW,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KA
AK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,
GAAE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,O
AAO,S;QAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAM,GAAE,CAAxB,EAA2B,KAAM,GAAE,CAAE
,GAAE,EAfF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAA
M,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAW,GAAE,iB;I
ACvB,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAAC,
MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAE,IAAG,MAAM,
KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MAA
M,KAAK,WAAW,CAAC,CAAC,KAfF,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAfV,CACf,KAAM,

GAAE,MAAM,KAAK,gBAakB,GAAE,CADrC,EAEF,KAAM,GAAE,MAAM,KAAK,gBAakB,GAAE,CAFrC,C
;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAYB,QAaz
B,C;G;EAWT,MAAM,KAAK,WAAy,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM,K
AAK,CAAC,mCAAD,C;KAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,G
AAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,GAAG,OAAO,CAAC,C
AAD,CAAI,IAAG,GAARb,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAD
,EAAmB,KAAmB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAmD,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA
AI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA
b,EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC
,CAAD,EAAL,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAA
D,EAAL,CAAE,GAAE,IAAR,CAAd,EAA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAA
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEEnC,MAAO,
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA
AC,KAAD,CAAvB,C;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MA
AM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,
GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA0IC,
MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gB
AAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MA
AM,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA
ItC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,
MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aA
AW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAA
S,CAAC,CAAD,EAAL,aAAW,GAAE,CAAjB,C;EA05C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,C
AAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,M
AAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI
,mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;E
AQ1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE
,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,I
AAI,OAAO,EAaf,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,
MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAy,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACtC,IAAI,M
AAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAA
D,C;QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;;
QAEjD,OAAO,GAAL,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;KAMvC,IAAI,eAAe,MAAM,KAAK,
WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IA
Cb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC
,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;
MAE5B,GAAL,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,
MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAL,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,
MAAO,GAAE,M;;G;EA07B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,K
AAK,UAAU,WAAy,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACz
C,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;E
AQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,
CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;MAGpC,
IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EA
Af,EAAmB,GAAL,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAIB,GAAL,GAAG,CAAE,IAAG,
GAAM,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAL,GAAE,EAAR,GAA

a,GAAl,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAE,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GA AE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,K AAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,I AAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAA O,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB; IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB ;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;I ACIC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB ;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;I AC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7 B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;KAET,IAAI,C AAC,OAAQ,IAAG,QAAhB,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnc, C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WA AAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEiB,OAAO,IAAI,IAAI,EAA E,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM ,IAAI,MAAO,KAAl,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAl,E;I ACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAl,E;IAC1B,IAAI,MAAM,K AAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAl,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAA E,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAaB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GA Al,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GA AE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,I AAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,K;IACP,OAAO ,MAAM,KAAK,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAaf,EAAqB,GAAl,IAAG,EAAl,GAAE,GAAIC,C;G; EAS7B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EA SjB,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,MAAM,KAAK,K ;WAcB,IAAI,KAAK,OAAO,EAAhB,C;MAcL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,M AAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,M AAM,KAAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MAcL,OAAO,IAAI,M AAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAnc,C;M ACE,IAAI,KAAK,WAAW,EAapB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;; QAE7B,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EAap B,C;MAcL,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC, MAAM,KAAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADiB,C;MAEE,OAAO,M AAM,KAAK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAajC,C;KAM/B,IAAI,MAAM,IAAI,M AAO,KAAl,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAl,E;IACxB,I AAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAl,E;IAC1B,IAAI,MAAM,KAAK, MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAl,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;I AEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAaB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAl,IA AG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;I ACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,G AAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf, GAAI,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP, GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAl,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl, GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,GAAI,GAAE,G;IACjD,GAAl,IAA G,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAaf,EAAqB,GAAl,IAAG,EAAl,G AA E,GAAIC,C;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAAhB,C;MACE ,MAAM,KAAK,CAAC,kBAAD,C;WACn,IAAI,IAAI,OAAO,EAaf,C;MAcL,OAAO,MAAM,KAAK,K;KAGpB,

IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAA
K,IAAZ,CAAkB,IACIC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEEO,OOAO,MAAM,KAAK,
U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OOAO,MAAM,KAAK,I;;QAGIB,
IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,C
AAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OOAO,KAAK,W
AAW,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,
KAAK,SAAS,CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CA
AR,C;UACvB,OOAO,M;;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OOAO
,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAAPB,C;QACE,OOAO
,IAAI,OOAO,EAAE,IAAI,CAAC,KAAK,OOAO,EAAb,C;;QAExB,OOAO,IAAI,OOAO,EAAE,IAAI,CAAC,KA
AD,CAAO,OOAO,E;;WAEnC,IAAI,KAAK,WAAW,EAAPB,C;MACL,OOAO,IAAI,IAAI,CAAC,KAAK,OOAO,
EAAb,CAAgB,OOAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OOAO,GAAG,m
BAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GA
AG,SAAS,EAAG,GAAE,KAAK,SAAS,EAAhC,CAAd,C;MAIrB,IAAI,OOAO,IAAI,KAAK,CAAC,IAAI,IAAI,C
AAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI
,IAAI,CAAC,CAAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,
C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACIC,OOAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAA
Y,CAAC,GAAD,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAA
D,C;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OOAO,EAAPB,C;QACE,SAAU,
GAAE,MAAM,KAAK,I;OAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,
CAAC,SAAD,C;;IAEpB,OOAO,G;G;EAST,MAAM,KAAK,UAAU,OOAQ,GAAE,iB;IAC7B,OOAO,IAAI,SAAS,
CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAZB,C;G;EAKtB,MAAM,KAAK,UAAU,IAA
K,GAAE,Y;IAC1B,OOAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAIB,C;G;E
AS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OOAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE
,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,iB
;IACzB,OOAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,K
AAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OOAO,MAAM,KAAK,SAAS,CAAC
,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,U
AAU,UAAW,GAAE,mB;IAChC,OOAQ,IAAG,E;IACX,IAAI,OOAQ,IAAG,CAAf,C;MACE,OOAO,I;;MAEP,IA
AI,MAAM,IAAI,K;MACd,IAAI,OOAQ,GAAE,EAAd,C;QACE,IAAI,OOAO,IAAI,M;QACf,OOAO,MAAM,KA
AK,SAAS,CACvB,GAAl,IAAG,OADgB,EAETB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,
C;;QAI3B,OOAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OOAQ,GAAE,EAAtB,C;;G;EAWjC,
MAAM,KAAK,UAAU,WAAW,GAAE,mB;IACjC,OOAQ,IAAG,E;IACX,IAAI,OOAQ,IAAG,CAAf,C;MACE,OA
AO,I;;MAEP,IAAI,OOAO,IAAI,M;MACf,IAAI,OOAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OA
AO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,I
AAG,OAFc,C;;QAI3B,OOAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OOAQ,GAAE,EADI,EAEvB,IAAK,IA
AG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OOA
Q,IAAG,E;IACX,IAAI,OOAQ,IAAG,CAAf,C;MACE,OOAO,I;;MAEP,IAAI,OOAO,IAAI,M;MACf,IAAI,OOAQ,
GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OOAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,G
AAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAI,OAFc,C;aAGtB,IAAI,OOAQ,IAAG,EAaf,C;QACL
,OOAO,MAAM,KAAK,SAAS,CAAC,IAAD,EA AO,CAAP,C;;QAE3B,OOAO,MAAM,KAAK,SAAS,CAAC,IAA
K,KAAK,OOAQ,GAAE,EAArB,EA AO,CAAIB,C;;G;EAMjC,MAAM,KAAK,UAAU,OOAQ,GAAE,iB;IAC3B,
OOAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAGID,MAAM,KAAK,UAAU,
gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OOAO,IAAI,IA
AI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OOAO,IAAI,IAA
I,CAAC,MAAM,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OOAO,IAAI,SAAS
,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OOAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAW,
GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,

MAAM,KA AK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,E
AAyC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;
G;EAGX,MAAM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MA
AM,CAAC,IAAD,EAAO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP
,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I;K;G;EAIjC,MA
AM,aAAc,GAAE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAO,SAAP,C;K;G;EAI5
B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;
K;G;EAIInC,MAAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAA
C,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,
K;G;EAGX,MAAM,gBAAiB,GAAE,qB;IACrB,gBAAGB,E;G;EAGpB,MAAM,oBAaQb,GAAE,qB;IACzB,gBA
AgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAGB,E;G;EAGpB,MAAM,mBAaOb,GAAE,4B;IACx
B,gBAAGB,E;G;EAGpB,MAAM,6BAa8B,GAAE,yB;IAClC,gBAAGB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ
,CACF,iDAaKd,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;M
ACH,OAAO,Y;K;G;ECjFf,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,Q
AAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QAAjB,C;QACI,OAAO,MAAM,gBAAGB,CAAC,CAAD,EAAI,CAAJ,
C;OAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;KAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,K
AAM,KAAI,SAApC,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;KAEpC,OAAO,CAAC,g
BAAGB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAaOb,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,E
AAF,GAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,C
AAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CA
AE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C;
MACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GA
AO,C;KAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E
;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,M
AAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,
GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YA
AY,KAAQ,CAAE,GAAE,KAAQ,CAAE,GAAE,CAAP,CAAW
,GAAE,C;G;EA6DtE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,Y
AAJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAA
e,GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAA,Y,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACHB,IAAI,
QAAQ,CAAC,QAAD,CAAW,KAAI,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;KAGhB,MAAM
,aAAc,GAAE,iB;MACIB,OAAO,MAAM,gBAAGB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,K
AAtB,C;K;IAGjC,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,M
AAM,KAAK,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MA
AM,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MACIB,QAAQ,CAAC,SAAD,C
AAY,GAAE,KAAK,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OA
AO,MAAM,eAAe,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAg
B,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,
MAAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;
K;IAIrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,
SAAD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAI,GAAE,CAAG,MAAI,GA
AIB,C;QACI,OAAO,GAAI,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QA
AQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE
,G;EAEF,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;E
C7G1C,IAAI,OAAO,MAAM,UAAU,WAA,Y,KAAI,WAA3C,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAA
mB,YAAAnB,EAAiC,QAC3C,kC;MACH,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAA,Y,CAAC,YA
AD,EAAe,QAAf,CAAyB,KAAI,Q;KAHN,CAAjC,C;GAOzB,IAAI,OAAO,MAAM,UAAU,SAAU,KAAI,WAAzC
,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAP,EAAmB,UAAAnB,EAA+B,QACzC,kC;MACH,IAAI,gBAAGB,IAAI

,SAAS,E;MACjC,IAAI,QAAS,KAAL,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;
OAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAae,QAAf,C;MACrC,OAA
O,SAAU,KAAL,EAAG,IAAG,SAAU,KAAL,Q;KARG,CAA/B,C;GAazB,IAAI,OAAO,IAAI,KAAM,KAAL,WAAz
B,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAL,CAAE,IAAG,KAAL
,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;OAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,C
AAF,GAAM,E;K;GAG3B,IAAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI
,KAAL,CAAC,CAAD,CAAT,C;QACI,OAAO,G;OAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAA
M,CAAC,CAAD,C;OAErB,OAAO,IAAI,KAAL,CAAC,CAAD,C;K;GAuKtB,CAnKD,Y;IACG,IAAI,UAAU,qB;I
ACd,IAAI,iBAaiB,IAAI,KAAL,CAAC,OAAD,C;IAC9B,IAAI,iBAaiB,IAAI,KAAL,CAAC,cAAD,C;IAC9B,IA
AI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAL,W
AAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI
,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAA
E,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;:UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACHB,IAAI,KAA
K,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAAC,CAAE,
GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CA
AC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnC,OAAgB,CAAR,CAAE,GAAE,EAAL,IAAE,C;:O;KAI9B,IAAI,O
AAO,IAAI,KAAM,KAAL,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,
C;QACHB,IAAI,KAAL,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,C
AAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,
C;QACID,OAAgB,CAAR,CAAE,GAAE,EAAL,IAAE,C;O;KAI1B,IAAI,OAAO,IAAI,KAAM,KAAL,WAAzB,C;
MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C
;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,
CAAG,GAAE,C;WAE5B,OAAO,M;:UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAASB,IAAI,I
AAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAL,QAAS,GAAE,CAAF,GAAM,CAAE,KAAL,QA
S,GAAE,EAAF,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;:O;KAQtE,IAAI,OAAO,IAAI
,MAAO,KAAL,WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,G
AAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,
I;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;:
YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAL,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAD
,C;:eAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAL,CAAC,CAAC,CAAF,C;:UAKb,IAA
I,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAL,CAAE,GAAE,CAA
E,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEhB,OAAO,M;:MAGf,IAAI,MAAO,GAAE,K;KAEjB,I
AAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;U
AEI,OAAO,G;:eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OA
AO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;:YAIzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAL
,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;:UAKnB,IAAI,IAAI,IAAI,KAAL,CAAC,CAAE,GAAE,C
AAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAL,CAAE,GAAE,CAAE,GAA
E,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAL,CAAC,CAAD,CAAI,GAAE,M;:O;KAI
IC,IAAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CA
AD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;Y
ACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;:SAEX,OAAO,IAAI,IAAI,CA
AS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,I
AAI,MAAO,KAAL,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE
,cAAIB,C;UACI,IAAI,KAAL,CAAE,GAAE,C;UACb,IAAI,KAAL,EAAG,GAAE,C;UACd,IAAI,KAAL,EAAG,
GAAE,C;UAEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,G
AAE,C;SAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAL,W
AA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI
,KAAL,CAAE,GAAE,C;UACb,IAAI,KAAL,EAAG,GAAE,C;UACd,IAAI,KAAL,EAAG,GAAE,C;UAEd,OAAQ

,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;IACI,IAAI,MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAL,IAAI,IAAI,CAAb,EAAGB,C,AAE,GAAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAL,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAL,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAL,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;K;GAGjC,IAAI,OAAO,IAAI,KAAM,KAAL,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;IACI,IAAI,MAAO,GAAG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAL,C;QACnB,IAAI,MAAO,KAAL,CAAf,C;UACI,OAAO,E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,CAAvB,CAA0B,GAAE,C;O;KAE5C,CAAC,IAAI,IAAL,EAAW,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KAAL,WAAIC,C;IACI,WAAW,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,UAAU,UAAW,KAAL,SAAS,UAAU,U;K;GAIhG,IAAI,OAAO,KAAL,UAAU,KAAM,KAAL,WAApC,C;IAEI,MAAM,eAAe,CAAC,KAAL,UAAW,EAAb,MAA1B,EAA0B,QACpC,iB;MAGH,IAAI,IAAK,IAAG,IAAZ,C;QACI,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;OAGV,IAAI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,OAAQ,KAAL,C;MAGvB,IAAI,QAAQ,SAAS,CAAC,CAAD,C;MACrB,IAAI,gBAAgB,KAAM,IAAG,C;MAG7B,IAAI,IAAI,aAAc,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAL,GAAE,aAAP,EAASB,CAATB,CADU,GAELB,IAAI,IAAI,CAAC,aAAD,EAAGB,GAAhB,C;MAGhB,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,GAAL,KAAL,SAAU,GACIB,GADkB,GACZ,GAAL,IAAG,C;MAG/B,IAAI,aAAa,WAAZ,GAAE,CAAE,GACHB,IAAI,IAAI,CAAC,GAAL,GAAE,WAAp,EAAoB,CAApB,CADQ,GAELB,IAAI,IAAI,CAAC,WAAD,EAAC,GAAD,C;MAGzB,OAAO,CAAE,GAAE,UAAZ,C;QACI,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIL,OAAO,C;KAvCgC,CAA1B,C;GA4HvB,CahFD,Y;IACG,yC;MACI,IAAI,MAAO,GAAE,CAAb,C;QAAgB,OAAO,IAAI,IAAI,CAAC,CAAD,EAAI,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,MAAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAL,KAAL,WAA1B,C;QACI,GAAL,GAAE,IAAI,O;OAEd,KAAM,GAAL,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACvB,GAAL,GAAE,IAAI,IAAI,CAAC,KAAD,EAAG,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,OAAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS,CAAC,KAAD,EAAG,GAAR,CAAL,C;K;IAGX,IAAI,SAAS,CAAC,SAAD,EAAY,UAAZ,EAAwB,WAAxB,EAAGqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAL,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAL,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAZ,EAAuB,MAAvB,EAA+B,QACzC,KAAL,UAAU,KAD0B,CAA/B,C;OAIzB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAL,WAA1C,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAZ,EAAuB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;;MAQJ,CAApB,Y;OAAc,MAAM,CAAC,IAAD,EAAO,IAAI,UAAJ,CAAE,CAAF,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;MAC9B,MAAM,eAAe,CAAC,QAAQ,UAAU,EAAGB,OAAR,EAA8B,QACxC,uB;QACH,OAAO,KAAL,KAAL,CAAC,IAAD,EAAO,IAAP,EAAa,EAAE,MAAM,KAAL,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAL,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAL,WAAxC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAZ,EAAuB,MAAvB,EAA+B,QACzC,0B;UACH,OAAO,EAAE,MAAM,KAAL,CAAC,IAAD,CAAM,IAAI,CAAC,QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,E;MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAELB,IAAI,CAAE,KAAL,CAAV,C;QACI,IAAI,CAAE,KAAL,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAL,CAAE,GAAE,C;QACb,OAAO,EAAG,KAAL,CAAE,GAAE,CAAE,GAAE,CAAF,GAAG,EAAG,GAAE,CAAE,GAAE,EAAG,GAAG,C;OAG7C,OAAO,CAAE,KAAL,CAAE,GAAG,CAAE,KAAL,CAAE,GAAE,CAAF,GAAG,CAAjB,GAASB,E;K;IAGzC,KAAL,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,MAAM,OAA1B,EAAmC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAL,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAAZ,EAAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAL,UAAU,KAAL,KAAL,CAAC,IAAD,EAAO,eAAgB,IAAG,oBAA1B,C;SAFY,CAA/B,C;;GAO/B,G;ECxXF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAG

F,QAHE,C;EAMd,MAAM,WAAy,GAAE,2C;IACbB,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YA
AR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,
KAAK,CAAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,
kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,
MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAaIC,EAA2C,YAA3C,C;G;EAG5B,MAA
M,WAAy,GAAE,kD;IACbB,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBA
AmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,K
AAb,C;MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAA
mB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAaE,GAAE,K;MAC3B,M;KA
GJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAaIC,EAA2C,YAA3C,EAAYD,KAAZD
,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAaI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,
QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAGB,CAAE,GAAE,U
AAU,OAA9B,EAaUC,CAAC,EAaxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAGB,KA
AhB,CAA9B,C;UACI,OAAO,I;KAKnB,IAAI,iBAaIB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,I
AAI,UAAAL,CAAvB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7
E,OAAO,gBAaIB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAaMB,KAAaB,C;G;EASjE,MAAM,OAAQ,G
AAE,yB;IACZ,IAAI,KAAM,KAaI,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;
UACD,OAAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAIrC,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAA
K,KAaI,OAAO,MAAO,KAaI,QAAS,IAAG,OAAO,MAAO,KAaI,UAApD,CAApC,C;MACI,OAAO,K;KAGX,I
AAI,OAAO,KAAM,KAaI,UAAW,IAAG,MAAO,YAAW,KAaRD,C;MACI,OAAO,I;KAGX,IAAI,QAAQ,MAA
M,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAK,YAAP,GAASB,I;IACtD,IAAI,
WAAy,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACI,IAAI,WAAW,WAAW,W;MAC1B,IAAI,QAAQ,KA
AM,KAaI,MAAM,KAAK,OAAjC,C;QACI,OAAO,MAAO,KAaI,K;QAI1B,IAAI,gBAAGB,KAAK,W;IAGzB,IA
AI,aAAc,IAAG,IAArB,C;MACI,OAAO,MAAO,YAAW,K;KAG7B,IAAI,aAAa,KAAM,KAaI,MAAM,KAAK,U
AAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACI,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAaQB,KAArB,C;K
AGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAA
W,MAAM,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGiC,MAAM,aA
Ac,GAAE,iB;IACIB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAaI,QAAS,IACIB,IAAK,KAaI,SAAU,IACn
B,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;
G;EAGxB,MAAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAaI,QAAS,IAAG,MAAM,OAAO,CAAC,
KAAD,EAAQ,MAAM,OAAO,aAaRB,C;G;,,,,,;aCnDV,gB;,,,;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,
gBAAGD,C;K;4EAG5C,Y;MAAQ,iB;K;+EAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAYC,OAAQ,0BAAR,YAAQ,EA
AU,KAAM,QAaHb,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAnc,MAAmC,kBAA8B,IA
A9B,C;K;8BAE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IDf
J,mC;MAC4C,oBAaA,MAAS,IAAT,CAAb,EAA6B,SAa7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,Y
AAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MA
AM,CAAN,IALgF,IAKrE,CAAK,CAAL,C;;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAA
A,KAAM,OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAK,CAAL,C;;MAEf,
OAAO,K;K;IAGX,kC;MAIiB,IAAN,I;MAFP,aAASB,MAAE,IAAf,C;MACTb,gBAAkB,c;MAEd,IADS,IACt,mB
ADS,IACt,EAAM,IAAN,E;QAAC,oBAaA,MAAb,EAaQB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U;
QAAA,SAaQB,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAySc,IA
Z3B,CAAK,CAAL,C;;QAYH,OAAASB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,I
AAb,EAaMB,KAAaB,C;QAIbHf,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI
,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAF
P,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACt,mBADS,IACt,EAAM,IAAN,YAD
S,IACt,EAAY,KAAZ,E;QAAQB,a;;QAIbZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CA
AV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,OAAmB,M;;MAF/B,W;
K;qEAMJ,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAy,UAAU,IAAV,EAAGB,IAAhB,C;QACC

,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CA
AC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGi
B,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,
YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;
MAIiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAakB,W;MAEd,IADS,IACt,mBADs,IACt,EAAM,I
AAN,E;QAAC,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAN,G
AAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;Q
A2DH,OAAmB,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAGB,KAAh
B,C;QAjEvE,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAg
EwG,IAhE7F,CAAK,CAAL,C;;QAgEwD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,
OAAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IEIFX,iC;MA
AA,qC;MAEI,iBAC8B,Q;MAE9B,iBAC8B,sB;MAE9B,yBAEsC,MAAM,G;MAE5C,yBAEsC,CAAC,GAAD,GA
AO,G;MAE7C,WAewB,EAAE,MAAM,GAAR,C;MAExB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,6C;MAA
A,4C;QAAA,2B;OAAA,qC;K;IA2BA,gC;MAAA,oC;MAEI,iBAC6B,O;MAE7B,iBAC6B,Y;MAE7B,yBAEqC,M
AAO,G;MAE5C,yBAEqC,CAAC,GAAD,GAAQ,G;MAE7C,WAEuB,EAAE,MAAO,GAAT,C;MAEvB,kBACuB,
C;MAEvB,iBACsB,E;K;;IAxB1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IA2BA,8B;MAAA,kC;MAEI,iBACqB,
W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC;
K;IAeA,+B;MAAA,mC;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C;
MAEvB,iBACsB,E;K;;IAZ1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAeA,gC;MAAA,oC;MAEI,iBACuB,U;M
AEvB,iBACuB,K;MAEvB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAe
A,+B;MAAA,mC;MAEI,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;;IAZ1B,2C;M
AAA,0C;QAAA,yB;OAAA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4
C,K;MAE5C,0BAC4C,K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;M
AEvC,kBACuB,C;MAEvB,iBACsB,E;K;;IA9B1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAiCA,iC;MAAA,qC;
K;;IAAA,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAEA,kC;MAAA,sC;K;;IAAA,8C;MAAA,6C;QAAA,4B;OAA
A,sC;K;;aCkkuBoB,gB;;cC/ntB0C,mB;;gBAyEvC,yB;eAAyB,wB;;uBAgBzB,gC;sBAA
wB,+B;mCA4JjC,qB;mCA5ImC,qB;;kBAQ1B,2B;iBAA0B,0B;;;eC3YgB,wB;sBCoBA,sB;iBCnBA,0B;;aC5P8
B,e;;;gCCIDhD,yC;+BCVA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC;gCCqwCc,+B;0BAHvB,kC;uBAr6B
O,gC;yBA8WD,iC;0BACA,mC;yBA4JA,iC;gCAmZP,oC;+BAbc,oC;+BAEC,+B;yBAEQ,kC;;gBCr0C6C,yB;;;
;;;
;;;IC/ErF,kD;MAMuF,wC;K;IANvF,4CAOI,Y;MAAuC,8B;K;IAP3C,8E;ICGA,k
D;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IAT3C,8E;0FbOA,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,
qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA
I,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;
MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C
AAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;M
AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CA
AJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MA
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O
AAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA
AO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAA
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,

UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MAII,OAAO,mBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OA
AO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,
qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qB
AAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBA
AQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;oGAKe/B,yB;MAAA,8D;MAAA,
iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KAAJ,CAATC,GAAcD,aAAa,KAAb,C;O;K
APjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,K
AAJ,CAATC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,
IAAc,SAAS,wBAA3B,GAAcC,UAAI,KAAJ,CAATC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;
MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KAAJ,CAATC,GAAcD,aAAa,KAA
b,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,U
AAI,KAAJ,CAATC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,
CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KAAJ,CAATC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MA
AA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KAAJ,CAATC,GAAcD,aA
Aa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,
GAAcC,UAAI,KAAJ,CAATC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,gC;MAAA,iD;
QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcC,UAAI,KAAJ,CAATC,GAAcD,uBAAa,KAAb,E;O;K
APjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;qGAUA,y
B;MAAA,qD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MA
AA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OA
AY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,
EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;
O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGA
UA,yB;MAAA,sD;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD
;MAAA,mC;QAOI,OAAW,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;8EAUa,gC;MAOW,sB;;QAYbS,Q;QAah
B,iD;UAAgB,cAAhB,e;UAAsB,IAzbH,SAyBo,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,q
BAAO,I;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QAubS,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAvbH,SAubO,
CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAxbP,yB;K;gFAGJ,gC;MAOW,sB;
;QAqbS,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IArbH,SAqbO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YA
AP,uB;;QAC9C,qBAAO,I;;MATbP,yB;K;gFAGJ,gC;MAOW,sB;;QAmbS,Q;QAahB,iD;UAAgB,cAAhB,e;UAAs
B,IAvbH,SAmbO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MApbP,yB;K;gFA
GJ,gC;MAOW,sB;;QAibS,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IAjbH,SAibO,CAAU,OAAV,CAAJ,C;YAAw
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QA+aS,Q;QAahB,iD;UAAgB,
cAAhB,e;UAAsB,IA/aH,SA+aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA
hbP,yB;K;gFAGJ,gC;MAOW,sB;;QA6aS,Q;QAahB,iD;UAAgB,cAAhB,e;UAAsB,IA7aH,SA6aO,CAAU,OAAV,
CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA9aP,yB;K;gFAGJ,gC;MAOW,sB;;QA2aS,Q;QA
AhB,iD;UAAgB,cAAhB,e;UAAsB,IA3aH,SA2aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9
C,qBAAO,I;;MA5aP,yB;K;gFAGJ,yB;MA4aA,oC;MAAA,gC;MA5aA,uC;QAOW,sB;;UAYaS,Q;UAAhB,iD;YA
AgB,cAAhB,0B;YAAAsB,IAZaH,SAyaO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,
I;;QA1aP,yB;O;KAPJ,C;sFAUA,yB;MAw1CA,0D;MAAA,+C;MAx1CA,uC;QAOW,qB;;UAu1CO,Q;UAAA,OA
Aa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAZ1Cc,SAy
1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QA31CP,wB;O;KAPJ,C;wFAUA,
yB;MA21CA,0D;MAAA,+C;MA31CA,uC;QAOW,qB;;UA01CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAA
d,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA51Cc,SA41CV,CAAU,OAAV,CAAJ,C;cAA
wB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QA91CP,wB;O;KAPJ,C;wFAUA,yB;MA81CA,0D;MAAA,+C;MA9
1CA,uC;QAOW,qB;;UA61CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV
cAAc,UAAK,KAAL,C;YACd,IA1CC,SA+1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,o

BAAO,I;;;QAj2CP,wB;O;KAPJ,C;wFAUA,yB;MAi2CA,0D;MAAA,+C;MAj2CA,uC;QAOW,qB;;UAg2CO,Q;UA
AA,OAAa,SAAR,sBAAQ,CAAb,W;UAd,OAAC,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAI2
Cc,SAK2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;w
FAUA,yB;MAo2CA,0D;MAAA,+C;MAp2CA,uC;QAOW,qB;;UAm2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,
W;UAd,OAAC,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,
C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;KAPJ,C;wFAUA,yB;MAu2CA,0D;MAAA,+
C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAd,OAAC,cAAd,C;YAAc,uB
;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;U
AE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAOW,qB;;UAy2
CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAd,OAAC,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;Y
ACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA72CP,wB;O;
KAPJ,C;wFAUA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAOW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAA
Q,CAAb,W;UAd,OAAC,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA92Cc,SA82CV,CAAU,OA
AV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAh3CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,0
D;MAAA,+C;MAAA,oC;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAd,O
AAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc,SAi3CV,CAAU,oBAAV,CAAJ,C;cAAwB,
oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;IAUA,0B;MAKI,IA4uNO,qBAAQ,CA5uNf,C;
QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IA0uNO,qBAAQ,CA1u
Nf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAwuNO,qBAAQ,
CAxuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IASuNO,qBA
AQ,CAtuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAouNO,
qBAAQ,CAPuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,IAku
NO,qBAAQ,CAluNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;MAKI,I
AguNO,qBAAQ,CAhuNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4B;M
AKI,IA8tNO,qBAAQ,CA9tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;IAGX,4
B;MAKI,IA4tNO,qBAAQ,CA5tNf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,CAAL,C;K;kFA
GX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,
UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;kFASA,yB;MAA
A,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAA
V,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA
,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;Y
AAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,
Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAA
O,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,w
BAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD
,MAAM,gCAAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SA
AhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gC
AAuB,mDAAvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UA
AgB,cAAA,SAAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDA
AvB,C;O;KANV,C;mFASA,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UAAAsB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KA
NV,C;mFASA,yB;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAg
B,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu
B,mDAAvB,C;O;KANV,C;kGASA,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAhB,uD;YAAg
B,cAAhB,iB;YACI,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BA
AO,I;;;QAlBA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,8DAAvB,C;SAAhD,OAAO,I;O;KATX,C;8GAYA,gC;M
ASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,aAAa,UAAU,OAAV,C;QACb,IAAI,cA
AJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,gC;MAII,OAoiNO,qBAAQ,CAPiNR,GAAe,IAAf,GAAYB,UAA

K,CAAL,C;K;IAGpC,kC;MAII,OAqiNO,qBAAQ,CAriNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;M
AII,OAqiNO,qBAAQ,CAriNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAuiNO,qBAAQ,CAvi
NR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAwiNO,qBAAQ,CAxiNR,GAAe,IAAf,GAAyB,U
AAK,CAAL,C;K;IAGpC,kC;MAII,OAYiNO,qBAAQ,CAziNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,k
C;MAII,OA0iNO,qBAAQ,CA1iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA2iNO,qBAAQ,
CA3iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA4iNO,qBAAQ,CA5iNR,GAAe,IAAf,GAA
yB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,
IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;8FAGX,gC;MAIoB,Q;MAAhB,wBAAGB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;
K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,
CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,c
AAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIo
B,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O
AAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
AsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBA
AGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,O
AAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,
OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q
;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAA
wB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;wFAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAA
c,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MA
AA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;
O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAA
I,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CA
AT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,
8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,K
AAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc
C,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SA
AS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;
MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,
aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SA
AS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,uBAAa,KAAb,E;O;KALjE,C;IAQA,qC;MAMI,OAAW,SAA
S,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAA
T,IAAc,SAAS,0BAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,
SAAS,0BAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0
BAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B
,GAAc,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAc
C,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAc,UAAI,
KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAc,UAAI,KAAJ,
CAAtC,GAAcD,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAc,UAAI,KAAJ,CAAtC,
GAAcD,I;K;IAGjE,qC;MAII,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;QAI
f,8D;UACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;MAInB,OAAO,E;K;IAGX,uC;MAII,w
D;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IA
AI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,
UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL
,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;
UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAA

;QAEEnC,MAAM,gCAAUb,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QA QkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAA K,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAUb,mDAAvB,C;O;K AZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,C AAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAA J,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAUb,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MA AA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc, uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCA AUb,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa, SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IA AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAUb,mDAAvB,C;O;KAZV,C;iFAeA,yB;MA AA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAA b,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAA wB,OAAO,O;;QAEEnC,MAAM,gCAAUb,mDAAvB,C;O;KAZV,C;IAeA,yC;MAKsB,UAMA,M;MAPIB,IAAI,eA AJ,C;QACKB,OAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SA AJ,C;YACI,OAAO,K;;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAC,gBAAd,C;UAAc,2B;UACV,IAAI,g BAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;;MAInB,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI, OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAA d,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIk B,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KA AL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR, W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;MAG f,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB; QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAMkB,Q;MAAA,O AAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C; UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C; MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAI,YAAW,UA AK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,+B;MAMI,OA8jLO,qBAAQ,CA9jLR,GAAe,IAA f,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA6jLO,qBAAQ,CA7jLR,GAAe,IAAf,GAAyB,U AAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA4jLO,qBAAQ,CA5jLR,GAAe,IAAf,GAAyB,UAAK,mBA AO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA2jLO,qBAAQ,CA3jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP, IAAL,C;K;IAGpC,iC;MAMI,OA0jLO,qBAAQ,CA1jLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K; IAGpC,iC;MAMI,OAYjLO,qBAAQ,CAZjLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC; MAMI,OAwjLO,qBAAQ,CAxjLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OA ujLO,qBAAQ,CAvjLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAMI,OAsjLO,qBAA Q,CAtjLR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;4FAGpC,yB;MAAA,0D;MAAA,+C;MAAA,u C;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAA c,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA, yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OA AC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;; QAEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YA AL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU, OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC; QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc, UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAVX,C;6FAaA,y B;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OA

Ac,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q
AEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAA
L,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,O
AAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;Q
AMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,U
AAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,OAAO,I;O;KAVX,C;6FAaA,yB;
MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc
,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAE
nC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SA
R,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,U
AAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAE nC,OAAO,I;O;KAVX,C;kFAaA,yB;MAAA,mC;MAAA,gD;MA
AA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO
,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;
KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB
;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,
gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI
,OAAO,kBAAO,cAAP,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAA
P,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAW
A,qC;MAOI,IAoxKO,qBAAQ,CAPxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBA
AQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,IAgxKO,qBAAQ,CAhxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC
V,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4wKO,qBAAQ,CA5wKf,C;QACI,MAA
M,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwKO,qB
AAQ,CAXwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;
IAGX,sC;MAOI,IAowKO,qBAAQ,CAPwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO
,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAgwKO,qBAAQ,CAhwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;
MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4vKO,qBAAQ,CA5vKf,C;QACI,
MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwvK
O,qBAAQ,CAXvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,
C;K;IAGX,sC;MAOI,IAovKO,qBAAQ,CAPvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA
AO,iBAAQ,gBAAR,CAAX,C;K;8FAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;
O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,y
B;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA
,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI
,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAA
b,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGA
UA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;M
AAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA+kKO,qBAAQ,CA/kKf,C;Q
ACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IA4kKO,qBAAQ,CA5
kKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAykKO,qBA
AQ,CAzkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAsk
KO,qBAAQ,CAtkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MA
MI,IAmkKO,qBAAQ,CAnkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAG
X,4C;MAMI,IAgkKO,qBAAQ,CAhkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,
C;K;IAGX,4C;MAMI,IA6jKO,qBAAQ,CA7jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,
CAAX,C;K;IAGX,4C;MAMI,IA0jKO,qBAAQ,CA1jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,g
BAAR,CAAX,C;K;IAGX,4C;MAMI,IAujKO,qBAAQ,CAvjKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iB
AAQ,gBAAR,CAAX,C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAu
B,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;I

AOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAUb,iBAAvB,C;aACX,C;UAA
K,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MA
AA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAUb,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K
;gBACQ,MAAM,gCAAYb,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,
C;UAAK,MAAM,2BAAUb,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,kC
AAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAUb,iB
AAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,kCAAzB,C;;MAHIB,W;K;IAOJ,
6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAUb,iBAAvB,C;aACX,C;UAAK,iBA
AK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QA
AM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAUb,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBAC
Q,MAAM,gCAAYb,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA
AK,MAAM,2BAAUb,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,kCAAz
B,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAUb,iBAAv
B,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,kCAAzB,C;;MAHIB,W;K;oFAOJ,yB;
MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QA
CZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cA
AW,MAAM,8BAAYb,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MA
AM,gCAAuB,mDAAvB,C;QAEIB,OAAO,6E;O;KafX,C;oFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,u
C;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;
UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;YACjB,SAAS,O;
YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;Kaf
X,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAA
Y,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA
AJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UA
AY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;
MAAA,uC;QAMoB,UAST,M;QAXP,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;YACjB,
SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2
D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QAC
pB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,I
AAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KA
AL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,iE;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MA
AA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,c
AAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;
YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,
OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAA
sB,I;QACtB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,
C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CA
AC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAA
A,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;U
AAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDA
AzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;Q
AEIB,OAAO,4D;O;KafX,C;qFakBA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QA
MoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB
,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYb,gDAAzB,C;YACjB,SAA
S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4E;O;
KafX,C;IakBA,iC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAF,GAA4B,I;K;IAGvC,mC;MAII,OA
AW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAF,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,U

AAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IA GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFh B,aAAiB,I;MACjB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV ,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL, C;QAAY,OAAO,I;MACnB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wB AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,O AAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;i GAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB, M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;; MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I; MACnB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C; UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY, OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SA AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;U ACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,g C;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,I AAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACTb,Y AAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI, KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MA CnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS, O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC; MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cA AhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,OAAO,I;YACIB,SAA S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;M cvqGI,IAAI,Ed+qGI,KAAK,Cc/qGT,CAAJ,C;QACI,cd8qGc,sD;Qc7qGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od 8qGV,OAAO,oBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnrGI,IAAI,Ed2rG I,KAAK,Cc3rGT,CAAJ,C;QACI,cd0rGc,sD;Qc7rGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od0rGV,OAAO,sBAAo B,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/rGI,IAAI,EdusGI,KAAK,CcvsGT,CA AJ,C;QACI,cdssGc,sD;QcrsGd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdssGV,OAAO,sBAAoB,gBAAV,mBAAO, CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3sGI,IAAI,EdmtGI,KAAK,CcntGT,CAAJ,C;QACI,cdktGc, sD;QcjtGd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdkGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC, CAAd,CAApB,C;K;IAGX,8B;McvrGI,IAAI,Ed+tGI,KAAK,Cc/tGT,CAAJ,C;QACI,cd8tGc,sD;Qc7tGd,MAAM,g CAAYB,OAAQ,WAAjC,C;Od8tGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;I AGX,8B;McnuGI,IAAI,Ed2uGI,KAAK,Cc3uGT,CAAJ,C;QACI,cd0uGc,sD;Qc7uGd,MAAM,gCAAYB,OAAQ,W AAjC,C;Od0uGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/uGI,IAAI,EduvGI,KAAK,CcuvGT,CAAJ,C;QACI,cdsvGc,sD;Qc7vGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdsvGV,O AAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3vGI,IAAI,EdmwGI,KAA K,CcnwGT,CAAJ,C;QACI,cdkwGc,sD;Qc7wGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdkwGV,OAAO,sBAAoB,g BAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McvwGI,IAAI,Ed+wGI,KAAK,Cc/wGT,CAA J,C;QACI,cd8wGc,sD;Qc7wGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od8wGV,OAAO,sBAAoB,gBAAV,mBAAO ,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,gC;McnxGI,IAAI,Ed2xGI,KAAK,Cc3xGT,CAAJ,C;QACI,cd0xG c,sD;Qc7xGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0xGV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EA Ac,CAAd,CAAhB,C;K;IAGX,kC;Mc/xGI,IAAI,EduyGI,KAAK,Cc7yGT,CAAJ,C;QACI,cdsyGc,sD;Qc7yGd,MAA

M,gCAAyB,OAAQ,WAAjC,C;OdsyGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C ;K;IAGX,kC;Mc3yGI,IAAI,EdmzGI,KAAK,CcnzGT,CAAJ,C;QACI,cdkzGc,sD;QcJzGd,MAAM,gCAAyB,OAAQ ,WAAjC,C;OdkzGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mcvz GI,IAAI,Ed+zGI,KAAK,Cc/zGT,CAAJ,C;QACI,cd8zGc,sD;Qc7zGd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od8zG V,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mcn0GI,IAAI,Ed20GI,K AAK,Cc30GT,CAAJ,C;QACI,cd00Gc,sD;QcZ0Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od00GV,OAAO,kBAAg B,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc/0GI,IAAI,Edu1GI,KAAK,Ccv1GT,CA AJ,C;QACI,cds1Gc,sD;Qcr1Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ods1GV,OAAO,kBAAgB,gBAAV,mBAAO, CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc31GI,IAAI,Edm2GI,KAAK,Ccn2GT,CAAJ,C;QACI,cdk2G c,sD;QcJ2Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;Odk2GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EA AC,CAAd,CAAhB,C;K;IAGX,kC;Mcv2GI,IAAI,Ed+2GI,KAAK,Cc/2GT,CAAJ,C;QACI,cd82Gc,sD;Qc72Gd,MA AM,gCAAyB,OAAQ,WAAjC,C;Od82GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB ,C;K;IAGX,kC;Mcn3GI,IAAI,Ed23GI,KAAK,Cc33GT,CAAJ,C;QACI,cd03Gc,sD;QcZ3Gd,MAAM,gCAAyB,OA AQ,WAAjC,C;Od03GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;gGAGX,yB; MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA AU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C; kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI, CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O ;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;U ACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,O AAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,C AA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL, C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd ,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CA AR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBA Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK ,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC; QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OA AO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD; MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C ;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC; MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK, KAAL,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;wFACa,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAL,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC, UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAL,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,

UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KafX,C;0FakBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YAACL,WAAW,I;;QAEEnB,OAAO,I;O;KafX,C;kFakBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAMgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAngBU,SAmgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAngB1D,OAogBO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QApGB1D,OAqgBO,W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QArgB1D,OAsgBO,W;O;KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAtgBY,SAsgBR,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAtgB1D,OAogBO,W;O;KA7gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAvgBa,SAvgBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAvGB1D,OAvgBO,W;O;KA9gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAvGBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAxgBc,SAxgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAxgB1D,OAYgBO,W;O;KA/gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAYgBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAZgBe,SAZgBX,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAZgB1D,OA0gBO,W;O;KAhhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IA1gBgB,SA0gBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA1gB1D,OA2gBO,W;O;KAjhBX,C;oFASA,yB;MAAA,+D;MA2gBA,oC;MAAA,gC;MA3gBA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IA3gBa,SA2gBT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QA3gB1D,OA4gBO,W;O;KAlhBX,C;gGASA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QASgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA16SI,IApGmC,SAoG/B,EAK6SkB,cA16SIB,EAK6SkB,sBA16SIB,WAK6S2B,IA16S3B,CAAJ,C;YAA2C,sBAk6SZ,IA16SY,C;;QApG/C,OASGO,W;O;KA9GX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA95SI,IAvGsC,SAuGIC,EA85SkB,cA95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;YAA2C,sBA85SZ,IA95SY,C;;QAvG/C,OAYGO,W;O;KAjHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAogTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA15SI,IA1GuC,SA0GnC,EA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;YAA2C,sBA05SZ,IA15SY,C;;QA1G/C,OA4GO,W;O;KApHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAmgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA5SI,IA7GqC,SA6GjC,EAs5SkB,cAt5SIB,EAs5SkB,sBA5SIB,WAs5S2B,IA5S3B,CAAJ,C;YAA2C,sBA5SZ,IA5SY,C;;QA7G/C,OA+GO,W;O;KAvHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAkgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA15SI,IAhHsC,SAgHIC,EAK5SkB,cA15SIB,EAK5SkB,sBA15SIB,WAK5S2B,IA15S3B,CAAJ,C;YAA2C,sBAk5SZ,IA15SY,C;;QAhh/C,OAKHO,W;O;KA1HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAigTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA94SI,IAhHuC,SAmHnC,EA84SkB,cA94SIB,EA84SkB,sBA94SIB,WAK4S2B,IA94S3B,CAAJ,C;YAA2C,sBA84SZ,IA94SY,C;;QAnH/C,OAqHO,W;O;KA7HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAggTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA14SI,IAthwC,SAshpC,EA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;YAA2C,sBA04SZ,IA14SY,C;;QAtH/C,OAwhO,W;O;KAhIX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QA+/SV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA4SI,IAzHyC,SAyHrC,EAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IA4S3B,CAAJ,C;YAA2C,sBA4SZ,IA4SY,C;;QAZH/C,OA2HO,W;O;KANIX,C;kGAWA,yB;MAAA,+D;MA2HA,gC;MAo4SA,oC;MA//SA,uC;QAQW,kBAAGB,gB;QA8/SV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAA

mB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGb,iB;UA14S/B,IA5HsC,SA4HIC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA5H/C,OA8HO,W;O;KAtIX,C;oGAWA,6C;MA26SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA16SI,IAAI,Wak6SkB,cA16SIB,Eak6SkB,sBA16SIB,Wak6S2B,IA16S3B,CAAJ,C;UAA2C,sBAk6SZ,IA16SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA95SI,IAAI,WA85SkB,cA95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;UAA2C,sBA85SZ,IA95SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAM6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,WA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MA+5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,WA5S5SkB,cA15SIB,EA5S5SkB,sBA15SIB,WA5S5S2B,IA15S3B,CAAJ,C;UAA2C,sBA5S5SZ,IA15SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA25SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,Wak5SkB,cA15SIB,Eak5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;UAA2C,sBAk5SZ,IA15SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA94SI,IAAI,WA84SkB,cA94SIB,EA84SkB,sBA94SIB,WA84S2B,IA94S3B,CAAJ,C;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAM5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;UAA2C,sBA04SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA4S4SkB,cA14SIB,EA4S4SkB,sBA14SIB,WA4S4S2B,IA14S3B,CAAJ,C;UAA2C,sBA4S4SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MAo4SA,oC;MAp4SA,oD;QA24SiB,gB;QADb,YAAY,C;QACZ,iD;UAAA,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGb,iB;UA14S/B,IAAI,UA AU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAY,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;OGASA,4C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAoGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAPGS,SAoGR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QApG3D,OAqGO,W;O;KA3GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAqGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CARGY,SAqGX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QArG3D,OAsGO,W;O;KA5GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAsGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtGa,SAsGZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAtG3D,OAuGO,W;O;KA7GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAUgh,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvGW,SAuGV,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAvG3D,OAwGO,W;O;KA9GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAwGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAxGY,SAwGX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAXG3D,OAYGO,W;O;KA/GX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAYGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzGa,SAyGZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAZG3D,OA0GO,W;O;KAhHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA0GH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1Gc,SA0Gb,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA1G3D,OA2GO,W;O;KAjHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA2GH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3Ge,SA2Gd,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA3G3D,OA4GO,W;O;KAIHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4GH,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAAI,CA5GY,SA4GX,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QA5G3D,OA6GO,W;O;KAnHX,C;IASA,kC;MAMI,OAAO,2BAAGb,gBAAhB,C;K;IAGX,iD;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QAAsB,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAGb,SAAhB,gB;QAAGb,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;M

AC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAGB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QAC3D,OAAO,W;O;KAPX,C;sFAUA,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAGB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhtIe,W;ONitIc,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IA GhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxtIe,W;ONyItc,Oe7rIsC,Of6rIb,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhtIe,W;ONiultc,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxuIe,W;ONyultc,Oe7rIqC,Of6rI9B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI8B,C;K;IfgsIzC,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhvIe,W;ONivItc,Oe7rIsC,Of6rIb,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+C,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxvIe,W;ONyvItc,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhwIe,W;ONiwItc,Oe7rIwC,Of6rIjC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIiC,C;K;IfgsI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxwIe,W;ONywItc,Oe7rIyC,Of6rIIC,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIkC,C;K;IfgsI7C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhxIe,W;ONixItc,OAA4D,SAArD,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EA AxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAaA,IAAb,C;MACG,yB;MAAd,OA Ac,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,qC;MAOkB,Q;MAH d,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAA W,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;; MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SA AQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAaIB,IAAJ,B,C;MACG,yB;MAAd,OAAC,cAAAd,C;QAAC,uB;Q ACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OA AQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAAW,iBAaE,IAAf,C;MACG, yB;MAAd,OAAC,cAAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;M AOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;

MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KA
AJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MAC
nB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;
QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,
wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkB,I
AAIB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,
I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;Q
AAe,OAAO,W;MACtB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,
WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB
,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MA
Ad,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAI,KAAJ,EAAJ,C;;MAET,OAAO,I;K;IAGX,wC;MAMw
B,UACT,M;MAHX,aAAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAo
B,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;
K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAApB,O
AAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO
,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAA
pB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,O
AAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAAkB,C;MACE,yB;M
AApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5
B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,
yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;
MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAIB,C;MACb,kBAAkB,C;
MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WA
AL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAY,OAAQ,KAApB,C;MACb,kBAA
kB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK
,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,k
BAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,U
AAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MA
Cb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAA
wB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAA
Z,EAAe,CAAf,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;I
AGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,
EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAA
W,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX
,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA
2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,C
AAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;
MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2
B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAY,CA
AZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;M
AII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,O
AAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV
,C;MAC9B,OAAO,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,4B;MAci
B,Q;Mc3nJb,IAAI,EdqnJI,KAAK,CernJT,CAAJ,C;QACI,cdonJc,sD;QcnnJd,MAAM,gCAAYB,OAAQ,WAAjC,C;
OdonJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MACtB,IAA
I,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CA
Ab,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CA
Af,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McjpJb,IAAI,Ed2oJI,KAAK,Cc3oJT,CAAJ,C;QACI,cd0oJ

c,sD;QczoJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od0oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McvqJb,IAAI,EdiqJI,KAAK,CcjqJT,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdgqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7rJb,IAAI,EdurJI,KAAK,CcvtJT,CAAJ,C;QACI,cdsrJc,sD;QcrrJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA Ae,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7sJb,IAAI,Ed6sJI,KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od4sJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MczuJb,IAAI,EdmuJI,KAAK,CcnuJT,CAAJ,C;QACI,cdkuJc,sD;QcjuJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdkuJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc/vJb,IAAI,EdyvJI,KAAK,CczvJT,CAAJ,C;QACI,cdwvJc,sD;QcvvJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdvwJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McrxJb,IAAI,Ed+wJI,KAAK,Cc/wJT,CAAJ,C;QACI,cd8wJc,sD;Qc7wJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od8wJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc3yJb,IAAI,EdqyJI,KAAK,Cc3yJT,CAAJ,C;QACI,cdoyJc,sD;QcnyJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdoyJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,gC;McnzJI,IAAI,Ed2zJI,KAAK,Cc3zJT,CAAJ,C;QACI,cd0zJc,sD;QczzJd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od0zJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA Aa,CAAb,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct0JI,IAAI,Ed80JI,KAAK,Cc90JT,CAAJ,C;QACI,cd60Jc,sD;Qc50Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od60JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz1JI,IAAI,Edi2JI,KAAK,Cc2Jt,CAAJ,C;QACI,cdg2Jc,sD;Qc/1Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Odg2JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IA

GX,kC;Mc52JI,IAAI,Edo3JI,KAAK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAAM,gCAAYB,OAAQ,WAAjC,
C;Odm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,O
AAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,
WAAW,iBA Ae,CAAF,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAA
L,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAAK,Ccv4JT,CAAJ,C;QACI,cds4Jc,sD;Qcr4Jd,M
AAM,gCAAYB,OAAQ,WAAjC,C;Ods4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX
,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,C
AAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U
;QACI,IAAK,WAAI,UAAK,KAA L,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;McI5JI,IAAI,Ed05JI,KAAK,Cc15JT,C
AAJ,C;QACI,cdy5Jc,sD;Qcx5Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ody5JV,IAAI,MAAK,CAAT,C;QAAY,OA
AO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QA
AY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA AiB,CAAjB,C;MACX,iBAAc,OA
AO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAA L,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc
r6JI,IAAI,Ed66JI,KAAK,Cc76JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od46JV,
IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;M
ACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA
AkB,CAAIB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAA L,CAAJ,
C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAAK,Cch8JT,CAAJ,C;QACI,cd+7Jc,sD;Qc97Jd,MAAM,g
CAAYB,OAAQ,WAAjC,C;Od+7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,
KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,I
AAL,CAAP,C;MACnB,WAAW,iBA AmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QA
CI,IAAK,WAAI,UAAK,KAA L,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,IAAI,Edm9JI,KAAK,Ccn9JT,CAA
J,C;QACI,cdk9Jc,sD;Qc9Jd,MAAM,gCAAYB,OAAQ,WAAjC,C;Odk9JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,
W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTB,IAAI,MAAK,CAAT,C;QAAY,
OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBA AgB,CAAhB,C;MACX,iBAAc,OAA
O,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAA L,EAAP,C;MACT,OAAO,I;K;gGAGX,yB;M
AAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAA
U,UAAK,KAA L,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;k
GAcA,yB;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,
CAAC,UAAU,UAAK,KAA L,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;
KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U
ACI,IAAI,CAAC,UAAU,UAAK,KAA L,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,
OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,
WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAA L,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CA
AR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBA
Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAA L,CAAV,CAAL,C;YACI,OAAO,gBAAK
,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;
QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAA L,CAAV,CAAL,C;YACI,OA
AO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;
MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAA L,CAAV,CAAL,C
;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;
MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,
KAA L,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;wFACa,yB;
MAAA,+D;MAAA,uC;QAoiB,Q;QADb,WAAW,gB;QACX,wBA Aa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAoiB,Q;QADb,WAAW,gB;QACX,wBA Aa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA

AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA
Ab,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,O
AAO,I;O;KAZX,C;IAeA,4B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf
,C;QAAkB,M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;
QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAA
e,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;M
ACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAA
L,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CA
Ab,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;
QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QA
CrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QA
AkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,
UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAA
C,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,
iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q
ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;
MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI
,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,m
C;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;
MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,
KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBA
AO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,
CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,U
AAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,I
AAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU
,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;I
AIR,kD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAy,OAA
Z,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB
,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q
ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAA5C,
gBAAtC,C;MACb,eAAe,CAAC,YAAy,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;
MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;Q
ACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCA
Aa,2BAAkB,SAaIB,EAA6B,OAA7B,EAA5C,gBAAtC,C;MACb,eAAe,CAAC,YAAy,OAAZ,IAAD,IAAwB,CA
AxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA

qBAAQ,CArIdf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nM
X,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;
MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se7nK
iB,Q;MfonKK,6B;MAA7B,OiBloMO,W;K;IjB6oMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MA
CD,kBAAd,Se7nKiB,Q;MfknKK,6B;MAA7B,OiBlpMO,W;K;IjBqpMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;Q
AAe,OAAO,S;MACD,kBAAd,Se7nKiB,Q;MfgnKK,6B;MAA7B,OiBlpMO,W;K;IjB6pMX,4C;MAII,IA2gDO,qB
AAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX
,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiBl
qMO,W;K;IjB6qMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mK
K,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAII,IAmhDO,qBAAQ,CAhDf,C;QAAe,OAAO,S;MACD,kBAAT,
UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlrMO,W;K;IjB6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,O
AAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B,OiBpsMO,W;K;SfjBusMX,yB;MAAA,wD;MgB5rMA,s
C;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4
DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBqrMf,sC;QAQI,OAAO,sBgB7rMP,
eAAW,iBhB6rMiB,QgB7rMjB,CAAX,ChB6rMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBvsMA,sC;MAAA,
oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5D
hB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBgsMf,sC;QAMI,OAAO,sBgBtsMP,eAAW,iBh
BssMiB,QgBtsMjB,CAAX,ChBssMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBhtMA,sC;MAAA,oC;MAAA,u
BAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,E
AA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBysMf,sC;QAMI,OAAO,sBgB/sMP,eAAW,iBhB+sMiB,Qg
B/sMjB,CAAX,ChB+sMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBztMA,sC;MAAA,oC;MAAA,uBAOe,yB;Q
ArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4D
M,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBktMf,sC;QAMI,OAAO,sBgBxtMP,eAAW,iBhBwtMiB,QgBxtMjB,CA
AX,ChBwtMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBluMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;e
AqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5D
N,CAA3B,C;W;S;OA4DI,C;MhB2tMf,sC;QAMI,OAAO,sBgBjuMP,eAAW,iBhBiuMiB,QgBjuMjB,CAAX,ChBiu
MO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB3uMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;U
AAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C
;W;S;OA4DI,C;MhBouMf,sC;QAMI,OAAO,sBgB1uMP,eAAW,iBhB0uMiB,QgB1uMjB,CAAX,ChB0uMO,C;O;
KANX,C;wFASA,yB;MAAA,wD;MgBpvMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;
YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA
4DI,C;MhB6uMf,sC;QAMI,OAAO,sBgBnvMP,eAAW,iBhBmvMiB,QgBnvMjB,CAAX,ChBmvMO,C;O;KANX,
C;wFASA,yB;MAAA,wD;MgB7vMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,
eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;
MhBsvMf,sC;QAMI,OAAO,sBgB5vMP,eAAW,iBhB4vMiB,QgB5vMjB,CAAX,ChB4vMO,C;O;KANX,C;wFAS
A,yB;MAAA,wD;MgBtwMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,
gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB+v
Mf,sC;QAMI,OAAO,sBgBrwMP,eAAW,iBhBqwMiB,QgBrwMjB,CAAX,ChBqwMO,C;O;KANX,C;0GASA,yB;
MAAA,wD;MgB5vMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;Y
AAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqvMf,sC;Q
AMI,OAAO,sBgB3vMP,eAAW,2BhB2vM2B,QgB3vM3B,CAAX,ChB2vMO,C;O;KANX,C;4GASA,yB;MAAA,
wD;MgBrwMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,O
A/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB8vMf,sC;QAI,OAA
O,sBgBlwMP,eAAW,2BhBkwM2B,QgBlwM3B,CAAX,ChBkwMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB5
wMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAA
c,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqwMf,sC;QAI,OAAO,sBgBz
wMP,eAAW,2BhBywM2B,QgBzwM3B,CAAX,ChBywMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBnxMA,sC;
MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB

,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4wMf,sC;QAII,OAAO,sBgBhxMP,eAAW,2BhBgxM2B,QgBhxM3B,CAAX,ChBgxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1xMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmxMf,sC;QAII,OAAO,sBgBvxMP,eAAW,2BhBuxM2B,QgBvxM3B,CAAX,ChBuxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB0xMf,sC;QAII,OAAO,sBgB9xMP,eAAW,2BhB8xM2B,QgB9xM3B,CAAX,ChB8xMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBxyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBiyMf,sC;QAII,OAAO,sBgBryMP,eAAW,2BhBqyM2B,QgBryM3B,CAAX,ChBqyMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB/yMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBwyMf,sC;QAII,OAAO,sBgB5yMP,eAAW,2BhB4yM2B,QgB5yM3B,CAAX,ChB4yMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBtzMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB+yMf,sC;QAII,OAAO,sBgBnzMP,eAAW,2BhBmzM2B,QgBnzM3B,CAAX,ChBmzMO,C;O;KAJX,C;IAOA,qC;MAMI,OAAO,sBAAW,cAAX,C;K;IAGX,uC;MAIoB,kBel1KQ,iB;Mfk1KA,iB;MAAxB,OAAiC,WiBx2M1B,WjBw2M0B,C;K;IAGrC,uC;MAIoB,kBe/0KQ,iB;Mf+0KA,iB;MAAxB,OAAiC,WiB/2M1B,WjB+2M0B,C;K;IAGrC,uC;MAIoB,kBe50KQ,iB;Mf40KA,iB;MAAxB,OAAiC,WiBt3M1B,WjBs3M0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,mB;MAAxB,OAAiC,WiB73M1B,WjB63M0B,C;K;IAGrC,uC;MAIoB,kBev0KQ,iB;Mfu0KA,iB;MAAxB,OAAiC,WiBp4M1B,WjBo4M0B,C;K;IAGrC,uC;MAIoB,kBep0KQ,iB;Mfo0KA,iB;MAAxB,OAAiC,WiB34M1B,WjB24M0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,iB;MAAxB,OAAiC,WiB15M1B,WjBk5M0B,C;K;IAGrC,2C;MAMI,OAAmC,OAA5B,2BAAgB,UAAhB,CAA4B,C;K;IAGvC,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiB16M9C,WjBk6M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBz6M9C,WjBy6M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBh7M9C,WjBg7M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBv7M9C,WjBu7M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiB97M9C,WjB87M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiB58M9C,WjB48M8C,C;K;IAGzD,6C;MAIoB,kBAAf,0B;MAAuB,iC;MAA9B,OAAqD,OiBn9M9C,WjBm9M8C,C;K;IAkoCrD,gC;MAAQ,oBAAS,CAAT,EAAY,wBAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAOP,kC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IA8TZ,yD;MAcI,sBAAS,cAAT,EAAYB,SAAzB,EAAoC,OAApC,C;K;IAGJ,yD;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,qBAAQ,SAAR,EAAMB,OAAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,

C;MACA,sBAAQ,SAAR,EAAMB,OAANB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAaHB,C;MACA,sBA
AQ,SAAR,EAAMB,OAANB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAaHB,C;MACA,sBAAQ,SAAR,EA
AMB,OAANB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAaHB,C;MACA,sBAAQ,SAAR,EAAMB,OAANB,
C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa,gBAAb,EAAMB,gC
AANB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,GAA
gB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAA
V,EAAGB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY,
gBAAZ,GAaKB,+BAAIB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kC
AAW,gBAAX,GAAiB,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO
,gCAAS,gBAAT,GAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAA
O,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,
OAAO,gCAAW,gBAAX,GAAiB,8BAAjB,C;K;wFA2CX,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAW
I,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAA
hB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOx+QnB,wBAAI,IAAK,MAAT,EAAGB,
IAAK,OAArB,C;;QP8zPA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;Q
AWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;
QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOv/QnB,wBAAI,IAAK,MAAT,EA
AGB,IAAK,OAArB,C;;QP60PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,
uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqB
H,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOtgrnB,wBAAI,IAAK,MAAT
,EAAGB,IAAK,OAArB,C;;QP41PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA
AA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA
yqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOrhRnB,wBAAI,IAAK,M
AAT,EAAGB,IAAK,OAArB,C;;QP22PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,u
E;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,
C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOpIRnB,wBAAI,IAA
K,MAAT,EAAGB,IAAK,OAArB,C;;QP03PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAA
A,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAA
pB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOnjRnB,wBAAI,I
AAK,MAAT,EAAGB,IAAK,OAArB,C;;QP4PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,Q
AApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOlkRnB,wBA
AI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPw5PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,y
D;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAo
B,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOjIRnB,w
BAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPu6PA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAA
A,yD;MAAA,uE;MA4qBA,oC;MAAA,gC;MA5qBA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EA
AD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WA1qB8C,SA0q
B/B,CAAU,oBAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPs7PA,OA4qBO,W;O;KAXr
BX,C;4FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,E
AAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAApB,C;QAmQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAp
QoC,WAOqHc,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OASQO,W;O;KAIrX,C;8FAeA,yB;MAAA,0
D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBA
AC,mBAAuB,QAAvB,C;QAOQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC,WaqQnC,CAAY,OAA
Z,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KANrX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA
AA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAaKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAwB,QAAxB,C;QAq
QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;
QAtQhB,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAI

B, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAcB, QAA1B, C; QAsQL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAvQsC, WAuQIC, CAAY, OAAZ, CAAJ, EAA0B, OAA1B, C;; QAvQhB, OAyQO, W; O; KARRX, C; 8FAeA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yC; QAWI, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAuB, QAAvB, C; QAUQL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAxQuC, WAwQnC, CAAY, OAAZ, CAAJ, EAA0B, OAA1B, C;; QAxQhB, OA0QO, W; O; KAtrRX, C; 8FAeA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yC; QAWI, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAwB, QAAxB, C; QAwQL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAzQwC, WAyQpC, CAAY, OAAZ, CAAJ, EAA0B, OAA1B, C;; QAzQhB, OA2QO, W; O; KAvRX, C; 8FAeA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yC; QAWI, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAyB, QAAzB, C; QAYQL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aA1QyC, WA0QrC, CAAY, OAAZ, CAAJ, EAA0B, OAA1B, C;; QA1QhB, OA4QO, W; O; KAxRX, C; 8FAeA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yC; QAWI, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAA0B, QAA1B, C; QA0QL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aA3Q0C, WA2Q1C, CAAY, OAAZ, CAAJ, EAA0B, OAA1B, C;; QA3QhB, OA6QO, W; O; KAzRX, C; 8FAeA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MA6QA, oC; MAAA, gC; MA7QA, yC; QAWI, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAuB, QAAvB, C; QA2QL, Q; QAAhB, iD; UAAgB, cAAhB, 0B; UACI, WAAY, aA5QuC, WA4QnC, CAAY, oBAAZ, CAAJ, EAA0B, oBAA1B, C;; QA5QhB, OA8QO, W; O; KA1RX, C; 8FAeA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QA6QL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aA9QoC, WA8QhC, CAAY, OAAZ, CAAJ, EA9QiD, cA8QvB, CA Ae, OAAf, CAA1B, C;; QA9QhB, OAgrO, W; O; KA3RX, C; 8FAcA, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QA+QL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAhRoC, WAgrhC, CAAY, OAAZ, CAAJ, EAhrID, cAgRvB, CA Ae, OAAf, CAA1B, C;; QAhRhB, OAkRO, W; O; KA7RX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QAIrL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAIrOC, WAKRhC, CAAY, OAAZ, CAAJ, EAIrID, cAkRvB, CA Ae, OAAf, CAA1B, C;; QAIrhB, OAoRO, W; O; KA/RX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QAmRL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aApRoC, WAoRhC, CAAY, OAAZ, CAAJ, EApRiD, cAoRvB, CA Ae, OAAf, CAA1B, C;; QApRhB, OAsRO, W; O; KAJSX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QAqRL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAtRoC, WAsRhC, CAAY, OAAZ, CAAJ, EAtrID, cAsRvB, CA Ae, OAAf, CAA1B, C;; QAtRhB, OAwRO, W; O; KAnSX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QAUrL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aAxRoC, WAwRhC, CAAY, OAAZ, CAAJ, EAxRiD, cAwRvB, CA Ae, OAAf, CAA1B, C;; QAxRhB, OA0RO, W; O; KArsX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QAYrL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aA1RoC, WA0RhC, CAAY, OAAZ, CAAJ, EA1RiD, cA0RvB, CA Ae, OAAf, CAA1B, C;; QA1RhB, OA4RO, W; O; KAvSX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MAAA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QA2RL, Q; QAAhB, iD; UAAgB, cAAhB, e; UACI, WAAY, aA5RoC, WA4RhC, CAAY, OAAZ, CAAJ, EA5RiD, cA4RvB, CA Ae, OAAf, CAA1B, C;; QA5RhB, OA8RO, W; O; KAzSX, C; +FACa, yB; MAAA, 0D; MAAA, yD; MAAA, uE; MA8RA, oC; MAAA, gC; MA9RA, yD; QAU1, eAAiC, cAAIB, YAAy, gBAAZ, CAAkB, EAAC, EAAD, C; QAC1B, kBAAc, mBAAoB, QAApB, C; QA6RL, Q; QAAhB, iD; UAAgB, cAAhB, 0B; UACI, WAAY, aA9RoC, WA8RhC, CAAY, oBAAZ, CAAJ, EA9RiD, cA8RvB, CA Ae, oBAAf, CAA1B, C;; QA9RhB, OAgrSO, W; O; KA3SX, C; gGACa, +C; MAUoB, Q; MAAhB, wBAAgB, SAAhB, gB; QAAgB, cAAA, SAAhB, M; QACI, WAAY, aAAI, YAAy, OAAZ, CAAJ, EAA0B, OAA1B, C;; MAEhB, OAAO, W; K; kGAGX, +C; MAUoB, Q; MAAhB, wBAAgB, SAAhB, gB; QAAgB, cAAA, SAAhB, M; QACI, WAAY, aAAI, YAAy, OAAZ, CAAJ, EAA0B, OAA1B, C;; MAEhB, OAAO, W; K; iGAGX, +C; MAUoB, Q; MAAhB, wBAAgB, SAAhB, gB; QAAgB, cAAA, SAAhB, M;

C,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;Q
AtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,
cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,CAAzC,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,
aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAA
A,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,CAA1C,C;QAsJ
G,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OA
AuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAIB,Y
AAY,gBAAZ,CAAkB,EAAC,EAAd,CAA3C,C;QAsJG,Q;QAaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,O
AAJ,EAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;M
AAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,CAA5C,C;QAsJG,Q;Q
AaHb,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAAd,CAAb,C;;QAtJhB,OAAuB,
M;O;KAd3B,C;kGaiBA,yB;MAAA,uD;MAAA,0D;MAAA,yD;MAAA,uE;MAWJA,oC;MAAA,gC;MAxJA,2C;Q
AaI,aAAa,mBAA2D,cAApC,YAAiB,aAAL,gBAAK,EAAa,GAAb,CAAjB,CAAoC,EAAC,EAAd,CAA3D,C;QAsJ
G,Q;QAaHb,iD;UAAgB,cAAhB,0B;UArJuB,MAsJP,aAAI,oBAAJ,EAtJe,aAsJF,CAAc,oBAAd,CAAb,C;;QAtJhB
,OAAuB,M;O;KAd3B,C;oGaiBA,iD;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,
WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAA
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAA
O,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,O
AAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q
AAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,i
D;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,
OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;
MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,W
AAY,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;sGAGX,yB;MAAA,oC;MAAA,gC;MAAA,
wD;QAWoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,oBAAJ,E
AAa,cAAc,oBAAd,CAAb,C;;QAEhB,OAAO,W;O;KAdX,C;IAiBA,8C;MALiB,Q;MAAb,wBAAa,SAAb,gB;QAA
a,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MALiB,Q;MAAb,wBAAa,SA
Ab,gB;QAAA,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MALiB,
Q;MAAb,wBAAa,SAAb,gB;QAAA,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,
gD;MALiB,Q;MAAb,wBAAa,SAAb,gB;QAAA,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAEhB,OAAO,
W;K;IAGX,gD;MALiB,Q;MAAb,wBAAa,SAAb,gB;QAAA,WAAA,SAAb,M;QACI,WAAY,WAAI,IAAJ,C;;MAE
hB,OAAO,W;K;IAGX,gD;MALiB,Q;MAAb,wBAAa,SAAb,gB;QAAA,WAAA,SAAb,M;QACI,WAAY,WAAI,IA
AJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MALiB,Q;MAAb,wBAAa,SAAb,gB;QAAA,WAAA,SAAb,M;QACI,WAAY
,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gD;MALiB,Q;MAAb,wBAAa,SAAb,gB;QAAA,WAAb,UAAa,SAAb,
O;QACI,WAAY,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,8B;MAII,OAAO,wBAAa,eAAW,YAAY,gBAAZ,
CAAX,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAA
O,0BAAa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAa,YAAY,gBAAZ,CAAb,
CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,gC;MAII,OAAO,0BA
Aa,eAAe,YAAY,gBAAZ,CAAf,CAAb,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAgB,YAAY,gBAAZ,CAAhB,CA
Ab,C;K;IAGX,gC;MAII,OAAO,0BAAa,eAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;K;IAGX,gC;MAII,OAAO,0BA
Aa,eAAc,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAjB,CAAd,CAAb,C;K;IAGX,2B;MALiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,qB
AAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MALiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;U
AAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;
K;IAOJ,6B;MALiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAA

K,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,Q
AAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,
uBAAL,SAAK,C;UAHV,K;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB
;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;MAAP,
W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,U
AAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAA
A,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gB
ACa,uBAAL,SAAK,C;UAHV,K;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAA
K,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;M
AAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cA
AO,sBAAK,CAAL,EAAP,C;UAAL,K;gBACa,uBAAL,SAAK,C;UAHV,K;MAAP,W;K;IAOJ,kC;MAII,OAAO,i
BA Ae,aAAL,SAAK,CAAf,C;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGb,gBAAhB,C;MACX,wBAAa,SAAb
,gB;QAAa,WAAA,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,W
AAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;M
ACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBA Ae,gBAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAA
A,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGb,g
BAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;
K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAiB,gBAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;Q
AAMb,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAKb,gBAAiB,C;MA
CX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;M
AKiB,Q;MADb,WAAW,iBAAMb,gBAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,IAA
K,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAGb,gBAAhB,C;MACX,wBAAa
,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAMb,IAAK,WAAI,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMi
B,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,
C;UAAL,K;gBACQ,+BAAa,qBAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;UAHL,K;MAAP,W;K;IAOJ,4B;MAMiB,
IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;
UAAL,K;gBACQ,iCAAA,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;MAAP,W;K;IAOJ,4B;MAMiB,I
AAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;U
AAL,K;gBACQ,iCAAA,qBAAmB,YAAY,gBAAZ,CAAnB,CAAb,C;UAHL,K;MAAP,W;K;IAOJ,4B;MAMiB,IA
AN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;U
AAL,K;gBACQ,iCAAA,qBAAsB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;MAAP,W;K;IAOJ,4B;MAMiB,IA
AN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAA
L,K;gBACQ,iCAAA,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UAHL,K;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I
;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL
,K;gBACQ,iCAAA,qBAAoB,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAjB,CAApB,CAAb,C;UAHL,K;MAAP,W;
K;oFAOJ,yB;MAAA,+D;MAwaA,gD;MAxaA,uC;QAMW,kBAAU,gB;QAAsD,Q;QAAb,iD;UAAgB,cAAhB,e;U
ACI,WaVa6B,SAualB,CAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QAxahB,OA0aO,W;O;KAhbX,C;
sFASA,yB;MAAA,+D;MA0aA,gD;MA1aA,uC;QAMW,kBAAU,gB;QAaD,Q;QAAb,iD;UAAgB,cAAhB,e;UA
CI,WaZa6B,SAyalB,CAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QA1ahB,OA4aO,W;O;KAlbX,C;sF
ASA,yB;MAAA,+D;MA4aA,gD;MA5aA,uC;QAMW,kBAAU,gB;QA0aD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,
WA3a6B,SA2alB,CAAU,OAAV,C;UACC,OAAZ,WAA,Y,EAAO,IAAP,C;;QA5ahB,OA8aO,W;O;KApbX,C;sFA
SA,yB;MAAA,+D;MA8aA,gD;MA9aA,uC;QAMW,kBAAU,gB;QA4aD,Q;QAAb,iD;UAAgB,cAAhB,e;UACI,

WA7a6B,SA6alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ahB,OAgbO,W;O;KAtbX,C;sFAS
A,yB;MAAA,+D;MAGbA,gD;MAhbA,uC;QAMW,kBAAU,gB;QA8aD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,W
A/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhhbB,OakbO,W;O;KAxbX,C;sFASA
,yB;MAAA,+D;MAkbA,gD;MAIbA,uC;QAMW,kBAAU,gB;QAgbD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,Waj
b6B,SAibIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OAobO,W;O;KA1bX,C;sFASA,yB
;MAAA,+D;MAobA,gD;MApbA,uC;QAMW,kBAAU,gB;QakbD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WAnb6
B,SAmbIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAphbB,OAsbO,W;O;KA5bX,C;sFASA,yB;
MAAA,+D;MASbA,gD;MATbA,uC;QAMW,kBAAU,gB;QAobD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,WArb6B,
SAqblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtbhB,OAwbO,W;O;KA9bX,C;sFASA,yB;M
AAA,+D;MAwbA,oC;MAAA,gD;MAAA,gC;MAxbA,uC;QAMW,kBAAU,gB;QAsbD,Q;QAaHb,iD;UAAgB,cA
AhB,0B;UACI,WAvb6B,SAubIB,CAAU,oBAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxbhB,OA0bO,W;
O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAUW,kBAAU,gB;QawbD,Q;QAaHb,iD;UAAgB,
cAAhB,e;UACI,Wazb6B,SAyblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OA4bO,W;
O;KAtcX,C;kGAaA,yB;MAAA,+D;MA5JA,gD;MATJA,uC;QAYW,kBAaIB,gB;QAqJR,gB;QADhB,YAAY,C;QA
CZ,iD;UAAgB,cAAhB,e;UACI,WAtJoC,SAsJzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAA
Z,WAAY,EAAO,IAAP,C;;QAvJhB,OAyJO,W;O;KArKX,C;oGAeA,yB;MAAA,+D;MAyJA,gD;MAzJA,uC;QAY
W,kBAaIB,gB;QAwJR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WazJoC,SAyJzB,EAAU,cAAV
,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1JhB,OA4JO,W;O;KAxKX,C;oG
AeA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAYW,kBAaIB,gB;QA2JR,gB;QADhB,YAAY,C;QACZ,iD;UAAg
B,cAAhB,e;UACI,WA5JoC,SA4JzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,E
AAO,IAAP,C;;QA7JhB,OA+JO,W;O;KA3KX,C;oGAeA,yB;MAAA,+D;MA+JA,gD;MA/JA,uC;QAYW,kBAaIB,
gB;QA8JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA/JoC,SA+JzB,EAAU,cAAV,EAAU,sBA
AV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhKhB,OakKO,W;O;KA9KX,C;oGAeA,yB;M
AAA,+D;MAkKA,gD;MAIKa,uC;QAYW,kBAaIB,gB;QAiKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,
e;UACI,WAlKoC,SakKzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAA
P,C;;QAnKhB,OAqKO,W;O;KAjLX,C;oGAeA,yB;MAAA,+D;MAqKA,gD;MArKA,uC;QAYW,kBAaIB,gB;QA
oKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WArKoC,SAqKzB,EAAU,cAAV,EAAU,sBAAV,
WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtKhB,OAwKO,W;O;KApLX,C;oGAeA,yB;MAA
A,+D;MAwKA,gD;MAxKA,uC;QAYW,kBAaIB,gB;QAuKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;
UACI,WaxKoC,SAwKzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAA
P,C;;QazKhB,OA2KO,W;O;KAvLX,C;oGAeA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QAYW,kBAaIB,gB;QA
0KR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA3KoC,SA2KzB,EAAU,cAAV,EAAU,sBAAV,
WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5KhB,OA8KO,W;O;KA1LX,C;oGAeA,yB;MAA
A,+D;MA8KA,oC;MAAA,gD;MAAA,gC;MA9KA,uC;QAYW,kBAaIB,gB;QA6KR,gB;QADhB,YAAY,C;QACZ
,iD;UAAgB,cAAhB,0B;UACI,WA9KoC,SA8KzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,oBAAnB,C;UACC,OA
AZ,WAAY,EAAO,IAAP,C;;QA/KhB,OaiLO,W;O;KA7LX,C;oGAeA,yB;MAAA,+D;MAiLA,gD;MAjLA,uC;QA
YW,kBAaIB,gB;QAgLR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WajLoC,SAiLzB,EAAU,cAA
V,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAiLhB,OAoLO,W;O;KAhMX,C;
sGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cA
AA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,I
AAP,C;;QAEhB,OAAO,W;O;KafX,C;uGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;
QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,
OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAA
A,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAA
W,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;
O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,g
B;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,W
AAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QA

FzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBA
AV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MA
AA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;
UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEh
B,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAA
gB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UA
CC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,
UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAA
V,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wG
AkBA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,S
AAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,
C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QA
WoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,
cAAV,EAAU,sBAAV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;
uFAkBA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,W
AAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAA
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA
V,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q
AIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,
WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,w
BAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IA
AP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,g
B;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OA
AO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;
0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,W
AAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAA
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA
V,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,oC;MAAA,gD;M
AAA,gC;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,
UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;
MAAA,oD;QAQoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;
UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,wE;MAiOA,+D;MAjO
A,yC;QASW,kBAAU,oB;QAIoD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAIoiD,WakOvC,CAAY,OAAZ,C;UO
p5UP,U;UADP,YPs5Ue,Wot5UH,WPs5UwB,Got5UxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5UuC,gB;YAA5B,W
On5UX,aPm5UgC,GO5UHc,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q
ApOT,OAsOO,W;O;KA/OX,C;sFAYA,yB;MAAA,wE;MAsoA,+D;MAtoA,yC;QASW,kBAAU,oB;QAsOD,Q;Q
AAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WauO1C,CAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,Wov6UH,W
Pu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,
MAAT,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzOT,OA2OO,W;O;KAPPX,C;sFAY
A,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,U
A5OqD,WA4O3C,CAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,Wox7UH,Wpw7UwB,GOx7UxB,C;UACL,IAAI,
aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GO7UHc,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7U
A,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;O;KAZPX,C;sFAYA,yB;MAAA,wE;MAGPA,+D;MAhP
A,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjPmD,WaiPzC,CAAY,OAAZ,C;UO
v8UP,U;UADP,YPy8Ue,Woz8UH,Wpy8UwB,Goz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,
Wot8UX,aPs8UgC,Got8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q
AnPT,OAqPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MARPA,yC;QASW,kBAAU,oB;QAqPD,Q;QA

AhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,W0v9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,W0x+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAXQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/P A,yC;QASW,kBAAU,oB;QA+PD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WagQ5C,CAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,W0z/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UArQuD,WAqQ7C,CAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,W01gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAYQO,W;O;KAIRX,C;sFAYA,yB;MAAA,wE;MAyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,W03hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WOhjVH,WPgjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,W07iVX,aP6iVgC,GO7iVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WajRyD,cAiRrD,CAAe,OAAf,CAAJ,C;;QAJRT,OAmRO,W;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAmRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UApRiD,WAoRvC,CAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,W0lkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,W0jVX,aP+jVgC,GOjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WAtRyD,cAsRrD,CAAe,OAAf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAzRiD,WAYRvC,CAAY,OAAZ,C;UOlVp,U;UADP,YPolVe,WOpIVH,WPoIVwB,GOpIVxB,C;UACL,IAAI,aAAJ,C;YACH,aPklVuC,gB;YAA5B,W0jlVX,aPllVgC,GOjlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ,C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,W0tmVH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,W0nmVX,aPmmVgC,GOnmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OAKSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,W0xnVH,WPwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,W0rnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUaSD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAxSiD,WAwSvC,CAAY,OAAZ,C;UOxoVP,U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,W0voVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;O;KAiTX,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,WO5pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,W0zpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;QA/ST,OAiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAItd,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAITiD,WakTvC,CAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,W03qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwq

VA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAA
A,wE;MAStA,oC;MAAA,+D;MAAA,gC;MArTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAaHb,iD;UAAgB,cAAhB,
0B;UACI,UAvTiD,WAUtvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhSvH,WPgsVwB,GOhsVxB,C;U
ACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA
,c;;UP0rVA,iB;UACA,IAAK,WazTyD,cAyTrD,CAAe,oBAAf,CAAJ,C;;QAZTT,OA2TO,W;O;KArUX,C;wFAaA,
yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YA
AY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,WOT5UH,WP55UwB,GOt5UxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5Uu
C,gB;YAA5B,WOn5UX,aPm5UgC,GOn5UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,W
AAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SA
AhB,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,Wov6UH,WPu6U
wB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,MAA
T,C;YACA,e;;YAEA,c;;UPi6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MA
AA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OA
AZ,C;UOt7UP,U;UADP,YPw7Ue,Wox7UH,WPw7UwB,GOx7UxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7UuC,gB;
YAA5B,WOr7UX,aPq7UgC,GOr7UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAI,O
AAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,g
B;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,Woz8UH,WPY8UwB,G
Oz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,WOT8UX,aPs8UgC,GOt8UhC,EAAS,MAAT,C;YA
CA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+
D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;
UOX9UP,U;UADP,YP09Ue,Wo19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5
B,Wov9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C
;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAA
gB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,Wo3+UH,WP2+UwB,GO3+Ux
B,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,Wox+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,
e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;M
AAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO
1/UP,U;UADP,YP4/Ue,Wo5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,Woz
/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,O
AAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,
SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,Wo7gVH,WP6gVwB,GO7gVxB,C;UACL
,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MA
AA,gC;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAhB,UAAgB,SAaHb,O;UACI,UAAU,Y
AAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,Wo9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4
hVuC,gB;YAA5B,Wo3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAA
K,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAG
B,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WohjVH,WP
gjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,EAAS,MA
AT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0F
AkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UA
AU,YAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WolkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,
aPkgVuC,gB;YAA5B,Wo/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAA
K,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAA
hB,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;UACI,UAAU,YAAY,OAAZ,C;UOIIVP,U;UADP,YPoIVe,W
OplVH,WPoIVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkIVuC,gB;YAA5B,WojIVX,aPilVgC,GOjIVhC,E
AAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;K
AfX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAaHb,wBAAGB,SAaHb,gB;UAAgB,cAAA,SAaHb,M;

gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,W
AAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KArI
X,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;U
AAa,WAAb,e;UACI,WAAAY,WAhIwB,SAGIpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;QAhIhB
,OAiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QAKiP,gB;QADb,YA
AY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAAY,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,IAAn
B,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;
QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBA
AV,WAAMb,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA9IX,C;4FAUA,yB;MAAA,gE;MAuIA,oC;MAAA,gC;M
AvIA,uC;QAOW,kBAaAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UACI,WAAAY
,WazIwB,SAYIpB,EAAU,cAAV,EAAU,sBAAV,WAAMb,iBAAnB,CAAJ,C;;QAzIhB,OAoIO,W;O;KAjJX,C;wG
AUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAaOaB,gB;QA8iEd,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA
piEmC,U;UAAA,cAVQ,SAUR,EAoiET,cApiES,EAoiET,sBApiES,WAOiEA,IApiEA,W;YAA6C,6B;;QAVhF,OA
WO,W;O;KAIBX,C;4GAUA,yB;MAAA,oD;QA2iEiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UApiEmC,
U;UAAA,yBAoiET,cApiES,EAoiET,sBApiES,WAOiEA,IApiEA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;8
FAWA,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA
Y,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,U
ACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,WAAU,cAA
V,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAA
Y,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA
AMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,S
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;
MACHB,OAAO,W;K;gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA
,SAAb,M;QACI,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;g
GAGX,6C;MAQiB,UACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAA
Y,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,6C;MAQiB,U
ACiB,M;MAF9B,YAAY,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,WAAU,cAA
V,EAAU,sBAAV,WAAMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;+FAGX,6C;MAQiB,UACiB,M;MAF9B,YAA
Y,C;MACZ,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WA
AMb,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;gGAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;Q
AF9B,YAAY,C;QACZ,wBAaAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAAY,WAAI,WAAU,cAAV,EA
AU,sBAAV,WAAMb,iBAAnB,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAOW
W,kBAaAa,gB;QAK2DJ,Q;QAaHb,iD;UAAgB,cAAhB,e;UA11DqB,U;UAAA,cARe,SAQf,CA01DQ,OA11DR,W;
YAA6C,6B;;QAR3D,OASO,W;O;KAhBX,C;8FAUA,yB;MAAA,oD;QA+1DoB,Q;QAaHb,iD;UAAgB,cAAhB,e;
UA11DqB,U;UAAA,wBA01DQ,OA11DR,W;YAA6C,6B;;QAC3D,OAAO,W;O;KANX,C;gFASA,6C;MAKiB,Q;
MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,
W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,UAAU,IAA
V,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAC
I,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;
QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,
Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAA
O,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,UAAU,IA
AV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;QAAa,WAAA,SAAb,M;QA
CI,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,6C;MAKiB,Q;MAAb,wBAaAa,SAAb,gB;
QAAa,WAAA,SAAb,M;QACI,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;kFAGX,yB;MAAA,o
C;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,wBAaAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAAY,WAA
I,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;IAe4B,0C;MAAA,mB;QAAE,2C;O;K;IAL9B,8B;MAK
I,OAAO,qBAaiB,2BAajB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAaiB,6BAaj

B,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,
mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9
B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBA
AiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,iD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,
4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+
C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAGX,6B;MASI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;
IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C
;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAA
e,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,C
AAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SA
K,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QAC
X,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,C
AAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;4FAoBA,yB;MAAA,2D;MAAA,+D;MAAA,s
C;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAA
U,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;K
AhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,w
BAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAA
R,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;
QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,
SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAh
BX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBA
AU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAAR,C
;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QA
Wc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SA
AS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX
,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAA
U,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAAR,C;
YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QA
Wc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SA
AS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX
,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WA
AW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAV,UAAU,SAAV,O;UACI,UAAU,SAAS,cAAT,C;UACV,IAAI,G
AAI,WAAI,GAJJ,CAAR,C;YACI,IAAK,WAAI,cAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;IAmBA,qC;MAQI,UAAe,
aAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,
C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YA
AJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAA
U,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;M
ACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;
K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;M
AQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eA
AL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,oC;MAMI,UAAe,aAAL,SAAK,C;
MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,
GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,
KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MA
CJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;
K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;M
AMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,e
AAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C

;MACX,YAAJ,GAAl,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,iC;MAMI,OAAO,wBAAa,qBAAiB,YAAY,gB
AAZ,CAAjB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,
mC;MAMI,OAAO,0BAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAA
mB,YAAY,gBAAZ,CAAnB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CA
Ab,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;K;IAGX,mC;MAMI,OAAO
,0BAAa,qBAAaB,YAAY,gBAAZ,CAAtB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAuB,YAAY,gBAAZ
,CAAvB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAiB,eAAL,gBAAK,EAAa,GAAb,CAAjB,CA
ApB,CAAb,C;K;IAGX,iC;MAUI,UAAe,aAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;
K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;
MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,
eAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,
C;MACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OA
AJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAl,EA
AO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAP,C;
MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAl,EAAO,KAAP,C;MACJ,OAAO,
G;K;4EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UA
AU,OAAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,
gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I
;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAA
U,OAAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB
;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;
8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,O
AAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q
AAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;8E
AGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OA
AV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QA
AGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;MACtD,OAAO,I;K;8EA
GX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SA
AhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;QACtD,OAAO,I;O;KAPX,C;IAUA,w
B;MAMI,OAAO,EA5mJA,qBAAQ,CA4mJR,C;K;IAGX,0B;MAMI,OAAO,EA7mJA,qBAAQ,CA6mJR,C;K;IAG
X,0B;MAMI,OAAO,EA9mJA,qBAAQ,CA8mJR,C;K;IAGX,0B;MAMI,OAAO,EA/mJA,qBAAQ,CA+mJR,C;K;I
AGX,0B;MAMI,OAAO,EAhnJA,qBAAQ,CAgnJR,C;K;IAGX,0B;MAMI,OAAO,EAjnJA,qBAAQ,CAinJR,C;K;I
AGX,0B;MAMI,OAAO,EAInJA,qBAAQ,CAknJR,C;K;IAGX,0B;MAMI,OAAO,EAnnJA,qBAAQ,CAnmJR,C;K;I
AGX,0B;MAMI,OAAO,EApnJA,qBAAQ,CAonJR,C;K;8EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;Q
AAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;8EAGX,g
C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;U
AAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;M
AAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;
MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,I
AAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,
K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OA
AV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QA
AGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;MACrD,OAAO,K;K;+EAGX,yB
;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O
;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;QACrD,OAAO,K;O;KAPX,C;gFAUA,qB;MAKI,OA
AO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFA

AAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAhB,EAAgC,oBA
AhC,C;;QACpC,OAAO,W;O;KAbX,C;wFagBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAAY,wB;QAC
Z,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,
WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAAY,wB;QA
CZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB
,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAAY,wB;Q
ACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAw
B,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAAY,wB;
QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAA
wB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAAY,wB
;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EA
AwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAAY,w
B;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,E
AAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAA
Y,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAA
V,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAYoC,Q;
QAHhC,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAA
I,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;sGaiBA,yB;MAAA,8D;MAAA,gD;QAU,I,
YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,UAAI,KA
AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAU
I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,UAAI,KA
AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,g
D;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,UA
AI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gD;QAU,I,YAAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,U
AAI,KA AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,
gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B
;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAI
oB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;
MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;
MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;M
AAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAA
hB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,
gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,OAAO,oBA
AP,C;;O;KAJ1B,C;kGAOA,6B;MAOiB,UAAa,M;MAD1B,YAAAY,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SA

WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;Y
ACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;
UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAKMP
,IAx4LO,qBAAQ,CAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UA
CrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAA
U,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2
BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,y
B;MAAA,8D;MAAA,sC;QAOI,IAhxLO,qBAAQ,CAGxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QAC
d,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QAC
f,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BA
AW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D
;MAAA,sC;QAOI,IA/xLO,qBAAQ,CA+xLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,c
AAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CA
AV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;
QAOI,IA9yLO,qBAAQ,CA8yLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,
C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,S
AAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA
CI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA7zL
O,qBAAQ,CA6zLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IA
AI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI
,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;
YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA50LO,qBAAQ,C
A40Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CA
AjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UA
AK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA
W,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA31LO,qBAAQ,CA21Lf,C;UA
Ae,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAA
oB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;
UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGn
B,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA12LO,qBAAQ,CA02Lf,C;UAAe,OAAO,I;
QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;
QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,
SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;
O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAz3LO,qBAAQ,CAy3Lf,C;UAAe,OAAO,I;QACtB,cAA
c,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eA
Ae,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,C
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,
C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAx4LO,qBAAQ,CAw4Lf,C;UAAe,OAAO,I;QACtB,cA
Ac,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,e
AAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,
cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,
C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkBhnbA,iB;MIBgnbA,sC;QAeiB,Q;QAFb,IAr+LO,qBAAQ,CAq+Lf,C;U
AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S
AAS,UAAK,CAAL,CAAT,C;UACR,WkBznB,MAAO,KIBynbO,QkBznBP,EIBynbiB,CkBznbjB,C;;QIB2nbd,OA
AO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBtobA,iB;MIBsobA,sC;QAeiB,Q;QAFb,IAN/LO,qBAA
Q,CAM/Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;
UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/obG,MAAO,KIB+obO,QkB/obP,EIB+obiB,CkB/objB,

C;;QIBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5pbA,iB;MIB4pbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrqbG,MAAO,KIBqqbO,QkBrqbP,ElBqqbiB,CkBrqbjB,C;;QIBuqbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBlrbA,iB;MIBkbrA,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KIB2rbO,QkB3rbP,ElB2rbiB,CkB3rbjB,C;;QIB6rbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsbA,iB;MIBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtbG,MAAO,KIBitbO,QkBjtbP,ElBitbiB,CkBjtbjB,C;;QIBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB9tbA,iB;MIB8tbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvubG,MAAO,KIBuubO,QkBvubP,ElBuubiB,CkBvubjB,C;;QIByubd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpvaA,iB;MIBovbA,sC;QAeiB,Q;QAFb,IAzjMO,qBAAQ,CayjMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vbG,MAAO,KIB6vbO,QkB7vbP,ElB6vbiB,CkB7vbjB,C;;QIB+vbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1wbA,iB;MIB0wbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAukMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnxbG,MAAO,KIBmxbO,QkBnxbP,ElBmxbiB,CkBnxbjB,C;;QIBqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBhybA,iB;MIBgybA,sC;QAeiB,Q;QAFb,IArlMO,qBAAQ,CAqlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBzybG,MAAO,KIByybO,QkBzybP,ElByybiB,CkBzybjB,C;;QIB2ybd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBj0bA,iB;MIBi0bA,sC;QAeiB,Q;QAFb,IA3qMO,qBAAQ,CA2qMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB10bG,MAAO,KIB00bO,QkB10bP,ElB00biB,CkB10bjB,C;;QIB40bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBv1bA,iB;MIBu1bA,sC;QAeiB,Q;QAFb,IAzrMO,qBAAQ,CAYrMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh2bG,MAAO,KIBg2bO,QkBh2bP,ElBg2biB,CkBh2bjB,C;;QIBk2bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB72bA,iB;MIB62bA,sC;QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBt3bG,MAAO,KIBs3bO,QkBt3bP,ElBs3biB,CkBt3bjB,C;;QIBw3bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBn4bA,iB;MIBm4bA,sC;QAeiB,Q;QAFb,IArtMO,qBAAQ,CAqtMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB54bG,MAAO,KIB44bO,QkB54bP,ElB44biB,CkB54bjB,C;;QIB84bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBz5bA,iB;MIBy5bA,sC;QAeiB,Q;QAFb,IANuMO,qBAAQ,CAmuMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB16bG,MAAO,KIBk6bO,QkB16bP,ElBk6biB,CkB16bjB,C;;QIBo6bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB/6bA,iB;MIB+6bA,sC;QAeiB,Q;QAFb,IAjvMO,qBAAQ,CAivMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx7bG,MAAO,KIBw7bO,QkBx7bP,ElBw7biB,CkBx7bjB,C;;QIB07bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB8bA,iB;MIBq8bA,sC;QAeiB,Q;QAFb,IA/vMO,qBAAQ,CA+vMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB98bG,MAAO,KIB88bO,QkB98bP,ElB88biB,CkB98bjB,C;;QIBg9bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB39bA,iB;MIB29bA,sC;QAeiB,Q;QAFb,IA7wMO,qBAAQ,CA6wMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp+bG,MAAO,KIBo+bO,QkBp+bP,ElBo+biB,CkBp+bjB,C;;QIBs+bd,OAAO,Q;O;KAnBX,C;m

FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBJ/bA,iB;MIBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkB1/bG,MAAO,KIB0/bO,QkB1/bP,EIB0/biB,CkB1/bjB,C;;QIB4/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA+2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA73MO,qBAAQ,CA63Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA34MO,qBAAQ,CA24Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAz5MO,qBAAQ,CAy5Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAr7MO,qBAAQ,CAq7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA8MO,qBAAQ,CAm8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAj9MO,qBAAQ,CAi9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/9MO,qBAAQ,CA+9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBlscA,iB;MIBkscA,sC;QAaiB,Q;QAFb,IArjNO,qBAAQ,CAqjNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzscG,MAAO,KIByscO,QkBzscP,EIBysciB,CkBzscjB,C;;QIB2scd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBttcA,iB;MIBstcA,sC;QAaiB,Q;QAFb,IAjkNO,qBAAQ,CAikNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7tcG,MAAO,KIB6tcO,QkB7tcP,EIB6tcB,CkB7tcjB,C;;QIB+tcD,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ucA,iB;MIB0ucA,sC;QAaiB,Q;QAFb,IA7kNO,qBAAQ,CA6kNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjvcG,MAAO,KIBivcO,QkBjvcP,EIBivciB,CkBjvcjB,C;;QIBmvcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9vcA,iB;MIB8vcA,sC;QAaiB,Q;QAFb,IAzINO,qBAAQ,CAylNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrcG,MAAO,KIBqwcO,QkBrcP,EIBqwciB,CkBrcjB,C;;QIBuwcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1xcA,iB;MIBkxcA,sC;QAaiB,Q;QAFb,IArmNO,qBAAQ,CAqmNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzxcG,MAAO,KIByxcO,QkBzxcP,EIByxcB,CkBzxcjB,C;;QIB2xcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtycA,iB;MIBsyscA,sC;QAaiB,Q;QAFb,IAjnNO,qBAAQ,CAinNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ycG,MAAO,KIB6ycO,QkB7ycP,EIB6ycB,CkB7ycjB,C;;QIB+ycd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1zcA,iB;MIB0zc

A,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;
QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0cG,MAAO,KIBi0c
O,QkBj0cP,ElBi0ciB,CkBj0cjB,C;;QIBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MIB80
cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAYoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C
;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr1cG,MAAO,KIBq
1cO,QkBr1cP,ElBq1ciB,CkBr1cjB,C;;QIBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBI2
cA,iB;MIBk2cA,sC;QAaiB,Q;QAFb,IARpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C
AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz2c
G,MAAO,KIBy2cO,QkBz2cP,ElBy2ciB,CkBz2cjB,C;;QIB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;M
kBj4cA,iB;MIBi4cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAYuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx
4cG,MAAO,KIBw4cO,QkBx4cP,ElBw4ciB,CkBx4cjB,C;;QIB04cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8
D;MkBr5cA,iB;MIBq5cA,sC;QAaiB,Q;QAFb,IARvNO,qBAAQ,CAqvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,U
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,W
kB55cG,MAAO,KIB45cO,QkB55cP,ElB45ciB,CkB55cjB,C;;QIB85cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA
,8D;MkBz6cA,iB;MIBy6cA,sC;QAaiB,Q;QAFb,IAjwNO,qBAAQ,CAiwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAA
S,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR
,WkBh7cG,MAAO,KIBg7cO,QkBh7cP,ElBg7ciB,CkBh7cjB,C;;QIBk7cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MA
AA,8D;MkB77cA,iB;MIB67cA,sC;QAaiB,Q;QAFb,IA7wNO,qBAAQ,CA6wNf,C;UAAe,OAAO,I;QACtB,eAAe,S
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U
ACR,WkBp8cG,MAAO,KIBo8cO,QkBp8cP,ElBo8ciB,CkBp8cjB,C;;QIBs8cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB
;MAAA,8D;MkBj9cA,iB;MIBi9cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAYxNf,C;UAAe,OAAO,I;QACtB,eAA
e,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;
UACR,WkBx9cG,MAAO,KIBw9cO,QkBx9cP,ElBw9ciB,CkBx9cjB,C;;QIB09cd,OAAO,Q;O;KAjBX,C;+FAoBA,
yB;MAAA,8D;MkBr+cA,iB;MIBq+cA,sC;QAaiB,Q;QAFb,IAryNO,qBAAQ,CAqyNf,C;UAAe,OAAO,I;QACtB,e
AAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA
T,C;UACR,WkB5+cG,MAAO,KIB4+cO,QkB5+cP,ElB4+ciB,CkB5+cjB,C;;QIB8+cd,OAAO,Q;O;KAjBX,C;+FA
oBA,yB;MAAA,8D;MkBz/cA,iB;MIBy/cA,sC;QAaiB,Q;QAFb,IAjzNO,qBAAQ,CAizNf,C;UAAe,OAAO,I;QACt
B,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C
AAT,C;UACR,WkBhgdG,MAAO,KIBggdO,QkBhgdP,ElBggdiB,CkBhgdjB,C;;QIBkggd,OAAO,Q;O;KAjBX,C;+
FAoBA,yB;MAAA,8D;MkB7gdA,iB;MIB6gdA,sC;QAaiB,Q;QAFb,IA7zNO,qBAAQ,CA6zNf,C;UAAe,OAAO,I;
QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA
AL,CAAT,C;UACR,WkBphdG,MAAO,KIBohdO,QkBphdP,ElBohdiB,CkBphdjB,C;;QIBshdd,OAAO,Q;O;KAjB
X,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBjidA,iB;MIBiidA,sC;QAaiB,Q;QAFb,IAz0NO,qBAAQ,CAY0Nf,C;
UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S
AAS,sBAAK,CAAL,EAAT,C;UACR,WkBxidG,MAAO,KIBwidO,QkBxidP,ElBwidiB,CkBxidjB,C;;QIB0idd,OA
AO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35NO,qBAAQ,CA25Nf,C;UAAe,OA
AO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA
K,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAo
BA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6NO,qBAAQ,CAu6Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAA
S,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR
,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAA
A,sC;QAWiB,Q;QAFb,IAN7NO,qBAAQ,CAM7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,
IA/7NO,qBAAQ,CA+7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,
C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28

Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QA
AQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;
KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QA
CtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;M
AAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA+NO,qBAAQ,CAm+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2B
AAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QA
WiB,Q;QAFb,IA/+NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;Y
ACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,
IA3/NO,qBAAQ,CA2/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAA
U,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,
C;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAj1OO,qBAA
Q,CAi1Of,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;
UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC
,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAa
iB,Q;QAFb,IA/1OO,qBAAQ,CA+1Of,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA
akB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;
MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA7mOO,qBAAQ,CA6mOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,U
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IA
AI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAn
BX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA3nOO,qBAAQ,CA2nOf,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,
C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAzoOO,qBA
AQ,CAyoOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,i
B;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAA
kC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;Q
AaiB,Q;QAFb,IAvpOO,qBAAQ,CAupOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,E
AAkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,s
E;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IArqOO,qBAAQ,CAqqOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,U
AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IA
AI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAn
BX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IANrOO,qBAAQ,CAMrOf,C;UAAe,MAA
M,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAA
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,
C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA
jsOO,qBAAQ,CAisOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAA
U,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,C
AAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;Q
AWiB,Q;QAFb,IArxOO,qBAAQ,CAqxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,
+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EA
AkB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8
D;MAAA,kD;QAWiB,Q;QAFb,IAjyOO,qBAAQ,CAiyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,C
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SA

Ac,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8
C;MAOiB,Q;MAFb,IA/oPO,qBAAQ,CA+oPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,+B;MA
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GA
A6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArPPO,qBAAQ,CAqpPf,C;
QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL
,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAA
O,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3pPO,qBAAQ,CA2pPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CA
Ab,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAjqPO,qBA
AQ,CAiqPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,
UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAvqPO,qBAAQ,CAuqPf,C;QAAe,OAAO,I;MACTb,UAAU,UA
AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GA
AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb
,IA7qPO,qBAAQ,CA6qPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB
;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnrPO,qBAAQ,CAMrPf,C;QAAe,OAAO,I;MA
CTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UA
AW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;M
AOiB,Q;MAFb,IAzrPO,qBAAQ,CAyrPf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,
CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/rPO,qBAAQ,CA+rPf,C;QAAe
,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QA
CR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;
K;IAGX,wB;MAII,OAAO,oB;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,O
AAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;
MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;gFAGX,yB;MA
sDA,8D;MATD
A,sC;QAGW,sB;;UA0DP,IA4PO,qBAAQ,CAM4Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;
UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA9DmB,QA8DJ,CA
AS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjEe,QAIeP,CAAS,C
AAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvEP,yB
;O;KAHJ,C;kFAMA,yB;MAuEA,8D;MAvEA,sC;QAGW,sB;;UA2EP,IA15PO,qBAAQ,CAk5Pf,C;YAAe,qBAAO,
I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O
;YAAP,uB;WACpB,eAEmB,QA+EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,
CAAL,C;YACR,QAIfe,QAkFP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,W
AAW,C;;UAGnB,qBAAO,O;;;QAxFP,yB;O;KAHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,I
Aj6PO,qBAAQ,CAi6Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB
,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAhGmB,QAgGJ,CAAS,OAAT,C;UACf,aAAU,C
AAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BA
AW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;
MAyGA,8D;MAzGA,sC;QAGW,sB;;UA6GP,IAh7PO,qBAAQ,CAg7Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAA
c,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAj
HmB,QAIHJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApH
e,QAoHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBA
AO,O;;;QA1HP,yB;O;KAHJ,C;kFAMA,yB;MA0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA/7PO,qBAAQ,CA+7
Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,
C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAllmB,QAkIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;Y
ACI,QAAQ,UAAK,CAAL,C;YACR,QArIe,QaQIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,

UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAG
W,sB;;UA+IP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBA
AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;
UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QatJe,QAsJP,CAAS,CAAT,C;YACR
,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kF
AMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UAgKP,IA79PO,qBAAQ,CA69Pf,C;YAAe,qBAAO,I;YAAP,uB;W
ACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;W
ACpB,eApKmB,QAoKJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;Y
ACR,QAvKe,QAuKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;
UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UaiLP,IA5+PO,q
BAAQ,CA4+Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,c
AAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OA
Aa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAA
X,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8
D;MAAA,oC;MA9LA,sC;QAGW,sB;;UakMP,IA3/PO,qBAAQ,CA2/Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cA
Ac,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,e
AtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,Q
AzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,
qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IA4PO,qBAAQ,CAM4Pf,C;UAAe
,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,
OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UA
CR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,O
AAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA15PO,qBAAQ,Cak5Pf,C;UAAe,OAAO,I;QAC
tB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC
3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SA
AS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KA
pBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAj6PO,qBAAQ,CAi6Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAA
K,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SA
AS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;
UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAu
BA,yB;MAAA,8D;MAAA,sC;QAOI,IAh7PO,qBAAQ,CAG7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;
QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;
QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAA
A,8D;MAAA,sC;QAOI,IA7PO,qBAAQ,CA+7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAA
qB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU
,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CA
AX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA
,sC;QAOI,IA98PO,qBAAQ,CA88Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SA
AK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OA
Aa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA
79PO,qBAAQ,CA69Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACr
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAA
U,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA5+PO,qBA
AQ,CA4+Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cA
Aa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAA

Q,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV, WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOL,IA3/PO,qBAA Q,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa, CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ, UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,W AAW,C;;QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkB/gfA,iB;MIB+gfA,sC;QAeiB,Q ;QAFb,IAxlQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;Q AAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxhfG,MAAO,KIBwhfO,QkBxhfP ,ElBwhfiB,CkBxhfjB,C;;QIB0hfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBrifA,iB;MIBqif A,sC;QAeiB,Q;QAFb,IAtmQO,qBAAQ,CAsmQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT ,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB9ifG,MAAO,KIB 8ifO,QkB9ifP,ElB8ifB,CkB9ifjB,C;;QIBgjfD,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB3jf A,iB;MIB2jfA,sC;QAeiB,Q;QAFb,IApnQO,qBAAQ,CAonQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,C AAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpkfG ,MAAO,KIBokfO,QkBpkfP,ElBokfiB,CkBpkfjB,C;;QIBskfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAA A,8D;MkBjlfA,iB;MIBilfA,sC;QAeiB,Q;QAFb,IAloQO,qBAAQ,CAkoQf,C;UAAe,MAAM,6B;QACrB,eAAe,SA AS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA CR,WkB1lfG,MAAO,KIB0lfo,QkB1lfP,ElB0lfiB,CkB1lfjB,C;;QIB4lfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAA A,sE;MAAA,8D;MkBvmfA,iB;MIBumfA,sC;QAeiB,Q;QAFb,IAhpQO,qBAAQ,CAGpQf,C;UAAe,MAAM,6B;QA CrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL, CAAT,C;UACR,WkBhnfG,MAAO,KIBgnfO,QkBhnfP,ElBgnfiB,CkBhnfjB,C;;QIBknfd,OAAO,Q;O;KAnBX,C;k FAsBA,yB;MAAA,sE;MAAA,8D;MkB7nfA,iB;MIB6nfA,sC;QAeiB,Q;QAFb,IA9pQO,qBAAQ,CA8pQf,C;UAAe ,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAA S,UAAK,CAAL,CAAT,C;UACR,WkBtofG,MAAO,KIBsofO,QkBtofp,ElBsofiB,CkBtofjB,C;;QIBwofd,OAAO,Q; O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBnfpA,iB;MIBmpfA,sC;QAeiB,Q;QAFb,IA5qQO,qBAAQ,C A4qQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5pfG,MAAO,KIB4pfO,QkB5pfP,ElB4pfiB,CkB5pfjB,C;;QI B8pfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBzqfA,iB;MIByqfA,sC;QAeiB,Q;QAFb,IA1r QO,qBAAQ,CAOrQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU, CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1rfG,MAAO,KIBkrfO,QkB1rfP,ElBkrfiB,CkB 1rfjB,C;;QIBorfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkB/rfA,iB;MIB+rfA,sC; QAeiB,Q;QAFb,IAxsQO,qBAAQ,CAwsQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;Q ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxsfG,MAAO,KIBwsf O,QkBxsfP,ElBwsfiB,CkBxsfjB,C;;QIB0sfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhufA ,iB;MIBgufA,sC;QAeiB,Q;QAFb,IA9xQO,qBAAQ,CA8xQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,C AAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzufG, MAAO,KIByufO,QkBzufP,ElByufiB,CkBzufjB,C;;QIB2ufd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAA A,8D;MkBtvfA,iB;MIBsvfA,sC;QAeiB,Q;QAFb,IA5yQO,qBAAQ,CA4yQf,C;UAAe,MAAM,6B;QACrB,eAAe,S AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U ACR,WkB/vfG,MAAO,KIB+vfO,QkB/vfP,ElB+vfB,CkB/vfjB,C;;QIBiwfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB; MAAA,sE;MAAA,8D;MkB5wfA,iB;MIB4wfA,sC;QAeiB,Q;QAFb,IA1zQO,qBAAQ,CA0zQf,C;UAAe,MAAM,6 B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,C AAL,CAAT,C;UACR,WkBrxfg,MAAO,KIBqxfO,QkBrxfp,ElBqxfiB,CkBrxfjB,C;;QIBuxfd,OAAO,Q;O;KAnBX, C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBlyfA,iB;MIBkyfA,sC;QAeiB,Q;QAFb,IAx0QO,qBAAQ,CAw0Qf,C;U AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S AAS,UAAK,CAAL,CAAT,C;UACR,WkB3yfG,MAAO,KIB2yfO,QkB3yfP,ElB2yfiB,CkB3yfjB,C;;QIB6yfd,OAA O,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBxzfA,iB;MIBwzfA,sC;QAeiB,Q;QAFb,IA1lQO,qBAA Q,CAs1Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;

UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0fG,MAAO,KIBi0fO,QkBj0fP,ElBi0fiB,CkBj0fjB,C;;Q
lBm0fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB90fA,iB;MIB80fA,sC;QAeiB,Q;QAFb,I
Ap2QO,qBAAQ,CAo2Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aA
AU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv1fG,MAAO,KIBu1fO,QkBv1fP,ElBu1f
B,CkBv1fjB,C;;QIBy1fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBp2fA,iB;MIBo2fA,sC;Q
AeiB,Q;QAFb,IAI3QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB72fG,MAAO,KIB62fO,Q
kB72fP,ElB62fiB,CkB72fjB,C;;QIB+2fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB13fA,iB
;MIB03fA,sC;QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAA
L,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn4fG,M
AAO,KIBm4fO,QkBn4fP,ElBm4fiB,CkBn4fjB,C;;QIBq4fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAA
A,oC;MAAA,8D;MkBh5fA,iB;MIBg5fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QA
CrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAA
L,EAAT,C;UACR,WkBz5fG,MAAO,KIBy5fO,QkBz5fP,ElBy5fiB,CkBz5fjB,C;;QIB25fd,OAAO,Q;O;KAnBX,C;
mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAI+QO,qBAAQ,CAk+Qf,C;UAAe,MAAM,6B;Q
ACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAA
L,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,y
B;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAH/QO,qBAAQ,CAg/Qf,C;UAAe,MAAM,6B;QACrB,eAA
e,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;
UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE
;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA9/QO,qBAAQ,CA8/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAA
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;
MAAA,sC;QAaiB,Q;QAFb,IA5gRO,qBAAQ,CA4gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,C
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,C
AAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;
QAaiB,Q;QAFb,IA1hRO,qBAAQ,CA0hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ
,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;Q
AFb,IAxiRO,qBAAQ,CAwiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QA
Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,
WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAtjR
O,qBAAQ,CAsjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,C
AAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;Q
AGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IApkRO,qBAAQ,
CAokRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U
ACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA
AO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAIlRO,qBAAQ,
CAkIRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U
ACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA
AO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBjmgBA,iB;MIBimgBA,sC;QAaiB,Q;QAFb,IAxqRO,qBAAQ,CA
wqRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,Q
AAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxmgBG,MAAO,KIBwmgBO,QkBxmgBP,ElBwmgBiB,CkBxmg
BjB,C;;QIB0mgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBBrngBA,iB;MIBqngBA,sC;QAaiB,Q;QAFb
,IAprRO,qBAAQ,CAorRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAA
U,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ngBG,MAAO,KIB4ngBO,QkB5ngBP,ElB
4ngBiB,CkB5ngBjB,C;;QIB8ngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzogBA,iB;MIByogBA,sC;
QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAgsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,

+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KIBgpgBO, QkBhpgBP,ElBpggBiB,CkBhpgBjB,C;;QIBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7pgBA,iB ;MIB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL, CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpqqBG,M AAO,KIBoqqBO,QkBpqqBP,ElBoqqBiB,CkBpqqBjB,C;;QIBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8 D;MkBjrgBA,iB;MIBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS, UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR, WkBxrgBG,MAAO,KIBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QIB0rgBd,OAAO,Q;O;KAjBX,C;8FAoBA ,yB;MAAA,8D;MkBrsrgBA,iB;MIBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACt B,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,C AAT,C;UACR,WkB5sgBG,MAAO,KIB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QIB8sgBd,OAAO,Q;O;KAj BX,C;8FAoBA,yB;MAAA,8D;MkBzrgBA,iB;MIByrgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAgvRf,C;UAAe, OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,U AAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KIBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;QIBkugBd, OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7ugBA,iB;MIB6ugBA,sC;QAaiB,Q;QAFb,IA5vRO,qBAAQ, CA4vRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UAC I,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpvgBG,MAAO,KIBovgBO,QkBpvgBP,ElBovgBiB,CkBpvgB jB,C;;QIBsvgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBjwgBA,iB;MIBiwgBA,sC;QAai B,Q;QAFb,IAxwRO,qBAAQ,CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+ B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxwgBG,MAAO,KIBwwgBO ,QkBxwgBP,ElBwwgBiB,CkBxwgBjB,C;;QIB0wgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBhygBA ,iB;MIBgygBA,sC;QAaiB,Q;QAFb,IA51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CA AL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvvgBG ,MAAO,KIBuygBO,QkBvvgBP,ElBuygBiB,CkBvvgBjB,C;;QIByygBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAA A,8D;MkBpzgBA,iB;MIBozgBA,sC;QAaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACtB,eAAe, SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U ACR,WkB3zgBG,MAAO,KIB2zgBO,QkB3zgBP,ElB2zgBiB,CkB3zgBjB,C;;QIB6zgBd,OAAO,Q;O;KAjBX,C;+F AoBA,yB;MAAA,8D;MkBx0gBA,iB;MIBw0gBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UAAe,OAAO, I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,C AAL,CAAT,C;UACR,WkB/0gBG,MAAO,KIB+0gBO,QkB/0gBP,ElB+0gBiB,CkB/0gBjB,C;;QIBi1gBd,OAAO,Q; O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB51gBA,iB;MIB41gBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,CAg4Rf,C ;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S AAS,UAAK,CAAL,CAAT,C;UACR,WkBn2gBG,MAAO,KIBm2gBO,QkBn2gBP,ElBm2gBiB,CkBn2gBjB,C;;QI Bq2gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBh3gBA,iB;MIBg3gBA,sC;QAaiB,Q;QAFb,IA54RO, qBAAQ,CA44Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV, iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv3gBG,MAAO,KIBu3gBO,QkBv3gBP,ElBu3gBiB,C kBv3gBjB,C;;QIBy3gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBp4gBA,iB;MIBo4gBA,sC;QAaiB,Q ;QAFb,IAx5RO,qBAAQ,CAw5Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QA Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34gBG,MAAO,KIB24gBO,QkB34 gBP,ElB24gBiB,CkB34gBjB,C;;QIB64gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBx5gBA,iB;MIBw 5gBA,sC;QAaiB,Q;QAFb,IAp6RO,qBAAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAA T,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/5gBG,MAAO, KIB+5gBO,QkB/5gBP,ElB+5gBiB,CkB/5gBjB,C;;QIBi6gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB 56gBA,iB;MIB46gBA,sC;QAaiB,Q;QAFb,IAh7RO,qBAAQ,CAg7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UA AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,Wk Bn7gBG,MAAO,KIBm7gBO,QkBn7gBP,ElBm7gBiB,CkBn7gBjB,C;;QIBq7gBd,OAAO,Q;O;KAjBX,C;+FAoBA, yB;MAAA,oC;MAAA,8D;MkBh8gBA,iB;MIBg8gBA,sC;QAaiB,Q;QAFb,IA57RO,qBAAQ,CA47Rf,C;UAAe,OA AO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA

AK,CAAL,EAAT,C;UACR,WkBv8gBG,MAAO,KlBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QlBy8gBd,O
AAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;UAAe,O
AAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UA
AK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+F
AoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,eAAe,SA
AS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;M
AAA,sC;QAWiB,Q;QAFb,IAtiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,
C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,
IAljSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,
CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;
QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9jSO,qBAAQ,CA8jSf,C;
UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S
AAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAj
BX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,e
AAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA
T,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAA
A,8D;MAAA,sC;QAWiB,Q;QAFb,IAtlSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,
CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q
;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QA
Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,
WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9
mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,
CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;
QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApsSO,qBAAQ,
CAosSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U
ACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,
CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAai
B,Q;QAFb,IAItSO,qBAAQ,CAktSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB
,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MA
AA,8D;MAAA,kD;QAaiB,Q;QAFb,IAhuSO,qBAAQ,CAguSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,U
AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,
C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA9uSO,qBAAQ,CA8uSf,C;UAAe,MAAM,6B;
QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA
AL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;Q
AGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA5vSO,qBAAQ,C
A4vSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,C
AAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB
,Q;QAFb,IA1wSO,qBAAQ,CA0wSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B
;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAak
B,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;M
AAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAA
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,

UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApzSO,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAG6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx7SO,qBAAQ,CAw7Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp8SO,qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA59SO,qBAAQ,CA49Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,oC;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx+SO,qBAAQ,CAw+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IA1jTO,qBAAQ,CA0jTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB1/hBG,MAAO,KIB0/hBE,GkB1/hBF,EIB0/hBO,CkB1/hBP,C;;MIB4/hBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1kTO,qBAAQ,CA0kTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBrhiBG,MAAO,KIBqhiBE,GkBrhiBF,EIBqhiBO,CkBrihBP,C;;MIBuhiBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAx1TO,qBAAQ,CAw1Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9lTO,qBAAQ,CA8lTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IApmTO,qBAAQ,CAomTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;QAAe,OAAO,I

;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,qBAAQ,CagnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3miBG,MAAO,KIB2miBE,GkB3miBF,EIB2miBO,CkB3miBP,C;;MIB6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CagoTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniBG,MAAO,KIBgniBE,GkBhniBF,EIBgniBO,CkBhniBP,C;;MIBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9nTO,qBAAQ,CAN8nTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IALwTO,qBAAQ,CAkwTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9wTO,qBAAQ,CA8wTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IApxTO,qBAAQ,CAoxTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhyTO,qBAAQ,CAgyTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtyTO,qBAAQ,CAsyTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5yTO,qBAAQ,CA4yTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IALzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,yB;MAMI,OAJ4TO,qBAAQ,C;K;IAO4TnB,2B;MAMI,OAI4TO,qBAAQ,C;K;IAQ4TnB,2B;MAMI,OAN4TO,qBAAQ,C;K;IAS4TnB,2B;MAMI,OAP4TO,qBAAQ,C;K;IAU4TnB,2B;MAMI,OAR4TO,qBAAQ,C;K;IAW4TnB,2B;MAMI,OAT4TO,qBAAQ,C;K;IAY4TnB,2B;MAMI,OAV4TO,qBAAQ,C;K;IAO4TnB,2B;MAMI,OAX4TO,qBAAQ,C;K;IA24TnB,2B;MAMI,OAZ4TO,qBAAQ,C;K;gFA44TnB,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAASB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QA AGB,cAAA,SAAhB,M;QAASB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAASB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAASB,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,K;;MAC

rD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAAsB,IAAI,UA
AAU,OAAV,CAAJ,C;UAAwB,OAAO,K;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB
,gB;QAAgB,cAAA,SAAhB,M;QAAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;MACrD,OAAO,I;K;iFA
GX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAAsB,IAAI,UAAU,OAAV,CAAJ
,C;UAAwB,OAAO,K;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wB
AAGB,SAAhB,gB;UAGB,cAAhB,UAGB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K
;;QACrD,OAAO,I;O;KAPX,C;kFAUA,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAAsB,OAAO,OAAP,C;;
MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAAsB,OAAO,OAAP,C;;MAArC,gB;K;oF
AGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC
,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;Q
AAGB,cAAhB,e;QAAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;
QAAAsB,OAAO,OAAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAAsB,OAAO,O
AAP,C;;MAArC,gB;K;oFAGJ,6B;MAMmC,Q;MAAhB,iD;QAAgB,cAAhB,e;QAAAsB,OAAO,OAAP,C;;MAArC,
gB;K;oFAGJ,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAMmC,Q;QAAhB,iD;UAGB,cAAhB,0B;UAAAsB,OAAO,o
BAAP,C;;QArC,gB;O;KANJ,C;gGASA,6B;MARjJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,
QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA8jJnB,gB;K;kGAGJ,6B;MAvjJiB,gB;MADb,YAAY,C;MAC
Z,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAGkJnB,gB;K;kGAGJ,6B;MAz
jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;M
AKkJnB,gB;K;kGAGJ,6B;MA3jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAA
O,sBAAP,WAAgB,IAAhB,C;;MAOKJnB,gB;K;kGAGJ,6B;MA7jJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAA
b,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAskJnB,gB;K;kGAGJ,6B;MA/jJiB,gB;MADb,Y
AAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAwkJnB,gB;K;k
GAGJ,6B;MAjkJiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAA
gB,IAAhB,C;;MAOKJnB,gB;K;kGAGJ,6B;MANKjIB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QA
AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA4kJnB,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MA5kJA,oC;M
AAA,gC;MA4kJA,2BASiB,yB;QArlJjB,oC;QAAA,gC;eAqJjIB,0B;UAAA,4B;YAAE,aAAe,c;YA9kJjB,gB;YADb
,YAAY,C;YACZ,iD;cAAa,WAAb,0B;cAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;YA8kJmB,W;
W;S;OAAzB,C;MATjB,oC;QArkJiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,QAAO,cAAP,EA
AO,sBAAP,WAAgB,iBAAhB,C;;QA8kJnB,gB;O;KATJ,C;kFAYA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBq
B,Q;QAHjB,IAhvUO,qBAAQ,CAgvUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C
;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OA
AO,W;O;KANBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9vUO,qBAAQ,CA8v
Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;
UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KANBX,C;oFAsBA,yB;MA
AA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5wUO,qBAAQ,CA4wUf,C;UACI,MAAM,mCAA8B,+BAA
9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAu
B,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KANBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAg
BqB,Q;QAHjB,IA1xUO,qBAAQ,CA0xUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAA
L,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,
OAAO,W;O;KANBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxyUO,qBAAQ,CA
wyUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd
,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KANBX,C;oFAsBA,yB;
MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtzUO,qBAAQ,CAszUf,C;UACI,MAAM,mCAA8B,+BA
A9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAA
uB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KANBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QA
gBqB,Q;QAHjB,IAp0UO,qBAAQ,CAo0Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAA
L,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,
OAAO,W;O;KANBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1UO,qBAAQ,CAk

1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,CAg2Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAaK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAf7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9UO,qBAAQ,Cak9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CAg+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CA8+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5/UO,qBAAQ,CA4/Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxhVO,qBAAQ,CAwhVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAaV,EAAiB,wBAAjB,EAA8B,sBAaK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5nVO,qBAAQ,CA4nVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qBAAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAIsVO,qBAAQ,CAksVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhtVO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8G

AsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tVf,C;UACI,OAAO,I;QACX,kBAaK B,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAA AK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,u C;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B; QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAaV,EAAiB,wBAAjB,EAA8B,sBAaK,KAAL,EAA9B,E;;QAE IB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA0VO,qBAAQ,CAm0Vf,C; UACI,OAAO,I;QACX,kBAaQb,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAA V,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbq B,Q;QAHjB,IA11VO,qBAAQ,CAk1Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iB AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;g GAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2Vf,C;UACI,OAAO,I;QACX,kBAA kB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CA AvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAh3VO,qBAA Q,CAg3Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc ,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MA AA,uC;QAIbqB,Q;QAHjB,IA/3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W; O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA94VO,qBAAQ,CA84Vf,C;UACI,OAAO, I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,U AAk,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB, IA75VO,qBAAQ,CA65Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd, yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB; MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IA56VO,qBAAQ,CA46Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK, CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;Q AEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,IA3 7VO,qBAAQ,CA27Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB; UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAaK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;M AAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAE0,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAaQb,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI, cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsBA,yB ;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAaKB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;U ACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAsB A,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAA e,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C ;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8FAs BA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UA Ae,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB ,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX,C;8F AsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C; UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CA AhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAnBX, C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAA Z,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAn BX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAE0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAA Z,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;K

ApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe, OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K AAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;M AAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAak B,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe 0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oB AAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA 7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAe0 B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBA AJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA 7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wGAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC, YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB ,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OA AO,W;O;KApBX,C;OGAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QA AQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;U ACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;OGAuB A,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO, I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cA AJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;OGAuBA,yB;MAAA,8D;MAAA,uC ;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,Y AAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EA AwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;OGAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJh C,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QAC IB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,O AAO,W;O;KApBX,C;OGAuBA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,Q AAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C; UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;OGAu BA,yB;MAAA,8D;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAA O,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,c AAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;OGAuBA,yB;MAAA,8D;MAAA, uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI ,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,E AAwB,WAAxB,C;;QAEIB,OAAO,W;O;KApBX,C;OGAuBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;Q AgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YA AJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EA AwB,wBAAXB,E;;QAEIB,OAAO,W;O;KApBX,C;4FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBoB,Q;Q AHhB,IAp0XO,qBAAQ,CAo0Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb, C;QAA+B,8B;QAA5C,aiBj9mBO,W;QjBk9mBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAh B,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApB X,C;8FAuBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp1XO,qBAAQ,CAo1Xf,C;UAAe,OA AO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz+mBO,W;QjB0+m BP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OA AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAA A,gD;QAIBoB,Q;QAHhB,IAp2XO,qBAAQ,CAo2Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mB AAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjgnBO,W;QjBkgnBP,kBAakB,O;QACIB,wBAAgB,SAAhB,gB;UA AgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,O AAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp3XO,qBAAQ,CAo

3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzh
nBO,W;QjB0hnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WA
AV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;
MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp4XO,qBAAQ,CAo4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,k
BAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjnnBO,W;QjBknnBP,kBAAkB,O;QACIB,wBAAG
B,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,W
AAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp5
XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8
B;QAA5C,aiBzknBO,W;QjB0knBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,c
AAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA
,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAp6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,O
AAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmnBO,W;QjBkmnBP,kBAAkB,
O;QACIB,wBAAGB,SAAhB,gB;UAGB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UAC
d,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAIBo
B,Q;QAHhB,IAp7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,
IAAb,C;QAA+B,8B;QAA5C,aiBznnBO,W;QjB0nnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAGB,cAAA,
SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;K
ArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,gD;QAIBoB,Q;QAHhB,IAp8XO,qB
AAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QA
A5C,aiBjpnBO,W;QjBkpnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAGB,cAAhB,UAGB,SAAhB,O;UAC
I,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;OGA
wBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAcI,IA5hYO,qBAAQ,CA4hYf,C;UAAe,OAAO,OAAO,OAAP,C;Q
ACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqnBO,W;QjB0qnBP,kBAAkB,O;QACIB,
wD;UACI,cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,
C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA7iYO,qBAAQ,CA6iYf
,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlnBO,
W;QjBmsnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9
B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,g
D;QAEI,IA9jYO,qBAAQ,CA8jYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,
C;QAA+B,8B;QAA5C,aiB3tnBO,W;QjB4tnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAY,EAAiB,WA
AjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,y
B;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IA/kYO,qBAAQ,CA+kYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kB
AAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBpvnBO,W;QjBqvnBP,kBAAkB,O;QACIB,wD;UA
CI,cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAE
X,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAhmYO,qBAAQ,CAGmYf,C;U
AAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7wnBO,W;
QjB8wnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,
C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD
;QAEI,IAjnYO,qBAAQ,CAinYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C
;QAA+B,8B;QAA5C,aiBtynBO,W;QjBuynBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAY,EAAiB,WAAj
B,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;
MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IAloYO,qBAAQ,CAkoYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBA
AvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB/znBO,W;QjBg0nBP,kBAAkB,O;QACIB,wD;UACI,
cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,
OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAEI,IANpYO,qBAAQ,CAnpYf,C;UAAe
,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBx1nBO,W;QjBy
1nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAY,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UA
Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA

A,gD;QAEI,IapqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I
AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB
,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gGAY
BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACtB,sBAAqB,
UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAL,aAAJ,C;QAAxC,aiB14nBO,W;QjB2
4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,M
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAz
wYO,qBAAQ,CaywYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,
gBAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3C,aiB/5nBO,W;QjBg6nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlB
X,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACtB
,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,aiBp7n
BO,W;QjBq7nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;
QAWI,IAAnyYO,qBAAQ,CamyYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACkC,kBAAr
B,eAAe,gBAAf,C;QAA6B,sBAAL,aAAJ,C;QAA1C,aiBz8nBO,W;QjB08nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;U
ACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAhzYO,qBAAQ,CAGzYf,C;UAAe,OAAO,W;
QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3
C,aiB99nBO,W;QjB+9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAA
L,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;M
AAA,uC;QAWI,IA7zYO,qBAAQ,CA6zYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC
,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,aiBn/nBO,W;QjBo/nBP,iBAAc,CAAd,UAAsB,gB
AAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,O
AAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe,
OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAL,aAAJ,
C;QAA7C,aiBxgoBO,W;QjBygoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAA
K,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAA
A,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CAu1Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAL,aAAJ,C;QAA9C,aiB7hoBO,W;QjB8hoBP,iBAAc,CAAd,U
AAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;
QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAWI,IAp
2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,g
BAAhB,C;QAA8B,sBAAL,0BAAJ,C;QAA3C,aiBljoBO,W;QjBmjoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g
BAAc,oBAAU,0BAAV,EAAuB,sBAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;
KAlBX,C;8GAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA57YO,qBAAQ,CA47Yf,C;UAAe,OAAO,W;Q
ACtB,sBAAqB,UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAL,aAAJ,C;QAAxC,aiB
1koBO,W;QjB2koBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UA
AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gHAWBA,yB;MAAA,qD;M
AAA,gE;MAAA,uC;QAYI,IA18YO,qBAAQ,CA08Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAA
IB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3C,aiBhmoBO,W;QjBimoBP,iBAAc,CA
Ad,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,M
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAx9
YO,qBAAQ,CAw9Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gB
AAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,aiBtnoBO,W;QjBunoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBA
Ac,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA
O,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA+YO,qBAAQ,CAs+Yf,C;UAAe,OA
AO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAL,aAAJ,C;QA

A1C,aiB5ooBO,W;QjB6ooBP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EA
A8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAA
A,qD;MAAA,gE;MAAA,uC;QAYI,IAP/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,
CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAA
c,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UAC
d,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,I
AlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,
gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gB
AAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OA
AO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,O
AAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,C
;QAA7C,aiB9soBO,W;QjB+soBP,iBAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB
,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;M
AAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9hZO,qBAAQ,CA8hZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,C
AAL,CAAIB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpuoBO,W;QjBquBP,i
BAAc,CAAd,UAAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;
UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;M
AAA,gC;MAAA,uC;QAYI,IA5iZO,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,
C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiB1voBO,W;QjB2voBP,iBAAc,CA
Ad,UAAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAJB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,
MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;8EAsBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAc
W,sB;;UA7zBS,Q;UAHhB,IAP0XO,qBAAQ,CAo0Xf,C;YAAe,qBAAO,OA00BH,OA00BG,C;YAAP,uB;WACqB
,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+zBzB,OA/zByB,C;UAA5C,aiBj9mBO,W;UjBk9mBP,kB
A8zBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cA4zBwB,SA5zBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,
MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyzBP,yB;O;KADJ,C;gFAiBA,yB;MAzzBA,gD;MAAA,gE;MAyz
BA,gD;QAEW,sB;;UA7zBS,Q;UAHhB,IAP1XO,qBAAQ,CAo1Xf,C;YAAe,qBAAO,OA0zBH,OA1zBG,C;YAAP,
uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAzzByB,C;UAA5C,aiBz+mBO,W;Uj
B0+mBP,kBAwzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAszBwB,SAtzBV,CAAU,WAAV,EAAuB,OAA
vB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmzBP,yB;O;KafJ,C;gFAkBA,yB;MANzBA,gD;MA
AA,gE;MAmzBA,gD;QAEW,sB;;UA7zBS,Q;UAHhB,IAP2XO,qBAAQ,CAo2Xf,C;YAAe,qBAAO,OAozBH,OA
zBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OAyzByB,C;UAA5C,ai
BjgnBO,W;UjBkgnBP,kBAkzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAgzBwB,SAhzBV,CAAU,WAAV,
EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6yBP,yB;O;KafJ,C;gFAkBA,yB;MA
7yBA,gD;MAAA,gE;MA6yBA,gD;QAEW,sB;;UA3yBS,Q;UAHhB,IAP3XO,qBAAQ,CAo3Xf,C;YAAe,qBAAO,
OA8yBH,OA9yBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6yBzB,OA7yBy
B,C;UAA5C,aiBzhnBO,W;UjB0hnBP,kBA4yBmB,O;UA3yBnB,iD;YAAgB,cAAhB,e;YACI,cA0yBwB,SA1yBV,
CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuyBP,yB;O;KafJ,C;g
FAkBA,yB;MAvyBA,gD;MAAA,gE;MAuyBA,gD;QAEW,sB;;UAryBS,Q;UAHhB,IAP4XO,qBAAQ,CAo4Xf,C;Y
AAe,qBAAO,OAwyBH,OAxyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuy
BzB,OAvyByB,C;UAA5C,aiBjnnBO,W;UjBknnBP,kBAzyBmB,O;UAryBnB,iD;YAAgB,cAAhB,e;YACI,cAoyBw
B,SApyBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;
O;KafJ,C;gFAkBA,yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAEW,sB;;UA/xBS,Q;UAHhB,IAP5XO,qBAAQ,C
Ao5Xf,C;YAAe,qBAAO,OAkyBH,OAlyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA
+B,sBAiyBzB,OAjyByB,C;UAA5C,aiBzknBO,W;UjB0knBP,kBAgyBmB,O;UA/xBnB,iD;YAAgB,cAAhB,e;YAC
I,cA8xBwB,SA9xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA
2xBP,yB;O;KafJ,C;gFAkBA,yB;MA3xBA,gD;MAAA,gE;MA2xBA,gD;QAEW,sB;;UAzxBS,Q;UAHhB,IAP6XO,
qBAAQ,CAo6Xf,C;YAAe,qBAAO,OA4xBH,OA5xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IA
Ab,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,c

AAhB,e;YACl,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP,yB;O;KAFJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UANxBS,Q;UAHhB,IAp7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OAsxBH,OAtxBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqxBzB,OArxByB,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UANxBnB,iD;YAAgB,cAAhB,e;YACl,cAkxBwB,SAIxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KAFJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MA+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OAgxBH,OAhxBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wByB,C;UAA5C,aiBjpnBO,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACl,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAywBP,yB;O;KAFJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UA1wBP,IA5hYO,qBAAQ,CA4hYf,C;YAAe,4BAAO,OA0wBI,OA1wBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBIB,OAzwBkB,C;UAA5C,aiBzqnBO,W;UjB0qnBP,kBAwwB0B,O;UAvwB1B,wD;YACl,cAswB+B,SAtwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAmwBP,gC;O;KAFJ,C;8FAkBA,yB;MANwBA,gD;MAAA,gE;MAMwBA,gD;QAgBW,6B;;UApwBP,IA7iYO,qBAAQ,CA6iYf,C;YAAe,4BAAO,OAowBI,OPwBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmwBIB,OAAnwBkB,C;UAA5C,aiBlsnBO,W;UjBmsnBP,kBAkwB0B,O;UAjwB1B,wD;YACl,cAgwB+B,SAhwBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA6vBP,gC;O;KAhBJ,C;8FAMBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAgBW,6B;;UA9vBP,IA9jYO,qBAAQ,CA8jYf,C;YAAe,4BAAO,OA8vBI,OA9vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6vBIB,OA7vBkB,C;UAA5C,aiB3tnBO,W;UjB4tnBP,kBA4vB0B,O;UA3vB1B,wD;YACl,cA0vB+B,SA1vBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAuvBP,gC;O;KAhBJ,C;8FAMBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAgBW,6B;;UAxvBP,IAkYO,qBAAQ,CA+kYf,C;YAAe,4BAAO,OAwwBI,OAxxvBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuvBIB,OAvvBkB,C;UAA5C,aiBpvnBO,W;UjBqvnBP,kBASvB0B,O;UArvB1B,wD;YACl,cAovB+B,SAPvBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;QAivBP,gC;O;KAhBJ,C;8FAMBA,yB;MAjvBA,gD;MAAA,gE;MAivBA,gD;QAgBW,6B;;UAlvBP,IAhmYO,qBAAQ,CAGmYf,C;YAAe,4BAAO,OAkvBI,OA1vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAivBIB,OAjvBkB,C;UAA5C,aiB7wnBO,W;UjB8wnBP,kBAgvB0B,O;UAuB1B,wD;YACl,cA8uB+B,SA9uBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA2uBP,gC;O;KAhBJ,C;8FAMBA,yB;MA3uBA,gD;MAAA,gE;MA2uBA,gD;QAgBW,6B;;UA5uBP,IAjnYO,qBAAQ,CAinYf,C;YAAe,4BAAO,OA4uBI,OA5uBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2uBIB,OA3uBkB,C;UAA5C,aiBtynBO,W;UjBuynBP,kBA0uB0B,O;UAzuB1B,wD;YACl,cAwuB+B,SAXuBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAquBP,gC;O;KAhBJ,C;8FAMBA,yB;MARuBA,gD;MAAA,gE;MAquBA,gD;QAgBW,6B;;UAtuBP,IAloYO,qBAAQ,CAkoYf,C;YAAe,4BAAO,OAsubI,OA1uBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAquBIB,OAruBkB,C;UAA5C,aiB/znBO,W;UjBg0nBP,kBAouB0B,O;UANuB1B,wD;YACl,cAkuB+B,SAluBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA+tBP,gC;O;KAhBJ,C;8FAMBA,yB;MA/tBA,gD;MAAA,gE;MA+tBA,gD;QAgBW,6B;;UAhuBP,IANpYO,qBAAQ,CAMPYf,C;YAAe,4BAAO,OAguBI,OAhuBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+tBIB,OA/tBkB,C;UAA5C,aiBx1nBO,W;UjBy1nBP,kBA8tB0B,O;UA7tB1B,wD;YACl,cA4tB+B,SA5tBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAytBP,gC;O;KAhBJ,C;8FAMBA,yB;MAztBA,gD;MAAA,gE;MAAA,oC;MAytBA,gD;QAgBW,6B;;UA1tBP,IApqYO,qBAAQ,CAoqYf,C;YAAe,4BAAO,OA0tBI,OA1tBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAytBIB,OAztBkB,C;UAA5C,aiBj3nBO,W;UjBk3nBP,kBAwtB0B,O;UAvtB1B,wD;YACl,cAstB+B,SAttBjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAMtBP,gC;O;KAhBJ,C;gFAMBA,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,c

YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QA
DhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CA
AP,I;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wB
AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;m
FAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MA
TpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAA
T,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QAC
A,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAb
X,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cA
AA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,g
B;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,
OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;
QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;
KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAg
B,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SAS
oB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,
SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;
QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;
KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAg
B,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SAS
oB,gB;MATpB,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAhB,U
AAgB,SAAhB,O;UACI,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MGI7pBA,6B;
MHk7pBA,sC;QAWoB,Q;QADhB,UGl7pBmC,cHk7pBnB,CGl7pBmB,C;QHm7pBnB,wBAAgB,SAAhB,gB;UA
AgB,cAAA,SAAhB,M;UACI,MGtvqBiD,cHsvqBjD,GGtvqB2D,KAAK,GHsvqBzD,SAAS,OAAT,CGtvqBoE,KA
AX,IAAf,C;;QHwvqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGn8pBA,6B;MHm8pBA,sC;QAWoB,Q;QADhB,U
Gn8pBmC,cHm8pBnB,CGn8pBmB,C;QH08pBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGvw
qBiD,cHuwqBjD,GGvwqB2D,KAAK,GHuwqBzD,SAAS,OAAT,CGvwqBoE,KAAAX,IAAf,C;;QHwyqBrD,OAAO
,G;O;KAdX,C;mFAiBA,yB;MGp9pBA,6B;MH09pBA,sC;QAWoB,Q;QADhB,UGp9pBmC,cH09pBnB,CGp9pBm
B,C;QHq9pBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGxxqBiD,cHwxqBjD,GGxxqB2D,KA
AK,GHwxqBzD,SAAS,OAAT,CGxxqBoE,KAAAX,IAAf,C;;QH0xqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGr+p
BA,6B;MHq+pBA,sC;QAWoB,Q;QADhB,UGr+pBmC,cHq+pBnB,CGr+pBmB,C;QHs+pBnB,wBAAgB,SAAhB,
gB;UAAgB,cAAA,SAAhB,M;UACI,MGzyqBiD,cHyyqBjD,GGzyqB2D,KAAK,GHyyqBzD,SAAS,OAAT,CGzyq
BoE,KAAAX,IAAf,C;;QH2yqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGt/pBA,6B;MHs/pBA,sC;QAWoB,Q;QAD
hB,UGt/pBmC,cHs/pBnB,CGt/pBmB,C;QH0/pBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG1z
qBiD,cH0zqBjD,GG1zqB2D,KAAK,GH0zqBzD,SAAS,OAAT,CG1zqBoE,KAAAX,IAAf,C;;QH4zqBrD,OAAO,G;
O;KAdX,C;mFAiBA,yB;MGvgqBA,6B;MHugqBA,sC;QAWoB,Q;QADhB,UGvgqBmC,cHugqBnB,CGvgqBmB,
C;QHwgqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG30qBiD,cH20qBjD,GG30qB2D,KAAK
,GH20qBzD,SAAS,OAAT,CG30qBoE,KAAAX,IAAf,C;;QH60qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGxhqBA
,6B;MHwhqBA,sC;QAWoB,Q;QADhB,UGxhqBmC,cHwhqBnB,CGxhqBmB,C;QHyhqBnB,wBAAgB,SAAhB,gB
;UAAgB,cAAA,SAAhB,M;UACI,MG51qBiD,cH41qBjD,GG51qB2D,KAAK,GH41qBzD,SAAS,OAAT,CG51qBo
E,KAAAX,IAAf,C;;QH81qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGziqBA,6B;MHYiqBA,sC;QAWoB,Q;QADh
B,UGziqBmC,cHYiqBnB,CGziqBmB,C;QH0iqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG72
qBiD,cH62qBjD,GG72qB2D,KAAK,GH62qBzD,SAAS,OAAT,CG72qBoE,KAAAX,IAAf,C;;QH+2qBrD,OAAO,G
;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MG1jqBA,6B;MH0jqBA,sC;QAWoB,Q;QADhB,UG1jqBmC,cH
0jqBnB,CG1jqBmB,C;QH2jqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,MG93qBiD,c
H83qBjD,GG93qB2D,KAAK,GH83qBzD,SAAS,oBAAT,CG93qBoE,KAAAX,IAAf,C;;QHg4qBrD,OAAO,G;O;K
AdX,C;mFAiBA,yB;MmBxkqBA,+B;MnBwkqBA,sC;QAWoB,Q;QADhB,UmBvkqBqC,eAAW,oBnBukqB/B,Cm
BvkqB+B,CAAX,C;QnBwkqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB54qBmD,enB44qB
nD,GmB54qB8D,KAAK,KnB44qB5D,SAAS,OAAT,CmB54qBuE,KAAAX,CAAhB,C;;QnB84qBvD,OAAO,G;O;K
AdX,C;mFAiBA,yB;MmBzlqBA,+B;MnBylqBA,sC;QAWoB,Q;QADhB,UmBxlqBqC,eAAW,oBnBwlqB/B,CmB
xlqB+B,CAAX,C;QnBylqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB75qBmD,enB65qBnD
,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAAX,CAAhB,C;;QnB+5qBvD,OAAO,G;O;KAd

X,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBnBmqB/B,Cm
BzmqB+B,CAAX,C;QnB0mqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB96qBmD,enB86q
BnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAK,CAAhB,C;;QnBg7qBvD,OAAO,G;O;
KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBnB0nqB/B,C
mB1nqB+B,CAAX,C;QnB2nqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB/7qBmD,enB+7q
BnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAK,CAAhB,C;;QnBi8qBvD,OAAO,G;O;K
AdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB2oqB/B,Cm
B3oqB+B,CAAX,C;QnB4oqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBh9qBmD,enBg9qB
nD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAK,CAAhB,C;;QnBk9qBvD,OAAO,G;O;K
AdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB4pqB/B,Cm
B5pqB+B,CAAX,C;QnB6pqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBj+qBmD,enBi+qBn
D,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAK,CAAhB,C;;QnBm+qBvD,OAAO,G;O;K
AdX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB6qqB/B,CmB
7qqB+B,CAAX,C;QnB8qqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBl/qBmD,enBk/qBnD,
GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAK,CAAhB,C;;QnBo/qBvD,OAAO,G;O;KAdX,C
;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB8rqB/B,CmB9rqB+B,
CAAX,C;QnB+rqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmgrBnD,GmBng
rB8D,KAAK,KnBmgrB5D,SAAS,OAAT,CmBngrBuE,KAAK,CAAhB,C;;QnBqgrBvD,OAAO,G;O;KAdX,C;mF
AiBA,yB;MAAA,oC;MAAA,gC;MmBhtqBA,+B;MnBgtqBA,sC;QAWoB,Q;QADhB,UmB/sqBqC,eAAW,oBnB+
sqB/B,CmB/sqB+B,CAAX,C;QnBgtqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,O;UACI,MmB
phrBmD,enBohrBnD,GmBphrB8D,KAAK,KnBohrB5D,SAAS,oBAAT,CmBphrBuE,KAAK,CAAhB,C;;QnBshrB
vD,OAAO,G;O;KAdX,C;IAiBA,mC;MAIoB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAxB,MAAZB,C;;MAId,OAAO,0D;K;wFAGX,yB;MA
AA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAA
gB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,
OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA
,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI
,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cA
AK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YA
AY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAA
J,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,
C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;
QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,
OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,y
B;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB
;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,W
AAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;M
AAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;
UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAA
O,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFh
B,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV
,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,M
AAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,
gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,W
AAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAo
BA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;
QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KA
AM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,

C;IAoBA,+B;MAkGI,WkB3orBO,MAAO,KIB2orBG,gBkB3orBH,ElBgrBH,KA2FkB,OkB3orBf,C;MIB4orBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAgGO,I;K;IA7FX,iC;MAwGI,WkB3prBO,MAAO,KIB2prBG,gBkB3prBH,ElB0jrBH,KAiGkB,OkB3prBf,C;MIB4prBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KAoGqB,CAAM,CAAN,CAPGF,CAoGrB,C;;MApGT,OAsGO,I;K;IANGX,iC;MA8GI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,ElBokrBH,KAuGkB,OkB3qrBf,C;MIB4qrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1GqB,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;K;IAzGX,iC;MAoHI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB8krBH,KA6GkB,OkB3rrBf,C;MIB4rrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,CAAL,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAgHrB,C;;MAhHT,OAKHO,I;K;IA/GX,iC;MA0HI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,ElBwlrBH,KAmHkB,OkB3srBf,C;MIB4srBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHrB,C;;MAHT,OAWhO,I;K;IARHX,iC;MAGII,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,ElBkmrBH,KAyHkB,OkB3trBf,C;MIB4trBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;MA5II,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,ElB4mrBH,KA+HkB,OkB3urBf,C;MIB4urBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAIqB,GAKIP,UAAK,CAAL,CAIIO,EAAnB,KakIqB,CAAM,CAAN,CAIIF,CAkIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElBsnrBH,KaQIkB,OkB3vrBf,C;MIB4vrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAXIO,EAAnB,KAwIqB,CAAM,CAAN,CAXIF,CAwIrB,C;;MAXIT,OAoIO,I;K;IAvIX,iC;MAkJI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wrBH,ElBgorBH,KA2IkB,OkB3wrBf,C;MIB4wrBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgIO,I;K;8EA7IX,yB;MAAA,gE;MkBzorBA,iB;MIByorBA,8C;QAQI,WkB3orBO,MAAO,KIB2orBG,gBkB3orBH,ElB2orBS,KAAM,OkB3orBf,C;QIB4orBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EAgBA,yB;MAAA,gE;MkBzprBA,iB;MIByprBA,8C;QAQI,WkB3prBO,MAAO,KIB2prBG,gBkB3prBH,ElB2prBS,KAAM,OkB3prBf,C;QIB4prBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzqrBA,iB;MIByqrBA,8C;QAQI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,ElB2qrBS,KAAM,OkB3qrBf,C;QIB4qrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzrrBA,iB;MIByrrBA,8C;QAQI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB2rrBS,KAAM,OkB3rrBf,C;QIB4rrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzsrBA,iB;MIBysrBA,8C;QAQI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,ElB2srBS,KAAM,OkB3srBf,C;QIB4srBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBztrBA,iB;MIBytrBA,8C;QAQI,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,ElB2trBS,KAAM,OkB3trBf,C;QIB4trBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzurBA,iB;MIByurBA,8C;QAQI,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,ElB2urBS,KAAM,OkB3urBf,C;QIB4urBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBzvrBA,iB;MIByvrBA,8C;QAQI,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElB2vrBS,KAAM,OkB3vrBf,C;QIB4vrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MA

AA,oC;MkBzwrBA,iB;MlBywrBA,8C;QAQI,WkB3wrBO,MAAO,KlB2wrBG,gBkB3wrBH,ElB2wrBS,KAAM,O
kB3wrBf,C;QlB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAKB,IAAIB,M;UACl,IAAK,WAAI,UAA
U,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBa,kC;MAq
GoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBkBT3rBJ,MAAO,KlBs3rBsB,wBA5FzB,KA4FyB,EAAwB,EA
AxB,CkBT3rBtB,ElBs3rBmD,SkBT3rBnD,CIBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OA
AgB,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAGGP,UAAK,U
AAL,EAAK,kBAAL,SAhGO,EAGGI,OAHGJ,CAGrB,C;;MAhGT,OAKGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,
gBAAgB,gB;MACHb,WAAW,iBkBX4rBJ,MAAO,KlBw4rBsB,wBApGzB,KAOgyB,EAAwB,EAAxB,CkBX4rBtB
,ElBw4rBmD,SkBX4rBnD,CIBw4rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAGb,cAAhB,C
;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAXGqB,GAWGP,UAAK,UAAAL,EAAK,kB
AAL,SAxGO,EAWGI,OAxGJ,CAwGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGb,gB;
MACHb,WAAW,iBkB15rBJ,MAAO,KlB05rBsB,wBA5GzB,KA4GyB,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,
SkB15rBnD,CIB05rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;
QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAGHP,UAAK,UAAAL,EAAK,kBAAL,SAhHO
,EAGHI,OAHHJ,CAGhrB,C;;MAhHT,OAKHO,I;K;IA/GX,kC;MA6HoB,gB;MAHhB,gBAAGb,gB;MACHb,WAA
W,iBkB56rBJ,MAAO,KlB46rBsB,wBApHzB,KAOHyB,EAAwB,EAAxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,Cl
B46rBH,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KA
AK,SAAT,C;UAAoB,K;QACpB,IAAK,WAXHqB,GAWHP,UAAK,UAAAL,EAAK,kBAAL,SAxHO,EAWHI,OAxH
J,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;MAHhB,gBAAGb,gB;MACHb,WAAW,iBkB97rBJ,
MAAO,KlB87rBsB,wBA5HzB,KA4HyB,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD,CIB87rBH,C;M
ACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C
;UAAoB,K;QACpB,IAAK,WAhIqB,GAGIP,UAAK,UAAAL,EAAK,kBAAL,SAhIO,EAGII,OAHIJ,CAGIrB,C;;MAhI
T,OAKIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAGb,gB;MACHb,WAAW,iBkBh9rBJ,MAAO,KlBg9rBsB,wB
ApIzB,KAOIyB,EAAwB,EAAxB,CkBh9rBtB,ElBg9rBmD,SkBh9rBnD,CIBg9rBH,C;MACX,QAAQ,C;MACQ,O
AtIL,KAsIK,W;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,
WAXIqB,GAWIP,UAAK,UAAAL,EAAK,kBAAL,SAxIO,EAWII,OAxIJ,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,kC;
MAqJoB,gB;MAHhB,gBAAGb,gB;MACHb,WAAW,iBkBl+rBJ,MAAO,KlBk+rBsB,wBA5IzB,KA4IyB,EAAwB,
EAAxB,CkBl+rBtB,ElBk+rBmD,SkBl+rBnD,CIBk+rBH,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,
OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAGJP,UAAK,
UAAAL,EAAK,kBAAL,SAhJO,EAGJI,OAHIJ,CAGIrB,C;;MAhJT,OAKJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBA
AgB,gB;MACHb,WAAW,iBkBp/rBJ,MAAO,KlBo/rBsB,wBApJzB,KAOJyB,EAAwB,EAAxB,CkBp/rBtB,ElBo/r
BmD,SkBp/rBnD,CIBo/rBH,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAGb,cAAhB,C;QAAGb,y
B;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAXJqB,GAWJP,UAAK,UAAAL,EAAK,kBAAL,SAxJ
O,EAWJI,OAxJJ,CAwJrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAGb,gB;MACHb,WAAW,
iBkBtgsBJ,MAAO,KlBsgsBsB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CkBtgsBtB,ElBsgsBmD,SkBtgsBnD,CIBsgsB
H,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,KAAK,SA
AT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAGKP,sBAAK,UAAAL,EAAK,kBAAL,UAhKO,EAGKI,OAHKJ,CAG
KrB,C;;MAhKT,OAKKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;MkBn3rBA,iB;MlBm3rBA,8C;QAWoB,UAEY,
M;QAL5B,gBAAGb,gB;QACHb,WAAW,ekBT3rBJ,MAAO,KlBs3rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBT3r
BtB,ElBs3rBmD,SkBT3rBnD,CIBs3rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;U
ACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAq
B,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAFX,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MkBr4rBA,iB;MlBq4rBA,8C
;QAWoB,UAEY,M;QAL5B,gBAAGb,gB;QACHb,WAAW,ekBX4rBJ,MAAO,KlBw4rBsB,wBAAN,KAAM,EAA
wB,EAAxB,CkBX4rBtB,ElBw4rBmD,SkBX4rBnD,CIBw4rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGb,cA
AhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,
kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAFX,C;+EAKBA,yB;MAAA,kF;MAAA,gE;MkBv5
rBA,iB;MlBu5rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAGb,gB;QACHb,WAAW,ekB15rBJ,MAAO,KlB05rBsB,w
BAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,CIB05rBH,C;QACX,QAAQ,C;QACQ,uB;

QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, UAAK, UAAL, EAAK, kBAAL, SAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; +EAKBA, yB; MAAA, kF; MAAA, gE; MkbZ6rBA, iB; MIBy6rBA, 8C; QAWoB, UAEY, M; QAL5B, gBAAgB, gB; QACHB, WAAW, ekB56rBJ, MAAO, KIB46rBsB, wBAAN, KAAM, EAAwB, EAAxB, CkB56rBtB, EIB46rBmD, SkB56rBnD, CIB46rBH, C; QACX, QAAQ, C; QACQ, uB; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, UAAK, UAAL, EAAK, kBAAL, SAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; +EAKBA, yB; MAAA, kF; MAAA, gE; Mkb37rBA, iB; MIB27rBA, 8C; QAWoB, UAEY, M; QAL5B, gBAAgB, gB; QACHB, WAAW, ekB97rBJ, MAAO, KIB87rBsB, wBAAN, KAAM, EAAwB, EAAxB, CkB97rBtB, EIB87rBmD, SkB97rBnD, CIB87rBH, C; QACX, QAAQ, C; QACQ, uB; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, UAAK, UAAL, EAAK, kBAAL, SAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; +EAKBA, yB; MAAA, kF; MAAA, gE; Mkb78rBA, iB; MIB68rBA, 8C; QAWoB, UAEY, M; QAL5B, gBAAgB, gB; QACHB, WAAW, ekBh9rBJ, MAAO, KIBg9rBsB, wBAAN, KAAM, EAAwB, EAAxB, CkBh9rBtB, EIBg9rBmD, SkBh9rBnD, CIBg9rBH, C; QACX, QAAQ, C; QACQ, uB; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, UAAK, UAAL, EAAK, kBAAL, SAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; +EAKBA, yB; MAAA, kF; MAAA, gE; Mkb/9rBA, iB; MIB+9rBA, 8C; QAWoB, UAEY, M; QAL5B, gBAAgB, gB; QACHB, WAAW, ekBI+rBJ, MAAO, KIBk+rBsB, wBAAN, KAAM, EAAwB, EAAxB, CkBI+rBtB, EIBk+rBmD, SkBI+rBnD, CIBk+rBH, C; QACX, QAAQ, C; QACQ, uB; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, UAAK, UAAL, EAAK, kBAAL, SAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; +EAKBA, yB; MAAA, kF; MAAA, gE; Mkbj/rBA, iB; MIBi/rBA, 8C; QAWoB, UAEY, M; QAL5B, gBAAgB, gB; QACHB, WAAW, ekBp/rBJ, MAAO, KIBo/rBsB, wBAAN, KAAM, EAAwB, EAAxB, CkBp/rBtB, EIBo/rBmD, SkBp/rBnD, CIBo/rBH, C; QACX, QAAQ, C; QACQ, uB; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, UAAK, UAAL, EAAK, kBAAL, SAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; +EAKBA, yB; MAAA, kF; MAAA, gE; MAAA, oC; MkbngsBA, iB; MIBmgsBA, 8C; QAWoB, UAEY, M; QAL5B, gBAAgB, gB; QACHB, WAAW, ekBtgsBJ, MAAO, KIBsgsBsB, wBAAN, KAAM, EAAwB, EAAxB, CkbtgsBtB, EIBsgsBmD, SkbtgsBnD, CIBsgsBH, C; QACX, QAAQ, C; QACQ, uB; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, IAAI, KAAK, SAAT, C; YAAoB, K; UACpB, IAAK, WAAI, UAAU, sBAAK, UAAL, EAAK, kBAAL, UAAV, EAAqB, OAArB, CAAJ, C; QAET, OAAO, I; O; KAFx, C; IAKBA, kC; MAwFI, WkBVmsBO, MAAO, KIBumsBG, gBkBVmsBH, EIBshsBH, KAIFkK, OkBVmsBf, C; MIBwmsBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WApFqB, GAoFP, UAAK, CAAL, CApFO, EAAnB, KAoFqB, CAAM, CAAN, CApFF, CAoFrB, C; MApFT, OAsFO, I; K; IAnFX, kC; MA8FI, WkBVnsBO, MAAO, KIBunsBG, gBkBVnsBH, EIBgisBH, KAUFkK, OkBVnsBf, C; MIBwnsBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WA1FqB, GA0FP, UAAK, CAAL, CA1FO, EAAnB, KA0FqB, CAAM, CAAN, CA1FF, CA0FrB, C; MA1FT, OA4FO, I; K; IAzFX, kC; MAoGI, WkBVosBO, MAAO, KIBuosBG, gBkBVosBH, EIB0isBH, KA6FkK, OkBVosBf, C; MIBwosBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WAhGqB, GAgGP, UAAK, CAAL, CAhGO, EAAnB, KAAGqB, CAAM, CAAN, CAhGF, CAgGrB, C; MAhGT, OAkGO, I; K; IA/FX, kC; MA0GI, WkBVpsBO, MAAO, KIBupsBG, gBkBVpsBH, EIBojsBH, KAmGkK, OkBVpsBf, C; MIBwpsBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WAhGqB, GAsGP, UAAK, CAAL, CAhGO, EAAnB, KAsGqB, CAAM, CAAN, CAhGF, CAgGrB, C; MAhGT, OAkGO, I; K; IA/FX, kC; MA0GI, WkBVpsBO, MAAO, KIBupsBG, gBkBVpsBH, EIBojsBH, KAmGkK, OkBVpsBf, C; MIBwpsBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WA5GqB, GA4GP, UAAK, CAAL, CA5GO, EAAnB, KA4GqB, CAAM, CAAN, CA5GF, CA4GrB, C; MA5GT, OA8GO, I; K; IA3GX, kC; MASHI, WkBVrsBO, MAAO, KIBursBG, gBkBVrsBH, EIBwksBH, KA+GkK, OkBVrsBf, C; MIBwrsBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WA1HqB, GAKHP, UAAK, CAAL, CAIHO, EAAnB, KAKHqB, CAAM, CAAN, CAIHF, CAkHrB, C; MAIHT, OAoHO, I; K; IAjHX, kC; MA4HI, WkBVssBO, MAAO, KIBussBG, gBkBVssBH, EIBklsBH, KAqHkK, OkBVssBf, C; MIBwssBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WAxHqB, GAwHP, UAAK, CAAL, CAxHO, EAAnB, KAwhqB, CAAM, CAAN, CAxHF, CAwHrB, C; MAxHT, OA0HO, I; K; IAvHX, kC; MAKII, WkBVtsBO, MAAO, KIButsBG, gBkBVtsBH, EIB4lsBH, KA2HkK, OkBVtsBf, C; MIBwtsBd, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAaKB, IAAIB, M; QACI, IAAK, WA9HqB, GA8HP, sBAAK, CAAL, EA9HO, EA

C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;Q
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB
;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,
CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MA
AO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gB
AAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;M
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K
;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAGB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;
YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,
MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ0D,yB;QAAA,Y
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,
YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,
wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;
QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,
CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C
;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ2D,yB;
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,
C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,
SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAA
U,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,
KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;M
AQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC
P,YAAy,C;MACZ,wBAAGB,SAAhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAi
B,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MA
AO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA
Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I
AGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA
AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB
,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,F,W;K;IAG5
F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,
QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,S
AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,F,W;K;IAG5F,
4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,
QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,S
AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,F,W;K;IAG5F,
4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,Q
AAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAc,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAA
xB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,F,W;K;IAG5F,4F;
MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA
a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB
,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAeE,SAAtE,CAAI,F,W;K;IAG5F,4F;M
AQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,E

AAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQ
oC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M
AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACiN,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAM
C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQqC,y
B;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI
,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,
MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB;
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAXB,EAAMC,M
AAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;IAQxE,4C;MAAA,mB;Q
AAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACTB,kCAAg
B,4BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,C
AkIef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,
C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;M
AAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MA
CTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO
,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BA
AL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IA
QgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAA
O,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MA
II,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OA
AK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAh
B,C;K;IAUgB,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAP3B,+B;MAMI,IA5peO,qBAAQ,CA4pef,C
;QAAe,OAAO,e;MACTB,kCAAgB,4BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IA
P3B,iC;MAMI,IA9peO,qBAAQ,CA8pef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,m
B;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAhqeO,qBAAQ,CAgqef,C;QAAe,OAAO,e;MACTB,kC
AAGB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAIqeO,qBA
AQ,CAkqef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eA
AK,C;O;K;IAP3B,iC;MAMI,IApqeO,qBAAQ,CAoqef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,
8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAtqeO,qBAAQ,CAsqef,C;QAAe,OAAO,e
;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA
AxqeO,qBAAQ,CAwqef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAA
K,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAIqeO,qBAAQ,CA0qef,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAh
B,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA5qeO,qBAAQ,CA4qef,C;
QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MA
CjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,G
AAGB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACj
B,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAg
B,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,
wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,
wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wB
AAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,w
CAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAA
AGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wC
AAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAA
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCA

AO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA AO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uBAAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,C;K;IAGX,2D;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;OA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M ACX,eAAe,oB;MACf,YAA Y,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y AAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i D;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;K APjE,C;IAUA,6C;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAA Y,YAAL,SAAK,EAAU,KAAV,C;MACHB,IAA I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAA Y,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAA c,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;MAAA,sD;MAAA,mC;QAOI,OAA Y,UAA L,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAOW,sB;;QAU HS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAvHH,SAuHO,CAAU,OA AV,CAAJ,C;YAAw B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAxHP,yB;K;wFAGJ,gC;MA2VoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IARVc,SAqVV,CAAU,OA AV,CAAJ,C;UACI,OAAO,O;;MatVf, OAYVO,I;K;wFAtVX,gC;MAOW,qB;;QAwVP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI, cAAc,QAAS,W;UACvB,IA3Vc,SA2VV,CAAU,OA AV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO, I;;MA7VP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAA Y,SAAL,SAAK,C;;QAE5B,eAAe,oB;QACf,IA AI,CAAC,QAAS,UAA d,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,IA AI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;

MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;Y
AAwB,OAAO,O;;QACrD,MAAM,gCAAUb,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,
Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV
,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,g
CAAUb,mEAAvB,C;SAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,mC;
MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,o
B;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,OAAW,mBA
AJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QA
AgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;MAAA,8D;M
AAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAcS,sBAAL,KAJ,CAAtC,GAAcD,aAAa,KAAb,
C;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAcS,sBAAL,KAJ,CAAtC,GAA
sD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;M
ACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UA
CI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MAAA,w
E;MAAA,uC;QAKiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,
C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;MAK
iB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OA
AO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAGB,E;QChB,Y
AAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CA
AJ,C;YACI,YAAY,K;UACHb,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;M
ACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAGxB,O
AAO,E;K;IAGX,4B;MASQ,kBADE,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CA
AC,QAAS,UAAAd,C;UACI,MAAM,2BAAU,b,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAh
B,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAU,b,gBA
AvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAUoB,U
AQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,O
AAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAUb,wDAA
vB,C;QAEIB,OAAO,2E;O;KAIBX,C;iFAqBA,yB;MAAA,iE;MAAA,uC;QAQI,eAAe,SAAK,sBAAa,cAAb,C;QA
CpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q
AEnC,MAAM,gCAAUb,kDAAvB,C;O;KAbV,C;IAgBA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,S
AAK,mBAAy,OAAZ,C;MAC9B,gBAAGB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA
CT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QChB,qB;;MAEJ,OAAO,S;K;I
AGX,2C;MAKI,OAAO,4BAAy,OAAZ,C;K;IAGX,kC;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,I
AAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAA
O,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAK
nB,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAOoB,Q;
MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,
OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;
QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;qFAGX,yB
;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,mBAAJ,C
;QACI,MAAM,2BAAU,b,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;iGAGX,yB;MA
AA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QA
CI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;IAGX,8B;MAKQ,kBADE,SACF,Q;QAA
W,OAAY,UAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAU,b,sBA
AvB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAYb,uCAAzB,C;QACV,OAAO,M
;;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAU,b,gBAAvB,C;aACX,C;
UAAK,6BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYb,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MAAA,kF;M

AAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAh
B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BA
AyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAUb,wD
AAvB,C;QAEIB,OAAO,6E;O;KAFx,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ,GA
Ae,sBAAK,CAAL,CAAf,GAA4B,I;QAEIC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX
,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;K;IAKnB,oC;MAII,OAAW,mB
AAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,
K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;Y
AAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAA
O,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C;QACI,cM
moBc,sD;QNloBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMmoBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,mB;MA
CnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAlB,C;UACI,OAAO,W;Q
ACX,IAAI,eAAc,CAAlB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI,8BAAJ,
C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;YAE
I,wCAAA,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;;UAEb,OAAO,I;QAIX,OAA
O,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAAgB,IAA
K,WAAI,MAAJ,C;UAAe,qB;;MAExC,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MNnqBI,IAAI,EM2qBI,KAAK,C
N3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OM0qBV,OAAO,kBAAgB,gB
AAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAA
I,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QA
AS,WAAAnB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;SAInB,OAAO,W;O;KAdX,
C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb
,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD
,IAAK,WAAI,IAAJ,C;YA CL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;oFAkBA,yB;MAAA,+D;MAAA,uC;QAM
W,kBAAS,gB;QA2FA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3FU,SA2FN,CAAU,OAA
V,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA3F1D,OA4FO,W;O;KAIGX,C;kGASA,yB;MAAA,+D;MA6jCA,
wE;MA7jCA,uC;QAQW,kBAAgB,gB;QA4jCV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;
UAhjCT,IAZmC,SAY/B,CAGjCkB,oBAAmB,cAAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;Y
AA2C,sBAgjCQ,IAhjCR,C;;QAZ/C,OAcO,W;O;KATBX,C;sGAWA,yB;MAkjCA,wE;MALjCA,oD;QAYjCiB,gB;Q
ADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAhjCT,IAAI,UAgjCkB,oBAAmB,cAAnB,EAAMb,s
BAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAhjCR,C;;QAE/C,OAAO,W;O;KAXX,C;wGA
cA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;
UAAM,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;4GASA,4C;MAMoB,Q;
MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MA
CpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4BH,Q;QAAA,2B;QAAhB,OAAgB
,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA5BS,SA4BR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;Q
A5B3D,OA6BO,W;O;KANCX,C;IASA,oC;MAMI,OAAO,6BAAgB,gBAAhB,C;K;IAGX,mD;MAMoB,Q;MAAA,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OA
AO,W;K;8FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU
,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAA,2B;MA
AhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MA
C1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Od3wBe,W;Oc4wBtC,OAA6D,SAAtD,SAAK,i
BAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;MAH
d,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAA
W,iBAAa,IAAb,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MA
ET,OAAO,I;K;IAGX,8B;MAGBiB,Q;MN51Bb,IAAI,EMo1BI,KAAK,CNp1BT,CAAJ,C;QACI,cMm1Bc,sD;QN11
Bd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMm1BV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,oCA
AJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBA

AP,C;OAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA
K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MAeqC
,IAGhB,I;MNt3BjB,IAAI,EM42BI,KAAK,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,MAAM,gCAAYB,OAA
Q,WAAjC,C;OM22BV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,
C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,C
AAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK
,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAA
J,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,
OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAA
nB,CAAL,C;YACI,QAAS,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAgB,CAApB,C;cAAu
B,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAAa,eAAb,C;YAFR,OH11BD,
W;;QGg2BP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B
;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,
C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAAL,C;QAAqC,OAAO,mB;MAC5C,
WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,uC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QA
CI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,sBAAK,CAAL,EAAU,SAAK,aAAI,CAAJ,EAAO,sBAAK,
CAAL,CAAP,CAAf,C;;K;oFAIR,yB;MAAA,oD;MJn4BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B
;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B
,C;W;S;OA4DI,C;MI43Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJl4Bd,eAAW,iBIk4BsB,QJl4BtB,CAAX,CI
k4Bc,C;U;KANIB,C;wGASA,yB;MAAA,oD;MJz3BA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;U
AAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;
W;S;OA+EI,C;MIk3Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJx3Bd,eAAW,2BIw3BgC,QJx3BhC,CAAX,CI
w3Bc,C;U;KANIB,C;IASA,sC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAA
I,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC5+BsD,sBD4+BtD,uB;QAAmD,mB;QA
A3D,OAAoE,OHI7BjE,WGk7BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OHp7BO,W;K;wFGu7BX,yB;M
AAA,wD;MJ56BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB
,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIq6Bf,sC;QAQI,O
AAO,sBJ76BP,eAAW,iBI66BiB,QJ76BjB,CAAX,CI66BO,C;O;KARX,C;4GAWA,yB;MAAA,wD;MJp6BA,sC;M
AAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,C
A/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MI65Bf,sC;QAMI,OAAO,sBJn6BP,eAAW,2BI
m6B2B,QJn6B3B,CAAX,CI66BO,C;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MASE,
Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAALC,sBCvhC
uD,sBDuhCvD,uB;QAA0C,iC;QAAID,OAAyE,OH79BrE,WG69BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/
B,OH/9BO,W;K;IGk+BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAA
hB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,k
C;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAA
gB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAH
X,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAA
P,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAy,cAAZ,C;
MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,
O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAY,C;MACI,2
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;I
AGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;
MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAA
O,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cA
AX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,Y
AAkB,O;;MACtB,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAA

wD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAY,mBAAoB,QAAPB,C;QA
yEH,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UbpkBnB,
wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;Qa0fA,OA4EO,W;O;KAxFX,C;+FAeA,yB;MAAA,kF;MAAA,0
D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,CAAZ,CAAYC,EAAC,EA
Ad,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,
WAAY,aA5BoC,WA4BhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,y
B;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAXB,C
AAZ,CAAYC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAGB,cAAh
B,C;UAAgB,yB;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,OAAf,CAA1B,
C;;QA9BhB,OA9CO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB
;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;M
AAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf
,CAA1B,C;;MAEhB,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QA
CZ,WAAe,UAAU,OAAV,C;QbpkBnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;MaskBA,OAAO,W;K;kG
AGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAY,mCAA
wB,EAAXB,CAAZ,CAAYC,EAAC,EAAD,CAA7D,C;QAcG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;
UAbO,MAcP,aAAI,OAAJ,EAd,eAcF,CAAc,OAAd,CAAb,C;;QAdhB,OAaUB,M;O;KAb3B,C;sGAgBA,iD;MA
UoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAA
b,C;;MAEhB,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAA
I,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAY,mCAAwB,EAAXB,CAAZ,CAAX,
CAAb,C;K;IAGX,6B;MAKqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YA
AL,K;eACA,C;YAAK,cAAW,8BAAJ,GAakB,sBAAI,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBA
Ca,uBAAL,SAAK,C;YAHV,K;;QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAGB,C;K;IAGhC,oC;MAII
,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHB,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iB
AAU,SAAV,C;K;IAGX,4B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB
;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;
kBACQ,iCAAa,qBAAiB,YAAY,cAAZ,CAAJB,CAAb,C;YAhL,K;;QAAP,W;OAMJ,OAAwC,oBAAjC,0BAAa,s
BAAb,CAAiC,C;K;sFAG5C,yB;MAAA,+D;MAwFA,gD;MAxFA,uC;QAMW,kBAAU,gB;QAsFD,Q;QAAA,2B;
QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAvF6B,SAuFIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,
IAAP,C;;QAxFhB,OA0FO,W;O;KAhGX,C;uFASA,yB;MAAA,+D;MA0FA,gD;MA1FA,uC;QAUW,kBAAU,gB;
QAwFD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WazF6B,SAyFIB,CAAU,OAAV,C;UACC,
OAAZ,WAAY,EAAO,IAAP,C;;QA1FhB,OA4FO,W;O;KAtGX,C;oGAaA,yB;MAAA,+D;MA8BA,wE;MAAA,gD
;MA9BA,uC;QAYW,kBAAiB,gB;QA6BR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,y
B;UACZ,WA9BoC,SA8BzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAA
Z,WAAY,EAAO,IAAP,C;;QA/BhB,OAiCO,W;O;KA7CX,C;oGAeA,yB;MAAA,+D;MAiCA,wE;MAAA,gD;MAj
CA,uC;QAYW,kBAAiB,gB;QAgCR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UA
CZ,WAjCoC,SAiCzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WA
AY,EAAO,IAAP,C;;QAiChB,OAoCO,W;O;KAhDX,C;wGAeA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,
UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,
cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;
O;KafX,C;yGakBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QA
AhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,
OAAvC,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,gD;MAAA,
oD;QAIoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,
WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,2B
;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;
QAEhB,OAAO,W;O;KAZX,C;uFAeA,yB;MAAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;Q
AAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UbnvCP,U;UADP,

YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,G
btnChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;K
AvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OA
AgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbzoCP,U;UADP,Ya2oCe,Wb3oCH,Wa2
oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aayoCuC,gB;YAA5B,WbxoCX,aawoCgC,GbxoChC,EAAS,MAA
T,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAJCT,OAmCO,W;
O;KA7CX,C;0FAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA
CZ,UAAU,YAAY,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;Y
ACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,GbtnChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,
IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KADX,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;Q
AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UbzoCP,U;UADP,Ya2oCe,Wb3oCH,Wa2o
CwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aayoCuC,gB;YAA5B,WbxoCX,aawoCgC,GbxoChC,EAAS,MAA
T,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;4FA
kBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB,
W;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAca,yB;
MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAXB,CAAb,C;QAUeA,Q;QAAA,2B;QA
Ab,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAxEwC,SAwEpC,CAAU,IAAV,CAAJ,C;;QAxEhB,OAYEO,W;O;
KAhFX,C;4FAUA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAaA,eAAa,mCAAwB,EAAXB,
CAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAjC+C,SAiC
3C,CAAU,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAV,EAAC,IAAV,CAAJ,C;;QAJChB,OAKCO,W;O;KAZCX,
C;0GAUA,yB;MAAA,+D;MAoSA,wE;MApSA,uC;QAOW,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;
QAAb,OAAa,cAAb,C;UAAa,sB;UA1RSB,U;UAAA,cAVQ,SAUR,CAORT,oBAAmB,cAAnB,EAAMB,sBAAnB,
UA1RS,EAORoB,IA1RpB,W;YAA6C,6B;;QAVhF,OAOW,W;O;KAIBX,C;8GAUA,yB;MA0RA,wE;MA1RA,oD;
QaiSiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RSB,U;UAAA,wBAORT,oBAAmB,
cAAnB,EAAMB,sBAAnB,UA1RS,EAORoB,IA1RpB,W;YAA6C,6B;;QACHf,OAAO,W;O;KARX,C;+FAWA,yB;
MAAA,wE;MAAA,oD;QAQiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,
WAAy,WAAI,UAAU,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAV,EAAC,IAAV,CAAJ,C;;QACHB,OAAO,W;
O;KAVX,C;4FAaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAaA,gB;QAWPJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB
,C;UAAgB,yB;UahPK,U;UAAA,cARe,SAQf,CAgPQ,OAHPR,W;YAA5C,6B;;QAR3D,OASO,W;O;KAhBX,C;gG
AUA,yB;MAAA,oD;QAqPoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UahPK,U;UAAA,wBAGPQ,
OAHPR,W;YAA5C,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;
QAAa,sB;QACT,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;
O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAGX,+B;MASI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;4
FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,O
AAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJ,CAAR,C;YACI,IAA
K,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;IAoBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EA
AAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAU,KAAV,
C;MACJ,OAAO,G;K;IAGX,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCA
Aa,sBAAb,C;MAFZ,W;K;IAMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAEO,KAAP,C;MACJ,
OAAO,G;K;8EAGX,yB;MAAA,gD;MAAA,uC;QAoOB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I
;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAA
O,K;;QACtD,OAAO,I;O;KARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHC,OAAO
,oBAAW,U;K;+EAGtB,yB;MAAA,gD;MAAA,uC;QAoOB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAA
O,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;
;QACrD,OAAO,K;O;KARX,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAY,
C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,oBAAMB,qBAAnB,EAAMB,KAAAnB,E;;MACtB,O
AAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IA
AI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;

UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAmB,E;;QAC9C,OAAO,K;O;KA
PX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cA
Ac,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QAYoB,UAAiD
,M;QAFjE,YAAy,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,
oBAAmB,cAAmB,EAAmB,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAbX,C
;0FAGBA,yC;MASI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QA
AS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAmB,EAA+B,WAA/B,C;;OAGtB,OAAO,W;K;wGAGX,yC;MAUI,k
BAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,Y
AAy,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAAtC,C;;OAGtB,OAAO,W;K;s
FAGX,6B;MAKoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAp,C;;K;oGAG1B,y
B;MAAA,wE;MAAA,oC;QAOiB,UAAgC,M;QAD7C,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAA
M,OAAO,oBAAmB,cAAmB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;O;KAPvB,C;IAUA,0B;MAII,OAAO,sB
;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,I
AAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,U
AAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,Q
AjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,
QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA
d,C;QAAYB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,O;MACHc,
eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KA
AJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;M
F/yDA,iB;ME+yDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,S
AAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WFzzDG,M
AAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QE2zDd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFj1DA
,iB;MEi1DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,Q
AAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF31DG,MAAO,
KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QE61Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;Q
AWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;Q
ACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAC
I,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFp3DA,iB;MEo3DA,sC;QAWI,eAAe,oB;QACf,IAAI
,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C
;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF53DG,MAAO,KE43DO,QF53DP,EE43DiB,CF53DjB,C;;QE83
Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFp5DA,iB;MEo5DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UA
Ad,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SA
AS,QAAS,OAAIB,C;UACR,WF55DG,MAAO,KE45DO,QF55DP,EE45DiB,CF55DjB,C;;QE85Dd,OAAO,Q;O;K
AIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHc,eAAe,SA
S,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,
CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QAC
f,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,
UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GA
AkC,CAAT,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAA
C,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QA
CI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAT,C
;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,
OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFn+DG,
MAAO,KEm+DE,GFn+DF,EE+DO,CFn+DP,C;;MEq+Dd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,C
AAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAA
Q,QAAS,O;QACjB,MF//DG,MAAO,KE+/DE,GF//DF,EE+/DO,CF//DP,C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,e
AAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,

UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KA AJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K ;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QA AyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI, UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0 B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP ,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAA I,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,Q AAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,UAAU,C;YACV,W AAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CA AC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,O AAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2B AAW,CAAX,KA AJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX ,yB;MAAA,sE;MF14DA,iB;MEk4DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B ;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;U ACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;QE84Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB; MAAA,sE;MFp6DA,iB;MEo6DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;Q AC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UAC R,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QEg7Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MA AA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS, QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,C AAX,KA AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFv8DA,iB;MEu8DA,sC;QAWI,e AAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OA AO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8Di B,CF/8DjB,C;;QEi9Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFv+DA,iB;MEu+DA,sC;QAWI,eAAe,oB;QACf,IA AI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh B,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;QE i/Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I; MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;Q ACR,IAAI,2BAAW,CAAX,KA AJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;Q AWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;Q ACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB ,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,o B;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,Q AAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAA X,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAA S,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O ;QACjB,MFtjEG,MAAO,KEsjEE,GFtjEF,EEsjEO,CFtjEP,C;;MEwjEd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MA Cf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;Q ACI,QAAQ,QAAS,O;QACjB,MFIIEG,MAAO,KEkIEE,GFIIIE,EEkIEO,CFIIIEP,C;;MEoIEd,OAAO,G;K;IAGX,iC ;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAA O,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KA AJ,C;UAAa,MAAM,C;;MAEvB,O AAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UA Ad,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QA CjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G; K;IAGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;MAA A,gD;MAAA,uC;QAOb,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB, cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OA AV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KARX,C;oF AWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;

K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQIB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B;YAAE,aAAe,c;YAtmBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAM B,cAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAApC,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAMb,cAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAApC,C;;QAsnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,SAAK,W;QA CpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,O AAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KAnBX,C;k GAsBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QakBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS, UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QA AS,UAAhB,C;UACI,cAAc,UAAU,oBAAMb,YAAnB,EAAMb,oBAAnB,QAAs,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,yB;MAAA,wE;MAAA,uC;QakBmD,Q;QAL/C,eAAe,SA AK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC 9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAMb,YAAnB,EAAMb,oBAAnB,QAAs,EAAuB,WAAvC, EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,gC;MAcI,eAAe,SAAK,W;MACpB,IAAI,C AAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MAChC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cA Ac,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,4F;MAAA,uC;QAaI,eAA e,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QA AS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OAAO, W;O;KApBX,C;4GAuBA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAA d,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YA AY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAAtC,C;;QAEIB,OAAO,W;O;KA rBX,C;wHAWBA,gC;MAaI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kB AAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,YAAY,QAAS,gB;QACrB,cAAc,UAAU,KAAV,EAAiB ,QAAS,WAA1B,EAAc,WAAtC,C;;MAEIB,OAAO,W;K;0GAGX,gC;MAcI,eAAe,+BAAa,cAAb,C;MACf,IAAI, CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc ,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE; MAAA,gD;QaiBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO ,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aHjjFO,W;QGkjFP,kBA AkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd ,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA, gD;QAmBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAA O,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aH1kFO,W;QG2kFP,Y AAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAAU ,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;k GA0BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UA Ad,C;UAAyB,OAAO,W;QACHC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb, C;QAAkD,sBAAI,aAAJ,C;QAA/D,aHrmFO,W;QGsmFP,OAAO,QAAS,UAAhB,C;UACI,gBAAC,UAAU,aAAV, EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gHAYBA,yB;MAAA,qD ;MAAA,kF;MAAA,gE;MAAA,uC;QAoBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;U AAyB,OAAO,W;QACHC,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAA kD,sBAAI,aAAJ,C;QAA/D,aH9nFO,W;QG+nFP,YAAY,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAC,WAA U,YAAV,EAAU,oBAAV,SAAMb,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA O,M;O;KAvBX,C;gFA0BA,yB;MARGA,kF;MAAA,gD;MAAA,gE;MAqGA,gD;QAcW,sB;;UAIGS,Q;UAJhB,oB AAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,qBAAO,OAqGZ,OAqGY,C;YAAP,uB;W ACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;UAAwC,sBAoGlC,OAqGkC,C;UAArD,aHjjFO,W;UGkjFP,kB AmGmB,O;UAIGH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAiGwB,SAjGV,CAAU,WAAV,EAAuB, OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA8FP,yB;O;KADJ,C;8FAiBA,yB;MA9FA,kF;M AAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,k

BAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;WACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAY,C;UACZ,kBA2F0B,O;UA1FV,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,EAAU,sBAAV,WAAmB,WAAhB,EAAGC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QAsFP,gC;O;KAfJ,C;kFAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAgBA,yB;MjB/7EA,6B;MiB+7EA,sC;QAWoB,Q;QADhB,UjB/7EmC,ciB+7EnB,CjB/7EmB,C;QiBg8EnB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MjBnwFiD,ciBmwFjD,GjBnwF2D,KAAK,GiBmwFzD,SAAS,OAAT,CjBnwFoE,KAAK,IAAf,C;;QiBqwFrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MD78EA,+B;MC68EA,sC;QAWoB,Q;QADhB,UD58EqC,eAAW,oBC48E/B,CD58E+B,CAAX,C;QC68ErB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MDjxFmD,eCixFnD,GDjxF8D,KAAK,KCixF5D,SAAS,OAAT,CDjxFuE,KAAK,CAAhB,C;;QCmxFvD,OAAO,G;O;KAdX,C;IAiBA,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,+D;K;IAGX,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,kBAAc,KAAAd,C;MANIEgB,Q;MAAA,OAoLET,SAPLES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,2B;QAAU,oB;QAoIEK,IAAI,CAAC,SAAD,IAAY,OAPLEX,SAoIEW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QAPlEvE,qB;UAoIED,MAPlEqC,WAAI,SAAJ,C;;MAoIE1D,OAAqB,M;K;IAGzB,sC;MAQI,IAAI,QpB0yJG,YAAQ,CoB1yJf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,8BAAT,QAAS,C;MAtoEd,kBAAY,gB;MA4BH,Q;MAAA,OA2mET,SA3mES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA2mEF,qBA3mEa,OA2mEb,CA3mEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MA2mE3D,OA1mEO,W;K;IA6mEX,sC;MAQI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAppET,kBAAY,gB;MA4BH,Q;MAAA,OAynET,SAznES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAynEF,qBAznEa,OAynEb,CAznEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAynE3D,OAxnEO,W;K;IA2nEX,sC;MAQI,YAAqB,8BAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAIqET,kBAAY,gB;MA4BH,Q;MAAA,OAuoET,SAvoES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAuoEF,qBAvoEa,OAuoEb,CAvoEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAuoE3D,OAtoEO,W;K;8FAyoEX,yB;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAAL,EAAy,MAAZ,C;O;KAjBX,C;IAoBA,kC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,OAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,oC;MAII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAARb,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EA AO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAARb,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEp,eAAa,iBAAa,SAAb,C;QACN,OAAP,QA AO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAA

a,iBAAa,SAAK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,Q
AAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FA
QA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGB+C,oB;QAAA,OAA
Y,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAA
wB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAA
vB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAmB,cAAAnB,C;QACb,gBAAy,CAAZ,C;QACA,Y;UAAO,c
;UAAP,MAAgB,CAAT,mBAAiB,QAAxB,E;YAAA,K;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,
C;UACtB,IAAI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;Ud59FID,WAAW,iBc69Fa,Ud79Fb,C;UWCX,m
BAAc,CAAd,YG49FwB,UH59FxB,Y;YXA6B,ec49FS,sBH39F3B,OG29FgC,GAAK,OAAL,IAAL,Cd59FT,C;;Uc
49FrB,MAAO,Wd39FR,Ic29FQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iB
AAiB,oBAAjB,EAA6B,IAA7B,EAAMC,IAAnC,EAAYC,cAAzC,EA AU E,KAAvE,C;ME5IGA,OAAGB,qBAAhB,
C;QAAGB,gC;QF6lGL,mBE7lGqB,OF6lGrB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAA
Y,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAA
wB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,CAA
vB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAC,SAAd,C;QACb,YAA
Y,C;QACZ,OAAGB,CAAT,qBAAiB,QAAxB,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IA
AmB,aAAa,IAApC,C;YAA0C,K;UAC1C,QAAO,cAAK,KAAL,EAAY,QAAQ,UAAR,IAAZ,C;UACP,MAAO,W
AAI,UAAU,QAAV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAi
B,oBAAjB,EAA6B,IAA7B,EAAMC,IAAnC,EAAYC,cAAzC,EA AU E,IAAvE,C;MEtoGA,OAAGB,qBAAhB,C;QA
AgB,gC;QFuoGL,mBAAI,UEvoGiB,OFuoGjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gB
AXW,KAWW,O;MACtB,WAAW,iBF17FJ,MAAO,KE07FgB,mCAAwB,EAAXB,CF17FhB,EE07F6C,SF17F7C,C
E07FH,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UA
AoB,K;QACpB,IAAK,WAhBqB,GAgBP,OA hBO,EAAnB,KAgBqB,CAAM,UAAN,EAAM,kBAAN,SAhBF,CAG
BrB,C;;MAhBT,OAKBO,I;K;+EAfX,yB;MAAA,kF;MAAA,gE;MFv7FA,iB;MEu7FA,8C;QAWoB,UAESB,M;QA
LtC,gBAAgB,KAAM,O;QACtB,WAAW,eF17FJ,MAAO,KE07FgB,mCAAwB,EAAXB,CF17FhB,EE07F6C,SF17
F7C,CE07FH,C;QACX,QAAQ,C;QACQ,2B;QA AhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,
C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OA AV,EAAMB,MAAM,UAAN,EAAM,kBAAN,SAAnB,CAAJ,C;;Q
AET,OAAO,I;O;KafX,C;IAkBA,kC;MAkBI,YAA Y,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBFv9FJ,MA
AO,KEu9FgB,mCAAwB,EAAXB,CFv9FhB,EEu9FmD,wBAbtD,KAasD,EA AwB,EAAXB,CFv9FnD,CEu9FH,C;
MACX,OAAO,KAAM,UAAN,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OAfC,EAeO,MAA
O,OAfd,CAerB,C;;MAfT,OAIBo,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MFn9FA,iB;MEM9FA,8C;QAQI,YAA
Y,oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eFv9FJ,MAAO,KEu9FgB,mCAAwB,EAAXB,CFv9FhB,EEu9FmD,
wBAAN,KAAM,EA AwB,EAAXB,CFv9FnD,CEu9FH,C;QACX,OAAO,KAAM,UAAN,IAAmB,MAAO,UAAjC,C
;UACI,IAAK,WAAI,UAAU,KAAM,OA AhB,EA AwB,MAAO,OAA/B,CAAJ,C;;QAET,OAAO,I;O;KAdX,C;IAiB
A,gC;MASW,sB;;QAaP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,ad/
pGoD,gB;QcggpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACP,B,MAAO,
WAnBkB,GAmBJ,OAnBI,EAmBK,IAnBL,CAmBIB,C;UACP,UAAU,I;;QAE d,qBAAO,M;;MA tBP,yB;K;8FAGJ,
yB;MAAA,qD;MdzpGA,+D;M cypGA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,OAAO,W
;QAC hC,ad/pGoD,gB;QcggpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UAC
pB,MAAO,WAAI,UAAU,OA AV,EAAMB,IAAnB,CAAJ,C;UACP,UAAU,I;;QAE d,OAAO,M;O;KAnBX,C;IAsB
A,8F;MAQ6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA
,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,
C;MACP,YAA Y,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MA
AO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,
EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,
C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;Q
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB
;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EA AwB,SAAXB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,

KAAPD,EAA2D,SAA3D,EAA5E,SAAtE,CAAI,F,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAA
E,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MAC
IB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EA
AmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOo
B,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;
QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,
MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAA
gB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAE
J,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G
;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAA
nB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;
MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OA
AO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GA
AgC,MAAM,K;K;IAGjD,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q
ACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB
,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MA
CgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,
Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;I
AGX,2B;MAMoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;M
AEX,OAAO,G;K;IGn1GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,C
AAT,EAAKC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAA
hC,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,Q
AAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAC3D,OAAO,G;K;IA+GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ
,CAAT,EAAKC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAA
hC,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,Q
AAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAC3D,OAAO,G;K;oGCnXX,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,SjB4UoE,iBAA
Q,W;UiB5U5F,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cAC
I,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,4DAAvB,C;SAAhD,
OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,OAAA,SjB4UoE,QAAQ,W;MiB5U5F,OAAgB,cAAhB,C;Q
AAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,6B;MA
II,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAC
I,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OjB8PiD,SiB9P1C,KjB
8P+C,IAAL,EiB9P1C,KjB8PoD,MAAV,CiB9PjD,C;OACX,aAAa,iBAAsB,cAAtB,C;MACb,MAAO,WjB4PqD,Si
B5PjD,KjB4PsD,IAAL,EiB5PjD,KjB4P2D,MAAV,CiB5PrD,C;;QAEwB,kBAAhB,QAAS,O;QAAPB,MAAO,WjB
0PiD,SAAK,eAAL,EAAU,iBAAV,CiB1PjD,C;;MACO,QAAT,QAAS,W;MACIB,OAAO,M;K;uFAGX,yB;MAAA
,+D;MA5BA,gD;MAtBA,uC;QAMW,kBAAU,gB;QAoBD,Q;QAAA,OjBqRoE,iBAAQ,W;QiBr5F,OAAgB,cAA
hB,C;UAAgB,yB;UACZ,WArB6B,SAqBIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtBhB,OA
wBO,W;O;KA9BX,C;uFASA,yB;MAAA,+D;MAwBA,gD;MAxBA,uC;QAUW,kBAAU,gB;QAsBD,Q;QAAA,Oj
BsQoE,iBAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvB6B,SAuBIB,CAAU,OAAV,C;UACC,O
AAZ,WAAY,EAAO,IAAP,C;;QAxBhB,OA0BO,W;O;KApCX,C;2FAaA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QA
AA,OAAA,SjBqRoE,QAAQ,W;QiBr5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,UAAU,OAAV,C;UACC
,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;Q
AAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,UAAU,OAAV,C;UAC

C,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBA
AM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,W
A5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;KApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QA
OW,kBAaA,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAA
A,cARe,SAQf,CAoEQ,OApER,W;YAAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAYeOB,
Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;
YAAAsC,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F,
OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MAOo
B,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,SjBiNoE,QAAQ,W;MiBjN5F,OAAgB,cAAhB,C;Q
AAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI,
OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,K;MACN,OAAA,SjB6LoE,
QAAQ,W;MiB7L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MA
CrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,
C;MACtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,U
AAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ
,W;MiBIK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAA
Q,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O
;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;
UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,
UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MI1pDP,yB;K;8FAGJ,+B;MAQmB,kB
AAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,c
AAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eItoD2B,QJsoDZ,CA
AS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,K
AAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MI/oDP,yB;K;mFAGJ,y
B;MJ+oDA,sE;MF/yDA,iB;MMgKA,sC;QJ4pDI,eI/oDO,iBJ+oDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAy
B,MAAM,6B;QAC/B,eIjpDqB,QJipDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIppDiB,
QJmpDT,CAAS,QAAS,OAAIB,C;UACR,WFzzDG,MAAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QMqKd,OJ
pDO,Q;O;KInqDX,C;mFAGBA,yB;MJspDA,sE;MFj1DA,iB;MM2LA,sC;QJmqDI,eItpDO,iBJspDQ,W;QACf,IAA
I,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIxpDqB,QJwpDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,
QAAS,UAAhB,C;UACI,QI1pDiB,QJ0pDT,CAAS,QAAS,OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,
EE21DiB,CF31DjB,C;;QMgMd,OJ6pDO,Q;O;KI1qDX,C;mFAGBA,yB;MJ6pDA,sE;MI7pDA,sC;QJwqDI,eI7pDO
,iBJ6pDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/pDqB,QJ+pDN,CAAS,QAAS,O
AAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjqDiB,QJiqDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,
CAAX,KAAJ,C;YACI,WAAW,C;;QInqDnB,OJsqDO,Q;O;KIjrDX,C;+FACa,yB;MN9MA,iB;MM8MA,sC;QAW
mB,kBAAR,iB;QAAQ,sB;;UJsqDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;W
ACzB,eIxd2B,QJwqDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QI1qDuB,QJ0qDf,CAA
S,QAAS,OAAIB,C;YACR,WF53DG,MAAO,KE43DO,QF53DP,EE43DiB,CF53DjB,C;;UE83Dd,qBAAO,Q;;QI7
qDP,yB;O;KAXJ,C;+FACa,yB;MNvOA,iB;MMuOA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJ6qDf,eAAe,sB;UACf
,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI/qD2B,QJ+qDZ,CAAS,QAAS,OAAIB,C;U
ACf,OAAO,QAAS,UAAhB,C;YACI,QIjrDuB,QJirDf,CAAS,QAAS,OAAIB,C;YACR,WF55DG,MAAO,KE45DO
,QF55DP,EE45DiB,CF55DjB,C;;UE85Dd,qBAAO,Q;;QIprDP,yB;O;KAXJ,C;+FACa,+B;MASmB,kBAAR,iB;M
AAQ,sB;;QJorDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,eItrD2B,QJ
rDZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIxrDuB,QJwrDf,CAAS,QAAS,OAAIB,C;U
ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;MI7rDP,yB;K;0FAGJ,yB;MJ6rDA,s
E;MI7rDA,kD;QJwsDI,eI7rDO,iBJ6rDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/r
DqC,QJ+rDtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjsDiC,QJisDzB,CAAS,QAAS,O
AAIB,C;UACR,IllsDqB,UJksDN,SAAQ,QAAR,EAakB,CAAI,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QIn
sDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,Q

AAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;SACzB,eIxsD2C,QJwsD5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,Q
AAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS,OAAIB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAak
B,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;
MAPA,wC;QAI,OASe,cAAR,iBAAQ,EATM,UASN,C;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,
OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;kFASA,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB
;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,
QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIvyDmB,QJuyDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,
O;UACjB,QI1yDe,QJ0yDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA
W,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MIhzDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJ
wxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB
,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eI5xD2B,QJ4xDZ,CAAS,OAAT,C;;UAEX,
QAAQ,QAAS,O;UACjB,QI/xDuB,QJ+xDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,
C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MIryDP,yB;K;mFAGJ,yB;MJqyDA,sE;MFI4D
A,iB;MM6FA,sC;QJkzDI,eIryDO,iBJqyDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI
vyDqB,QJuyDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIzyDiB,QJyyDT,CAAS,QAAS,
OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;QMkGd,OJ4yDO,Q;O;KIzzDX,C;
mFAGBA,yB;MJ4yDA,sE;MFp6DA,iB;MMwHA,sC;QJyzDI,eI5yDO,iBJ4yDQ,W;QACf,IAAI,CAAC,QAAS,UA
Ad,C;UAAyB,MAAM,6B;QAC/B,eI9yDqB,QJ8yDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;U
ACI,QIhzDiB,QJgzDT,CAAS,QAAS,OAAIB,C;UACR,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,
C;;QM6Hd,OJmzDO,Q;O;KIh0DX,C;mFAGBA,yB;MJmzDA,sE;MIzDA,sC;QJ8zDI,eInzDO,iBJmzDQ,W;QACf,
IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIrzDqB,QJqzDN,CAAS,QAAS,OAAIB,C;QACf,OAA
O,QAAS,UAAhB,C;UACI,QIvzDiB,QJuzDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA
CI,WAAW,C;;QIzzDnB,OJ4zDO,Q;O;KIv0DX,C;+FAcA,yB;MN3IA,iB;MM2IA,sC;QAWmB,kBAAR,iB;QAAQ
,sB;;UJ4zDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI9zD2B,QJ8zD
Z,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIh0DuB,QJg0Df,CAAS,QAAS,OAAIB,C;YA
CR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;UEi9Dd,qBAAO,Q;;;QIn0DP,yB;O;KAXJ,C;+FAc
A,yB;MNpKA,iB;MMoKA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJm0Df,eAAe,sB;UACf,IAAI,CAAC,QAAS,UA
Ad,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eIr0D2B,QJq0DZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UA
AhB,C;YACI,QIv0DuB,QJu0Df,CAAS,QAAS,OAAIB,C;YACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,C
F/+DjB,C;;UEi/Dd,qBAAO,Q;;;QI10DP,yB;O;KAXJ,C;+FAcA,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJ00Df,eAA
e,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,eI50D2B,QJ40DZ,CAAS,QAAS,O
AAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI90DuB,QJ80Df,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;;MIIn1DP,yB;K;0FAGJ,yB;MJm1DA,sE;MIIn1DA,kD;QJ8
1DI,eIn1DO,iBJm1DQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIrlDqC,QJq1DdtB,CA
AS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIv1DiC,QJu1DzB,CAAS,QAAS,OAAIB,C;UACR,I
Ix1DqB,UJw1DN,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QIz1DnB,OJ41DO,
Q;O;KIv2DX,C;sGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJ41Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,
C;UAAyB,yBAAO,I;UAAP,2B;SACzB,eI91D2C,QJ81D5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh
B,C;UACI,QIh2DuC,QJg2D/B,CAAS,QAAS,OAAIB,C;UACR,IIj2D2B,UJi2DZ,SAAQ,QAAR,EAakB,CAAIB,C
AAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;;MIr2DP,6B;K;IAGJ,0C;MAGI,OASe,gBAAR,iB
AAQ,EATM,UASN,C;K;kGANnB,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KA
NnB,C;IASA,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,O
AAA,SjBnJoE,QAAQ,W;MiBmJ5F,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAw
B,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKmC,Q;MAAA,OjB5JqD,iBAAQ,W;MiB4J7E,OAAGB,cAAhB,
C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MJwyCA,wE;MIxyCA,
2BAQIB,yB;QJgyCjB,wE;eIhyCiB,0B;UAAA,4B;YAAU,kBAAR,iB;YAAQ,aAAe,c;YJuyCzB,gB;YADb,YAAy,
C;YACC,6B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAMB,cAAnB,EAAMB,sBAAnB,UAAP,EAAoC,
IAAPC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC;QJ+yCiB,gB;QADb,YAAy,C;QACC,OIvyCE,iBJuyCF,W;QA

Ab,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAApC,C;;QIvy
CnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB;K;IAGX,iC;MAII,OAAe,aAAR,iBAAQ,C;K;IC9hBnB,kC;MA
EI,gBCmE2D,8BAAy,c;MDIEvE,IAAI,SAAU,OAAV,GAAMb,CAAvB,C;QACW,Q;QAAA,IAAI,cAAQ,GAZ,
C;UAAA,OAAsB,S;;uBAAe,qBAAU,CAAV,C;UAAA,YAAe,SEiNc,WfjNM,CEiNN,CAff,c;UFIMnD,OG8MoD,
2BAAL,GAakB,K;;QH9MxE,W;OAEJ,OAAuB,oBAAhB,wBAAgB,C;K;gFxBD3B,yB;MAAA,mC;MAAA,2C;M
AAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAA
O,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O
;KARX,C;IAWA,sC;;QAQQ,OAAc,QAAP,MAAO,EAAQ,SAAR,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE
,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OAAc,SAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2B
AAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OAAiD,OAA1C,MAAO,iBAAQ,e4BtCgB,I5BsCxB,EA
AoB,CAAA,c4BtCI,I5BsCJ,IAAY,CAAZ,IAApB,CAAmC,C;;QACnD,+C;UACE,MAAM,2BAAuB,CAAE,QAAz
B,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FA
UA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;M
AAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,
I;MACX,OAAc,QAAP,MAAO,EAAQ,SAAR,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OA
Ac,SAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAiD,OAA1C,
MAAO,iBAAQ,e4BxGoB,I5BwG5B,EAAoB,CAAA,c4BxGQ,I5BwGR,IAAY,CAAZ,IAApB,CAAmC,C;K;mFA
GrD,8B;MAQI,OAAO,mBAAMb,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAMb,2BAAS,OAAT,C;K
;oFAG9B,8B;MAQI,OAAO,mBAAMb,2BAAS,OAAT,C;K;IAG9B,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,u
C;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAF,C;K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAO
I,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBzHW,ShBgIM,mBAAN,
KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnIW,ShB0IM,kB
AAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7IW,ShBoJ
M,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvJW,S
hB8JM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI
,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBzKW,ShBgLM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2B
AAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnLW,ShB0LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAA
gB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7LW,ShBoMM,oBAAN,KAAM,C;MAAb,OAA2C,UAA
J,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvMW,ShB8MM,qBAAN,KAAM,C;MAAb,OAA4
C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;M
AKI,OAAO,2BAAe,oBAAN,KAAM,CAAF,C;K;IAGX,uC;MgBjOW,ShBsOM,kBAAN,KAAM,C;MAAb,OAA2C
,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBzOW,ShB8OM,mBAAN,KAAM,C;MAAb,
OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX
,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBrQW,ShB0QM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,G
AAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgB7QW,ShBkRM,oBAAN,KAAM,C;MAAb,OAA2C,U
AAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBrRW,ShB0RM,qBAAN,KAAM,C;MAAb,OA
A4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;I
AGX,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI
,OAAO,2BAAe,oBAAN,KAAM,CAAF,C;K;IAGX,uC;MgBjUW,ShBsUM,oBAAN,KAAM,C;MAAb,OAA2C,UA
AJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MAOI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAOI,
OAAO,2BAAe,KAAf,C;K;IAGX,+B;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAYB,EAzB,EAakC,EAAIC,C;
K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,O
AAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,S
AArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAASB,EAATB,
EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAASB,EAATB,EAA0B,EAA1B,C;K;IA
G1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAA
O,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAakC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SA
ArB,EAA8B,EAA9B,EAakC,EAAIC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EA

A+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAA5B,EAAtB,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAA5B,EAAtB,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAA5B,EAAtB,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAyB,EAzB,EAakC,EAAiC,C;K;IAG1B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,+B;MAII,OAAO,sCAAe,yBAAgB,cAAhB,EAA5B,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAA5B,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAauB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAy,CAAhB,GAAMB,IAANB,GAA8B,IAAD,aAA1D,C;K;IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;MACI,OAAMB,IAAR,8BAAGC,GAAPC,GAAiE,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mEA AJ,GAAMe,OAAL,SAAK,SAANe,GAAiF,I;K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAzC,CAAR,YAAJ,GAAqE,OAAL,SAAK,CAArE,GAAMF,I;K;IAG9F,wC;MACI,OAAMB,UAAA,sCAAe,UAAf,EAA2B,sCAAe,UAA1C,CAAR,4BAAJ,GAA+E,OAAR,YAAL,SAAK,CAAQ,CAA/E,GAA6F,I;K;IAGxG,wC;MACI,OAAMB,UAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAzC,CAAR,4BAAJ,GAA6E,OAAR,YAAL,SA AK,CAAQ,CAA7E,GAA2F,I;K;IAGtG,qC;MACI,OAAW,iFAAJ,GAA4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,uC;MACI,OAAMB,UAAc,WAAAd,EAAwC,UAAxC,CAAR,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GAaKf,I;K;IAG7F,uC;MACI,OAAMB,UAAc,WAAAd,EAAuC,UAAvC,CAAR,4BAAJ,GAAmE,YAAL,SAAK,CAANe,GAAGf,I;K;IAG3F,sC;MACI,OAAMB,UAAe,mCAAf,EAA0C,mCAA1C,CAAR,4BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GA AqF,I;K;IAGhG,wC;MACI,OAAMB,UAAe,mCAAf,EAAYC,mCAAZC,CAAR,4BAAJ,GAAqE,uBAAL,SAAK,C AArE,GAAMF,I;K;IAG9F,uC;MACI,OAAMB,MAAR,8BAAiC,KAARc,GAAMe,QAAL,SAAK,CAANe,GAaKf, I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SAArE,GAAoF,I;K;IAG/F,yC;MACI,OAAMB,UAA A,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAiF,QAAR,YAAL,SAAK,CAAQ,CAAjF,GAA gG,I;K;IAG3G,yC;MACI,OAAMB,UAAA,uCAAgB,UAAhB,EAA2B,uCAAgB,UAA3C,CAAR,4BAAJ,GAA+E, QAAR,YAAL,SAAK,CAAQ,CAA/E,GAA8F,I;K;IAGzG,8B;MAMI,OAAO,wBAAy,EAaA,GAaH,CAAG,IAAz B,C;K;IAGX,gC;MAMI,OAAO,kBAAy,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,O AAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EA Aa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,M;MACrC,OAA O,yBAAiB,OAAR,EAAQ,GAaH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAYB,OAAO, gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAaH,CAAG,IAAjB,C;K;IAGX,gC;MAMI,OAAO,kBAAy,oBAAH, EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAYB,OAAO,gCAAS,M; MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAaH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV, C;QAAYB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAaH,CAAG,IAAzB,C;K;IAGX,gC; MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAakB,EAAQ,8BAAH ,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBAAAS,EAAQ ,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAA L,SAAK,CAAL,SAakB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iC AAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAakB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,O AAO,wBAAy,EAaA,GAaH,CAAG,IAAzB,C;K;IAGX,iC;MAMI,OAAO,kBAAy,oBAAH,EAAG,CAAc,8BAAH ,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,iC; MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAAW,4BAAO,YAAP, KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAG tD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA AyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD

,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHc,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,sC;MAUW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAGvB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;;QACvG,gB;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAK,EAAY,KAAZ,C;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gCAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAK,EAAC,KAAc,C;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;;QAC3B,gB;MAHZ,W;K;IW1rCJ,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;IkBQA,yC;MAMI,OAAO,sBAAQ,OAAR,KAAoB,C;K;IAWG,2C;MAAA,qB;QAAE,MAAM,8BAA0B,+CAA4C,AA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;K;IAGX,4D;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;8EAGX,gC;MASW,sB;;QA2FS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAAM,IA3FH,SA2FO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA5FP,yB;K;uFAGJ,gC;MAkOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IA1Nc,SA0NV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MA3Nf,OA8NO,I;K;IA3NX,6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAc,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;IFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,

OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;kGAWA,yB;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;;UAcS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAfwB,SAeX,CAAU,OAAV,C;YACb,IAAI,CAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QApBA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,iEAAvB,C;SAAhD,OAAO,I;O;KAXX,C;8GAcA,gC;MAWoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,CAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAgBA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,gBAAgB,E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAUI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAYoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,2E;O;KApBX,C;IAuBA,4C;MAQiB,Q;MAFb,gBAAgB,E;MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAQi,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;2FAGX,gC;MASoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAAb,C;QACI,MAAM,gCAAYB,qCAAZB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAYB,mDAAZB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAAY,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;O;KAjBX,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,8B;MAWW,Q;MhBhXP,IAAI,EgB+WI,KAAK,ChB/WT,CAAJ,C;QACI,cgB8Wc,sD;QhB7Wd,MAAM,gCAAYB,OAAQ,WAAjC,C;OgB+WN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAmB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQi,OAAO,sBAAkB,SAAiB,EAAwB,IAAxB,EAA8B,SAA9B,C;K;IACqE,iD;MAAA,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IAXzH,+C;MAWI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAjB,CAAIB,EAA0C,IAA1C,EAAGd,+BAAhD,CAArB,EAAYG,sBAAZG,C;K;oGAGX,yB;MA80BA,wE;MA90BA,oD;QAU1BiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA50BT,IAAI,UA40BkB,oBAAmB,cAAAnB,EAAMb,sBAAnB,UA50BIB,EA40B+C,IA50B/C,CAAJ,C;YAA2C,sBA40BQ,IA50BR,C;;QAE/C,OAAO,W;O;KAbX,C;sGAgBA,yB;MAAA,8C;MAAA,0C;MAAA,8B;MASkB,qD;QAAA,qB;UAAE,c,S;O;MATpB,sC;QASW,Q;QAAP,OAAO,uCAAo,iCAAP,gC;O;KATX,C;0GAYA,4C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAW,WAAI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAQi,OAAO,sBAAkB,SAAiB,EAAwB,KAAxB,EAA+B,SAAB,C;K;IAYU,kC;MAAE,iB;K;IATvB,oC;MASW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAW,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAA

gB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFA
GX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA
AwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzgBP,IAAI,EgBwgBI,KAAK,Ch
BxgBT,CAAJ,C;QACI,cgBugBc,sD;QhBtgBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OgBwgBN,UAAK,CAAL,C;Q
AAU,sB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAAa,SAAb,EAAmB,CAAnB,C;MAHZ,
W;K;IAOJ,2C;MAQI,OAAO,sBAaKB,SAAB,EAAwB,SAAXB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,i
BAA6B,iBAAZ,gBAAY,C;MACIB,QAAX,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFAS
J,yB;MAAA,sD;MdjfA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YA
AtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mc0ef,sC;QAU
I,OAAO,sBdpfP,eAAW,iBcofiB,QdpfjB,CAAX,CcofO,C;O;KAVX,C;OGAaA,yB;MAAA,sD;Md3eA,sC;MAAA,o
C;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB
,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mcoef,sC;QAQI,OAAO,sBd5eP,eAAW,2Bc4e2B,Qd5e
3B,CAAX,Cc4eO,C;O;KARX,C;IAWA,uC;MAQI,OAAO,wBAAW,cAAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;
K;kDACH,Y;MACI,iBAAiC,iBAAhB,oBAAGB,C;MActB,WAAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UA
AW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAAA,wE;MAAA,uC;QAaW,kBAAY,oB;QAiFH,Q;QAAA,2B;Q
AAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAlFsC,SakFvB,CAAU,OAAV,C;UvBnEnB,wBAAL,IAAK,MAA
T,EAAgB,IAAK,OAARb,C;;QuBfA,OAoFO,W;O;KAjGX,C;6FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAC,
oB;QA8BL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA/B4B,WA+BxB,CAAY,OAA
Z,CAAJ,EAA0B,OAA1B,C;;QA/BhB,OAiCO,W;O;KA9CX,C;6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBA
Ac,oB;QAiCL,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aAIC4B,WakCxB,CAAY,OA
AZ,CAAJ,EAlCyC,cAkCf,CAAe,OAaf,CAA1B,C;;QAiChB,OAoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MA
AA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;M
AEhB,OAAO,W;K;iGAGX,+D;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,a
AI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAaf,CAA1B,C;;MAEhB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2
B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAe,UAAU,OAAV,C;QvBnEnB,wBAAL,IAAK,MAAT,EAA
gB,IAAK,OAARb,C;;MuBqEA,OAAO,W;K;gGAGX,yB;MAAA,wE;MAAA,2C;QAcl,aAAa,oB;QAgBG,Q;QAA
A,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UafO,MAGBP,aAAI,OAAJ,EAhBe,aAgBF,CAAc,OAAd,CAAb,C;;
QAhBhB,OAAuB,M;O;Kaf3B,C;oGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q
ACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;M
AAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0B
AAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAAhB,iBAAL,SAAK,CAAGB,C;K;IAGhC,qC;MAMI,OAAO,0BAA
a,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAjC,0BAAa,sBAAb,CAAiC,C;K;IAG5C,0C;MAYI,OAAO,uBAAm
B,SAAnB,EAAyB,SAAzB,6BAAoC,qB;;OAApC,E;K;IAGX,0C;MAQI,OAAO,uBAAmB,SAAnB,EAAyB,SAAz
B,6BAAoC,qB;;OAApC,E;K;IAGX,iD;MAaI,OAAO,kBAAE,SAaf,EAAqB,SAARb,6BAAgC,qB;;OAAhC,E;K;I
AGX,iD;MAaI,OAAO,kBAAE,SAaf,EAAqB,SAARb,6BAAgC,qB;;OAAhC,E;K;sGAGX,yB;MAAA,wE;MAAA,
gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,W
AAW,UAAU,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAA
P,C;;QAEhB,OAAO,W;O;KAjBX,C;uGAoBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,
YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAmB,sB
AAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;yFAoB
A,yB;MAAA,gD;MAAA,oD;QAUoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAA
U,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAdX,C;yFAiBA,yB;MAAA,gD;MAA
A,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OA
AZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QA
WW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY
,OAAZ,C;UvBjBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auB
ioBuC,gB;YAA5B,WvBhoBX,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,I
AAK,WAAI,OAAJ,C;;QAhCT,OAKCO,W;O;KA7CX,C;qFACa,yB;MAAA,wE;MAkCA,+D;MAiCA,yD;QAYW,

kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OA
AZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBu
C,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK
,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;Q
AWoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAAY,OAAZ,C;UvBjoBP,U;UADP,
YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX
,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,
OAAO,W;O;KAhBX,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;U
AAgB,yB;UACZ,UAAU,YAAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;U
ACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;
YAEA,c;;UuBipBA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAjBX,C;0FAoBA,yB;M
AAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAGB,W;O;MA
XrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OA
AO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAaKc,SAAIC,C;K;IAGX,
mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAaKc,SAAIC,CAA6C,C;K;4GAGxD,yB;MAuNA,wE;MAvNA,
oD;QAGoiB,gB;QADb,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAvNsB,U;UAAA,wBAuNT,oBAA
mB,cAAAnB,EAAMb,sBAAnB,UAvNS,EAuNoB,IAvNpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KAVX,C;8FAaA,
yB;MAAA,wE;MAAA,oD;QAUiB,UACoC,M;QAFjD,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAC
T,WAAAY,WAAI,UAAU,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAAV,EAaUC,IAAvC,CAAJ,C;;QACHB,OAAO,
W;O;KAZX,C;IAeA,4C;MASI,OAA6C,gBAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MA
AA,oD;QA4KoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UArKK,U;UAAA,wBAqKQ,OArKR,W;Y
AAsC,6B;;QAC3D,OAAO,W;O;KARX,C;IFAWA,6C;MAOIb,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;Q
ACT,WAAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;
IACgB,6B;MAAE,S;K;IAX7B,+B;MAWI,OAAAY,aAAL,SAaK,EAaW,eAAx,C;K;IAGhB,2C;MAYI,OAAO,qBA
AiB,SAAjB,EAaUB,QAAvB,C;K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QA
Aa,sB;QAAM,GAAl,WAAI,IAAJ,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,c
AAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,
2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAA
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAAY,C
;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MACtB,OA
AO,K;K;iFAGX,yB;MAAA,wE;MAAA,uC;QAoOB,Q;QADhB,YAAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;U
AAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAA
O,K;O;KARX,C;8EAWA,yC;MAYoB,Q;MADhB,kBAaKb,O;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB
;QAAM,cAAc,UAAU,WAAV,EAaUB,OAAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAc
oB,UAAiD,M;QAFjE,YAAAY,C;QACZ,kBAaKb,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,cA
Ac,UAAU,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAAV,EAaUC,WAAvC,EAaOD,OAApD,C;;QACpC,OAAO,W;
O;KafX,C;qFAkBA,6B;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;
;K;kGAG1B,yB;MAAA,wE;MAAA,oC;QASiB,UAAgC,M;QAD7C,YAAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;U
AAa,sB;UAAM,OAAO,oBAAMb,cAAAnB,EAAMb,sBAAnB,UAAP,EAaOC,IAApC,C;;O;KATvB,C;IAYA,2B;M
AII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAYP,eA
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,C
AAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,Q
AAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,
WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,C
AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,
OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2
BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;iFAG
X,yB;MAAA,sE;MZpwCA,iB;MYowCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM

,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZhxCG,MAAO,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KAtBX,C;iFayBA,yB;MAAA,sE;MZxyCA,iB;MYwyCA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZpzCG,MAAO,KYozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KAtBX,C;iFayBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;6FayBA,yB;MZ/0CA,iB;MY+0CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZz1CG,MAAO,KYy1CO,QZz1CP,EYy1CiB,CZz1CjB,C;;QY21Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZj3CA,iB;MYi3CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZ33CG,MAAO,KY23CO,QZ33CP,EY23CiB,CZ33CjB,C;;QY63Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAATC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;qGAYBA,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAATC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZ18CG,MAAO,KY08CE,GZ18CF,EY08CO,CZ18CP,C;;MY48Cd,OAAO,G;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZx+CG,MAAO,KYw+CE,GZx+CF,EYw+CO,CZx+CP,C;;MY0+Cd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAGX,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZj3CA,iB;MYi3CA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZ73CG,MAAO,KY63CO,QZ73CP,EY63CiB,CZ73CjB,C;;QY+3Cd,OAAO,Q;O;KAtBX,C;iFayBA,yB;MAAA,sE;MZr5CA,iB;MYq5CA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAA S,QAAS,OAAIB,C;UACR,WZj6CG,MAAO,KYi6CO,QZj6CP,EYi6CiB,CZj6CjB,C;;QYm6Cd,OAAO,Q;O;KAtBX,C;iFayBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;6FayBA,yB;MZ57CA,iB;M

Y47CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OA
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZt8CG,MAAO,KYs8CO,
QZt8CP,EYs8CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eA
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAA
O,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+Cj
B,CZx+CjB,C;;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,
C;QAAyB,OAAO,I;MAChC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,
QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MA
AA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,
QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SA
AQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;qGAYB
A,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,eAAe,SAAS,QAAS,OAAI
B,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,E
AAkB,CAAIB,CAAX,GAAkC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MAC
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA
CI,QAAQ,QAAS,O;QACjB,MZvjDG,MAAO,KYujDE,GZvjDF,EYujDO,CZvjDP,C;;MYyjDd,OAAO,G;K;IAGX,
iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OA
AO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrIDG,MAAO,KYqlDE,GZrIDF,EYqlDO,CZrIDP,C;;MY
ulDd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAA
U,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UA
Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MAC
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA
CI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM
,C;;MAE9C,OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAA
hB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAaV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;
IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,sC;MAOI,OAAO,kBAAL,qBAAL,C;K;IA
eW,8C;MAAA,iC;QACd,eAAO,KAAP,EAAC,OAAd,C;QAAA,OACA,O;O;K;IAXR,6C;MASI,OAAO,wBAAW,4
BAAX,C;K;kFAMX,yB;MAAA,4F;MAAA,uC;QAeI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAA
yB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UA
AU,WAAV,EAaUB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KArBX,C;gGawBA,yB;MAAA,4F;MAAA,wE;MA
AA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,k
CAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oB
AAmB,YAAnB,EAAMB,oBAAnB,QAaV,EAaUC,WAAvC,EAaOD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAt
BX,C;4GAYBA,yB;MAAA,wE;MAAA,uC;QAoBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UA
Ad,C;UAAyB,OAAO,I;QAChC,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cA
Ac,UAAU,oBAAMB,YAAnB,EAAMB,oBAAnB,QAaV,EAaUC,WAAvC,EAaOD,QAAS,OAA7D,C;;QAEIB,OA
AO,W;O;KAtBX,C;8FAyBA,gC;MAGBI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I
;MAChC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAaUB,QAAS,OAA
hC,C;;MAEIB,OAAO,W;K;IAoBS,2I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAA
A,wB;MAAA,+B;MAAA,kC;K;;;sDAAA,Y;;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cA
AA,Q;;;uCACkB,0B;cACF,wD;cAAhB,gB;;;cAAA,KAAgB,yBAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,
6BAAU,sBAaV,EAaUB,OAAvB,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAF
J,gB;;;cAIJ,W;;;K;IAPgB,wF;MAAA,yD;uBAAA,+H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,sD;M
AiBI,OAAO,SAAS,iDAAT,C;K;IA4BS,yJ;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,8D;MAAA,kD;
MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;6DAAA,Y;;;;kBAKMc,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,
O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCACy,C;uCACM,0B;cACF,+D;cAAhB,gB;;;cAAA,KAAgB,yBAhB,C;g
BAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,oBAAMB,uBAAnB,EAAMB,+BAAnB,QAaV,EAaUC,sBAaVc,E
AAoD,OAAPd,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;

;;;;;K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAIbPb,6D;MAkBI,OAAO,SAAS,
wDAAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAA
A,kC;K;;;wDAAA,Y;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iC
AAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C
;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;k
BAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;Y
AAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAgBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA
,6B;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;+DAAA,Y;;;cAOuC,Q
;oCANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAA
A,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,g
B;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAaV,EAAuC,sBAAvC,EAAoD,mBAAS,OA
A7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;
;;;;;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAgBI,OAAO,SA
S,iDAAT,C;K;IAcX,+C;MAkBI,OAAO,yBAAy,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB
,OAAhB,EAA4B,SAA5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;Q
AAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;
MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+
B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT
,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,
yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB
,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,O
AAO,G;O;KAFx,C;iFAkBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55
DmB,C;Q2B65DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK,
G2BguEzD,SAAS,OAAT,C3BhuEoE,KAAx,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFAMBA,yB;MX16DA,
+B;MW06DA,sC;QAaoB,Q;QADhB,UX36DqC,eAAW,oBW26D/B,CX36D+B,CAAX,C;QW46DrB,2B;QAAhB,
OAAgB,cAAhB,C;UAAgB,yB;UACZ,MXhvEmD,eWgvEnD,GXhvE8D,KAAK,KWgvE5D,SAAS,OAAT,CXhvE
uE,KAAx,cAAhB,C;;QWkvEvD,OAAO,G;O;KAhBX,C;IAyBe,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAY
B,2BAAwB,mBAAxB,MAAzB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAL,gCAAJ,C;K;IAGX,oC;MAAL,O
AAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAt,C,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc
,IAAt,C,EAAwD,SAAxD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBA
AD,IAAY,WAAM,eAAN,cAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;M
ACI,kBAAc,KAAc,C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAp,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IASB
O,6D;MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFIC,Y;MACI,YAAqB,
8BAAT,qBAAS,C;MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAjBxD,sC;MAAL,IAAI,Q9B80
KG,YAAQ,C8B90Kf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA
,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C
;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAAL,qD;K;
IAwBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,Y
AAqB,8BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAA
W,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAAL,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAA
M,OAAN,C;O;KAPX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAYoB,Q;QAFhB,YAAY,gB;QACZ,aA
Aa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,W
AAI,OAAJ,C;;YAEN,MAAO,WAAL,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;O;KANBX,C;IASB
A,oC;MAMI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAx,EAAjB,EAAc,C;K;IAGjD,qC;MASI,OAA
Y,OAAL,SAAK,EAAc,OAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UAAxC,YAAW,SAAX,EAA0B,aA
AT,QAAS,CAA1B,EAAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K;
4FAGtC,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IAUA,2D;MAgB+C,oB;QAAA,
OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2

D,KAA3D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE ,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAl,SAAJ,C;K;IAYpC,4B;MAAY,c AAM,EAAN,C;K;IATpD,kC;MASI,OAAO,oBAAGB,SAAhB,EAAsB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;M AUI,OAAO,oBAAGB,SAAhB,EAAsB,KAAtB,EAA6B,SAA7B,C;K;IAcY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,k C;MAWI,OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MA AA,4B;MAAA,2B;MAAA,wB;MAAA,kC;K;;;sDAAA,Y;;;oCACL,sC;CACf,IAAI,CAAC,mBAAS,UAAAd,C;gB AAYB,M;;gBAAzB,gB;,,,,;mCACc,mBAAS,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;gCA Ce,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAMb,eAAnB,CAAN,O;kBAAA,2C;uBAAA,yB;c AAA,Q;;cACA,qBAAU,e;cAHd,gB;;;cAKJ,W;,,,,,;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q ;iBAAA,uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,s B;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAA O,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACI,2B;MAAhB,OAAg B,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,C AAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,S AAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP ,OAAO,M;K;IAGX,4F;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E ;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,s BAAP,EAAwB,SAAxB,EAAMc,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CA AiF,W;K;IAOxE,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAAGB,8BAAhB,C;K;2FAGJ,q B;MAKI,OAAO,S;K;IAGX,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,c AAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CA Ab,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C; MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB ,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,U AAKB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAM b,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IA GjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QA CZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAA vB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAg B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAAS, CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB, C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAA nB,E;;MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAQoB,Q;MADh B,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;M AQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO, G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO, O AAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB; QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAg B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAkB,G;MACF,2 B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IC71FX,qC;MAMI,aAAa,qBAA iB,YAAy,cAAZ,CAAjB,C;MACb,kBAAC,KAAAd,C;MX4zBgB,Q;MAAA,OW3zBT,SX2zBS,W;MAAhB,OAAgB ,cAAhB,C;QAAgB,2B;QAAU,oB;QW3zBK,IAAI,CAAC,SAAD,IAAY,OX2zBX,SW3zBW,UAAhB,C;UAAiC,Y AAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QX2zBvE,qB;UW3zBD,MX2zBqC,WAAI,SAAJ,C;;MW3zB1 D,OAAqB,M;K;IAGzB,sC;MAUI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAA O,M;K;IAGX,sC;MAUI,YAAqB,gCAAT,QAAS,EAAGC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAA Y,QAAL,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QXixBZ,Q;QAAA,OWjxBL,SXixBK,W;QAAhB ,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CWjxBwB,qBXixBb,OWjxBa,CXixB5B,C;YAAyB,WAAy,WAAI, OAAJ,C;;QWjxBvD,OXkxBG,W;OWjxBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,O

AAO,M;K;IAGX,uC;MAUI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;gGAGX,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAAY,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UAAT,M;MAA1C,aAAa,qBAAiB,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;InBnIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;ICGA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGmBYA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,qBAAI,KAJ,CAAtC,GAAcD,uBAAa,KAAb,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAY,C;O;KAPhB,C;0EAUA,yB;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAOW,sB;;UAyES,Q;UAAA,0B;UAAhB,OAAGB,cAAhB,C;YAAgB,oC;YAAM,IAzEH,SAyEO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I;;QAI1EP,yB;O;KAPJ,C;kFAUA,yB;MAwJA,mD;MAAA,+C;MAAA,oC;MAxJA,uC;QAOW,qB;;UAUJO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YACd,IAzJc,SAyJV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QA3JP,wB;O;KAPJ,C;IAUA,6B;MAKI,ICkOgD,qBAAU,CDIO1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CAAL,C;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;O;KANV,C;6FASA,yB;MAAA,iE;MAYa,6C;MAAA,oC;MAAA,gC;MAZA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,4B;UAAhB,OAAGB,gBAAhB,C;YAAgB,sC;YACZ,aAbwB,SAaX,CAAU,oBAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,sEAAvB,C;SAAhD,OAAO,I;O;KATX,C;yGAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QASoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,aAAa,UAAU,oBAAV,C;UACb,IAAI,cAAJ,C;YACI,OAAO,M;;QAGf,OAAO,I;O;KafX,C;IAkBA,mC;MAIL,OCKLgD,qBAAU,CDILnD,GAAe,IAAf,GAAyB,qBAAK,CAAL,C;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,qBAAI,KAJ,CAAtC,GAAcD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAc,qBAAI,KAJ,CAAtC,GAAcD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAQL,ICsHgD,qBAAU,CDtH1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,2BAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,C;O;KAZV,C;IAeA,kC;MAMI,OC4FgD,qBAAU,CD5FnD,GAAe,IAAf,GAAyB,qBAAK,mBAAS,CAAT,IAAL,C;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;8EAaA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IC0DgD,qBAAU,CD1D1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICqCgD,qBAAU,CDrC1D,C;QACI,OAAO,I;MACX,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,0

CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAaHb,OAAGb,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAYb,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAUb,6DAAvB,C;QAEIB,OAAO,4E;O;KAFx,C;IAkBA,oC;MAIL,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FAGzC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAaHb,OAAGb,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;MIBzRI,IAAI,EkBiSI,KAAK,CIBjST,CAAJ,C;QACI,ckBgSc,wD;QIB/Rd,MAAM,gCAAYb,OAAQ,WAAjC,C;OkBgSV,OAAO,8BAAc,eAAf,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MIBrSI,IAAI,EkB6SI,KAAK,CIB7ST,CAAJ,C;QACI,ckB4Sc,wD;QIB3Sd,MAAM,gCAAYb,OAAQ,WAAjC,C;OkB4SV,OLhH6E,oBKgH1D,eAAf,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MIBjTI,IAAI,EkByTI,KAAK,CIBzTT,CAAJ,C;QACI,ckBwTc,wD;QIBvTd,MAAM,gCAAYb,OAAQ,WAAjC,C;OkBwTV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;K;IAGX,mC;MIB7TI,IAAI,EkBqUI,KAAK,CIBrUT,CAAJ,C;QACI,ckBoUc,wD;QIBnUd,MAAM,gCAAYb,OAAQ,WAAjC,C;OkBoUV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,Ek4JhE,QAAQ,CAAR,IL5JgE,C;WK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;WKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,yD;MAkFA,oC;MAIFA,uC;QAMW,kBAAS,oB;QAKFM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApFxC,OASFO,W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAYEM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MASBA,gC;MA+sBA,6C;MAAA,oC;MARuBA,uC;QAQW,kBAAGb,oB;QAouBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAvBoC,SAuBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAvB/C,OAYBO,W;O;KAjCX,C;4FAWA,yB;MAAA,yD;MAWA,gC;MA+sBA,6C;MAAA,oC;MA1tBA,uC;QAQW,kBAAGb,oB;QAYtBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAZoC,SAYhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAZ/C,OAcO,WAd4C,W;O;KARvD,C;gGAWA,yB;MAAA,gC;MA+sBA,6C;MAAA,oC;MA/sBA,oD;QAstBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UA7sB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KAXX,C;oFAcA,yB;MAAA,yD;MAkBA,6C;MAAA,oC;MAAA,gC;MAIBA,uC;QAMW,kBAAY,oB;QAKBH,Q;QAAA,0B;QAaHb,OAAGb,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAIBU,SAkBT,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAIB3D,OAmBO,W;O;KAZBX,C;oFASA,yB;MAAA,yD;MASA,6C;MAAA,oC;MAAA,gC;MATA,uC;QAMW,kBAAY,oB;QASH,Q;QAAA,0B;QAaHb,OAAGb,cAAhB,C;UAAgB,oC;UAAM,IAAI,CATU,SAST,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAT3D,OAUO,WAVwC,W;O;KANnD,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAA,0B;QAaHb,OAAGb,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KAPX,C;kFAUA,yB;MAAA,oC;MAAAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAIL,IAAI,OAAQ,UA

AZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OA
AO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAmB,wBAAR,OAAQ,EAawB,EAax
B,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MACtB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,c
AAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAAA,8B;
MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,OAAN,CAAe,W;O;KALjD,C;IAQA,+
B;MIB7fI,IAAI,EkBqgBI,KAAK,CIBrgBT,CAAJ,C;QACI,ckBogBc,wD;QIBngBd,MAAM,gCAAYB,OAAQ,WA
AjC,C;OkBogBV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;K;IAGX,+B;MIBzgBI,IA
AI,EkBihBI,KAAK,CIBjhBT,CAAJ,C;QACI,ckBghBc,wD;QIB/gBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkBgh
BV,OLjV4F,oBKiv3E,CLjV2E,EKivtE,eAAF,CAAE,EAAa,gBAAb,CLjVsE,C;K;IKoVhG,kC;MIBrhBI,IAAI,Ek
B6hBI,KAAK,CIB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QIB3hBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkB4hBV,a
AAa,gB;MACb,OAAO,8BAAY,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;IAGX,m
C;MIBliBI,IAAI,EkB0iBI,KAAK,CIB1iBT,CAAJ,C;QACI,ckByiBc,wD;QIBxiBd,MAAM,gCAAYB,OAAQ,WAA
jC,C;OkByiBV,aAAa,gB;MACb,OL9W6E,oBK8W5D,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IL9W4D,C;K;2
FKiXjF,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAAB,U;UACI,IAAI,CAAC,UA
AU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;QAGf,OA
AO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wB
AAd,WAA+B,CAAB,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OLvYqE,oBKuYpD,
QAAQ,CAAR,ILvYoD,C;;QK0Y7E,OAAO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,u
B;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KA AJ,EAAY,CAAL,C;YACI,OAAO,8BAAY,CA
AZ,EAAe,KAaf,C;WAEf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;MAAA,uC;
QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KA AJ,EAAY,CAAL,C;YACI
,OL/ZoF,oBK+ZnE,CL/ZmE,EK+ZHE,KL/ZgE,C;WKia5F,OAAO,S;O;KAVX,C;IAaA,gC;MAII,OAAO,qBAAc,S
AAd,CAAoB,U;K;kFAG/B,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CA
AW,W;O;KAL7C,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,u
C;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAApB,C;QAYEH
,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UzB9EnB,wB
AAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QyBIA,OA4EO,W;O;KAxFX,C;wFAeA,yB;MAAA,0D;MAAA,yD;
MAAA,uE;MA6BA,6C;MAAA,oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EA
Ac,EAAd,C;QAC5B,kBAAc,mBAAuB,QAavB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;U
ACZ,WAAY,aA5BuC,WA4BnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB.OA8BO,W;O;KA1CX,C;w
FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAU,eAAmC,cAA
pB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAc,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,0B;QAAhB,
OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAe
,oBAAf,CAA1B,C;;QA9BhB,OAAGCO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;
QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0
B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,
Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,o
BAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAS
oB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,oC;UACZ,WAAe,UAAU,oBAAV,C;UzB9EnB,wBAAI,IAA
K,MAAT,EAAGB,IAAK,OAARb,C;;QyBgFA,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,uD;MAAA,0D;MAAA,y
D;MAAA,uE;MAGBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA6D,cAAAtC,YAAmB,aAAP,gB
AAO,EAAa,GAAb,CAAnB,CAAsC,EAAC,EAAd,CAA7D,C;QAcG,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UA
AGB,oC;UAbO,MACp,aAAI,oBAAJ,EAd,eAcF,CAAc,oBAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;+FAGB
A,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAGB,o
C;UACZ,WAAY,aAAI,oBAAJ,EAAa,cAAc,oBAAd,CAAb,C;;QAEhB,OAAO,W;O;KAbX,C;IAGBA,iD;MAIiB,
Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAY,WAAL,iBAAJ,C;;MAEHb,OAAO,W;K;IAGX,iC;M
AII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8B;MAIiB,IAA
N,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UA

AL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAGb,gBAAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAA,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MA1CA,uC;QAMW,kBAAU,gB;QAwCD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAZC6B,SAyClB,CAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1ChB,OA4CO,W;O;KAIDX,C;8FASA,yB;MAAA,+D;MAeA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAfA,uC;QAYW,kBAAiB,gB;QAcR,gB;QADhB,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WafoC,SAezB,EAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAhBhB,OakBO,W;O;KA9BX,C;kGAeA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAYBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvcX,C;gFAYA,yB;MAAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAJCyD,cAiCrD,CAAE,oBAaf,CAAJ,C;;QajCT,OAmmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;oFAiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAy,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAAI,eAAe,oBAaf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;qFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAAGD,OAAgB,SAAhB,oBAAGB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;wEAcA,yB;MAAA,gE;MAYEA,6C;MAAA,oC;MAAA,gC;MAzEA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAUeA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAXEmB,SAwEf,CAAU,iBAAV,CAAJ,C;;QAxEhB,OAYEO,W;O;KAhFX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAGCP,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAJC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OakCO,W;O;KAZCX,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAoLA,6C;MAAA,oC;MA9LA,uC;QAOW,kBAAoB,gB;QA8Ld,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,cAVQ,SAUR,EAoLT,cApLS,EAoLT,sBApLS,WAOla,iBApLA,W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;uGAUA,yB;MAAA,gC;MAoLA,6C;MAAA,oC;MApLA,oD;QA2LiB,gB;QADb,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,yBAoLT,cApLS,EAoLT,sBApLS,WAOla,iBApLA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;OFAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,+D;MAUA,gC;MA2IA,6C;MAAA,oC;MArJA,uC;QAOW,kBAAa,gB;QAKJJ,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,cARe,SAQf,CA0IQ,oBA1IR,W;YAA6C,6B;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;QA+IoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAA6C,6B;;QAC3D

,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,O
AAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAl,UAAU,iBAAV,CAAJ,C;;QACHb,OAAO,W;O;KAPX,C;IAe4B,4C;
MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;M
AAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,o
BAAV,CAAL,C;YAAyB,OAAO,K;;QACTd,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC,qBAAU,C
DqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,
cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4E
AUA,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAA
Y,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9
C,OAAO,K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAUoB,Q;QADhB,kBAAkB,
O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACpC,
OAAO,W;O;KAXX,C;wFAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;QAF9C,YA
AY,C;QACZ,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,
sBAAV,WAAmB,WAAhB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;mfAgBA,yB;MAAA,uD;MAAA,
oC;MAAA,gD;QAYoC,Q;QAHhC,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
UAAU,kCAAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;iGAiBA,yB;MAA
A,uD;MAAA,oC;MAAA,gD;QAUI,YAAy,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
UAAU,KAaV,EAAiB,iCAAI,KAaJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;gFAm
BA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,o
C;UAAM,OAAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAA
a,M;QAD1B,YAAy,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,
iBAAhB,C;;O;KAPvB,C;IAUA,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;QAGW,s
B;;UAUP,ICz4BgD,qBAAU,CDy4B1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK,CAAL,C;UACd,gBA
AqB,wB;UACrB,IAAI,cAAa,CAAJB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QAcJ,CAAS,oBAAT,C;U
ACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAJBe,QAiBP,CAAS,cAAT,C;YACR
,IAAI,2BAAW,CAAX,KAaJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QAvBP,yB;O;KAHJ,C;w
FAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICz4BgD,qBAAU,CDy4B1D,C;UAAe,OAAO,I;QACTb,cAA
c,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAJB,C;UAAoB,OAAO,O;QAC3B,eA
Ae,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,
cAAT,C;UACR,IAAI,2BAAW,CAAX,KAaJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAPBX,
C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdzCA,iB;McynCA,sC;QAEiB,Q;QAFb,ICt6BgD,qBAAU,CD
s6B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdloCG,MAAO,KckoCO,QdloCP,EckoCiB,CdloCjB,C;;QcooC
d,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;Mc0pCA,sC;QAEiB,Q;QAF
b,IC57BgD,qBAAU,CD47B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QA
Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdnqCG,MAAO,KcmqCO,QdnqCP,Ec
mqCiB,CdnqCjB,C;;QcqqCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,sC;Q
AaiB,Q;QAFb,IC9BgD,qBAAU,CDg9B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;Q
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KA
AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;Md3rCA,iB;Mc2rCA
,sC;QAaiB,Q;QAFb,ICt+Bgd,qBAAU,CDs+B1D,C;UAAe,OAAO,I;QACTb,eAAe,SAAS,iCAAK,CAAL,EAAT,C
;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdlsCG,MAAO,KcksC
O,QdlsCP,EcksCiB,CdlsCjB,C;;QcosCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;Md1tCA,iB;
Mc0tCA,sC;QAaiB,Q;QAFb,IC1/Bgd,qBAAU,CD0/B1D,C;UAAe,OAAO,I;QACTb,eAAe,SAAS,iCAAK,CAAL,
EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdjuCG,MAA
O,KciuCO,QdjuCP,EciuCiB,CdjuCjB,C;;QemuCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;M
AAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACTb,eAAe,SAAS,iCAAK,CAAL,E
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,C

AAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICtkCgD,qBAAU,CDskC1D,C;QAae,OAAO,I;MACTb,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,IC11CgD,qBAAU,CD01C1D,C;QAae,OAAO,I;MACTb,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;QAGW,sB;;UAUP,ICtnCgD,qBAAU,CDsnC1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QAcJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QAvBP,yB;O;KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICtnCgD,qBAAU,CDsnC1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdlpCA,iB;MckpCA,sC;QAEiB,Q;QAFb,ICnpCgD,qBAAU,CDmpC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd3pCG,MAAO,Kc2pCO,Qd3pCP,Ec2pCiB,Cd3pCjB,C;;Qc6pCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdmrCA,iB;McmrCA,sC;QAEiB,Q;QAFb,ICzqCgD,qBAAU,CDyqC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd5rCG,MAAO,Kc4rCO,Qd5rCP,Ec4rCiB,Cd5rCjB,C;;Qc8rCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,IC7rCgD,qBAAU,CD6rC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;MdptCA,iB;McotCA,sC;QAaiB,Q;QAFb,ICntCgD,qBAAU,CDmtC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd3tCG,MAAO,Kc2tCO,Qd3tCP,Ec2tCiB,Cd3tCjB,C;;Qc6tCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MdnvCA,iB;McmvCA,sC;QAaiB,Q;QAFb,ICvuCgD,qBAAU,CDuuC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd1vCG,MAAO,Kc0vCO,Qd1vCP,Ec0vCiB,Cd1vCjB,C;;Qc4vCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,ICzvCgD,qBAAU,CDyvC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,IC/wCgD,qBAAU,CD+wC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICnyCgD,qBAAU,CDmyC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD,qBAAU,CDmzC1D,C;QAae,OAAO,I;MACTb,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CA

AL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UA
Ad,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CA
AL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,E
AAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMI,OCt1CgD,qBA
AU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cA
AhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;8EA
UA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,
oC;UAAM,OAAO,oBAAP,C;;QAARc,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC;MA/fA,6C;MAAA,oC;M
AAA,gC;MA+FA,2BAQiB,yB;QAvGbjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,4B;YAAE,aAAe,c;YAhg
BjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB
,iBAAhB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cA
Ab,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QAggBnB,gB;O;KARJ,C;8EAWA,yB;
MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,qBAAU,CDm4C1D,C;U
ACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAaKB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UAC
I,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAnBX,C;4FAsBA,yB;MAAA,
4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU,CDy5C1D,C;UACI,MA
AM,mCAA8B,uCAA9B,C;QACV,kBAaKB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,
oBAAU,KAaV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;wGAsBA,y
B;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD+6C1D,C;UACI,OAA
O,I;QACX,kBAaKB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAaV,EAAiB,
wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;0FAsBA,yB;MAAA,uD;MAAA,oC;
MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I;QACX,kBAaKB,qBAA
K,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,
E;;QAEIB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,
UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAaK
B,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,CAAJ,EAAI,sBA
AJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;qGAsBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;
MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCA
A9B,C;QACrB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,K
AAV,EAAiB,iCAAI,KAaJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;iHAuBA,yB;M
AAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,O
AAO,I;QACtB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,K
AAV,EAAiB,iCAAI,KAaJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;mGAuBA,yB;
MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,
C;UAAe,OAAO,I;QACtB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
oBAAU,kCAAI,CAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KApBX,C;wFAuBA,yB;
MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAgBoB,Q;QAHhB,ICvjDgD,qBAAU,CDu
jd1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,af5
wDO,W;Qe6wDP,kBAaKB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,WAAV,EA
AuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KApBX,C;sGAuBA,yB;MAAA,gD;MAAA
,gE;MAAA,mD;MAAA,oC;MAAA,gD;QAIbKB,gC;QAHd,IC/kDgD,qBAAU,CD+kD1D,C;UAAe,OAAO,OAAO,
OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,afpyDO,W;QeqyDP,kBAaKB,O;Q
ACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,iCAA
K,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEEX,OAAO,M;O;KArBX,C;4FAwBA,yB;MAAA,qD;MA
AA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,Q;QAHtB,ICtmDgD,qBAAU,CDsmD1D,C;UAAe,OAAO,W;
QACtB,sBAaKB,qBAAK,CAAL,CAAI,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QA
A7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,E
AAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;M

AAA,oC;MAAA,gC;MAAA,uC;QAIb0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAAe,OAAO,W;QACtB,sB
AAkB,qBAAK,CAAL,CAAIB,C;QACqC,kBAAXB,eAAGB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,afp1D
O,W;Qeq1De,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,iCAAK,KA
AL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,yB;MA9FA,gD;MAAA,
gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FS,Q;UAHhB,ICvjDgD,qBAAU,CDujD1D,C;
YAAe,qBAAO,OA+FH,OA/FG,C;YAAP,uB;WACuB,kBAAZB,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,sBA8F3B,
OA9F2B,C;UAA9C,af5wDO,W;Ue6wDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAgB,cAAhB,C;YAAgB,oC;YAC
Z,cA2FwB,SA3FV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA
wFP,yB;O;KAdJ,C;wFAiBA,yB;MAxFA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAwFA,gD;QAeW,6B;;UAtFO,
gC;UAHd,IC/kDgD,qBAAU,CD+kD1D,C;YAAe,4BAAO,OAYFI,OAZFJ,C;YAAP,8B;WACuB,kBAAZB,eAAa,m
BAAS,CAAT,IAAb,C;UAAiC,sBAwFpB,OxFOB,C;UAA9C,afpyDO,W;UeqyDP,kBAuF0B,O;UAtFZ,6B;UAA
A,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAqF+B,SArFjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,iCAAK,K
AAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAKFP,gC;O;KafJ,C;4EAkBA,yB;MAAA,6
C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,
oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAVX,C;wFAaA,yB;MAAA,6C;MAAA,oC;MAA
A,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,
SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;4EAaA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB
,Q;QADhB,UAAoB,C;QACJ,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,
OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QA
CC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,
C;4EAgBA,yB;MAAA,SASoB,gB;MATpB,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACgB,0
B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;4E
AgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M7BppDA,6B;M6BopDA,sC;QAWoB,Q;QADhB,U7BppDmC,c6Bo
pDnB,C7BppDmB,C;Q6BqpDnB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,M7Bx9DiD,c6Bw9DjD,G7B
x9D2D,KAAK,G6Bw9DzD,SAAS,oBAAT,C7Bx9DoE,KAAAX,IAAf,C;;Q6B09DrD,OAAO,G;O;KAdX,C;4EAiB
A,yB;MAAA,6C;MAAA,oC;MAAA,gC;MblqDA,+B;MakqDA,sC;QAWoB,Q;QADhB,UbjqDqC,eAAW,oBaiqD/
B,CbjqD+B,CAAX,C;QakqDrB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,Mbt+DmD,eas+DnD,Gbt+D8
D,KAAK,Kas+D5D,SAAS,oBAAT,Cbt+DuE,KAAAX,CAAhB,C;;Qaw+DvD,OAAO,G;O;KAdX,C;IAiBA,oC;MA
WI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,E
AAsC,IAAtC,EAAwD,SAAXD,C;K;IAcsB,oC;MAAE,OAAA,EAAG,W;K;IAXtC,0C;MAWI,OAAO,6BAAgB,IA
AhB,EAAsB,sBAAtB,C;K;IAGX,uD;MAGBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SA
AhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,Y
AAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,
C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;QAGf,OAAO,cAAK,KAAL,EAAy,MAA
Z,C;O;KAjBX,C;oFAoBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;Q
AFhB,YAAY,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAA
V,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;QAGf,OAAO,cAAK,KAAM,WA
AX,EAAuB,MAAO,WAA9B,C;O;KAjBX,C;IAqCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBrD,2D;MAGB4C,oB;Q
AAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,cAArB,EAAqC
,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAQhE,Q;MAPrB,oBAAo
B,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KA
AmB,CAAvB,GAA0B,CAA1B,GAAiC,CAANd,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,YAAY,C;MACZ,OAAg
B,CAAT,qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,CAAN,IAAW,MAAM,QAArB,
C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,UAAU,8BAAy,KAAZ,
EAAmB,UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,
W;K;IAjB7D,iE;MAGBoD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,E
AAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;Q
ACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BAA7B,GAAyC,G;QAD1D,OAEA,kBAAU,0C

AAy,KAAZ,EAAMb,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBWd,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA
0B,K;MAC7F,oBAaOb,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAOb,yBAApB,GAAiC,WAA
Q,mBAAS,IAAT,GAAGb,CAAhB,IAAR,CAAIC,EAAkE,MAAIE,C;MACd,OAA4B,OAAb,aAAR,OAAQ,CAAa,
EAAI,qDAAJ,C;K;IAOhC,kC;MAkBI,ad3hEO,MAAO,Kc2hEU,gBd3hEV,EcghEH,KAW2B,Od3hExB,C;Mc4hE
d,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAIB,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAA
L,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MADT,OAGBO,I;K;wEAbX,yB;MAAA,gE;MAA
A,oC;MdzHEA,iB;McyHEA,8C;QAQI,ad3hEO,MAAO,Kc2hEK,SAAK,Od3hEV,Ec2hEkB,KAAM,Od3hExB,C;Qc
4hEd,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAIB,M;UACI,IAAK,WAAI,UAAU,iCAAK,CA
AL,EAAV,EAAMb,6BAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MASW,sB;;QAaP,
WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;SACd,aAAa,iBAAa,IAAb,
C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WajBkB,GaiBJ,iCAAK,KAAL,EAjBI,EAiBS,iCAAK,Q
AAQ,CAAR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;MAnBP,yB;K;uFAGJ,yB;MAAA,qD;MAAA,gE;MAA
A,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,OAAO,W;QACrB,aAAa,
eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAAI,UAAU,iCAAK,KAAL,EAAV,EAAU
B,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAAO,M;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,
OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCniE0B,qBAAU,C;ODmiE1D,S;QAAiC,
OAAO,W;MACxC,oCAAGb,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,k
C;MAIQ,wC;MAAA,S;QAAkB,OC3iE0B,qBAAU,C;OD2iE1D,S;QAAiC,OAAO,e;MACxC,oCAAGb,8BAAhB,C
;K;IEpwEkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,ChCsLV,K;O;K;liCtLH,wC;MAAA,wB;QAAW,OAA
A,aAAK,KAAL,ChC8NV,K;O;K;liC9NC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CjByOV,K;O;K;IkBzOC,
0C;MAAA,wB;QAAW,OAAA,aAAK,KAAL,CjCiMV,K;O;K;4FkC5PzC,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6F
AGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAA
O,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;
6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,O
AAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;
K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,
OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;
K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,
OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;uGAuCX,yB;MA8gHI,8D;MA9gHJ,iD;Q
ASe,oBAAS,C;QAAT,S;UAAc,gBAqgHT,cAAR,iBAAQ,C;SArgHhB,OAAO,OAAsC,sBAAI,KAAJ,CAATC,GA
AsD,aAAa,KAAb,C;O;KATjE,C;uGAYa,yB;MA0gHI,8D;MA1gHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAigH
T,cAAR,iBAAQ,C;SAjgHhB,OAAO,OAAsC,sBAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYa,
yB;MAsgHI,8D;MATgHJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6/GT,cAAR,iBAAQ,C;SA7/GhB,OAAO,OAA
sC,sBAAI,KAAJ,CAATC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYa,yB;MAkgHI,8D;MAlgHJ,iD;QASe,oBAA
S,C;QAAT,S;UAAc,gBAy/GT,cAAR,iBAAQ,C;SAz/GhB,OAAO,OAAsC,sBAAI,KAAJ,CAATC,GAAsD,aAAa,K
AAb,C;O;KATjE,C;uGAYa,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAAL,SAAK,EAAU,KAAV,C;O;KATHb,
C;uGAYa,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAAL,SAAK,EAAU,KAAV,C;O;KATHb,C;uGAYa,yB;MA
AA,sD;MAAA,mC;QASI,OAAy,UAAAL,SAAK,EAAU,KAAV,C;O;KATHb,C;uGAYa,yB;MAAA,sD;MAAA,m
C;QASI,OAAy,UAAAL,SAAK,EAAU,KAAV,C;O;KATHb,C;IFAYa,gC;MASW,sB;;QA8NS,Q;QAAA,2B;QAAh
B,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9NH,SA8NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;
;QAC9C,qBAAO,I;;MA/NP,yB;K;IFAGJ,gC;MASW,sB;;QA6NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAA
gB,yB;UAAM,IA7NH,SA6NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA9
NP,yB;K;IFAGJ,gC;MASW,sB;;QA4NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5NH,SA
4NO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA7NP,yB;K;IFAGJ,gC;MAS
W,sB;;QA2NS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3NH,SA2NO,CAAU,OAAV,CAA
J,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA5NP,yB;K;yFAGJ,yB;MA4nBA,+C;MAkuFI,0D;MA9
1GJ,uC;QASW,qB;;UA4nBO,Q;UAAA,OAAa,SAytFX,YAAR,iBAAQ,CAZtFW,CAAb,W;UAAAd,OAAc,cAAAd,C;
YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9nBc,SA8nBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;c

AAP,sB;;UAE5B,oBAAO,I;;;QAhoBP,wB;O;KATJ,C;yFAYA,yB;MAgoBA,+C;MA0tFI,0D;MA11GJ,uC;QASW,qB;;UAgoBO,Q;UAAA,OAAa,SAitFX,YAAR,iBAAQ,CAjtFW,CAAb,W;UAd,OAAC,cAAc,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SAkoBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QApoBP,wB;O;KATJ,C;yFAYA,yB;MAooBA,+C;MAktFI,0D;MA11GJ,uC;QASW,qB;;UAooBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAd,OAAC,cAAc,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SAsoBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAxoBP,wB;O;KATJ,C;yFAYA,yB;MAwoBA,+C;MA0sFI,0D;MA11GJ,uC;QASW,qB;;UAwoBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAd,OAAC,cAAc,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SA0oBV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA5oBP,wB;O;KATJ,C;mFAYA,yB;MAAA,8C;MnCpHA,6B;MmCoHA,4B;QAQI,OnClHmC,cmCkHpB,MAAR,iBAAQ,CnClHoB,C;O;KmC0GvC,C;mFAWA,yB;MAAA,8C;MnBhHA,+B;MmBgHA,4B;QAQI,OnB9GsC,emB8GvB,MAAR,iBAAQ,CnB9GuB,C;O;KmBsG1C,C;mFAWA,yB;MAAA,8C;MpCxLA,+B;MoCwLA,4B;QAQI,OpCtLsC,eoCsLvB,MAAR,iBAAQ,CpCtLuB,C;O;KoC8K1C,C;mFAWA,yB;MAAA,8C;MICtLA,iC;MkCsLA,4B;QAQI,O1CpLyC,gBkCoL1B,MAAR,iBAAQ,C1CpL0B,C;O;KkC4K7C,C;mFAWA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IAYA,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;2FAGX,yB;MAkqGI,8D;MA1qGJ,iD;QA0e,oBAAS,C;QAAT,S;UAAc,gBA2pGT,cAAR,iBAAQ,C;SA3pGhB,OAAO,OAAc,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MAgqGI,8D;MAhqGJ,iD;QA0e,oBAAS,C;QAAT,S;UAAc,gBAypGT,cAAR,iBAAQ,C;SAzpGhB,OAAO,OAAc,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4pGI,8D;MA5pGJ,iD;QA0e,oBAAS,C;QAAT,S;UAAc,gBAqpGT,cAAR,iBAAQ,C;SArpGhB,OAAO,OAAc,sBAAL,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBAknGT,gBAAR,iBAAQ,C;OAlnGhB,OAAO,OAAc,sBAAL,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBA4mGT,gBAAR,iBAAQ,C;OA5mGhB,OAAO,OAAc,sBAAL,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAC,gBAymGT,gBAAR,iBAAQ,C;OAZmGhB,OAAO,OAAc,sBAAL,KAAJ,CAAtC,GAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QA0I,OAAe,QAAR,iBAAQ,EAAQ,OnCtdU,KmCsd1B,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QA0I,OAAe,QAAR,iBAAQ,EAAQ,OpClhBY,KoCkhBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QA0I,OAAe,QAAR,iBAAQ,EAAQ,O1CjhBc,KkCihBtB,C;O;KAPnB,C;iGAUA,yB;MAAA,sC;MnC5ZA,6B;MmC4ZA,0BA0gC,yB;QnCnahC,6B;emCmagC,6B;UAAA,qB;YAAE,yBnCzZK,cmCyZK,EnCzZL,CmCyZL,C;W;S;OAAF,C;MAPhC,uC;QA0mB,kBAAR,iB;QAAQ,uB;;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,chSUCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCj1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MnBvZA,+B;M

mBuZA,0BAOgC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,qB;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtC80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAAK,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCn1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BAOgC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yBpC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtCgyBf,0D;YACI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCoB,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCryBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MIC3dA,iC;MkC2dA,0BAOgC,yB;QIClehC,iC;ekCkegC,6B;UAAA,qB;YAAE,yBICxdW,gBkCwdD,ElCxdC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtCkyBf,0D;YACI,IsCnyB0B,UICxdW,gBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCm5BA,0D;MAAA,+C;MGv1CA,6B;MmCocA,yBAO+B,yB;QnC3c/B,6B;emC2c+B,6B;UAAA,qB;YAAE,yBnCjcm,cmCieI,EnCjcJ,CmCicN,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCg5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCj5ByB,UnCjcm,cHk1CjB,YAAK,KAAL,CGI1CiB,CmCicN,CtCi5BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCr5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCq5BA,0D;MAAA,+C;MmBp1CA,+B;MmB+bA,yBAO+B,yB;QnBtc/B,+B;emBsc+B,6B;UAAA,qB;YAAE,yBnB5bS,emB4bC,EnB5bD,CmB4bT,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCk5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCn5ByB,UnB5bS,enB+0CpB,YAAK,KAAL,CmB/0CoB,CmB4bT,CtCm5BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCv5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCu2BA,0D;MAAA,+C;ME72CA,+B;MoCsgBA,yBAO+B,yB;QpC7gB/B,+B;eoC6gB+B,6B;UAAA,qB;YAAE,yBpCngBS,eoCmgBC,EpCngBD,CoCmgBT,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCo2BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCr2ByB,UpCngBS,eFw2CpB,YAAK,KAAL,CEx2CoB,CoCmgBT,CtCq2BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCz2BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCy2BA,0D;MAAA,+C;MI52CA,iC;MkCmgBA,yBAO+B,yB;QIC1gB/B,iC;ekC0gB+B,6B;UAAA,qB;YAAE,yBIChgBY,gBkCggBF,ElChgBE,CkCggBZ,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCs2BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,IsCv2ByB,UIChgBY,gBJu2CvB,YAAK,KAAL,CiV2CuB,CkCggBZ,CtCu2BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsC32BP,yB;O;KAPJ,C;iFAUA,yB;MAAA,4C;MnC5eA,6B;MmC4eA,4B;QAWI,OnC7emC,cmC6epB,KAAR,iBAAQ,CnC7eOB,C;O;KmCkevC,C;iFAcA,yB;MAAA,4C;MnB3eA,+B;MmB2eA,4B;QAWI,OnB5esC,emB4evB,KAAR,iBAAQ,CnC5euB,C;O;KmBie1C,C;iFAcA,yB;MAAA,4C;MpCtjBA,+B;MoCsjBA,4B;QAWI,OpCvjBsC,eoCujBvB,KAAR,iBAAQ,CpCvjBuB,C;O;KoC4iB1C,C;iFAcA,yB;MAAA,4C;MICvjBA,iC;MkCujBA,4B;QAWI,OICxjByC,gBkCwjB1B,KAAR,iBAAQ,CICxjB0B,C;O;KkC6iB7C,C;iFAcA,yB;MAAA,+C;MAAA,iE;MA83FI,0D;MA93FJ,uC;QAWkB,Q;QAAA,OAAa,SAm3FX,YAn3FF,SAm3FN,QAAQ,CAn3FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAo3FI,0D;MAP3FJ,uC;QAWkB,Q;QAAA,OAAa,SAy2FX,YAz2FF,SAy2FN,QAAQ,CAz2FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAg2FI,0D;MAh2FJ,uC;QAWkB,Q;QAAA,OAAa,SAq1FX,YAr1FF,SAq1FN,QAAQ,CAr1FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;+FAkBA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OnC9sBM,KmC8sBIB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OpC1wBQ,KoC0wBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OICzwBU,KkCywBtB,C;O;KAPnB,C;IAUA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,k

C;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mB
AAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MALuFJ,uC;Q
ASkB,Q;QAAA,OAAa,SAytFX,YAZtFF,SAytFN,QAAQ,CAZtFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UA
CV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnc,OAAO,I;O;KAbX,
C;6FAgBA,yB;MAAA,+C;MA0tFI,0D;MA1tFJ,uC;QASkB,Q;QAAA,OAAa,SAitFX,YAjtFF,SAitFN,QAAQ,CAjt
FW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ
,C;YAAwB,OAAO,O;;QAEnc,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MAktFI,0D;MAltFJ,uC;QASkB,Q;Q
AAA,OAAa,SAYSFX,YAZsFF,SAYSFN,QAAQ,CAzsFW,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc
,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnc,OAAO,I;O;KAbX,C;6FAgB
A,yB;MAAA,+C;MA0sFI,0D;MA1sFJ,uC;QASkB,Q;QAAA,OAAa,SAisFX,YAjsFF,SAisFN,QAAQ,CAjsFW,CA
Ab,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA
AwB,OAAO,O;;QAEnc,OAAO,I;O;KAbX,C;qFAgBA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAA
AO,cAAP,C;O;KATX,C;qFAyA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,
C;qFAyA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAyA,yB;MAAA,
mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYa,sC;MAQI,IAAI,mBAAJ,C;QACI,M
AAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mB
AAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;
MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,
C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ
,cAAR,CAAX,C;K;IAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAaA,cAAb,C;O;KARX,C;IG
AWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAaA,cAAb,C;O;KARX,C;IGAWA,yB;MAAA,mC
;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAaA,cAAb,C;O;KARX,C;IGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4
B;QAQI,OAAO,wBAaA,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,s
BAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAA
I,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MA
AO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,i
BAAQ,cAAR,CAAX,C;K;qFAGX,yB;MAAA,gD;MnCh8BA,6B;MmCg8BA,4B;QAoi,OnC77BmC,cmC67BpB,
OAAr,iBAAQ,CnC77BoB,C;O;KmcS7BvC,C;qFAUA,yB;MAAA,gD;MnB37BA,+B;MmB27BA,4B;QAoi,OnB
x7BsC,emBw7BvB,OAAr,iBAAQ,CnBx7BuB,C;O;Kmbi7B1C,C;qFAUA,yB;MAAA,gD;MpClGCA,+B;MoCkg
CA,4B;QAoi,OpC//BsC,eoc+/BvB,OAAr,iBAAQ,CpC//BuB,C;O;Kocw/B1C,C;qFAUA,yB;MAAA,gD;MIC//B
A,iC;MkC+/BA,4B;QAoi,OIC5/ByC,gBkC4/B1B,OAAr,iBAAQ,CIC5/B0B,C;O;Kkcq/B7C,C;qFAUA,yB;MAA
A,kf;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,2
B;QAaHb,OAAgB,cAaHb,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MA
AM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;QAGhb,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCA
AuB,mDAAvB,C;QAEIB,OAAO,0D;O;KAIbX,C;qFAqBA,yB;MAAA,kf;MAAA,iE;MAAA,0B;MAAA,8B;MA
AA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAaHb,C;UAAgB,yB;U
ACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;Y
ACT,QAAQ,I;QAGhb,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAIb
X,C;qFAqBA,yB;MAAA,kf;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QA
CrB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAaHb,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI
,KAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;QAGhb,IAAI,CAAC,KAAL,C;
UAAY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAIbX,C;qFAqBA,yB;MAAA,kf;MAAA,iE;MAAA
,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACI,2B;QAaHb,OAAgB,cAaH
b,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;
YACjB,SAAS,O;YACT,QAAQ,I;QAGhb,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEIB,
OAAO,4D;O;KAIbX,C;IAqBA,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IA
GvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mB
AAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK

,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MASoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,+B;MxBrhDI,IAAI,EwB+hDI,KAAK,CxB/hDT,CAAJ,C;QACI,cwB8hDc,sD;QxB7hDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB8hDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBniDI,IAAI,EwB6iDI,KAAK,CxB7iDT,CAAJ,C;QACI,cwB4iDc,sD;QxB3iDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB4iDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBjjDI,IAAI,EwB2jDI,KAAK,CxB3jDT,CAAJ,C;QACI,cwB0jDc,sD;QxBzjDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB0jDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxB/jDI,IAAI,EwBykDI,KAAK,CxBzkDT,CAAJ,C;QACI,cwBwkDc,sD;QxBvkDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBwkDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,mC;MxB7kDI,IAAI,EwBulDI,KAAK,CxBvlDT,CAAJ,C;QACI,cwBslDc,sD;QxBrlDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBslDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxB3lDI,IAAI,EwBqmDI,KAAK,CxBrmDT,CAAJ,C;QACI,cwBomDc,sD;QxBnmDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBomDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxBzmDI,IAAI,EwBmnDI,KAAK,CxBnnDT,CAAJ,C;QACI,cwBknDc,sD;QxBjnDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBknDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MxBvnDI,IAAI,EwBioDI,KAAK,CxBjoDT,CAAJ,C;QACI,cwBgoDc,sD;QxB/nDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBgoDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;mGAGX,yB;MAAA,4C;MAAA,qD;MAkqEI,8D;MALqEJ,uC;QASI,iBAypEgB,cAAR,iBAAQ,CAzpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAypEI,8D;MAzpEJ,uC;QASI,iBAgpEgB,cAAR,iBAAQ,CAhpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAhpEI,8D;MAhpEJ,uC;QASI,iBAuoEgB,cAAR,iBAAQ,CAvoEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAuoEI,8D;MAvoEJ,uC;QASI,iBA8nEgB,cAAR,iBAAQ,CA9nEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgRT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAhRiD,OAiRO,W;O;KAiRX,C;qFAYA,yB;MAA

EtC,OAA4D,SAgjDrD,eAAmB,cAAR,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB ,IAGjDR,CAAnB,CAhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;OgC4kEtC,OAA 4D,UAsjDrD,eAAmB,cAAR,iBAAQ,EAjtDP,OAAQ,MAsjDD,EAjtDQ,OAAQ,aAAR,GAAuB,CAAvB,IASjDR,C AAnB,CAtjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrIEe,W;OgCslEtC,OAA4D,UA4jDrD ,gBAAoB,cAAR,iBAAQ,EA5jDR,OAAQ,MA4jDA,EA5jDO,OAAQ,aAAR,GAAuB,CAAvB,IA4jDP,CAApB,CA 5jDqD,C;K;IAGhE,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CA AZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,I AAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,E AAwB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB ;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MA SkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;M ACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,sBAAL,KAAJ ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAskB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB, IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAakB,IAAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;Q AAc,uB;QACV,IAAK,WAAI,sBAAL,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,cAAkB,aAAR, iBAAQ,EAawB,OAAX,CAAlB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAawB,OAAX,CAAnB,C;K ;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAawB,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB, aAAR,iBAAQ,EAawB,OAAX,CAApB,C;K;IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EAawB,OAAX,CAAl B,C;K;IAGX,2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EAawB,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eA AmB,aAAR,iBAAQ,EAawB,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EAawB,OAAX ,CAApB,C;K;IAGX,+B;MAGBiB,Q;MxB7xEb,IAAI,EwBuxEI,KAAK,CxBvxET,CAAJ,C;QACI,cwBsxEc,sD;Q xBrxEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBsxEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI, KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP, C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB7yEb,IA AI,EwB+yEI,KAAK,CxB/yET,CAAJ,C;QACI,cwB8yEc,sD;QxB7yEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB8 yEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,M AAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAj B,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UA CI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB70Eb,IAAI,EwBu0EI,KAAK,CxBv0ET,CAAJ,C;QACI,cwBs 0Ec,sD;QxB70Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBs0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC nB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAA L,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;Q ACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;M xBr2Eb,IAAI,EwB+1EI,KAAK,CxB/1ET,CAAJ,C;QACI,cwB81Ec,sD;QxB71Ed,MAAM,gCAAYB,OAAQ,WAAj C,C;OwB81EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,cAAT,C;QAAe,OAAO,mB;MAC tB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA AkB,CAAlB,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW, CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,mC;MxB72EI,IAAI,EwBu3EI,KAAK,CxBv3ET,CAAJ,C;QACI,cwB s3Ec,sD;QxB73Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBs3EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC nB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OA AO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IA Ad,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB14EI,IAAI, EwB44EI,KAAK,CxB54ET,CAAJ,C;QACI,cwB24Ec,sD;QxB14Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB24E V,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB; MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iB AAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAA J,C;MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KAAK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5

Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;
MACX,IAAI,KAACK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,O
AAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IA
A7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KA
AK,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C;OwBq7EV,IAAI,MAA
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAACK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAI
B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,
OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MA2CI,8D;MA2CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ
,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA
SI,iBAo1CgB,cAAR,iBAAQ,CAP1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;MA
AA,gD;MAo1CI,8D;MAP1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,CA
AC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;K
AdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CA10ChB,
WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,C
AAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QA
CE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI
,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B
;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ
,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAA
b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QA
ET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAA
a,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OA
AO,I;O;KafX,C;uFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD
;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;
KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,
gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAMb,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAA
Q,EAAQ,SAAR,EAAMb,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAA
Q,EAAQ,SAAR,EAAMb,OAAAnB,C;O;KAbZ,C;IAgBA,gC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,W;MACtB,W
AAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,W;MACtB
,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,W;MA
CtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAae,OAAO,W;
MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;kGAGX,yB;MAAA,8D;MAAA,uC;MAAA,4B;Q
AOI,OAAO,mBAAkB,cAAR,iBAAQ,CAAIB,C;O;KAPX,C;kGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI
,OAAO,oBAAMb,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,O
AAO,oBAAMb,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;QAOI,OA
AO,qBAAoB,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IAUA,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBA
AQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,uC;MAQI,a
A8+BgB,gBAAR,iBAAQ,CA9+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QA
Cf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EA
AU,IAAV,C;;K;IAIR,uC;MAQI,aAs+BgB,gBAAR,iBAAQ,CAt+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,i
BAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAA
V,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OAA2B,CA
A3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CA
AL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs9BgB,gBAAR

,iBAAQ,CAt9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApSI,UAAR,iBAAQ,C;Q;IAySZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAtSI,UAAR,iBAAQ,C;Q;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAxSI,UAAR,iBAAQ,C;Q;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;Q;IA+SZ,6B;MAMoB,kBA+nBT,cAAU,iBvB58EO,QuB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SrBv3F1B,WqBu3F0B,C;K;IAGrC,8B;MAMoB,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAl0BiB,mB;MAAxB,OAAiC,SrBh4F1B,WqBg4F0B,C;K;IAGrC,8B;MAMoB,kBAqoBT,eAAW,iBvBx/EM,QuBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UrBz4F1B,WqBy4F0B,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,UrB15F1B,WqBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0lBd,cA11BA,SA0lBU,QvB58EO,QuB48EjB,C;MA11BsB,mB;MAA7B,OrB55FO,W;K;IqB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4lBd,eAAmB,UA5lBnB,SA4lBW,QAAQ,CAAnB,C;MA5lBsB,mB;MAA7B,OrBt6FO,W;K;IqBy6FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8lBd,eA9lBA,SA8lBW,QvBx/EM,QuBw/EjB,C;MA9lBsB,mB;MAA7B,OrBh7FO,W;K;IqBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgmBd,gBAhmBA,SAgmBY,QvB1/EK,QuB0/EjB,C;MAhmBsB,mB;MAA7B,OrB17FO,W;K;IqB67FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkjBd,cAljBA,SAkjBU,QvB58EO,QuB48EjB,C;MALjBsB,8B;MAA7B,OrBp8FO,W;K;IqBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAojBd,eAAmB,UApjBnB,SAojBW,QAAQ,CAAnB,C;MAPjBsB,8B;MAA7B,OrB98FO,W;K;IqBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAsjBd,eAtjBA,SAsjBW,QvBx/EM,QuBw/EjB,C;MATjBsB,8B;MAA7B,OrBx9FO,W;K;IqB29FX,6C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwjBd,gBAxjBA,SAwjBY,QvB1/EK,QuB0/EjB,C;MAXjBsB,8B;MAA7B,OrBl+FO,W;K;IqBq+FX,uC;MAQoB,kBAygBT,cAAU,iBvB58EO,QuB48EjB,C;MAzgBiB,mB;MAAxB,OAAiC,YrB7+F1B,WqB6+F0B,C;K;IAGrC,wC;MAQoB,kBA0gBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MA1gBiB,mB;MAAxB,OAAiC,YrBx/F1B,WqBw/F0B,C;K;IAGrC,wC;MAQoB,kBA2gBT,eAAW,iBvBx/EM,QuBw/EjB,C;MA3gBiB,mB;MAAxB,OAAiC,YrBngG1B,WqBmgG0B,C;K;IAGrC,wC;MAQoB,kBA4gBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MA5gBiB,mB;MAAxB,OAAiC,YrB9gG1B,WqB8gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0FAGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAd,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAd,C;K;IAGhB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;sFAGjD,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB6D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF1H,UuBwhFA,iBvBxhFA,EuBwhFiB,WAAy,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,WAAy,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QA

AG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAAU,iBvB58EO,QuB48EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/EM,QuBw/EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAy,iBvB1/EK,QuB0/EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,EAAO,OAAP,CAAIb,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAAoB,OAAR,iBAAQ,EAAO,OAAP,CAApB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAaI,OAAO,mBAAkB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAIb,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C;6FAgBA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAaI,OAAO,qBAAoB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAApB,C;O;KAbX,C;IAGBA,sD;MAWyC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACHE,OAAR,iBAAQ,EAAK,OnCv8GoB,KmCu8GzB,EAAsB,SAAtB,EAAiC,OAAjC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OnB38GsB,KmB28G3B,EAAuB,SAAvB,EAakC,OAAIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OpC7gHsB,KoC6gH3B,EAAuB,SAAvB,EAakC,OAAIC,C;K;IAGZ,wD;MAW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,OICjhHwB,KkCihH7B,EAAwB,SAAxB,EAAMC,OAAnc,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OnCvmHX,K;;MmCwmHjC,OAAO,cAAU,MAAV,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OpCvqHT,K;;MoCwqHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OICxqHP,K;;MkCyqHrC,OAAO,gBAAy,MAAZ,C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OAAO,mBvBjuEA,qBuBiuEU,iBvBjuEV,EuBiuEoB,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,sC;QAOI,OAAO,oBvBnuEA,qBuBmuEW,iBvBnuEX,EuBmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC

;MvBnwEA,iD;MuBmwEA,sC;QAOI,OAAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EuBqwEqB,QAAS,QvBrwE9B
,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OAAO,qBvBvwEA,qBuBu
wEY,iBvBvwEZ,EuBuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAAO,CAAX,
C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,Y
AAU,SAAV,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SA
V,EAAGB,CAAhB,EAAMb,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,
CAAhB,EAAMb,cAAnB,C;K;IAGIB,+C;MAa0B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACzD,oCA
Aa,2BAAkB,SAaIB,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,
C;K;IAGJ,+C;MAa2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAaIB,EAA6
B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAa2B,yB;Q
AAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAsC,cAAtC,C
;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAa4B,yB;QAAA,YAAiB,C;MAAG,uB;
QAAA,UAAe,c;MAC3D,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAsC,cAAtC,C;MACb,YAAU,SAAV,EA
gB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,0D;MAaI,kBAaK,SAAL,EAAGB,OAAhB,C;MAh8CQ,WAAR,iBAAQ,E
Ai8CA,SAj8CA,Eai8CW,Oaj8CX,C;K;IAo8CZ,0D;MAaI,kBAaK,SAAL,EAAGB,OAAhB,C;MAj8CQ,WAAR,i
BAAQ,Eak8CA,SAI8CA,Eak8CW,OAI8CX,C;K;IAq8CZ,0D;MAaI,kBAaK,SAAL,EAAGB,OAAhB,C;MAI8CQ
,UAAAR,iBAAQ,EAm8CA,SAn8CA,EAm8CW,OAn8CX,C;K;IAs8CZ,0D;MAaI,kBAaK,SAAL,EAAGB,OAAhB,
C;MAn8CQ,WAAR,iBAAQ,EAo8CA,SAP8CA,EAo8CW,OAP8CX,C;K;8FAu8CZ,qB;MAQI,OAAO,iBvB3jGiB,
Q;K;4FuB8jG5B,qB;MAQI,OAAO,iBvBljGiB,Q;K;8FuBqjG5B,yB;MAAA,gD;MAAA,4B;QAQI,OAAe,OAAR,i
BAAQ,C;O;KARnB,C;gGAWA,qB;MAQI,OAAO,iBvBlIgiB,Q;K;IuB2Igl,gD;MAAA,wB;QAAW,qCAAK,KA
AL,C;O;K;IANIC,iC;MAMI,OAAO,iBAAM,cAAN,EAAY,8BAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KA
AAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK
,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCA
AK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASiB,gD;MAAA,wB;QAAW,y
BAAK,KAAL,C;O;K;IANvC,iC;MAMI,OJnqIO,eAAW,+BImqIA,gBJnqIA,GAAGB,kBImqIV,8BJnqIU,CAAhB,C
AAX,C;K;gGIsqIX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SvBppGM,QuBopGjB,C;O;KARX,C;IAiB2
B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IANtC,gC;MAMI,OHvriO,cAAU,gCGurIA,gBHvriA,GAAe,iB
GurIT,6BHvriS,CAAF,CAAV,C;K;8FG0rIX,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SvBppGO,QuBop
GjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OF3sIO,eAAW,kBE
2sIA,gBF3sIA,EAAGB,kBE2sIV,8BF3sIU,CAAhB,CAAX,C;K;gGE8sIX,yB;MAAA,gD;MAAA,yC;MAAA,4B;Q
AQI,OAAO,oBAAGB,OAAL,SAAK,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;
K;IANx C,kC;MAMI,OD/tIO,gBAAY,gCC+tIA,gBD/tIA,GAAiB,mBC+tIX,+BD/tIW,CAAjB,CAAZ,C;K;kgCkuI
X,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SvBtsGK,QuBssGjB,C;O;KARX,C;mgAWA,yB;MAAA,0D;
MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAAyC,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAAzC,C;Q
AsEG,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MASEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OA
Ad,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;mgAkBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAc
I,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QAsEG,Q;QAAA,2B;QAaHb,OAAGB,c
AAhB,C;UAAGB,yB;UArEO,MASEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OAAd,CAAb,C;;QAtEhB,OAAuB,M;O;
Kaf3B,C;kgAkBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAA
Z,CAAKB,EAAC,EAAD,CAA1C,C;QAsEG,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MASEP,
aAAI,OAAJ,EAtEe,aAsEF,CAAC,OAAd,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;mgAkBA,yB;MAAA,0D;M
AAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA2C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAA3C,C;QA
sEG,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MASEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OA
Ad,CAAb,C;;QAtEhB,OAAuB,M;O;Kaf3B,C;uGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;Q
AAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q
;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;M
AEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aA
AI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAG

B,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uFAGX,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QASW,kBAAU,gB;QAKLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAnL6B,SAmLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApLhB,OAsLO,W;O;KA/LX,C;uFAYA,yB;MAAA,+D;MAsLA,gD;MatLA,uC;QASW,kBAAU,gB;QAOlD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArL6B,SAqLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtLhB,OAwLO,W;O;KAjMX,C;uFAYA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QASW,kBAAU,gB;QAsLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvL6B,SAuLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxLhB,OA0LO,W;O;KAnMX,C;uFAYA,yB;MAAA,+D;MA0LA,gD;MA1LA,uC;QASW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WazL6B,SAyLIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1LhB,OA4LO,W;O;KArMX,C;qGAYA,yB;MAAA,+D;MA4DA,gD;MA5DA,uC;QAYW,kBAaiB,gB;QA2DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA5DoC,SA4DzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA7DhB,OA+DO,W;O;KA3EX,C;qGAeA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;QAYW,kBAaiB,gB;QA8DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA/DoC,SA+DzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhEhB,OAkEO,W;O;KA9EX,C;qGAeA,yB;MAAA,+D;MAkEA,gD;MAIEA,uC;QAYW,kBAaiB,gB;QAiER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAlEOC,SAkEzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAnEhB,OAqEO,W;O;KAjFX,C;qGAeA,yB;MAAA,+D;MAqEA,gD;MArEA,uC;QAYW,kBAaiB,gB;QAoER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArEOC,SAqEzB,EAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtEhB,OAwEO,W;O;KApFX,C;yGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;2FakBA,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;uFACa,yB;MAAA,wE;MA4HA,+D;MA5HA,yC;QAYW,kBAAU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7HoD,WA6H1C,CAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99IxB,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/HT,OAIIO,W;O;KA7IX,C;uFAeA,yB;MAAA,wE;MAiIA,+D;MAjIA,yC;QAYW,kBAAU,oB;QAIID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlIqD,WAKI3C,CAAY,OAAZ,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+IX,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApIT,OAsIO,W;O;KAIJX,C;sFAeA,yB;MAAA,wE;MASIA,+D;MatIA,yC;QAYW,kBAAU,oB;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WauI3C,CAAY,OAAZ,C;U/Bp/gJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q

AzIT,OA2IO,W;O;KA vJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAA
A,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0
hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC
,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAgJO,W;O
;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QAgJD,Q;QAAA,2B;QAAhB,OA
AgB,cAAhB,C;UAAgB,yB;UACZ,UAjJiD,WaiJvC,CAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+
iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT
,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAE,OAAf,CAAJ,C;;QAnJT,OAgJO,W;O;
KAIKX,C;uFAGBA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OA
AgB,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+B
okJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,M
AAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WaxJyD,cAwJrD,CAAE,OAAf,CAAJ,C;;QAxJT,OA0JO,
W;O;KA vKX,C;uFAGBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB
B,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA3iJd,WA2JvC,CAAY,OAAZ,C;U/BvIJP,U;UADP,Y+BylJe,W/BzIjH,
W+BylJwB,G/BzIjxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,
MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAE,OAAf,CAAJ,C;;QA7JT,OA+J
O,W;O;KA5KX,C;uFAGBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QA
AhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W
/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/
B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAIKyD,cAkKrD,CAAE,OAAf,CAAJ
,C;;QAIKT,OAoKO,W;O;KAjLX,C;2FAGBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,c
AAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99Ix
B,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e
;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;
MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/Bh/I
P,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+I
X,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,
OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UA
AgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,I
AAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;Q
AYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BxhJP,U;UADP,Y
+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+Buh
JgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W
;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;U
ACZ,UAAU,YAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;
YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UA
CA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAao
B,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BlkJP,U;UADP,Y+Bok
Je,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/
BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OA
AO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB
,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BvIJP,U;UADP,Y+BylJe,W/BzIjH,W+BylJwB,G/BzIjxB,C;UACL,IAAI,a
AAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA
,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE
;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B5mJP,U;UADP
,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,
a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CA

AY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MA
C9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;Q
AAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C
;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,O
AAO,K;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM
,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MA
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO
,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAA
c,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAakB,O;MACF,2B
;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;
+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QA
AgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,W;
K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;
QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAAO,
W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAhB,
C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,OAA
O,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAakB,O;MACF,2B;MAAhB,OAAgB,cAAh
B,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;;MACpC,O
AAO,W;K;0FAGX,yB;MA1uDI,8D;MA0uDj,gD;QAeoC,Q;QAHhC,YAtvDgB,cAAR,iBAAQ,C;QAuvDhB,kBA
AkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAA
xB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAtvDI,8D;MASvDJ,gD;QAeoC,Q;QAHhC,YAlwDgB,cAAR,
iBAAQ,C;QAmwDhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oB
AAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA1wDI,8D;MAkwDJ,gD;QAeoC,
Q;QAHhC,YA9wDgB,cAAR,iBAAQ,C;QA+wDhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U
AAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA9
wDI,8D;MA8wDJ,gD;QAeoC,Q;QAHhC,YA1xDgB,cAAR,iBAAQ,C;QA2xDhB,kBAakB,O;QACIB,OAAO,SA
AS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;
KAjBX,C;yGAoBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YAv0DgB,cAAR,iBAAQ,C;QAw0DhB,kBAakB,O;QAC
IB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAHV,EAAiB,sBAAI,KAJ,CAAjB,EAA6B,WAA7B,C;UACd,
qB;;QAEJ,OAAO,W;O;KANBX,C;yGAsBA,yB;MAx0DI,8D;MAw0DJ,gD;QAaI,YAr1DgB,cAAR,iBAAQ,C;QAs
1DhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAHV,EAAiB,sBAAI,KAJ,CAAjB,EA
A6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KANBX,C;yGAsBA,yB;MAP2DI,8D;MA
o2DJ,gD;QAaI,YAj3DgB,cAAR,iBAAQ,C;Qak3DhB,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
UAAU,KAHV,EAAiB,sBAAI,KAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KANBX,C;uFAs
BA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;
MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAA
A,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAUiB,UAAa,M;MAD1
B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;
;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO
,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAA
b,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UA
Aa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAA
gB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IA
GX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qB
AAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAj

B,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,C,AAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhEI,8D;MAihEJ,sC;QAMW,sB;;UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnEgB,cAAR,iBAAQ,C;UAinEhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApGP,yB;O;KANJ,C;+FASA,yB;MAIjEI,8D;MAkjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7jEgB,cA6jEA,SA7jER,QAAQ,C;QA8jEhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAnkEI,8D;MAmkEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9kEgB,cA8kEA,SA9kER,QAAQ,C;QA+kEhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAplEI,8D;MAolEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/IEgB,cA+IEA,SA/IER,QAAQ,C;QAgmEhB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAAA,sE;MATpEI,8D;MpBnwHJ,iB;MoBy5LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqEG,cAAR,iBAAQ,C;QAsqEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn6LG,MAAO,KoBm6LO,QpBn6LP,EoBm6LiB,CpBn6LjB,C;;QoBq6Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqEI,8D;MpB3wHJ,iB;MoBg7LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrEG,cAAR,iBAAQ,C;QAqrEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB17LG,MAAO,KoB07LO,QpB17LP,EoB07LiB,CpB17LjB,C;;QoB47Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprEI,8D;MpBnxHJ,iB;MoBu8LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApS EG,cAAR,iBAAQ,C;QAosEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj9LG,MAAO,KoBi9LO,QpBj9LP,EoBi9LiB,CpBj9LjB,C;;QoBm9Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAnsEI,8D;MpB3xHJ,iB;MoB89LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntEG,cAAR,iBAAQ,C;QAmtEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx+LG,MAAO,KoBw+LO,QpBx+LP,EoBw+LiB,CpBx+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvEI,8D;MpB9wHJ,iB;MoBggMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwEG,cAAR,iBAAQ,C;QakwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1gMG,

MAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjxEG,cAAR,iBAAQ,C;QAixEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBjMG,MAAO,KoBiiMO,QpBjMP,EoBiiMiB,CpBjMjB,C;;QoBmiMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8iMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhyEG,cAAR,iBAAQ,C;QAgyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxjMG,MAAO,KoBwjMO,QpBxjMP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,8D;MpBtyHJ,iB;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/yEG,cAAR,iBAAQ,C;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/kMG,MAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;QoBilMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90EI,8D;MA80EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51EG,cAAR,iBAAQ,C;QA41EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71EI,8D;MA61EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32EG,cAAR,iBAAQ,C;QA22EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MA42EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13EG,cAAR,iBAAQ,C;QA03EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33EI,8D;MA23EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4EG,cAAR,iBAAQ,C;QAY4EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16EI,8D;MpBnwHJ,iB;MoB6qMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7EG,cAAR,iBAAQ,C;QAw7EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrrMG,MAAO,KoBqrMO,QpBrrMP,EoBqrMiB,CpBrrMjB,C;;QoBurMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAv7EI,8D;MpB3wHJ,iB;MoBksMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA8EG,cAAR,iBAAQ,C;QAq8EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1sMG,MAAO,KoB0sMO,QpB1sMP,EoB0sMiB,CpB1sMjB,C;;QoB4sMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAp8EI,8D;MpBnxHJ,iB;MoButMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA19EG,cAAR,iBAAQ,C;QAk9EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/tMG,MAAO,KoB+tMO,QpB/tMP,EoB+tMiB,CpB/tMjB,C;;QoBiuMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAj9EI,8D;MpB3xHJ,iB;MoB4uMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9EG,cAAR,iBAAQ,C;QA+9EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvMG,MAAO,KoBovMO,QpBpvMP,EoBovMiB,CpBpvMjB,C;;QoBsvMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA9/EI,8D;MpB9wHJ,iB;MoB4wMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gFG,cAAR,iBAAQ,C;QA4gFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxMG,MAAO,KoBoxMO,QpBpxMP,EoBoxMiB,CpBpxMjB,C;;QoBsxMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA3gFI,8D;MpBtxHJ,iB;MoBiyMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhFG,cAAR,iBAAQ,C;QAYhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBzyMG,MAAO,KoByyMO,QpBzyMP,EoByyMiB,CpBzyMjB,C;;QoB2yMd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAxhFI,8D;MpB9xHJ,iB;MoBszMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtiFG,cAAR,iBAAQ,C;QAsiFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9zMjB,C;;QoBg0Md,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAriFI,8D;MpBtyHJ,iB;MoB20MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAanjFG,cAAR,iBAAQ,C;QAmjFhB,aAAU,CAAV,iB;UACI,QA

AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO,QpBn1MP,EoBm1MiB,CpBn1MjB,C;
;QoBq1Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1lFI,8D;MAklFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,
OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9lFG,cAAR,iBAAQ,C;QA8lFhB,aAAU,CAAV,
iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGn
B,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1FI,8D;MA+lFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;
QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBAAQ,C;QA2mFhB,aAAU,CAAV,iB;UA
CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA
AO,Q;O;KAlBX,C;+FAqBA,yB;MA5mFI,8D;MA4mFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QA
CtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ,C;QAwnFhB,aAAU,CAAV,iB;UACI,
QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,
Q;O;KAlBX,C;+FAqBA,yB;MAznFI,8D;MAynFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,e
AAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroFG,cAAR,iBAAQ,C;QAqoFhB,aAAU,CAAV,iB;UACI,QAAQ,
SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;K
AlBX,C;2FAqBA,yB;MAAA,sE;MAtqFI,8D;MAsqFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QA
CrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprFG,cAAR,iBAAQ,C;QAorFhB,aAAU,CAAV,iB;UACI,Q
AAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAt
C,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrFI,8D;MAqrFJ,kD;QAcIB,Q;
QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnsFG,cAAR,i
BAAQ,C;QAmsFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,
QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB
;MAAA,sE;MApsFI,8D;MAosFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sB
AAK,CAAL,CAAT,C;QACF,OAltFG,cAAR,iBAAQ,C;QAktFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,
CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;
;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntFI,8D;MAmtFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,
C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuFG,cAAR,iBAAQ,C;QAiuFhB,a
AAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaI
B,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MA1wFI,8D;MAkwF
J,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9
wFG,cAAR,iBAAQ,C;QA8wFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,U
AAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C
;sGAqBA,yB;MA+wFI,8D;MA+wFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s
BAAK,CAAL,CAAT,C;QACF,OA3xFG,cAAR,iBAAQ,C;QA2xFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAA
K,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,
C;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xFI,8D;MA4xFJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAA
e,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyFG,cAAR,iBAAQ,C;QAwyFhB,aAAU,CA
AV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,
GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyFI,8D;MAyyFJ,kD;QAY
iB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA rzFG,cAAR
,iBAAQ,C;QAqzFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ
,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;IAqBA,iC;
MAQiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA9lFG,gBAAR,iB
AAQ,C;MA8lFhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mN8D,YmC4mN1D,GnC5mN2
E,KAAjB,EmC4mNpD,CnC5mNiF,KAA7B,CmC4mN1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,i
C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAr2FG,gBAAR,i
BAAQ,C;MAq2FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnN+D,amBmnN3D,GnBnnN6
E,KAAIB,EmBmnNrD,CnBnnNmF,KAA9B,CmBmnN3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,i
C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QA Ae,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA52FG,gBAAR,
iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pN4E,0BoC0pNx E,GpC/6M8

B,KAAL,GAAiB,GA3O8B,EoC0pNIE,CpC/6MwB,KAAL,GAAiB,GA3O8B,CoC0pNxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAn3FG,gBAAR,iBAAQ,C;MAM3FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,II CjqN6E,0BkCiqNzE,GIC77M8B,KAAL,GAAiB,KApO+B,EkCiqNnE,CIC77MwB,KAAL,GAAiB,KApO+B,CkCi qNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA 17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAA Q,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q; MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8FG,gBAAR,iBAAQ,C;M Ai8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAA X,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe ,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8FG,gBAAR,iBAAQ,C;MAw8FhB,aAAU,CAAV,iB;QA CI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC, MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBA AK,CAAL,C;MACG,OA/8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G; K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI, OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP ,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;UA8jGhB,IAAI,cAAa,CAAjB,C;YAAoB, qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QA AQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAA U,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW ,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kGgB,cAA R,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2DJ,CAAS,O AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAA T,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApEP,yB;O; KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB; WACf,cAAc,sBAAK,CAAL,C;UACd,gBA/IGgB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,C;YAAoB,qB AAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C; cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhGI,8D;MAihGJ,sC;QAMW,sB;; UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnGgB,cAAR,iB AAQ,C;UAinGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,OAAT, C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;Y ACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApGP,yB;O;KANJ ,C;+FASA,yB;MAljGI,8D;MAkjGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;Q ACd,gBA7jGgB,cA6jGA,SA7jGR,QAAQ,C;QA8jGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,S AAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT ,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FA yBA,yB;MAnkGI,8D;MAmkGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd, gBA9kGgB,cA8kGA,SA9kGR,QAAQ,C;QA+kGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAA S,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C; UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyB A,yB;MAplGI,8D;MAolGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA /IGgB,cA+IGA,SA/IGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB

;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhn GgB,cAgnGA,SAhnGR,QAAQ,C;QAINghB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAA T,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,I AAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KATBX,C;kFAyBA,yB;M AAA,sE;MAtpGI,8D;MpB/iHJ,iB;MoBqsNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eA Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqGG,cAAR,iBAAQ,C;QAsqGhB,aAAU,CAAV,iB;UACI,QAAQ,S AAS,sBAAK,CAAL,CAAT,C;UACR,WpB/sNG,MAAO,KoB+sNO,QpB/sNP,EoB+sNiB,CpB/sNjB,C;;QoBitNd, OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArqGI,8D;MpBvjHJ,iB;MoB4tNA,sC;QAgBiB,Q;QAFb,IAAI, mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArGG,cAAR,iBAAQ,C;QA qrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtuNG,MAAO,KoBsuNO,QpBt uNP,EoBsuNiB,CpBtuNjB,C;;QoBwuNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprGI,8D;MpB/jHJ,i B;MoBmvNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA T,C;QACF,OApGG,cAAR,iBAAQ,C;QAosGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C; UACR,WpB7vNG,MAAO,KoB6vNO,QpB7vNP,EoB6vNiB,CpB7vNjB,C;;QoB+vNd,OAAO,Q;O;KApBX,C;mF AuBA,yB;MAAA,sE;MAnsGI,8D;MpBvkHJ,iB;MoB0wNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM ,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntGG,cAAR,iBAAQ,C;QAmtGhB,aAAU,CAAV,iB; UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxNG,MAAO,KoBoxNO,QpBpxNP,EoBoxNiB,CpBpx NjB,C;;QoBsxNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlvGI,8D;MpB1jHJ,iB;MoB4yNA,sC;QAgB iB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwGG,c AAR,iBAAQ,C;QakwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtzNG,M AAO,KoBszNO,QpBtzNP,EoBszNiB,CpBtzNjB,C;;QoBwzNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;M AjwGI,8D;MpBlkHJ,iB;MoBm0NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAA S,sBAAK,CAAL,CAAT,C;QACF,OAJxGG,cAAR,iBAAQ,C;QAixGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sB AAK,CAAL,CAAT,C;UACR,WpB70NG,MAAO,KoB60NO,QpB70NP,EoB60NiB,CpB70NjB,C;;QoB+0Nd,OAA O,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxGI,8D;MpB1kHJ,iB;MoB01NA,sC;QAgBiB,Q;QAFb,IAAI,mB AAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhYGG,cAAR,iBAAQ,C;QAgY GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp2NG,MAAO,KoBo2NO,QpBp 2NP,EoBo2NiB,CpBp2NjB,C;;QoBs2Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xGI,8D;MpBlIHJ,i B;MoBi3NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA T,C;QACF,OAYGG,cAAR,iBAAQ,C;QA+yGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C; UACR,WpB33NG,MAAO,KoB23NO,QpB33NP,EoB23NiB,CpB33NjB,C;;QoB63Nd,OAAO,Q;O;KApBX,C;mF AuBA,yB;MAAA,sE;MA90GI,8D;MA80GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe ,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;QA41GhB,aAAU,CAAV,iB;UACI,QAAQ,SA AS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApB X,C;mFAuBA,yB;MAAA,sE;MA71GI,8D;MA61GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACr B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32GG,cAAR,iBAAQ,C;QA22GhB,aAAU,CAAV,iB;UACI,QA AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q; O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52GI,8D;MA42GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM, 6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13GG,cAAR,iBAAQ,C;QA03GhB,aAAU,CAAV,iB; UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB, OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33GI,8D;MA23GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAA e,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4GG,cAAR,iBAAQ,C;QAY4GhB,aAAU, CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C; ;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16GI,8D;MpB/iHJ,iB;MoBy9NA,sC;QACiB,Q;QAFb,IAAI,mB AAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7Gh B,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP, EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC ;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,

cAAR,iBAAQ,C;QAq8GhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,MAAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp8GI,8D;MpB/jHJ,iB;MoBmgOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA19GG,cAAR,iBAAQ,C;QAK9GhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB3gOG,MAAO,KoB2gOO,QpB3gOP,EoB2gOiB,CpB3gOjB,C;;QoB6gOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj9GI,8D;MpBvkHJ,iB;MoBwhOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9GG,cAAR,iBAAQ,C;QA+9GhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhiOG,MAAO,KoBgiOO,QpBhiOP,EoBgiOiB,CpBhiOjB,C;;QoBkiOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9/GI,8D;MpB1jHJ,iB;MoBwjOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gHG,cAAR,iBAAQ,C;QA4gHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhkOG,MAAO,KoBgkOO,QpBhkOP,EoBgkOiB,CpBhkOjB,C;;QoBkkOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3gHI,8D;MpBlkHJ,iB;MoB6kOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhHG,cAAR,iBAAQ,C;QAYhHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrlOG,MAAO,KoBqlOO,QpBrlOP,EoBqlOiB,CpBrlOjB,C;;QoBulOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxhHI,8D;MpB1kHJ,iB;MoBkmOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAthHG,cAAR,iBAAQ,C;QAsiHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1mOG,MAAO,KoB0mOO,QpB1mOP,EoB0mOiB,CpB1mOjB,C;;QoB4mOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAriHI,8D;MpBlIHJ,iB;MoBunOA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IHG,cAAR,iBAAQ,C;QA8IHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/IHI,8D;MA+IHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mHG,cAAR,iBAAQ,C;QA2mHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QawnHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAznHI,8D;MAynHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAroHG,cAAR,iBAAQ,C;QAqoHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAT,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrHI,8D;MAqrHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprHG,cAAR,iBAAQ,C;QAorHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAT,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MApsHI,8D;MAosHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1thHG,cAAR,iBAAQ,C;QAktHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAT,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntHI,8D;MAmtHJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuHG,cAAR,iBAAQ,C;QAiuHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAT,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MALwHI,8D;MAkwHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9

wHG,cAAR,iBAAQ,C;QA8wHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,U
AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C
;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s
BAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA
AK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAA
W,C;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;U
AAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,AAAU,
CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CA
AX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD;
QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAHzHG,
cAAR,iBAAQ,C;QAqzHhB,AAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,
SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAlBX,C;IAqB
A,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA91HG,gBA
AR,iBAAQ,C;MA81HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mP8D,YmC4mP1D,GnC5
mP2E,KAAjB,EmC4mPpD,CnC5mPiF,KAA7B,CmC4mP1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAG
X,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAr2HG,gBA
AR,iBAAQ,C;MAq2HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnP+D,amBmnP3D,GnBnn
P6E,KAAIB,EmBmnPrD,CnBnnPmF,KAA9B,CmBmnP3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX
,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA52HG,gBAA
R,iBAAQ,C;MA42HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pP4E,0BoC0pPxE,GpC/6O
8B,KAAL,GAAiB,GA3O8B,EoC0pPIE,CpC/6OwB,KAAL,GAAiB,GA3O8B,CoC0pPxE,IAAJ,C;UAAa,MAAM,
C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CA
AL,C;MACG,OAn3HG,gBAAR,iBAAQ,C;MAM3HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,I
ICjqP6E,0BkCiqPzE,GIC77O8B,KAAL,GAAiB,KApO+B,EkCiqPnE,CIC77OwB,KAAL,GAAiB,KApO+B,CkCiq
PzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAc,C;K;IAGX,2C;MAK
I,OAAO,4BAAc,UAAc,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAc,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAc,
C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA17
HG,gBAAR,iBAAQ,C;MA07HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,
GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;M
AFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8HG,gBAAR,iBAAQ,C;MAi
8HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,
GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,O
AAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8HG,gBAAR,iBAAQ,C;MAw8HhB,AAAU,CAAV,iB;QAC
I,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,
MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBA
AK,CAAL,C;MACG,OA/8HG,gBAAR,iBAAQ,C;MA+8HhB,AAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;
K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;M
ASI,OAAO,mB;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAA
U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,c
AAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;M
ASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA
O,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;qFAGX,6B;MAOmC,Q;MAAA,2B;MAAhB,OA
AGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,
OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAA
hB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MA
AhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;mGAGJ,6B;MAtrEiB,gB;MADb,YA

AY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;mGAGJ,6B;MAtREiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgsEnB,gB;K;qFAGJ,yB;MAAA,4F;MA9qII,8D;MA8qIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAJsID,cAAR,iBAAQ,C;QAisIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MA/rII,8D;MA+rIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAltID,cAAR,iBAAQ,C;QAktIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAhtII,8D;MAGtIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAnuID,cAAR,iBAAQ,C;QAmuIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MAJuII,8D;MAiuIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OApvID,cAAR,iBAAQ,C;QAovIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAIxII,8D;MAKxIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OArYID,cAAR,iBAAQ,C;QAqyIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAnyII,8D;MAmyIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAtzID,cAAR,iBAAQ,C;QAszIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAPzII,8D;MAozIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAv0ID,cAAR,iBAAQ,C;QAu0IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAR0II,8D;MAq0IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAx1ID,cAAR,iBAAQ,C;QAw1IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;+GAYBA,yB;MAT3II,8D;MAS3IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx4ID,cAAR,iBAAQ,C;QAw4IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT4II,8D;MAS4IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx5ID,cAAR,iBAAQ,C;QAw5IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT5II,8D;MAS5IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx6ID,cAAR,iBAAQ,C;QAw6IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT6II,8D;MAS6IJ,uC;QAKBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx7ID,cAAR,iBAAQ,C;QAw7IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAWBA,yB;MAT9II,8D;MAS9IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAz+ID,cAAR,iBAAQ,C;QAY+lHb,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;+GAYBA,yB;MAv+II,8D;MAu+IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAl/ID,cAAR,iBAAQ,C;QA0/IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;+GAYBA,yB;MAx/II,8D;MAw/IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;+GAYBA,yB;MAZgJI,8D;MAygJJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OAx5hJD,cAAR,iBAAQ,C

;QA4hJhB,iBAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O
;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QAKB0B,UAEU,M;QAJhC,YA1kJgB,cAAR,iBAAQ,
C;QA2kJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,
oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WA
AxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3kJI,8D;MA2kJJ,uC;QAKB0B,UAEU,M;QAJ
hC,YA3lJgB,cAAR,iBAAQ,C;QA4lJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kB
AAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,s
BAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5lJI,8D;MA4lJJ,u
C;QAKB0B,UAEU,M;QAJhC,YA5mJgB,cAAR,iBAAQ,C;QA6mJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCA
A8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MA
AA,4F;MA7mJI,8D;MA6mJJ,uC;QAKB0B,UAEU,M;QAJhC,YA7nJgB,cAAR,iBAAQ,C;QA8nJhB,IAAI,QAAQ,
CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,
SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;
O;KAtBX,C;6GAyBA,yB;MAAA,4F;MA9pJI,8D;MA8pJJ,uC;QAKB0B,Q;QAFtB,YA9qJgB,cAAR,iBAAQ,C;QA
+qJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAA
J,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,
C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAhrJI,8D;MAgrJJ,uC;QAKB0B,Q;QAFtB,
YAhSjgB,cAAR,iBAAQ,C;QAisJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaK
B,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,K
AAJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAIsJI,8D;M
AksJJ,uC;QAKB0B,Q;QAFtB,YAltJgB,cAAR,iBAAQ,C;QAmtJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8
B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA
AU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA,
yB;MAAA,4F;MAptJI,8D;MAotJJ,uC;QAKB0B,Q;QAFtB,YApuJgB,cAAR,iBAAQ,C;QAquJhB,IAAI,QAAQ,CA
AZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SA
AS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O
AAO,W;O;KAvBX,C;yHA0BA,yB;MAtwJI,8D;MAswJJ,uC;QAI0B,Q;QAFtB,YArxJgB,cAAR,iBAAQ,C;QAsx
JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SA
S,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OA
AO,W;O;KAtBX,C;yHAyBA,yB;MAvxJI,8D;MAuxJJ,uC;QAI0B,Q;QAFtB,YAtyJgB,cAAR,iBAAQ,C;QAuyJh
B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,
CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA
O,W;O;KAtBX,C;yHAyBA,yB;MAxyJI,8D;MAwyJJ,uC;QAI0B,Q;QAFtB,YAvzJgB,cAAR,iBAAQ,C;QAwzJh
B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,
CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA
O,W;O;KAtBX,C;yHAyBA,yB;MAzzJI,8D;MAyzJJ,uC;QAI0B,Q;QAFtB,YAx0JgB,cAAR,iBAAQ,C;QAY0JhB,
IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,C
AAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,
W;O;KAtBX,C;2GAyBA,yB;MA12JI,8D;MA02JJ,uC;QAKB0B,UAEU,M;QAJhC,YA13JgB,cAAR,iBAAQ,C;QA
23JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SA
AS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;
KAtBX,C;2GAyBA,yB;MA33JI,8D;MA23JJ,uC;QAKB0B,UAEU,M;QAJhC,YA34JgB,cAAR,iBAAQ,C;QA44Jh
B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,
CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAt
BX,C;2GAyBA,yB;MA54JI,8D;MA44JJ,uC;QAKB0B,UAEU,M;QAJhC,YA55JgB,cAAR,iBAAQ,C;QA65JhB,IA
AI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAA
hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C

;2GAyBA,yB;MA75JI,8D;MA65JJ,uC;QakB0B,UAEU,M;QAJhC,YA76JgB,cAAR,iBAAQ,C;QA86JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACiB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEiB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrRO,W;QqBstRP,kBAakB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB9uRO,W;QqB+uRP,kBAakB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAakB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAakB,O;QACJ,OArmKE,YAAR,iBAAQ,C;QAqmKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MApmKI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBp1RO,W;QqBq1RP,kBAakB,O;QACJ,OAvnKE,YAAR,iBAAQ,C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MATmKI,0D;MASnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBp2RO,W;QqB+2RP,kBAakB,O;QACJ,OAZoKE,YAAR,iBAAQ,C;QAyoKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MAXoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBx4RO,W;QqBy4RP,kBAakB,O;QACJ,OA3pKE,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;mGA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAiB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBl6RO,W;QqBm6Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAiB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB37RO,W;QqB47Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAiB,C;QACqC,kBAAxB,eAAkB,cAAiB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arB7+RO,W;QqB8+Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBA

AK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAl,aAAJ,C;QAA3C,arBvgSO,W;QqBwgS
e,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;
UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QA
mB0B,Q;QAhtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,
eAAiB,cAAjB,C;QAA+B,sBAAl,aAAJ,C;QAA5C,arBjiSO,W;QqBkiSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBA
Ac,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA
O,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAhtB,IAAI,mBAAJ,C;UAAe,O
AAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAl,aAAJ,C;
QAA5C,arB3jSO,W;QqB4jSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B
,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,q
D;MAAA,gE;MAAA,uC;QAmB0B,Q;QAhtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL
,CAAIB,C;QACqC,kBAaXB,eAAkB,cAAIB,C;QAAGC,sBAAl,aAAJ,C;QAA7C,arBrlSO,W;QqBslSe,qB;QAAtB,
iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO
,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAxZA,gD;MAAA,gE;MAwZA,gD;QAGBW,sB;;U
AtZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAYZH,OAzZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,
CAAP,IAAb,C;UAA+B,sBAwZzB,OAXzYB,C;UAA5C,arBrRO,W;UqBstRP,kBAuZmB,O;UAtZH,2B;UAAhB,O
AAgB,cAAhB,C;YAAgB,yB;YACZ,cAqZwB,SArZV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,W
AAJ,C;;UAEX,qBAAO,M;;;QAKZP,yB;O;KAhBJ,C;iFamBA,yB;MAIZA,gD;MAAA,gE;MAKZA,gD;QAGBW,sB
;;UAhZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAmZH,OAnZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAA
AO,CAAP,IAAb,C;UAA+B,sBAkZzB,OAlZYB,C;UAA5C,arB9uRO,W;UqB+uRP,kBAiZmB,O;UahZH,2B;UAA
hB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cA+YwB,SA/YV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,W
AAI,WAAJ,C;;UAEX,qBAAO,M;;;QA4YP,yB;O;KAhBJ,C;iFamBA,yB;MA5YA,gD;MAAA,gE;MA4YA,gD;Q
AGBW,sB;;UA1YS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OA6YH,OA7YG,C;YAAP,uB;WACqB,kBAAvB,
eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA4YzB,OA5YyB,C;UAA5C,arBvRO,W;UqBwwRP,kBA2YmB,O;UA
1YH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyYwB,SAzYV,CAAU,WAAV,EAAuB,OAAvB,C;YA
Cd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAsYP,yB;O;KAhBJ,C;iFamBA,yB;MatYA,gD;MAAA,gE;M
AsYA,gD;QAGBW,sB;;UApYS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAuYH,OAvYG,C;YAAP,uB;WACq
B,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA5YzB,OAtYyB,C;UAA5C,arBhyRO,W;UqBiyRP,kBAqY
mB,O;UApYH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAmYwB,SAnYV,CAAU,WAAV,EAAuB,OA
AvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAGYP,yB;O;KAhBJ,C;+FamBA,yB;MAhYA,gD;
MAAA,gE;MAIki,0D;MAk9KJ,gD;QaiBW,6B;;UA9XO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OaiYI,OAj
YJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAgYIB,OahYkB,C;UAA5C,arB1zR
O,W;UqB2zRP,kBA+X0B,O;UA9XZ,OArmKE,YAAR,iBAAQ,C;UAqmKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;
YACI,cA6X+B,SA7XjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI
,WAAJ,C;;UAEX,4BAAO,M;;;QA0XP,gC;O;KAjBJ,C;+FAoBA,yB;MA1XA,gD;MAAA,gE;MApMI,0D;MA89
KJ,gD;QaiBW,6B;;UAxXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA2XI,OA3XJ,C;YAAP,8B;WACqB,kB
AAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA0XIB,OA1XkB,C;UAA5C,arBp1RO,W;UqBq1RP,kBAyX0B,O
;UAxXZ,OAvnKE,YAAR,iBAAQ,C;UAunKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAuX+B,SAvXjB,CA
AU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,
M;;;QAoXP,gC;O;KAjBJ,C;+FAoBA,yB;MApXA,gD;MAAA,gE;MAtmKI,0D;MA0+KJ,gD;QaiBW,6B;;UAIXO,
gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAqXI,OAjXJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,I
AAb,C;UAA+B,sBAoXIB,OApxkB,C;UAA5C,arB92RO,W;UqB+2RP,kBAmX0B,O;UAIXZ,OAzoKE,YAAR,iB
AAQ,C;UAyoKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAiX+B,SAjXjB,CAAU,KAaV,EAAiB,WAAjB,E
AA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA8WP,gC;O;KAjBJ,C;+F
AoBA,yB;MA9WA,gD;MAAA,gE;MAxoKI,0D;MAs/KJ,gD;QaiBW,6B;;UA5WO,gC;UAHd,IAAI,mBAAJ,C;Y
AAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA8WIB,
OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,YAAR,iBAAQ,C;UA2pKF,mB;UA
AA,kB;UAAA,kB;UAAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,C

AA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAwWP,gC;O;KAjBJ,C;mFAoBA,yB;MAAA,wB;
MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvWsiD,
SmCuWsjD,GnCvW2D,KAAK,GmCuWszD,SAAS,OAAT,CnCvWSoE,KAAX,IAAf,C;;QmCyWsrD,OAAO,G;O;
KAbX,C;mFagBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAh
B,C;UAAgB,yB;UACZ,MnCvxSiD,SmCuXsjD,GnCvx2D,KAAK,GmCuXszD,SAAS,OAAT,CnCvxSoE,KAAX,I
AAf,C;;QmCyxSrD,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;Q
ACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvySiD,SmCuYsjD,GnCvy2D,KAAK,GmCuYszD,S
AAS,OAAT,CnCvySoE,KAAX,IAAf,C;;QmCyySrD,OAAO,G;O;KAbX,C;mFagBA,yB;MAAA,wB;MAAA,sC;Q
AUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvzSiD,SmCuZsjD,G
nCvz2D,KAAK,GmCuZszD,SAAS,OAAT,CnCvzSoE,KAAX,IAAf,C;;QmCyzSrD,OAAO,G;O;KAbX,C;8FagB
A,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,O
AAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;
QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MA
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;
MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,
C;;MAEX,OAAO,G;K;kFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAg
B,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYo
B,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAE
X,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,
OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;
MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAE
J,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAC
Z,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAh
B,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,S
AWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,S
AAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFakBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QA
DhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,
G;O;KafX,C;mFakBA,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,c
AAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFakBA,yB;MAAA,SA
WoB,gB;MAXpB,sC;QAYoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SA
AS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KafX,C;mFakBA,yB;MnC5xSA,6B;MmC4xSA,sC;QAaoB,Q;QADhB,U
nC9xSmC,cmC8xSnB,CnC9xSmB,C;QmC+xSnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnClmTiD,c
mCkmTjD,GnClmT2D,KAAK,GmCkmTzD,SAAS,OAAT,CnC1mToE,KAAX,IAAf,C;;QmComTrD,OAAO,G;O;
KAhBX,C;mFamBA,yB;MnC/ySA,6B;MmC+ySA,sC;QAaoB,Q;QADhB,UnCjzSmC,cmCizSnB,CnCjzSmB,C;Q
mCkzSnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCrnTiD,cmCqnTjD,GnCrnT2D,KAAK,GmCqnT
zD,SAAS,OAAT,CnC1mToE,KAAX,IAAf,C;;QmCunTrD,OAAO,G;O;KAhBX,C;mFamBA,yB;MnC10SA,6B;Mm
Ck0SA,sC;QAaoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,OAAgB,cAAhB,C;
UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GmCwoTzD,SAAS,OAAT,CnCxoToE,KAAX,IA
Af,C;;QmC0oTrD,OAAO,G;O;KAhBX,C;mFamBA,yB;MnCr1SA,6B;MmCq1SA,sC;QAaoB,Q;QADhB,UnCv1S
mC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2p
TjD,GnC3pT2D,KAAK,GmC2pTzD,SAAS,OAAT,CnC3pToE,KAAX,IAAf,C;;QmC6pTrD,OAAO,G;O;KAhBX,
C;mFamBA,yB;MnBr2SA,+B;MmBq2SA,sC;QAaoB,Q;QADhB,UnBt2SqC,eAAW,oBmBs2S/B,CnBt2S+B,CAA
X,C;QmBu2SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB3qTmD,emB2qTnD,GnB3qT8D,KAAK,
Kmb2qT5D,SAAS,OAAT,CnC3qTuE,KAAX,CAAhB,C;;QmB6qTvD,OAAO,G;O;KAhBX,C;mFamBA,yB;MnB
x3SA,+B;MmBw3SA,sC;QAaoB,Q;QADhB,UnBz3SqC,eAAW,oBmBy3S/B,CnBz3S+B,CAAX,C;QmB03SrB,2B
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9rTmD,emB8rTnD,GnB9rT8D,KAAK,KmB8rT5D,SAAS,O

AAT,CnB9rTuE,KAAX,CAAhB,C;;QmBgsTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB34SA,+B;MmB24SA,sC;QAaoB,Q;QADhB,UnB54SqC,eAAW,oBmB44S/B,CnB54S+B,CAAX,C;QmB64SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjtTmD,emBitTnD,GnBjtT8D,KAAK,KmBitT5D,SAAS,OAAT,CnBjtTuE,KAAX,CAAhB,C;;QmBmtTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB95SA,+B;MmB85SA,sC;QAaoB,Q;QADhB,UnB/5SqC,eAAW,oBmB+5S/B,CnB/5S+B,CAAX,C;QmB6SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpuTmD,emBouTnD,GnBpuT8D,KAAK,KmBouT5D,SAAS,OAAT,CnBpuTuE,KAAX,CAAhB,C;;QmBsuTvD,OAAO,G;O;KAhBX,C;IAmBA,kC;MA2DI,WpBnnTO,MAAO,KoBmnTG,cpBnnTH,EoBikTH,KAkDkB,OpBnnTf,C;MoBonTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WArDqB,GAqDP,sBAAK,CAAL,CArDO,EAAAnB,KAqDqB,CAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;K;IApDX,kC;MAkEI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoB6kTH,KAyDkB,OpBtoTf,C;MoBuoTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EAAAnB,KA4DqB,CAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBylTH,KAgEkB,OpBzpTf,C;MoB0pTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KAmEqB,CAAM,CAAN,CAnEF,CAmErB,C;;MAnET,OAqEO,I;K;IAIEX,kC;MAGFI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoBqmTH,KAuEkB,OpB5qTf,C;MoB6qTd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,CAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzEX,yB;MAAA,gE;MpB9mTA,iB;MoB8mTA,8C;QAWI,WpBnnTO,MAAO,KoBmnTG,cpBnnTH,EoBmnTS,KAAM,OpBnnTf,C;QoBonTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBjoTA,iB;MoBioTA,8C;QAWI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoBsoTS,KAAM,OpBtoTf,C;QoBuoTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBppTA,iB;MoBopTA,8C;QAWI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBypTS,KAAM,OpBzpTf,C;QoB0pTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBvqTA,iB;MoBuqTA,8C;QAWI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoB4qTS,KAAM,OpB5qTf,C;QoB6qTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,kC;MA8DoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpBhvTJ,MAAO,KoBgvTsB,wBAnDzB,KAmDyB,EAAwB,EAAxB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,uBAAK,UAAAL,EAAK,kBAAL,UAvDO,EAuDI,OAxDJ,CAuDrB,C;;MAvDT,OAyDO,I;K;IAtDX,kC;MAuEoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpBrwTJ,MAAO,KoBqwTsB,wBA5DzB,KA4DyB,EAAwB,EAAxB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAGEP,uBAAK,UAAAL,EAAK,kBAAL,UAhEO,EAGeI,OAHEJ,CAgErB,C;;MAhET,OAkEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpB1xTJ,MAAO,KoB0xTsB,wBArEzB,KAqEyB,EAAwB,EAAxB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;MACX,QAAQ,C;MACQ,OAvEL,KAuEK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAzEqB,GAYEP,uBAAK,UAAAL,EAAK,kBAAL,UAZEO,EAYEI,OAzEJ,CAYErB,C;;MAzET,OA2EO,I;K;IAxEX,kC;MAyFoB,gB;MAHhB,gBAAGB,c;MACHB,WAAW,iBpB/yTJ,MAAO,KoB+yTsB,wBA9EzB,KA8EyB,EAAwB,EAAxB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;MACX,QAAQ,C;MACQ,OAhFL,KAGFK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAlFqB,GAKFP,uBAAK,UAAAL,EAAK,kBAAL,UAlFO,EAKFI,OAlFJ,CAkFrB,C;;MAIFT,OAoFO,I;K;+EAjFX,yB;MAAA,kF;MAAA,gE;MpB1uTA,iB;MoB0uTA,8C;QAcOB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW,epBhvTJ,MAAO,KoBgvTsB,wBAAN,KAAM,EAAwB,EAAxB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAq

BA,yB;MAAA,kF;MAAA,gE;MpB/vTA,iB;MoB+vTA,8C;QAcOB,UAEY,M;QAL5B,gBAAGB,c;QACHB,WAAW, epBrwTJ,MAAO,KoBqwTsB,wBAAN,KAAM,EAawB,EAaxB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH, C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;U ACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O; KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpxTA,iB;MoBoxTA,8C;QAcOB,UAEY,M;QAL5B,gBAAGB,c; QACHB,WAAW,epB1xTJ,MAAO,KoB0xTsB,wBAAN,KAAM,EAawB,EAaxB,CpB1xTtB,EoB0xTmD,SpB1xT nD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,KAAK,SAAT, C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QA ET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MAAA,gE;MpBzyTA,iB;MoByyTA,8C;QAcOB,UAEY,M;QAL 5B,gBAAGB,c;QACHB,WAAW,epB/yTJ,MAAO,KoB+yTsB,wBAAN,KAAM,EAawB,EAaxB,CpB/yTtB,EoB+y TmD,SpB/yTnD,CoB+yTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAGB,cAAhB,C;UAGB,yB;UACZ,IAAI,K AAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAAL,EAak,kBAAL,UAAV,EAAqB,OAArB, CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,kC;MA2DI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBi0TH,KA kDkB,KpBn3Tf,C;MoBo3Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAr DqB,GAqDP,sBAAK,CAAL,CArDO,EAAnB,KAqDqB,aAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;K;I ApDX,kC;MAkEI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoB60TH,KAyDkB,KpBt4Tf,C;MoBu4Td,WAAW,iBA Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EA AnB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;;MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WpBz5TO,MAAO,K oBy5TG,cpBz5TH,EoBy1TH,KAgEkB,KpBz5Tf,C;MoB05Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MA AkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAnB,KAmEqB,aAAM,CAAN,CAnEF, CAmErB,C;;MAnET,OAqEO,I;K;IAIEX,kC;MAgFI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoBq2TH,KAuEkB, KpB56Tf,C;MoB66Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB, GA0EP,sBAAK,CAAL,CA1EO,EAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;;MA1ET,OA4EO,I;K;+EAzE X,yB;MAAA,gE;MpB92TA,iB;MoB82TA,8C;QAWI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBm3TS,KAAM, KpBn3Tf,C;QoBo3Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAA U,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB; MAAA,gE;MpBj4TA,iB;MoBi4TA,8C;QAWI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoBs4TS,KAAM,KpBt4Tf, C;QoBu4Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK, CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE; MpBp5TA,iB;MoBo5TA,8C;QAWI,WpBz5TO,MAAO,KoBy5TG,cpBz5TH,EoBy5TS,KAAM,KpBz5Tf,C;QoB0 5Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL, CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBv 6TA,iB;MoBu6TA,8C;QAWI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoB46TS,KAAM,KpB56Tf,C;QoB66Td,W AAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV, EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAG B,W;MACHB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnCjnUiD,SmCinUjD,GnCjnU2D,KAAK, GmCinUzD,OnCjnUoE,KAAX,IAAf,C;;MmCmnUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MA CjB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnB5nUmD,UmB4nUnD,GnB5nU8D,KAAK,KmB4 nU5D,OnB5nUuE,KAAX,CAAhB,C;;MmB8nUvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAGB,W;MACH B,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC7oUiD,SmC6oUjD,GnC7oU2D,KAAK,GAAW,CD 2O5C,SoCk6TxB,OpCl6TkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MmC+oUrD,OAAO,G;K;IAGX,2 B;MAQoB,Q;MADhB,UAGB,W;MACHB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC3pUiD,Sm C2pUjD,GnC3pU2D,KAAK,GAAW,CC4O5C,SkC+6TxB,OIC/6TkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,I AAf,C;;MmC6pUrD,OAAO,G;K;+EAGX,yB;MAAA,0C;MnC2TA,6B;MmCw2TA,4B;QAOI,OnCr2TmC,cmCq 2TpB,IAAR,iBAAQ,CnCr2ToB,C;O;KmC81TvC,C;+EAUA,yB;MAAA,0C;MnBn2TA,+B;MmBm2TA,4B;QAOI, OnBh2TsC,emBg2TvB,IAAR,iBAAQ,CnBh2TuB,C;O;KmBy1T1C,C;+EAUA,yB;MAAA,sC;MnC53TA,6B;Mm C43TA,iBAOiB,yB;QpCz9Tb,6B;eoCy9Ta,c;UAAE,OpCh9ToB,coCg9TpB,EpCh9T8B,KAAL,GAAiB,GAAtB,C; S;OoCg9TtB,C;MAPjB,4B;QA7iBoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,

OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GAAW,CD2O5C,coC65Sf,Op
C75SyB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;QmC2rUrD,OAJjBO,G;O;KA0iBX,C;+EAU,yB;MA
AA,sC;MnCt4TA,6B;MmCs4TA,iBAOiB,yB;QlCl+Tb,6B;ekCk+Ta,c;UAAE,OICz9ToB,ckCy9TpB,ElCz9T8B,K
AAL,GAAiB,KAAtB,C;S;OkCy9TtB,C;MAPjB,4B;QApiBoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;
QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GAA
W,CC4O5C,ckC+6Sf,OIC/6SyB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;QmCqsUrD,OAXiBO,G;O;KAI
iBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,
kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QA
AgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL
,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,o
BAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,
iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAA
O,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB
,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpCAiD,SoCAjD,GpCA2D,KAAK,GoCAzD,OpCAoE,KAAx,IAAf,C;;M
oCERD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB
;QACZ,MpBXmD,UoBwnD,GpBX8D,KAAK,KoBW5D,OpBXuE,KAAx,CAAhB,C;;MoBavD,OAAO,G;K;IAG
X,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpC5BiD,SoC4
BjD,GpC5B2D,KAAK,GAAW,CD2O5C,SqC/MxB,OrC+MkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;
MoC8BrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB
,yB;QACZ,MpC1CiD,SoC0CjD,GpC1C2D,KAAK,GAAW,CC4O5C,SmClMxB,OnCkMkC,KAAL,GAAiB,KAAt
B,CD5O4C,MAAX,IAAf,C;;MoC4CrD,OAAO,G;K;IC3GX,wB;MAMI,OrCuCkE,YqCvCvD,CrCuCwE,KAAjB,E
qCvCID,CrCuC+E,KAA7B,CqCvCvD,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,OrBsCmE,aqBtCx
D,CrBsC0E,KAAIB,EqBtCnD,CrBsCiF,KAA9B,CqBtCxD,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,
OtCKgF,0BsCLrE,CtCgP2B,KAAL,GAAiB,GA3O8B,EsCLhE,CtCgPsB,KAAL,GAAiB,GA3O8B,CsCLrE,KAAJ,
GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,OpClIF,0BoCjE,CpCwO2B,KAAL,GAAiB,KApO+B,EoCjJE,Cp
CwOsB,KAAL,GAAiB,KApO+B,CoCjE,KAAJ,GAAY,CAAZ,GAAMB,C;K;mFAG9B,yB;MAAA,8C;MAAA,0
B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8
C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,y
B;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;
mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;
O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM
,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,
OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;M
AOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,
CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU
,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,wB;MAMI,OrCjFkE,YqCiFvD
,CrCjFwE,KAAjB,EqCiFID,CrCjF+E,KAA7B,CqCiFvD,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,O
rBlFmE,aqBkFxD,CrBlF0E,KAAIB,EqBkFnD,CrBlFiF,KAA9B,CqBkFxD,KAAJ,GAAY,CAAZ,GAAMB,C;K;IA
G9B,wB;MAMI,OtCnHgF,0BsCmHrE,CtCwH2B,KAAL,GAAiB,GA3O8B,EsCmHhE,CtCwHsB,KAAL,GAAiB,
GA3O8B,CsCmHrE,KAAJ,GAAY,CAAZ,GAAMB,C;K;IAG9B,wB;MAMI,OpCpHiF,0BoCoHtE,CpCgH2B,KAA
L,GAAiB,KApO+B,EoCoHjE,CpCgHsB,KAAL,GAAiB,KApO+B,CoCoHtE,KAAJ,GAAY,CAAZ,GAAMB,C;K;
mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;
O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAA
T,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,
EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MA
AM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,
cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;

MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,EAAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGIB,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4K6B,KAAL,GAAiB,GAAtB,CuC5K5B,C;K;IAGX,uC;MAMI,OAAO,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B,KAAL,CAAL,UAAN,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2BtCwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAL,CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBqFwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCtCoPR,SsCpPiB,KtB6KIB,KhBuEW,QAAV,CsCpPQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzInB,KrCyI6B,KAAL,GAAiB,KAAtB,CqCzI5B,C;K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1IhC,KrC0I2B,KAAL,CAAL,YAAN,CqC1I9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHI,SvCmHM,KAAL,GAAiB,GAAtB,CuCnHZ,EvCmHY,SuCnHmB,EvCmHT,KAAL,GAAiB,GAAtB,CuCnHZ,EAA4C,EAA5C,C;K;IAG3B,kC;MASI,OAAO,uCAAgB,yBAAGB,SAAhB,EAA5B,EAA6B,EAA7B,C;K;IAG3B,kC;MASI,OAAO,wCAAiB,yBAAGB,SAAhB,EAA5B,EAA6B,EAA7B,C;K;IAG3B,kC;MASI,OAAO,uCAAgB,yBrCgFY,SqChFI,SrCgFM,KAAL,GAAiB,KAAtB,CqChFZ,ErCgFY,SqChFmB,ErCgFT,KAAL,GAAiB,KAAtB,CqChFZ,EAA4C,EAA5C,C;K;IAG3B,gC;MAMI,OAAO,uCAAgB,yBAAGB,cAAhB,EAA5B,eAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;MAMI,OAAO,wCAAiB,yBAAGB,cAAhB,EAA5B,eAA6B,EAA7B,C;K;IAG3B,iC;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAAB6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAY,CAAhB,GAAMB,IAANB,GAAB8B,IAAD,aAA1D,C;K;IAG3B,iC;MAQI,IvC/OgF,0BuC+O5E,EvCJkC,KAAL,GAAiB,GA3O8B,EuC+Ote,6BAAM,UvCJsB,KAAL,GAAiB,GA3O8B,CuC+O5E,KAAL,C;QAA2B,OAAO,iCAAU,M;MACHC,WvC6BuB,SuC7B5B,SvC6BsC,KAAL,GAAiB,GAAtB,C;MuC7BV,YAAK,W;MAA9B,OtCjD6D,oBAhJP,SAAU,CD8N7B,SuC7BV,EvC6BoB,KAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAGJO,C;K;IsCoDjE,iC;MAQI,ItC3OkE,YsC2O9D,EtC3O+E,KAAjB,EsC2OxD,4BAAK,UtC3OgF,KAA7B,CsC2O9D,KAAL,C;QAA0B,OAAO,iCAAU,M;MAC3C,OtC7D6D,csC6DtD,StC7DsD,EAhJP,SsC6MtC,EtC7MgD,KAAL,GAAY,CsC6M5D,WtC7M4D,MAAZ,IAAf,CAGJO,C;K;IsCgEjE,iC;MAQI,ItB/OmE,asB+O/D,EtB/OiF,KAAL,EsB+OzD,6BAAM,UtB/OiF,KAA9B,CsB+O/D,KAAL,C;QAA2B,OAAO,kCAAW,M;MAC7C,OtBzE+D,iBsByExD,StBzEwD,EA7IP,UsBsNx,C,EtBtNmD,KAAL,UAA,Y,ChByP/C,UAAW,oBAAL,CsCnCb,WtCmCsB,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CA6IO,C;K;IsB4EnE,iC;MAQI,IrC3QiF,0BqC2Q7E,ErCvCkC,KAAL,GAAiB,KApO+B,EqC2QvE,8BAAO,UrCvCqB,KAAL,GAAiB,KApO+B,CqC2Q7E,KAAL,C;QAA4B,OAAO,iCAAU,M;MACjC,WrcNuB,SqCM5B,SrCnCsC,KAAL,GAAiB,KAAtB,C;MqCMV,YAAK,W;MAA9B,OtCrF6D,oBAhJP,SAAU,CC+N7B,SqCMV,ErCnOB,KAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAGJO,C;K;IsCwFjE,kD;MAUI,OtCjRkE,YsCiRvD,StCjRwE,KAAjB,EsCiRhD,YtCjR6E,KAA7B,CsCiRvD,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OtBtRmE,asBsRxD,StBtR0E,KAAIB,EsBsRjD,YtBtR+E,KAA9B,CsBsRxD,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OvC3TgF,0BuC2TrE,SvChF2B,KAAL,GAAiB,GA3O8B,EuC2T9D,YvChFoB,KAAL,GAAiB,GA3O8B,CuC2TrE,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OrChUiF,0BqCgUtE,SrC5F2B,KAAL,GAAiB,KApO+B,EqCgU/D,YrC5FoB,KAAL,GAAiB,KApO+B,CqCgUtE,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtCrUkE,YsCqUvD,StCrUwE,KAAjB,EsCqUhd,YtCrU6E,KAA7B,CsCqUvD,IAAJ,GAAY,

YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtB1UmE,asB0UxD,StB1U0E,KAAiB,EsB0UjD,YtB1U+E,KAA9B,CsB0
 UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OvC/WgF,0BuC+WrE,SvCpI2B,KAAL,GAAiB,GA3
 O8B,EuC+W9D,YvCpIoB,KAAL,GAAiB,GA3O8B,CuC+WrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;M
 AUI,OrCpXiF,0BqCoXtE,SrChJ2B,KAAL,GAAiB,KApO+B,EqCoX/D,YrChJoB,KAAL,GAAiB,KApO+B,CqCo
 XtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,ItCzXkE,YsCyX9D,YtCzX+E,KAAjB,EsCyX/C,YtCz
 X4E,KAA7B,CsCyX9D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACv
 C,ItC1XkE,YsC0X9D,StC1X+E,KAAjB,EsC0XvD,YtC1XoF,KAA7B,CsC0X9D,IAAJ,C;QAAyB,OAAO,Y;MAC
 hC,ItC3XkE,YsC2X9D,StC3X+E,KAAjB,EsC2XvD,YtC3XoF,KAA7B,CsC2X9D,IAAJ,C;QAAyB,OAAO,Y;MA
 ChC,OAAO,S;K;IAGX,4D;MAUI,ItBjYmE,asBiY/D,YtBjYiF,KAAiB,EsBiYhD,YtBjY8E,KAA9B,CsBiY/D,IAA
 J,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,ItBIYmE,asBkY/D,StBIYiF
 ,KAAiB,EsBkYxD,YtBIYsF,KAA9B,CsBkY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,ItBnYmE,asBmY/D,StBnYiF,
 KAAiB,EsBmYxD,YtBnYsF,KAA9B,CsBmY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAU
 I,IvCzagF,0BuCya5E,YvC9LkC,KAAL,GAAiB,GA3O8B,EuCya7D,YvC9LmB,KAAL,GAAiB,GA3O8B,CuCya5
 E,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IvC1agF,0BuC0a5E,
 SvC/LkC,KAAL,GAAiB,GA3O8B,EuC0arE,YvC/L2B,KAAL,GAAiB,GA3O8B,CuC0a5E,IAAJ,C;QAAyB,OAA
 O,Y;MACHC,IvC3agF,0BuC2a5E,SvChMkC,KAAL,GAAiB,GA3O8B,EuC2arE,YvChM2B,KAAL,GAAiB,GA3O
 8B,CuC2a5E,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,IrCjbiF,0BqCib7E,YrC7MkC,KA
 AL,GAAiB,KApO+B,EqCib9D,YrC7MmB,KAAL,GAAiB,KApO+B,CqCib7E,IAAJ,C;QAAiC,MAAM,gCAAyB,
 oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IrCibiF,0BqCkb7E,SrC9MkC,KAAL,GAAiB,KApO+B,E
 qCkbtE,YrC9M2B,KAAL,GAAiB,KApO+B,CqCkb7E,IAAJ,C;QAAyB,OAAO,Y;MACHC,IrCnbiF,0BqCmb7E,Sr
 C/MkC,KAAL,GAAiB,KApO+B,EqCmbtE,YrC/M2B,KAAL,GAAiB,KApO+B,CqCmb7E,IAAJ,C;QAAyB,OAA
 O,Y;MACHC,OAAO,S;K;IAGX,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAe,KAAf,C
 ;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAYC,KAAzC,MAAZB,C;MAEvB,ItC9b8D,YsC8
 b9D,StC9b+E,KAAjB,EsC8bvD,KAAM,MtC9b8E,KAA7B,CsC8b9D,K;QAA4B,OAAO,KAAM,M;;QAC5B,ItC/b
 8D,YsC+b9D,StC/b+E,KAAjB,EsC+bvD,KAAM,atC/b8E,KAA7B,CsC+b9D,K;UAAmC,OAAO,KAAM,a;;UAC3
 B,gB;;MAHZ,W;K;IAOJ,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAgB,KAAhB,C;O
 AEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAYC,KAAzC,MAAZB,C;MAEvB,ItB3c+D,asB2c/D
 ,StB3ciF,KAAiB,EsB2cxD,KAAM,MtB3cgF,KAA9B,CsB2c/D,K;QAA4B,OAAO,KAAM,M;;QAC5B,ItB5c+D,as
 B4c/D,StB5ciF,KAAiB,EsB4cxD,KAAM,atB5cgF,KAA9B,CsB4c/D,K;UAAmC,OAAO,KAAM,a;;UAC3B,gB;;M
 AHZ,W;K;IC/fJ,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,M
 vCoDiD,SuCPdJd,GvCoD2D,KAAK,GuCPdZD,OvCoDoE,KAAx,IAAf,C;;MuClDrD,OAAO,G;K;IAGX,2B;MA
 UoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvBuCmD,UuBvCnD,Gv
 BuC8D,KAAK,KuBvC5D,OvBuCuE,KAAx,CAAhB,C;;MuBrCvD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,U
 AAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvCoBiD,SuCPbjD,GvCoB2D,KAAK,GA
 AW,CD2O5C,SwC/PxB,OxC+PkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MuClBrD,OAAO,G;K;IAG
 X,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvClId,SuCjJd
 ,GvClI2D,KAAK,GAAW,CC4O5C,SsChPxB,OtCgPkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MuCfr
 D,OAAO,G;K;;;ICuCP,iD;MAAA,qE;MAAgB,4B;MANpB,uC;MAMI,Y;K;IACA,4D;MAAA,qE;MAAgC,wBA
 AM,OAAO,Q;MAPpC,uC;MAOI,Y;K;IACA,mE;MAAA,qE;MAAmD,6BAAM,OAAO,EAAe,KAAf,C;MARvD,u
 C;MAQI,Y;K;IACA,0D;MAAA,qE;MAAiC,wBAAM,KAAN,Q;MATrC,uC;MASI,Y;K;ICxGJ,gC;K;;;ICuBoC,w
 C;8BAAsC,O;K;;;;yCC0rE,6B;MASI,MAAM,yB;K;;;0CAyDV,sB;MASI,OAAO,I;K;;;;
 ;;ICnYf,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,wB;K;kCAEI,Y;MAA4B,mC;K;;IAMhC,yB;K;mCAEI,Y
 ;MAA4B,uB;K;;IAMhC,uB;K;iCAEI,Y;MAA4B,qB;K;;IAMhC,wB;K;kCAEI,Y;MAA4B,sB;K;;IAMhC,yB;K;mC
 AEI,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAEI,Y;MAA4B,wB;K;;IAMhC,2B;K;qCAEI,Y;MAA4B,yB;K;;ICtDM,oD
 ;MAA2C,uB;MAAjB,gB;MAC5D,sBAAGC,InBkCu,I;MmBjC1C,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,
 GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnBgCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;i
 DAEIC,Y;MACI,YAAy,W;MACZ,IAAI,UAASt,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAC,MAAa,6B;QAC3
 B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAO,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;M

ACzD,sBAAGC,I;MACHC,iBAAMC,YAAO,CAAX,GAAC,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,
GAAa,KAAb,GAAwB,mB;K;+CAEHd,Y;MAAKC,qB;K;+CAEIC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBA
Ab,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,
K;K;;IAQuB,oD;MAA4C,uB;MAAIB,gB;MAC5D,sBAAiC,I;MACjC,iBAAMC,uBAAO,CAAX,GAAC,sBAAS,IA
AT,MAAd,GAAiC,sBAAS,IAAT,M;MACHe,cAA6B,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAEjD,Y;MAAkC,qB
;K;iDAEIC,Y;MACI,YAAY,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,
6B;QAC3B,iBAAU,K;;QAGV,8BAAQ,SAAR,C;;MAEJ,OAAO,K;K;;IC9DX,oD;MA6CA,uC;MatCI,IAAI,SAA
Q,CAAZ,C;QAAe,MAAa,gCAAYB,wBAAZB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAA
zB,C;MAG5C,aAGyB,K;MAEzB,YAGuF,OAA/D,0BAA0B,KpBcR,IoBdlB,EAAcS,YpBcpB,IoBdlB,EAAyD,IA
AzD,CAA+D,C;MAEvF,YAGuB,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAAR,C,C
;K;wCAExC,Y;MAMqC,OAAI,YAAO,CAAX,GAAC,aAAQ,SAATB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDA
A6B,kBAAa,KAAM,UAAAnB,KAC7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAATC,IAA8C,cAAQ,KAA
M,KAD/B,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAkK,UpBRG,IoBQR,UA
AkB,SpBRV,IoBQR,KAAAN,SAAqC,SAAR,C,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAC,oBAAE,UAAF
,+BAAU,SAAV,eAAqB,SAAnC,GAA8C,oBAAE,UAAF,qCAAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;I
AEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAcS,IAATC,C;K;;;IAT/F,iD;M
AAA,gD;QAAA,+B;OAAA,yC;K;;IAiBA,mD;MA6CA,sC;MatCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAYB,
wBAAZB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,Y
AGuB,0BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEvB,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,
UAAvB,EAA8B,SAA9B,EAAoC,SAAPC,C;K;uCAEvC,Y;MAMqC,OAAI,YAAO,CAAX,GAAC,aAAQ,SAATB,G
AAgC,aAAQ,S;K;sCAE7E,iB;MACI,gDAA4B,kBAAa,KAAM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cA
AQ,KAAM,KAATC,IAA8C,cAAQ,KAAM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GA
AwB,OAAM,MAAK,UAAAL,QAAa,SAAb,IAAN,SAA2B,SAA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,
GAAGB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,
C;K;IAEhF,oC;MAAA,wC;K;iEACI,sC;MAQwF,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;;IAT5F,gD
;MAAA,+C;QAAA,8B;OAAA,wC;K;;IAiBA,oD;MA6CA,uC;MatCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAYB,w
BAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAYB,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAGwB,4B
AA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,
EAA+B,SAA/B,EAAqC,SAAR,C,C;K;wCAExC,Y;MAMqC,OAAI,uBAAO,CAAX,GAAC,2BAAQ,SAAR,KAAAd,
GAAgC,2BAAQ,SAAR,K;K;uCAErE,iB;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAA
f,KAAwB,kBAAQ,KAAM,KAAd,CAAxB,IAA8C,kBAAQ,KAAM,KAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,
OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAx,CAAX,CAAN,MAAoC,cAAU,6BA
AU,EAAV,CAAV,CAAPC,CAAN,MAAuE,cAAU,6BAAU,EAAV,CAAV,CAAvE,CAAiG,Q;K;yCAE7H,Y;MA
AkC,OAAI,uBAAO,CAAX,GAAGB,UAAF,qBAAU,SAAV,yBAAqB,SAAR,B,WAAAd,GAAgD,UAAF,2BAAgB,S
AAhB,yBAA6B,SAAD,AA5B,W;K;IAEhF,qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QA
A5B,EAAcS,IAATC,C;K;;;IAThG,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;;6CCIKa,iB;MAGkD,+BAAS,UAAT,
UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;MAKgC,oCAAQ,iBAAR,K;K;;I7CpBd,wC;MAsBIB,iC;MatBsD,2BA
AgB,KAAhB,EAAuB,YAAvB,EAAqC,CAAR,C;K;kFAC7B,Y;MAAQ,8B;K;yFACD,Y;MAAQ,6B;K;2CAExC,i
B;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K;kCAEzE,Y;MAKkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBA
Aa,KAAM,UAAAnB,KACvB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,O
AAI,cAAJ,GAAe,EAAf,GAAwB,OAkK,UwBkBS,IxBIBd,UAAkB,SwBkBJ,IxBIBd,K;K;mCAE5B,Y;MAAkC,2
BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,cAAY,OAAF,CAAE,CAAZ,EAAwB,O
AAF,CAAE,CAAxB,C;K;;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;;IASiB,uC;MAsBjB,gC;MatBmD,0BA
Ae,KAAf,EAAcS,YAAATB,EAAoC,CAAPC,C;K;iFAC3B,Y;MAAQ,iB;K;wFACD,Y;MAAQ,gB;K;0CAEvC,iB;M
AA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,Y;MAKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAAa,
KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAATB,C;K;kCAGJ,Y;MACI,OA
AI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;
IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAAy,CAAZ,C;K;;;IAFjC,0C;MAAA,yC;QAAA,wB;OAAA,

kC;K;;IASkB,wC;MASBIB,iC;MAtBsD,2BAAGB,KAAhB,EAAuB,YAAvB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD ,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,UAAkB,sBAAS,SAAT,M;K;kCAEhE,Y;MAKkC,kCAAQ, SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAAa,KAAM,UAAuB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAA Q,KAAM,KAAd,CADD,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BA AW,EAAx,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAApC,CAA8D,Q;K;mCAEIF,Y;MAAkC,O AAE,UAAF,qBAAU,SAAV,W;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,qB;K;;IAFIC,2C;MAAA,0C;QAAA,yB; OAAA,mC;K;;I8C9EJ,gB;MAAA,oB;K;8BAII,Y;MAA0B,oB;K;;IAJ9B,4B;MAAA,2B;QAAA,U;OAAA,oB;K;I CEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,uC;MAAA,0C;O;MAII,KE;MAEA,wF;MAEA,oF;MAEA,wE; MAEA,KE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MA EA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA,yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA, +C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;MAAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K ;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MAAA,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IA EA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA ,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,m C;MAAA,+oB;K;;IAAA,wC;MAAA,a;AAAA,O;UAAA,2C;AAAA,kB;UAAA,sD;AAAA,gB;UAAA,oD;AAAA,U;U AAA,8C;AAAA,O;UAAA,2C;AAAA,gB;UAAA,oD;AAAA,iB;UAAA,qD;AAAA,a;UAAA,iD;AAAA,U;UAAA,8C; aAAA,iB;UAAA,qD;AAAA,iB;UAAA,qD;AAAA,M;UAAA,0C;AAAA,Y;UAAA,gD;AAAA,M;UAAA,0C;AAAA, W;UAAA,+C;gBAAA,uE;;K;;IAqCA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;M AEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAAA,0C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA ,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2C;MAAA,a;AAAA,Q;UAAA,+C;AAAA,Q;UAAA,+C;AAAA,S;U AAA,gD;gBAAA,0E;;K;;IAwB8B,gC;MAAC,oC;K;;IAQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAEIC,sB;K;;I AMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,mB;MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,G AAd,GAAuB,MAAM,CAAN,I;K;IAGIC,qB;MACI,UAAU,SAAI,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc, GAAd,GAAuB,QAAM,CAAN,C;K;IAGIC,mC;MAEI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ, EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;K;IAGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WA AY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EAA2B,CAA3B,C;K;IAGX,qD;MAKBI,WAAO,CAAP,C;QAD2E, OAC3D,SAAS,GAAb,GAAkB,GAAIB,GAA2B,MAAM,iBAAiB,GAAjB,EAA5B,KAAtB,EAA6B,IAA7B,CAAN, I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,SAAS,GAAb,GAAkB,GAAIB,GAA2B,MAAM,iBAAiB,KAAjB,EA AwB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,CAAN,I;;QAC/B,MAAA,gCAAYB,eAAzB,C;K;IAGzB,uD;MAKBI,s BAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GAAT,MAAJ,GAakB,GAAIB,GAA2B,aAAM,mBAAiB,GAAjB,EAA5 B,KAAtB,EAA6B,IAA7B,CAAN,C;WACvC,sBAAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAakB,G AAIB,GAA2B,QAAM,mBAAiB,KAAjB,EAAwB,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAA,gCA AyB,eAAzB,C;K;IC7DjB,kD;MAAA,8B;MACI,aAAY,C;K;oDACZ,Y;MAAYB,oBAAQ,gBAAI,O;K;iDACrC,Y; MAAGD,Q;MAA1B,IAAI,AAAQ,gBAAI,OAAhB,C;QAAA,OAA5B,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAAkB,MA AM,2BAAyB,UAAF,WAAvB,C;K;;IAPhF,oC;MAEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QA AM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,KAArB,C;eACIB,W;YAVwD,OAuZC,kBAakB,KAAIB,C;eAC f,Y;YAXwD,OAWxC,mBAAmB,KAAuB,C;eAChB,W;YAZwD,OAYzC,kBAakB,KAAIB,C;eACf,U;YAbwD,O Aa1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OAcZC,kBAakB,KAAIB,C;eACf,Y;YAfWd,OAexC,mBAAmB,KAA nB,C;eAChB,a;YAhBwD,OAgBvC,oBAAoB,KAApB,C;kBACT,MAAM,6BAA5B,2DAA+C,IAA/C,CAAtB,C;;K; IAiuC,2D;MAAA,kC;MAAS,0B;MAC9D,aAAY,C;K;2DACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;+DACvC,Y;MA A2D,Q;MAA9B,IAAI,AAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB, MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJnF,qC;MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAA Y,C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,AAAQ,kBAAM,OAAIB ,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF, kC;MACmD,iD;K;IAOE,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAYB,oBAAQ,kBAAM,O; K;2DACvC,Y;MAAYD,Q;MAA9B,IAAI,AAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yB AAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJf,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS, uB;MACxD,aAAY,C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,AAAQ

,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WA
AvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOF,uD;MAAA,kC;MAAS,sB;MACtD,aAAY,C;K;uDACZ,Y;MAAYB,oBA
AQ,kBAAM,O;K;uDACvC,Y;MAAuD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iB
AAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAA
A,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAYD,Q;MAA9B
,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB
,UAAF,WAAvB,C;K;;IAJf,mC;MACqD,kD;K;IAOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;
MAAYB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB
,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJIF,oC;MACuD,mD;K;I
AOJ,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MA
AwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,
MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEhC,+B;MAC8C,
MAAM,mC;K;IAEpD,8C;MAEI,IAAI,qBAAJ,C;QACI,OAAO,C5ByIiF,W4BzIrE,U5ByIqE,E4BzIzD,Q5ByIyD,C
;;Q4BvIxF,OAAS,CAAY,qBAAsB,UAAAtB,EAakC,QAAIC,C;;K;IAI7B,2C;MAEI,IAAI,KAAY,kBAAhB,C;QAG
I,KAAY,mBAAkB,QAAIB,C;;QAEH,QAAT,SAA+C,CAAIB,IAAjC,KAAiC,EAakB,O;;K;IAIvD,sC;MAGwB,Q;
MADpB,gBAAgB,IAAhB,KAAgB,E;MACI,IAAI,OCnGkB,ODmGT,OAAT,EAaqB,WAArB,CAAJ,C;QACHB,O
AAI,AAAJ,GAAMB,KAAM,WAAzB,GAAYC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAAkB,K;MACIB,iBAAiB,W;M
ACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCACrB,iB;MACI,OAAO,mCAAsB,WAAK,KAAM,E;K;mCAG5C,Y;MA
CI,OAAO,M;K;mCAGX,Y;MACI,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAM,B,C;K;OCAG3C,iB;MACI,OAA
R,IAAI,EAAW,GAAN,K;K;kCAGL,Y;MAEI,OAAO,M;K;;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAAjB,C;M
ACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,
MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EA
AgB,KAAhB,C;K;IAG3B,2B;MAMW,WAAO,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,
a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GA
AL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MAYnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;K;IA
Y3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAkCM,I
AICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACI,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,
MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;;QA4Bf,OAzBG,EA
AS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;UAA
5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG,CAAY,OAAPB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YAAgB,
CAAH,IAAG,C;QE3FjB,IF4FyB,CE5FhB,OAAL,KAAkB,SAAtB,C;UF4F4B,ME3FxB,UF2FqB,CE3FF,O;SF4Fn
B,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI
,O;UAAAtB,AAAU,CAAV,kB;YACI,OAAO,aAAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,M;;K;
IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,EAAE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWfD,eAAiB,I;MAXW,
OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAA
C,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASIB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EAAE,M
AAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MALQ,OAMIB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACjB,OA
AO,K;K;KEG9MX,yB;MAAA,0B;MAAA,uB;QASI,OAAoB,OAAb,ItD0Q+B,KAAL,GAAiB,KsD1Q9B,C;O;KA
TxB,C;IClqC,2C;MAAC,8C;MACIC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MA
CtC,qBAAYC,I;MAEzC,yBAAgD,yBAAmB,Q;MAEnE,sBAAGD,I;K;wFAFhD,Y;MAAA,6B;K;OCAIA,Y;MAEY
,kBADR,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;QACz
D,sB1CwEd,S;Q0C1EF,S1C2EG,S;;M0C3EH,a;K;iDAIJ,kB;MACI,kBAAc,IAAd,C;MACiC,oB;MCuBrB,Q;MAD
R,IdtBsB,MCsBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDvBc,MCuBd,+D;;MDvBZ,yC;MACA,2BAAmC,M
AAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Q1CoCY,gB0CnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ,C;UA
CI,qBAAc,e;;UAEd,oBAAQ,0B;UACR,wBAAY,kB;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YAAqC,M
;UACrC,kBAAGB,O;UACHB,qBAAmB,I;;UAEnB,kBAAGB,I;UACHB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wC
AAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YETHb,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;U
AAA,mB;YAEK,UEpBrB,oBDgDQ,WD5B+B,eC4B/B,CChDR,C;WFqBgB,M;;;K;mDAMhB,Y;MACI,kBAAkB,

mB;MACIB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;OAEvC,sB
AAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y;M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6
CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7CuDuE,WAA9B,C;K;+C6CpDnD,Y;MAAkC,8C;K;;IARtC,6C;
MAAA,4C;QAAA,2B;OAAA,qC;K;IGyDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;
MACI,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB;K;IARnB,6G;sJAJIA,iC;MAGBU,OAAK,SAAL,CAAiB,UAAj
B,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K
;wJAEV,kD;MAKU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,KAA3B,EAAC,UAAIC,EAA8C,KAA9C,C;K;IAGC6
C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,OAAjB,IAA2
B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,0DAJnD,E
AgE8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EA
A2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,Q
AAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,UAWBT,q
CA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAAA,mG;MA
AA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB,OAAO,oB;
O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;O;KALJ,C;IFC7HA,a;MAC6C,OAAA,MAA
a,YAAW,CAAX,C;K;ICM3B,iC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;IAC/F,2B;MAAA,
iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAC,IA
Ad,C;MAAvC,Y;K;IACA,oC;MAAA,iD;MAAwC,oBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI+B,mC;;
MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EA
AW,IAAX,C;MAAvB,Y;K;IACA,0C;MAAA,mD;MAAuC,sBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,w
C;MAAA,mD;MAAwC,sBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGsC,0C;MAA0D,qBAAU,OAIV,EA
AmB,KAAhB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6BAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,iD;MA
AA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EA
AGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE
;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAC,IAA
d,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;M
AA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2C;MAAA,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;M
AAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;M
AAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MA
AuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MA
AA,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EA
Ac,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGm
D,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EAAW,I
AAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,4D;MA
AA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI2C,wC;sCAAG,E,O;;K;;IAC3G,2C;MAAA,+
D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAAwD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IA
AL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHG,wC;MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;I
AIJ,wC;MACmD,mBAAAM,OAAN,EAAC,KAAf,C;;K;;IAC/C,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,
Y;K;IACA,+C;MAAA,wD;MAAGC,2BAAK,OAAL,EAAC,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,I
AAY,I;MAAZB,2BAAa,SAAR,OAAQ,CAAb,EAAYB,sDAAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACp
G,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAA
uB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAA
A,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAC
IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,yCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG0D,8
D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACpH,0D;MAAA,8E;MAAuB,iDAK,IAAL,EAAW,IAAX,
C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;
MAAwC,iDAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;6FCIGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;m
FAGV,oB;MAEI,OAAG,GAAG,GAAG,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6ECHP,Y;MAG+C,S;K;IA6B/C,2B;M

AG4D,0BAAE,WAaf,C;K;IAE5D,mC;MAIwF,0BAAE,WAaf,C;K;IAExF,mC;MAKwE,0BAAE,WAaf,C;K;IAG
xE,4B;MAI8D,Q;MAH1D,aAAkB,GAAl,O;MACtB,aAAkB,GAAl,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,
MAAR,IAAkB,QAAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAl,oBAAJ,O;MACtD,OAAO,G;K;I
AIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KA
AkB,SAAtB,C;QAZbSb,MA0BIB,UA1BU,MA0BS,O;OAZbVb,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C
;QACI,gBAAgB,O;QACHb,OAAO,QAAQ,OAAf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;OAE9C,
OAAO,M;K;IAGX,gD;MAKoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;
MAc5B,IAbc,KAAaL,OAAL,KAakB,SAAtB,C;QAbqB,MACjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAM,O;MACP,
4B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAY,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;
K;IAGX,yD;MAEoB,UAGb,M;MADhC,YAAY,U;MACI,4B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QAAY,IA
AI,cAAJ,EAAl,sBAAJ,YAAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAakB,SAAtB,C;
QACI,YAAc,IAAK,O;Q;0EAI3B,wB;MAA+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IS/F5E,mC;MA
OI,kBAakB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAE,UAAAnB,GA
A+B,SAA/B,GAAYC,CAAC,S;K;0ECUrD,2B;MAKyE,OAAA,MAAa,gBAAE,IAAf,C;K;4EAYbTf,2B;MAKsE,O
AAA,MAAa,eAAc,IAAd,C;K;kEAGnF,qB;MACgD,OAAA,MAAa,KAAK,UAAS,GAAT,EAAC,IAAd,C;K;wEAC
hC,qB;MAAQ,OAAK,SAAY,a;K;0EACxB,qB;MAAQ,OAAK,SAAY,c;K;IC3D5D,0D;MAGI,OAAO,I;K;ICHX,s
C;MAMsD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;K;ItDKIE,uC;Mf2nBW,Q;MAAA,IernBgB,KfqNBZ,I
AAS,CAAT,IernBY,KfqNBE,IAAS,wBAA3B,C;QAAA,OAAsC,UernBtB,KfqNBsB,C;;QernBb,MAAM,8BAA0B,i
CAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Mf4nBW,Q;MAAA,IetnBgB,KfsnBZ,IAAS,CAAT,IetnBY,
KfsnBE,IAAS,0BAA3B,C;QAAA,OAAsC,UetnBtB,KfsnBsB,C;;QetnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,M
AA1B,C;;MAAtC,W;K;IAGJ,uC;Mf6nBW,Q;MAAA,IevnBgB,KfunBZ,IAAS,CAAT,IevnBY,KfunBE,IAAS,0BA
A3B,C;QAAA,OAAsC,UevnBtB,KfunBsB,C;;QevnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,
W;K;IAGJ,uC;Mf8nBW,Q;MAAA,IexnBgB,KfwnBZ,IAAS,CAAT,IexnBY,KfwnBE,IAAS,0BAA3B,C;QAAA,O
AAsC,UexnBtB,KfwnBsB,C;;QexnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;M
f+nBW,Q;MAAA,IeznBgB,KfynBZ,IAAS,CAAT,IeznBY,KfynBE,IAAS,0BAA3B,C;QAAA,OAAsC,UeznBtB,Kf
ynBsB,C;;QeznBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfgoBW,Q;MAAA,I
e1nBgB,Kf0nBZ,IAAS,CAAT,Ie1nBY,Kf0nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue1nBtB,Kf0nBsB,C;;Qe1nBb,
MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfioBW,Q;MAAA,Ie3nBgB,Kf2nBZ,IA
AS,CAAT,Ie3nBY,Kf2nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue3nBtB,Kf2nBsB,C;;Qe3nBb,MAAM,8BAA0B,i
CAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MfkoBW,Q;MAAA,Ie5nBgB,Kf4nBZ,IAAS,CAAT,Ie5nBY
,Kf4nBE,IAAS,0BAA3B,C;QAAA,OAAsC,Ue5nBtB,Kf4nBsB,C;;Qe5nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,
MAA1B,C;;MAAtC,W;K;IAGJ,wC;MfmoBW,Q;MAAA,Ie7nBgB,Kf6nBZ,IAAS,CAAT,Ie7nBY,Kf6nBE,IAAS,0
BAA3B,C;QAAA,OAAsC,Ue7nBtB,Kf6nBsB,C;;Qe7nBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAA
tC,W;K;IAGJ,2B;MAII,OAAO,cAAa,SAAb,C;K;oFAGX,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA/B,SAA
+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAAhC,SAAGC,C;O;KAL3C,C;oFAQA,yB
;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAA9B,SAA8B,C;O;KALzC,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,
OAAsC,OAA/B,SAA+B,C;O;KAL1C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAAhC,SAAGC,C;O;
KAL3C,C;oFAQA,yB;MAAA,gD;MAAA,4B;QAKI,OAAsC,OAAjC,SAAiC,C;O;KAL5C,C;oFAQA,yB;MAAA,
gD;MAAA,4B;QAKI,OAAsC,OAAIC,SAAKC,C;O;KAL7C,C;IAYW,2C;MAAA,8B;MAAS,uB;K;4FACW,Y;MA
AQ,OAAA,gBAAY,O;K;6CAC3C,Y;MAAKC,OAAA,gBfunP/B,YAAQ,C;K;oDetnPX,mB;MAAGD,OAAY,WAA
Z,gBAAY,EAAS,OAAT,C;K;iDAC5D,iB;MACI,oCAAA,2BAakB,KAAIB,EAAYB,SAAZB,C;MACb,OAAO,6BA
AY,KAAZ,E;K;mDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAGC,OAAO,E;MACvC,OAAMB
,UAAZ,gBAAY,EAQ,OAAR,C;K;uDAEvB,mB;MAES,Q;MAAL,IAAI,eAAC,uFAAD,CAAJ,C;QAAGC,OAAO
,E;MACvC,OAAMB,cAAZ,gBAAY,EAAY,OAAZ,C;K;;IAPB/B,6B;MAII,0C;K;IAqBJ,+C;MAaI,OAAY,kBAAL,
SAAK,EAakB,KAAIB,C;K;IAqBhB,0C;MASI,OAAY,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAY,oBAAL,SA
AK,C;K;IAkBhB,2C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,2C;MAWI,OAAY,cAAL,SAAK,EA
Ac,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAA
K,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,SAAK,EAAC,KAAAd,C;K;IAGhB,4C;MAWI,OAAY,cAAL,

SAAK,EAAc,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4C;MAWI,OAAy,cAAL,SAAK,EAAc,KAAd,C;K;IAwHhB,sC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,sC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MAOI,OAAY,gBAAL,SAAK,C;K;IAoFhB,sC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,sC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;IAGhB,uC;MASI,OAAY,gBAAL,SAAK,C;K;wFAsGhB,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAAgB,WAAhB,EAA6B,iBAA7B,EAAgD,UAAhD,EAA4D,QAA5D,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAsG,UAAtG,EAAkH,QAAIH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBkE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QAC/H,UAAU,SAAV,EAAyC,WAAzC,EAA+E,iBAA/E,EAAkG,UAAIG,EAA8G,QAA9G,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAsG,UAAtG,EAAkH,QAAIH,C;QACA,OAAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAAqF,iBAArF,EAAwG,UAAxG,EAAoH,QAApH,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmB0E,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAsh,QAAth,C;QACA,OAAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAjF,EAAoG,UAApG,EAAgH,QAAhH,C;QACA,OAAO,W;O;KArBX,C;oFAwBA,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MwC17B9C,eAAiB,I;MxCk7BjB,OwCj7BO,K;K;qFxC07BX,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YAA8B,SAAY,Q;MwC/8BjD,eAAiB,I;MxC+8BjB,OwC98BO,K;K;IxCi9BX,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MwC9B9C,eAAiB,I;MxCw9BjB,OwCv9BO,K;K;IxCo9BX,uC;MD5oCI,IAAI,ECspCI,WAAW,CDtpCf,CAAJ,C;QACI,cCqpCoB,0C;QDppCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCqpCV,OAAO,SAAS,SAAT,EAAe,cAAU,OAAV,CAAf,C;K;IAGX,uC;MD1pCI,IAAI,ECqCI,WAAW,CDpqCf,CAAJ,C;QACI,cCmqCoB,0C;QDlqCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCmqCV,OAAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAf,C;K;IAGX,uC;MDxqCI,IAAI,ECkrCI,WAAW,CDlrCf,CAAJ,C;QACI,cCirCoB,0C;QDhrCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCirCV,OAAO,SAAS,SAAT,EAAe,eAAS,OAAT,CAAf,C;K;IAGX,uC;MDtrCI,IAAI,ECgsCI,WAAW,CDhsCf,CAAJ,C;QACI,cC+rCoB,0C;QD9rCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC+rCH,WAAS,W;MAAT,YAAsB,gBAAGB,SAAhB,EAAsB,OAAtB,K;MwChhC7B,eAAiB,I;MxCghCjB,OwC/gCO,K;K;IxChkCX,uC;MDpsCI,IAAI,EC8sCI,WAAW,CD9sCf,CAAJ,C;QACI,cC6sCoB,0C;QD5sCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC6sCV,OAAO,SAAS,SAAT,EAAe,iBAAW,OAAX,CAAf,C;K;IAGX,uC;MDltCI,IAAI,EC4tCI,WAAW,CD5tCf,CAAJ,C;QACI,cC2tCoB,0C;QD1tCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC2tCV,OAAO,SAAS,SAAT,EAAe,iBAAy,OAAZ,CAAf,C;K;IAGX,uC;MDhuCI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyCoB,0C;QDxuCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCyuCH,WAAS,c;MAAT,YAAyB,gBAAGB,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;MxC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwvCI,W

AAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDtvCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;OCuvCH,WAAS,W;
MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OAAV,CAAf,C;MwCxC7B,eAAiB,I;MxCwkCjB,OwCvkCO,K;K;I
xC0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,CDvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAyB
,OAAQ,WAAjC,C;OCswCV,OAAO,gBAAgB,SAAhB,EAA6B,OAA7B,EAA+B,IAA/B,C;K;IAGX,sD;MAWI,oC
AAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,
C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACb,OAAy,SAAY,OAA
M,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;M
ACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAIIB,EAA6B,OAA
7B,EAA6B,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BA
AkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAi
B,OAAjB,C;MwC9pC9C,eAAiB,I;MxC8pCjB,OwC7pCO,K;K;IxCGqCX,sD;MAUI,oCAAa,2BAAkB,SAIIB,EA
A6B,OAA7B,EAA6B,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oC
AAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACb,OAAy,SAAY,OAAM,SAAN,EAAiB,OAAjB,
C;K;IAG5B,uD;MAUI,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACN,WAAS,c;MAAT,Y
AA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwCxsCjD,eAAiB,I;MxCwsCjB,OwCvsCO,K;K;IxCOsCX,uD;M
AUI,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OA
AM,SAAN,EAAiB,OAAjB,C;MwCttC9C,eAAiB,I;MxCstCjB,OwCrtCO,K;K;IxCwtCX,wD;MAWgD,yB;QAAA,
YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;M
ACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG
,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACR,SAAY,MAA
K,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe
,gB;MACjF,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,S
AAd,EAAYB,OAazB,C;K;IAGrB,wD;MAW8C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC7E,oCA
Aa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OA
AzB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAI
IB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,
wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAa,2BAAkB,SAIIB,EAA6B,OAA
7B,EAA6B,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,wD;MAWoD,yB;
QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACnF,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAA
tC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,yD;MAWsD,yB;QAAA,YAAiB,C;
MAAG,uB;QAAA,UAAe,gB;MACrF,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACR,SAAY,
MAAK,OAAL,EAAC,SAAd,EAAYB,OAazB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAA
A,UAAe,gB;MAC/E,oCAAa,2BAAkB,SAIIB,EAA6B,OAA7B,EAA6B,gBAAtC,C;MACR,SAAY,MAAK,OAAL
,EAAC,SAAd,EAAYB,OAazB,C;K;iFAGrB,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,
yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAY,OAaz,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;
MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QA
KI,OAwIO,gCAxIK,gBAAW,OAAX,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gC
AxIK,mBAAY,OAaz,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAa,
OAAb,EAwIL,C;O;KA7IX,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,sBAae,OAaf,CAwIL,C;O;KA7IX,C;iF
AQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAaz,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI
,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO
,QAAS,KAahB,IAAP,CAAxB,EAA6B,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,U
AAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAA6B,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,s
C;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAA6B,SAAK,OAA3D,
EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBA
AwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAA6B,SAAK,OAA3D,EAAiE,QAAjE,C;K;I
AGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAA6B,SAAK,O

AA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAA
O,mBAAwB,UAAAL,SAAK,EAAO,mBAAO,QAAS,KAaHb,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAj
E,C;K;iFAGX,+B;MAKI,OAAy,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBA
AqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA
A2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;
O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFA
QA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,i
D;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;Q
AKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB
AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;
K;IAoBL,2B;MAAsB,OAAA,CAAe,iBAAU,CAAV,C;K;IAP/C,2B;MAOI,IAAI,mBAAO,CAAX,C;QAwQY,eAx
QO,WAwQP,C;Q;IANhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGIB,wC;MAQI,IAAI,
mBAAO,CAAX,C;QAAC,cAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB
;QAAA,UAAe,gB;MACvF,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,E
AAoB,SAApB,EAA+B,OAA/B,EAawC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U
AAe,gB;MACHe,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA
AT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U
AAe,gB;MACjE,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA
AT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U
AAe,gB;MAC/D,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA
AT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA
Ae,gB;MACHe,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAA8C,SA
9C,EAAYD,OAAzD,EAakE,cAAIE,C;K;IAGJ,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;M
ACjE,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB
,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAamC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;M
ACIE,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB
,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MA
ChE,oCAAA,2BAaKB,SAAlB,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,
OAAPB,C;MACvB,KAAT,QAAS,C;K;iFAGb,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,M
AAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iF
AGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SA
AY,MAAK,UAAL,C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAC,SAAd,EAAoB,UAApB,C;K;I
AGIB,+D;MAa0E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACzG,oCAAA,2BAaKB,SAAlB,EAA6B,
OAA7B,EAAsC,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,SAApB,EAA+B,OAA/B,EAawC,UAAxC,C;K;IAGJ,
mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K
;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,S
AAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,
MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH,kD;MAAA,wB;QAAW,q
CAAK,KAAL,E;O;K;IAJIC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IuDnpEX,oB;MAAA,wB;MA
EI,6B;MACA,gC;MAKuB,UAAAT,MAAS,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,
C;MACE,sBAAT,QAAS,C;MAAT,mB;MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,CzC2Bu
B,IyC3BIC,IAA+B,C;;MAInC,qBAAqB,48C;MACrB,WAAW,mBAAmB,cAAAnB,EAAMC,UAAAnC,EAA+C,IAA/
C,C;MACX,YAAy,eAAS,IAAK,OAAL,GAAY,CAAZ,IAAT,C;MACZ,0BAAU,IAAV,e;QACI,MAAM,MAAI,C
AAJ,IAAN,IAAe,MAAM,GAAN,IAAW,KAAC,GAAL,CAAX,I;;MAEnB,yBAAoB,K;MAGpB,oBAAoB,m/D;M
ACpB,4BAAuB,mBAAmB,aAAAnB,EAAkC,UAAIC,EAA8C,IAA9C,C;K;;IAvB/B,gC;MAAA,+B;QAAA,c;OAA
A,wB;K;IA2BA,qC;MAKkB,IAJP,I;MACH,WAAO,EAAP,C;QAAe,W;WACf,WAAO,IAAP,C;QAAGB,OAAL,C
AAC,KAAO,CAAR,MAAc,CAAlB,GAAqB,QAAS,CAA9B,GAAqC,OAAS,E;;QAEID,QAAM,KAAC,CAAX,C;
eACI,C;YAAK,eAAS,E;YAAAd,K;eACA,C;YAAK,OAAC,QAAS,CAAV,GAAiB,E;YAAAT,K;kBACQ,cAAS,E;Y

AHrB,K;;;MAJR,W;K;IAYJ,qC;MAII,SAAS,SzCRiC,I;MyCU1C,YAAY,kBAaKb,sBAAS,kBAA3B,EAA8C,EA
A9C,C;MACZ,YAAY,sBAAS,kBAAT,CAA2B,KAA3B,C;MACZ,WAAW,sBAAS,qBAAT,CAA8B,KAA9B,C;M
ACX,YAAY,kBAaKb,IAAIB,EAAwB,KAAK,KAAL,IAAxB,C;MAEZ,OAAW,UAAAS,EAAb,GAAyC,mDAAzC,
GAAoD,K;K;IAG/D,8D;MAKiB,UAIEM;MARf,aAAa,eAAS,YAAT,C;MACb,YAAY,C;MACZ,UAAU,C;MAC
V,YAAY,C;MACC,yB;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,aAAa,WAAW,IzCxBc,IyCwBzB,C;QACb,MAA
M,MAAQ,CAAC,SAAW,EAAZ,KAAAsB,K;QACpC,IAAI,SAAS,EAAb,C;UACI,OAAO,cAAP,EAAO,sBAAP,Y
AAkB,G;UACIB,MAAM,C;UACN,QAAQ,C;;UAER,gBAAS,CAAT,I;;;MAGR,OAAO,M;K;ICIE,+B;MAII,eA
Ae,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAMb,2B;
MACnB,iBAAC,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAc,sBAAK,
YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAARb,C;QACA,mC;;K;IrDbR,wB;MAOI,OAAW,oBAAK,CAA
L,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAkBA,iB;MAIBA,uB;QAMI,OakBO,MAAO,KAIBC,CAk
BD,EAIBY,CAkBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY
,CASZ,C;O;KAFIB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;K
ANIB,C;mFASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAAA,iB;
MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB;
QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS,
SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAA
N,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAA
M,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAA
O,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD
,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAzB,OAAa,CAPeF,iBAAK,GAAL,MAAJ,GAoEM,CAPeN,GAAMb,G;K;
mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARI
B,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KA
RIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAA
M,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,
KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxHf,EAwHoB,CAXHpB,C;;MAyHd,O
AAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,M
AIIV,MAAO,KAKIe,GAIIf,EAKIoB,CALIpB,C;;MAMId,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MAC
V,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6I
d,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAu
B,UAAAM,G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GAAZ,GA6I2B,C;;MACIC,OAAO,G;K;IAGX,4B;
MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,
GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB
;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IAGX,w
B;MAOI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAkBA,iB;MAIBA,uB;QAM
I,OakBO,MAAO,KAIBC,CAkBD,EAIBY,CAkBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OAS
O,MAAO,KATC,CASD,EATY,CASZ,C;O;KAFIB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,K
AAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;mFASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GA
AMb,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mF
AWA,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MA
OI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QA
MI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA
,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB
;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAM
W,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAzB,OAAa,CAPeF,iBAAK,GAAL,MA
AJ,GAoEM,CAPeN,GAAMb,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAA
O,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,E
AAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QA

AU,QAAA,KAaV,M;QAAiB,MAAM,SAAM,GAAN,EAaW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q
;MADV,UAAU,C;MACV,wBAAU,KAaV,gB;QAAU,QAAA,KAaV,M;QAAiB,MAxHV,MAAO,KAwHe,GaXH
f,EAwHoB,CaXHpB,C;;MAyHd,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAaV,gB;
QAAU,QAAA,KAaV,M;QAAiB,MAIIV,MAAO,KaKle,GAlIf,EAkIoB,CAIpB,C;;MAMId,OAAO,G;K;IAGX,4B
;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAaV,gB;QAAU,QAAA,KAaV,M;QAAiB,MA5IV,MAAO,KA4I
e,GA5If,EA4IoB,CA5IpB,C;;MA6Id,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAaV,
gB;QAAU,QAAA,KAaV,M;QAAuB,UAAM,G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GAAZ,GA6I2B
,C;;MACIC,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAaV,gB;QAAU,QAAA,KAaV,
M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,U
AAU,C;MACV,wBAAU,KAaV,gB;QAAU,QAAA,KAaV,M;QAAiB,MA+IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/I
pB,C;;MAGJd,OAAO,G;K;IsDvaX,iB;MAAA,qB;MAEI,0BAA0B,gBACtB,EADsB,EACd,IADc,EACN,IADM,EA
CE,IADF,EACU,IADV,EACkB,IADIB,EAC0B,IAD1B,EACkC,IADIC,EAC0C,IAD1C,EACkD,IADID,EAC0D,I
AD1D,EACkE,IADIE,EAC0E,IAD1E,EACkF,IADIF,EAC0F,IAD1F,EACkG,IADIG,EAC0G,IAD1G,EACkH,IAD
IH,EAC0H,IAD1H,EACkI,IADII,EAeTB,IAFsB,EAEd,IAFc,EAEN,IAFM,EAEE,IAFF,EAEU,IAFV,EAeKB,IAFI
B,EAe0B,IAF1B,EAekC,IAFIC,EAe0C,IAF1C,EAekD,KAFID,EAe0D,KAF1D,EAekE,KAFIE,EAe0E,KAF1E,
EAekF,KAFIF,EAe0F,KAF1F,EAekG,KAFIG,EAe0G,KAF1G,E;K;;;IAF9B,6B;MAAA,4B;QAAA,W;OAAA,qB
;K;IAQA,0C;MAKI,aAAa,C;MACb,UAAU,KAAM,OAAN,GAAa,CAAb,I;MACV,aAAa,E;MACb,YAAY,C;MA
CZ,OAAO,UAAU,GAAjB,C;QACI,SAAS,CAAC,SAAS,GAAT,IAAD,IAAiB,CAAjB,I;QACT,QAAQ,MAAM,M
AAN,C;QACR,IAAI,SAAS,KAAb,C;UACI,SAAS,SAAS,CAAT,I;aACR,IAAI,WAAU,KAAd,C;UACD,OAAO,M
;;UAEP,MAAM,SAAS,CAAT,I;;MAEd,OAAO,UAAc,SAAS,KAAb,GAAoB,CAApB,GAA2B,CAArC,K;K;IAG
X,mC;MAKI,SAAS,S3CCiC,I;M2CA1C,YAAY,kBAaKB,mBAAM,mBAaXB,EAaOC,EAaPC,C;MACZ,WAAW
,KAAK,mBAAM,mBAAN,CAAiB,KAaJB,CAAL,I;MACX,OAAW,OAAO,EAAX,GAAe,IAAf,GAAyB,E;K;IAG
pC,gC;MAIL,OAAO,6BAAoB,C;K;IC7C/B,kB;MAAA,sB;MAEI,6B;MACA,8B;MACA,gC;MAKuB,UAAT,MAA
S,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;
MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,C5C0BuB,I4C1BIC,IAA+B,C;;MAInC,qBAaQ
B,sW;MACrB,WAAW,mBAAmB,cAAnB,EAaM,C,UAAnc,EAa+C,GAA/C,C;MACX,YAAY,eAAS,IAAK,OAA
d,C;MACZ,0BAAU,IAAV,e;QACI,IAAI,QAaK,CAAT,C;UAAY,MAAM,GAAN,IAAW,KAAK,GAAL,C;;UACI
B,MAAM,GAAN,IAAW,MAAM,MAAI,CAAJ,IAAN,IAAe,KAAK,GAAL,CAAf,I;;MAEpB,yBAaOB,K;MAGpB
,kBAaKB,0U;MACIB,0BAaQB,mBAAmB,WAAnc,EAAGC,UAAhC,EAa4C,GAA5C,C;MAGrB,oBAaOB,i8B;
MACpB,4BAaUB,mBAAmB,aAAnB,EAaK,C,UAAIC,EAa8C,GAA9C,C;K;;IA7B/B,8B;MAAA,6B;QAAA,Y;O
AAA,sB;K;IAiCA,iC;MAIL,OAAO,6BAaMB,C;K;IAG9B,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CRM
,a4CQN,C;OAApC,W;K;IAGJ,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CfM,a4CeN,C;OAApC,W;K;IAG
J,kC;MAQI,SAAS,S5C1BiC,I;M4C2B1C,YAAY,kBAaKB,oBAAO,kBAaZB,EAa4C,EAa5C,C;MAEZ,iBAAiB,
oBAAO,kBAAP,CAAYB,KAAzB,C;MACjB,eAAe,aAAa,oBAAO,mBAAP,CAA0B,KAA1B,CAAb,GAAgD,CAA
hD,I;MACf,WAAW,oBAAO,qBAAP,CAA4B,KAA5B,C;MAEX,IAAI,KAAK,QAAT,C;QACI,OAAO,C;OAGX,k
BAaKB,OAAS,C;MAE3B,IAAI,gBAaE,cAAnB,C;QACI,YAAY,C;QACZ,gBAaGB,U;QACHB,aAAU,CAAV,O
AAa,CAAb,M;UACI,yBAAc,QAAS,KAaV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EAaHb,C;YACI,OAAO,C;
WAEX,gBAAS,CAAT,I;UACA,yBAAc,QAAS,KAaV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EAaHb,C;YACI,
OAAO,C;WAEX,gBAAS,CAAT,I;;QAEJ,OAAO,C;OAGX,IAAI,QAaQ,CAAZ,C;QACI,OAAO,W;OAGX,eAAg
B,KAAK,UAAAL,I;MACHB,cAAgB,QAaQ,EAaZ,GAAKB,WAAW,CAA7B,GAAoC,Q;MACHD,QAaQ,SAAU,I
AAI,OAAJ,IAAV,CAAD,GAA2B,C;K;ICnGtC,0B;MAAA,8B;MACI,+BAA+B,gBAC3B,GAD2B,EACnB,GADm
B,EACX,GADW,EACH,GADG,EACK,GADL,EACa,GADb,EACqB,GADrB,EAC6B,IAD7B,EACqC,IADrC,EA
C6C,IAD7C,EACqD,IADrD,EAC6D,IAD7D,EACqE,IADrE,EAC6E,IAD7E,EACqF,IADrF,EAC6F,KAD7F,EAC
qG,KADrG,EAC6G,KAD7G,EACqH,KADrH,EAC6H,KAD7H,E;MAG/B,gCAAgC,gBAC5B,CAD4B,EACzB,C
ADyB,EACtB,CADsB,EACnB,CADmB,EACHB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CAD
G,EACA,EADA,EACI,CADJ,EACO,CADP,EACU,EADV,EACc,EADd,EACKB,EADIB,EACsB,CADtB,EACyB,
CADzB,EAC4B,CAD5B,EAC+B,CAD/B,EACKC,CADIC,E;K;;;IAJpC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;IA
SA,qC;MACI,YAAY,kBAaKB,4BAaE,wBAaJC,EAaKD,SAaID,C;MACZ,OAAO,SAAS,CAAT,IAAc,aAAO,4B

AAe,wBAAf,CAA+B,KAA/B,IAAwC,4BA Ae,yBAAf,CAA gC,KAAhC,CAAxC,IAAP,C;K;ICXzB,qC;MACI,OA Ae,IAAR,8BAAgB,IAAhB,KACY,IAAR,8BAAgB,IADpB,C;K;ICCX,wC;M5CiBW,Q;MAAA,I4CXgB,K5CWZ,I AAS,CAAT,I4CXY,K5CWE,IAAS,2BAA3B,C;QAAA,OAA sC,qB4CXtB,K5CWsB,C;;Q4CXb,MAAM,8BAA0B, mCAAYB,gBAAzB,MAA1B,C;;MAAtC,W;K;ICRJ,sC;MAEI,WAAW,ShDkC+B,I;MgDhC1C,IAAY,GAAR,oBA AgB,GAAhB,KAAkC,GAAR,oBAAgB,GAA1C,CAAJ,C;QACI,OAA8B,OAAtB,KAAK,CAAC,OAAO,CAAP,IA AD,IAAa,CAAb,IAAL,KAA sB,C;OAGIC,IAAY,IAAR,oBAAgB,IAAhB,KAAkC,IAAR,oBAAgB,IAA1C,CAAJ, C;QACI,OAAO,S;OAEX,OAAO,wB;K;ICPX,wC;MxCqTe,WwC7SY,KxC6SZ,IAAS,C;MAAT,S;QAAC,OwC7S F,KxC6SE,IAqgHT,gBAAR,iBAAQ,C;OArgHT,U;MAAA,S;QAAA,SAAsC,sBwC7StB,KxC6SsB,C;;QwC7Sb,M AAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCsTe,WwC9SY,KxC8SZ,IAAS,C;MAAT, S;QAAC,OwC9SF,KxC8SE,IAigHT,gBAAR,iBAAQ,C;OajgHT,U;MAAA,S;QAAA,SAAsC,sBwC9StB,KxC8Ss B,C;;QwC9Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCuTe,WwC/SY,KxC+SZ ,IAAS,C;MAAT,S;QAAC,OwC/SF,KxC+SE,IA6/GT,gBAAR,iBAAQ,C;OA7/GT,U;MAAA,S;QAAA,SAAsC,sBw C/StB,KxC+SsB,C;;QwC/Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCwTe,Ww ChTY,KxCgTZ,IAAS,C;MAAT,S;QAAC,OwChTF,KxCgTE,IAy/GT,gBAAR,iBAAQ,C;OAz/GT,U;MAAA,S;QA AA,SAAsC,sBwChTtB,KxCgTsB,C;;QwChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IASO, 6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;s DAC9C,mB;MAAgD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB, SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAG C,OAAO,E;MACvC,OxCsrBO,UwCtrBA,gBxCsrBR,QAAQ,EwCtrBoB,O3EgOF,KmCsdIB,C;K;yDwCprBX,mB; MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAGC,OAAO,E;MACvC,OxCy6BO,cwCz6BA,gBxCy6BR,QA AQ,EwCz6BwB,O3E2NN,KmC8sBIB,C;K;;IwC/7BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FA CW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBA AY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY, KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACx C,OxCqqBO,U wCrqBA,gBxCqqBR,QAAQ,EwCrqBoB,O3DgNA,KmBqdpB,C;K;yDwCnqBX,mB;MAES,Q;MAAL,IAAI,eAAC ,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACx C,OxCw5BO,cwCx5BA,gBxCw5BR,QAAQ,EwCx5BwB,O3D2MJ,K mB6sBpB,C;K;;IwC96BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBA AY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;m DAC7D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB; MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACx C,OxCopBO,UwCppBA,gBxCopBR,QA AQ,EwCppBoB,O5EkIA,KoCkhBpB,C;K;yDwClpBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAi C,OAAO,E;MACx C,OxCu4BO,cwCv4BA,gBxCu4BR,QAAQ,EwCv4BwB,O5E6HJ,KoC0wBpB,C;K;;IwC75BnB ,8B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAk C,OAAA,gBAAY,U;K;sDAC9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MACI,oCAAa,2 BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC ,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCmoBO,UwCnoBA,gBxCmoBR,QAAQ,EwCnoBoB,O1EkHE,Kk CihBtB,C;K;yDwCjoBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCs3B O,cwCt3BA,gBxCs3BR,QAAQ,EwCt3BwB,O1E6GF,KkCywBtB,C;K;;IwC54BnB,8B;MAMI,4C;K;ICtIJ,qC;MAI I,SAAS,SID+BiC,I;MkD9B1C,OAAa,CAAN,gBAAc,EAAd,KACU,EAAN,gBAAc,EADIB,KAEL,OAAM,GAFV, KAGI,KAAK,IAAL,KACC,OAAM,IAAN,KACS,IAAN,gBAAc,IADjB,KAEG,OAAM,IAFT,IAGG,OAAM,IAHT ,IAIG,OAAM,IAJT,IAKG,OAAM,IALT,IAMG,OAAM,KAPV,CAHJ,C;K;;;mCCTP,gB;;K;;ICAJ,wB;K;;IAIA,w B;K;;IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAEIC,kB;K;;IAqCqC,sB;MAAC,gB;K ;IAgCN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,oB;K;;ICpJA,oB;K;;IAIA,wB;K;;oF7 DLA,qB;MAKqE,uCoChTb,E;K;iGpCK/C,yB;MAAA,kD;MAAA,4B;QAQsE,mBAAY,SAAZ,C;O;KARtE,C;IAU A,iC;MAGI,OAA sB,UAA Y,QAAvB,KAAmC,SAA9C,GACe,UAA Y,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAG R,qC;MAEI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAA Y,MAAK, QAAS,OAA d,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C; QACI,OAAO,gBAAgB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1B,YAA Y,C;MACZ,OAAO,QAAS,UAAhB,C;

QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;:MAE9B,IAAI,QAAQ,KAAM,OAAIB,C;QACI,MAAM,KAAN,IAAe,I;OAE nB,OAAO,K;K;IAIX,yB;MAG6C,sBAA Y,OAAZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAI0B,gBAAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAA A,0C;QAIL,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KA LvD,C;IASA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAA nB,oB;QAAyB,aJVhC,W;QIUA,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAI sC,gBAA3B,mBAAiB,QA AjB,C;QAAiC,aJbXc,W;QIiBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA,wE;MAAA,gC;QAIiC,gBAA tB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA ,yB;MAAA,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q; O;KAJ9D,C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAC,KAAd,C;; K;IAIR,+B;MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJJE7C,W;K;II mEX,4B;MAQI,gBAAGB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAGB,SAAhB,EAAsB,UAA tB,C;K;IA GJ,2C;MACI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YAA Y,YAA Y,IAAZ,C;MACZ,gBAAC,KA Ad,EAAqB,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,C AAN,CAAV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAIB,O;K;IAGX,iF;MAIL,oCAAA,2BAAkB,UAAIB,EAA8B ,QAA9B,EAAwC,MAAO,OAA/C,C;MACb,gBAAGB,WAAW,UAA X,I;MACHb,oCAAA,2BAAkB,iBAALB,EAAq C,oBAAoB,SAApB,IAArC,EAAoE,WAA Y,OAAhF,C;MAEb,IAAI,WAAkB,QAAO,WAAP,CAAIB,IAAYC,WA AkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAA S,UAA T,EAAqB,QAArB,C;QACTb,WAA Y,KAAL,QA AJ,EAAc,iBAAd,C;;QAExB,IAAI,WAAW,WAA X,IAA0B,qBAAqB,UAA nD,C;UACI,iBAAc,CAAd,UAA sB,SA AtB,U;YACI,YAA Y,oBAAoB,KAAPB,IAAZ,IAAYC,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAC,YAA Y,CA AZ,IAAd,aAAmC,CAAnC,Y;YACI,YAA Y,oBAAoB,OAApB,IAAZ,IAAYC,OAAO,aAAa,OAAb,IAAP,C;;;K;8G AMzD,qB;MAEgF,gB;K;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,aAAL,SAAK,C;O;KADnF,C;sGAI A,gC;MAEI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SN83BoB,Q;K;IM13B5B,mC;MAEL,IAAI,QAAQ,CAAZ,C;QACI,oB ;OAEJ,OAAO,K;K;IAGX,mC;MAEL,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K ;IAErD,wC;MPzNI,IAAI,EOgOI,YAA Y,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAyB,OAAQ, WAAjC,C;Q;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAIvF,mB;MACI,qB;MACA,eAAe,e;MACf,O AAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAmB,OAA nB,CAAJ,C;UACI,QAAS,S;UACT,OAA O,I;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACC,0B;MAAhB,OAGB,cAAhB ,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAKuC,sE;MAAA,qB; QAAE,OAAM,gBAAN,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC,YAA5B,iEAA4B,EAAU,oD AAV,C;K;IAKU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAo C,YAA5B,iEAA4B,EAAU,oDAAV,C;K;gDAGx C,Y;MACI,qB;MACA,eAAe,IAAK,W;MACpB,OAAO,QAAS,U AAhB,C;QACI,QAAS,O;QACT,QAAS,S;;K;iDAIjB,Y;MAE8B,OAAA,IAAK,U;K;yDAGn C,Y;K;;IC3CgD,+B;M AAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;MAMI,qB;MACA,iBAAL,SAAJ,EAAU,OAAV,C;MACA,OAAO,I ;K;mDAGX,2B;MAMc,UACF,M;MANR,oCAAA,4BAAmB,KAAnB,EAA0B,SAA1B,C;MAEb,qB;MACA,aAAa, K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAL,eAAJ,EAAI,uBAAJ,WAAc,CA Ad,C;QACA,UAAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,qB;MACA,yBAA Y,CAAZ,EAAe,SAAf,C;K;IAKiB, gE;MAAA,qB;QAAE,OAAM,gBAAN,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;IAK U,gE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;6C AIX,Y;MAAqD,iD;K;mDAErD,mB;MAAoD,0BAAQ,OAA R,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B; MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAL,KAAL,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K; sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAL,KAAL,GAAC,OAAd,CAAJ,C;UACI,O AAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA,CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAajB,C;K;o DAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;wDAE5E,8B;MAIL,eAAe,0BAAa,SAAb, C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAA sB,KAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,iB ;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCA Aa,uBAAC,IAAd,EAAoB,KAAPB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;IAG5C,kD;M AAA,oB;MACI,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,I

AAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAcTb,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WA
AJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7CIB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BA
AsB,OAAQ,WAA9B,C;OsE6CF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,oB;
MAGmD,wD;MAG3C,oCAAA,4BAAmB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;MA
AsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MA
E1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K
;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtEIFJ,IAAI,
EsEmFU,gBAAQ,EtEnFIB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEkFF,w
BAAI,WAAJ,EAAU,OAAsV,C;K;;IAIgB,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oC
AAa,2BAAkB,gBAAIB,EAA6B,OAA7B,EAAcS,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,
0B;MACI,oCAAA,4BAAmB,KAAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OA
AvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mB
AAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kB
AAS,mBAAY,KAAZ,IAAT,C;MACIB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAA,2BAAkB,KAAIB,EA
AyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAsV,C;K;mGAGO,Y;MAAQ,mB
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBAA6C,I;K;IAIF
R,oD;MAAC,wB;MAGIC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eA
Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAKC,i
EAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAakB,KAAIB,C;K;;IAIB5C,8E;MAAA,wE;MAAsC,2CA
AK,KAAAM,IAAX,EAAGB,KAAAM,MAAtB,C;MAAtC,Y;K;IASBJ,+C;MACsE,6B;K;mEACIE,mB;MAAmD,kCA
Ac,OAAd,C;K;IEAEnD,mB;MAAiD,gCAAY,OAAsZ,C;K;;yCAIrD,Y;MACI,YAAQ,Q;K;IAOQ,+F;MAAA,sD;M
AAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,4BAAwB,Q;K;4FAG5B,mB
;MAAsD,sDAAY,OAAsZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0BAAc,U;K;yGACHd,Y;MAA
yB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5
B,6G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAsZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,O
AAO,I;OAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B
1E,Y;MACI,IAAI,4BAAJ,C;QACI,6F;OA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,I
9E8Q2D,QAAQ,W;M8E9QxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9EiMsD,U;Q8EjMjD,Y9E8MiD,Y;Q8E7M
xD,iBAAI,GAAJ,EAAS,KAAT,C;;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gC
AA9B,C;K;qFAC9C,Y;MAAuB,4BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAd,C;K;IAI3C,sH;MAAA,kD;
K;8GACH,Y;MAAkC,OAAA,0BAAc,U;K;2GACHd,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAw
B,0BAAc,S;K;;wFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,+G;K;sIAOmB,Y;MAAQ,OAAA,4BAAwB,K;K
;8FAEvD,Y;MAAsC,4BAAwB,iB;K;;4FAnB1E,Y;MACI,IAAI,8BAAJ,C;QACI,iG;OAoBJ,OAAO,qC;K;gDAGf,e
;MACI,qB;MACA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAY,IAAK,O;QACjB,QAAQ,KAA
AM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,OA
AO,I;K;kDAIX,Y;K;;IC3I+C,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3
B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAAhB,C;K;4CAGvB,Y;
MAG+B,OAAA,mCAAY,2BAAkB,IAAIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;MACvD,4BAAkC,K;K;gCAk
BIC,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;qCAGX,Y;K;iDAGA,uB;K;iFAG8B,Y;MAAQ,OAAA,oBA
AM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAAW,KAAAX,CAAN,4D;K;sCACzC,0B;MAIW,IAAa,I;MA
HpB,qB;MACA,0BAAW,KAAAX,C;MAEoB,gBAAb,qBAAM,KAAAN,C;MAAqB,qC;MAA5B,OAAO,CAAA,OtE8
BjB,SsE9BI,2D;K;oCAGX,mB;MACI,qB;MACM,oBAAAY,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;K;sCA
GX,0B;MACI,qB;MACM,oBAAAY,QAAO,mCAAoB,KAApB,CAAP,EAAmC,CAAnC,EAAsC,OAAtC,C;MACIB
.qC;K;yCAGJ,oB;MACI,qB;MACA,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oBxEioDoB,QMjr
D0C,YkEgDrD,QIEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mCAAo
B,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C;QA
AwB,OAAO,K;MAE3B,IADE,KACf,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBIE7Dq
D,YkE6D7C,QIE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EAAV,CA

AU,EAAP,KAAO,CAAY,QIE9DE,YkE8DK,QIE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAMb,S
AAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,qC;M
ACA,OAAW,UAAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAAIb,CAAm
C,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAgB,O
AAhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8
CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAAbB,UAAU,SAAV,IAAIb,C;K;gCAGtB,Y;M
ACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAY,OAAC,C;K;
4CAErD,mB;MAAMd,OAAM,YAAN,oBAAM,EAAY,OAAC,C;K;mCAEzD,Y;MAA0B,uBAAC,oBAAd,C;K;0C
AE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPIB,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,OAAO,2D;OAG
c,gBAAXB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEwBsC,KxEuwBtC,EAD+F,CAC/F,E
ADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,MAAM,SAAN,IAAc,6
E;OAGIB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAI1B,Y;MACI,IAAI,yBA
AJ,C;QAAGB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAYB,SAAzB,C;MADoB,Y;K;wDAIrC,iB;MACI,oC
AAa,mCAA0B,SAA1B,C;MAD6B,Y;K;;IAI9C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K;IAKA,
kD;MAAA,mD;MAIkD,sB9BdP,E8BcO,C;MAJID,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBIENa,YkEMR,QIENQ,
CkEmB,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;QAEIB,UAAU,KAAY
EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAJD,EAA4D,eAAW,UAAAX,CAA5D,C;;K;IAMiB,kD;MAAA,uB;QA
AgB,OAAA,kBAAW,SAAQ,CAAR,EAAY,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAAIb,gC;Q
ACX,KAAY,MAAK,UAAL,C;;QAEIB,UAAU,KAAY,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAJD,EAA4D,
UAA5D,C;;K;IAIR,gE;MACI,IAAI,aAAY,UAAU,CAAV,IAAZ,CAAJ,C;QACI,UAAU,KAAY,EAAwC,SAAxC,
EAAMd,UAAU,CAAV,IAAnD,EAAGe,UAAhE,C;Q;IAMiB,gC;MAAGB,OAAE,iBAAF,CAAE,EAAU,CAAV,C;
K;IAF3C,0B;MACI,IAAI,6BAAJ,C;QACI,iBAAIb,gB;QACX,KAAY,MAAK,UAAL,C;;QAEIB,UAAU,KAAY,E
AAwC,CAAxC,EAAiD,cAAN,KAAM,CAAJD,EAA4D,cAA5D,C;;K;IAaa,kD;MAAoB,QAAC,IAAM,CAAP,KA
Aa,IAAM,CAAnB,K;K;IARzC,uC;MACI,sC;QAAiC,OAAjC,yB;OACA,4BAA4B,K;MAE5B,YAAY,E;MAGZ,iB
AAc,CAAd,UAAAS,GAAAtB,U;QAAiC,KAAY,MAAK,KAAL,C;MAC7C,iBAAIb,kC;MACX,KAAY,MAAK,UA
AL,C;MACIB,mBAAC,CAAd,YAASB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,Q
AAQ,MAAM,OAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAAPB,KAA0B,KAAC,CAAnC,C;UA
AsC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAMb,KAAM,OAAzB,O;MAC
b,aAAa,YAAU,KAAY,EAAiB,MAAJB,EAAYB,KAAYB,EAAGC,YAAhC,EAA8C,UAA9C,C;MACb,IAAI,WAA
W,KAAf,C;QACI,aAAU,KAAY,OAAiB,YAAjB,M;UAA+B,MAAM,CAAN,IAAW,OAAO,CAAP,C;Q;IAIId,4D;
MAEI,IAAI,UAAAS,GAAAb,C;QACI,OAAO,K;OAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAGB,CAAhB,I;MACb
,WAAW,YAAU,KAAY,EAAiB,MAAJB,EAAYB,KAAYB,EAAGC,MAAhC,EAAwC,UAAxC,C;MACX,YAAY,Y
AAU,KAAY,EAAiB,MAAJB,EAAYB,SAAS,CAAT,IAAZB,EAAGC,GAAR,C,EAA0C,UAA1C,C;MAEZ,aAAiB,S
AAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAGB,K;MACHb,iBAAIb,SAAS,CAAT,I;MACjB,aAAU,K
AAV,OAAiB,GAAjB,M;QAEQ,iBAaA,MAAb,IAAuB,cAAc,GAAR,C;UACI,gBAAGB,KAAC,SAAL,C;UACb
,iBAAIb,MAAM,UAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAMb,UAAAnB,CAAX,IAA6C,CAAJD,C;YACI
,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;eAGR,iBAaA,MAAb,C;UACI,OA
AO,CAAP,IAAY,KAAC,SAAL,C;UACZ,6B;;UGA,OAAO,CAAP,IAAY,MAAM,UAAN,C;UACZ,+B;;MAMZ
,OAAO,M;K;ICrGX,4C;MAMoB,UACM,M;MAHtB,IAAI,iBAAJ,C;QAAkB,OAAO,C;MACzB,aAAa,C;MACb,
wBAAGB,SAAhB,gB;QAGB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,I1BFiC,MAAA,Y0BEnC,O1BFm
C,C0BE9C,C;YAAwD,iCAAhC,OAAgC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAmC,2BAAR
,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAAR,OAAQ,
C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAAd,I;;MAEb,OAAO,M;K;;ICTP,uC;MAAA,2C;K;2DAC
I,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA,kD;QAA
A,iC;OAAA,2C;K;;MC0BA,iC;MAKA,8B;MA6CA,0BAAMe,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C;K;2CAE3B,
mB;MAAYD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAGe,OAAA,WAAa
,uBAAC,OAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEpF,mB;MACI,IAAI,iBAAS,OAAT,CAAJ,C;
QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA,WAAa,K;K;;

8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,
gBAAZ,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MAAV,QvE+mD
5D,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;MuEhnDgD,iB;K;kfAIInD,Y;MACI,IAAI,+BAAJ,C;QACI,0
BAAW,qB;OAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEHf,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;o
CAE3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAyC,OAAA,0BAAY,cAAO,
GAAP,C;K;+EAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA5DID,0C;MAAA,iD;MAAuD,8B;MAvC3D,mB;MAwCQ
,8BAAmB,W;MACnB,2BAAgB,WAAy,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB
,Y;K;IAKA,4D;MAAA,iD;MAQ8D,qB;M7EpC9D,IAAI,E6EsCQ,mBAAmB,C7EtC3B,CAAJ,C;QACI,c6EqCgC,
+C;Q7EpChC,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,E6EuCQ,cAAc,C7EvCtB,CAAJ,C;QACI,gB6EsC
2B,yC;Q7ErC3B,MAAM,gCAAYB,SAAQ,WAAjC,C;O6E0BV,Y;K;IAcA,gD;MAAA,iD;MAA2C,eAAK,eAAL,E
AAsB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;MAJT,Y;K;I
AqCJ,4B;MAK8E,gBAAAnE,aAAmB,gEAAAnB,C;MAA2E,wB;MAAIF,O1EvCO,S;K;;M2EjEP,uB;;kCAyCA,mB;
MACI,UAAU,gBAAI,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,gBAAI,Q;K;uCAOR,mB
;MAA6D,OAAA,gBAAI,mBAAy,OAAZ,C;K;gCAEjE,Y;MAAyC,OAAA,gBAAI,U;K;CAE7C,Y;MAAqD,OAA
A,gBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,gBAAI,cAAO,OAAP,CAAJ,Q;K;+EAEpB,Y;MAAQ,OAA
A,gBAAI,K;K;;IA5D1C,6B;MAAA,iD;MAGoB,8B;MAZxB,mB;MAAq,oBAAM,gB;MAJV,Y;K;IAOA,yC;MAA
A,iD;MAG2C,8B;MANB/C,mB;MAoBQ,oBAAM,eAAgB,QAAS,KAazB,C;MACN,qBAAO,QAAP,C;MALJ,Y;K
;IAQA,4D;MAAA,iD;MAQ2D,8B;MAhC/D,mB;MAiCQ,oBAAM,eAAgB,eAAhB,EAAiC,UAAjC,C;MATV,Y;K;
IAYA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;M
A5C9C,mB;MA6CQ,oBAAW,G;MAPf,Y;K;IAmCJ,+B;MAKuC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,
O3ENO,S;K;I4EzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACiC,sBAAyB,C;K;2EAHY,Y;MAAA,8B;K;2FAG
rC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,eAAe,aAAS,qBAAy,GAAZ,C;MACxB,mBAAm
B,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAAuB,mCAAY,GAAZ,EAAiB,KAAjB,C;
;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;Y
ACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,CAAQ,KAAR,EAAe,mCAAY,GAAZ,EA
AiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAuC,Y;UACvC,cAAkB,wBAAN,KAAM,EAAiB,G
AAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;WAEX,KAAy,MAAK,mCAAY,GAAZ,E
AAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,e;MAEuB,Q;MADnB,eAAe,aAAS,qBAAy,GA
AZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAMC,OAAO,I;OAA7D,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QA
CI,YAAgC,Y;QAChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;U5BzDR,O4B0D6B,iB5B1D
vB,C4B0DmC,Q5B1DnC,C;U4B2DM,6B;UACA,OAAO,KAAM,M;;UAEb,OAAO,I;;;QAGX,YAAuC,Y;QACvC,
8BAAc,KAAAd,iB;UACI,cAAy,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GAAP,EAAY,OAAM,IAAIB,CAA
b,C;YACI,IAAI,KAAM,OAAN,KAAC,CAAIB,C;ACU,KAAN,UAA2B,C;c5BtE/C,O4BwEqC,iB5BxE/B,C4BwE
2C,Q5BxE3C,C;;c4B2EoB,KAAy,QA AO,KAAP,EAAC,CAAd,C;;YAEtB,6B;YAEA,OAAO,OAAM,M;;;MAIzB,
OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;mDAGX,e;MAAyC,uBAAS,GAAT,S;K;8CAEzC,e;
MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;MAAA,oCAAsB,aAAS,qBAAy,GAAZ,CAA/B,C
;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS
,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;UAEP,OAAO,I;;;QAGX,YAAuC,Y;QACvC,O
AAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDAlrB,0B;MACI,sB;;Q7F+nCY,Q;QAAhB,iD;UAAgB,cAAhB,e;U
AAsB,I6F/nCK,aAAS,gB7F+nCA,O6F/nCa,IAAb,M7F+nCd,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;
;M6FhoCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAy,E;MAEZ,YAA0B,MAAA,MAAK,qCAAL,C;MACvC,gBA
Ae,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MACHb,iBAAqC,I;K;yEAErC,Y;MACI,IAAI,6BAA
wB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAC,SAAlB,C;UACI,OAAO,C;OAGf,IAAI,yDAAa,
SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAy,C;QACZ,OAA
O,C;;QAEp,oBAAe,I;QACf,OAAO,C;;K;mEAI,f,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,e
AAS,C;K;gEAGpB,Y;MAEOB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACN,IAAI,YAAJ,C;QAC
Z,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;K;kEAG

X,Y;M/E/CR,I+EgDyB,c/EhDrB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;O+E+CE,6BAAYB,cAAO,6BAAY,IAAnB,C;MACzB,iBAAY,I;MAEZ,uC;K;;6CAtDZ,Y;MAEI,2D;K;4DAyDJ,oB;MACI,mBAAmB,kBAAW,QAAx,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAA0C,Y;K;;;wCCtKrD,Y;MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;M7BXpB,O6BYqB,M7Bzf,C6BYuB,K7BzvB,C;M6BaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBAAkC,kB;MACIC,sBAAYB,C;K;yEAHU,Y;MAAA,8B;K;yFAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;iDAWA,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAgC,KAAhC,GAA2D,I;K;8CAI/D,sB;MjFVA,IAAI,EiFWQ,uBjFXR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OIFUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;;QAGP,OAAO,Q;;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;Q9BnDJ,O8BoDyB,iB9BpDnB,C8BoD+B,G9BpD/B,C;Q8BqDE,6B;QAEA,OAAO,K;;QAGP,OAAO,I;;K;wCAkf,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;IEAE/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;MAluB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,OAAO,iD;K;gEAGX,Y;MAEkC,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MjFchD,uB;MAeP,IAfoB,KAEhB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;;QAEN,sBAnBgB,K;;Mifde,oBAAO,sFAAP,C;K;;2CAjBnC,Y;MACI,yD;K;IAqBkD,0F;MAAA,8B;MAAA,oD;K;kHAC9B,Y;MAAQ,uB;K;oHACN,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAAA,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;mEAC9C,iB;MAA4C,OAAA,mCAAY,qBAAY,IAAZ,EAAkB,KAAIB,C;K;;gDAR5D,e;MAAsD,iE;K;;MCItD,sBAOsC,I;MA6CtC,yB;MAOA,4BAAkC,K;;IArIE,sD;MAZpC,oB;MAYyD,0CAAqC,GAARc,EAA0C,KAA1C,C;MACrD,oBAAuC,I;MACvC,oBAAuC,I;K;wDAEvC,oB;MACI,WAAmB,iB;MACnB,OAAa,mEAAS,QAAT,C;K;;IAIrB,wC;MAAA,oB;MAA+B,8C;K;IAE3B,sD;MAAAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;K;6DAIX,Y;MACI,OAAO,gBAAS,I;K;0DAGpB,Y;MAEI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;MAAf,c/E0DS,S+E1DoB,KAAO,iC/E0DzC,GAaqB,SAArB,GAA+B,I;M+EzD1B,OAAO,O;K;4DAGX,Y;MIFwBR,IAAI,EkFvBc,eAAQ,IIFuBtB,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OkFxBE,WAAc,iB;MAGP,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K;;iDAIf,mB;MAAyD,MAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;6DAGvB,mB;MAAgE,OAAA,WAAmB,uBAAc,OAAAd,C;K;gDAEnF,Y;MAAwE,qD;K;2DAExE,mB;MACI,qB;MACA,IAAI,iBAAS,OAAT,CAAJ,C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;8FAGY,Y;MAAQ,OAAA,WAAmB,K;K;sDAEID,Y;MAAsC,WAAmB,iB;K;;iDAa7D,qB;MIFrBA,IAAI,EkF0BM,0BAAQ,IAAR,IAAgB,0BAAQ,IIF1B9B,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OkF0BN,YAAY,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QIFIBhC,uB;QAeP,IAfoB,KAEhB,QAAJ,C;UACI,gBAhByB,0B;UAIbZB,MAAM,6BAAsB,SAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QkFkBZ,+B;QAEA,yBAAO,K;QACP,yBAAO,K;QAEP,qBAAa,S;QACb,qBAAa,S;;K;+CAIrB,qB;MAII,IAAI,SAAK,aAAL,KAAC,SAAI,B,C;QAEI,sBAAO,I;;QAEP,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,sB;;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA8CX,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;oCAGX,Y;MACI,qB;MACA,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAI,mBAAY,GAZC,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IAAK,MAAL,EAAC,KAAAd,CAAJ,C;UACI,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAAS,mBAAT,C;MACT,OAAO,K;K;6CAIX,Y;MAAoF,uC;K;wCAEpF,e;MAAmD,Q;MAAJ,QAAI,OAAJ,kBAAI,WAAI,GAJJ,CAAJ,6B;K;0CAE/C,sB;MACI,qB;MAEA,UAAU,kBAAI,WAAI,GAJJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,mCAAW,GAAX,EAAGB,KAAhB,C;QACf,kBAAI,aAAI,GAJJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAAO,I;;QAEP,OAAO,GAAL,gBAAS,KAAT,C;;K;2CAInB,e;MACI,qB;MAEA,YAAY,kBAAI,cAAO,GAAP,C;MAChB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;qFAGmB,Y;MAAQ,OAAA,kBAAI,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAGB,MAAM,oC;K;;IANg1B,mC;MAAA,uD;MAGuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAIKxD,yB;MAoKc,Q;

MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAAuB,UAAvB,Q;MA/KIE,yB;M
AgLQ,sBAAM,gB;MATV,Y;K;IAYA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IA
EA,+C;MAAA,uD;MAG2C,qB;MAxL/C,yB;MAyLQ,sBAAM,gB;MACN,KAACK,gBAAO,QAAP,C;MALT,Y;K;I
A6EJ,kC;MAKwD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,O/EjMO,S;K;;;oCgFvCP,Y;MAEK,Q;MA
A8B,CAA9B,2EAA8B,S;MAC/B,OAAO,I;K;6CAGX,Y;MAA+C,gBAAL,iB;K;;IAhCnD,wC;MAAA,uD;MAAmD
,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;
K;IAKA,+C;MAAA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;K;IAOA,kE;
MAAA,uD;MAQ8D,eAAM,qBAAsB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA7BIE,yB;MAqBI,Y;K;IAUA,sD;MA
AA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAGBJ,qC;MAKMD,gBAAXC,mBAAC,qBAAD,C
;MAAGD,6B;MAAvD,OhFoBO,S;K;;;kFiFzEX,uB;MAQI,OAAO,O;K;ICXX,sB;K;mCACI,Y;MACI,mBAAM,IA
AN,C;K;2CAGJ,mB;MACI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;;IAKuB,oC;MAA8B,qB;MAA7B,gC;K;2
CACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;K;;IAIrB,8B;MAEOC,qB;K;i
DACHC,mB;MACI,OAAQ,KAAI,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAI,OAAJ,C;K;2CAGZ,Y;MACI,OA
AQ,KAAI,EAAJ,C;K;;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eAoCyC,OApCxB,OAoCwB,
C;K;qCAjC7C,Y;MACI,cAAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QAwByC,OAxB1B,OAwb0B,C
;MAvBzC,QAAQ,CxEqJoF,awErJhE,IxEqJgE,EwErJ1D,CxEqJ0D,C;MwEpJ5F,IAAI,KAACK,CAAT,C;QACI,4BA
AU,CxE+J0E,WwE/J9D,CxE+J8D,EwE/J3D,CxE+J2D,C;QwE9JpF,Y;QACA,IAAI,CxE0jIE,WwE1JrD,IAAI,CA
AJ,IxE0JqD,C;OwExJzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAI,WAAJ,C;MACR,cAAS,E;K;;IAWjB,yB;M
ACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iBAAQ,OAAR,C;K;IAGX,wB;
MAEI,MAAO,eAAM,OAAN,C;K;IAGX,kB;MACqC,MAAM,qCAA8B,sCAA9B,C;K;IAE3C,wB;MAC4C,MAA
M,qCAA8B,4CAA9B,C;K;ICIGID,mD;MACI,0B;MASA,gBAA2B,a;K;2FAFvB,Y;MAAQ,OAAA,eAAS,Q;K;oD
AIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAC,MAAO,M;WAEzB,YAAQ,yBAAR,C;Q
ACI,gBAAC,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAAsB,iBAAtB,C;K;4CAItB,Y;MAOW,Q;M
ALP,IAAI,kBAAW,2CAAF,C;QACI,gBAAS,yB;QACT,OAAO,yB;OAEX,aAAa,IAAK,S;MAEd,eAAW,yCAAX,
C;QAAsB,gC;WACTB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7BJ,gD;MAAA,0D;MACyD,6B
AAK,QAAL,EAAe,2CAAF,C;MADzD,Y;K;;;ICRA,2C;MAAA,+D;MAAuB,iC;MAF3B,iC;MAEI,Y;K;IACA,sD
;MAAA,+D;MAAuC,6BAAM,OAAN,Q;MAH3C,iC;MAGI,Y;K;IACA,6D;MAAA,+D;MAAmD,kCAAM,OAAN,
EAAe,KAAf,C;MAJvD,iC;MAII,Y;K;IACA,oD;MAAA,+D;MAAiC,6BAAM,KAAN,Q;MALrC,iC;MAKI,Y;K;Ix
C4CJ,yE;MASI,sC;MAAA,4C;K;IATJ,iGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,0DAaQ,kB;MACI,wBAAW,MAA
X,C;K;IADz,Sf;IyC5C2E,0C;M1CkKhE,Q;MADP,e0ChKA,M1CgKA,C;MACO,Q0CjKP,M1CiKO,+D;M0ChKX,
W;K;;+FCuHA,gB;MACI,aAAa,IAAb,MAAa,E;MACb,KAACK,MAAL,C;MACA,OAAO,M;K;wFC3HX,yB;MAA
A,uD;MAAA,wC;QAWqG,OAAK,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,C;O;KAX1G,C;wFAaA,yB;MAA
A,uD;MAAA,wC;QAWoG,OAAK,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,C;O;KAXzG,C;8ECbA,yB;MAA
A,6C;MAAA,sC;QAOyD,OAAK,SAAL,SAAK,EAAy,QAAZ,C;O;KAP9D,C;8EASA,yB;MAAA,6C;MAAA,wC;
QAWkE,OAAK,SAAL,SAAK,EAAa,UAAb,S;O;KAXvE,C;oFAaA,yB;MAAA,mD;MAAA,wC;QAWqE,OAAK,
YAAL,SAAK,EAAgB,UAAhB,S;O;KAX1E,C;kFCZI,yB;MAAA,iD;MAAA,4B;QAAe,OAAK,WAAL,SAAK,C;
O;KAApB,C;wFAYA,yB;MAAA,uD;MAAA,4B;QAAe,OAAK,cAAL,SAAK,C;O;KAApB,C;IC5BJ,gC;MAAoE,
gCAAqB,OAAR,B,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,iB;MACI,eAAQ,KAAAR,C;K;8CAGJ,Y;MAAYC,iCAAuB
,cAAvB,M;K;;ICCO,6C;MAAA,8B;MAAS,uB;K;8FACIC,Y;MAAQ,OAAA,gBAAY,O;K;mDAE3C,iB;MACI,IA
DoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gBAAY,MAAK,KAAAL,C;;QACvB
,MAAM,8BAA0B,WAAQ,KAAAR,6BAAmC,sBAAnC,MAA1B,C;K;;IARtB,8B;MAGoD,4C;K;wECFpD,yB;MA
AA,uC;MAAA,4B;QAOsC,MAAL,SAAK,C;O;KAPtC,C;kFASA,yB;MAAA,iD;MAAA,kC;QAWuD,OAAK,WA
AL,SAAK,EAAc,IAAd,C;O;KAX5D,C;+ECfA,qB;MAI8C,gB;K;iFAE9C,qB;MAIsE,OAAK,S;K;kFAE3E,qB;MA
MyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAC,S;MAGV,cAAK,UAAU,U;QACI,mBAAK,UAAAL,G;;QACJ
,I/CzBqC,MAAa,Y+CyBvC,C/CzBuC,C+CyBID,C;UAC6B,8BAAzB,CAAYB,C;;UAGN,UAAIB,uDAAkB,Y;;MA
P3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAAR,B,C;K;IAGV,sB;MAEI,MAAM,uBAAmB,cAAAnB,C;K;IAGV,2
B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,uBAAqB,YAArB,8BAArC,C;K;ICIBV
,8B;MC8CW,kB1GqBiD,oB;M0GM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,s

BAAM,CAAN,C;QACV,kBAaKB,sBAAY,GAAZ,C;QAKFiD,U;QAjFnE,W1GuKJ,a0GvKGB,G1GuKhB,EyG1Oo
B,CCmEkC,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAiFhD,GDpJrC,CCoJqC,GAA6B,UaJfJc,WaIFiC,6DDp
JnD,IAAM,CAAN,IzG0OpB,C;;MyG1OA,OCqEO,W;K;;;ICjCX,qB;MAK0B,Q;MADtB,UAAmB,E;MACnB,wB
AAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAE
hB,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAA
Y,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBAaE,GAaf,CAAtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;
MAGpB,OAAO,S;K;qEC5DX,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qE
ASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MA
AA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,
MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAA
L,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;yEA
WA,yB;MAAA,iB;MAAA,uB;QAKB+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAIBIE,C;uEAoBA,y
B;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,
oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,
MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAA
N,C;O;KAZ/D,C;yEAca,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAca
A,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;O;KAb/D,C;yEAca,yB;MAAA,iB;MAAA,
uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KATIE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QA
QmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAUA,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,
KAAI,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcoD,OAAA,MAAW,OAAM,CAAN,C;O;Kad
/D,C;IAGBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAGC,OAAO,wCAAO,I;MAC9C,OAAO,I
AAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;K;mEAG1C,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,
MAAW,KAAI,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB;QAooD,OAAA,MAAW,OAAM,CAAN,
C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAomD,OAAA,MAAW,MAAK,CAAL,C;O;KAP9D,C;uEASA
yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;O;KAhB9D,C;uEakBA,yB;MAAA,iB;M
AAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAUoD,OA
AA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OAAA,MAAW,OAAM,C
AAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAaf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;
OAEtB,YAzBgD,MAAW,OAYBzC,CAzByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B
,GAtC+C,MAAW,MAcB,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA,oB;QAUKD,OAAA,MAAW,KAAI,CAAJ
,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,CAAL,C;O;KAX9D,C;wEA
cA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;wEASA,yB;MA
AA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;M
AAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAbpE,C;uEAca,yB;MAAA,iB;MAAA,+B;Q
AOsD,OAAA,MAAW,KAAI,SAAJ,EAAY,CAAZ,C;O;KAPjE,C;iGAmBsD,yB;MAAA,iB;MAAA,4B;QAAQ,OA
AA,MAAW,KAAI,SAAJ,C;O;KAAAnB,C;+EAAT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL
,C;O;KAAAnB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAC,IAAd,C;O;KALnE,C;IA
kBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAA
L,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAeW,S;WACpD,kBAAQ,wCAAO,UAF,C;QAHyC,OAGb,YAA
Y,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAGB,S;K;IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CA
AL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACY,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAeZB,wCAAO,
U;;QACP,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAC,CAAd,GAAqB,EAAX,C,E;QAHgB,OhDhb
6B,MAAa,gBAaE,IAAf,C;;K;IgdSbtF,6B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;
QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAe3B,CAAC,wCAAO,U;;QACR,WAAc,UAAAL,SAAK,C
AAL,yBAAuB,YAAO,CAAX,GAAC,EAAd,GAAsB,CAAZ,C,E;QAHkB,OhD1b2B,MAAa,gBAaE,IAAf,C;;K;Igd
ctF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QAaH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC
,WAAM,SAAN,C;QAFuD,OAeZC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,
SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAZB,C;WACjB,gBAAO,UAAp,C;QAFyC,

OAEjB,U;WACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;;QAHiB,OAIv,YAAvB,IAAW,OAAM,SAAN,CAAY,C;K;IAGnC,gC;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAZB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;;QAAA,OAIz,uBAAvB,IAAW,OAAM,SAAN,CAAY,C;K;uEASnC,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KAIBzG,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAcA,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QACKD,OAAA,MAA+B,OAAZ,CAAY,C;O;KadjF,C;uEAgBA,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EAAZ,IAAY,C;O;KadhG,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEAkBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAPrE,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPiG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAzC,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAsqC,EAAZ,IAAY,C;O;KAPxG,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAsqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAX,SAAW,C;O;KAZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAL/D,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAL/D,C;mGaiBgD,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAmB,C;K;wEAE1D,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mGAYxB,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAExB,C;;QAFyB,OAG7B,C;K;IC1kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,qBAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAO,kBAAf,IAAoC,cAAQ,wCAAO,kB;K;IAEpG,iC;MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAP,KAAAsB,CAAe,KAAK,CAAP,GAAC,UAAPC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAAsB,CAAe,KAAK,CAAP,GAAC,SAAPC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAAsB,CAAe,KAAK,CAAP,GAAC,SAAPC,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAAsB,CAAe,KAAK,CAAP,

,WAAP,S;QAAoC,SAAP,MAAO,W;;QAC5B,+B;MAHZ,2B;MAMA,WACQ,cAAU,UAAAd,GAAyB,EAAzB,GA
Ce,eAAV,cAAU,EAAa,IAAb,EAAmB,GAAAnB,EAAwB,GAAxB,kBAA6B,+BAA7B,C;MACnB,eAAmB,qBAAJ,
GAAAsB,GAAtB,GAA+B,E;MAE9C,OAAO,iBAAiB,IAAjB,GAAwB,Q;K;qCAGnC,qB;MAEI,IAAI,sBAA Y,IAA
hB,C;QAAAsB,OAAO,G;MAC7B,OAAgB,aAAT,kBAAS,CAAT,GAA+B,SAAL,cAAK,C;K;;IAI9C,wB;MAAA,4
B;MACI,4BAAwC,I;MACxC,2BAAgD,W;MACHD,kCAAyC,K;K;0FAFzC,Y;MAAA,gC;K;yFACA,Y;MAAA,+
B;K;gGACA,Y;MAAA,sC;K;sCACA,Y;MAAkC,gB;K;;IAJtC,oC;MAAA,mC;QAAA,kB;OAAA,4B;K;IAOA,iC;
MACI,QAAM,SAAN,M;aACI,W;UADJ,OAC2B,E;aACvB,I;UAFJ,OAEoB,K;aAChB,K;UAHJ,OAGqB,M;gBAH
rB,mC;;K;IC3CkC,oE;MACIC,0B;MACA,wC;MACA,kC;MACA,oC;K;sEAHA,Y;MAAA,0B;K;6EACA,Y;MAA
A,iC;K;0EACA,Y;MAAA,8B;K;2EACA,Y;MAAA,+B;K;4CAEA,Y;MAAkC,gB;K;;8CANtC,Y;MACI,gB;K;8CA
DJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,oB;K;8CAHJ,Y;MAIL,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEI,uDAFJ,E
AGI,8CAHJ,EAI,iDAJ,C;K;4CAA,Y;MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a;K;0CAA
A,iB;MAAA,4IACI,oCADJ,IAEI,kDAFJ,IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBACe,wBA
AoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAaHE,EAA0E
,mCAAIE,C;MAEIB,oBACmB,+B;MAEnB,oBACmB,wBAAoB,OAApB,EAAkE,SAAlE,EAA6E,oCAA7E,C;M
AEnB,iBACgB,wBAAoB,MAApB,EAA8D,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EA
A+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAE
f,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE
,QAaHE,EAA0E,mCAAIE,C;MAEIB,kBACiB,wBAAoB,KAAPB,EAAiE,OAAjE,EAA0E,kCAAIE,C;MAEjB,m
BACkB,wBAAoB,MAApB,EAAgE,QAaHE,EAA0E,mCAAIE,C;MAEIB,sBACqB,wBAAoB,KAAPB,EAAkE,W
AAIE,EAA+E,sCAA/E,C;MAErB,yBACwB,wBAAoB,KAAPB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBAC
qB,wBAAoB,WAApB,EAAwE,WAAxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAAPB,EAASe,WAAtE,
EAAmF,sCAAnF,C;MAErB,uBACsB,wBAAoB,UAApB,EAAwE,YAAxE,EAAfF,uCAAtF,C;MAEtB,qBACoB,w
BAAoB,UAApB,EAASe,UAAtE,EAAkF,qCAAlF,C;MAEpB,sBACqB,wBAAoB,KAAPB,EAAkE,WAAIE,EAA+
E,sCAA/E,C;MAErB,uBACsB,wBAAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAA
oB,YAApB,EAA2E,aAA3E,EAA0F,wCAA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,OtE/DD,OsE+DU,EAAT,KAAi
B,UAAjB,IAAkC,EAA Y,OAAf,KAA0B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAA
gB,CAAI,KAAJ,CAAhB,U;QAAA,a;;QACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QA
EG,eAAhB,UAAqC,M;QAHIC,SAIH,M;;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;
MAAE,8B;K;IAGZ,+C;MAAE,6B;K;IAGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAG
C,iD;MAAE,6B;K;IAGH,gD;MAAE,yB;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;
K;IAGL,oD;MAAE,6B;K;IAGJ,oD;MAAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAA
E,6B;K;IAGQ,qD;MAAE,8B;K;IAGC,sD;MAAE,+B;K;;IA5DvH,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;ICCA,
2B;MAEW,Q;MAAA,IAAI,KAAY,SAAQ,MAAR,CAAhB,C;QACH,kBAAW,MAAX,C;;QAEA,kBAAW,MAAX
,C;;MAHJ,W;K;IAOJ,8B;MAC4E,QAAM,QAAS,OAAf,C;aACxE,C;UADwE,OACnE,WAAW,SAAS,CAAT,CA
AX,C;aACL,C;UAFwE,OAEnE,+B;gBAFmE,OAGhE,iB;;K;IAGZ,oC;MAEU,IAAN,I;MAAA,QvEhB0C,OuEgB3
B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAA Y,OAAI,CAAY,C9DbhC,G8DamC,CA
Af,MAAkC,CAAtC,GAAyC,8BAAiB,SAA1D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,
a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAAsC,OAAj
B,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAo
C,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eAClC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;
YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8BA
AiB,W;;YAE9B,kBAAkB,MAAA,gBA Ae,CAAf,CAAKB,Y;YAE7C,oBAAgB,MAAhB,C;cAAiD,OAAjB,8BAAiB
,S;iBACjD,oBAAgB,KAAhB,C;cAAgD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,kBAAW,OAAX,C;;;UAx
BxB,K;;MAAA,W;K;IAGCJ,4B;MAMW,Q;MAJP,IAAI,WAAW,MAAF,C;QAA6B,OAAO,8BAAiB,Y;OAErD,eA
AsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QA AJ,C;UACI,aAAa,qBAAiB,MAAjB,C;UA
Cb,oBAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4BAAiB,MAAjB,C;;MATJ,W;K;ICrCJ,0B;MAIL,sBAA
Y,C;K;qEAChB,4B;MAIkE,iBAA Y,KAAZ,C;K;2EAEIE,qB;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDA
ExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;OAApC,eAAe,I;MACf,qBAAC,I;M

ACd,OAAO,QAAS,W;K;;;;ICLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAEI,qEAGW,CAHX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MAKA,yEAGa,CAHb,EAGgB,IAHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,IAHIB,C;MAKA,6FAGuB,CAHvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc,EAHd,EAGkB,IAHIB,C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,8EAGe,EAHf,EAGmB,IAHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EAHY,IAHZ,C;MAKA,8DAGO,EAHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU,EAHV,EAGc,IAHd,C;MAKA,kFAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH9B,C;MAKA,gGAGwB,EAHxB,EAG4B,IAH5B,C;MAUA,oC;K;;IA3JA,+C;MAAA,yB;MAAA,uC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,2D;MAAA,yB;MAAA,mD;K;;IAKA,yD;MAAA,yB;MAAA,iD;K;;IAKA,kD;MAAA,yB;MAAA,0C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,wD;MAAA,yB;MAAA,gD;K;;IAKA,4C;MAAA,yB;MAAA,oC;K;;IAKA,2C;MAAA,yB;MAAA,mC;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,8C;MAAA,yB;MAAA,sC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,sD;MAAA,yB;MAAA,8C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,0D;MAAA,yB;MAAA,kD;K;;IAKA,sD;MAAA,yB;MAAA,8C;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,8D;MAAA,yB;MAAA,sD;K;;IAKA,4D;MAAA,yB;MAAA,oD;K;8CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC;MAAA,sC;K;uDACL,oB;MAEQ,IADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS,QAAT,C;WACZ,IAFE,QAEF,IAAG,EAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,IAAT,C;;QACL,MAAM,gCAAyB,eAAY,QAAZ,qBAzB,C;K;;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;OAAA,sC;K;;IA7JJ,+B;MAAA,+yC;K;;IAAA,oC;MAAA,a;AAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD;aAAA,wB;UAAA,wD;aAAA,sB;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,gB;UAAA,gD;aAAA,qB;UAAA,qD;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA,2C;aAAA,kB;UAAA,kD;aAAA,mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,mD;aAAA,a;UAAA,6C;aAAA,iB;UAAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,yB;UAAA,yD;gBAAA,6D;;K;;ICKiD,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAe9B,gBAAiC,YAAY,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aAAAY,O;K;yCAE/B,iB;MACW,gBAAP,a;MpGoGG,Q;MAAA,IoGpGc,KpGoGV,IAAS,CAAT,IoGpGU,KpGoGI,IAAS,2BAA3B,C;QAAA,OAAc,qBoGpGxB,KpGoGwB,C;;QoGpGf,MAAM,8BAA0B,mCAAyB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,azGiMY,WyGjMK,UzGiML,EyGjMiB,QzGiMjB,C;K;6CyG/L5F,iB;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,iBAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,uC;MACI,OAAA,IAAK,qBAAY,wBAAS,MAArB,EAA6B,UAA7B,EAAYC,QAAzC,C;K;sCAET,Y;MAAyB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAGB,CAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAAL,CAAJ,IAAwB,SAAS,CAArC,C;UACI,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,CAAT,C;YACI,WAAW,+BAAW,iBAAX,wBAAkB,gBAAiB,C;;YAEX,WAAW,+BAAW,gBAAX,wBAAiB,iBAAjB,C;;UAGf,gCAAY,GAAZ,C;;MAGR,gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAQL,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAgB,eAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAC2C,2BAAO,KAAP,C;K;6CAE3C,iB;MAOI,gBAAA,IAAK,SAAL,IAAe,wBAAS,MAAxB,C;MACA,OAAO,I;K;uCAGX,Y;MAU6B,kB;K;qDAE7B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAA

Y,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,MnGuGwC,YAAU,CmGvGID,IAAoB,aAAa,CAArC,C;QAAwC,O
AAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAm
B,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azGmB+E,WyGnB9D,CzGmB8D,EyGnB3D,KzGmB2D,CyGnB/E,
YAA6B,KAA7B,IAAqC,azGgB2B,WyGhBV,KzGgBU,C;MyGfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAA
mB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azGK+E,WyGL9D,CzGK8D,EyGL3D,KzGK2D,CyGL/E,uBAA6
B,kBAA7B,IAAqC,azGE2B,WyGFV,KzGEU,C;MyGDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAA
nB,EAA0B,WAA1B,C;MAEb,gBAAS,azGX+E,WyGW9D,CzGX8D,EyGW3D,KzGX2D,CyGW/E,GAAMC,eAA
N,KAAm,CAAnC,GAAsD,azGdU,WyGcO,KzGdP,C;MyGezE,OAAO,I;K;6CAGX,wB;MAAl,oCAAA,4BAAmB,
KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azG9B+E,WyG8B9D,CzG9B8D,EyG8B3D,KzG9B2D,CyG8B/E,GA
AmC,SAAN,KAAm,CAAnC,GAAGD,azGjCgB,WyGiCC,KzGjCD,C;MyGkCzE,OAAO,I;K;6CAGX,wB;MAWI,
oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azG/C+E,WyG+C9D,CzG/C8D,EyG+C3D,KzG/C2
D,CyG+C/E,GAAMC,SAAN,KAAm,CAAnC,GAAGD,azGIDgB,WyGkDC,KzGIDD,C;MyGmDzE,OAAO,I;K;6C
AGX,wB;MACuD,2BAAO,KAAP,EAAC,KAAD,C;K;6CAEvD,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,W
AA1B,C;MAEb,eAAe,wBAAS,M;MACxB,gBAAC,IAAK,SzGnEqE,WyGmEpD,CzGnEoD,EyGmEjD,KzGnEiD,
CyGmE1E,GAAC,QAAIC,GAA6C,IAAK,SzGtES,WyGsEQ,KzGtER,C;MyGuEzE,OAAO,I;K;gDAGX,qB;MAC
I,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAYB,0BAAuB,SAAvB,MAAZB,C;OAGV,IAAI,aAAa,WAAjB,C;Q
ACI,gBAAS,azG1F2E,WyG0F1D,CzG1F0D,EyG0FvD,SzG1FuD,C;;QyG4FpF,aAAU,WAAV,MAAuB,SAAvB,
M;UACI,qCAAU,CAAV,C;;K;gDAKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a
zG/GkE,WyG+GjD,UzG/GiD,C;K;gDyGkH7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,W
AAzC,C;MAEb,OAAO,azGzHiF,WyGyHhE,UzGzHgE,EyGyHpD,QzGzHoD,C;K;yCyG4H5F,Y;K;uCAcA,Y;MA
AkC,oB;K;oCAELC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAAkB,KAAIB,EAAYB,
WAAzB,C;MAEb,gBAAS,azGjK+E,WyGiK9D,CzGjK8D,EyGiK3D,KzGjK2D,CyGiK/E,uBAA6B,kBAA7B,IAA
qC,azGpK2B,WyGoKV,QAAQ,CAAR,IzGpKU,C;K;+CyGuK7E,uC;MAYI,yBAAkB,UAAIB,EAA8B,QAA9B,E
AAwC,WAAxC,C;MAEA,gBAAC,IAAK,SzGILqE,WyGkLpD,CzGILoD,EyGkLjD,UzGILiD,CyGkL1E,GAAuC,
KAAvC,GAA+C,IAAK,SzGrLO,WyGqLU,QzGrLV,C;MyGsLzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CA
Ab,IAAkB,aAAa,MAAnC,C;QACI,MAAM,8BAA0B,iBAAC,UAAAd,kBAAmC,MAA7D,C;OAEV,IAAI,aAAa,QA
AjB,C;QACI,MAAM,gCAAYB,gBAAa,UAAb,qBAAqC,QAArC,MAAZB,C;Q;+CAId,iB;MAYI,oCAAA,2BAAkB
,KAAIB,EAAYB,WAAzB,C;MAEb,gBAAS,azG7M+E,WyG6M9D,CzG7M8D,EyG6M3D,KzG7M2D,CyG6M/E,
GAA6B,azGhNmC,WyGgNIB,QAAQ,CAAR,IzGhNkB,C;MyGiNzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,U
AAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAS,azG9N+E,WyG8N9D,CzG9N8D,EyG8N3D,UzG9N2
D,CyG8N/E,GAAC,azGjO8B,WyGiOb,QzGjOa,C;MyGkOzE,OAAO,I;K;kDAGX,gE;MAC+C,iC;QAAA,oBAAy
B,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAm
B,UAAAnB,EAA+B,QAA/B,EAAYC,WAAzC,C;MACb,oCAAA,4BAAmB,iBAAnB,EAAc,oBAAoB,QAApB,GA
A+B,UAA/B,IAAtC,EAAiF,WAAy,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAC,UAAAd,UAA+B,QAA/B,U;QACI,Y
AAY,eAAZ,EAAY,uBAAZ,UAA0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAcI,iBAAGB,iBAAN,KAAm,EAAe,UA
Af,EAA2B,QAA3B,C;MACHB,OAAO,I;K;kDAGX,uC;MAYI,gBAAGB,KAAm,W;MACtB,oCAAA,4BAAmB,U
AAAnB,EAA+B,QAA/B,EAAYC,SAAU,OAAAnD,C;MAEb,iBAAU,SzG3R8E,WyG2R1D,UzG3R0D,EyG2R9C,Qz
G3R8C,C;MyG4RxF,OAAO,I;K;kDAGX,8C;MAGBI,oCAAA,4BAAmB,KAAAnB,EAA0B,IAAK,OAA/B,C;MAEb,
gBAAS,azGjT+E,WyGiT9D,CzGjT8D,EyGiT3D,KzGjT2D,CyGiT/E,GAAMC,iBAAN,KAAm,EAAe,UAAf,EAA
2B,QAA3B,CAAnC,GAA0E,azGpTV,WyGoT2B,KzGpT3B,C;MyGqTzE,OAAO,I;K;kDAGX,8C;MAGBI,oCAAA
,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAGB,KAAm,W;MACtB,oCAAA,4BAAmB,UAAAnB,EAA+B,
QAA/B,EAAYC,SAAU,OAAAnD,C;MAEb,gBAAS,azG1U+E,WyG0U9D,CzG1U8D,EyG0U3D,KzG1U2D,CyG0U
/E,GAA6B,SzG1UkD,WyG0U9B,UzG1U8B,EyG0UIB,QzG1UkB,CyG0U/E,GAAyE,azG7UT,WyG6U0B,KzG7U
1B,C;MyG8UzE,OAAO,I;K;;IAlIBX,6C;MAAA,uD;MAKOC,2B;MALpC,Y;K;IAQA,8C;MAAA,uD;MAC4C,0B
AAK,OAAQ,WAAb,C;MAD5C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C;MADvB,Y;K;2EA4hBJ,qB
;MAOG,E,AAA,SAAK,Q;K;uEAER,E,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAAx,C;K;+EAEPf,kD;MAAl,O
AAA,SAAK,kBAAS,UAAAT,EAAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,AAA,SAAK,kBAAS,K
AAT,C;K;qFAEIF,2C;MAWoG,AAA,SAAK,qBAAY,UAAZ,EAAwB,QAAxB,C;K;uFAEZG,2E;MAe2E,iC;QA

AA,oBAAYB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WA
AZ,EAAYB,iBAAZB,EAA4C,UAA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EA
AmB,UAAAnB,EAA+B,QAA/B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAMb,UAAAnB,EAA+B,Q
AA/B,C;K;qFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAMb,KAAAnB,EAA0B,UAA1B,EAAsC,QAAtC,
C;K;uFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAMb,KAAAnB,EAA0B,UAA1B,EAAsC,QAAtC,C;K;qF
lGhsBT,qB;MAMoD,OA6BW,8BAAY,cAfrB,YAAY,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAY,cAfrB,YA
AY,CAAZ,C;K;iFAEtD,qB;MAaoD,OAAW,8BAAY,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KA
NpD,C;IAQA,kC;MAYI,gBAiB2D,8BAAY,c;MAhBvE,OAAW,SAAU,OAAV,GAAmB,CAAvB,GAA0B,SAA1B
,GAAoC,qBAAU,CAAV,C;K;iFAG/C,qB;MAaoD,OAAW,8BAAY,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MA
GoD,QAAQ,cAAA,sCAAK,mBAAL,EAAYB,sCAAK,mBAA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAA
A,sCAAK,kBAAL,EAawB,sCAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAa,iBAAQ,2BAAR,C;
K;IAEzB,8B;MAOI,IAAI,YAAO,GAAX,C;QACI,OAAO,I;OAEX,OAAO,gCAA8C,mD;K;IAGzD,6B;MAUI,IAA
I,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;OAEX,IAAI,
YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,uB;K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCA
AoB,CAAQ,kBAAK,EAAL,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,CAAR,6BAA5C,C;QACI,OAAO,I;
OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBA
AK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,sB;K;I
AGX,gC;MAUI,IAAI,CAAQ,kBAAK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QA
CI,OAAO,K;OAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,6BAAJ,C;QACI,OAAO,I
;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,YAAO,GAAX,C;QA
CI,OAAO,K;OAEX,OAAO,gCAAoD,yD;K;IAG/D,iC;MAUI,OAAO,aAAQ,EAAR,IAAoB,CAAQ,mBAAU,GAA
V,CAAR,6B;K;IAG/B,iC;MAMiD,kC;K;iF2GtPjD,yB;MAAA,+C;MAAA,4B;QAMuD,OAAK,UAAAL,SAAK,C;O
;KAN5D,C;IAQA,gC;MAMiD,4B;MAAA,S;QAAGB,cAAA,S1G4LC,c0G5LD,EAAoB,MAApB,C;OAAhB,W;K;I
AEjD,6B;MAI0C,Q;MAAA,yDAaKB,kBAaKB,SAAIB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAA
uB,kBAaKB,SAAIB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0DAAMb,kBAaKB,SAAIB,C;K;IAE/D,qC;MAKsD,Q;M
AAA,0CAAc,KAAAd,oBAAwB,kBAaKB,SAAIB,C;K;IAE9E,0B;MAIwC,Q;MAAA,wDAaIB,kBAaKB,SAAIB,C;
K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKB,SAAIB,C;K;IAExE,2B;MAI0C,Q;MAAA,y
DAaKB,kBAaKB,SAAIB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAaKB,SAAIB,C;K;IAE
3E,6B;MAIyF,kBAA1C,CAAO,S;MACID,IAAO,QpHeD,WoHfC,CAAH,IAAc,CAAM,kBAApB,KpHeE,WoHf6
B,KAAM,GAAN,IAAKB,kBAAjD,CAAJ,C;QACI,4B;MAFsC,OpHiBnC,W;K;6EoHZX,yB;MAAA,6C;MAAA,4
B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAIgG,kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QpH2BgB,WoH3BhB,
CAAH,IAAc,CAAM,kBAApB,KpH2BmB,WoH3BY,KAAM,GAAN,IAAKB,kBAAjD,CAAF,CpH2BO,GAAqB,
WAArB,GAA+B,I;K;yFoHxB1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KAL1D,C;iFAOA,yB;MAAA,6C;MA
AA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,O
AAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAaw,KAAX,CAAT
,C;K;IAEjE,4B;MAAsC,QAAm,S1G4EsB,c0G5E5B,C;aAClC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADS,O
AE1B,K;K;IAGZ,2B;MAKI,IAAI,EA AU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR
,kCAAzB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,c
AAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,E
AAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,WAAO,GAAP,C;QAAmB,S;WACn
B,YAAQ,KAAR,IAAoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAaKB,EAaIB,I;WACxC,YAAQ,KAAR,IA
AoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAaKB,EAaIB,I;QAC3B,sBAAL,IAAK,C;Mph9CN,a;MoHuCg
D,OAQ/C,WAAJ,GAAiB,EAajB,GAAyB,E;K;ICIjG,2C;MAHpC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,
kC;MAAA,qC;O;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;K;IAFA,+C;MAAA,wB;MAAA,uC;K;IAEA,6
C;MAAA,wB;MAAA,qC;K;IANJ,8B;MAAA,mF;K;IAAA,mC;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0
C;gBAAA,4D;K;IAawG,4B;MAAE,OAAA,EAAG,M;K;IAA7G,qC;MAAqE,iCAAa,EAAb,EAA0B,OAA1B,0B
AAmC,cAAnC,C;K;IAQIC,2B;MAAC,kB;K;;sCALpC,Y;MAKoC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C
;K;oCAAa,Y;MAAA,OAKoC,iDALpC,M;K;oCAAa,Y;MAAA,c;MAKoC,sD;MALpC,a;K;kCAAa,iB;MAAA,2I

AKoC,sCALpC,G;K;IAqB0B,iC;MA8PtB,6B;MArPA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MACtD,uBAA
oC,WAAO,OAAP,EAawB,QAAR,OAAQ,EAAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAKD,I;K;0C
AHID,Y;MACl,Q;MAAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAAvC,WAAO,YAAP,EAawB,QAAR,YAAQ,EAA
Q,IAAR,CAAxB,C;QAA8C,6BrHmCnE,S;QqHnCF,SrHoCG,S;;MqHpCH,a;K;iDAGJ,Y;MACl,Q;MAAA,U;MA
AA,uD;QAAA,a;;QrHVG,gB;QqHWC,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS
,EAAT,CAAvC,C;UAAA,eACl,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,
qBAAQ,EAAR,EAA3B,MAAP,EAA2D,QAAR,YAAQ,EAAQ,IAAR,CAA3D,C;QACb,4B;QAAO,oCrH0BP,S;Q
qH/BF,SrHgCG,S;;MqHhCH,a;K;sCAQJ,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,W
AAX,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAc,UAAf,KAA2B,KAAM,O;K;8C
AGjF,iB;MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAX,C;K;wCAGzB,wB;MAGl,IAA
I,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACl,MAAM,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OA
A9E,C;OAEV,cAAc,0B;MACd,oBAAoB,K;MACpB,OAAO,OAAQ,MAAK,KAAM,WAAX,C;K;mCAGnB,6B;M
AS4C,0B;QAAA,aAAkB,C;MAC1D,IAAI,aAAa,CAAb,IAAkB,aAAa,KAAM,OAAzC,C;QACl,MAAM,8BAA0B
,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;OAEV,OAAqB,SAAd,oBAAc,EAAS,KAAM,WAAf,EAA2B,UA
A3B,EAAuC,oBAAvC,C;K;IAeG,6E;MAAA,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAA
W,OAAA,KAAM,O;K;sCAZIE,6B;MAQ+C,0B;QAAA,aAAkB,C;MAC7D,IAAI,aAAa,CAAb,IAAkB,aAAa,KA
AM,OAAzC,C;QACl,MAAM,8BAA0B,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;OAEV,OAAO,mBAAiB,
6CAAjB,EAA8C,sBAA9C,C;K;0CAGX,iB;MAMI,OAA2B,SAA3B,iCAA2B,EAAS,KAAM,WAAf,EAA2B,CAA
3B,EAA8B,oBAA9B,C;K;sCAE/B,wB;MAGl,IAAI,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACl,MAAM
,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OAA9E,C;OAEV,OAA2B,SAApB,0BAAoB,EAAS,KAAM,WAA
f,EAA2B,KAA3B,EAAkC,oBAAIC,C;K;IA4BL,mD;MAAA,qB;QAAE,2BAAoB,EAAPB,EAawB,mBAAxB,C;O
;K;sCAxB5B,8B;MAqBI,IAAI,CAAa,YAAZ,WAAy,EAAS,EAAT,CAAb,IAA+B,CAAa,YAAZ,WAAy,EAAS,E
AAT,CAAhD,C;QACl,OAAO,KAAM,W3G2E4E,S2G3EnD,oB3G2EmD,E2G3EpC,W3G2EoC,C;O2GzE7F,OAA
O,qBAAQ,KAAR,EAAe,iCAAf,C;K;sCAGX,4B;MAMI,YAAY,kBAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMB
,OAAO,KAAM,W;MAEhC,gBAAgB,C;MACHB,aAAa,KAAM,O;MACnB,SAAS,mBAAc,MAAd,C;;QAEL,iBA
AiB,oB;QACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;QACH,EAAG,gBAAO,
UAAU,UAAV,CAAP,C;QACH,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;QACZ,QAAQ,UAAW,O;;MA
Cd,oBAAy,MAAZ,IAAsB,aAAtB,C;MAET,IAAI,YAAY,MAAhB,C;QACl,EAAG,gBAAO,KAAP,EAAC,SAAd,
EAAYB,MAAZB,C;OAGP,OAAO,EAAG,W;K;2CAGd,8B;MA0BgB,Q;MALZ,IAAI,CAAa,YAAZ,WAAy,EAAS
,EAAT,CAAb,IAA+B,CAAa,YAAZ,WAAy,EAAS,EAAT,CAAhD,C;QACl,uBAA+B,QAAR,YAAQ,EAAQ,GA
AR,C;QAC/B,OAAO,KAAM,W3GoB4E,S2GpBnD,WAAO,YAAP,EAAGB,gBAAhB,C3GoBmD,E2GpBhB,W3G
oBgB,C;O2GjBjF,yBAAK,KAAL,C;MAAA,iB;QAae,OAAO,KAAM,W;OAAxC,YAAY,I;MCoLO,gBAAhB,sB;
MDjLC,yBrG2LgF,0BqG3LzD,CrG2LyD,EqG3LhD,WAAM,MrG2L0C,CAAkC,WqG3LIH,C;MACA,yBAAO,uC
AAP,C;MACA,yBrGyLgF,0BqGzLnD,WAAM,KAAZ,GAAmB,CAAnB,IrGyLyD,EqGzL7B,YrGyL6B,CAAkC,
WqGzLIH,C;MAHJ,OrHIJG,SsHoUqC,W;K;oCD3K5C,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;MALd,wBA
AwB,KAAxB,C;MrHrIG,SqHsIW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAAS,CAAb,GAAgB,EAAhB,GAA2B,OA
AH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,ahI3JgD,gB;MgI4JhD,gBAAgB,C;MAEF,yB;MAAd,OAAc,c
AAd,C;QAAC,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,MAAM,MAAnC,CAA
0C,WAApD,C;QACP,YAAY,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEhB,MAAO,WAAU,mBAAN,KAA
M,EAAY,SAAZ,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;K;IAgBS,yI;MAAA,wC;MAAA,6
B;MAAA,yB;MAAA,0C;MAAA,oC;MAAA,0C;MAAA,yB;MAAA,6B;MAAA,8B;MAAA,8B;MAAA,kC;K;;;gE
AAA,Y;;;iCACA,mCAAK,wBAAL,C;cACZ,IAAI,4BAAiB,6BAAS,CAA9B,C;gBACl,gB;gCAAA,iCAAM,wB
AAM,WAAZ,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,gB;;;;cAEI,M;;qCAGY,C;sCACC,C;cAEjB,gB;;sC
ACqB,+B;cACjB,gB;8BAAA,iCrGuI4E,mBqGvItE,wBrGuIsE,EqGvItD,oBrGuIsD,EqGvI3C,qBAAW,MAAM,Mr
GuI0B,CAAkC,WqGvI9G,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,uBAAy,qBAAW,MAAM,aAAjB,GAAgC,
CAAhC,I;cACZ,mBAAQ,qBAAW,O;cAJvB,KAKS,qDALT,EAKS,qBALT,OAKyB,2BAAQ,CAAR,IALzB,KAK
sC,gBALtC,S;gBAAA,gB;;cAAA,gB;;cAOA,gB;8BAAA,iCrGkIgf,mBqGIIIE,wBrGkI0E,EqGIIID,oBrGkI0D,E
qGII/C,wBAAM,OrGkIyC,CAAkC,WqGIIH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;;;;K;I

AjBY,sF;MAAA,yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C ;MACHE,wBAAwB,KAAxB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAsBX,Y;MAMyC,OAAA,oBAAc,W;K;IAE vD,2B;MAAA,+B;MAmBI,uBAA4B,WAAO,uBAAP,EAAiC,GAAjC,C;MAC5B,2BAAgC,WAAO,SAAP,EAAo B,GAApB,C;MAGhC,iCAAsC,WAAO,KAAP,EAAiB,GAAjB,C;K;oDatBtC,mB;MAIwD,oBAAM,oBAAO,OAA P,CAAN,C;K;+CAExD,mB;MAIoD,OAAA,O3GnEyC,S2GmEnB,oB3GnEmB,E2GmEJ,M3GnEI,C;K;0D2GqE7F ,mB;MAI+D,OAAA,O3GzE8B,S2GyER,wB3GzEQ,E2GyEW,M3GzEX,C;K;gE2G8E7F,mB;MAAgE,OAAA,O3 G9E6B,S2G8EP,8B3G9EO,E2G8EkB,M3G9EIB,C;K;;;I2GwDjG,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;;IA5PA, 4C;MAAA,+C;MACKe,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,sC;MAAA,+C;MAC 6C,kBAAK,OAAL,EAAC,UAAAd,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MAC H,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBN/R8C,CM +RxC,CN/RwC,CM+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,O AAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBN/SG,CM+SG,KN/SH,CM+SH,mBAAGB,E;K;;qG AJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MACI,OAA Y,SAAZ,wBAAY,EAAS,kB AAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAC,CAAd,IAArB,GAA0C,kBAAM,aAAN,GAAqB,C AArB,IAA1D,EAaKf,wBAAIF,C;K;IArB4B,oE;MAAA,kC;MAA+B,6B;K;mHACHd,Y;MAAQ,OAAA,kBAAM, O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBAAQ,CA Aa,EAAl,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBNpSU,CMoSJ,KNpSI,CMoSv,YAAoB,o BAApB,O;K;;;IAdxD,uD;MACI,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAMB,OAA O,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAAa,sBAAY,CAAZ,IAAb,C;MAEZ,mE;K;IA8BJ,iD;MAM+B,UAK O,M;MATIC,YAAY,C;MACZ,aAAa,mBAAC,WAAY,OAA1B,C;MAEb,OAAO,QAAQ,WAAY,OAA3B,C;QACI, WAAW,wBAAY,YAAZ,EAAY,oBAAZ,Q;QACX,IAAI,SAAQ,EAZ,C;UACI,IAAI,UAAS,WAAY,OAAzB,C;Y ACI,MAAM,gCAAYB,mCAAZB,C;UAEV,MAAO,gBAAO,wBAAY,cAAZ,EAAY,sBAAZ,UAAP,C;eACJ,IAAI, SAAQ,EAZ,C;UACH,IAAI,UAAS,WAAY,OAAzB,C;YACI,MAAM,gCAAYB,kCAAZB,C;UAEV,IAAI,uBAA Y,KAAZ,MAASB,GAA1B,C;YACI,MAAM,gCAAYB,4DAAZB,C;UAEV,IAAI,EAAuB,kBAAK,EAAL,CAAvB,0 CAAY,KAAZ,EAJ,C;YACI,MAAM,gCAAYB,mCAAZB,C;UAEV,eAA2B,eAAZ,WAAY,EAAe,KAAf,EAASB, KAAM,YAAY,KAAxC,C;UAC3B,iBAAwD,MAAvC,W3GhK6C,W2GgK7C,K3GhK6C,E2GgKtC,Q3GhKsC,C2 GgK5B,C;UAExD,IAAI,cAAc,KAAM,YAAY,KAApC,C;YACI,MAAM,8BAA0B,sBAAMB,UAAAnB,oBAA1B,C; UAEV,MAAO,gBAAO,KAAM,YAAN,aAAkB,UAAIB,CAAP,C;UACP,QAAQ,Q;;UAER,MAAO,gBAAO,IAAP, C;;;MAGf,OAAO,MAAO,W;K;IAGIB,2D;MAEI,YAAY,aAAa,CAAb,I;MACZ,iBAAiB,qBAAK,UAAL,IAAMB, E;MAGpC,OAAO,QAAQ,gBAAR,IAAkB,CAAe,kBAAK,EAAL,CAAF,wCAAK,KAAL,EAZB,C;QACI,oBAAo B,CAAC,aAAa,EAAb,IAAD,KAAqB,qBAAK,KAAL,IAAc,EAAN,C;K;QACpB,IAAqB,CAAjB,qCAAYB,UAA7B ,C;UACI,aAAa,a;UACb,qB;;UAEA,K;;;MAGR,OAAO,K;K;I3GxZX,yB;MAQiB,Q;MADb,aAAa,E;MACb,wBAA a,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,yC;MAa+B,Q;MA H3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAAA,KAAM,OAAN,GAAa,MAAb,QAAASB,MAATD,C;Q ACI,MAAM,8BAA0B,WAAS,KAAM,OAaf,kBAA+B,MAA/B,kBAAgD,MAA1E,C;MACV,aAAa,E;MACc,gBA AS,MAAT,I;MAA3B,iBAAC,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;MAEJ,OAAO,M;K;IAGX,mC; MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,8BAAU,IAAV,C;;MA EJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAGB,SAAK,O;MACjF,oCAAA,4 BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,iBAAC,UAAAd,UAA+B,QAA /B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;MAEJ,OAAO,M;K;IASKB,gD;MAAA,qB;QAAE,+CAAI,EAAJ,E; O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAakB,+BAAIB,C;K;IAiBiC,oE;MAAA,qB;QAAE,+CAAI,qBA Aa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAGB,SAAK,O;MAC3E, oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,gBAAzC,C;MACb,OAAO,kBAAU,WAAW,UAAAX,IAAV,E AAiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA0B,KAA1B, C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAGB,SAAK,O;MACrB,sC;QAAA,yBAakC,K ;MAEiC,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,E AAiB,UAAjB,EAA6B,QAA7B,EAAC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,E AAoB,gBAApB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAGB,SAAK,

O;MACrB,sC;QAAA,yBAaKc,K;MAEIC,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb ,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMwD,OAAA,SA AY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K;uFAEIE,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD ,OAAA,SAAY,c;K;yFAEIE,qC;MACoF,OAAA,SAAY,SAAQ,GAAR,EAAa,SAAb,C;K;iGAEHg,qC;MACwF,OA AA,SAAY,aAAY,GAAZ,EAAiB,SAAjB,C;K;+FAEpG,kC;MACiF,OAAA,SAAY,YAAW,CAAX,EAAc,QAAAd,C ;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C; K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EAAsB,QAAtB,C;K;4EAEhG,0B;MAGuD,OAAA,SAAY ,QAAO,GAAP,C;K;wEAEnE,4B;MAGgE,OAAA,SAAY,OAAM,KAAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY ,SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;MAOkD,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS ,SAAK,O;QACd,SAAS,KAAAM,O;QACf,UTGG,MAAO,KSHM,ETGN,ESHU,ETGV,C;QSFV,IAAI,QAAO,CAA X,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,iBAAc,CAAd,UAAsB,GAAtB,U;UACI,eAAe,qBAAK,KAAL,C;UAC f,gBAAGb,iBAAM,KAAAN,C;UAEhB,IAAI,aAAY,SAAhB,C;YACI,WAAoB,cAAT,QAAS,C;YACpB,YAAsB,cA AV,SAAU,C;YAEtB,IAAI,aAAY,SAAhB,C;cACwB,kBAAT,Q;cAAX,WDIO2C,gCAAY,cAfrB,YAAAY,CAAZ,C; cCkPZ,kBAAV,S;cAAZ,YDnO2C,gCAAY,cAfrB,YAAAY,CAAZ,C;cCoPIC,IAAI,aAAY,SAAhB,C;gBACI,OAAg B,iBAAT,QAAS,EAAU,SAAV,C;;QAKhC,OAAO,KAAK,EAAL,I;QAEP,OAAO,4BAAU,KAAV,C;;K;IAIf,4C; MAOqF,oCAAKb,KAAIB,C;K;IAErF,wD;MASI,OAAW,UAAJ,GACE,4BAAL,SAAK,EAA4B,KAA5B,CADF,G AGE,kBAAL,SAAK,EAAkB,KAAIB,C;K;IAIkD,oD;MAAU,OAAE,UAAF,CAAE,EAAU,CAAV,EAA0B,IAA1B ,C;K;;IAIvE,+C;MAAQ,oC;K;2F6G/SZ,oC;MACiF,O7G2Me,kB6G3ME,oBAAH,EAAG,C7G2MF,E6G3Mc,S7G 2Md,C;K;mG6GzMhG,oC;MACqF,O7G2Me,sB6G3MM,oBAAH,EAAG,C7G2MN,E6G3MkB,S7G2MIB,C;K;I6 GzMpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACtE,IAAI,CAAC,UAAAL,C;QACI,O7GsMqF,qB6GtM7D,M7GsM6 D,E6GtMrD,C7GsMqD,C;;Q6GpMrF,OAAO,yBAAc,CAAd,EAAiB,MAAjB,EAAyB,CAAzB,EAA4B,MAAO,O AAnC,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAAL,C;QACI,O7G2Lq F,qB6G3L7D,M7G2L6D,E6G3LrD,U7G2LqD,C;;Q6GzLrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EAAkC,CAA IC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,CAAC,U AAL,C;QACI,O7GmLoE,mB6GnL9C,M7GmL8C,C;;Q6GjLpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,E AAsC,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAgE,UAAhE,C;K;IAGf,mC;MAGI,aACa,S7G0L2D, O6G1LhD,K7G0LgD,C;M6GzLxE,OAAO,kBAAKb,MAAO,OAAP,KAAe,C;K;IAG5C,4B;MAKoD,gCAAU,C;M AAV,U;QAAuB,kBAAR,yB;QAAQ,c;;UpH2nDvD,U;UADhB,IAAI,0CAAsB,qBAA1B,C;YAAqC,aAAO,I;YAA P,e;WACrB,+B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CoH3nD4D,aAAT,qBpH2nDxC,OoH3nD wC,CAAS,CpH2nDhE,C;cAAYB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;;QoH5nDgE,iB;OAAvB,W;K;IAEpD,gD;M ASiD,0B;QAAA,aAAsB,K;MAOxQ,Q;MAN3B,IAAI,iBAAJ,C;QAakB,OAAO,a;MACzB,IAAI,aAAJ,C;QAAMb ,OAAO,K;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,kBAAQ,KAAR,C;MAExB,IAAI,SAAK,OAAL,KAAe, KAAM,OAAzB,C;QAAiC,OAAO,K;MAEb,OAAL,SAAK,O;MAA3B,iBAAc,CAAd,wB;QACI,eAAe,qBAAK,K AAL,C;QACf,gBAAGb,iBAAM,KAAAN,C;QACHb,IAAI,CAAU,SAAT,QAAS,EAAO,SAAP,EAAkB,UAAIB,CA Ad,C;UACI,OAAO,K;;MAIf,OAAO,I;K;IAIX,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAKb,UAAIB,EAA8 B,KAA9B,EAAqC,WAArC,EAAkD,MAAID,EAA0D,UAA1D,C;K;IAGJ,+B;MAYI,OvGmMmD,mBAAS,CuGn M5D,G7GwH4F,oB6GxHzD,C7GwHyD,E6GxHtD,C7GwHsD,CAvC9B,c6GjFrC,G7GqHoD,oB6GrHZ,C7GqHY, C6GrH7E,GAAyE,S;K;IAG7E,iC;MASI,OvGuLmD,mBAAS,CuGvL5D,G7G4G4F,oB6G5GzD,C7G4GyD,E6G5 GtD,C7G4GsD,CAIB9B,c6G1FrC,G7GyGoD,oB6GzGZ,C7GyGY,C6GzG7E,GAAyE,S;K;IAG7E,8B;MAOiB,IA AN,I;M1H/FP,IAAI,E0H8FI,KAAK,C1H9FT,CAAJ,C;QACI,c0H6Fc,oD;Q1H5Fd,MAAM,gCAAYB,OAAQ,WA AjC,C;O0H6FH,QAAM,CAAN,C;aACH,C;UAAK,S;UAAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAE I,aAAa,E;UACb,IAAI,EvGgKoC,qBAAU,CuGhK9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAAY,C;YACZ,O AAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cA CnB,IAAI,UAAS,CAAb,C;gBACI,K;eAEJ,KAAK,C;;;UAGb,OAAO,M;;MANbF,W;K;IAwBJ,4D;MAOqE,0B;QA AA,aAAsB,K;MACvF,O7GkFiG,kB6GIFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KA AhB,GAA2B,IAA1D,C7GkFmF,E6GIFIB,6BAAM,iCAAwB,QAAXB,C7GkFY,C;K;I6GhFrG,4D;MAM+D,0B;Q AAA,aAAsB,K;MACjF,O7GyEiG,kB6GzEnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UA AJ,GAAgB,KAAhB,GAA2B,IAApE,C7GyEmF,E6GzEA,oBAAR,OAAQ,C7GyEA,C;K;I6GvErG,iE;MAC0E,0B;

QAAA,aAAsB,K;MAC5F,O7GqEiG,kb6GrEnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAGB,IAAhB,GAA0B,GAAZD,C7GqEmF,E6GrEpB,6BAAM,iCAAwB,QAAxB,C7GqEc,C;K;I6GnErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O7GiEiG,kb6GjEnF,WAAO,6BAAM,gBA Ae,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAGB,IAAhB,GAA0B,GAA nE,C7GiEmF,E6GjEF,oBAAR,OAAQ,C7GiEE,C;K;I8G7OrG,kD;MAEI,IAAI,gBAAJ,C;QAAsB,MAAM,6BAAyB,qCAAkC,QAAQ,CAAR,IAAIC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,KAAT,oBAAiB,KAAjB,KAA2B,SAAS,QAAxC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,UAAU,kBAAO,KAAP,C5GwBgC,I;M4GvB1C,IAAI,EAAQ,KAAR,kBAAgB,KAAhB,CAAJ,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAAhC,IAAwC,MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EA AV,MAAkB,CAAIB,IAAuB,SAAS,QAApC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,CAAX,GA AkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EA AV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EA AV,MAAiB,EAAR,B,C;QACH,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,OAAQ,SAAU,EAAX,GAAoB,SAAU,CAA9B,GAAqC,KAAR,C,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACI,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EA AV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GA AV,KA AkB,GAAiB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EA AV,MAAiB,CAArB,C;QACH,IAAI,SAAU,EA AV,IAAgB,CAApB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SA AU,GA AV,MAAkB,GAAiB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SA AQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAiB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAAX,GAAoB,SAAU,EA A9B,GAAuC,SAAU,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;IAmB7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,MANI,EASJ,MATI,EAUJ,MAVI,EA WJ,MAXI,EA gBA,MAhBA,EAiBA,MAjBA,EAkBA,MAIBA,EAoBA,MApBA,EAqBA,OArBA,EASBA,OA tBA,EAuBA,O;M3H9JtB,IAAI,E2HgII,cAAc,CAAd,IAAmB,YAAY,MAAO,OAAtC,IAAgD,cAAc,Q3HhIIIE,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O2HgIV,YAAY,cAAU,CAAC,WAAW,UAX,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;MAChB,gBAAgB,U;MAEhB,OAAO,YAAY,QAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,Q5G1H2B,I;Q4G4HIC,WAAO,GAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA4C,OAAR,B,QAAS,CAAV,GAAGB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAXB,OAAS,EA AV,GAAM,B,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EA AV,GA AiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,OA A/B,QAAS,CAAV,GA AiB,EAAIB,GAA2B,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAXB,OAAS,EA AV,GAAM,B,GAAM,C;;UAG/C,gBAAgB,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,SAAR,C,EAAGD,QA AhD,EAA0D,gBAA1D,C;UACHB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAkD,OA A3B,aAAc,EA Af,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAAR,C,aAAc,EA Af,GA AuB,EAAXB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,

aAA4D,OAApC,aAAc,CAAf,GAAsB,EAAvB,GAAGC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAA
oD,OAA7B,YAAc,EAaf,GAawB,GAAM,C;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAC,SAaIB,GAA
6B,KAA7B,GAA8C,UAAAN,KAAM,EAAO,SAAP,C;K;;IAQzD,mE;MAiByB,Q;M3H9LrB,IAAI,E2HwLI,cAAc,C
AAAd,IAAmB,YAAY,KAAM,OAARc,IAA6C,cAAc,Q3HxL/D,CAAJ,C;QACI,cAda,qB;QAEb,MAAM,gCAAYB,O
AAQ,WAAjC,C;O2HwLV,gBAAgB,U;MACHb,oBAAoB,sB;MAEpB,OAAO,YAAY,QAANB,C;QACI,WAAW,K
AAmB,CAAb,gBAAa,EAAb,wBAAa,O;QAE1B,YAAQ,CAAR,C;UACI,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;a
ACIB,YAAS,CAAT,KAAC,EAAd,C;UACI,WAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC
,EAAiD,gBAAjD,C;UACX,IAAI,QAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,I
AAb,K;;YAEA,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAC,EAAd
,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,
UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAy,O
AAL,MAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAC,EAAd,C;UACI,aAAW,eAAe,KAAf,E
AAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gB
AAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,WAAy,MAAD,GAAQ,KAAR,IAAQb,EAARb,G
AA2B,K;YACtC,UAAW,SAAS,IAAV,GAAoB,K;YAC9B,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;YACd,aAAc,gB
AAW,OAAJ,GAAI,CAAX,C;YACd,wBAAa,CAAb,I;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAawB,gBAAxB,C;U
ACA,aAAc,gBAAO,gBAAP,C;;MAK1B,OAAO,aAAc,W;K;ICtQzB,uC;MAU2D,OAAwB,CAAxB,2BAAwB,mB
AAS,SAAT,C;K;IAEnF,oC;MAKI,OAAQ,OAAW,mBAAL,SAAK,CAAX,C;K;IAGZ,6C;MAMI,IAAI,cAAS,SA
Ab,C;QACI,iBAAsB,SAAY,Y;QACIC,IAAI,kBAAJ,C;UACS,SAAL,eAA+B,iBAAc,SAAd,E;;UAE/B,UAAW,W
AAI,SAAJ,C;;Q;IAUnB,6C;MAC4B,UAAjB,M;MAAP,OAAO,WAAiB,OAAZ,SAAY,YAAjB,4CAA+D,W;K;IAI
9E,iC;MACI,gBAAqB,sB;MACrB,iBAAsB,E;MACtB,kBAA+B,E;MAC/B,uBAAiC,C;K;uDAEjC,qB;MACc,qBA
AV,SAAU,EAAC,EAAd,EAakB,EAaIB,C;MACV,OAAO,aAAO,W;K;gDAGlB,qB;MAA6D,gBAAR,c;MAAQ,c;
;Q1I41Y7C,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAAsB,IAAc,O0I51Y+B,c1I41Y7C,C;Y
AAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M0I71Y8C,iB;K;sDAErD,wC;MACI,KAAK,qBAAL,SAAK,EAAC,
MAAd,EAAsB,SAAtB,CAAL,C;QAAyC,M;MAEzC,YAAY,SAAK,M;MACjB,OAAO,aAAP,C;QACI,KAAM,qB
AAN,KAAM,EAAC,MAAd,EAAsB,aAAtB,CAAN,C;UAA8C,M;QAC9C,QAAQ,KAAM,M;;K;sDAItB,wC;MAS
gB,IAAiB,IAAjB,EA2BE,M;MANCd,aAAO,gBAAO,MAAP,CAAE,gBAAO,SAAP,C;MACtB,gBAAgB,SAAK,W
;MACrB,IAAI,eAAQ,SAAR,CAAJ,C;QACI,aAAO,gBAAO,kCAAP,CAA2C,gBAAO,SAAP,CAAkB,gBAAO,KA
AP,C;QACpE,OAAO,K;OAEH,cAAy,MAAK,SAAL,C;MAEpB,YAAY,CAAiB,OAAZ,SAAY,MAAjB,2D;MAC
Z,IAAI,aAAJ,C;QzHyBG,SyHxBwB,WAAAN,KAAM,EAAQ,SAAR,C;QAAvB,iBAAoD,KAAK,CAAT,GAAY,C
AAZ,GAAMB,KAAe,gBAAf,I;QACnE,IAAI,eAAc,CAAIb,C;UAAqB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IA
AP,C;QAC9C,IAAI,ezG8MoC,YAAU,CyG9MID,C;UACI,kBAAW,K;UACX,uBAAgB,U;;UAEhB,QAAQ,wBAA
iB,KAAjB,EAawB,UAAxB,C;;QAEZ,IAAI,MzGgNuC,UAAAS,CyGhNpD,C;UAEuB,U;UAAA,IAAI,eAAc,CAAI
B,C;YAAA,SAAQB,C;;Y1Gq+BpC,U;YADhB,YAAY,C;YACI,oB0Gr+B+C,S1Gq+B/C,C;YAAhB,OAAgB,gBA
AhB,C;cAAGB,sC;cAAM,I0Gr+BgE,U1Gq+BlD,oB0Gr+BkD,MAAK,E1Gq+BrE,C;gBAAwB,qB;;Y0Gr+Bf,SA
4B,I1Gs+BpD,K0Gt+BoD,I;;UAA/C,yB;U5GorCC,kB;UADb,YAAY,C;UACC,S4GnrCK,aAAN,KAAM,C5GmrC
L,W;UAAb,OAAa,gBAAb,C;YAAa,wB;Y4GlrCG,I5GkrCU,oBAAMB,cAANB,EAAMB,sBAANB,U4GlrCN,gBA
AJ,C;cAA2B,aAAO,uB;YACIC,aAAO,gB5GirCgC,I4GjrChC,CAAa,gBAAO,IAAP,C;;UAGxB,aAAO,gBAAO,K
AAP,CAAC,gBAAO,IAAP,C;;QAGzB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IAAP,C;;MAG7B,iBAAiB,mC;M
ACjB,IpIuHoD,CoIvHhD,UpIuHiD,UoIvHrD,C;QACI,uBAAuB,SAAS,M;QACtB,8B;QAAV,OAAU,gBAAV,C;U
AAU,qB;UACJ,qBAAF,CAAE,EAAC,gBAAAd,EAAGC,cAAhC,C;;OAGV,OAAO,I;K;yDAGX,6B;MAIwB,Q;MA
HpB,mBAAwB,C;MACxB,gBAAqB,C;MACrB,mBAAwB,C;MACJ,OxHyIjB,MAAO,KwHzIgB,eAAS,OAAT,G
AAkB,oBAAIB,IxHyIhB,EwHzIiD,KAAM,OAAN,GAAE,UAAf,IxHyIjD,C;MwHzIV,eAAY,CAAZ,oB;QACI,QA
AQ,iBAAY,iBAAN,KAAM,CAAN,GAakB,GAAIB,IAAN,C;QACR,IAAI,MAAK,2BAakB,iBAAT,eAAS,CAA
T,GAAqB,GAARb,IAAT,CAAT,C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAGB,CAAhB,I;UACA,e
AAe,S;UACf,YAAY,G;;MAGpB,IAAI,gBAAgB,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAA
oB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,YAANB,GAakC,CAaIC,KAAN,MAA+C,EAA1E,C;QACI,8BAAGB,
CAAhB,I;MAGJ,OAAa,YAAN,KAAM,EAAS,YAAT,CAAN,IAA+B,cAAW,eAAe,CAAf,IAAX,uCAA/B,C;K;;y

HC/H+C,Y;MAAQ,W;K;IAEtE,gD;MACkB,UAMP,M;MANO,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,UxBsY8
C,MAAW,KwBtY/C,IxBsY+C,EwBtYtC,QxBsYsC,C;QwBrYzD,OAAA,IAAO,OxB2UmC,MAAW,KwB3UpC,K
xB2UoC,CwB3UxC,GAAa,GAAnB,CAAP,GAAiC,GAAjC,GxBwV2C,MAAW,MwBxVV,KxBwVU,C;;MwB5V
1D,kB;MAMO,IxByUuC,MAAW,KwBzU1C,OxByU0C,CwBzU9C,GAAe,MAAnB,C;QAEmC,SAA9B,OAAAY,S
AAQ,QAAR,C;;QAGpB,exBoU0C,MAAW,KwBpUIC,OxBoUkC,C;QwBnUrD,qBAA8B,QAAAY,axBgRC,MAA
W,MAvCV,MAAW,OwBzOU,QxByOV,CAuCD,CwBhRA,GAAwB,QAAPC,C;QAC1C,SAAI,UAAU,CAAd,GA
AiB,MAAG,cAApB,GAAyC,c;;MAP7C,a;K;IAWJ,6C;MACI,OAAa,KAAY,gBA Ae,OAAf,EAAwB,MAAK,4BA
A2B,QAA3B,CAAL,EAAxB,C;K;ICtBQ,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC
;O;MAGI,uEAGY,GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+D
AGQ,MAHR,C;MAIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;;IAxBA,gD;MAAA,yB;MAAA,wC;K;;IAI
A,iD;MAAA,yB;MAAA,yC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,4C;M
AAA,yB;MAAA,oC;K;;IAIA,0C;MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;MAAA,iC;K;;IA3BJ,+B;MAAA,
4Q;K;;IAAA,oC;MAAA,a;aAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA,
S;UAAA,yC;aAAA,O;UAAA,uC;aAAA,M;UAAA,sC;gBAAA,6D;;K;;IAiCA,4D;MAGW,Q;MADP,0BAA2C,iB
AAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAmB,
UAAW,cAAvC,C;WAC3B,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAmB,UAAW,cAAvC,C;;
QACnB,Y;MAHZ,W;K;IAOJ,oE;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;M
AEvC,0BAAsB,CAAtB,C;QAA2B,sBAA8C,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,CAA9C,C;WAC3B
,0BAAsB,CAAtB,C;QAA2B,iBAA8C,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,CAA9C,C;;QACnB,Y;M
AHZ,W;K;IAOJ,8D;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;MAEvC,0BA
AsB,CAAtB,C;QACI,YAAkD,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,C;QACID,aAAa,eAAQ,KAAR,C;
QAET,sBAAS,KAAT,GAAB,KAAlB,E;UAA2B,a;aAC3B,uBAAQ,CAAR,C;;;aAIR,0BAAsB,CAAtB,C;QAA2
B,iBAA8C,uBAArC,UAAW,cAAX,GAAmB,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAXZ,W;K;ICrDJ,+B;MAA
A,mC;MAUuB,wB;MALf,aAAR,OAAO,OAAQ,KAAl,WAAy,IAAG,OAAO,SAAX,IAAwB,CAAC,CAAC,OAA
O,SAAS,K;MADpE,sBAGQ,MAHR,GAIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAx,IAAA,4GACO,+B;K;4
CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;IAfpD,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAwB2B,+B;MAAC,sB;K
;IAEW,+D;MAAA,0C;MAAS,mB;MACxC,iBAAgB,yBAAQ,S;K;8DACxB,Y;M5HyEG,Q4HxEC,8BAAQ,QAA
O,cAAP,C;MAAyB,c7IZIC,EAAI,CAAJ,C;M6IY2C,Y7IuF3C,EAAI,CAAJ,C;M6IvFC,OAA4D,aAAR,OAAQ,qC
AAR,aAAiD,aAN,KAAM,yCAAjD,C;K;;qCAH5D,Y;MAAmC,mD;K;sCAMnC,Y;MAAkC,qC;K;;IAKF,4C;M
AAiC,4E;MAAhC,8B;K;2CACjC,Y;MAA8B,OAAA,gBAAy,M;K;+CAC1C,Y;MAAkC,2C;K;;IAGtC,6B;MAAA
iC;MAEoC,4E;K;uCAChC,Y;MAA8B,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;IAJtC,yC;MAAA,wC;QAAA,uB;
OAAA,iC;K;IC1CA,gD;MAQ+B,kBAApB,wBAAc,IAAd,C;MAA0B,I7HgEjC,a;M6HhEA,O7HiEO,W;K;I6H9D
X,gD;MAQqD,kBAA1B,gBAAhB,sCAAgB,EAAc,IAAd,EAAoB,IAApB,C;MAAiC,sB7HoEID,W6HpEkD,C;MA
AxD,O7HqEO,W;K;I8HzFX,yC;MAEKD,8B;MAAA,OCGN,aDHwB,yBAAa,QAAb,mCCGxB,C/G+xBgC,sB;K;I
8GhyB5E,2C;M/IggIW,kBAAy,gB;MAoGH,Q;MAAhB,wB+I7IqB,U/I6IIRB,gB;QAAGB,c+I7Iik,U/I6IIRB,M;QA
AsB,IAAI,C+I7IikB,sB/I6IIP,O+I7IIO,C/I6IItB,C;UAAyB,WAAy,WAAI,OAAJ,C;;M+I7Ii3D,qB/I8IIO,W;M+I7I
P,IzIgNwD,CyIhNpD,czIgNqD,UyIhNzD,C;Q9GgKuC,U;Q8G/JnC,qB9G+JyD,OAAtB,+B8G/Jd,mB9G+Jc,uBAA
sB,CAAo,W;QsGkO7C,kBAAhB,sB;QQ/XC,0C;QACA,IAAI,E9G8QoC,0BAAU,C8G9Q9C,CAAJ,C;UACI,2BA
AO,GAAP,C;SAEW,sCAAa,GAAb,C;QALnB,sB9H4DG,WsHoUqC,W;QqzXxC,OAAO,I;OAGX,OAAO,K;K;IA
GX,8C;MAOmB,c;;Q/Ii3YC,Q;QAAhB,wB+Ij3YI,U/Ii3YJ,gB;UAAgB,c+Ij3YZ,U/Ii3YJ,M;UAsB,I+Ij3YD,sB/I
i3Ye,O+Ij3Yf,C/Ii3YC,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;M+Ii3YP,e;QACI,kBAA6B,MAAX,UAA
W,C;Q9GyIM,U;Q8GxIb,a9GwImC,OAAtB,+B8GxIvB,mB9GwIuB,uBAAsB,CAAo,W;Q8GxIX,kBC/BjB,aD+B
D,MC/BC,C/Gg1C6C,uBAAzB,CAAyB,C;QbnmB9E,kBAAS,gB;QA2FA,U;QAAA,+B;QAAhB,OAAGB,gBAAh
B,C;UAAgB,6B;UAAm,I2HzYB4C,4B3HyYB9B,S2HzYB8B,C3HyYB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;Q2
HzYBtD,sBAAmF,e3H0yBhF,W2H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;OAGX,OAAO,K;K;IEnCP,iC;MAAQ
,8BAAy,IAAK,UAAjB,IAA8B,uBAAy,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAy,IAAK,a;K;ICZ7B,4B;MAGI,O
AAO,yBAAP,C;QACI,sBAAy,mCAAZ,C;;K;IAIR,uC;MAOI,sBAAy,sCAAgB,gBA Ae,IAAf,CAA5B,C;MACA,
OAAO,S;K;ICbP,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAA

O,K;K;iHCoBf,sJ;MAEyC,qB;QAAA,QAaKB,I;MAAM,qB;QAAA,QAaKB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAaB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAaK,C,K;MAAO,+C;QAAA,kCA A4C,K;MAAO,4C;QAAA,+BAAYC,K;MACtT,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IA Aa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,E AAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO, C;K;+GAw0BX,wD;MAEwC,6B;QAAA,gBAAYB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K; MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;M ACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6EA6CX,4B;MAE6D,iBAAY ,KAAZ,C;K;6EAE7D,mC;MAEoE,UAA,Y,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ,C;K;6EAE9 D,mC;MAEqE,UAA,Y,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEqE,iBAAY,KAAZ,C;K;6EAErE,mC;MAE4E,UAA Y,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAE+D,iBAAY,KAAZ,C;K;6EAE/D,mC;MAEsE,UAA,Y,KAAZ,IAAqB,K; K;6EAuB3F,4B;MAEgE,iBAAY,KAAZ,C;K;6EAEhE,mC;MAEuE,UAA,Y,KAAZ,IAAqB,K;K;6EAuB5F,4B;MA E6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MAEoE,UAA,Y,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAY,KAAZ, C;K;6EAE9D,mC;MAEqE,UAA,Y,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEiE,iBAAY,KAAZ,C;K;6EAEjE,mC;M AEwE,UAA,Y,KAAZ,IAAqB,K;K;6EAuB7F,4B;MAEkE,iBAAY,KAAZ,C;K;6EAEiE,mC;MAEyE,UAA,Y,KAAZ ,IAAqB,K;K;6GC3oC9F,wD;MAEqC,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aA AuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IA Aa,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;mIAiCX,+B;MAEgD, mC;QAAA,sBAAGC,K;MAC5E,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC9CX,4B; MAEgE,iBAAY,KAAZ,C;K;4EAgChE,4B;MAEyE,iBAAY,KAAZ,C;K;4EAIzE,4B;MAEmE,iBAAY,KAAZ,C; K;4EAYnE,4B;MAE0E,iBAAY,KAAZ,C;K;oIC7a1E,4H;MAE8C,qB;QAAA,QAAiB,E;MAAI,6B;QAAA,gBAA gC,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,qC;QAAA,wBAmJvJ,U;OAnJqO,+B ;QAAA,kBAmJrO,U;OAnJ6S,4B;QAAA,eAA+B,S;MAC3a,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAA E,eAAF,IAAqB,a;MACrB,EAAE,mBAAF,IAAYB,iB;MACzB,EAAE,mBAAF,IAAYB,iB;MACzB,EAAE,uBAAF, IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,cAAF,IAAoB,Y;MACpB,OAAO,C;K;wIAYX,mC;M AEgD,2B;QAAA,cAAuB,E;MAAI,0B;QAAA,aAAaB,E;MAC7F,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MAC nB,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;8HAKEX,+D;MAEqG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA, aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SA AAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACH B,OAAO,C;K;4HAwBX,iE;MAE0C,4B;QAAA,eAAwB,E;MAAI,wB;QAAA,WAAyB,I;MAAM,uB;QAAA,UAA oB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,cAAF,IAAo B,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EA AE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;sGAUqE,qB;MAAQ,OAAW,U;K;sGAEnB,qB;MAAQ,OAAW,U;K;4G AEhB,qB;MAAQ,OAAc,a;K;wGAS1B,qB;MAAQ,OAA,Y,W;K;0HAEX,qB;MAAQ,OAAqB,oB;K;kGASnD,qB; MAAQ,OAA,S,Q;K;oGAehB,qB;MAAQ,OAAU,S;K;sGAEjB,qB;MAAQ,OAAW,U;K;wHAEV,qB;MAAQ,OAA oB,mB;K;wHAE5B,qB;MAAQ,OAAoB,mB;K;kHAE/B,qB;MAAQ,OAAiB,gB;K;kHAEzB,qB;MAAQ,OAAiB,g B;K;oHASd,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;wIA EhB,qB;MAAQ,OAA4B,2B;K;4FC1MnI,uD;MAE8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAaE,C;MAAG,u B;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAA E,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA CIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAuBX,sE;MAEiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA, OAAgB,I;MAAM,sB;QAAA,SAaE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;Q AAA,WAAqB,K;MACvL,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE, QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;M AChB,OAAO,C;K;kGA8DX,8U;MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA, UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;Q AAA,gBAA8B,I;MAAM,sB;QAAA,SAaE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MA AO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBA

A6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAA oB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAA e,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF, IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAA E,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;M ACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EA AE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IA A0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MA C1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IA AkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAA O,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA 6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QA AA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;M AAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAA Q,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE, SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAA kB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB, EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBA AF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf ,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAsCX,iX;MAEiC,sB;QAAA,S AAKB,G;MAAK,sB;QAAA,SAAKB,G;MAAK,sB;QAAA,SAAKB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;Q AAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAA G,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAKB,I; MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,U AAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8 B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B, K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAA A,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB; QAAA,WAAqB,K;MACr2B,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAA E,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MA Cf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe, O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UA A F,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MAC xB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE, eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAq B,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,E AAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB, Q;MACHB,OAAO,C;K;kGA2BX,0E;MAEiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAA A,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB; QAAA,WAAqB,K;MACtM,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EA AE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;M ACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAe,E;MAAI,oB;QAA A,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,u B;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K; MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,i

BAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjIb,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;8GAuBX,6D;MAEuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wECnbX,4B;MAEyE,iBAAY,KAAZ,C;K;wEAEzE,2B;MAEgG,iBAAY,IAAZ,C;K;wEAWBhG,oC;MAE+F,UAA Y,KAAZ,IAAqB,M;K;wEAmFpH,2B;MAEqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAE2E,UAA Y,IAAZ,IAA0B,K;K;wEAssC/F,4B;MAEyE,iBAAY,KAAZ,C;K;wEA0BzE,4B;MAEyE,iBAAY,KAAZ,C;K;wEAsBzE,4B;MAEuE,iB AAY,KAAZ,C;K;wEAyBvE,4B;MAE6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MAEiC,qB;QAAA,QAAiD,I;MAAM, uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MACR,EA AE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q; MAChB,OAAO,C;K;uEA+UX,4B;MAEuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAE6F,iBAAY,IAAZ,C;K;wEAqN 7F,4B;MAEyE,iBAAY,KAAZ,C;K;wEAEzE,oC;MAE2F,UAA Y,KAAZ,IAAqB,M;K;+FAuehH,wD;MAEmC,6B; QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;M ACjJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA CIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uGAuIX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E; MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MAEmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;M ACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+FA0MX,sE;MAEmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA, WA0+G4B,S;OA1+GwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW, uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE, MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;M AChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,I AAY,I;MACZ,OAAO,C;K;qIAGDX,iB;MAEsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IA Aa,K;MACb,OAAO,C;K;+GAKBX,qB;MAE2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IA Ae,S;MACf,OAAO,C;K;wEAKCX,4B;MAEqF,iBAAY,KAAZ,C;K;yFAGCrF,4V;MAEgC,4B;QAAA,eAA8B,I;M AAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAA gB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAA A,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO, uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB, K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAA A,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MA AO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K; MAAO,wB;QAAA,WAAqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAA0B,Y;MACpB,EAAE,SAAF,IAAe,O ;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IA Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,S AAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf ,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE, gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B ,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,

EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAWEX,2B;MAE+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MAEoC,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,oD;MAE0C,yB;QAAA,YAAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAoFX,kF;MAEiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAe,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iHAYBX,0D;MAEqE,sB;QAAA,SAAe,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAmXX,4B;MAEkE,iBAAY,KAAZ,C;K;wEAEIE,2B;MAEoE,iBAAY,IAAZ,C;K;wEAUPE,4B;MAEsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MAEW,e,iBAAY,IAAZ,C;K;wEAaxE,4B;MAE+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MAEiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MAEqC,gC;QAAA,mBAooF8C,M;OApoFe,gC;QAAA,mBAmpFT,S;OAnpFyE,oC;QAAA,uBA8pFjE,S;OA9pF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAyqFLO,K;OAxqFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MACrB,OAAO,C;K;+FAwCX,mF;MAEmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAYC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FA4BX,2B;MAEkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2FA2DX,iE;MAEiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yFA8FX,6B;MAEgC,oB;QAAA,OA+7E6C,S;OA/7EL,2B;QAAA,cCl2He,M;ODm2HnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAE+D,iBAAY,GAAZ,C;K;wEAE/D,iC;MAEqE,UAA,Y,GAAZ,IAAmB,K;K;+FAoDxF,oF;MAEmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iFAwNX,yC;MAE4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGASX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAE0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAA

Q,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K
;wEAkEX,4B;MAE6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MAEsE,iBAAY,KAAZ,C;K;wEAETe,2B;MAEwE,iBA
AY,IAAZ,C;K;uGAsCxE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gB
AA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAaKc,S;MAAW,+
B;QAAA,kBAaKc,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB
,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,I
AA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MAEqC,wB;QAAA,WAAqB,K;M
ACtD,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEA+MX,2B;MAEiE,iBAAY,IAAZ,C;K;2
GakCjE,c;MAEyC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2F
AuMX,gB;MAGI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MAEiE,iBAAY,KA
AZ,C;K;wEAejE,oC;MAE4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MAEmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAE
+B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,
QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EA
AE,GAAF,IAAS,C;MACT,OAAO,C;K;qFA0CX,+B;MAE8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAA
K,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAaKb,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EA
AE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;
MAEmE,iBAAY,KAAZ,C;K;yFAiHnE,oB;MAEgC,wB;QAAA,WaY2B+C,M;OAx2B3E,QAAQ,E;MACR,EAAE
,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6FAeX,+B;MAEkC,oB;QAAA,OAAGB,S;MAAW,mB;QAAA,MAAe,S;M
AAW,wB;QAAA,Waq1BR,M;OAp1B3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G
;MACX,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAwCX,yD;MAE0C,qB;QAAA,QAAiB,E;MAAI,uB;QA
AA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACp
K,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EA
E,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGAiCX,mC;MAEwC,qB;QAAA,QA2
wByD,Q;OA3wBK,sB;QAAA,SA2wBL,Q;OA3wBoE,wB;QAAA,WA4vBtF,M;OA3vB3E,QAAQ,E;MACR,EAA
E,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2FAYX,2B;
MAEiC,mB;QAAA,MAuwB0C,Q;OAvwBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KAAF,IAAW,
G;MACX,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAE2C,uB;QAAA,UaqvBgC,Q;OArvBU,q
B;QAAA,QaqvBV,Q;OApvBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OA
AO,C;K;wEAgCX,4B;MAE+D,iBAAY,KAAZ,C;K;qFAyaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;
K;uFAEzB,qB;MAAQ,OAAW,U;K;iFASxB,qB;MAAQ,OAAQ,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;M
AAQ,OAAW,U;K;uFAS3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU
,S;K;yFAShB,qB;MAAQ,OAAW,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,q
B;MAAQ,OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFASrB,qB;MAAQ,OAAS,Q;K;iFAEiB,qB;MAAQ,OA
AQ,O;K;6EAEiB,qB;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFASiB,qB;MAAQ,OAAU,S;K;qFAEi
B,qB;MAAQ,OAAU,S;K;6EASr,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,O
AAO,M;K;+EAS/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAS
hB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFASd,qB;MAAQ,
OAAQ,O;K;+EAEiB,qB;MAAQ,OAAM,K;K;+EAEb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mF
AEf,qB;MAAQ,OAAS,Q;K;6EASd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,
OAAS,Q;K;2FAEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EA
S1B,qB;MAAQ,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EASjB,qB;MAAQ,
OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;+EASrB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFA
SjB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFASb,qB;MAAQ,O
AAO,M;K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAW,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qF
AEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAA
Q,OAAc,a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;
mFAEb,qB;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;M
AAQ,OAAS,Q;K;kFASj,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEpB,qB;MAAQ,OAAM,K;K

;oFAEV,qB;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;M
AAQ,OAAU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAakB,I;MAAM,sB;QAA
A,SAAmB,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;
QAAA,aAAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,
gC;QAAA,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB
,I;MAAM,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrF,QAAQ,E;MA
CR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,
IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd
,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iB
AAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;
MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEyC,qB;Q
AAA,QAAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAA
W,0B;QAAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;
MAAW,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA
,mBAAoC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW
,uB;QAAA,UAAmB,S;MACtB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,E
AAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,I
AAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB
,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,
SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;M
ACf,OAAO,C;K;sHAYX,kN;MAEwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,S
AAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;Q
AAA,aAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,
gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAA
mB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QA
AQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAA
E,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAA
kB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,E
AAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,S
AAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MA
Cf,OAAO,C;K;0HAsDX,wM;MAE0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cA
AuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,sB;QA
AA,SAAkB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW
,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAw
B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa
,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAA
E,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,
U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,
EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,I
AAGB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAYDX,wM;MAEqC,qB;QAAA,QAAc,S;MAAW,s
B;QAAA,SAAc,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MA
AW,0B;QAAA,aAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB
,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;Q
AAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MA
CxB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MA
CnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,Q
AAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,g
B;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EA

AE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAqB
X,gD;MAEsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHj,QAAQ,
E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UA
AF,IAAgB,Q;MACHb,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MA
AO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,
EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wHA
wCX,wB;MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IA
Aa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAYBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;Q
AAA,MAAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,
C;K;oHAYX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAA
W,mB;QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA
AE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY
,S;MAAW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,
G;MACX,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,
MAAY,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IA
Aa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,q
B;QAAA,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAA
E,OAAF,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MA
CxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,
QAAQ,E;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,
OAAO,C;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAC
hB,OAAO,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;
K;0GAER,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FASjB,qB;M
AAQ,OAAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEPB,qB;MAAQ,OAAc
,a;K;wGAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAAY,KAAZ,C;K;iGASnB,qB;MAAQ,OAAQ,
K;6FAEnB,qB;MAAQ,OAAO,M;K;+FAEd,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;
MAAQ,OAAQ,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,
yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;
MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,
C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA
AgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAA
A,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,w
B;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K
;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,g
BAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,
8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;
MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;M
ACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,
IAAgB,Q;MACHb,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MAC
b,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,E
AAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O
;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,
EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,
IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;
MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,
IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAiB,I;MAA

M,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MAEkE,iBAAY,KAAZ,C;K;4EAEIE,qC;MAE2E,UAYY,KAAZ,IAAqB,O;K;4EAI BhG,4B;MAEuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAE+E,UAYY,KAAZ,IAAqB,O;K;4EAIbPg,4B;MAEuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAE+E,UAYY,KAAZ,IAAqB,O;K;4EAIgPp,4B;MAEoE,iBAAY,KAAZ,C;K;2EAEpE,qC;MAE4E,UAYY,KAAZ,IAAqB,O;K;4EAKcJg,4B;MAE6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MAEqF,UAYY,KAAZ,IAAqB,O;K;4EAgP1G,4B;MAEqE,iBAAY,KAAZ,C;K;4EAErE,qC;MAE6E,UAYY,KAAZ,IAAqB,O;K;uFJ57BiG,+H;MAE8B,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO,C;K;yFAOXC,uC;MAE+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHG,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;qFAUgD,qB;MAAQ,OAAQ,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAElB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFASF,qB;MAAQ,OAAQ,E;K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;mGAEV,qB;MAAQ,OAAgB,e;K;iGAEzB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFASzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFASD,qB;MAAQ,OAAO,M;K;iGAER,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;qGAEnB,qB;MAAQ,OAAiB,gB;K;qFAS3B,qB;MAAQ,OAAS,Q;K;mFAElB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAAS,Q;K;mFASxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEpB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FKnR/F,gB;MAEkC,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MAEkC,4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAE6D,iBAAY,KAAZ,C;K;+GC6B7D,sJ;MAEsC,mB;QAAA,MA4GuD,M;OA5GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAcS,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAWX,+B;MAEsE,oB;QAAA,OAAgB,S;MACIF,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;mHAyBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,q

B;MAAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEHb,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;OQx9MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MAEgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGA2DX,qC;MAEqC,mC;QAAA,sBAAgC,K;MAAO,oB;QAAA,OA4UD,Q;OA3UvE,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;yGAmBX,yC;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHh,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGAsBX,2B;MAGI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FA8BX,sE;MAEoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAuBX,0D;MAE2D,sB;QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;2GAaX,qC;MAE4D,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAA0B,S;MAC/G,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;uHAuCX,mF;MAE6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA+BX,6D;MAEoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGAKB X,4C;MAEsC,oB;QAAA,OAAGB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QAAA,UAA8B,S;MAC3J,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAkCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;+FAEnB,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;6FAStC,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEnB,qB;MAAQ,OAAO,M;K;uFASX,qB;MAAQ,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,OAAe,c;K;iFAEHc,qB;MAAQ,OAAM,K;K;iGCharE,0E;MAEoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAkB,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;mFAU8E,qB;MAAQ,OAAG,E;K;+FAEL,qB;MAAQ,OAac,a;K;iFAE7B,qB;MAAQ,OAAO,M;K;yFAEX,qB;MAAQ,OAAW,U;K;+EAEvB,qB;MAAQ,OAAO,M;K;+EAEf,qB;MAAQ,OAAO,M;K;oErIjIvG,yB;MAAA,kF;MAAA,0B;MAAA,uB;QAaI,IAAI,OAAO,CAAP,IAA8B,OAAO,KAAzC,C;UACI,MAAM,8BAAYB,wBAAqB,IAA9C,C;SAEV,OAAy,OAAL,IAAK,C;O;KAhBhB,C;0EAWCiC,qB;MAAQ,OAAA,SAAK,I;K;IsIpBV,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAAA,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;K;;IAyBmC,sC;MACnC,8B;K;;IAMqC,sC;MACrC,8B;K;;IC1DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA4BA,+B;K;;ICRqC,uC;MACjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC

;MAAA,yC,K;;IARJ,sC;MAAA,2F,K;;IAAA,2C;MAAA,a;aAAA,S;UAAA,gD;aAAA,O;UAAA,8C;gBAAA,+D;;
K;;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QpJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA
1B,C;UAAqC,aAAO,K;UAAP,e;;SACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IoJ3rD6C,OpJ2rD/B,
SoJ3rD+B,UpJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;MoJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qp
JmqDG,Q;QADhB,IAAI,coJlqDA,QpJkqDA,iBoJlqDA,QpJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;SACrB,O
oJnqDZ,QpJmqDY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CoJnqDP,oBpJmqDkB,OoJnqDIB,Cp
JmqDG,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MoJpqDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q
E;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk
C,4BAAa,IAAb,EAAmB,GAAhB,EAAwB,GAAxB,kBAA6B,wCAA7B,C;K;2CAIIC,Y;MAI4C,uBAAgB,IAAhB,
C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAhB,KAAiB,C;K;;IC/BhE,8B;MAAA,e;;MAAA,iB;MAAA,uB;K;I
AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC
A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJj,wB;
MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA
,iC;gBAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M3JUX,IAAI,E2JXQ,
mD3JWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O2JZC,QAAM,oBAAN,M;aACH,
M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;M
ACA,OAAO,kD;K;+CAeX,iB;MAII,2BAA,Y,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MA
pFgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QtJkU3C,Q;QADb,YAA,Y,C;QACC,sB;QAAb,
OAAa,cAAb,C;UAAa,sB;UACT,IsJnUmE,OtJmUrD,IsJnUqD,UtJmUnE,C;YACI,sBAAO,K;YAAP,wB;WACJ,qB
;;QAEJ,sBAAO,E;;;MsJvUiD,0B;K;+CAExD,mB;MAA4D,sB;;QtJ2V5D,eAAoB,0BAAa,SAAb,C;QACpB,OAAO
,QAAS,cAAhB,C;UACI,IsJ7VsE,OtJ6VxD,QAAS,WsJ7V+C,UtJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;Q
AGR,qBAAO,E;;;MsJjWqD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CAAjB,C;K;kDAE/C,iB;MAAyD,+CAAiB,KA
AjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAC,SAAd,EAAYB,OAAzB,C;K;IAEIC,wD;MAAgF,uB;MAA/E
,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAIB,EAA6B,OAA7B,EAA5C,WAAK,KAA3C,C;MA
CA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAIB,EAAYB,YAAzB,C;MAEA,OAAO,wBAAK,m
BAAY,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;
MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC,IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG
+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;kDAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1C,Y
;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACX,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHz
C,oB;MAGwD,iD;MAGhD,gEAAmB,KAAhB,EAA0B,WAAkB,KAA5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAs
C,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC
1B,OAAO,yBAAL,mCAAJ,EAAL,YAAJ,E;K;4DAGX,Y;MAAoC,sBAAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC;K;iE
ACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAj
D,C;Q;kEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBA
AuB,IAAjD,C;Q;iEAIId,oC;MACI,IAAI,YAA,Y,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,S
AAb,mBAAkC,OAAIC,gBAAkD,IAA5E,C;OAEV,IAAI,YAA,Y,OAAhB,C;QACI,MAAM,gCAAYB,gBAAa,SA
Ab,oBAAmC,OAA5D,C;Q;kEAIId,sC;MACI,IAAI,aAAa,CAAb,IAAkB,WAAW,IAAjC,C;QACI,MAAM,8BAA0B,i
BAAC,UAAAd,oBAAqC,QAArC,gBAAsD,IAAhF,C;OAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAAYB,iBAAC,
UAAAd,qBAAsC,QAA/D,C;Q;+DAId,a;MAEc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAAU,cAAV,C;
QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIC,K;;MAEf,OAAO,U;K;6DAGX,oB;MAIiB,Q;
MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB
;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;
;MAGf,OAAO,I;K;;IAjDf,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I
;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAAd,S;K;gDAGX,iB;MAAwE,gBAAR,Y;MAAQ,c;
;QvJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;SACrB,2B;QAAhB,OAAgB,cAAh
B,C;UAAgB,yB;UAAM,IuJlrDwD,OvJkrD1C,OuJlrD6C,MAAH,QvJkrDxD,C;YAAwB,aAAO,I;YAAP,e;;QAC9
C,aAAO,K;;MuJnrDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MA

ChB, YAAy, KAAM, M; MpKiNO, Q; MoKhNzB, epKgN4C, CAAnB, mDAAmB, YoKhNzB, GpKgNyB, C; MoK9M5C
, IAAI, eAAS, QAAT, CAAJ, C; QACI, OAAO, K; OAIP, 6B; MAAA, W; QpK0NqB, U; QoK1ND, UpK0NoB, CAAnB, uD
AAmB, oBoK1NP, GpK0NO, C; OoK1N5C, W; QACI, OAAO, K; OAGX, OAAO, I; K; mCAIX, iB; MAMI, IAAI, UAAU, I
AAAd, C; QAAoB, OAAO, I; MAC3B, IAAI, 0BAAJ, C; QAAyB, OAAO, K; MACHC, IAAI, cAAQ, KAAM, KAAlB, C; QA
AwB, OAAO, K; MAEV, gBAAd, KAAM, Q; MAAQ, c; QvJ6nDT, Q; QADhB, IAAI, wCAAsB, mBAA1B, C; UAAqC, a
AAO, I; UAAP, e; SACrB, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UAAM, IAAI, CuJ7nDK, 2BvJ6nDM, OuJ7nDN
, CvJ6nDT, C; YAAyB, aAAO, K; YAAP, e; QAC/C, aAAO, I; MuJ9nDH, iB; K; sCAGJ, e; MAAwC, Q; MAAA, 4CAAc,
GAAd, 8B; K; qCAGx, Y; MAK+B, OAAQ, SAAR, YAAQ, C; K; oCAEvC, Y; MAAkC, qBAAQ, C; K; mFACnB, Y; MA
AQ, OAAA, YAAQ, K; K; IAWnB, 0E; MAAA, wC; MAAS, sB; K; 8EACb, mB; MAASD, +CAAY, OAAZ, C; K; IAI3C, sG;
MAAA, kd; K; 8FACH, Y; MAAkC, OAAA, 0BAAc, U; K; 2FACHD, Y; MAAyB, OAAA, 0BAAc, OAAO, I; K; wEAJtD,
Y; MACI, oBAAoB, 6BAAQ, W; MAC5B, +F; K; sHAMmB, Y; MAAQ, OAAA, qBAAiB, K; K; mFAB5D, Y; MACI, IAAI
, 4BAAJ, C; QACI, +E; OAcJ, OAAO, mC; K; IAOWD, uD; MAAA, qB; QAAE, 2CAAS, EAAT, C; O; K; qCAAzE, Y; MAAk
C, OAAQ, eAAR, YAAQ, EAAa, IAAb, EAAM, GAAnB, EAAwB, GAAxB, kBAA6B, iCAA7B, C; K; +CAE1C, iB; MA
AuD, +BAAS, KAAM, IAAf, IAAsB, GAAtB, GAA4B, wBAAS, KAAM, MAAf, C; K; +CAEnF, a; MAAwC, OAAI, MA
AM, IAAV, GAAgB, YAAhB, GAAoC, SAAF, CAAE, C; K; IAWtD, 4E; MAAA, wC; MAAS, 6B; K; gFACf, mB; MAAsE,
iDAAc, OAAAd, C; K; IAI3D, wG; MAAA, kd; K; gGACH, Y; MAAkC, OAAA, 0BAAc, U; K; 6FACHD, Y; MAAyB, OAAA
, 0BAAc, OAAO, M; K; 0EAJtD, Y; MACI, oBAAoB, 6BAAQ, W; MAC5B, iG; K; wHAMmB, Y; MAAQ, OAAA, qBAAi
B, K; K; qFAB5D, Y; MACI, IAAI, 8BAAJ, C; QACI, mF; OAcJ, OAAO, qC; K; oDAMf, e; MAA8D, gBAAR, Y; MAAQ, sB
; QvJiJ9C, Q; QAAA, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UAAM, IuJjJsD, OvJiJxC, OuJjJ2C, IAAH, MvJiJtD,
C; YAAwB, qBAAO, O; YAAP, uB; QAC9C, qBAAO, I; MuJiJ+C, yB; K; IAETD, iC; MAAA, qC; K; 4DAEI, a; MAAIE, g
C; MAAX, OAAU, CAAC, kBAAAN, CAAM, 0DAAmB, CAAPB, KAA4B, oBAAjC, CAAiC, 8DAAqB, CAAjD, C; K; 4D
AChE, a; MAAyD, OAAU, SAAL, CAAO, IAAF, mBAAL, CAAY, MAAP, C; K; 0DACnE, oB; MACI, IAAI, gCAAJ, C; Q
AA+B, OAAO, K; MACtC, OAAO, OAAA, CAAE, IAAF, EAAS, KAAM, IAAf, KAAsB, OAAA, CAAE, MAAF, EAAW
, KAAM, MAAjB, C; K; IANrC, 6C; MAAA, 4C; QAAA, 2B; OAAA, qC; K; IChIqC, uB; MAkBrC, mC; MAIB+D, 6B; K;
mCAE/D, iB; MAMI, IAAI, UAAU, IAAAd, C; QAAoB, OAAO, I; MAC3B, IAAI, 0BAAJ, C; QAAsB, OAAO, K; MAC7B,
OAAO, sDAAU, IAAV, EAAgB, KAAhB, C; K; qCAGX, Y; MAG+B, qEAAkB, IAAIB, C; K; IAE/B, iC; MAAA, qC; K; gE
ACI, a; MAEoB, Q; MADhB, iBAaE, C; MACC, mB; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACC, U; QAAb, 2BAAa
, yEAAuB, CAAPC, K; MAEJ, OAAO, U; K; wDAGX, oB; MACI, IAAI, CAAE, KAAF, KAAU, KAAM, KAAPB, C; QAA
0B, OAAO, K; MACjC, OAAO, CtK4OsG, qBsK5OxF, KtK4OwF, C; K; IsKvPrH, 6C; MAAA, 4C; QAAA, 2B; OAAA, q
C; K; MCghBA, kC; MA9hBA, cAAwB, C; MACxB, yB; MAEA, sBAAYB, C; kFAAZB, Y; MAAA, 0B; K; OAAA, gB; M
AAA, 0B; K; 4CA8BA, uB; MAOI, IAAI, cAAc, CAAIB, C; QAAqB, MAAM, 6BAAsB, mBAAtB, C; MAC3B, IAAI, eAA
e, kBAAy, OAA/B, C; QAAqC, M; MACrC, IAAI, uBAAgB, qDAAPB, C; QACI, qBAAc, gBAAYB, gBAAZ, WAAy, EA
Ac, EAAAd, CAAzB, O; QACd, M; OAGJ, kBAAkB, uDAAY, kBAAy, OAAxB, EAA8B, WAA9B, C; MACIB, oBAAa, W
AAb, C; K; 0CAGJ, uB; MAII, kBAAkB, gBAAM, WAAAnB, O; M9J20BtB, U8J10BI, kB9J00BJ, E8J10ByB, W9J00BzB
, E8J10BsC, C9J00BtC, E8J10ByC, W9J00BzC, E8J10B+C, kBAAy, O9J00B3D, C; MAAA, U8Jz0BI, kB9Jy0BJ, E8Jz0
ByB, W9Jy0BzB, E8Jz0BsC, kBAAy, OAAZ, GAAM, WAAAnB, I9Jy0BtC, E8Jz0B+D, C9Jy0B/D, E8Jz0BkE, W9Jy0
BIE, C; M8Jx0BI, cAAO, C; MACP, qBAAc, W; K; yCAGIB, yB; MAGW, Q; MAAP, OAAO, 2BAAY, aAAZ, 4D; K; yCAG
X, iB; MAA2C, OAAI, SAAS, kBAAy, OAAzB, GAA+B, QAAQ, kBAAy, OAApB, IAA/B, GAA6D, K; K; yCAExG, iB;
MAA2C, OAAI, QAAQ, CAAZ, GAAe, QAAQ, kBAAy, OAApB, IAAf, GAA6C, K; K; 2CAExF, iB; MACoD, 0BAAY, c
AAO, KAAP, IAAZ, C; K; yCAEPd, iB; MAA2C, OAAI, UAAqB, cAAZ, kBAAy, CAAzB, GAAoC, CAAPC, GAA2C, Q
AAQ, CAAR, I; K; yCAEtF, iB; MAA2C, OAAI, UAAS, CAAb, GAA4B, cAAZ, kBAAy, CAA5B, GAA2C, QAAQ, CAA
R, I; K; mCAEtF, Y; MAAkC, qBAAQ, C; K; iCAE1C, Y; MAGwB, IAAI, cAAJ, C; QAAe, MAAM, 2BAAuB, sBAAvB, C;
QAnBIC, Q; QAmBa, OAnBb, 2BAmBkG, WAnBIG, 4D; K; uCAqBX, Y; MAG+B, Q; MAAA, IAAI, cAAJ, C; QAAA, O
AAe, I; QAxBnC, U; QAwBoB, OAxBpB, 6BAwByD, WAXBzD, gE; MAwBoB, W; K; gCAE/B, Y; MAGuB, IAAI, cAAJ
, C; QAAe, MAAM, 2BAAuB, sBAAvB, C; QA7BjC, Q; QA6BY, OA7BZ, 2BAQyC, mBAAY, cAqB0D, sBArB1D, IAA
Z, CARzC, 4D; K; sCA+BX, Y; MAG8B, Q; MAAA, IAAI, cAAJ, C; QAAA, OAAe, I; QAlCIC, U; QAkCmB, OAlCnB, 6B
AQyC, mBAAY, cA0BiB, sBA1BjB, IAAZ, CARzC, gE; MAkCmB, W; K; 0CAE9B, mB; MAIL, sBAaE, YAAO, CAAP, I
AAf, C; MAEA, cAAO, mBAAY, WAAZ, C; MACP, mBAAY, WAAZ, IAAoB, O; MACpB, wBAAQ, CAAR, I; K; yCAGJ

,mB;MAII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6CIC,SA7CkC,IAAZ,CA6ChD,IAAmC,
O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;M
A+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;M
ACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAYb,kB;K;sCAE9D,
Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ
,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIFnB,4D;MAmFP,mBAAY,iBAAZ,IAAiC,I;MACjC,wBAAQ,CAA
R,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAYb,iB;K;qCAE7D,mB;MAEI,mBAAQ
,OAAAR,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAAa,4BAAmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAA
S,SAAb,C;QACI,mBAAQ,OAAAR,C;QACA,M;aACG,IAAI,UAAAS,CAAAb,C;QACH,oBAAS,OAAT,C;QACA,M;O
AGJ,sBA Ae,YAAO,CAAP,IAAf,C;MA2BA,oBAJiGd,mBAAY,cAiI1B,KAJI0B,IAAZ,C;MAmIhD,IAAI,QAAS,S
AAD,GAAQ,CAAR,IAAe,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,sBAAsB,mBAAY,WAAZ,C;QA
EtB,IAAI,4BAA4B,WAAhC,C;UACI,mBAAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;U9JgrB3C,U8J/qBY,kB9J+qBZ,
E8J/qBiC,kB9J+qBjC,E8J/qB8C,W9J+qB9C,E8J/qBoD,cAAO,CAAP,I9J+qBpD,E8J/qB8D,2BAA2B,CAA3B,I9J
+qB9D,C;;UAAA,U8J7qBY,kB9J6qBZ,E8J7qBiC,kB9J6qBjC,E8J7qB8C,cAAO,CAAP,I9J6qB9C,E8J7qBwD,W9
J6qBxD,E8J7qB8D,kBAAY,O9J6qB1E,C;U8J5qBY,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,IAAoC,mB
AAAY,CAAZ,C;U9J4qBhD,U8J3qBY,kB9J2qBZ,E8J3qBiC,kB9J2qBjC,E8J3qB8C,C9J2qB9C,E8J3qBiD,C9J2qBj
D,E8J3qBoD,2BAA2B,CAA3B,I9J2qBpD,C;;Q8JxqBQ,mBAAY,wBAAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,W
ArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAUJ5C,IAAI,gBAAGb,IAApB,C;U9JkqBR,U8JjqBY,kB9JjqBZ,E8Jjq
BiC,kB9JjqBjC,E8JjqB8C,gBAAGb,CAAhB,I9JjqB9C,E8JjqBiE,a9JjqBjE,E8JjqBgF,I9JjqBhF,C;;UAAA,U8J/pB
Y,kB9J+pBZ,E8J/pBiC,kB9J+pBjC,E8J/pB8C,C9J+pB9C,E8J/pBiD,C9J+pBjD,E8J/pBoD,I9J+pBpD,C;U8J9pBY,
mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,C;U9J8pB7B,U8J7pBY,kB9J6pBZ,E8J7
pBiC,kB9J6pBjC,E8J7pB8C,gBAAGb,CAAhB,I9J6pB9C,E8J7pBiE,a9J6pBjE,E8J7pBgF,kBAAY,OAAZ,GAAM
b,CAAnB,I9J6pBhF,C;;Q8J1pBQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MAGkD,U
AIxB,M;MANTb,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAc,aAAd,wB;QACI,IAAI,CAAC,QAA
S,UAAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,CAAd,8B;QACI,IA
AI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QAAS,KAAj
B,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAAb,C;QAAwB,OAAO,K;MAC/B,sBA Ae,IAAK,KAAL,GAAY,QAAS,K
AARb,IAAf,C;MACA,8BA tLgD,mBAAY,cAsLvB,SA tLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,OAAO,I;K
;0CAGX,2B;MACI,oCAAa,4BAAmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAAb,C;QACI,OAAO,K;a
ACJ,IAAI,UAAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;OAGX,sBA Ae,IAAK,KAAL,GAAY,QAAS,KAArB,I
AAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MAsMhD,oBA tMgD,mBAAY,cAsM1B,KAtM0B,
IAAZ,C;MAuMhD,mBAAMb,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;QAGI,kBA
AkB,cAAO,YAAP,I;QAEIb,IAAI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y9J0mBZ,U8JzmBgB,kB9Jy
mBhB,E8JzmBqC,kB9JymBrC,E8JzmBkD,W9JymBID,E8JzmB+D,W9JymB/D,E8JzmBqE,a9JymBrE,C;;Y8Jvmb
gB,4BAAe,kBAAY,OAA3B,I;YACA,sBAAsB,gBAAGb,WAAhB,I;YACtB,kBAAkB,kBAAY,OAAZ,GAAMb,W
AAnB,I;YAEIb,IAAI,eAAe,eAAnB,C;c9JmmBhB,U8JlmbOb,kB9JkmBpB,E8JlmbYc,kB9JkmBzC,E8JlmbSd,W
9JkmBtD,E8JlmbmE,W9JkmBnE,E8JlmbYe,a9JkmBzE,C;;cAAA,U8JhmBoB,kB9JgmBpB,E8JhmByC,kB9JgmB
zC,E8JhmBsD,W9JgmBtD,E8JhmBmE,W9JgmBnE,E8JhmByE,cAAO,WAAP,I9JgmBzE,C;cAAA,U8J/lBoB,kB9
J+lBpB,E8J/lByC,kB9J+lBzC,E8J/lBsD,C9J+lBtD,E8J/lByD,cAAO,WAAP,I9J+lBzD,E8J/lB6E,a9J+lB7E,C;;;UA
AA,U8J3lBY,kB9J2lBZ,E8J3lBiC,kB9J2lBjC,E8J3lB8C,W9J2lB9C,E8J3lB2D,W9J2lB3D,E8J3lBiE,kBAAY,O9J
2lB7E,C;U8J1lBY,IAAI,gBAAGb,aAApB,C;Y9J0lBZ,U8JzlBgB,kB9JylBhB,E8JzlBqC,kB9JylBrC,E8JzlBkD,kB
AAAY,OAAZ,GAAMb,YAAnB,I9JylBID,E8JzlBmF,C9JylBnF,E8JzlBsF,a9JylBtF,C;;YAAA,U8JvlBgB,kB9JulBh
B,E8JvlBqC,kB9JulBrC,E8JvlBkD,kBAAY,OAAZ,GAAMb,YAAnB,I9JulBID,E8JvlBmF,C9JulBnF,E8JvlBsF,Y9
JulBtF,C;YAAA,U8JtlBgB,kB9JslBhB,E8JtlBqC,kB9JslBrC,E8JtlBkD,C9JslBID,E8JtlBqD,Y9JslBrD,E8JtlBmE,a
9JslBnE,C;;;Q8JnlBQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAGb,YAAhB,IAAZ,CAAvB,EAAkE,QAAIE,C;;Q
AIA,2BAA2B,gBAAGb,YAAhB,I;QAE3B,IAAI,gBAAGb,IAApB,C;UACI,IAAI,QAAO,YAAP,SAAuB,kBAAY,
OAAvC,C;Y9J2kBZ,U8J1kBGB,kB9J0kBhB,E8J1kBqC,kB9J0kBrC,E8J1kBkD,oB9J0kBID,E8J1kBwE,a9J0kBxE,
E8J1kBuF,I9J0kBvF,C;;Y8JxkBGB,IAAI,wBAAwB,kBAAY,OAAxC,C;c9JwkBhB,U8JvkBoB,kB9JukBpB,E8Jvk

ByC,kB9JukBzC,E8JvkBsD,uBAAuB,kBAAY,OAAnc,I9JukBtD,E8JvkB+F,a9JukB/F,E8JvkB8G,I9JukB9G,C;;c
8JrkBoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAY,OAAIC,I;c9JqkVvC,U8JpkBoB,kB9JokBpB,E8JpkByC,kB9J
okBzC,E8JpkBsD,C9JokBtD,E8JpkByD,OAAO,YAAP,I9JokBzD,E8JpkB8E,I9JokB9E,C;cAAA,U8JnkBoB,kB9J
mkBpB,E8JnkByC,kB9JmkBzC,E8JnkBsD,oB9JmkBtD,E8JnkB4E,a9JmkB5E,E8JnkB2F,OAAO,YAAP,I9JmkB3
F,C;;;UAAA,U8J/jBY,kB9J+jBZ,E8J/jBiC,kB9J+jBjC,E8J/jB8C,Y9J+jB9C,E8J/jB4D,C9J+jB5D,E8J/jB+D,I9J+j
B/D,C;U8J9jBY,IAAI,wBAAwB,kBAAY,OAAxC,C;Y9J8jBZ,U8J7jBgB,kB9J6jBhB,E8J7jBqC,kB9J6jBrC,E8J7j
BkD,uBAAuB,kBAAY,OAAnc,I9J6jBID,E8J7jB2F,a9J6jB3F,E8J7jB0G,kBAAY,O9J6jBtH,C;;YAAA,U8J3jBgB,
kB9J2jBhB,E8J3jBqC,kB9J2jBrC,E8J3jBkD,C9J2jBID,E8J3jBqD,kBAAY,OAAZ,GAAMB,YAAnB,I9J2jBrD,E8J
3jBsF,kBAAY,O9J2jBIG,C;YAAA,U8J1jBgB,kB9J0jBhB,E8J1jBqC,kB9J0jBrC,E8J1jBkD,oB9J0jBID,E8J1jBwE
,a9J0jBxE,E8J1jBuF,kBAAY,OAAZ,GAAMB,YAAnB,I9J0jBvF,C;;;Q8JvjBQ,8BAuB,aAAvB,EAAsC,QAAtC,
C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAYB,SAAZB,C;MAjRN,Q;MAmRP,OAnR
O,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAAsRX,0B;MACI,oCAAa,2BAAkB,KAAIB,EAAY
B,SAAZB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0RP,iBA1RO,2BA0RsB,aA1Rt
B,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,MAAoB,E;K
;yCAExE,mB;MAIsB,IAIA,IAJA,EAiuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA3RmC,IAAZ,C;MA6RhD,IA
AI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAZB,U;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C
;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QAAuB,SAAZ,kBAAY,O;QAARc,q
D;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;QAE9C,mBAAc,CA
Ad,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OA
ApB,GAA2B,WAA3B,I;;OAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EA0a,M;MAV/C,WA9SgD,mBA
AY,cA8SnC,SA9SmC,IAAZ,C;MAgThD,IAAI,cAAO,IAAX,C;QACKC,kB;QAA9B,iBAAc,OAAO,CAAP,IAAd,y
B;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,cAAO,I
AAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CA
AJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAAPB,GAA2B,WAA3B,I;;QAEpB,uBAAZ,kBAAY,C;QAAiB,oB;QAA
3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;OAIID,OAAO,E
;K;wCAGX,mB;MACI,YAAy,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;QAAiB,OAAO,K;MACxB,sBAA
S,KAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAYB,SAAZB,C;MAEb,IAAI,UAA
S,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;OAGX,oBAhVgD,mBAAY,cAgV1B,
KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA2VP,IAAI,QAAQ,aAAS,CAARb,C;Q
AEL,IAAI,iBAAiB,WAARb,C;U9JoeR,U8JneY,kB9JmeZ,E8JneiC,kB9JmeJ,C,E8Jne8C,cAAO,CAAP,I9Jme9C,E8J
newD,W9JmexD,E8Jne8D,a9Jme9D,C;;UAAA,U8JjeY,kB9JjeZ,E8JjeiC,kB9JjeJ,C,E8Jje8C,C9Jje9C,E8JjeiD,C9Ji
ejD,E8JjeoD,a9JjepD,C;U8JheY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMB,CAAnB,IAAZ,C;U9Jg
e7B,U8J/dY,kB9J+dZ,E8J/diC,kB9J+djC,E8J/d8C,cAAO,CAAP,I9J+d9C,E8J/dwD,W9J+dxD,E8J/d8D,kBAAY,O
AAZ,GAAMB,CAAnB,I9J+d9D,C;;Q8J5dQ,mBAAY,WAAZ,IAAoB,I;QACpB,cAAO,mBAAY,WAAZ,C;;QAGP
,wBAjW4C,mBAAY,cAiWIB,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB,iBAARb,C;U9JsdR,U8JrdY,kB9JqdZ,
E8JrdiC,kB9JqdjC,E8Jrd8C,a9Jqd9C,E8Jrd6D,gBAAgB,CAAhB,I9Jqd7D,E8JrdgF,oBAAoB,CAAPB,I9JqdhF,C;;
UAAA,U8JndY,kB9JmdZ,E8JndiC,kB9JmdjC,E8Jnd8C,a9Jmd9C,E8Jnd6D,gBAAgB,CAAhB,I9Jmd7D,E8JndgF,
kBAAY,O9Jmd5F,C;U8JldY,mBAAY,kBAAY,OAAZ,GAAMB,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U9Jkdh
D,U8JjdY,kB9JjdC,E8JjdiC,kB9JjdiC,E8Jjd8C,C9Jjd9C,E8JjdiD,C9JjdiD,E8JjdoD,oBAAoB,CAAPB,I9JjdpD,C;;
Q8J9cQ,mBAAY,iBAAZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,OAAO,O;K;6CAGX,oB;MAAkE,0B;;QAa5
C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB7K6wOnB,YAAQ,C;S6K7wOX,W;UACI,yBAAO,K;U
AAP,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cA
AO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAZB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAjBsE,CAAU,wBAi
BIE,0EAjBkE,CAiBhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kB
AAY,EAAC,IAAL,EAAW,OAAZ,EAAB,IAAPB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAARc,uD;YACI,gB
AAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAQB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;
cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,
mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAQB,I;YAGrB,IA5

CsE,CAAU,wBA4CIE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;
cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MA
vDuD,6B;K;6CAEIE,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB7K6wOnB
,YAAQ,C;S6K7wOX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2
XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAzB,U;YACI,cAAc,m
BAAY,KAAZ,C;YAGd,IAf+E,wBAejE,0EafiE,CAe/E,C;cACI,mBAAY,gBAAZ,EAAy,wBAAZ,YAAyB,O;;cA
EzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAZ,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ
,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA
6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAY,gBAAZ,EAAy,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,
mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OA
AZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mB
AAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,
yBAAO,Q;;;MArDuD,6B;K;2CAEIE,qB;MASsB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAuB,MAbvB,EAKBI,
MAIBJ,EAmBM,MANBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB7K6wOnB,YAAQ,C;O
6K7wOX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,e
AAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAY,KAAZ,C;UAG
d,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAy,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,O
AAZ,kBAAY,EAAK,IAAL,EAAW,OAAZ,EAAoB,IAApB,C;;QAGE,oB;QAAuB,SAAZ,kBAAY,O;QAARc,uD;
UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,
mBAAY,gBAAZ,EAAy,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAY,OAAZ,C;QAEX,mBA
Ac,CAAd,YAAsB,IAAtB,Y;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UA
AU,kFAAV,CAAJ,C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mBAAY,OAAZ,C;;YAEV,WAAW,I;;;M
AIvB,IAAI,QAAJ,C;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7a
gD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OAAZ,kBAAY,EAAK,IAAL,EA
AW,WAAW,EAAiB,IAAjB,C;;QACT,IvKtS6C,CAAC,cuKsS9C,C;UACS,OAAZ,kBAAY,EAAK,IAAL,EAAW,
WAAW,EAAiB,kBAAY,OAA7B,C;UACA,OAAZ,kBAAY,EAAK,IAAL,EAAW,CAAX,EAAC,IAAd,C;;MAEhB,
cAAO,C;MACP,YAAO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EAAC,M;MAfP,WACW,eAAC,OAAI,KAAM,OAA
N,IAAc,SAAlB,GAawB,KAAxB,GAAmC,aAAa,KAAb,EAAoB,SAApB,CAApC,uB;MAEX,WA7bgD,mBAAY,
cA6bnC,SA7bmC,IAAZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q9J2XJ,U8J1XQ,kB9J0XR,E8J1X6B,I9J0X7B,EAD+F
,CAC/F,E8J1XgD,W9J0XhD,E8J1XiE,I9J0XjE,C;;Q8JzXW,IvKtT6C,CAAC,cuKsT9C,C;U9JyXX,U8JxXQ,kB9J
wXR,E8JxX6B,I9JwX7B,E8JxXuD,C9JwXvD,E8JxXuE,W9JwXvE,E8JxXwF,kBAAY,O9JwXpG,C;UAAA,U8Jv
XQ,kB9JuXR,E8JvX6B,I9JuX7B,E8JvXuD,kBAAY,OAAZ,GAAmB,WAAAnB,I9JuXvD,E8JvX6F,C9JuX7F,E8Jv
X2G,I9JuX3G,C;;M8JrXI,IAAI,IAAK,OAAL,GAAY,SAAhB,C;QACI,KAAK,SAAL,IAAa,I;OAIjB,OAAO,qD;K;
mCAGX,Y;MAEL,OAAO,qBAAQ,gBAAmB,SAAnB,OAAR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAR,C;K;+CA
CID,Y;MAA0C,qB;K;IAE1C,gC;MAAA,oC;MACI,0BpHriBuC,E;MoHsiBvC,sBAAiC,U;MACjC,4BAAuC,E;K;
yDAEvC,oC;MAEL,kBAAkB,eAAe,eAAgB,CAA/B,K;MACIB,IAAI,eAAc,WAAAd,QAA4B,CAAhC,C;QACI,cAA
c,W;MACIB,IAAI,eAAc,UAAAd,QAA6B,CAAjC,C;QACI,cAAkB,cAAc,UAAIB,GAAGC,UAAhC,GAAMd,U;MA
CrE,OAAO,W;K;;;IAZf,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;qDAgBA,qB;MAEI,WAVEgD,mBAAY,cAuenC,S
AvenC,IAAZ,C;MAwehD,WAAe,kBAaA,cAAO,IAAxB,GAA8B,WAA9B,GAAwC,cAAO,kBAAY,OAAnB,I;M
ACnD,UAAU,IAAV,EAAgB,cAAhB,C;K;;IA5iBJ,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;MAqBsB,Q;MACV,
wBAAmB,CAAnB,C;QAAwB,4D;WACxB,sBAAkB,CAAI,C;QAAuB,uBAAa,eAAb,O;;QACf,MAAM,gCAAY
B,uBAAoB,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;MAGCQ,sBAAC,qD
;MAJIB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MATC/C,sB;MAuCQ,sBxJrB8D,YwJqBhD,QxJrBgD,C;MwJsB9D
,aAAO,mBAAY,O;MACnB,IAAI,mB7K+qPD,YAAQ,C6K/qPX,C;QAA2B,sBAAC,qD;MAN7C,Y;K;IC5BJ,4B;M
AMoB,Q;M9KghqBA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,O8KlhqBiB,O9KkhqBjC
,I;;M8KlhqBJ,aAAa,iB9KohqBN,G8KphqBM,C;MACb,wBAAGB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QAC
W,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAy,iBAAa,gBAAb,C;MA
CZ,YAAy,iBAAa,gBAAb,C;MACZ,wBAaA,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MA

AT,C;QACN,KAAM,WAAL,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,
U;QAAqB,OAAL,S9K0qPhB,YAAQ,C;O8K1qPf,W;K;oFAGJ,mC;MAUI,O9K6pPO,qBAAQ,C8K7pPf,GAAe,cA
Af,GAAmC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAgB,aAAhB,IAAi
C,SAAK,OAAL,KAAa,KAAM,OAAxD,C;QAA8D,OAAO,K;MAErE,4C;QACI,SAAS,UAAK,CAAL,C;QACT,S
AAS,MAAM,CAAN,C;QAET,IAAI,OAAO,EAAX,C;UACI,Q;eACG,IAAI,cAAc,UAAIB,C;UACH,OAAO,K;SAI
P,0BAAAsB,kBAAtB,C;UAA4C,IAAI,CAAI,kBAAH,EAAG,EAaKb,EAaIB,CAAR,C;YAA+B,OAAO,K;eACIF,8
BAAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAAsB
,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAAsB,qBAAt
B,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAAsB,sBAAtB,C;U
AA4C,IAAI,CAAI,cAAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAAsB,uBAAtB,C;UAA4C,
IAAI,CAAI,cAAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4C,IAAI,
CAAI,cAAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,c
AAH,EAAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,E
AAG,EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,
EAaC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAaC,EA
Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAaC,EA
Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAaC,EAAd,CA
AR,C;YAA2B,OAAO,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;K;IAGX,4C;MA
KI,IAAI,iBAAJ,C;QAAkB,OAAO,M;MACzB,aAAa,CAAK,eAAL,gBAAK,EAAa,SAAb,CAAL,GAA6C,CAA7C,
QAAiD,CAAjD,I;MvC6SkB,kBAAxB,mBuC5SY,MvC4SZ,C;MuC3SH,oDxK5BgD,gBwK4BhD,C;MADJ,O7JnC
O,WsH+U6C,W;K;IuCvSxD,mE;MAEI,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;OAEJ,
SAAU,WAAL,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,g
BAAO,IAAP,C;SAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,
mBAFE,OAEF,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAP,C,C;aAC3B,uBAHE,OAGF,E;UAAm
B,MAAO,gBAaE,gBAAR,OAAQ,CAAF,C;aAC1B,wBAJE,OAF,E;UAAmB,MAAO,gBAaE,gBAAR,OAAQ,CA
Af,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBAaE,gBAAR,OAAQ,CAAF,C;aAC1B,uBANE,OAMF,E;UAA
mB,MAAO,gBAaE,gBAAR,OAAQ,CAAF,C;aAC1B,wBAPE,OAF,E;UAAmB,MAAO,gBAaE,gBAAR,OAAQ,
CAAF,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBAaE,gBAAR,OAAQ,CAAF,C;aAC1B,uBATE,OASF,E;UA
AmB,MAAO,gBAaE,gBAAR,OAAQ,CAAF,C;aAC1B,0BAVE,OAF,E;UAAmB,MAAO,gBAaE,gBAAR,OAA
Q,CAAF,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBAaE,kBAAR,OAAQ,CAAF,C;aAC1B,kBAbE,OAaF,e;U
AAmB,MAAO,gBAaE,kBAAR,OAAQ,CAAF,C;aAC1B,kBADE,OAF,a;UAAmB,MAAO,gBAaE,kBAAR,OAA
Q,CAAF,C;aAC1B,kBAFE,OAeF,c;UAAmB,MAAO,gBAaE,kBAAR,OAAQ,CAAF,C;UAEP,MAAO,gBAAO,OA
AQ,WAAf,C;;MAIIC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;K;ICpJd,uC;
MAIqD,+CAAwC,iBAAO,CAA/C,IAAoD,mC;K;IAEZg,4D;MAWQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kB
AFE,SAEF,c;QAEQ,yCAAwB,MAAO,KAAP,GAAc,CAAT,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK
,CAAT,GAA+B,sBAA/B,GAAgD,S;;QALpE,OAoGB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,gD;MAW
Q,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAE8B,mBAAL,SAAK,CAAT,GAA+B,sBAA
/B,GAAgD,S;;QAFrE,OAGgB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,kD;MAKI,OAAL,oCAAJ,GAA0C
,sBAA1C,GAA2D,oB;K;IAE/D,kD;MAKI,OAAL,oCAAJ,GAA0C,oBAA1C,GAA2D,iB;K;IzKnD/D,yB;MAAA,6
B;K;sCACI,Y;MAAkC,Y;K;0CACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACChC,Y;MAAoC,S;K;mCACp
C,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;
IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,
Y;MAAkC,W;K;iFAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACIC,mB;MAAmD,Y;K;8CACnD,oB;MAA
mE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;M
AA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACI,
IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACtB,OAAO,2B;K;0CAGX,8B;MACI,IAAI
,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,O
AA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IA+BA,iC;MAA8D,6BAAk

B,SAaIB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;yFAClC,Y;MAAQ,OAAA,WAAO,O;K;0C
ACtC,Y;MAAkC,OAAA,WNqqP3B,YAAQ,C;K;iDMppqPf,mB;MAA6C,OAAO,SAAP,WAAO,EAAS,OAAT,C;K
;sDACpD,oB;MAAsE,c;;Qc4nDtD,Q;QADhB,IAAI,cd3nDyD,Qc2nDzD,iBd3nDyD,Qc2nDnC,UAA1B,C;UAAqC
,aAAO,I;UAAP,e;SACrB,Od5nD6C,Qc4nD7C,W;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UAAM,IAAI,Cd5nDkD
,oBc4nDvC,Od5nDuC,Cc4nDtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;Md7nDsD,iB;K;2CAC7D,Y;MA
AuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,OAAwB,cAAxB,GegKpC,SfhKoC,Gek
KpC,SN83BoB,Q;K;;IT7hC5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,QAAS,OAAT,GAAgB,CAAPB,GAAg
C,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,mB;QAK0C,kB;O;KAL1C,C;+FAOA,y
B;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;O;KANpD,
C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAXB,GAAyC,iBAAU,sBAaKB,QAaIB,E
AAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAXB,GAAyC,iB
AAU,sBAaKB,QAaIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAA
rB,GAA0C,W;K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB;MAaA,gE;MabA,6B;QAYBI,WAAW
,eAduE,IAcvE,C;QWCX,iBAAc,CAAd,UXfkF,IWefI,U;UXA6B,eAf2D,IAevD,CWctB,KXDsb,CAAJ,C;;QAFyC
,OAGB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW,eAAa,IAAb,C;QWCX,iBAAc,CAAd,U
XAO,IWAP,U;UXA6B,eAAI,KWctB,KXDsb,CAAJ,C;;QAC7B,OAAO,I;O;KAdX,C;wFAiBA,yB;Me1FA,+D;M
f0FA,gC;QetF0B,gBAAf,gB;QfsGkB,aW3FzB,W;QX2FA,OW1FO,SIZoC,Q;O;KfsF/C,C;yFAwBA,yB;Me3GA,4
E;MAAA,gE;Mf2GA,0C;QevGI,qBf2HyB,Qe3HzB,C;QAC8B,gBAAvB,ef0HkB,Qe1HIB,C;Qf0H4B,aWvHnC,W;
QXuHA,OWtHO,SIJ4C,Q;O;KfsGvD,C;IAiCl,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;K;IAQR,qC;MAAQ,
OAAA,SAAK,KAAL,GAAy,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MAWI,OAAO,qBAAGB
,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB;MAAA,qD;MAAA,
4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;4FAGvC,+B;
MAQoH,OAAA,SAAK,qBAAY,QAaz,C;K;IAGzH,uC;MAK+E,kBAAhB,0B;MAAwB,+B;MAAxB,OW5MpD,
W;K;IX+MX,yC;MAAKD,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAeZC,OAAO,sBAA
K,CAAL,CAAP,C;gBAFyC,OAGtC,S;;K;IAGZ,8D;MAGbKE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;M
ACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAE
X,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,U
AAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI
,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,
K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,
EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAA
W,GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,
OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,
OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8
D;MAAA,4D;MAsBqC,8D;QAAA,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MatBvC,+D
;QAKBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAXB,EAAiC,oCAAjC
,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,E
AAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,
C;QACI,UAAW,GAAy,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C
;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,M
AAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAY,OA
AZ,C;QAAuB,MAAM,gCAAYB,gBAAa,SAAb,mCAAKD,OAAID,OAAzB,C;WAC7B,gBAAY,CAAZ,C;QAAiB,
MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAX,g
CAA2C,IAA3C,OAA1B,C;K;IAchC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,w
BAAoB,8BAApB,C;K;;;wF2Gjb1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,
OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,
C;UACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA
+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAN,E,C1GuKvB,C;;Q0GrMA,OAGCO,W;O;KAnDX,C;4FAsBA,

6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;Q
ACV,kBAaKB,sBAAY,GAAZ,C;QACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAe,WAAf,
EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K;
iFAGX,yB;MAAA,gB;MAAA,8B;M1GtBA,wE;M0GsBA,6D;QAnCW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAA
K,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;U
A8BwE,U;UA7B1F,W1GuKJ,a0GvKgB,G1GuKhB,E0G1IkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy
,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6D
AA5D,EA7BiB,CA6BjB,C1G0IIC,C;;Q0G3IA,OA1BO,W;O;KAGX,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAA
A,0E;QAICc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,k
BA6DQ,WA7DU,WAAy,GAAZ,C;UA6DuF,U;UAAjG,W1G2GZ,a0GvKgB,G1GuKhB,E0G3GiD,UA5DhB,GA4
DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4
DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C1G2GjD,C;;Q0G5GA,OACY,W;O;KA7Bh
B,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M1GhFA,wE;M0GgFA,qD;QA7FW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,
OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,
C;UAKfID,U;UAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,E0GtFgC,UajFsB,uBAAuB,CAAC,WAAy,mBAAY,GAA
Z,CAiFhD,kBAA6B,UajFjC,WaiFiC,6DAAvC,EajFmB,CAiFnB,C1GsFhC,C;;Q0GvFA,OA9EO,W;O;KA6DX,
C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;
UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAy,GAAZ,C;UA2GgE,U;UAA1E,W1G6DZ,a0G
vKgB,G1GuKhB,E0G7D+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B,UA1GhD,
WA0GgD,6DAAvC,EA1GI,CA0GJ,C1G6D/C,C;;Q0G9DA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAAA,gB;MA
AA,8B;M1G9HA,wE;M0G8HA,uC;QA3IW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,
C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAaKB,sBAAY,GAAZ,C;UACC,oB;UAKIc,U;UAAjC,I
AllkD,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAkIfC,YADA,mBAjI+C,C;;YaiI/C,mBACkB,UAIIW,GAkIX
,EAAe,UAIIC,WakID,6DAAf,EAI16B,CAkI7B,C;;UAI1IB,W1GuKJ,a0GvKgB,G1GuKhB,mB;;Q0GvCA,OA9HO
,W;O;KA2GX,C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAA
V,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAy,GAAZ,C;UACC,oB;UA8Jc,U
;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACkB,
UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W1GWZ,a0GvKgB,G1GuKhB,mB;;Q
0GXA,OAAy,W;O;KAvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QA
CN,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAy,GAAZ,C;QA2GgE,U;QAoE/E,W1GPP,a0GvKgB
,G1GuKhB,E0GomC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CAPeQc,GAA6
B,UA1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I1GPnC,C;;M0GOA,OAAO,W;K;I+DnPOB,oC;MAAC,kB;MAA
uB,kB;K;;wCAN7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6
D,qCAN7D,C;K;sCAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD;
MAAuB,sD;MAN7D,a;K;oCAAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wFpKEA,yB;MAAA,kC;M
AAA,4C;MAAA,kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KA
NvF,C;IAcsC,2C;MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAajB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,G
AA2B,SAAK,KAAhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAGp
H,8B;MAMoB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACL,OAAP,MAAO,E
AAO,OAAP,C;;MAEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAA
Y,iBAAa,YAAb,C;MACZ,YAAy,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,KAAM,W
AAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFUxDX,qB;MA
KqE,gB;K;IAErE,iC;MAMoE,4BAAiB,SAajB,C;K;uFAEpE,gC;MAKI,OAAGB,mBAAhB,C;QAAGB,8B;QAAM,
UAAU,OAAV,C;;K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD
,Y;MAA6E,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sF2J
5BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAAS,aAA9B,0D;
O;KAVjC,C;wFAYa,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,Q
AAS,aAA9B,0D;O;KAXjC,C;sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAAnB,C;K;ICnCT,8C;MA

UI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;M3KoTI,Q;MALX,YAAy,oB2K/Sa,G3
K+Sb,C;MACZ,IAAI,iBAAiB,CAAC,4B2KhTG,G3KgTH,CAAtB,C;Q2KhTgC,MAAM,2BAAuB,wCAAvB,C;;Q
3KoTIC,2BAAO,sE;;M2KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACKc,YAAT,SAAK,IAAI,EA
AY,YAAZ,C;;QADIC,OAEY,uBAAmB,SAAnB,EAAYb,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QA
DJ,OACyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA0B,SAAI1B,EAAGc,YAAhC,C;K;,,,,;Iac
0B,4C;MAAC,wB;MAAOc,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KA
AP,C;K;4CAChD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;0FACf,Y;MAAQ,
OAAA,QAAI,K;K;2CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;
K;uDACHd,iB;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;0
FACT,Y;MAAQ,OAAA,QAAI,K;K;4FACH,Y;MAAQ,OAAA,QAAI,O;K;6FACJ,Y;MAAQ,OAAA,QAAI,Q;K;8
DAEvD,e;MAAmD,gBAAJ,Q;MAAI,4B;M3K4PxC,Q;MALX,YAAy,oB2KvPyD,G3KuPzD,C;MACZ,IAAI,iBA
AiB,CAAC,4B2KxP+C,G3KwP/C,CAAtB,C;QACI,2B2KzPwE,mB;;Q3K4PxE,2BAAO,sE;;M2K5PoC,+B;K;;IA
GN,mD;MAAC,wB;MAA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,K
AAP,C;K;mDACHd,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;iGACf,Y;MA
AQ,OAAA,QAAI,K;K;kDACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAA
Z,C;K;8DACHd,iB;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C
;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;mGACH,Y;MAAQ,OAAA,QAAI,O;K;oGACU,Y;MAAQ,OAAA,QAAI,
Q;K;sDAE5E,sB;MAAyC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAA
O,GAAP,C;K;yDACtC,gB;MAA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAm
D,gBAAJ,Q;MAAI,4B;M3KuOxC,Q;MALX,YAAy,oB2KIOyD,G3KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B2K
nO+C,G3KmO/C,CAAtB,C;QACI,2B2KpOwE,mB;;Q3KuOxE,2BAAO,sE;;M2KvOoC,+B;K;;I3KvFnD,oB;MAA
A,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K
;gFAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;
MAAwC,W;K;mFACY,Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;
K;;IAjBrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAA
I,OAAI,KAAM,OAAN,GAAa,CAAJB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAy,KAAM,OAAIB,CAAd,CA
AN,CAA1B,GAA6E,U;K;kFAEjF,yB;MAAA,oD;MAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;M
AAA,mB;QAQ4D,2B;O;KAR5D,C;IAUA,+B;MAYiD,gBAA7C,qBAAoB,YAAy,KAAM,OAAIB,CAApB,C;MA
AqD,wB;MAArD,OUJO,S;K;wFVMX,yB;MAAA,4D;MAAA,mB;QAOsD,qB;O;KAPtD,C;IASA,4B;MAM8G,gB
AAvC,eAAc,YAAy,KAAM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OUrB5D,S;K;4FVuBX,yB;MAAA,wE;MAA
A,mB;QAK8D,2B;O;KAL9D,C;IAOA,8B;MAU+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAAy,KAAM,OAAI
B,CAAd,CAAN,C;K;sFAErF,yB;MchBA,wE;MdgBA,gC;QcZiC,gBAAtB,oB;Qd8BiB,aU7DxB,W;QV6DA,OU5
DO,SI8B2C,Q;O;KdYtD,C;uFA0BA,yB;McnCA,uE;MdmCA,0C;Qc/ByC,gBAA9B,mBdqDiB,QcrDjB,C;QdqD2B
,aU3FIC,W;QV2FA,OU1FO,SIqCmD,Q;O;Kd+B9D,C;4FAoCA,qB;MAK+D,QAAC,mB;K;kGAEhE,qB;MAWI,O
AAO,qBAAGb,mB;K;sFAG3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;sFAQA,mC;MASI,O
AAI,mBAAJ,GAAe,cAAf,GAAMc,S;K;yFAEvC,yB;MAyBA,kC;MAAA,8B;MAzBA,iC;QAGCiC,Q;QAxB2E,O
AwBxD,CAAnB,wDAAmB,oBAxBoE,GAwBpE,C;O;KAhCpD,C;+EAUA,yB;MAAA,kC;MAAA,8B;MAAA,iC;
QAKiC,Q;QAA7B,OAAGD,CAAnB,wDAAmB,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAKI,sBAAI,GAAJ,EA
AS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAGD,CAAnB,wDAAmB,oBA
AY,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,yB;MAAA,gD;MAA
A,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;6FAWA,qB;MAWo
E,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAAL,EAUU,eAAV,C;O;
KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAAY,c;K;uGAG7F,yB;MAAA,gB;MAAA,8B;MAA
A,+C;QAMe,Q;QALX,YAAy,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAZ,CAAtB,C;UACI,OA
AO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAARb,C;K;sFAEID,wC;MAUW,Q;MADP,YA
AY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA
,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEHg,qB;MAMgH,OAAA,iBAAQ,W;K;4FAEXH,6
C;Maq1BoB,Q;MAAA,Obh1BT,iBag1BS,W;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;Qbh1Ba,Wai1Bb,aAAgB,O

bj1Be,Iai1B/B,Ebj1BsC,Sai1BZ,CAAE,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAA
A,Obr0BT,iBaq0BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ
,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAArB,g
B;QAAqB,aAAA,KAArB,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;
MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,
GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,
yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAS
W,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;Qa8xBH,Q;QAAA,Obh1BT,iBag1BS,W;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;Ubh1Ba,Wai1Bb,aAAGB,Obj1Be,Iai1B/B,Eb/xB2C,Sa+xBjB,CAAE,OAAf,CAA1B,C;;Qb/xBhB,O
AlD6B,W;O;KAyCjC,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,
CAApB,C;Qa+wBD,Q;QAAA,Obr0BT,iBaq0BS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;Ubr0Ba,Was0Bb,abh
xBYc,SagxBrc,CAAY,OAAZ,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;QbhxBhB,OAtD6B,W;O;KA0CjC,C;oFAeA,y
B;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAd,C;
UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAae,KAAM,MAAr
B,C;;QAGf,OAAO,M;O;KAbX,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,
SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MA
AO,aAAI,KAAM,IAAV,EAae,KAAM,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,
OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,
WAAY,aAAI,OAAQ,IAAZ,EAaiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;
QAOW,kBAAS,oB;QafA,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,
SAdB,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAaiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;
O;KAGX,C;+FAUA,6C;MAOoB,Q;MAAA,OAAA,SAPJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;Q
ACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAaiB,OAAQ,MAAzB,C;;MAGp
B,OAAO,W;K;2FAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAY,oB;QafH,Q;QAAA,OPJoE,iBAAQ,W;QAOJ
5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CAckC,SAdjC,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAA
Q,IAAZ,EAaiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX,C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCA
AJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAAkB,sBAAK,CA
AL,CAAlB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;Y
AHL,K;;QAAP,W;OAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB
,Y;MAApB,kB;K;IAEJ,4B;MAM6D,QAAM,gBAAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,
MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAG
Z,yC;MAIwB,OAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD
,OAC5C,U;aACL,C;UAFiD,Oc/X8B,uB;gBd+X9B,OAGzC,uB;;K;IAGZ,iC;MAMmE,4BAAc,SAAd,C;K;IAEnE,
yC;MAKI,WAAoB,0B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,I
AAN,C;;QAAqC,kBAApB,qBAAc,SAAd,C;QAA4B,wBAAS,UAAT,EAaqB,WAArB,C;QAAjE,OUhiBO,W;;M
VgiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAAp
B,qBAAc,SAAd,C;QAA4B,4B;QAAAnE,OUziBO,W;;MVyiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UA
AT,C;QAAA,OAA0B,QAAN,KAAM,C;;QAAiC,kBAApB,qBAAc,SAAd,C;QAA4B,0B;QAAAnE,OUjBO,W;;MVkj
BP,W;K;IAEJ,mC;MAOWB,kBAApB,qBAAc,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBU3jBrC,WV2jBqC,C;K;I
AEhD,iC;MAOWB,kBAApB,qBAAc,SAAd,C;MAA4B,+B;MAA5B,OUpkBO,W;K;0FVukBX,2B;MAKI,sBAAI,I
AAK,MAAT,EAAGB,IAAK,OAArB,C;K;4FAGJ,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;
4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAK
I,kBAAO,KAAP,C;O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOWB,kBAAf,aAAL,SAAK,C;
MAAsCL,6B;MAtCA,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,
YAAL,gBAAK,O;MArCV,OAAgD,oBUHoBzC,WVgoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MA
oCK,YAAL,gBAAK,O;MApCV,OAAgD,oBU1oBzC,WV0oByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,
C;MAMCK,YAAL,gBAAK,O;MANCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEPD,0B;MAMI,uBAAO,GAAP,

C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;K;oF4KtwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUic,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAI,OAAJ,C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAKI,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;IAQA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,OAAO,yBAAgB,OAAT,QAAS,CAAhB,C;K;IAGX,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAGC,SAAhC,C;MAIHG,Q;MAKH7B,OAIH2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAqH/D,0C;MAII,UAAmB,8BAAT,QAAS,C;MACnB,O7K0EwD,C6K1EjD,G7K0EkD,U6K1EID,IAAoB,4BAAU,GAAV,C;K;IAG/B,0C;MAII,OnLqoPO,EmLroPA,QnL6jPA,YAAQ,CAwER,CmLroPA,IAAyB,4BAAmB,8BAAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAGC,SAAhC,C;MA7HG,Q;MA6H7B,OA7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAgI/D,0C;MAII,InLunPO,EmLvnPH,QnL+iPG,YAAQ,CAwER,CmLvnPP,C;QACI,OAAO,4BAAmB,8BAAT,QAAS,CAAnB,C;;QAEp,OAAO,wB;K;IAGf,0C;MAII,UAAmB,8BAAT,QAAS,C;MACnB,I7K0CwD,C6K1CpD,G7K0CqD,U6K1CzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEp,OAAO,wB;K;IAGf,kC;MACI,a7KmCwD,CAAC,mB;M6KICzD,iB;MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,SAAd,EAAYB,IAAZB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAAYB,KAAZB,C;K;IAEIF,sE;MACI,iBAAa,KAAb,C;MIKIJgB,kBkKmJX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;SAGrB,OAAO,Q;K;oFAIX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,2BAAT,C;K;IAEHf,2C;MAK8E,kCAAc,SAAd,EAAYB,IAAZB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAYB,KAAZB,C;K;IAE9E,wE;MAEgB,UAGS,MAHT,EAcY,MAdZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAOC,cAA5B,sEAA4B,EAAC,SAAd,EAAYB,uBAAZB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAAkB,CAAlB,mC;QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAlB,C;UACI,sBAAK,UAAL,EAAMB,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAArC,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;K;IChS+B,wC;MAAkC,uB;MAAjC,0B;K;4FACpB,Y;MAAQ,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;;IAGT,gC;MAAYC,8B;MAAxC,0B;K;oFACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;mCAEIC,Y;MAAuB,eAAS,Q;K;8CAChC,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;K;yCAEHd,0B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAGC,OAAhC,C;K;yCACvD,0B;MACI,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAACi,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA2B,8BAAy,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,CAA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA5B,iBAAO,KAAp,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;MAK+C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;IvKpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IwKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThY,yB;MASqG,oCAAS,sBAAT,C;K;8FAErG,yB;MAAA,kD;MxKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MwKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS

,mCAAT,C;O;KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,Q
AA/D,C;MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGB0C,y
B;K;+CAoBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;
K;+CAGX,kC;MAQqD,6BAAS,QAAS,WAAIB,e;K;,,,,,;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mB
AA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eA
CI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;:cAEP,sBA Ae,I;:;YALvB,
K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;:;QAGIB,eAAQ,C;QACR,
WAAW,4B;QACX,gBAAW,I;QACX,IxH/FR,oBDgDQ,WyH+CY,kBzH/CZ,CChDR,C;:K;6CwHmGA,Y;MACU,
IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,k
CAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;:K;u
DAItB,Y;MACI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;:;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,Y
AAN,C;aACx,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAs
B,uCAAoC,YAA1D,C;:K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,
mBAAy,K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OA
CA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAc,C;QAAyB,M;MACzB,sBA Ae,Q;MACf,eAAQ,C;MAC
R,OAA6C,6CAAtC,c;K;2DAMX,kB;MzHjBO,Q;MADP,eyHoBI,MzHpBJ,C;MACO,QyHmBH,MzHnBG,+D;My
HoBH,eAAQ,C;K;kGAIR,Y;MAAQ,0C;K;:IxK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,g
F;sFAAA,yB;MAAA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MA
AA,2B;QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAakB,2CAAT,+BA
AS,E;K;IAEzE,8B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEn
H,yB;MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MA
A4B,kC;K;:;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ
,e;O;KANpE,C;IAGB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;:;:kDAAA,
Y;:;:cACxF,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yB
AAA,yB;gBAAA,Q;:;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;:;:;:cAJJ,W;:;cAA
A,W;:;:;:;:;:;:K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;:;iBAAA,uB;O;K;IAP5F,4C;MAOmF,g
BAAS,uCAAT,C;K;IAGBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MA
AE,OAAA,EAAG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;
MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,E
AAyB,gBAAzB,EAAiC,QAAjC,C;K;IAGX,4B;MAYiB,Q;MAFb,YAAy,gB;MACZ,YAAy,gB;MACC,2B;MAA
b,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;:MAE
V,OAAO,UAAAS,KAAT,C;K;IAGX,+B;MAQqD,6BAAS,4BAAT,C;K;IAW0B,+G;MAAA,wC;MAAA,6B;MAAA
,yB;MAAA,0C;MAAA,4C;MAAA,0B;MAAA,kC;K;:;:mDAAA,Y;:;:;:kCAC9D,0C;cACb,gB;:;:;:cAAA,IAAO,iBPy
FkD,UOzFzD,C;gBAAA,gB;:;:cACI,QAAQ,yBAAO,iBAAQ,iBAAO,KAAf,C;cACf,WAAkB,WAAP,iBAAO,C;c
ACIB,YAAgB,IAAI,iBAAO,KAAf,GAAqB,iBAAO,aAAI,CAAJ,EAAO,IAAP,CAA5B,GAA8C,I;cAC1D,gB;8BA
AA,iCAAM,KAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;:;cAJJ,gB;:;:cAMJ,W;:;:;:;:;:;:K;IAR+E,4D;MAAA,yD;u
BAAA,mG;YAAA,S;iBAAA,Q;:;iBAAA,uB;O;K;IAT/E,uC;MASmE,gBAAY,kCAAZ,C;K;IAkBhC,0D;MAE/B,w
B;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MA
CxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QAC
pB,IAAI,wCAAU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAy,C;UACZ,M;:;MAGR,iBAAy,C;K;
8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6
B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAy,E;MAEZ,OAAO,yE;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAj
B,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;:;2CAhC5B,Y;MAAuC,yD;K;:;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;I
ACJ,gF;MAAA,0D;MACnC,gBAAe,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAAY,aAAS,OAAR,C;K;oEAGX,
Y;MACI,OAAO,aAAS,U;K;:;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAAsC,kB
AAtC,EAAM,D,QAAAnD,C;K;:;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBAAe,2CAAS,
W;MACxB,aAAy,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAAnB,EAAM,B,yBAAAnB,QA
AZ,EAAyC,aAAS,OAAID,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;:;qDARxB,Y;MAAuC,mE;K;:;IAk3C,oC;M

AAy,0B;K;IAC6C,wE;MACjD,gBA Ae,gCAAS,W;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iB
AAa,oBAAmB,iBAAnB,EAAMb,yBAAnB,QAAb,EAA0C,aAAS,OAA nD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U
;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,i
BAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAApB,EAA4B,c
AAU,OAA tC,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3
C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;K
;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;K;kEAG1B,Y;MACI,OA
AO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBA Ae,I;MAEnB,OAAO,yBAAP,C;QACI
,IAAI,CAAC,aAAS,UAA d,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,
CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBA Ae,gB;YACf,OAAO,I;;MAInB,OAAO,I;K;;4CA9Bf,Y;M
AAuC,0D;K;;IAoC9B,6I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4C;MAAA,kD;MAAA,gD;MAAA,wB;MAA
A,yB;MAAA,kC;K;;;yDAAA,Y;;;kBAGyC,I;iCAFIC,C;cACI,sD;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBA
AA,gB;;;cAAgB,oC;cACZ,aAAa,6BAAU,oBAAmB,uBAAnB,EAAMb,+BAAnB,QA AV,EAAuC,OAAvC,C;cAC
b,gB;8BAAA,sCAAS,4BAAS,MAAT,CAAT,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;K;I
ANS,0F;MAAA,yD;uBAAA,iI;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IADb,wD;MACI,gBAAS,kDAAT,C;K;;;IAo
ByB,qD;MACzB,0B;MACA,8B;MACA,0B;MC3TA,IAAI,ED+TQ,qBAAc,CC/TtB,CAAJ,C;QACI,cD8T2B,+CA
A4C,iB;QC7TvE,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EDgUQ,mBAA Y,CChUpB,CAAJ,C;QACI,gB
D+TyB,6CAA0C,e;QC9TnE,MAAM,gCAAYB,SAAQ,WAAjC,C;OAFV,IAAI,EDIUQ,mBAA Y,iBCjUpB,CAAJ,
C;QACI,gBDgUkC,0DAAuD,eAAvD,WAAmE,iB;QC/TrG,MAAM,gCAAYB,SAAQ,WAAjC,C;Q;SFDkUa,Y;MA
AQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAA Y,eAAZ,EAAs
B,oBAAa,CAAb,IAAtB,EAAsC,eAA tC,C;K;yCAC9E,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,g
BAA Y,eAAZ,EAAsB,iBAAtB,EAaKc,oBAAa,CAAb,IAAI,C,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBA Ae,2BAAS
,W;MACxB,gBA Ae,C;K;0DAEf,Y;MAEI,OAAO,gBAAW,kCAAX,IAAYB,aAAS,UAAzC,C;QACI,aAAS,O;QAC
T,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAYB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IA
AI,iBAA Y,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IA
gCA,uC;MAC1B,0B;MACA,oB;MC3WA,IAAI,ED+WQ,gBAAS,CC/WjB,CAAJ,C;QACI,cD8WsB,yCAAsC,YA
AtC,M;QC7WtB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;0CDgXV,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,eAAh
B,GAAqC,gBAA Y,eAAZ,EAAsB,CAAtB,EAAYB,YAAzB,C;K;0CAC9E,a;MAAYC,OAAI,KAAK,YAAT,GAAg
B,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBA Ae,4BAAS,W;
K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;
MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IAsB3C,gD;MACI,0B;MACA,4B;K;I
AEuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,I
AAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAA Y,C;UACZ,gBA
AW,I;UACX,M;UAGR,iBAA Y,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAA
I,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aCA,gF;MAGb,gBAAW,I;MACX,iBAA Y,E;MACZ,OAAO,M;K;
iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2
Cb,uC;MAC1B,0B;MACA,oB;MC5bA,IAAI,ED+bQ,gBAAS,CC/bjB,CAAJ,C;QACI,cD8bsB,yCAAsC,YAAtC,M
;QC7btB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;0CDgcV,a;MI tXO,SJsXmC,eAAQ,CAAR,I;MAAD,OAA4B,KA
AK,CAAT,GAAY,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;K;0CACxG,a;MIvXO,SJuXmC,eAAQ,CAA
R,I;MAAD,OAA4B,KAAK,CAAT,GAAY,yBAAZ,GAAuC,gBAA Y,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;K;
IAEjE,gE;MACnC,gBA Ae,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAA
S,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MA
CA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,oD;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;
MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,
C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAA Y,C;UA
CZ,M;;MAGR,iBAA Y,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAA
a,CAAjB,C;QACI,aCA,gF;QACb,gBAAW,I;QACX,iBAA Y,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;iEAG
pB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MA

AuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAAPC
,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA
d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,
mBAAQ,IAAR,C;UACA,M;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,g
BAAmB,I;MACnB,iBAAqB,E;K;oEAERB,Y;MACI,gBAAe,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4
BAAb,C;MACvD,iBAAgB,qBAAJ,GAAaB,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAy,CA
AhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAy,E;MACZ,O
AAO,M;K;iEAGX,Y;MACI,IAAI,iBAAy,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CxB5B,Y;MAAuC
,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAwC,SAAxC,GAakD,4BAAwB,SAAxB,C;K;IAeIB,uD;MAAA,q
B;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAakB,YAAlB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC,i
D;MAAA,mB;QAAE,mB;O;K;IAIB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAakB,+BAAIB,EAA4B,Y
AA5B,C;K;IAER,wD;MAcI,6BAakB,YAAlB,EAAgC,YAAhC,C;K;ILxpBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,
iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;iC
AC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA6
C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IAdrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEp
C,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEHg,yB;
MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;IA
UA,kC;MAKiE,OAAAS,aAAT,QAAS,EAAa,qBAAC,YAAY,QAAS,OAARB,CAAd,CAAb,C;K;uFAEIE,yB;MAA
A,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS,
OAARB,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKME,OA
AS,aAAT,QAAS,EAAa,qBAAC,YAAY,QAAS,OAARB,CAAd,CAAb,C;K;IAE5E,+B;MAMyD,OAAI,eAAJ,GAA
qB,MAAM,OAAN,CAARB,GAAyC,U;K;IAEIG,kC;MAQI,OAAgB,gBAAT,QAAS,EAAgB,sBAAhB,C;K;sFAGp
B,yB;MavBA,uE;MbuBA,gC;QanB8B,gBAAnB,oB;QbqCiB,aS/CxB,W;QT+CA,OS9CO,SISwC,Q;O;KbmBnD,C;
wFA0BA,yB;Ma1CA,wE;Mb0CA,0C;QatCsC,gBAA3B,mBb4DiB,Qa5DjB,C;Qb4D2B,aS7EIC,W;QT6EA,OS5E
O,SIGBgD,Q;O;KbsC3D,C;sFA+BA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAFID,C;IAIA,wC;MAAg
D,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,
OAGpC,S;;K;IKnKZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IyKLA,yC;MxK4BI,IAAI,Ew
K3BI,OAAO,CAAP,IAAY,OAAO,CxK2BvB,CAAJ,C;QACI,cwK3BI,aAAJ,GACI,yEADJ,GAGI,8C;QxKyBJ,M
AAM,gCAAyB,OAAQ,WAAjC,C;Q;IwKnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAm
C,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC
A,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MA
AA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;
K;;;2DAAA,Y;;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAA
O,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,gBAAC,qBAAd,C;gBACH,+C;
gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,m
BAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAc,uBAAIB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,
C;kBAA8B,gB;;;kBAAxE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAA
U,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cAJX,gB;;;cAFJ,gB;
;;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,mBAAO,KAAd,IAAqB,uBAARb,C;gBAAA,gB;;;c
ACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;
cAAA,Q;;cACA,mBAAO,qBAAy,uBAAZ,C;cAFX,gB;;;cAIA,IhL4K4C,CgL5KxC,mBhL4KyC,UgL5K7C,C;gB
AAyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAAZB,iB;;;cAjCR,W;;cA4BI,iB;;
cA1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,C
AAR,I;gBAAW,iB;;;gBAA3B,iB;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAANB,C
;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;cAEI,IAAI,8BAAJ,C;gB
AAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IhL+LgD,Cg
L/L5C,iBhL+L6C,UgL/LjD,C;gBACI,IAAI,qCAAKB,iBAAO,KAAP,KAAe,uBAARc,C;kBAA2C,iB;kCAAA,iCA
AM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAk

CJ,W;,,,,,,,,,,,,;K;IArCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAIB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAaKB,SAAIB,EAA6B,OAA7B,EAA5C,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAaKB,KAAIB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;qFAGY,Y;MAAQ,mB;K;;IASR,wC;MAAqD,uB;MAApD,sB;MxKrDxB,IAAI,EwKuDQ,cAAc,CxKvDtB,CAAJ,C;QACI,cwKsD2B,wE;QxKrD3B,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EwKwDQ,cAAc,aAAO,OxKxD7B,CAAJ,C;QACI,gBwKuDqC,wFAA+E,aAAO,O;QxKtD3H,MAAM,gCAAyB,SAAQ,WAAjC,C;OwK2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE9B,sBAAyB,U;K;kFAAZB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAaKB,KAAIB,EAAyB,SAAzB,C;MAEA,OAAO,sBAAGmC,CAnG5B,iBAmG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4D;K;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;8DAEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W;;QAGA,mBAAQ,sCAAQ,YAAP,4DAAR,C;QACA,eAoFkC,CAPf1B,YAoF2B,GAPfB,CAoFa,IAAD,IAAa,+B;QAnF/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAgBvC,iB;MAGiE,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;MatBP,aACQ,KAAM,OAAO,GAAa,IAAK,KAAtB,GAAkC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAyD,kD;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eAA5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAc,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qBAAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI,kBAAd,eAAjC,mBAAy,mBAAa,CAAZB,IAA8B,CAA9B,IAAiC,EAAa,WAAb,C;MACpD,gBAAoB,sBAAC,CAAIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAqD,qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,eAAW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aAAJ,C;QACI,MAAM,6BAASB,qBAAtB,C;OAGV,cA6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MxKhJA,IAAI,EwKoJQ,KAAK,CxKpJb,CAAJ,C;QACI,cwKmJkB,wC;QxKlJIB,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EwKqJQ,KAAK,SxKrJb,CAAJ,C;QACI,gBwKoJqB,wEAA8D,S;QxKnJnF,MAAM,gCAAyB,SAAQ,WAAjC,C;OwKqJN,IAAI,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAgBsC,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAAkB,eAAIB,C;UACA,OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAc,GAAd,C;;UAEA,OAAP,aAAO,EAAK,IAAL,EAAW,KAAAX,EAAkB,GAAIB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;Q;qCAKR,wB;MAC8C,QAAC,YAAO,CAAP,IAAD,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAMb,QAAAnB,OAAAL,EAAmC,CAnC,C;MAA7B,Y;K;ICvFj,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OrL+B4E,0BqL/BrE,kBAAM,CAAN,CrL0Q2B,KAAL,GA AiB,GA3O8B,EqL/B1D,KrL0QgB,KAAL,GAAiB,GA3O8B,CqL/BrE,IAAP,C;UACI,a;;QACJ,OrL6B4E,0BqL7BrE,kBAAM,CAAN,CrLwQ2B,KAAL,GAAiB,GA3O8B,EqL7B1D,KrLwQgB,KAAL,GAAiB,GA3O8B,CqL7BrE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,uC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,UAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OnLM6E,0B mLNtE,kBAAM,CAAN,CnL0O2B,KAAL,GAAiB,KApO+B,EmLN3D,KnL0OgB,KAAL,GAAiB,KApO+B,CmL NtE,IAAP,C;UACI,a;;QACJ,OnLI6E,0BmLJtE,kBAAM,CAAN,CnLwO2B,KAAL,GAAiB,KApO+B,EmLJ3D,Kn LwOgB,KAAL,GAAiB,KApO+B,CmLJtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,

OAAO,KAAK,CAAZ,C;QACI,OpLnB8D,YoLmBvD,kBAAM,CAAN,CpLnBwE,KAAjB,EoLmB5C,KpLnByE,KAA7B,CoLmBvD,IAAP,C;UACI,a;;QACJ,OpLrB8D,YoLqBvD,kBAAM,CAAN,CpLrBwE,KAAjB,EoLqB5C,KpLrByE,KAA7B,CoLqBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OpK5C+D,aoK4CxD,kBAAM,CAAN,CpK5C0E,KAAiB,EoK4C7C,KpK5C2E,KAA9B,CoK4CxD,IAAP,C;UACI,a;;QACJ,OpK9C+D,aoK8CxD,kBAAM,CAAN,CpK9C0E,KAAiB,EoK8C7C,KpK9C2E,KAA9B,CoK8CxD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,gD;MAI6E,UAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IvK9I7E,0C;MF0BI,IAAI,EEjBI,SAAU,OA AV,GAaiB,CfibrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEIBV,OAAO,oBAAoB,CAApB,EAAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAAW,SAAx,gB;QAAW,SAAA,SAAx,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WAAW,cAAc,EAAAd,EAAkB,EAAIB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX,yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C;sGAYA,sC;MASI,OAAO,UAAW,SAAQ,SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAatB,6B;MAWY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MACtB,IAAI,SAAJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iBAAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAAoB,CAApB,EAAuB,CAAvB,EA A0B,iBAA1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OA AV,GAaiB,CftrDrB,CAAJ,C;QACI,cAda,qB;QA eb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEqDV,OAAO,eAAW,2BAAX,C;K;0FAIX,yB;MAAA,sC;MAAA,oC;M AAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,C AAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOL,sBAAW,0BAAX,C;O;KAPJ,C;0FASA, yB;MAAA,oC;MAQe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA1Dd,UAAW,SAAQ,SA0 DW,CA1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAKDtB,uC;QAQI,sBAAW,sCAAX,C;O;KARJ,C;4 GAUA,yB;MAAA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB, OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MAPf,2B;QAOL,sBAA W,oCAAX,C;O;KAPJ,C;8GASA,yB;MAAA,oC;MAUe,0E;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;U AAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,CA/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,s BAAW,gDAAX,C;O;KAVJ,C;kFAYA,yB;MAAA,sC;MAAA,oC;MAAA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAA A,uB;YACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAA A,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OA vGG,cAAc,SAuG8C,CAvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CA A3B,C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,sBAAW,kCAAX,C;O;KARJ,C;oFAaA,yB;MAAA,oC;MAQe, 0E;QAAA,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EAAW,CAAX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB ,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OA xGG,UAAW,SAAQ,SAwGyC,CaxGz C,CAAR,EAAqB,SAwG+B,CaxG/B,CAArB,C;;UAuGd,W;S;O;MATR,kD;QAQI,sBAAW,8CAAX,C;O;KARJ,C; sGAaA,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAxlf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB, SAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,g B;cAArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIoC,CAjIpC,CAA3B,C;;YAgIH,W;W;S;OADO,C;MA Rf,sC;QAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MAAA,oC;MAQe,8F;QAAA,uB;UACP,sBAAsB,qBAAs B,SAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAA

sB,kB;YAAAtB,eAAkC,gB;YAAjF,OAIIG,UAAW,SAAQ,SAkIyC,CAIIZC,CAAR,EAAqB,SAkI+B,CAII/B,CAArB ,C;;UAIId,W;S;O;MATR,kD;QAQI,sBAAW,wDAAX,C;O;KARJ,C;kGAcA,yB;MAAA,oC;MAOe,wE;QAAA,uB; UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GA A+C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD,wC;QAOI,sBAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA, uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,CAAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,G AA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,uC;MAOI,sBAAW,kCAAX,C;K;IAYc,wE;MAAA,u B;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B, GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IATIE,+C;MAOI,sBAAc,4CAAd,C;K;IAaW,+C;MAAA,u B;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kB AAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC;MAOI,sBAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA ,wD;MAAA,mB;QAOqE,kBAAW,cAAX,C;O;KAPrE,C;IAgBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,O ACe,C;aACX,c;UAFJ,OAEiB,C;aACb,c;UAHJ,OAGiB,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX, C;O;K;IAZ/B,+B;MAOI,sBAAW,4BAAX,C;K;0FASJ,yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cA AV,C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IA E5F,gC;MAM+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D ,SAE3D,wC;QAFqD,OAEe,4F;WACvD,WAH2D,SAG3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAA nB,C;K;IAIuB,wC;MAAC,4B;K;2CACCh,gB;MAAwC,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACn D,Y;MACgC,sB;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE, OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC ;K;8EwKjTA,4B;MAUI,OAAK,iBAAL,SAAK,EAAU,KAAV,C;K;ICTT,iC;K;;;oDA2DI,0C;MAiB+D,oB;QAAA ,2C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;M AOA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;M AAA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c; UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;;;;;;;; ;I5HiBiD,gD;MAAA,oB;QACzC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OA EA,IAAK,a;O;K;;;IAthb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BDgDQ,WChDkB,KDgDIB,CChDR, C;O;KANJ,C;2GAQA,yB;MAAA,4B;MDgDQ,kD;MChDR,uC;QAOI,6BDgDQ,WAAO,cChDW,SDgDX,CAAP,C ChDR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,iGAWY,Y;QA AQ,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MAdZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAi BA,gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAYC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAA oE,YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAAPe,EAAmF,yBAAAnF,C;K;IAEJ,+C;MAU6C,YAAz C,wCAA6B,UAA7B,CAAYC,CAtEzC,oBDgDQ,WcBsD,kBDtBtD,CChDR,C;K;IAyEJ,2D;MAWuD,YAAAnD,0C AA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAPFnD,oBDgDQ,WCoCgE,kBDpChE,CChDR,C;K;IAuFJ,+C;MAYI, OAA6C,8BAAtC,c;K;8EAZX,yB;MAAA,oE;MAAA,6E;MAYiD,gD;QAAA,oB;UACzC,WAAW,sBAAmB,YAA F,CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAfb,sC;QAYW,mBAAsC,8BAAtC,6B; QAAP,OAAO,kD;O;KAZX,C;qGA0BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV ,C;;M6HzIA,yC;;IAAA,uC;MAAA,2C;K;;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EAKBA,wB;K;oDAaA ,e;MAK2C,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAR,GAA 4B,cAAI,OAAJ,GAAL,iBAAQ,IAAR,CAAJ,yCAA5B,GAAYD,I;OAGpE,OAAW,8CAA4B,GAAhC,GAAqC,8EA ArC,GAAoD,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAA LiBAAQ,IAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAArC ,GAAgE,I;K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAY,mCAAhB,C;QAD A,OACuC,O;;QAEEnC,kBAAkB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EA AyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,O AAhB,EAAyB,WAAzB,CAAPC,GACI,oBAAgB,oBAAgB,IAAhB,EAA5B,OAAtB,CAAhB,EAAGD,WAAhD,C;; K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K; ;;;;qDAiCZ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAy,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;K;

sDAExC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAA Y,GAA Z,CAAJ,GAAqB,mCAArB,GAAgD,I;K;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,k C;MAEA,4BAAqC,mDAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6 DAC7C,e;MAA8C,eAAQ,IAAR,IAAgB,8BA Ae,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+ CAAJ,C;QAEI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,SAAR,CAAJ,yC AA5B,GAAYD,I;OAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,I AAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,SAAR,CAAJ,QAA9B,GA AyD,mCAAZD,GAAoF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC; MAAA,qC;MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAYD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E, mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAYC,8B;K;;IAb7C,6C;MA AA,4C;QAAA,2B;OAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MA CV,OAAO,IAAP,C;QACI,YAAA,GAAl,UAAJ,aAAY,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAl,O;QACf,IA AI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,O AAL,EAAc,SAAd,CAAf,EAAyC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;O AC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAA Y,WAAZ,C;QAAoB,W;WACpB,gBAA Y,mCAAZ,C;QAAq C,qB;;QAC7B,2BAAgB,OA AhB,EAAyB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I; MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAl,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;S AA7C,MAAM,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CAEJ,mB;MAQ 4B,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,UAAb,CAAL,C;UAA4B,OA AO,K;QACnC,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;K;uC AKnB,iB;MACI,gBAAS,KAAT,KAAkB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,C AA9E,C;K;yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX ,OAAI,G3JyHoC,YAAU,C2JzHID,GAAmB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAA M,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEl,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EA AS,8BAAT,UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O ;MACf,gBAA Y,CAAZ,C;MACA,kBAAK,kBAAL,EA AW,oDAAX,C;M9KtFJ,IAAI,E8KuFM,YAAS,C9KvFf,CA AJ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;O8KuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8 C;MACpB,kD;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K; yDAIA,Y;MAA0C,gBAAT,a;M5Lm9YrB,Q;MADhB,kB4Ll9YmD,mC;M5Lm9YnD,wBAAgB,SAAhB,gB;QAAg B,cAAA,SAAhB,M;QAAsB,cAAwB,yBAAa,OAAb,C;;M4Ln9YT,O5Lo9Y9B,W;K;;I6LtoZX,oE;MA4BI,MAA M,wBAAoB,sEAApB,C;K;8GA5BV,yB;MAAA,2D;MAAA,sC;QA4BI,MAAM,6BAAoB,sEAApB,C;O;KA5BV, C;IA0CoC,mC;MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG; MAAqB,gF;MAAW,4E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAqB,qD;MAAA,gC;MAAA,6C;K;;IAAW,m D;MAAA,gC;MAAA,2C;K;;IAL1E,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aAAA,qB;UAAA,4D;aAAA,W;UAAA,k D;aAAA,S;UAAA,gD;gBAAA,qF;;K;;6ECnDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAA uB,KAAS,C;O;KAHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C; O;KAHrF,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6 EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SA Ae,C;O;KAH1D,C;+EAMA,yB;MAAA,4B; MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC; QAGwD,OAAgC,QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OA AiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,C AAR,SA Ae,C;O;KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IA OA,sB;K;;IAOA,4B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAAsB,E;MACTb,qB;QAAA,8B;MACA,2 B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD; MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA ,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K ;IAAA,gD;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K ;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MA

AA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMb,QAAnB,EAA6B,QAA7B,C;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,0E;QAcI,wC;QAAS,2C;O;MAdB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAMb,QAAnB,EAA6B,QAA7B,C;O;MAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KAdJ,C;;;IA3BJ,iC;MAAA,gC;QAAA,e;OAA A,yB;K;IAgDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAASB ,cAAY,QAAS,aArB,uCAAtB,C;OAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;kDC9CjB,6B;;K;;;;iEA+ CA,6B;;K;ICrDuC,0C;MACvC,uBAAoB,Y;K;wDAEpB,wC;MAM6F,W;K;uDAE7F,wC;K;oDAMA,6B;MACI,O AAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAaA,QAAb,EAAuB,QAAvB,EAAiC,KA AjC,CAAL,C;QACI,M;OAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAASB,QAAiB,EAAGC,KAAhC,C;K;4EC9BR, wC;MAqBI,OAAO,e;K;4EAGX,+C;MAuBI,cAAI,KAAJ,C;K;4EAIJ,wC;MAmBI,OAAO,cAAI,OAAJ,C;K;4EAG X,+C;MAqBI,cAAI,OAAJ,EAAa,KAAb,C;K;IC/FJ,kB;MA6PI,4B;K;+BAtoA,Y;MAOiC,6BAAS,EAAT,C;K;uC AEjC,iB;MAW2C,4BAAQ,CAAR,EAAW,KAAx,C;K;uCAE3C,uB;MAakB,Q;MAHd,iBAAiB,IAAjB,EAAuB,K AAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MAAM, CAAC,CAAD,IAAN,OAAy,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UAEA,K;;YAEI, WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,CAAhB,SAAqB, CAAR,B,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEp,OAAO,IAAP,C;UACI,YAAU,c;UACV,IAA W,IAAP,qBAAkB,KAAtB,C;YAA6B,OAAO,K;;;K;gCAKhD,Y;MAOmC,OAAU,oBAAV,cAAU,CAAS,WAAI,E AAJ,CAAnB,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAW8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAiBkB,Q;MAPd,m BAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA,I AAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,EAAP,CAAW, Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAMb,oBAAnB,sBAAS,QAAT,CAAMb,CAAn B,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBAAe,SAAS,KAAT,C;YACf,OAA mB,oBAAnB,sBAAS,UAAT,CAAMb,CAAS,WAAI,EAAG,CAA5B,KAAiD,oBAAV,cAAU,CAAV,iBAAvC,C;;U AXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YActB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP ,MAAY,+BAAI,CAAJ,EAAG,eAAqB,CAAR,B,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEp,OAA O,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAakB,KAAIB,CAAJ,C;YAA6B,OAAO,K;;;K;mCAKhD,Y;M AKyC,6BAAS,CAAT,MAAe,C;K;kCAExD,Y;MAKuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT, CAA9B,C;K;0CAEvC,iB;MASoD,+BAAW,GAAX,EAAGB,KAAhB,C;K;0CAEpD,uB;MAcY,Q;MAFR,mBAAiB ,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CA A1B,IAA8C,SAAN,KAAM,CAAD,C;QACJ,SAAS,qBAAgB,QAAQ,CAAR,GAAY,OAAO,CAAnC,C;QACT,cA AO,EAAP,GAAY,E;;QAEZ,cAAO,oBAAe,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAASB,SAAN,KAAM,C AAtB,GAAS,C,C;K;iCAGjD,Y;MAKqC,6BAAS,EAAT,IAA0B,Q;K;IAWK,oF;MAAA,mB;QAAE,uBAAa,iBAAb, sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;O;K;iDATtE,qC;MvLjLA,IAAI,EUl0LqB,CAAb,8BAAgB,KAAM, OvL1L9B,GuL0LiD,CAAX,0BAAc,KAAM,OvL1L1D,GuL0LsC,KvL1LtC,CAAJ,C;QACI,cuLyLgE,kDvLzLID,E ;QACd,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EUl2LQ,aAAa,OvL3LrB,CAAJ,C;QACI,gBuL0LgC,mF ;QvLzLhC,MAAM,gCAAYB,SAAQ,WAAjC,C;OuL2LN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I; MAEZ,mBAAe,SAAf,C;MPLzEJ,iBAAC,CAAD,UoL0EW,KpL1EX,U;QoL2EQ,QAAQ,c;QACR,MAAM,UAAN,I AAoB,OAAF,CAAE,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAGC,OAAV,CAAE,KAAK,CAAG,C;QACHC,M AAM,aAAW,CAAX,IAAN,IAAiC,OAAX,CAAE,KAAK,EAAL,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,O AAX,CAAE,KAAK,EAAL,C;QACjC,0BAAy,CAAZ,I;;MAGJ,gBAAgB,UAAU,UAUV,I;MACHB,SAAS,sBAAS, YAAY,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAkB,SAAIB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OA Af,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C; MAAG,uB;QAAA,UAAe,KAAM,O;aARrF,0H;K;yCAiCA,iB;MAOyD,8BAAU,KAAV,EAAiB,CAAjB,EAAoB, KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGID,0B;MAAA,8B;MAO2B,iB; MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;;;IAHrC,iD;MAAA,gD;Q AAA,+B;OAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAEIC,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC 1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAA mD,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAAc,C;K;wCAEjE,Y;MAAGC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA

2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2C
AErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID,iB;MAAiD,OAAA,oBAA
c,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAE7E,Y;MA
AkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA
,oBAAc,mBAAU,IAAV,C;K;yDAC7D,qC;MACI,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5
B,C;K;;IAtCtB,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IA0CJ,wB;MAAuC,yBAAa,IAAb,EAAmB,IAAK,IAAI,E
AA5B,C;K;IAEvC,wB;MAawC,yBAAa,IAAK,QAAIB,EAA2B,IAAK,YAAI,EAAJ,CAAQ,QAAxC,C;K;IAGxC,
mC;MAUI,IAAA,KAAM,UAAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAA
N,GAAa,UAAb,C;QAF8C,OAEhB,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC
9B,IAAA,KAAM,MAAN,GAAC,WAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAC,CAAd,IAAR,EAAyB,
KAAM,KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAAAN,C;QAAMB,MAA
M,gCAAYB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAEIB,2BAAS,KAAM,MAAf,EAA5
B,KAAM,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,M
AAN,8BAAC,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,OAIzC,oB;K;IAOZ,yB;MAAy
C,YjFrTkB,MAAO,OiFqTpB,KjFrToB,CiFqTzB,I;K;IAEzC,4C;MAEI,OAAA,SAAK,KAAK,EAAL,GAAU,QAA
f,GAAyC,CAAX,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;MvLtVI,IAAI,EuLsVuD,QAAQ,IvLtV/D,CAAJ,C;
QACI,cuLqVuE,+B;QvLpVvE,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IuLqVd,yC;MvLvVI,IAAI,EuLuVyD,sBA
AQ,IAAR,KvLvVzD,CAAJ,C;QACI,cuLsVyE,+B;QvLrVzE,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IuLsVd,yC;M
vLxVI,IAAI,EuLwV6D,QAAQ,IvLxVrE,CAAJ,C;QACI,cuLuV6E,+B;QvLtV7E,MAAM,gCAAYB,OAAQ,WAAj
C,C;Q;IuLwVd,yC;MAAyD,oCAA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICrXzD,6B;MAOqC,OnMmYE,SmMnYF,m
BnMmYE,C;K;ImMjYvC,sC;MASgD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA
2B,KAA3B,C;MAEA,iBAAiB,InMqQgB,KmMrQhB,GAAiB,W;MACIC,kBAAkB,KnMoQe,KmMpQf,GAakB,W
;MAEpC,mBAAMB,0BAAQ,UAAAR,EAAoB,WAAPB,IAAqC,W;MACxD,OnMsWmC,SmMtW5B,YnMsW4B,C;
K;ImMnWvC,sC;MAWI,IAAA,KAAM,UAAAN,C;QAAMB,MAAM,gCAAYB,uCAAoC,KAA7D,C;;QACzB,InMG
kE,YmMHIE,KAAM,KnMG6E,KAAjB,EmMHRD,4BAAK,UnMG6E,KAA7B,CmMHIE,K;UAFiD,OAEIB,sBAA
S,KAAM,MAAf,EnMqBsB,SmMrBA,KAAM,KnMqBI,KAAK,GAAW,CmMrBb,WnMqBa,MAAX,IAAf,CmMrB
tB,C;;UAC/B,InMEkE,YmMFIE,KAAM,MnME6E,KAAjB,EmMFpD,4BAAK,UnME4E,KAA7B,CmMFIE,K;YA
HiD,OnMuBI,SmMpBrB,sBnMiCsB,SmMjCb,KAAM,MnMiCiB,KAAK,GAAY,CmMjC1B,WnMiC0B,MAAZ,IA
Af,CmMjCtB,EAA2B,KAAM,KAAjC,CnMoB+B,KAAK,GAAW,CmMpBN,WnMoBM,MAAX,IAAf,C;;YmMvB
J,OAIzC,mB;;K;IAGZ,8B;MAOuC,OnL0VG,Uml1VH,oBnL0VG,C;K;ImLxV1C,uC;MASmD,8BAAU,2BAAV,
EAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KAA5B,C;MAEA,iBAAiB,InLwNkB,KmLxNIB,8B;
MACjB,kBAAkB,KnLuNiB,KmLvNjB,8B;MAEIB,mBAAMB,2BAAS,UAAAT,EAAqB,WAARb,+B;MACnB,OnL
6TsC,Uml7T/B,YnL6T+B,C;K;ImL1T1C,uC;MAWI,IAAA,KAAM,UAAAN,C;QAAMB,MAAM,gCAAYB,uCAAo
C,KAA7D,C;;QACzB,InL7CmE,amL6CnE,KAAM,KnL7C+E,KAAIB,EmL6CtD,6BAAM,UnL7C8E,KAA9B,Cm
L6CnE,K;UAFoD,OAEpB,uBAAU,KAAM,MAAhB,EnLhCuB,UmlgCA,KAAM,KnLhCK,KAAK,KAAW,ChBs
Q7C,UAAW,oBAAL,CmMtOyB,WnMsOzB,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,CmLgCvB,C;;UA
ChC,InL9CmE,amL8CnE,KAAM,MnL9C+E,KAAIB,EmL8CrD,6BAAM,UnL9C6E,KAA9B,CmL8CnE,K;YAHo
D,OnL9BG,UmlLiCtB,uBnLpBuB,UmlLoBb,KAAM,MnLpBkB,KAAK,UAAAY,ChByP/C,UAAW,oBAAL,CmMrO
c,WnMqOd,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CmLoBvB,EAA4B,KAAM,KAAIC,CnLjCiC,KAA
K,KAAW,ChBsQ7C,UAAW,oBAAL,CmMrOgC,WnMqOhC,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C
;;YmL8BH,OAI5C,oB;;K;IAGZ,sC;MAQI,4BAAU,KhK4+FH,QgK5+FP,C;MACA,OAAO,K;K;IAGX,uC;MAKs
D,OhK2iG3C,egK3iG2C,4BAAU,IAAV,ChK2iG3C,C;K;IgKziGX,4D;MAOgD,yB;QAAA,YAAiB,C;MAAG,uB;
QAAA,UAAe,KAAM,K;MACrF,4BAAU,KhKy9FH,QgKz9FP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAA
O,K;K;IAIX,2C;MxLrHI,IAAI,EX2B8D,YmM0FD,KnM1FkB,KAAjB,EmM0FO,InM1FsB,KAA7B,CmM0FD,Ix
LrH7D,CAAJ,C;QACI,cwLoH6E,+B;QxLnH7E,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IwLoHd,4C;MxLrHI,IAAI
,EKmC+D,amLmFC,KnLnFiB,KAAIB,EmLmFS,InLnFqB,KAA9B,CmLmFC,IxLrHhE,CAAJ,C;QACI,cwLqHgF,
+B;QxLpHhF,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IlyLpBc,6C;MAScxB,oC;MA/BA,iB;MANA,Y;MACA,Y;M
ACA,Y;MACA,Y;MACA,Y;MACA,sB;MzLYA,IAAI,EyLLQ,CAAC,WAAC,QAAL,GAAU,QAAV,GAAe,QAAf

,GAAoB,QAARb,MAA2B,CzLKnC,CAAJ,C;QACI,cyLNwC,wD;QzLOxC,MAAM,gCAAYB,OAAQ,WAAjC,C;O
GoHV,iBAAC,CAAd,UsLxHW,EtLwHX,U;QsLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAA
O,C;MACIB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KA
AM,CAAd,GAAsB,EAAtB,GAA8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,a
AAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,cAAU,EAAC,QAAc,C;K;IAEd,kC;MAAA,sC;MACI,4B;K;;;IADJ,8C;
MAAA,6C;QAAA,4B;OAAA,sC;K;;IA7BA,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAY,KAAZ,EAAMb,CAAn
B,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICbID,
8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAg
C,kBAAa,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAAwB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;
K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAW,SAAN,UAAAM,CAAX,QAAqC,SAAb,iBAAa,CA
ArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAgB,SAAhB,EAAsB,IAAtB,
C;K;;;0DAYzE,iB;MAA2C,qCAAIb,UAAjB,EAawB,KAAxB,KAAkC,8BAAiB,KAAjB,EAawB,iBAAxB,C;K;i
DAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAawB,iBAAxB,C;K;;IAcR,gD;MAI3B,gBAAqB,K;MACrB,uBAA
4B,Y;K;0FACD,Y;MAAQ,oB;K;iGACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEpE,iB;MAAg
D,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAA
O,4CAA+B,kBAAa,KAAM,UAAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,
C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,C
AAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAAlB,EAawB,IAAx
B,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;yFACF,Y;MAAQ,oB;K;gGACD,Y;MAAQ,2B;K;0
DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,S
AAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAAa,KAAM,UAAAnB,KAC7B,kBAAU,KAAM
,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,M
AAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;
IAGjD,oC;MAOKf,4BAAiB,SAAjB,EAauB,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAmB,2BAAS,OAAT,C;K;IAGv
B,+C;MACI,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAYB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MAcW,
Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAmB,sC/EjBzC,oB+EiByC,CAAnB,C;O
AC9B,OAAO,sD;K;IAMX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;
;;;;;ICvBhB,yC;MA2B9B,uC;MA1BA,wB;MAIA,gB;M5LQA,IAAI,E4LDS,iBAAy,IAAb,MAAuB,iBAAvB,C5L
CR,CAAJ,C;QACI,c4LDQ,iBAAy,IAAhB,GACI,8CADJ,GAGI,sCAA0B,aAA1B,qC;Q5LDR,MAAM,gCAAYB,
OAAQ,WAAjC,C;Q;yC4LKV,Y;MAAwC,Q;MAAA,oB;MACpC,iB;QAD8B,OAcTb,G;WACR,oD;QAF8B,OAE
F,SAAL,SAAK,C;WAC5B,6C;QAH8B,OAGd,iBAAK,SAAL,C;WACHB,8C;QAJ8B,OAIb,kBAAM,SAAN,C;;Q
AJa,mC;K;IAOIC,qC;MAAA,yC;MACI,YAGqC,oBAAgB,IAAhB,EAAsB,IAAtB,C;K;iGAQJ,Y;MAAQ,gB;K;4D
AEzC,gB;MAOI,8DAAqC,IAArC,C;K;gEAEJ,gB;MAMI,uDAA8B,IAA9B,C;K;4DAEJ,gB;MAMI,wDAA+B,IA
A/B,C;K;;IARCR,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;2CARCJ,Y;MAWI,oB;K;2CAXJ,Y;MAeI,gB;K;6CAfJ,0
B;MAAA,2BAWI,8CAXJ,EAeI,kCAfJ,C;K;yCAAA,Y;MAAA,c;MAWI,yD;MAIA,qD;MAfJ,a;K;uCAAA,iB;MA
AA,4IAWI,4CAXJ,IAeI,oCAfJ,I;K;ICLA,kC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MAYI,4
D;MAKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,sB;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,qC;
MAAA,sB;MAAA,6B;K;;IAtBJ,4B;MAAA,mG;K;;IAAA,iC;MAAA,a;AAAA,W;UAAA,wC;aAAA,I;UAAA,iC;a
AAA,K;UAAA,kC;gBAAA,6D;;K;;6ECAA,yB;MAAA,4F;MAAA,2B;QASI,MAAM,mCAA8B,0EAA9B,C;O;KA
TV,C;ICkCA,+D;MAAw,Q;MAAP,OAAO,8CAAO,KAAP,EAAC,UAAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB
,Q;MAAb,wBAAa,KAAb,gB;QAAA,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;mFAGX,qB;M
AGwD,gCAAO,EAAP,C;K;qFAExD,4B;MAG4E,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAOxD,4
B;MAGmE,OAAA,yBAAO,KAAP,CAVX,gBAAO,EAAP,C;K;IAxD,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,O
AAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,S
AAR,OAAQ,CAAF,C;K;IjL7EhB,+B;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MACH,IX0EE,WW1EE,G
AAK,CAAT,C;QAAy,MAAM,gCAAYB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAGBW,Q;MAAA,qCA
AiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAYB,8BAAO,SAAP,4CAA+C,KAAxE,C;OAAxC,OAAO,I;K;IA
GX,qC;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB,WA

ArB,GAA+B,I;K;IWhE1C,8C;MAgBI,WAAW,KAAX,C;MAC4B,kBAArB,QAAQ,SAAR,EAAc,KAAd,C;MAAP ,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAWI,IAAY,CAAR,8BAAW,C Aaf,C;QACI,OAAO,YAAM,SAAN,C;OAEX,MAAM,gCAAYB,SAAM,SAAN,4BAAZB,C;K;IAGV,yC;MAkBW, Q;MANP,IAAI,EAAU,CAAV,sBAaA,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,oBAaIB,KAAjB,4CAAZB,C;OAE V,IAAI,YAAO,CAAP,IAAY,aaaQ,KAAxB,C;QACI,MAAM,gCAAYB,WAAQ,SAAR,mDAAwD,KAAjF,C;OA EH,IAAI,YAAO,EAAx,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W;K;IAuFJ, 8B;MAWsC,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAakB,K;K;IAEHf,gD;MAQoC,0B;QA AA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAMb,OAAO,I;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,K; MAExB,gBAAqB,cAAL,SAAK,C;MACrB,iBAaU,cAAN,KAAM,C;MAEHb,yBAaA,U;MAAb,U;QAA2B,OfR MyB,oBEqMzB,SFrMyB,CAAY,cAfrB,YAAY,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAfrB,YAAY, CAAZ,C;OEOID,W;K;IAGJ,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAZB,CAAR,6B;K;Ik L3OzC,6C;MAc6B,4B;QAAA,eAAuB,G;MACHd,wCAAsB,EAATB,EAA0B,YAA1B,C;K;IAEJ,mE;MAKwC,yB; QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MhMGnF,IAAI,CmBwR+C,CAAC,Q6K1R5C,Y7K0R4C,CnBxRp D,C;QACI,cgMHiC,wC;QhMijC,MAAM,gCAAYB,OAAQ,WAAjC,C;OgMHV,cAAY,gB;MAEC,yBAAS,mBAA S,YAAA,SAAU,OAAV,EAAMb,OAAM,KAAZB,CAAT,I;MAAT,wBAaID,kBAakB,SAaIB,C;MAOe9D,gBAA gB,iBA1ET,OA0ES,C;MILg7CT,kBAaOB,gB;MAoSd,gB;MADb,YAAY,C;MACC,00L9xDN,O1L8xDM,W;kB AAb,OAAa,cAAb,C;QAAA,sB;QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q0L/sDIB,kB;; YAHA,CAAC,YAAS,CAAT,IAAc,qBAaf,KAA4C,Q1LktDG,I0LltDH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y9 KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,I8KjHkD,CAAI,aA AH,U9KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E8KjHqC,CAAG,C9KiHtD,C;gBACI,sBAAO,O;gBAAP,wB;;Y AGR,sBAAO,E;;;U8KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;iBACjC,IAAK,a1LyxD0C,I0LzxD1C, gBAAyB,uBAAZB,CAAL,C;YAJJ,2B1L6xDmD,IOjmDsB,WmLxLI,0BAaUC,mBAAvC,InLwLJ,C;;YmL5LzE,2 BAKY,I;;UAyER,iE7LJD,yB6LIC,4B1L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;M0LpgDhF,OAIkF,S1Lo7CE,W0Lp 7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;K;IAEzC,6 C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M1LurBL,kBAAS,gB;MA2FA,U;MAAA,S0LhxB M,O1LgxBN,W;MAAhB,OAAgB,gBAAhB,C;QAAGB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb2hB9 B,C;UAAwB,WAAy,WAAI,OAAJ,C;;M0L9wBrD,kB1L+wBE,W;MAMrBA,oBAAM,iBAaA,qCAAwB,EAAxB, CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAA,wB;QACT,aAAY,uBAAc,IAAd,E;;M0L5gDhB,s BAAsB,CAGjB,oB1L0gDE,a0L1gDF,CAHiB,mBAGF,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMb, OAAM,KAAZB,CAAT,I;MAAT,wBAaID,kBAakB,SAaIB,C;MAMc9D,gBAAGB,iBAnCT,OAMCS,C;MILg7C T,oBAaOB,gB;MAoSd,kB;MADb,YAAY,C;MACC,S0LvvdN,O1LuvDM,W;MAAb,OAAa,gBAAb,C;QAAA,0B; QA1RsB,U;QAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;Q0L/sDIB,kB;Q1Lq7C2B,c0Lx7C3B,CAAC,Y AAS,CAAT,IAAc,qBAaf,KAA4C,Q1LktDG,M0LltDH,C1Lw7CjB,G0Lv7C3B,I1Lu7C2B,G0Lr7C3B,oBAxCmG ,Q1LuvDpD,M0LvvdD,kBAwCnG,Y7LJD,yB6LIC,4B1L+sD+C,MA1RpB,U;UAA6C,+B;;M0L79ChF,OA0CK, S1Lo7CE,a0Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEg,IAA G,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHZC,OAI oB,E;;UAJpB,OAoY,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAaIB,M;MAC7C,OAYK,eAXA,OADL,uBA CK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q9KMDtB,gC;QAAA,gC;QAAA,mB;QAAA, kB;QAAA,kB;QAAd,0D;UACI,I8KpD+C,CAAI,aAAH,U9KoDIC,iCAAK,KAAL,E8KpDkC,CAAG,C9KoDnD,C; YACI,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;;Mf3CA,4B;M6Lb6B,OAA8C,OAAM,EAAV,GAAC,gBAAd,GA A0B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAaKB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,M7K kMgD,YAAU,C6KIM1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;K;mBAGZ,yB;M1L86CA,+D;MAoS,a,wE ;M0LltDA,sF;QAKI,gBAAGB,2B;Q1Lg7CT,kBAaOB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,c AAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAMb,cAAnB,EAAMb,sBAAnB,U;U0L/sDIB,kB;U1Lq7C2B,c0 Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAaf,KAA4C,Q1LktDG,I0LltDH,C1Lw7CjB,G0Lv7C3B,I1Lu7C2B,G0Lr 7C3B,sC1L+sD+C,I0L/sD/C,a7LJD,yB6LIC,4B1L+sD+C,IA1RpB,U;YAA6C,6B;;Q0Lz7ChF,OAMK,S1Lo7CE, W0Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,OAAA,S AAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,atHrU7B,W;QsHqU

A,OtHpUO,SsHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAXB,mBAAC,QAAAd,C;QA
A8B,atHhVrC,W;QsHgVA,OtH/UO,SsH+U6C,W;O;KARxD,C;IAWA,oC;MAiB,Q;MAAb,wBAAa,KAAb,gB;Q
AAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;MACJ,OAAO,S;K;IAGX,oC;MAiB,Q;MAAb,wBAAa,KAAb,gB
;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EAAP,C;K;qF
AE9D,4B;MAGkF,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAO9D,4B;MAG4E,OAAA,yBAAO,KA
AP,CAVd,gBAAO,EAAP,C;K;qFAY9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAfX,gBAAO,EAAP,C;K;qFAiB9D
,4B;MAG8E,OAAA,yBAAO,KAAP,CApBhB,gBAAO,EAAP,C;K;qFAsB9D,4B;MAGyE,OAAA,yBAAO,KAAP,
CAzBX,gBAAO,EAAP,C;K;qFA2B9D,4B;MAG4E,OAAA,yBAAO,KAAP,CA9Bd,gBAAO,EAAP,C;K;I9H/a9D,
iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QA
A2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAW,IAAwB,MAAM,sCAAK,UAAvC,C;QAAk
D,OAAO,I;MACzD,OAAW,OAAJ,GAAL,C;K;IAGf,kC;MAK4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MAQmB,Q;M
AAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAA
M,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;K;IAGf,gC;MA
KwC,gCAAOB,EAAPB,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,C
AAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,
EAHb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAEExB,QAAQ,C;QAER,IAAI,cAAa,EAajB,C;UACI,a
AAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UACb,QAAQ,W;UAER,OAAO,I;QAEX,Q
AAQ,C;QACR,aAAa,K;QACb,QAAQ,W;MAIZ,uBAaUB,S;MAEvB,qBAaQB,gB;MACrB,aAAa,C;MACb,aAA
U,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ
,CAAZ,C;UAAe,OAAO,I;QACTb,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAaKB,gBAAtB,C;YACI,iBAaiB,QAAQ,
KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,OAAO,I;YAGX,OAAO,I;SAIf,6BAAU,KAAV,C;QAEA,IAAI,UAA
S,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAEEnC,kBAAU,KAAV,I;MAGJ,OAAW,UAAJ,GAAGB,MA
AhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQI,WAAW,KAAX,C;
MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gB
AAGB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,EAHb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAEExB,
QAAQ,C;QAER,IAAI,cAAa,EAajB,C;UACI,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAajB,C;UACH,aAAa,K;UA
Cb,6B;UAEA,OAAO,I;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;MAIJ,2C;MAEA,qBAaQB,gB;MACrB,e;M
ACA,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IA
AI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTb,IAAI,uBAAS,cAAT,KAAJ,C;UACI,IAAI,uBAaKB,gBAaIB,CAAJ,
C;YACI,iBAaiB,8BAAQ,KAAR,E;YAEjB,IAAI,uBAAS,cAAT,KAAJ,C;cACI,OAAO,I;YAGX,OAAO,I;SAIf,6
CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAAJ,C;UAA4B,OAAO,I;QAEEnC,6CAAU,KAAV,
E;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,K
AAiB,MAAtB,C;K;uEwBhI/D,yB;MAAA,oC;MAAA,uC;QAIi,iBAaiB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,
iBAaiB,K;QAEjB,OAAO,cAAc,QAArB,C;UACI,YAAGB,CAAC,UAAAL,GAaiB,UAAjB,GAaiC,Q;UAC7C,YA
AY,UAAU,iCAAK,KAAL,EAIV,C;UAEZ,IAAI,CAAC,UAAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;C
AEb,0BAAC,CAAd,I;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;CAEA,sBAAY,CAAZ,I;QAIZ,OAAO,8BAAY,UAAZ
,EAAwB,WAAW,CAAX,IAAxB,C;O;KAZBX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAA
sB,kBAAtB,2D;QA5BD,iBAaiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAaiB,K;QAEjB,OAAO,cAAc,QAAr
B,C;UACI,YAAGB,CAAC,UAAAL,GAaiB,UAAjB,GAaiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,E
AAV,C;UAEZ,IAAI,CAAC,UAAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;CAEb,0BAAC,CAAd,I;YAEJ,I
AAI,CAAC,KAAL,C;cACI,K;CAEA,sBAAY,CAAZ,I;QAWZ,OAPO,gCAAY,UAAZ,EAAwB,WAAW,CAAX,I
AAxB,CAOGC,W;O;KAJ3C,C;IFAMA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAAL,MAAK,EAAL,MA
AK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,IAAI,CAAC,UAAU,i
CAAK,KAAL,EAIV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAMB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;m
FAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;UAXJ,kC;
UAAA,qBAAL,WAAK,C;UAAAL,qB;UAAA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCA
AK,KAAL,EAIV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAMB,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;Q
AOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAA

a,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,K
AAL,EA AV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+
EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;
UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,
CAUuB,SAVtB,CAAU,mCAAK,KAAL,EA AV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAA
f,C;cAAP,mB;;UAER,iBAAO,E;;QAOP,OAA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAAiB,C;MACjB,eAAe,m
BAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,
GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,
CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UA EJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,C
AAZ,I;;MAkDiD,OA9CtD,8BAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,C;K;IAGDX,kC;MAzCK,Q;MAAsB,
kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,
C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAL,EAK8B
,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UA EJ,IA
AI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAAZ,EA AwB,WAAW,CA
AX,IAAxB,CAOGC,W;K;IA8C3C,uC;MAGsE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QA
Ad,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EA
AmB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAsB,kBAAtB,2D;MAAs
B,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4B
A/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EA AmB,kBAAnB,C;YAAP,qB;;QA
ER,mBAAO,E;;MA4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CA
Ab,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAL,EAmCuD,EAnCtE,C;Y
ACI,iBAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAGCyD,qB;K;IAEpE,
qC;MA3BK,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W
;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAx3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YAC
I,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAqC6C,OA9BV,yB;K;IA
gC9C,2B;MA9FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;
QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAA
I,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UA EJ,IAAI,CAAC,KAAL,
C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAGf+B,OA5EpC,8BAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,C;K;y
EA8EX,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;O;KAJxE,C
;IAMA,gC;MAGoD,oB;;QA1E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAA
W,iCAAK,KAAL,EAAX,EA AJ,C;YACI,mBAAO,8BAAY,KAAZ,EA AmB,gBAAnB,C;YAAP,qB;;QAER,mBAA
O,E;;MASyC,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAtB,2DAAs
B,CAAY,W;O;KAJIF,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OA
Ac,cAAAd,C;UAAc,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EA AJ,C;YACI,iBAAO,8BAAY,CAAZ,EA
e,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;MAGEuC,qB;K;+EAEID,yB;MAAA,8B;MAAA,2C;MAA
A,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,
E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,U
AAU,SAAK,OAAnB,C;QACI,OAAY,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAAPB,C;MAEhB,SAAS,mB
AAc,MAAd,C;MACK,gBAAS,SAAK,OAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,E
AAG,gBAAO,SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,
SAAtB,6DAAsB,EAAS,MAAT,EA AiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAA,UAAgB,E;MAQ1C,
Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SA
K,OAAnB,C;QACI,OAAY,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAAPB,C;MAEhB,SAAS,mBAAc,MAA
d,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBA
AO,OAAP,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6D
AAsB,EA AO,MAAP,EA Ae,OA Af,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAGB,SAAK,OAAL,KAAe,C;K
;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QA

MuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KA
XhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+
CAEvC,Y;MAAyC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAETd,mC;M
ASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBA
AJ,GAAe,cAAf,GAAmC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,
OAAA,SAAK,OAAAL,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8B
ACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAqB,C;K;IAG/B,
uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKIB,KAAM,aAAN,GAAqB,CAArB,INpKkB,C;K;IMsK
hG,yC;MAGqE,qCAAY,KAAM,MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,iC;MAS2E
,2BAAY,KAAZ,EAAMb,GAAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAY,U
AAZ,EAAwB,QAAXB,CAAkC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAY,KAAM,MAAIB,EAAyB,KAAM,aAAN
,GAAqB,CAArB,IAAZB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAgC,S;MAC/E,YAAY,sBAAQ,SAAR,
C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+B,EM0M5B,KN1M4B,C;K;IM
6MhG,wE;MAIqD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAA
wB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE;MAIkD,qC;QAAA,wBAAgC,
S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GN5N4F,oBM4N/B,QAA
Q,CAAR,IN5N+B,EM4NpB,gBN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBAAgC,S;MACHF,YAAY,sBAAQ
,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNrO4F,oBMqO/B,QAAQ,SAAU,OAAIB,INrO+B,
EMqOL,gBNrOK,C;K;IMwOhG,0E;MAIuD,qC;QAAA,wBAAgC,S;MACnF,YAAY,0BAAY,SAAZ,C;MACZ,OA
AW,UAAS,EAAPB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,KN9O4B,C;K;IMiPhG,4E;MAIy
D,qC;QAAA,wBAAgC,S;MACrF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,G
NvP4F,oBMuP/B,CNvP+B,EMuP5B,KNvP4B,C;K;IM0PhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACIF,YAAY,0
BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNhQ4F,oBMgQ/B,QAAQ,CAAR,INhQ+B,E
MgQpB,gBNhQoB,C;K;IMmQhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,
OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNzQ4F,oBMMyQ/B,QAAQ,SAAU,OAAIB,INzQ+B,EMyQL,gBNzQK
,C;K;IM4QhG,oE;MAOI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAkD,UAAID,OAAI
B,C;MACV,SAAS,sB;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,gBAAO,
WAAP,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;M
AAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAyB,QAAzB,EAA
mC,WAAAnC,CAAGD,W;O;KAP3E,C;IASA,uD;MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAAN,GAAqB,
CAArB,IAAIB,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aA
AtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CAAiC,W;O;KAP5D,C;IASA,sD;MASI,IAAI,WAAW,UAAf,C;QA
CI,MAAM,8BAA0B,gBAAa,QAAb,oCAAkD,UAAID,OAAIB,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,m
BAAL,SAAK,EAAy,CAAZ,EAAe,gBAAf,C;MAEHb,SAAS,mBAAc,oBAAU,QAAV,GAAqB,UAArB,KAAd,C;
MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIB,EAAqB,UAArB,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAIB,
EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB
,YAAtB,2DAAsB,EAAy,UAAZ,EAAwB,QAAXB,CAAkC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAY,KAAM,
MAAIB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QA
OK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAy,KAAZ,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW,
MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OAAAnB,EAA2B,gBAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAA
e,gBAAf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,ON3XyE,oBM2XxD,MAAO,ON3XiD,C;O
M6X7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAAe,mBAAS
,MAAO,OAAhB,IAAf,C;OAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,2C;MAKI,IAAI,sBAAS,MAAT
,CAAJ,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAAhB,IN9YoE,C;OMgZ5F,OAAO,S;
K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAA
X,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAAnB,EAA2B,mBAAS,MAAO,O
AAhB,IAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OA
AP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;

QACI,ONTawF,oBMsavE,MAAO,ONtagE,EMsaxD,mBAAS,MAAO,OAAhB,INTawD,C;OMwa5F,OAAO,S;K;IA
GX,mD;MAKmf,oCAAKB,SAAIB,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAAKB,SAAIB,EAA6B,SAA7B,C
;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAGC,S;MACIG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EA
Ab,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4J
mD,WA5JnD,CAAgD,W;;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAGC,S;MACpG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB,
EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gF;MAIqE,qC;QAA
A,wBAAGC,S;MACjG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA
A2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA9K1E,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EAAa,UAAb,EA
AaYB,QAAzB,EA8K4D,WA9K5D,CAAgD,W;;MA8KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAGC,S;MACnG,
YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SA
AU,OAAIB,I;QAAb,eAAuC,gB;QAvLzF,U;QAUlM,OAuLgB,aAAtB,+DAAsB,EAAa,UAAb,EAaYB,QAAzB,EA
AuL2E,WAvL3E,CAAgD,W;;MAuLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAGC,S;MACvG,YAAy,0BAAy,S
AAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QA
Ab,eAAuC,gB;QAhMzF,U;QAgMM,OAHMgB,aAAtB,+DAAsB,EAAa,UAAb,EAaYB,QAAzB,EAaM2E,WAHM
3E,CAAgD,W;;MAgMvE,W;K;IAGJ,sF;MAIyE,qC;QAAA,wBAAGC,S;MACrG,YAAy,0BAAy,SAAZ,C;MACL
,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QAzM1
E,U;QAYMM,OAzMgB,aAAtB,+DAAsB,EAAa,UAAb,EAaYB,QAAzB,EAyM4D,WAZM5D,CAAgD,W;;MAyM
vE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;MACtG,YAAy,0BAAy,SAAZ,C;MACL,Q;MAAA,IAAI,UA
AS,EAAb,C;QAAA,OAAiB,qB;;QAlNvB,U;QAKNM,OAInGB,aAAtB,+DAAsB,EAkNyC,CAInzC,EAkN4C,KAIN
5C,EAkNmD,WAlNnD,CAAgD,W;;MAkNvE,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAGC,S;MACxG,YAAy,0B
AAy,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB
,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;K;+EAOJ,yC;MA
QoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,WAAd,C;K;+EAE1F,uC;MAOI,OAAA,KAAM,iBAAQ,SAAR,EAAC,S
AAd,C;K;yFAEV,yC;MAMyF,OAAA,KAAM,sBAAa,SAAb,EAAMb,WAAnB,C;K;+FAE/F,yB;MAAA,oC;MAA
A,gC;MAAA,uC;QAEW,Q;QAAA,IApe4C,mBAAS,CAoerD,C;uBAaKB,oBAAU,iCAAK,CAAL,EAaV,E;UAA
A,YNljBoD,oBMkjBrB,CNljBqB,C;UMkjBtE,OLrjBwD,2BAAL,GAaKB,K;UKqjBrE,OAAyD,S;QAaHE,W;O;K
AfJ,C;iGakBA,yB;MAAA,oC;MAAA,uC;QAEI,OAtfmD,mBAAS,CAsf5D,GAaYB,UAAU,iCAAK,CAAL,EAa
V,CAAMb,WAAnB,GNpkBoD,oBMokBV,CNpkBU,CMokB7E,GAA2E,S;O;KAf/E,C;+EAMBA,4B;MAIsE,OA
AA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAaf,IAAsB,aAAa,CAAnC,IAA0C,cAAa,SAAK,
OAAL,GAAC,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAaE,MAAf,IAAd,CAArF,C;QACI,OAAO,K;
OAGX,iBAAC,CAAd,UAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAZB,qBAAK,aAAa,KAAb,IAAL,CAaYB,EA
O,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMc,UAAnc,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO,I;K;IAGX,mD;
MAG+C,0B;QAAA,aAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAAd,IAA2B,SAAR,qBAAK,CAAL,CAAQ,
EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAsB,K;MAC/D,OAAA,SAAK,OAAL,GAAC,C
AAd,IAAMc,SAAhB,qBAAK,2BAAL,CAAGB,EAAO,IAAP,EAAa,UAAb,C;K;IAEvC,qD;MAGyD,0B;QAAA,a
AsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,WAAL,SAAK,EAaW,MA
AX,C;;QAEZ,OAAO,6BAaKB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MAAO,OAAvC,EAA+C,UAA/
C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QAC
I,OAAy,aAAL,SAAK,EAaW,MAAX,EAAMb,UAAnc,C;;QAEZ,OAAO,6BAaKB,UAAIB,EAA8B,MAA9B,EA
AsC,CAAtC,EAaYc,MAAO,OAAhD,EAaWd,UAAxD,C;K;IAGf,mD;MAGuD,0B;QAAA,aAsB,K;MACzE,IA
AI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6
BAaKB,mBAAS,MAAO,OAAhB,IAAIB,EAA0C,MAA1C,EAaKD,CAAID,EAAqD,MAAO,OAA5D,EAAoE,UA
ApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAsB,K;MACHf,qBfnBO,MAAO,KeinBa,SAAK,OfjnBlB,EEinB0B,K
AAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAK,CAAL,CAAQ,EAAO,iB
AAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAMb,IAAI,CAAJ,IAA
nB,CAAL,IAAwC,mBAAN,KAAM,EAAMb,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;OAEJ,OAAO,8BAAY,CAA
Z,EAAe,CAAF,CAAKB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAsB,K;MACHf,iBAaIB,SAAK,O;MACtB,kBAA

kB,KAAM,O;MACxB,qBfxoBO,MAAO,KewoBa,UfxoBb,EewoByB,WfxoBzB,C;Me0oBd,QAAQ,C;MACR,OA
AO,IAAI,cAAJ,IAA+C,SAAzB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAAyB,EAAO,iBAAM,cAAc,CAA
d,GAAkB,CAAIB,IAAN,CAAP,EAAGD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAmB,aAAa
,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAmB,cAAc,CAAd,GAAkB,CAAIB,IAAnB,C
AAzD,C;QACI,a;OAEJ,OAAO,8BAAy,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;K;IAMnD,8D;MAQqD,
0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAA
M,OAAO,KAAC,CAA7B,IAAkC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONjtBwF,kB6G3ME,oBvG
45BrE,IuG55BqE,C7G2MF,EMitB7D,UNjtB6D,C;OMotBnE,uBAAX,UAAW,EAAC,CAAd,C;MAAkB,oC;kBAA
3C,gD;QACI,kBAAkB,qBAAI,KAAJ,C;QACR,c;;UjCikXE,U;UAAhB,4BiCjkXQ,KjCikXR,kB;YAAgB,cAAhB,
UiCjkXQ,KjCikXR,S;YAAAsB,IiCjkXC,SAAH,UjCikXgB,oBiCjkXhB,CAAG,0BjCikXD,C;cAAwB,aAAO,I;cAA
P,e;;UAC9C,aAAO,K;;;QiCikXH,e;UACI,OAAO,K;;MAEf,OAAO,E;K;IAGX,kE;MASyD,0B;QAAA,aAAkB,2B;
MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAO,KAAC,CAA7B,IAAkC,6BAAtC
,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONruB4F,sB6G3MM,oBvGg7BzE,IuGh7ByE,C7G2MN,EMquB7D,U
NruB6D,C;mBMyuBhG,iBAAYB,eAAX,UAAW,EAAa,2BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAAkB,qB
AAI,KAAJ,C;QACR,c;;UjCyiXE,Q;UAAhB,wBiCziXQ,KjCyiXR,gB;YAAgB,cAAhB,UiCziXQ,KjCyiXR,O;YA
AsB,IiCziXC,SAAH,UjCyiXgB,oBiCziXhB,CAAG,0BjCyiXD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;;Qi
C1iXH,e;UACI,OAAO,K;;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OAAgB,K;MAOrG,UAKA,M;MAXI
B,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAAc,eAAT,QAAS,EAAa,gBAAb
,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBAAT,QAAS,EAAC,CAAd,CAA
nD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAc,C;UAAc,uB;UACV,IAAU,cAAN,KAAM
,EAAC,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,
K;;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAAkB,CAAIB,EAAqB,SAArB,
EAA2B,OAA3B,EAAkC,KAAM,OAAxC,EAAGD,UAAhD,CAAV,C;YACI,OAAO,O;;;MAGnB,OAAO,E;K;IAG
X,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAGB,CAAnC,C;QACI,aAAqB,UA
AR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAgB,UAAhB,CAAX,GAA4C,0BAAy,M
AAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,UAAAS,MAAT,C;OAGpC,cAAkB,
CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAC,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAAW,eA
AX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;oBAAd,OAAc,cAAc,C
;UAAc,yB;UACmB,sB;;Yb7sBrB,U;YAAA,Sa6sBa,Ob7sBb,W;YAAhB,OAAgB,gBAAhB,C;cAAgB,2B;cAAM,I
a6sBgC,cb7sBIB,Oa6sBkB,EAAC,CAAd,sBb7sBIB,Oa6sBmD,OAAjC,ab7sBhC,C;gBAAwB,qBAAO,O;gBAAP,u
B;;YAC9C,qBAAO,I;;;Ua4sBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;;QAGD,2B;oBAAd,OA
Ac,gBAAd,C;UAAc,2B;UACmB,wB;;YbntBrB,U;YAAA,SamtBa,ObntBb,W;YAAhB,OAAgB,gBAAhB,C;cAAg
B,6B;cAAM,IamtBgC,kBbntBIB,SamtBkB,EAAkB,CAAIB,sBbntBIB,SamtBuD,OAArC,abntBhC,C;gBAAwB,uB
AAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;;UaktBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;;M
AInB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4BAAU,OAAV,E
AAmB,UAAAnB,EAA+B,UAA/B,EAAkD,KAAID,C;K;IAEJ,mE;MAYmE,0B;QAAA,aAAkB,2B;MAAW,0B;QA
AA,aAAsB,K;MACIH,4BAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAAkD,IAAID,C;K;IAEJ,kE;MAWgE,
0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAAV,EAAmB,UAAAnB,EAA+B
,UAA/B,EAAkD,KAAID,mDAAmE,E;K;IAEvE,sE;MAYoE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;
MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAAkD,IAAID,mDAAkE,E;K;IAKtE,6D;
MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAW,mB
AAy,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GNz2B4F,kB6G3ME,oBvGujC5E,IuGvjC4E,C7G2
MF,EM42BpE,UN52BoE,C;K;IM+2BhG,+D;MAQgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvF
,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GNx3
B4F,kBM23B1E,MN33B0E,EM23BIE,UN33BkE,C;K;IM83BhG,iE;MAQgD,0B;QAAA,aAAkB,2B;MAAW,0B;Q
AAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAy,IAAZ,CAAf,EAAkC,UAAIC,EAA8C,U
AA9C,CADJ,GNp4BgG,sB6G3MM,oBvGklChF,IuGllCgF,C7G2MN,EMu4BpE,UNv4BoE,C;K;IM04BpG,mE;M
AQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAA

R,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAAkD,IAAID,CADJ,GNn5BgG,sBMs5B1E,MNt5B0E,EMs5B1E,UNT5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAAkB,gBAAIB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAgB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAx,yCAAW,EAAAS,CAAT,EAAy,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;MACI,IAAI,uBAAkB,CAAtB,C;QACI,iBAAy,C;QACZ,gBAAW,I;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAAa,yCAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;UACX,uBAAkB,E;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAYB,iBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAy,SAAU,KAAV,a;YACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,GAAwB,CAA5C,K;QAG1B,iBAAy,C;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAy,E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B,Y;MAA8C,+D;K;IAgEU,0E;MAAA,0C;QhB1mCjD,SgB2mCH,sBAAW,kBAAX,EAAuB,YAAvB,EAAkD,kBAAlD,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;O;K;IAdIG,iF;MAUkE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7H,wBAAwB,KAAxB,C;MAEA,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAO,OAAtB,CAAtF,O;O;K;IAIB9E,mF;MAc0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACrI,wBAAwB,KAAxB,C;MACA,qBAAGC,OAAx,UAAW,C;MAEHc,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;K;IAIX,wC;MnBlTCl,IAAI,EmBmtCl,SAAS,CnBntCb,CAAJ,C;QACI,cmBktCkB,8C;QnBjtClB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;ImBkuCgE,sD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IAZhf,mE;MAWmE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAe,OAAtE,+BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAI,iCAAJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAx,KAAmB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QACHb,IAAI,EAAc,SAh/BuC,YAAU,CAG/BID,CAAJ,C;UACI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;UAI2E,kBAAb,cAAtE,+BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;Mb8OtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WatTgF,uBbsTIE,IatTke,CbsThF,C;MatThB,ObuTO,W;K;Ia5SmE,wD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IARhf,qE;MAOiE,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAe,OAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAI,mCAAJ,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAx,KAAmB,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAgC,UAAhC,EAA4C,KAA5C,C;OAG+E,kBAAb,cAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MbbqNtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,Wa7RgF,uBb6RIE,Ia7RkE,Cb6RhF,C;Ma7RhB,Ob8RO,W;K;Ia3RX,0D;MASI,wBAAwB,KAAxB,C;MAEA,oBAAoB,C;MACpB,gBAAgB,sBAAQ,SAAR,EAAmB,aAAnB,EAAkC,UAAIC,C;MACHb,IAAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACI,OAAO,OAAO,SAAK,WAAZ,C;OAGX,gBAAgB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAM,EAAa,EAAb,CAArB,GAA2C,EAA7D,C;QAET,MAAO,WA36B6E,8BA26B/D,aA36B+D,EA26BhD,SA36BgD,CAAKC,WA26B/G,C;QACP,gBAAgB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAE,QAAQ,CAAR,IAAf,CAAjB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAmB,aAAnB,EAAkC,UAAIC,C;MACP,sBAAa,EAAb,C;MAET,MAAO,WAI7BiF,8BAk7BnE,aAI7BmE,Eak7BpD,gBAI7BoD,CAAKC,Wak7BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAy,KAAZ,C;K;+FAEzF,mC;MAU6D,qB;QAAA,QAAa,C;MAAuB,OAAA,KAAM,yBAAgB,SAAhB,EAAsB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAgB,MAAhB,EAAwB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBAAe,C;K;IAqB/D,uD;MAQsB,Q;MAPIB,IAAI,iCAAKB,yBAAtB,C;QACI,OAAy,SAAL,SAAK,EAAO,KAAP,EAA2B,IAA3B,C;OAGhB,IAAI,cAAS,KAAb,C;QAAoB,OAA

O,I;MAC3B,IAAI,qBAAgB,aAAhB,IAAiC,SAAK,OAAL,KAAe,KAAM,OAA1D,C;QAAkE,OAAO,K;MAEvD,u
B;MAAIB,aAAU,CAAV,gB;QACI,IAAI,CAAS,SAAR,qBAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EA
A8B,IAA9B,CAAb,C;UACI,OAAO,K;MAIf,OAAO,I;K;IAGX,6C;MAQsB,Q;MAPIB,IAAI,iCAAkB,yBAATB,C;
QACI,OAAO,kBAAQ,KAAR,C;OAGX,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAgB,aAAhB,I
AAiC,SAAK,OAAL,KAAe,KAAM,OAA1D,C;QAAkE,OAAO,K;MAEvD,uB;MAAIB,aAAU,CAAV,gB;QACI,I
AAI,qBAAK,CAAL,MAAW,iBAAM,CAAN,CAAF,C;UACI,OAAO,K;MAIf,OAAO,I;K;IAGX,oC;MAU+C,QA
AM,SAAN,C;aAC3C,M;UAD2C,OACjC,I;aACV,O;UAF2C,OAehC,K;gBACH,MAAM,gCAAyB,mDAAgD,SA
AzE,C;K;IAGIB,0C;MAUsD,QAAM,SAAN,C;aACID,M;UADkD,OACxC,I;aACV,O;UAFkD,OAeVc,K;gBAFu
C,OAG1C,I;K;I8Kr8CZ,sB;MAAA,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACHc,WAC6B,e;MAC7B,YAC8B,e;
MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eAC
iC,gB;MACjC,iBACmC,gB;MACnC,qBAEuC,gB;MACvC,sBAEwC,gB;MACxC,kBACoC,gB;MACpC,cACgC,g
B;MACHc,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;M
AC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,
wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHc,oBACsC,iB;MACiC,cACgC,iB;MACHc,gBACkC
,iB;MACiC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MAC
rC,gBACkC,iB;MACiC,mBACqC,iB;MACrC,sBACwC,iB;MAExC,sBAGwC,gB;MAExC,uBAGyC,gB;K;;;IA7F7
C,kC;MAAA,iC;QAAA,gB;OAAA,0B;K;,,,,,;2FCuE0C,Y;MAAQ,oCAAa,IAAb,C;K;IAiBpB,yC;MAAqB,kB;K;
mIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,a
AAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAA
A,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACn
D,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,C
AAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;qIACnD,Y;MACmD,OAAA,UAAM,
YAAN,aAAkB,CAAIB,C;K;gDAEnD,Y;MA
MoC,OAAA,UAAM,YAAy,iBAAQ,CAAR,EAAW,UAAM,YAAy,KAA7B,C;K;;;6EhEjH9D,yB;MAAA,iD;MA
AA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAY
,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAY,OAAZ,C;O;KAJrE,C;Ii
Y4B,4B;MAmBxB,gC;MANB6C,0B;MAW7B,UAEA,MAFA,EAGA,M;MALZ,IiIjC8D,IjIiC9D,C;QACI,IAAI,kB
AAJ,C;UACQ,mB;UAAJ,IAAI,sEAAAsB,SAAtB,EAAJ,C;YAAqC,MAAM,sBAAiB,YAAF,+CAAF,C;UAEvC,qB;
UAAJ,IAAI,0EAAuB,UAAvB,EAJ,C;YAAuC,MAAM,sBAAiB,YAAF,gDAaf,C;UACzC,qB;UAAJ,IAAI,kEA
A+B,mBAA/B,CAAJ,C;YAAwD,MAAM,sBAAiB,YAAF,mCAAF,C;Q;mFAZID,Y;MAAQ,kCAAa,CAAb,C;K;+
FACU,Y;MAAQ,OAAA,eAAS,QAAT,GAAqB,C;K;qCACvE,Y;MAA0B,QADwB,eAAS,QAAT,GAAqB,CAC7C
,MAAqB,C;K;sCAC/C,Y;MAA2B,QAFuB,eAAS,QAAT,GAAqB,CAE5C,MAAqB,C;K;yFACxB,Y;MAAQ,OAA
I,kBAAJ,mF;K;IAAhC,8B;MAAA,kC;MACI,YAC4B,gB;MAE5B,gBACgC,iBAAiB,UAAjB,C;MACHc,4BAAsC,
uC;K;mDAEtC,yC;MAGI,2BAAoB,KAApB,EA2B,UAA3B,EAauC,UAAvC,C;K;iJAM8B,yB;MAAA,6C;MAA
A,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAU
E,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;mJAKF,yB;MAAA,6C;MAAA,iD;MAAA,4B;QA
AQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;
MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR
,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAA
A,4B;QAAQ,uD;O;KAAR,C;yIAKR,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MA
AA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;
KAAR,C;yIAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;
MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;qIAKL,y
B;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,g
D;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAA
A,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIA
UE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,OAAM,WAAN,KAAM,y
C;K;uDAErD,iB;MAKgD,OAAM,aAAN,KAAM,yC;K;uDAEtD,iB;MASKD,OAAM,aAAN,KAAM,yC;K;wDAGx

D,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MA
SmD,OAAM,aAAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OA
AM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WA
AN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,
qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mD
AEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;M
AK0C,OAAM,aAAN,KAAM,mC;K;iDAEhD,iB;MAS4C,OAAM,aAAN,KAAM,mC;K;gDAGID,iB;MAKwC,OA
AM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAAN,
KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,s
CAAmC,KAAAnC,OAAzB,EAASe,CAAtE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAAd,EAAiC,I
AAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAAzB,EAA0E,CAA1E,C;;UAH2C,O;;K;uDAM
rD,iB;;QAWmD,OAC/C,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB
;;QAK4D,OACxD,cAAc,KAAAd,EAAiC,IAAjC,C;;QACF,+C;UAF0D,OAGxD,I;;UAHwD,O;;K;;;IA/XhE,0C;MA
AA,yC;QAAA,wB;OAAA,kC;K;oCAwYA,Y;MAC6C,kBAAY,YAAD,aAAX,EazZK,eAAS,QAAT,GAAqB,CAY
Z1B,C;K;qCAE7C,iB;MAiBW,Q;MATH,IAAA,IAAK,aAAL,C;QACI,IAAI,KAAM,WAAN,IAAqB,IAAK,WAA
L,KAAkB,KAAM,WAAxB,gBAAoC,CAA7D,C;UACI,OAAO,I;;UAEP,MAAM,gCAAyB,2EAAzB,C;WAEd,IA
AA,KAAM,aAAN,C;QAAsB,OAAO,K;MAI7B,KA7a0C,eAAS,QAAT,GAAqB,CA6a/D,OAA0B,KA7agB,WAAS
,QAAT,GAAqB,CA6a/D,E;QACI,aAAa,IAAK,QAAL,KAAa,KAAM,QAAnB,C;QAET,uB;UACI,iCAA0B,MAA1
B,C;;UAEA,kCAA2B,MAA3B,C;aAGZ,IAAA,IAAK,eAAL,C;QACI,mCAAqB,IAAK,QAA1B,EAAiC,KAAM,Q
AAvC,C;;QAEA,mCAAqB,KAAM,QAA3B,EAAkC,IAAK,QAAvC,C;MAbR,W;K;gDAiBJ,kC;MAGW,Q;MAFP,
kBAAkB,cAAc,UAAAd,C;MACiB,mBAAMb,eAAa,WAAb,C;MACZ,IAAI,8EAAc,mBAATc,CAAJ,C;QACH,yB
AAyB,oBAAa,cAAc,WAAAd,CAAb,C;QACzB,uBAAGb,cAAc,YAAAd,MAA8B,kBAA9B,CAAhB,C;;QAEA,wBA
A8B,WAAb,YAAa,yBAAsB,UAAtB,CAA9B,C;;MAJJ,W;K;sCAQJ,iB;MAMuD,wBAAS,KAAD,aAAR,C;K;uCA
EvD,iB;MAQe,UAUJ,M;MAXP,IAAI,iBAAJ,C;QAEQ,cAAS,CAAT,C;UAAc,MAAM,gCAAyB,mEAAzB,C;aAC
pB,YAAQ,CAAR,C;UAAa,W;;UACL,OAAC,IAAD,a;QAHZ,W;OAMJ,IAAI,UAAS,CAAb,C;QAAgB,OAAO,qC
;MAEvB,YAAy,Y;MACZ,aAAa,mCAAQ,KAAR,E;MACN,IAAI,kBAAJ,C;QACH,IAAI,yEAAJ,C;UAEI,yBAAg
B,MAAhB,C;;UAEA,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;YACI,mCAA0B,MAA1B,C;;YAEA,aAAa,cA
Ac,KAAAd,C;YACb,eAAe,eAAQ,cAAc,MAAd,CAAR,C;YACf,mBAAMb,oCAAS,KAAT,E;YACnB,kBAAkB,iB
AAe,cAAc,sCAAW,KAAX,EAAd,CAAf,C;YACIB,IAAI,4CAAe,KAAf,IAAwB,MAAxB,KAAkC,gBAAgB,YAA
hB,gBAAgC,CAAtE,C;cACI,0BAA6B,WAAZ,WAAy,EAAS,8BAAa,UAAb,CAAT,CAA7B,C;;cAEA,SAAI,YA
AM,WAAN,KAAM,CAAN,EAAMb,WAAN,KAAM,CAAnB,IAA0B,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;;;Q
AK3D,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;UACI,0BAAwB,WAAP,MAAO,EAAS,8BAAa,UAAb,CAA
T,CAAxB,C;;UAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAMb,WAAN,KAAM,CAAnB,IAA0B,CAA9B,GA
AiC,yCAAjC,GAA+C,qD;;;MAvBvD,a;K;uCA4BJ,iB;MASI,eAAqB,WAAN,KAAM,C;MACrB,IAAa,QAAT,KA
AuB,KAA3B,C;QACI,OAAO,mBAAM,QAAN,C;OAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB,K;MA
C9B,OAAc,aAAP,MAAO,EAAW,IAAX,C;K;qCAGIB,iB;MAQe,Q;MADX,IAAI,UAAS,CAAb,C;QAEQ,sB;UA
AgB,gD;aAChB,sB;UAAgB,4D;;UACR,MAAM,gCAAyB,4DAAzB,C;QAHIB,W;OAMJ,IAAI,kBAAJ,C;QACI,O
AAO,gBAAgB,qCAAQ,KAAR,EAAhB,C;;QAEp,IAAI,iBAAJ,C;UACI,OAAO,mBAAa,WAAN,KAAM,CAAb,C
;QAEX,aAAa,qCAAQ,KAAR,E;QAEb,IAAI,kEAAgC,mBAAhC,CAAJ,C;UACI,UAAU,cAAc,sBAAS,oCAAS,K
AAT,EAAT,CAAd,0BAA0C,KAA1C,E;UACV,OAAO,gBAAgB,cAAc,MAAd,MAAwB,GAAxB,CAAhB,C;SAE
X,OAAO,iBAAiB,MAAjB,C;;K;qCAIf,iB;MAOI,eAAqB,WAAN,KAAM,C;MACrB,IAAa,QAAT,KAAuB,KAAv
B,IAAgC,aAAY,CAAhD,C;QACI,OAAO,iBAAI,QA AJ,C;OAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB
,K;MAC9B,OAAc,aAAP,MAAO,EAAW,IAAX,C;K;oCAGIB,iB;MAEI,kBAAkB,SAAM,IAAK,cAAX,EAAWB,K
AAM,cAA9B,C;MACIB,OAAO,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y;
MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,+BAAY,yCAAS,WAArB,KAAi
C,wBAAY,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAA
D,aAAIB,GAA6B,I;K;yCAExE,iB;MACI,kBAAkB,IAAK,WAAI,KAAkB,KAAM,WAAxB,C;MACIB,IAAI,yBA
Ac,CAAd,IAAmB,CAAA,WAAy,QA AZ,GAAwB,CAAxB,MAA6B,CAApD,C;QACI,OAAO,IAAK,WAAS,iBA

AU,KAAM,WAAhB,C;MAEzB,QAAQ,CA11BsC,eAAS,QAAT,GAAqB,CA01B3D,KAAyB,KA11Ba,WAAS,QAA
T,GAAqB,CA01B3D,K;MACR,OAAW,iBAAJ,GAakB,CAAC,CAAD,IAAIB,GAA0B,C;K;uHAMrC,kB;MAeI,O
AAO,OAAO,gBAAP,EAAoB,mBAAPB,EAAoC,qBAAPC,EAAsD,qBAAtD,EAAwE,yBAAXE,C;K;uHAGX,kB;
MAcI,OAAO,OAAO,iBAAP,EAAqB,qBAArB,EAAuC,qBAAvC,EAAYD,yBAAZD,C;K;uHAGX,kB;MAaI,OAA
O,OAAO,mBAAP,EAAuB,qBAAvB,EAAYC,yBAAZC,C;K;uHAGX,kB;MAYI,OAAO,OAAO,mBAAP,EAAuB,y
BAAvB,C;K;0FAKP,Y;MAAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,6CAAe,EAaf,EAAMb,Q;K;4FAIrD,Y;M
AAQ,OAAI,iBAAJ,GAakB,CAAIB,GAA0B,+CAAiB,EAajB,EAaqB,Q;K;4FAIvD,Y;MAAQ,OAAI,iBAAJ,GA
AkB,CAAIB,GAA0B,+CAAiB,EAajB,EAaqB,Q;K;gGAIvD,Y;MACI,sB;QADI,OACY,C;WACHb,wB;QAFI,OA
EY,cAAc,wCAAQ,IAAR,EAAd,CAA6B,Q;;QAFzC,OAGK,wCAAQ,UAAAR,EAAuB,Q;K;0CAMxC,gB;MAQiB,
UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;QAA4B,SAAP,wCAAO,kB;WAC5B,iBAAA,qDAAa,W
AAb,E;QAAgC,SAAP,wCAAO,kB;;QAG5B,6BAAoB,YAAM,WAA1B,EAAsC,kBAAtC,EAAMd,IAAnD,C;;MA
LR,a;K;wCAUJ,gB;MAUiB,UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;;WACA,iBAAA,qDAAa,W
AAb,E;;;QACQ,+BAAoB,YAApB,EAA2B,kBAA3B,EAAwC,IAAxC,C;MAHZ,a;K;uCAOJ,gB;MAUI,OAAa,WA
Ab,oBAAO,IAAP,CAAA,4BAAyD,Q;K;kFAKhD,Y;MAAQ,6D;K;mFAKP,Y;MAAQ,8D;K;qFAKN,Y;MAAQ,gE
;K;qFAKR,Y;MAAQ,gE;K;0FAKH,Y;MAAQ,qE;K;0FAKR,Y;MAAQ,qE;K;yFAKT,Y;MAAQ,oE;K;uFASrC,Y;
MAAQ,2D;K;wFAQR,Y;MAAQ,4D;K;0FAQR,Y;MAAQ,8D;K;0FAQR,Y;MAAQ,8D;K;+FAQR,Y;MACI,OAA
W,uBAAgB,eAApB,GAAgC,YAAhC,GAA2C,4D;K;+FAAtD,Y;MAAQ,mE;K;8FAYR,Y;MAEW,Q;MADP,YAA
Y,Y;MAER,uB;QAae,Y;WACf,8C;;WACA,+C;;;QACQ,qBAAc,KAAd,C;MAJZ,W;K;2CAUR,Y;MASuC,8B;K;
4CAEvC,Y;MASwC,+B;K;kCAExC,Y;MAuBwC,Q;MAAA,sB;MACpC,qB;QAD8B,OACxB,I;WACN,iBAAA,y
CAAS,WAAT,E;QAF8B,OAET,U;WACrB,iBAAA,qDAAa,WAAb,E;QAH8B,OAGL,W;;QAErB,iBAAiB,iB;Q6
HzhBF,gBAAhB,sB;Q7H2hBK,e;UAAgB,yBAAO,EAAP,C;QACF,YAAAd,kB;QA9RD,WAAO,iB;QAAP,YAAoB,
oB;QAAPB,cAAoC,sB;QAAPC,cAAsD,sB;QAAtD,kBAAwE,0B;QAS/D,0B;QAPJ,cAAc,iB;QACd,eAAe,UAA
S,C;QACxB,iBAAiB,YAAW,C;QAC5B,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;QACbD,iBAAiB,C;QACjB,IA
AI,OAAJ,C;UACI,yBAAO,IAAP,CAAA,gBAAO,GAAP,C;UACb,+B;SAEJ,IAAI,aAAa,YAAy,cAAc,UAA1B,CA
Ab,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UACtB,yBAAO,KAAP,CAAc,gBAAO,GA
AP,C;SAEIB,IAAI,eAAe,eAAe,YAAy,OAA3B,CAAF,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,E
AAP,C;UACtB,yBAAO,OAAP,CAAgB,gBAAO,GAAP,C;SAEPB,IAAI,UAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;
YAAsB,yBAAO,EAAP,C;UAEIB,gBAAW,CAAX,IAAgB,OAAhB,IAA2B,QAA3B,IAAuC,UAAvC,C;YACI,mC
AAiB,OAAjB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,EAA2D,KAA3D,C;eACJ,mBAAe,OAaf,C;YA
CI,mCAAiB,cAAc,OAAd,IAAjB,EAA0C,cAAc,OAAXD,EAAMe,CAAnE,EAAsE,IAAtE,EAawF,KAAXF,C;eAC
J,mBAAe,IAAf,C;YACI,mCAAiB,cAAc,IAAd,IAAjB,EAAsC,cAAc,IAApD,EAA2D,CAA3D,EAA8D,IAA9D,EA
AgF,KAAhF,C;;YAEA,yBAAO,WAAP,CAAoB,gBAAO,IAAP,C;SAGhC,IAAI,cAAc,aAAa,CAA/B,C;UAAkC,y
BAAO,CAAP,EAAU,EAAY,CAAe,gBAAO,EAAP,C;QAvC/B,OOx1B3B,SsHoUqC,W;;K;4C7HikB5C,yE;MACI
,yBAAO,KAAP,C;MACA,IAAI,eAAc,CAAIB,C;QACI,yBAAO,EAAP,C;QACA,iBAAuC,WAAtB,UAAW,WAA
W,EAAS,cAAT,EAAYB,EAZB,C;QACR,sB;;UsB5zBzB,Q;UAAA,OAAQ,WAAR,etB4zBc,UsB5zBd,CAAQ,C
AAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,ItB2zBiD,UsB3zBnC,YtB2zBU,UsB3zBV,YAAK,KAAL,EtB2z
BmC,MAAM,EsB3zBvD,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QtBuzBC,oBAAoB,qBAAuC,CAAvC
,I;QAEhB,KAAC,SAAD,IAAc,gBAAgB,CAA9B,C;UAAmC,8BAAy,UAAZ,EAawB,CAAxB,EAA2B,aAA3B,C;
;UAC3B,8BAAy,UAAZ,EAawB,CAAxB,EAA2B,CAAC,CAAC,gBAAgB,CAAhB,IAAD,IAAsB,CAAtB,IAAD,
IAA4B,CAA5B,IAA3B,C;OAGhB,yBAAO,IAAP,C;K;0CAGJ,0B;MAGwC,wB;QAAA,WAAgB,C;MIn9BxD,IA
AI,EJo9BQ,YAAy,CIp9BpB,CAAJ,C;QACI,cJm9ByB,oD;QII9BzB,MAAM,gCAAYB,OAAQ,WAAjC,C;OJm9B
N,aAAa,sBAAS,IAAT,C;MACb,IAAW,WAAP,MAAO,CAAX,C;QAAyB,OAAO,MAAO,W;MACvC,OAAO,sB
AAsB,MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,IAAgE,UAAL,IAAK,C;K;qCAI3E,Y;M6HvmBuB,gB
AAhB,sB;M7HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MACIB,yBAAO,IAAP,C;MAC4B,YAAAd,kB;MA
xWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuC,sB;MAAvC,kBAAyD,0B;MAYW5D,cACY,K;MACZ,IAAI,i
BAAJ,C;QAEI,wB;OAEJ,eAAe,oB;MACf,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MACHd,iBAAiB,YAAW,C
AAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,yBAAO,OAAP,CAAc,gBAAO,EAAP,C;OAEIB,IAA
I,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UAA

7B,CAAJ,C;QACI,mCAAiB,OAAjB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,EAA2D,IAA3D,C;OAp
BuB,OOx7B5B,SsHoUqC,W;K;::;kC7H5YhD,Y;MAAA,c;MAuBiD,2D;MAvBjD,a;K;gCAAA,iB;MAAA,2IAuBi
D,gDAvBjD,G;K;IA8hCA,qC;MAIW,Q;MAAA,IAAI,6DAAJ,C;QACH,uBAAgB,4BAAiC,oBAAL,SAAK,CAAj
C,EAA2C,IAA3C,yCAAhB,C;;QAES,oBAAT,8BAAS,EAAW,IAAX,C;MAHb,W;K;IAMJ,uC;MAII,kBAAkB,4B
AA4B,SAA5B,0CAAiE,IAAjE,C;MACIB,IAAa,WAAD,aAAR,yDAAsB,WAAtB,CAAJ,C;QACI,OAAO,gBAAg
B,4BAA4B,SAA5B,EAakC,IAAIC,yCAAhB,C;;QAEP,aAAa,sBAAoB,SAAPB,EAA0B,IAA1B,0C;QACb,OAAO
,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAxB,C;;K;IAIf,uC;MAaW,Q;MAHP,gBAAgB,oBAAoB,SAAPB,E
AA0B,IAA1B,yC;MIviChB,IAAI,CJwiCI,CAAW,QAAV,SAAU,CIxiCnB,C;QACI,cJuiC0B,+B;QItiC1B,MAAM,
gCAAyB,OAAQ,WAAjC,C;OJuiCV,YAAsB,YAAV,SAAU,C;MACf,IAAI,sEAAqB,SAArB,CAAJ,C;QACH,uBA
AgB,KAAhB,C;;QAEA,aAAwE,YAA3D,oBAAoB,SAAPB,EAA0B,IAA1B,0CAA2D,C;QACxE,kCAA2B,MAA3
B,C;;MAJJ,W;K;IAgBuB,oC;MAAQ,oE;K;IAOP,sC;MAAQ,sE;K;IAWN,sC;MAAQ,sE;K;IAQV,qC;MAAQ,qE;K
;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQX,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAA
Q,uE;K;IAQhB,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQX,gC;MAAQ,gE;K;IAOP,k
C;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQb,8B;MAAQ,8D;K;IAOP,gC;MAAQ,gE;K;IAWN,gC;MAAQ,gE;K;
IAQZ,6B;MAAQ,6D;K;IAOP,+B;MAAQ,+D;K;IAWN,+B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;
K;2EAERe,+B;MAUwE,8BAAW,SAAX,C;K;IAIxE,yC;MACI,aAAa,KAAM,O;MACnB,IAAI,WAAU,CAAd,C;Q
AAiB,MAAM,gCAAyB,qBAAzB,C;MACvB,YAAy,C;MACZ,aAAa,gCAAS,K;MACTb,qBAAqB,U;MACrB,QA
AM,iBAAM,KAAN,CAAN,C;aACI,E;aAAA,E;UAAY,qB;UAAZ,K;;MAEJ,cAAc,QAAQ,C;MACTb,iBAAiB,WA
AiB,aAN,KAAM,EAAW,EAAX,C;MAE9B,cAAU,KAAV,C;QACI,MAAM,gCAAyB,eAAzB,C;WACV,qBAA
M,KAAN,MAAgB,EAhB,C;QACI,IAAI,mCAAW,MAAf,C;UAAuB,MAAM,+B;QAC7B,sBAAsB,K;QACTb,sB
AAsB,K;QACTb,eAA8B,I;QAC9B,OAAO,QAAQ,MAAf,C;UACI,IAAI,iBAAM,KAAN,MAAgB,EAAPB,C;YAC
I,IAAI,mBAAMB,mCAAW,MAAIC,C;CAA0C,MAAM,+B;YACHd,kBAAkB,I;YACIB,Q;WAEkB,iBAAe,K;UA+
EjD,QAHgC,U;UAIhC,Y;YAAO,eAhFqB,KAgFjB,O;YAAJ,S;cAAc,SAAU,YAhFH,KAgFG,YAAK,CAAL,E;cA
AV,OAhFqC,CAAM,kBAAK,EAAL,CAAN,qCAAkB,2C;;YAgFnC,a;;UAhF7B,gBAAgB,KiBvICgE,WjBmqClF,
UiBnqCkF,EjBwqCrF,CiBxqCqF,C;UjBwlChF,IAAI,SuBrhCgC,YAAU,CvBqhC9C,C;YAAyB,MAAM,+B;UAC/
B,gBAAS,SAAU,OAAAnB,I;UACqB,cAAU,K;UsBzrCpC,U;UAAA,IAAI,WAAS,CAAT,IAAc,WAAS,iBtByrCP,K
sBzrCO,CAA3B,C;YAAA,StByrCoB,KsBzrCkB,YAAI,OAAJ,C;;YtByrCO,MAAM,gCAAyB,qCAAzB,C;;UAA9
C,qB;UACA,qB;UACA,WAAW,sBAAsB,QAAtB,EAAGC,eAAhC,C;UACX,IAAI,YAAy,IAAZ,IAAoB,yBAAy,I
AAZ,MAAxB,C;YAA0C,MAAM,gCAAyB,yCAAzB,C;UACHd,WAAW,I;UACX,eAAyB,WAAV,SAAU,EAAQ,
EAAR,C;UACzB,IAAI,+CAAGC,WAAW,CAA/C,C;YACI,YAAy,SiBjmCgE,WjBimC5C,CiBjmC4C,EjBimCzC,
QiBjmCyC,C;YjBkmC5E,4BAA2C,aAAjC,0BAA0B,KAA1B,CAAiC,EAAW,IAAX,CAA3C,C;YACA,4BAAmD,
aAAX,SAA9B,SiBtmCmD,WjBsmC/B,QiBtmC+B,CjBsmCrB,CAAW,EAAW,IAAX,CAAnD,C;;YAEA,4BAA+C
,aAArC,0BAA0B,SAA1B,CAAqC,EAAW,IAAX,CAA/C,C;;aAIZ,c;QACI,MAAM,+B;;QACV,IAAM,cAAN,KA
AM,EAAC,KAAd,EAAGC,cAArB,EAAGC,CAArC,EQ/xCH,MAAO,KR+xCmD,SAAS,KAAT,IQ/xCnD,ER+xCm
E,cAAe,OQ/xClF,CR+xCJ,EAA4G,IAA5G,CAAN,C;UACI,SAAS,gCAAS,S;;UAIIB,iBAA8B,I;UAC9B,iBAAiB,
K;UACjB,kBAAkB,CAAC,O;UACnB,IAAI,WAAW,iBAAM,KAAN,MAAgB,EAA3B,IAAwC,QAAN,KAAM,C
AAN,KAAGB,EAAtD,C;YACI,cAAc,I;YACd,IAAI,oCAAW,uBAAX,EAAW,MAAX,CAAJ,C;cAAyB,MAAM,g
CAAyB,eAAzB,C;WAEEnC,OAAO,QAAQ,MAAf,C;YACI,IAAI,cAAc,WAAIB,C;cA8CZ,UA7CwC,K;cA8CxC,Y
;gBAAO,mBA9CiB,KA8Cb,O;gBAAJ,W;kBAAC,SA9C4B,UA8CIB,YA9CP,KA8CO,YAAK,GAAL,EA9CkB,M
AAM,E;;gBA8Cd,iB;;cA9CzB,QA+CT,G;aA7CK,aAAa,I;YACS,mBAAe,K;YA0CjD,UAHGC,Y;YAIhC,Y;cAA
O,mBA3CqB,KA2CjB,O;cAAJ,W;gBAAC,WAAU,YA3CH,KA2CG,YAAK,GAAL,E;gBAAV,SA3CqC,CAAM,k
BAAK,EAAL,CAAN,uCAAkB,oBAAM,E;;cA2CzC,iB;;YA3C7B,kBAAGB,KiB5nCGE,WjBmqClF,YiBnqCkF,Ej
BwqCrF,GiBxqCqF,C;YjB6nChF,IAAI,WuB1jCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WA
AU,OAAAnB,I;YACqB,mBAAe,K;YAUChD,UAHGc,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAC,
WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;gBAAV,SAXCoC,CAAM,kBAAK,GAAL,CAAN,mC;;cAwChB,iB;;YA
x7B,eAAe,KiB/nCiE,WjBmqClF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAIB,I;YAC
A,aAAW,wBAAwB,QAAXB,C;YACX,IAAI,cAAy,IAAZ,IAAoB,2BAAy,MAAZ,MAAxB,C;cAA0C,MAAM,gC
AAyB,yCAAzB,C;YACHd,aAAW,M;YACX,iBAAyB,WAAV,WAAU,EAAGC,EAAR,C;YACzB,IAAI,aAAW,CA

Af,C;cACI,cAAY,WiBtoCgE,WjBsoC5C,CiBtoC4C,EjBsoCzC,UiBtoCyC,C;cjBuoC5E,4BAAyB,aAAT,OAAN,O
AAM,CAAS,EAAW,MAAX,CAAzB,C;cACA,4BAAMd,aAX,SAA9B,WiB3oCmD,WjB2oC/B,UiB3oC+B,CjB
2oCrB,CAAW,EAAW,MAAX,CAAnD,C;cACA,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAYB,mCAAzB,C;;
cAE1B,4BAA6B,aAAT,OAAY,WAAU,CAAS,EAAW,MAAX,CAA7B,C;;;;MAKhB,OAAW,UAAJ,GAAiB,MA
AD,aAAhB,GAA6B,M;K;IAIxC,0C;MACI,aAAa,KAAM,O;MACnB,iBAAiB,C;MACjB,IAAI,SAAS,CAAT,IAA
c,YAAY,IAAZ,mBAAM,CAAN,EAAB,C;QAAoC,+B;OACHC,YAAC,SAAS,UAAAT,IAAD,IAAwB,E;MAAxB,S
;QAA4D,gBAA7B,yBAAkB,iBAAN,KAAM,CAAIB,C;QAA6B,c;;UU4ThD,U;UADhB,IAAI,wCAAsB,mBAA1B
,C;YAAqC,aAAO,I;YAAP,e;WACrB,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CV5T4C,CAAa,
kBAAK,EAAL,CAAb,oCU4TjC,OV5TiC,EU4ThD,C;cAAyB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;;QV7TyD,iB;O
AAhE,S;QAEI,OAAW,iBAAM,CAAN,MAAY,EAAB,sD;OAGX,OAAiB,WAAN,KAAM,EAAW,GAAX,CAAV
,GAAyC,OAAR,QAAN,KAAM,EAAC,CAAL,CAAQ,CAAzC,GAA6D,OAAN,KAAM,C;K;IAKxE,0D;MAII,QA
HgC,U;MAIhC,OAAO,IAAI,gBAAJ,IAJqC,SAIvB,CAAU,iCAAk,CAAL,EAAY,CAArB,C;QAAyC,a;;MAJzC,O
iBnqC4F,oBjBmqClF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;K;IjBqqChG,qD;MACI,QAAQ,U;MACR,OAAO,IAAI,
gBAAJ,IAAc,UAAU,iCAAk,CAAL,EAAY,CAArB,C;QAAyC,a;;MACzC,OAAO,C;K;;;;IAmBX,8B;MAA+C,q
CAAQ,OAAR,E;K;IAC/C,+B;MAAgD,2CAAS,OAAT,E;K;IAEhD,sC;MAAiD,oBAAS,sBAAGB,CAAhB,CAAT,
C;K;IACjD,wC;MAAMd,oBAAU,uBAAiB,CAAJB,CAAD,yBAAuB,CAAvB,EAAT,C;K;IACnD,oD;MAAoE,oB
AAU,sBAAGB,CAAhB,CAAD,yBAAsB,iBAAtB,EAAT,C;K;IACpE,0C;MACI,IAAI,sEAAqB,SAArB,CAAJ,C;Q
AAA,OACI,gBAAGB,KAAhB,C;;QADJ,OAGI,iBAAiB,cAAc,KAAd,CAAJB,C;;K;IAGR,4C;MACI,IAAI,kEAAg
C,mBAAhC,CAAJ,C;QAAA,OACI,gBAAGB,cAAc,MAAd,CAAhB,C;;QADJ,OAGI,iBAAwB,WAAP,MAAO,yB
AAsB,UAAAtB,CAAxB,C;;K;IuMI3CR,8B;MAEGD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACHB,I;aAC5B,c;UAF4
C,OAef,I;aAC7B,c;UAH4C,OAGf,I;aAC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,
OAMtB,G;aActB,M;UAP4C,OAovB,G;gBnMuEwB,MAAM,6BAA8B,CmMtEnE,mBAAGB,SnMsEmD,YAA9B,
C;;K;ImMnEvD,4C;MACwE,QAAM,SAAN,C;aACpE,I;UADoE,6C;aAEpE,I;UAFoE,8C;aAGpE,I;UAHoE,8C;aA
IpE,G;UAJoE,yC;aAKpE,G;UALoE,yC;aAMpE,G;UANoE,uC;aAOpE,G;UAPoE,sC;gBAQ5D,MAAM,gCAAYB,
uCAAoC,SAA7D,C;;K;IAGIB,yD;MAGQ,KAAC,eAAD,C;QAEQ,IADE,OACF,Q;UAHZ,sC;;UAIoB,MAAM,gC
AAyB,4EAAqD,OAARd,CAAzB,C;;QAIIB,QAAM,OAAN,C;eACI,E;YATZ,uC;eAUyE,YAVZ,yC;eAWY,E;YA
XZ,yC;kBAYoB,MAAM,gCAAYB,yDAaKc,OAaIC,CAAzB,C;;K;IC5F9B,4B;K;;;MC4BI,kC;;IAXA,gC;MAAA
,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAKc,OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;;IAN1B,4C;MA
AA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MAAA,oC;K;;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,o
B;K;qCAcI,oB;MAK8D,4BAAiB,IAAJB,EAABuB,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K
;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAEnD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAA
A,mC;QAQuE,MAAM,WAAM,0BAAN,C;O;KAR7E,C;mFAUA,yB;MAAA,4C;MAAA,mC;QAQsE,MAAM,WA
AM,0BAAN,C;O;KAR5E,C;IAY8B,4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAA
K,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MAAKD,4BAAiB,SAAJB,EAABuB,4BAAa,QAAb,CAAvB,C;K;;IChGV
,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA7G,4B;MAA6B,8B;MAAgD,sB;K;+DACpG,Y;MAAsC,OAAgC,aA
A/B,iBAAW,OAAX,UAAoB,gBAApB,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;gEACtC,o
B;MAAKd,+CAAa,gBAAb,EAABuB,iBAABuB,EAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAa
,WAAb,EAABuB,IAArB,EAABuB,gCAAS,KAAPC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAKH,mB;MAAJH,4B
;MAA+B,8B;MAAKd,sB;K;mEAC1G,Y;MAAsC,OAAgC,aA/B,iBAAW,OAAX,GAAoB,gBAAW,EAAW,iBA
AW,KAAtB,CAAhC,cAA8D,aAA9D,C;K;oEACtC,oB;MAAKd,mDAAe,gBAAf,EAABuB,iBAA1B,EAAsC,0BAA
S,QAAT,CAAtC,C;K;;iDAGtD,Y;MAAmC,mDAAe,WAAf,EAABuB,IAAvB,EAABuB,gCAAS,KAAtC,C;K;;IAGvC
,0B;MAGB8B,yE;MAC1B,mB;K;oCAEA,Y;MAA4B,qB;K;iDAE5B,oB;MAWc,Q;MADV,gBAAGB,QAAS,gBAA
O,SAAP,C;MACf,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,g
BAAYB,CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAEA,YAA
Y,QAAS,kBAAS,SAAT,C;QAErB,mBAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QA
AT,C;QACrD,8BAAX,YAAW,C;;MAVf,qB;K;0CACJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAA/C,qCAA0E,QA
A1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAIbxC,E;QAJBA,OAKBO,I
AAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;M

AAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8
C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MA
Ac,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAgBA,8
C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8C,KAiBjC,E;QAJbB,OAKBO,oBAAW,MAAX,EAAMB,IAAK,a
AAxB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oB
AAW,MAAX,EAAMB,IAAK,aAAxB,C;O;KafX,C;IxJZA,2E;MASI,sC;MAAA,4C;K;IATJ,mGAWY,Y;MAAQ,2
B;KAXpB,E;IAAA,4DAaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,wF;IyJewC,sC;MACpC,0B;K;;IAGJ,kC;MAUI
,OAA2C,CAA3C,2BAA6B,uBAA7B,EAAoC,KAApC,CAA2C,e;K;IAE/C,8B;K;kDAuBI,4B;MASI,MAAM,qCA
A8B,8CAA9B,C;K;;;IAa4B,8C;MAGtC,6B;MAEmD,UAMX,M;MAPxC,kBACmD,mE;MAEnD,eAC0B,K;MAE1
B,cACwC,kE;MAExC,gBACmC,gB;K;iGAG/B,Y;MAAQ,0C;K;0DAEZ,kB;MACI,cAAy,I;MACZ,gBAAc,M;K;I
AGsE,iG;MAAA,uB;QAExE,Q;QAAZ,qCAAY,8D;QACZ,sCAAa,a;QAFb,OAGA,yB;O;K;2DAJJ,+B;MAAKD,O
AAsC,wDAAtC,c;K;IAOyE,uH;MAAA,uB;QAEyG,Q;QAAf,iBAAe,8F;QACf,eAAK,2B;QAA6B,mC;QrMjGtB,g
BAAT,Q;QqMsG0D,kB;QAJzD,sBAAsB,SAAK,W;QAC3B,IAAI,eAAa,eAAjB,C;UAEL,iC;UACA,mBAAy,oCA
AwB,eAAxB,EAAYC,kEAAzC,C;;UAGZ,mBAAy,kE;;QAEhB,oBAAa,e;QAZjB,OAcA,yB;O;K;6DAfJ,0C;MAA
qF,OAAc,qEAAtC,c;K;IAqBzB,mI;MAAA,qB;QACxD,yCAAgB,uB;QAGhB,qCAAY,Y;QACZ,uCAAc,E;QACI
B,W;O;K;iEATA,iC;MAGwB,wCAAa,mCAAb,EAAoC,kFAApC,C;K;mDAQxB,Y;MAMuB,UADC,MACD,EAI
H,MAJG,EAaK,M;MAjBxB,OAAO,IAAP,C;QAEI,aAAa,IAAK,S;QACF,SAAL,IAAK,O;QAAL,mB;UACyB,gB
AArB,0D;UIJxBhB,U;UADP,yB;U0JyBe,OIJxBR,sF;S0JuBC,WAAW,M;QAGX,IAAI,mDAAoB,MAApB,QAAJ
,C;;YAIiB,SAAT,exJxJV,CwJwJuD,IxJxJvD,EwJwJ6D,YxJxJ7D,EwJwJoE,IxJxJpE,EAA8C,KAA9C,C;;YwJyJQ,
gC;cACE,IzJzJhB,oBDgDQ,WAAO,c0JyG0B,C1JzG1B,CAAP,CChDR,C;cyJ0JgB,Q;;cALI,O;;UAAR,c;UAQA,I
AAI,MAAM,yBAAV,C;YACI,IzJvKhB,oBDgDQ,W0JuHoB,0E1JvHpB,CChDR,C;;UyJ0KY,gBAAc,gB;UACd,I
AAK,oBAAW,MAAX,C;;K;;0EC1MrB,4B;MAoKI,QAhKK,SAGKG,GAhKoB,KAgKpB,I;MACR,IAAI,CAjKC,
SAiKD,GAjKwB,KAiKxB,IAAiB,CAAjB,IAAsB,eAjKE,KAiKF,MAjKrB,SAiKL,C;QAA6C,a;OAJ7C,OAKKO,
C;K;kEAhKX,yB;MAAA,0B;MAAA,mC;QA2KI,QAnKK,SAmKG,GAnKe,K;QAAvB,OAAgC,OAoKzB,KApKg
B,KAOkX,GAAW,CAAC,CAAC,IAPkF,KAOkC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,
EAAID,KApKyB,C;O;KARpC,C;4EAUA,4B;MAoJI,QAhJK,SAGJG,GAhJoB,KAgJpB,I;MACR,IAAI,CAjJC,SAi
JD,GAjJwB,KAiJxB,IAAiB,CAAjB,IAAsB,eAjJE,KAiJF,MAjJrB,SAiJL,C;QAA6C,a;OAJ7C,OAKJO,C;K;kEAhJ
X,yB;MAAA,4B;MAAA,mC;QA2JI,QAnJK,SAmJG,GAnJe,K;QAAvB,OAAgC,QAoJzB,KApJgB,KAOjX,GAA
W,CAAC,CAAC,IAPJF,KAOJC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApJyB,
C;O;KARpC,C;4EAUA,4B;MAoII,QAhIK,SAGIG,GAhIc,KAgId,I;MACR,IAAI,CAjIC,SAIID,GAjIkB,KAiIB,IA
AiB,CAAjB,IAAsB,eAjIJ,KaiII,MAjIrB,SAiIL,C;QAA6C,a;OAJ7C,OAKIO,C;K;kEAhIX,4B;MA2II,QAnIK,SA
mIG,GAnIS,K;MAAJB,OAoIO,KApIU,KAOIL,GAAW,CAAC,CAAC,IAPIR,KAOIO,KAAmB,KAAK,CAAC,CA
AD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAIIX,yB;MAqMA,0B;MArMA,mC;QAIkB,kBAAT,oBAAL,S
AAK,C;QAqML,QAAQ,gBarMe,KAAqMf,C;QACR,IAAI,gBatMmB,KAsMnB,eAAiB,CAAjB,IAAsB,mBatMH,
KAsMG,GAAa,WAAb,CAA1B,C;UAA6C,W;SatM7C,OAuMO,C;O;KA3MX,C;kEAMA,4B;MAGNI,QAxMK,o
BAAL,SAAK,CAwMG,QAxMU,KAwMV,C;MAxMR,OAyMO,MAzMW,KAYMN,KAAa,MAzMP,KAYMO,CA
AD,KAAmB,KAAm,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;4EAvmX,4B;MAoGI,QA
hGK,SAGGG,GAhGoB,KAgGpB,I;MACR,IAAI,CAjGC,SAiGD,GAjGwB,KAiGxB,IAAiB,CAAjB,IAAsB,eAjGE
,KAIgF,MAjGrB,SAiGL,C;QAA6C,a;OAJ7C,OAKGO,C;K;kEAhGX,yB;MAAA,0B;MAAA,mC;QA2GI,QAnG
K,SAmGG,GAnGe,K;QAAvB,OAAgC,OAoGzB,KApGgB,KAOGX,GAAW,CAAC,CAAC,IAPGF,KAOGC,KAA
mB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApGyB,C;O;KARpC,C;4EAUA,4B;MAoFI,Q
AhFK,SAGFG,GAhFoB,KAgFpB,I;MACR,IAAI,CAjFC,SAiFD,GAjFwB,KAiFxB,IAAiB,CAAjB,IAAsB,eAjFE,
KAIFF,MAjFrB,SAiFL,C;QAA6C,a;OAJ7C,OAKFO,C;K;kEAhFX,yB;MAAA,4B;MAAA,mC;QA2FI,QAnFK,S
AmFG,GAnFe,K;QAAvB,OAAgC,QAofzB,KApFgB,KAOFX,GAAW,CAAC,CAAC,IAPFF,KAOFC,KAAmB,KAA
AK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApFyB,C;O;KARpC,C;4EAUA,4B;MAoEI,QAhEK,S
AgEG,GAhEc,KAgEd,I;MACR,IAAI,CAjEC,SAIED,GAjEkB,KAIeIB,IAAiB,CAAjB,IAAsB,eAjEJ,KAIeI,MAjE
rB,SAiEL,C;QAA6C,a;OAJ7C,OAKEO,C;K;kEAhEX,4B;MA2EI,QAnEK,SAmEG,GAnES,K;MAAJB,OAoEO,K
ApEU,KAOEL,GAAW,CAAC,CAAC,IAPER,KAOEO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAA

kC,EAAID,K;K;4EAIEX,yB;MAqIA,0B;MArIA,mC;QAiKB,kBAAT,oBAAL,SAAK,C;QAqIL,QAAQ,gBArIe,KA
qIf,C;QACR,IAAI,gBAIImB,KAsInB,eAAiB,CAAjB,IAAsB,mBAIiH,KAsIG,GAAa,WAAb,CAA1B,C;UAA6C,
W;SAIi7C,OAuIO,C;O;KA3IX,C;kEAMA,4B;MAGJI,QAxIK,oBAAL,SAAK,CAwIG,QAxIU,KAwIV,C;MAxIR,
OAYIO,MAZIW,KAYIN,KAAa,MAZIP,KAYIO,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,E
AAIC,CAAX,CAAL,C;K;2EAvIX,4B;MAoCI,QAhCA,SAGCQ,GAhCY,KAGCZ,I;MACR,IAAI,CAjCJ,SAiCI,GA
jCgB,KAiChB,IAAiB,CAAjB,IAAsB,eAjCN,KAiCM,MAjC1B,SAiCA,C;QAA6C,a;OAJC7C,OAKCO,C;K;iEhC
X,yB;MAAA,0B;MAAA,mC;QA2CI,QAnCA,SAmCQ,GAnCO,K;QAAf,OAAwB,OAoCjB,KApCQ,KAOCH,GA
AW,CAAC,CAAC,IAPCV,KAOCS,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApCi
B,C;O;KAR5B,C;4EAUA,4B;MAoBI,QAhBA,SAGBQ,GAhBY,KAGBZ,I;MACR,IAAI,CAjBJ,SAiBI,GAjBgB,K
AiBhB,IAAiB,CAAjB,IAAsB,eAjBN,KAiBM,MAjB1B,SAiBA,C;QAA6C,a;OAJB7C,OAKBO,C;K;mEhBX,yB;
MAAA,4B;MAAA,mC;QA2BI,QAnBA,SAmBQ,GAnBO,K;QAAf,OAAwB,QAoBjB,KApBQ,KAOBH,GAAW,C
AAC,CAAC,IAPBV,KAOBS,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApBiB,C;O
;KAR5B,C;4EAUA,4B;MAII,QAAQ,YAAO,KAAP,I;MACR,IAAI,aAAS,KAAT,IAAiB,CAAjB,IAAsB,eAAI,KA
AJ,MAAa,SAAvC,C;QAA6C,a;OAC7C,OAAO,C;K;mEAGX,4B;MAQI,QAAQ,YAAO,K;MACf,OAAO,KAAK,
QAAW,CAAC,CAAC,IAAM,KAAP,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;
4EAGX,yB;MAGEA,0B;MAhEA,mC;QAiKB,kBAAT,oBAAL,SAAK,C;QAgEL,QAAQ,gBAhEe,KAGef,C;QACR
,IAAI,gBAjEmB,KAiEnB,eAAiB,CAAjB,IAAsB,mBAjEH,KAiEG,GAAa,WAAb,CAA1B,C;UAA6C,W;SAjE7C,
OAKEO,C;O;KATEx,C;kEAMA,4B;MA2EI,QAnEK,oBAAL,SAAK,CAMEG,QAnEU,KAmEV,C;MAnER,OAoE
O,MApEW,KAOEN,KAAa,MApEP,KAOEO,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAA
IC,CAAX,CAAL,C;K;6EAIEX,yB;MAGDA,0B;MAhDA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAgDpB,QAhDA,S
AgDQ,KAAO,OAAP,C;QACR,IAjDA,SAiDI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAAl,GAjD1B,SAiD
0B,CAA1B,C;UAA6C,W;SAjD7C,OAKDO,C;O;KATDX,C;mEAMA,yB;MAAA,0B;MAAA,mC;QAQS,cAAU,oB
AAN,KAAM,C;QAmDf,QAnDA,SAmDQ,QAAO,OAAP,C;QAnDR,OAAYB,OAoDIB,MAAK,YAAa,MAAM,OA
AN,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPdkB,S;O;KAR7B,
C;6EAUA,yB;MAGCA,0B;MAhCA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAgCpB,QAhCA,SAGCQ,KAAO,OAAP,
C;QACR,IAjCA,SAiCI,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAAl,GAjC1B,SAiC0B,CAA1B,C;UAA6C
,W;SAjC7C,OAKCO,C;O;KATCX,C;mEAMA,yB;MAAA,4B;MAAA,mC;QAQS,cAAU,oBAAN,KAAM,C;QAmC
f,QAnCA,SAmCQ,QAAO,OAAP,C;QAnCR,OAAYB,QAoCIB,MAAK,YAAa,MAAM,OAAN,CAAD,KAAmB,K
AAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,CAPckB,S;O;KAR7B,C;6EAUA,yB;MAGBA
,0B;MAhBA,mC;QAIS,cAAe,oBAAN,KAAM,C;QAgBpB,QAhBA,SAGBQ,KAAO,OAAP,C;QACR,IAjBA,SAiB
I,KAAS,OAAT,eAAiB,CAAjB,IAAsB,mBAAI,OAAl,GAjB1B,SAiB0B,CAA1B,C;UAA6C,W;SAjB7C,OAKBO,
C;O;KATBX,C;mEAMA,4B;MAQS,cAAU,oBAAN,KAAM,C;MAmBf,QAnBA,SAmBQ,QAAO,OAAP,C;MAnB
R,OAoBO,MAAK,YAAa,MAAM,OAAN,CAAD,KAAmB,KAAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC
,CAAX,CAAL,CAPbkB,Q;K;6EAE7B,yB;MAAA,0B;MAAA,mC;QAII,QAAQ,cAAO,KAAP,C;QACR,IAAI,cA
AS,KAAT,eAAiB,CAAjB,IAAsB,mBAAI,KAAl,GAAa,SAAb,CAA1B,C;UAA6C,W;SAC7C,OAAO,C;O;KANX,
C;mEASA,4B;MAQI,QAAQ,iBAAO,KAAP,C;MACR,OAAO,MAAK,UAAa,MAAM,KAAN,CAAD,KAAmB,K
AAM,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;kEAGX,yB;MpGiqB2C,iB;MoGjqB3C,m
C;QAUI,QAAQ,YAAO,K;QACJ,iBAAS,G;QAAT,S;UAAAsB,OpGspBc,MAAiC,MoGtpB/C,CpGspB+C,CoGtpB/
C,KpGspBc,MAAiC,MoGtpBrC,KpGspBqC,C;SoGtpBhF,OAAO,OAAGD,IAAI,KAAPD,GAA+D,C;O;KAX1E,C;
mEAca,yB;MpG0I6C,iB;MoG1I7C,mC;QAKCI,QAxBK,SAwBG,GAXBY,K;QAYBT,iBAAK,G;QAAL,S;UAAY,
OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGhIxC,KpGglwC,C;SoGhI5D,OAYB
O,OAAsC,IAzBzB,KAYBb,GAAqD,C;O;KANChE,C;mEAYA,yB;MpG8H6C,iB;MoG9H7C,mC;QASBI,QAZA,S
AYQ,GAZO,K;QAaJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,
MAAW,MoGpH7C,KpGoH6C,C;SoGpH5D,OAaO,OAAsC,IAB9B,KAAr,GAAqD,C;O;KAVhE,C;mEAYA,yB;
MpGkH6C,iB;MoGIH7C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoG
vGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGvG3B,KpGuG2B,C;SoGvG5D,OAAO,OAAsC,IAAI,KAA1C,
GAAqD,C;O;KAXhE,C;4ECnTA,yB;MAAA,8B;MAAA,4B;QAoyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4
C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,

UAAxB,C;K;0CAEtB,+B;M3MWA,IAAI,E2MViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA
+E,CAAT,sBAAY,GAAIF,C3MUR,CAAJ,C;QACI,c2MVI,2E;Q3MWJ,MAAM,gCAAYB,OAAQ,WAAjC,C;O2M
TN,OAAO,CAAA,KAAM,IAAI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,O
AAE,UAAF,oBAAS,UAAAT,SAAGB,U;K;qCAEID,iB;MAEwB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO
,I;MACP,iE;MAAD,mB;QAA6B,OAAO,K;OAAvD,mBAAMb,M;MACnB,OAAO,IAAK,UAAAL,KAAgB,YAAa,
U;K;uCAGxY,Y;MAA+B,qB;K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,I
AAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+
B;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAc,KACd,IAAK,MAAL,GAAa,K
AAb,KAAsB,IAAK,MAAL,KAAc,KAAc,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;K;IAIJ,mC;MAAA
,uC;MACI,2BAIuC,G;MAEvC,eAIoC,uCAA0B,M;K;;;IAXIE,+C;MAAA,8C;QAAA,6B;OAAA,uC;K;;IA9CA,iD;
MAAA,uD;MAG6C,0BAAK,KAAL,EAAy,KAAZ,EAAmB,CAAnB,C;MAH7C,Y;K;IA6DJ,qC;MAAA,yC;K;8C
AEI,Y;MAC2B,yBAAc,CAAd,EAAiB,CAAjB,EAAoB,EAAPB,C;K;;;IAH/B,iD;MAAA,gD;QAAA,+B;OAAA,yC
;K;4FCxDI,yB;MAAA,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAAPB,C;O;KAAc,C;;;ICSJ,uB;MAG2C,+BA
AoB,KAApB,C;K;4EAE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C
;O;MAKI,wF;MAKA,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAAA,iC;MAAA,gD;K;;I
AMA,iD;MAAA,iC;MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;AAAA,c;UAAA,sD;aAAA,a;UAA
A,qD;aAAA,M;UAAA,8C;gBAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;;IAAA,2C;MAAA,0C;QAAA,yB;OAAA,m
C;K;IAGoC,qC;MACHc,qBAAsC,W;MACtC,gBAA2B,iC;K;uFAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf
,C;QACI,gBAAS,mC;QACT,qBAAc,I;OAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAA
kC,OAAI,oBAAJ,GAA2B,SAAN,UAAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;;IA
GG,oC;MAAC,4B;K;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UA
AM,C;K;;oFC2C5C,yB;MAAA,gD;MAAA,4B;QAM6C,OAAmB,aAAIB,YAAy,GAAM,C;O;KANhE,C;oGAQA,
yB;MxG7FA,iB;MwG6FA,4B;QAMqD,OxG7FM,MAAO,OwG6FZ,YAAy,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;
O;KANrD,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAmB,sBAAIB,YAAW,GAAO,C;O;KANzE,C;8FAQ
A,yB;MAAA,0D;MAAA,0B;MAAA,4B;QAomD,OAAuC,OAAPB,kBAAIB,YAAy,GAAM,CAAoB,C;O;KAP1F
,C;4FASA,yB;MAAA,wD;MAAA,0B;MAAA,4B;QAokD,OAA2B,OAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP7E,
C;IAUA,2C;MAaI,OAA+E,OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAakD,CAAIB,YAAy,GAAM,MAAK,
CAAL,IAAU,WAAa,CAAvB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,C
AAtB,CAAR,GAAwD,CAAIB,YAAy,GAAM,OAkC,WAAa,CAAIB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAA
A,4B;QAM8C,OAAqB,aAApB,YAAy,KAAQ,C;O;KANnE,C;oGAQA,yB;MxGtKA,iB;MwGsKA,4B;QAOI,OxG
vKuD,MAAO,OwGuK7D,YAAy,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MA
AA,4B;QAMuD,OAAqB,sBAAPB,YAAW,KAAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;
QAOqD,OAAyC,QAAPB,kBAAPB,YAAy,KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;M
AAA,4B;QAOoD,OAA2B,QAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAnF,SAA
Q,KAAI,WAAa,EAAjB,CAAR,GAAqD,CAAPB,YAAy,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAxB,CAA8B,C;
K;IAExF,4C;MAaI,OAAoF,QAAnF,SAAQ,IAAI,EAAJ,IAAU,WAAa,EAAvB,CAAR,GAA4D,CAAPB,YAAy,K
AAQ,OAkC,WAAa,EAAIB,CAAuB,C;K;0E9MIRxF,yB;MAaA,kF;MAbA,wB;QAUbI,IAAI,CAbI,KAArC;UAC
I,cAda,qB;UAeb,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZbD,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUl,IAAI,
CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZd,C;sFAGBA,yB;MAWA,kF;M
AXA,wB;QAQW,yB;QAeP,IAfsB,KAelB,QAAl,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAyB,OAAQ,WAAjC
,C;;UAEN,wBAnBkB,K;;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,c
AAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA,
wB;QAUbI,IAAI,CAbE,KAArC;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZbD,C;sEAaA,
yB;MAAA,4E;MAAA,qC;QAUl,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,
C;U;KAZd,C;kFAGBA,yB;MAcA,4E;MAAd,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAAl,C;UACI,cAhByB,0B;U
AiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E;
MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O;
KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I8CnHi

C,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;M
AAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I,;UADjB,OAEY,2E;O;KAXhB,C,uCacA,Y;MAQQ,
kBADE,UACF,kB;QADJ,OACkB,UAAM,U,;QADxB,OAEY,I;K;gCAGhB,Y;MAOQ,kBADE,UACF,kB;QADJ,O
ACkB,UAAM,W,;QADxB,OAEY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,w
B;QAOI,uBAAO,KAAP,C;O;KAPJ,C;wHASA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAOI,uBAAO,cAAc,SAAd,
CAAP,C;O;KAPJ,C,;IADJ,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;IAwBsB,mC;MACIB,0B;K;sCAGA,iB;MAA4
C,+CAAoB,uBAAa,KAAM,UAAAnB,C;K;wCACHe,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAkC,o
BAAU,cAAV,M;K,;gCA/F1C,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IAmGA
,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C,
yB;MAAA,4B;MAAA,qB;MAxkCQ,kD;MAwCR,wB;QAOW,Q;UACI,OAIIDH,WakDW,OAIIDX,C;UAmDN,gC;
YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C,;YAwCD,O,;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA,
qB;MAtdQ,kD;MAsdR,mC;QAOW,Q;UACI,OAhEH,WAgEW,gBAhEX,C,;UAIEN,gC;YACS,OAZDH,WAAO,
cAyDI,CAzDJ,CAAP,C,;YAsDD,O,;QAAP,W;O;KAPJ,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA
,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C,+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,U
ADL,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,yF,;UACA,mBAAU,SAAV,C;QAFZ,a;O;KADJ,C;kFAoBA,yB;
MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACTb,OAAO,gF;O;KAV
X,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UADf,M;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,m
BAAU,gFAAV,C,;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8
B;MAAA,uC;YAe8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA7JhB,WA6JwB,UAAU,gFAAV,CA7JxB,C,;U
A8JI,oBAAO,eAAP,C;QAFZ,a;O;KADJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MAtdQ,k
D;MAGKR,uC;QAWW,Q;QACH,wB;UA/GG,U,;YA+GkC,U;YA9G9B,SAhEH,gBA8KuB,UAAU,sFAAV,CA9K
vB,C,;YAIEN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C,;cAsDD,O,;UA+GU,a,;UACL,uBAAO,eAAP,C;
QAFZ,W;O;KAXJ,C;wEAiBA,yB;MAAA,4B;MAAA,uC;QAcW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB,;
UACO,OAnMX,WAmMmB,UAAU,SAAV,CAnMnB,C,;QAIrM,W;O;KADJ,C;wFAoBA,yB;MA/IA,4B;MAAA,q
B;MAtdQ,kD;MAqMR,uC;QAWW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB,;UApJL,U,;YACI,SAhEH,WA
oNkB,oBApNIB,C,;YAIEN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C,;cAsDD,O,;UAqJK,a,;QAFZ,W;O;
KAXJ,C;4EAmBA,6B;MAUI,Q;MAAA,iD;QAAyB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;M
AAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;I3CtTgC,sC;M
AAC,uB;QAAA,UAAkB,kC;mBAA4C,O,;K,;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1C,
C;oEAOA,yB;MAAA,2D;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB;
MAUI,OAAO,O;K;kEAGX,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B;
MAUI,gB;MACA,OAAO,S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAA
O,MAAM,SAAN,C;K;sEAGX,gC;MAWI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,g
C;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd,
UAAsB,KAAtB,U;QACI,OAAO,KAAP,C,;K;wE4MjJR,iB;MAIkF,Y;K;ICY9C,6B;MACHc,kB;MACA,oB;K;8B
AGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,M;K,;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjB
J,yB;MAAA,gBAgBI,qCAhBJ,EAIbI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BA
AA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEp
D,8B;MAI8C,iBAAO,eAAP,EAAC,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAG
yC,aAAG,UAAH,UAAW,WAAX,UAAoB,UAApB,M;K,;kCAxB7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kC
AjBJ,Y;MAkBI,iB;K;oCAIBJ,gC;MAAA,kBAgBI,qCAhBJ,EAIbI,wCAjBJ,EAKBI,qCAIBJ,C;K;gCAAA,Y;MAA
A,c;MAGBI,sD;MACA,uD;MACA,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAKBI,sCA
IBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAC,gBAAd,EAAsB,eAAtB,E;K;I5NIE1B,qB;MAErB,6B;MAFwD,g
B;K;IAExD,2B;MAAA,+B;MAcI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAG
mC,C;MAEnC,iBAGkC,C;K,;IANbtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BA2
O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAehF,iB;MAM2D,OAAa,0BAm
O1C,SAAL,GAAiB,GAnOsB,EAAU,KEoO5C,KAAL,GAAiB,KFpOsB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8C;
MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAtB,CC7PgD,MAAjB,EDAe,KCAc,KAA

7B,C;O;KDNIE,C;sGAQA,yB;MA4PA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MjBCA,wB;QAM0D,OiBAS,aAAk
B,CjB+PhD,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB/PgD,MAAIB,EjBAgB,KiBAc,KAA9B,C;O;KjBNnE,C;4F
AQA,yB;MA00A,6B;MA10A,wB;QAEsD,OCMD,cAAU,CD205B,cAAU,SAAL,GAAiB,GAAtB,CC304B,MA
AK,GAAW,CD205C,cAjPsC,KAiP5B,KAAL,GAAiB,GAAtB,CC304C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;
MAuOA,6B;MAvOA,wB;QAEuD,OCGF,cAAU,CD205B,cAAU,SAAL,GAAiB,GAAtB,CC304B,MAAK,GAA
W,CC405C,cF/OuC,KE+07B,KAAL,GAAiB,KAAtB,CD504C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAoOA
,6B;MApOA,wB;QAEqD,OCAA,cAAU,CD205B,cAAU,SAAL,GAAiB,GAAtB,CC304B,MAAK,GDAI,KCAO,
KAAx,IAAf,C;O;KDFrD,C;4FAGA,yB;MA2OA,WAS6D,wB;MAT7D,+B;MA3OA,wB;QAEuD,OiBAA,eAAW,
CjBkP7B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBIP6B,MAAK,KjBAI,KiBAO,KAAx,CAAhB,C;O;KjBFvD,C;
8FAIA,yB;MA6NA,6B;MA7NA,wB;QAEuD,OCMD,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,M
AAK,GAAY,CD8N9C,cApOwC,KAoO9B,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,
yB;MA0NA,6B;MA1NA,wB;QAEwD,OCGF,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,G
AAY,CC+N9C,cFIOyC,KEkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MAuN
A,6B;MAvNA,wB;QAEsD,OCAA,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCA
O,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MA8NA,WAS6D,wB;MAT7D,+B;MA9NA,wB;QAEwD,OiBAA,eAA
W,CjBqO9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBrO8B,MAAK,UjBAK,KiBAO,KAAZ,CAAhB,C;O;KjBFx
D,C;8FAIA,yB;MAGNA,6B;MAhNA,wB;QAEuD,OCMD,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,C
CjN6B,MAAK,EAAY,CDiN9C,cAvNwC,KAuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KDRtD,C
;8FAGA,yB;MA6MA,6B;MA7MA,wB;QAEwD,OCGF,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCj
N6B,MAAK,EAAY,CCKN9C,cFrNyC,KEqN/B,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KDLtD,C;8F
AGA,yB;MA0MA,6B;MA1MA,wB;QAEsD,OCAA,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCjN6B
,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAiNA,WAS6D,wB;MAT7D,+B;MAjNA,wB;Q
AEwD,OiBAA,eAAW,CjBwN9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBxN8B,MAAK,UjBAK,KiBAO,KAAZ
,CAAhB,C;O;KjBFxD,C;0FAIA,yB;MAmMA,6B;MC7LA,4C;MDNA,wB;QAEqD,OCMD,WDoMjB,cAAU,SA
L,GAAiB,GAAtB,CCpMiB,EDoMjB,cA1MoC,KA0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDRpD,C;0FAG
A,yB;MAGMA,6B;MC7LA,4C;MDHA,wB;QAEsD,OCGF,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECq
MjB,cFxMqC,KEwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KDLpD,C;0FAGA,yB;MA6LA,6B;MC7LA,4C;M
DAA,wB;QAEoD,OCAA,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDakB,KCAIB,C;O;KDFpD,C;0FA
GA,yB;MAoMA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MjBAA,wB;QAEsD,OiBAA,YjB2MjB,eAAW,oBAAL,S
AAK,CAAL,UAAN,CiB3MiB,EjBAmb,KiBAnB,C;O;KjBFtD,C;0FAIA,yB;MA5LA,6B;MCxKA,kD;MDdA,wB;
QAMqD,OCcD,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cAzLoC,KAYL1B,KAAL,GAAiB,GAAt
B,CC3KiB,C;O;KDPpD,C;0FAOA,yB;MA+KA,6B;MCxKA,kD;MDPA,wB;QAMsD,OCOF,cD2KjB,cAAU,SA
AL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFnLqC,KEmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KDbpD,C;0FAOA,
yB;MAwKA,6B;MCxKA,kD;MDAA,wB;QAMoD,OCAA,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDAK
B,KCAIB,C;O;KDNpD,C;0FAOA,yB;MA2KA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBAA,wB;QAMsD,OiB
AA,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBAmb,KiBAnB,C;O;KjBNtD,C;oGAQA,yB;MAy
JA,6B;MC7LA,4C;MDoCA,wB;QAMiD,OCxCG,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA5
JqC,KA4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDKcP,D,C;oGAOA,yB;MAKJA,6B;MC7LA,4C;MD2CA,wB;
QAMkD,OC/CE,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECqMjB,cFtJsC,KEsJ5B,KAAL,GAAiB,KAA
tB,CDrMiB,C;O;KDyCpD,C;oGAOA,yB;MA2IA,6B;MC7LA,4C;MDkDA,wB;QAMgD,OCtDI,WDoMjB,cAAU,
SAAL,GAAiB,GAAtB,CCpMiB,EDsDmB,KCtDnB,C;O;KDgDpD,C;oGAOA,yB;MA8IA,WAS6D,wB;MAT7D,+
B;MiBpMA,8C;MjBsDA,wB;QAMkD,OiB1DI,YjB2MjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB3MiB,EjB0D
oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C,
OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HIB,KAAL,GAAi
B,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KAtMrC,C;0FASA,yB;MAmHA,6B;MCxKA,kD;MCwOJ,4B;M
AAA,iC;MFnLI,wB;QAQ+C,OE5LR,gBAAy,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,c
FrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B
;MCxKA,kD;MD8DA,wB;QAQ2C,OChES,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O;

KDwDpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBIES,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBIEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,C,A9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M4LxOJ,0B;M5LwOI,wB;QAE8D,sB4LvOgC,O5LuO1B,IAAK,K4LvOX,G5LuOoB,KAAM,K4LvOM,C5LuOhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;M4LTOJ,0B;M5LsOI,wB;QAEkD,sB4LrO+B,O5LqOzB,IAAK,K4LrOX,G5LqOmB,KAAM,K4LrOM,C5LqO/B,C;O;KAFID,C;0FAGA,yB;MAAA,+B;M4LpOJ,0B;M5LoOI,wB;QAE8D,sB4LnOgC,O5LmO1B,IAAK,K4LnOX,G5LmOoB,KAAM,K4LnOM,C5LmOhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;M4LlOJ,0B;M5LkOI,mB;QAEiC,sB4LjOqB,OAAP,C5LiOR,S4LjOe,C5LiOrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;M4L1OJ,4B;M5L0OI,mB;QASqC,O4LhPiD,Q5LgP5C,S4LhPY,G5LgPE,G4LhP8B,C;O;K5LuOtF,C;8EAUA,Y;MASiC,OAAK,SAAL,GAAiB,G;K;gFACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;MAEqC,W;K;oFACrC,yB;MAAA,iC;M4L5QJ,4B;M5L4QI,mB;QASuC,uB4LIR+C,Q5LkRnC,S4LIRG,G5LkRW,G4LIRqB,C5LkR/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;+BA1UrD,Y;MAAA,c;MAG4D,qD;MAH5D,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEA8UA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;Igc9WA,6B;MACqB,sB;K;uCakjB,iB;MAM6C,OhCyUP,UgCzUO,AAAQ,KAAR,ChCyUP,C;K;uCgCvUtC,wB;MAOI,AAAQ,KAAR,IAAiB,KhCiOc,K;K;kFgC7NL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGxD,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCmTO,UgCnTiB,AAAM,mBAAN,EAAM,2BAAN,OhCmTjB,C;;QgCnT+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OhC2MO,KgC3MhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qd0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,AAAO,I;UAAP,e;SACrB,6B;QAaHb,OAAGB,gBAaHb,C;UAAGB,2B;Uc1nD6B,2Bd0nDR,Oc1nDQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,Ed0nD/B,OIBn7CF,KgCvMiC,C;Wd0nD9C,IAAI,OAAJ,C;YAAyB,AAAO,K;YAAP,e;;QAC/C,aAAO,I;;Mc3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,sC;MAAA,oD;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWsC,yC;QAAA,wB;UAAW,OAAA,AAAK,KAAL,ChCsLV,K;S;O;MgCjMvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,GAAGB,uBAaHb,CAAX,C;O;KAXX,C;kFACa,oB;MAGqE,e;K;l/BtE7C,oB;MAEpB,4B;MAFuD,gB;K;IAEvD,0B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IAAnBtC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MD2QA,6B;MC3PA,8C;MAHBA,wB;QAM0D,OAIbQ,YAAy,IAAK,KAAjB,EAA6B,CD6P5D,cC9QsC,KD8Q5B,KAAL,GAAiB,GAAtB,CC7P4D,MAA7B,C;O;KAvBIE,C;0GAQA,yB;MCoQA,6B;MD5PA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,EAA6B,CC8P5D,cDvQuC,KCuQ7B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,C;O;KAFIE,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAOke,mBAAy,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;0GASA,yB;MAGRA,kBAS6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,AAAKB,ChBmRhD,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBnRgD,MAAIB,EhBAGB,KgBAC,KAA9B,C;O;KhBnNE,C;0FAQA,yB;MD00A,6B;MC10A,wB;QAEsD,OAMD,cAAK,IAAK,KAAL,GAAW,CD2O5C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAL,GAAW,CC4O5C,cD/O8B,KC+OpB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;QAEqD,qBAAK,IAAK,KAAL,GAAL,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,sB;

MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,MAAK,KhBAI,KgBAO,KAAX,CAAhB,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAAK,IAAK,KAAK,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,C;4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CC+N9C,cDIogC,KCkOtB,KAAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK,GAAM,KAAM,KAAZ,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAIPA,wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO,KAAX,CAAhB,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCKn9C,cDrNgC,KCqNtB,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAe,YAAV,IAAK,KAAK,EAAM,KAAM,KAAZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MArOA,wB;QAEwD,OgBAA,eAAW,ChB4O9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB5O8B,MAAK,UhBAK,KgBAO,KAAX,CAAhB,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD9LA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,ECqMjB,cDxM4B,KCwMIB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAaiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhBAmb,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,kD;MAdA,wB;QAMqD,OAcD,cAAc,IAAd,ED2KjB,cCzL2B,KDyLjB,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KApBpD,C;wFAOA,yB;MCgLA,6B;MDzKA,kD;MAPA,wB;QAMsD,OAO,cAAc,IAAd,EC4KjB,cDnL4B,KCmLIB,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KAbpD,C;wFAOA,yB;MAAA,kD;MAAA,wB;QAMoD,qBAAc,IAAd,EAoB,KAApB,C;O;KANpD,C;wFAOA,yB;MA+LA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBAA,wB;QAMsD,OgBAA,ehBkMjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBAmb,KgBAnB,C;O;KhBNtD,C;KGAQA,yB;MDyJA,6B;MC7LA,4C;MAoCA,wB;QAMiD,OAxCG,WAAW,IAAX,EDoMjB,cC5J4B,KD4JIB,KAAL,GAAiB,GAAtB,CpMiB,C;O;KAKCpD,C;kGAOA,yB;MCMJA,6B;MD9LA,4C;MA2CA,wB;QAMkD,OA/CE,WAAW,IAAX,ECqMjB,cDtJ6B,KCsJnB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KAYCpD,C;kGAOA,yB;MAIDA,4C;MAkDA,wB;QAMgD,OAtDI,WAAW,IAAX,EAsDA,KAtDA,C;O;KAGDpD,C;kGAOA,yB;MAkKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBsDA,wB;QAMkD,OgB1DI,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhB0DoB,KgB1DpB,C;O;KhBoDtD,C;wFAQA,yB;MD4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MC3LI,wB;QAQ6C,O D8LR,eAAW,OC5OI,cAAc,IAAd,ED2KjB,cC7HmB,KD6HT,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,C AAX,C;O;KCtMrC,C;wFASA,yB;MCoHA,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MDnLI,wB;QAQ+C,OCsLR,g BAAY,QD7OC,cAAc,IAAd,EC4KjB,cDrHqB,KCqHX,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KD9LvC,C;wFASA,yB;MA9DA,kD;MA8DA,wB;QAQ2C,OAhES,cAAc,IAAd,EAGEL,KAHEK,C;O;KAwDpD,C;wFASA,yB;MA+HA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBgEA,wB;QAQ6C,OgBIES,ehBkMjB,eAAW,o BAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBkEU,KgBIEV,C;O;KhB0DtD,C;wEAUA,yB;MAAA,6B;MAAA,mB; QAMyC,qBAAK,SAAK,QAAY,C;O;KANzC,C;wEAQA,yB;MAAA,6B;MAAA,mB;QAMyC,qBAAK,SAAK,QA AV,C;O;KANzC,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAGB,KAAhB,C;O;KAF7D,C; wFAIA,yB;MAAA,6B;MAAA,2B;QAOmD,qBAAK,aAAS,QAAd,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA, 2B;QAOmD,qBAAK,cAAU,QAaf,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KA AL,GAAC,KAAM,KAAZB,C;O;KAFjD,C;sFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GA Aa,KAAM,KAAxB,C;O;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAC,KA AM,KAAZB,C;O;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8 EAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA, mB;QAUqC,OAAK,QAAL,SAAK,C;O;KAVIC,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MA TrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDwDJ,0B;MAAA,+B;MCxDI,mB; QASqC,OD0DA,eAAW,OC1DX,SD0DW,CAAX,C;O;KCnErC,C;kFAUA,yB;MC+CJ,4B;MAAA,iC;MD/CI,mB; QASuC,OCiDA,gBAAY,QDjDZ,SCiDY,CAAZ,C;O;KD1DvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,k

BAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB; MASA,gD;MATA,mB;QAQqC,OAEO,aAAa,SAAb,C;O;KAfvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,o BAAa,SAAb,C;O;KANvC,C;8BAQA,Y;MAAyC,OArDD,oBAAL,SAAK,CAAL,iBAqDe,W;K;,,,;8BAhWtD,Y;M AAA,c;MAG2D,qD;MAH3D,a;K;4BAAA,iB;MAAA,2IAG2D,oCAH3D,G;K;sEAoWA,yB;MAAA,6B;MAAA,4B ;QAWwC,qBAAU,SAAV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAX zC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA ,4B;QAWwC,qBAAK,SAAK,QAAY,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAKB,SAAlB, C;O;KATzC,C;wEAUA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAaA,SAAb,C;O;KAT1C,C;Igc3ZA,4B;MACqB,sB ;K;sCAKjB,iB;MAM4C,OhCuXT,SgCvXS,aAAQ,KAAR,ChCuXT,C;K;sCgCrXnC,wB;MAOI,aAAQ,KAAR,IAA iB,KhCyQY,K;K;iFgCrQH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MAC6E,8BAAS,YAAT,C;K;IAGvD,mC; MAAgC,uB;MAA/B,oB;MACnB,eAAoB,C;K;2CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q; MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCiWK,SgCjWmB,aAAM,mBAAN,EAAM,2BAAN,OhCiWnB, C;;QgCjWgD,MAAM,2BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ, C;QAAgC,OAAO,K;MAEvC,OAAe,WAAR,YAAQ,EAAS,OhCmPK,KgCnPd,C;K;8CAGnB,oB;MACY,Q;MAA 2B,gBAA3B,gE;MAA2B,c;;Qf0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6 B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Ue1nD6B,2Bf0nDR,Oe1nDQ,O;UAAA,W;YAAsB,oBAAR,YAAQ,E f0nD9B,OjB34CJ,KgC/OkC,C;Wf0nD7C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Me3nDH,i B;K;kCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,qC;MAAA,mD;MACgC,sBAAK,eAA S,IAAT,CAAL,C;MADhC,Y;K;,,,;mCAPJ,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;M ALrB,a;K;iCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;8EAyDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,O AAA,aAAK,KAAL,ChC8NV,K;S;O;MgCzOrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAAV, C;O;KAXX,C;gFACa,oB;MAGkE,e;K;I4LnE5C,wC;MAsBIB,iC;MATsD,2BAAgB,KAAhB,EAAuB,YAAvB,EA AqC,CAArC,C;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,W5NwCoB,Y4NxCPB, U5NwCqC,KAAjB,E4NxCX,K5NwCwC,KAA7B,C4NxCPB,K;MAAA,S;QAAkB,O5NwCE,Y4NxCF,K5NwCmB ,KAAjB,E4NxCO,S5NwCsB,KAA7B,C4NxCF,K;OAAIB,W;K;kCAE9C,Y;MAKkC,O5NiCgC,Y4NjChC,U5NiCi D,KAAjB,E4NjCxB,S5NiCqD,KAA7B,C4NjChC,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBAAa, KAAM,UAAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;K;mCA GJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,U5NyQA,K4NzQL,QAAqB,S5NyQhB,K4NzQL,I;K;mC AE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0 B,4BAAK,UAA/B,C;K;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IAYJ,oD;MA4CI,uC;MATCI,IAAI,SAA Q,CAAZ,C;QAAuB,MAAa,gCAAYB,wBAAZB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEA AzB,C;MAG5C,aAGyB,K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGu B,I;K;yCAEvB,Y;MAAgD,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAEhD,Y;MAMqC,OAAI, YAAO,CAAX,G5NvB6B,Y4NuBf,U5NvBgC,KAAjB,E4NuBP,S5NvBoC,KAA7B,C4NuBf,IAAd,G5NvB6B,Y4N uBG,U5NvBc,KAAjB,E4NuBW,S5NvBkB,KAA7B,C4NuBG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,iDAA 6B,kBAAa,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,cA AQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,U5NiNN, K4NjNC,QAAqB,S5NiNtB,K4NjNC,IAAN,SAAGD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAA gB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;I AEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAT,C;K;;IAT/F,iD;M AAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,oD;MAAuC,uB;MACxE,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1 C,G5NxDe,K,Y4NwDrB,K5NxDsC,KAAjB,E4NwDZ,I5NxDyC,KAA7B,C4NwDrB,KAA7C,G5NxDe,K,Y4NwDF, K5NxDmB,KAAjB,E4NwDO,I5NxDsB,KAA7B,C4NwDF,K;MACHe,c5N2RmC,S4N3RhB,I5N2RgB,C;M4N1Rn C,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY,W;MACZ,IA AI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,c5NID6C, S4NkD7C,W5NIDuD,KAAK,G4NkDpD,W5NID+D,KAAAX,IAAf,C;;M4NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCAII, Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;m CAII,Y;MAA4B,uB;K;;I7M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,

iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;IANtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA ,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B, CjB+P5D,eAAW,oBiBxRyB,KjBwR9B,KAAK,CAAL,UAAN,CiB/P4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;Mf8 QA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MAhBA,wB;QAM2D,OaiBQ,aAAa,IAAK,KAAIB,EAA8B,CfgQ5D,eAA W,oBejR0B,Kfir/B,KAAK,CAAL,YAAN,CehQ4D,MAA9B,C;O;KAvBnE,C;sGAQA,yB;MhByRA,kBAS6D,sB; MAT7D,+B;MgBjRA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,KAAIB,EAA8B,ChBmR5D,eAAW,oBgB5Rw B,KhB4R7B,KAAK,CAAL,iBAAN,CgBnR4D,MAA9B,C;O;KafnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAO mE,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;O;KAPnE,C;4FASA,yB;MjBoPA,WAS6D,wB;MAT7D,+B ;MiBpPA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,CjBkP7C,eAAW,oBiB3PiB,KjB2PtB,KAAK,CAAL, UAAN,CiBIP6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;MfkPA,aAS6D,0B;MAT7D,+B;MelPA,wB;QAEwD ,OAMD,eAAM,IAAK,KAAK,KAAW,CfmP7C,eAAW,oBezPkB,KfyPvB,KAAK,CAAL,YAAN,CenP6C,MAAX, CAAhB,C;O;KARvD,C;4FAGA,yB;MhBkQA,kBAS6D,sB;MAT7D,+B;MgBlQA,wB;QAEsD,OAGC,eAAM,IAA K,KAAK,KAAW,ChBsQ7C,eAAW,oBgBzQgB,KhByQrB,KAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;O; KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAZ,CAAhB,C; O;KAFvD,C;8FAIA,yB;MjBuOA,WAS6D,wB;MAT7D,+B;MiBvOA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,U AAY,CjBqO/C,eAAW,oBiB9OmB,KjB8OxB,KAAK,CAAL,UAAN,CiBrO+C,MAAZ,CAAhB,C;O;KAXxD,C;8F AGA,yB;MfqOA,aAS6D,0B;MAT7D,+B;MerOA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAZ,CfsO/C,eAA W,oBe5OoB,Kf4OzB,KAAK,CAAL,YAAN,CetO+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBqPA,kBAS 6D,sB;MAT7D,+B;MgBrPA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAZ,ChByP/C,eAAW,oBgB5PkB,KhB4 PvB,KAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEw D,sBAAM,IAAK,KAAK,UAAZ,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;MjB0NA,WAS6D,wB;MAT7 D,+B;MiB1NA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAZ,CjBwN/C,eAAW,oBiBjOmB,KjBiOxB,KAAK, CAAL,UAAN,CiBxN+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;MfwNA,aAS6D,0B;MAT7D,+B;MexNA,w B;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAZ,CfyN/C,eAAW,oBe/NoB,Kf+NzB,KAAK,CAAL,YAAN,CezN+ C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBwOA,kBAS6D,sB;MAT7D,+B;MgBxOA,wB;QAEuD,OAGC, eAAM,IAAK,KAAK,UAAZ,ChB4O/C,eAAW,oBgB/OkB,KhB+OvB,KAAK,CAAL,iBAAN,CgB5O+C,MAAZ,C AAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAZ,KAAM,KAAZ ,CAAhB,C;O;KAFxD,C;0FAIA,yB;MjB6MA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MATA,wB;QAEsD,OASA, YAAZ,IAAZ,EjB2MjB,eAAW,oBiBpNe,KjBoNpB,KAAK,CAAL,UAAN,CiB3MiB,C;O;KAXtD,C;0FAGA,yB; Mf2MA,aAS6D,0B;MAT7D,+B;MerMA,8C;MANA,wB;QAEuD,OAMD,YAAZ,IAAZ,Ef4MjB,eAAW,oBelNgB, KfkNrB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KARtD,C;0FAGA,yB;MhB2NA,kBAS6D,sB;MAT7D,+B;MgBxNA, 8C;MAHA,wB;QAEqD,OAGC,YAAZ,IAAZ,EhB+NjB,eAAW,oBgBlOc,KhBkOnB,KAAK,CAAL,iBAAN,CgB/ NiB,C;O;KALtD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAY,IAAZ,EAakB,KAAIB,C;O;KAFtD,C;0F AIA,yB;MjBgmA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MarBA,wB;QAMsD,OAqBA,eAAe,IAAf,EjB8KjB,eA AW,oBiBnMe,KjBmMpB,KAAK,CAAL,UAAN,CiB9KiB,C;O;KA3BtD,C;0FAOA,yB;Mf0LA,aAS6D,0B;MAT7 D,+B;Me5KA,oD;MAdA,wB;QAMuD,OAcd,eAAe,IAAf,Ef+KjB,eAAW,oBe7LgB,Kf6LrB,KAAK,CAAL,YAA N,Ce/KiB,C;O;KApBtD,C;0FAOA,yB;MhBsMA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MAPA,wB;QAMqD,OA OC,eAAe,IAAf,EhBkmjB,eAAW,oBgBzMc,KhByMnB,KAAK,CAAL,iBAAN,CgBIMiB,C;O;KAbtD,C;0FAOA, yB;MAAA,oD;MAAA,wB;QAMsD,sBAAE,IAAf,EAAqB,KAArB,C;O;KANtD,C;oGAQA,yB;MjBmKA,WAS6D, wB;MAT7D,+B;MiBpMA,8C;MAiCA,wB;QAMkD,OArcI,YAAZ,IAAZ,EjB2MjB,eAAW,oBiBtKgB,KjBsKrB, KAAK,CAAL,UAAN,CiB3MiB,C;O;KA+BtD,C;oGAOA,yB;Mf6JA,aAS6D,0B;MAT7D,+B;MerMA,8C;MAwC A,wB;QAMmD,OA5CG,YAAZ,IAAZ,Ef4MjB,eAAW,oBehKiB,KfgKtB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KA sCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAZ,IAA Z,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MatDA,8 C;MAsDA,wB;QAMkD,OA1DI,YAAZ,IAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,wB ;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,Ej B8KjB,eAAW,oBiBvIM,KjBuIX,KAAK,CAAL,UAAN,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBINtC,C;0FAS A,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAY,QelP

E,eAAe,IAAf,Ef+KjB,eAAW,oBe/HQ,Kf+Hb,KAAK,CAAL,YAAN,Ce/KiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC,
C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBv
QkB,eAAe,IAAf,EhBkMjB,eAAW,oBgBzII,KhByIT,KAAK,CAAL,iBAAN,CgBIMiB,CAGMnB,KhBuEW,QAav
,C;O;KgBtNpC,C;0FASA,yB;MAhEA,oD;MAGEA,wB;QAQ6C,OAIES,eAAe,IAAf,EAKEL,KAIEK,C;O;KA0DtD
,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;
MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;KGAQA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAA
W,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,oBAAS,QAAT,CAA
N,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,6BAAU,QAav,CAAN,C;O;KAPpD,C;0F
ASA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;w
FAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAa,KAAM,KAApB,CAAN,C;O;KAFID,C;0F
AGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;0
EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,
mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,C;KFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,S
AAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA,SAAK,Q;K;gFACTC,Y;MASmC,gB;K;KFAEnC,yB;MjBmEJ,0B;
MAAA,+B;MiBnEI,mB;QASqC,OjBqEC,eAAW,OiBrEZ,SjBqEY,SAAX,C;O;KiB9EtC,C;0FAUA,yB;Mf0DJ,4B;
MAAA,iC;Me1DI,mB;QASuC,Of4DC,gBAAY,Qe5Db,Sf4Da,SAAZ,C;O;KerExC,C;gFAUA,yB;MhBqEJ,6B;Mg
BrEI,mB;QASmC,OhBuEC,cgBvED,ShBuEW,QAav,C;O;KgBhFpC,C;KFAUA,Y;MAEQC,W;K;KFAErC,yB;MA
SA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;O;KAjBvC,C;0FASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBA
Ac,SAAd,C;O;KARvC,C;+BAUA,Y;MAAyC,qBAAc,SAAd,C;K;+;+BAnW7C,Y;MAAA,c;MAG4D,qD;MAH5D
,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEAuWA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,
SAAK,CAAX,C;O;KAX1C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;K
AX3C,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;
MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAA
mB,SAAnB,C;O;KAT3C,C;0EAUA,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SAAd,C;O;KAT5C,C;liB9ZA,6B;
MACqB,sB;K;uCAKjB,iB;MAM6C,OjBsYP,UiBtYO,aAAQ,KAAAR,CjBsYP,C;K;uCiBpYtC,wB;MAOI,aAAQ,K
AAR,IAAiB,KjBoRc,K;K;kFiBhRL,Y;MAAQ,OAAA,YAAQ,O;K;0CAE9C,Y;MAC8E,+BAAS,YAAT,C;K;IAGx
D,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAA
yD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjBgXO,UiBhXiB,aAAM,mBAAN,EAAM,2BAAN,OjBgX
jB,C;;Q;BiBhX+C,MAAM,2BAAUb,YAAM,WAA7B,C;K;;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,QA
AJ,C;QAAiC,OAAs,K;MAExC,OAae,WAAR,YAAQ,EAAS,OjB8PO,KiB9PhB,C;K;+CAGnB,oB;MACY,Q;MA
A2B,gBAA3B,gE;MAA2B,c;;QhB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAp,e;SACr
B,6B;QAAhB,OAAGb,gBAAhB,C;UAAgB,2B;UgB1nD6B,2BhB0nDR,OgB1nDQ,Q;UAAA,W;YAAuB,oBAAR,
YAAQ,EhB0nD/B,ODh4CF,KiB1PiC,C;WhB0nD9C,IAAI,OAaj,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;
MgB3nDH,iB;K;mCAGJ,Y;MAAKC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;IA/CvD,sC;MAAA,oD;MACgC,
uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;+;+oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAA,Y;MAAA,c;M
AKqB,wD;MALrB,a;K;kCAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWSc,yC;QAAA,w
B;UAAW,OAAA,aAAK,KAAL,CjByOV,K;S;O;MiBpPvC,6B;QAWI,OAAs,oBAAW,kBAAU,IAAV,EAAGb,uB
AAhB,CAAX,C;O;KAXX,C;kFACa,oB;MAGqE,e;K;I6LnE9C,2C;MAsBnB,kC;MATByD,4BAAiB,KAAjB,EAA
wB,YAAxB,K;K;qFAC/B,Y;MAAQ,iB;K;4FACD,Y;MAAQ,gB;K;8CAEzC,iB;MAA+C,W9MgDoB,a8MhDpB,U
9MgDsC,KAAIB,E8MhDX,K9MgDyC,KAA9B,C8MhDpB,K;MAAA,S;QAakB,09MgDE,a8MhDF,K9MgDoB,K
AAIB,E8MhDO,S9MgDuB,KAA9B,C8MhDF,K;OAAIB,W;K;qCAE/C,Y;MAKkC,09MyCiC,a8MzCjC,U9MyCm
D,KAAIB,E8MzCzB,S9MyCuD,KAA9B,C8MzCjC,I;K;oCAEIC,iB;MAEY,UAAwB,M;MADhC,8CAAwB,kBAA
a,KAAM,UAAAnB,KACHB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAAd,QAAxB,CADgB,CAAXB,C;K;
sCAGJ,Y;MACI,OAAI,CAAJ,GAAe,EAaf,GAAwB,M9M0QK,CARckB,U8MrOjB,U9MqO4B,KAAL,KAAoB,C
AVzB,U8M3NP,U9M2Na,yB8M3NH,E9M2NG,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q8M1QV,Q9
M0QK,CARckB,U8MrOoB,S9MqOT,KAAL,KAAoB,CAVzB,U8M3N6B,S9M2NvB,yB8M3NgC,E9M2NhC,CA
AN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q8M1QV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAf,qBAAU,S;K;IAE
5C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;;IAFnC,4C;MAAA,2C;

QAAA,0B;OAAA,oC;K;;IA YJ,qD;MA4CI,wC;MA tCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAAyB,wBAAzB,C;MA CrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1B, EAAiC,YAAjC,EAA+C,IAA/C,C;MAEZB,YAGwB,I;K;0CAExB,Y;MAAiD,oCAAyB,UAAzB,EAAgC,SAAhC,E AAsC,SAAtC,C;K;yCAEjD,Y;MAMqC,OAAI,uBAAO,CAAX,G9Mf8B,a8MehB,U9MfkC,KAAIB,E8MeR,S9Mfs C,KAA9B,C8MehB,IAAd,G9Mf8B,a8MeE,U9MfgB,KAAIB,E8MeU,S9MfoB,KAA9B,C8MeE,I;K;wCAErE,iB; MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAA nB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ, KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAA e,EAAf,GAAwB,OAA M,M9MkND,CArCkB,U8M7KX,U9M6KsB,KAAL,KAAoB,CAVzB,U8MnKD,U9MmKO, yB8MnKG,E9MmKH,CAAN,CAUyB,MAApB,CAAN,CAqCIB,MAAK,Q8MINJ,Q9MkND,CArCkB,U8M7K0B, S9M6Kf,KAAL,KAAoB,CAVzB,U8MnKmC,S9MmK7B,yB8MnKsC,E9MmKtC,CAAN,CAUyB,MAApB,CAAN ,CAqCIB,MAAK,Q8MINJ,IAAN,SAAqF,cAAU,6BAAU,EAAV,CAA V,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAk C,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAd,GAAgD,UAAF,2BAAgB,SAAh B,cAA6B,SAAD,aAA5B,W;K;IAEhF,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EA AuC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;OAAA,0C;K;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I; MAC3B,iBAAmC,kBAAO,CAA1C,G9MhDmE,a8MgDtB,K9MhDwC,KAAIB,E8MgDb,I9MhD2C,KAA9B,C8M gDtB,KAA7C,G9MhDmE,a8MgDH,K9MhDqB,KAAIB,E8MgDM,I9MhDwB,KAA9B,C8MgDH,K;MACHe,c9M 0SsC,U8M1SnB,I9M0SmB,C;M8MzStC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;m DAEIC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B ;QAC3B,iBAAU,K;;QAEV,c9M/C+C,U8M+C/C,W9M/C0D,KAAK,K8M+CvD,W9M/CkE,KAAX,CAAhB,C;;M 8MiDnD,OAAO,K;K;;wEC7Hf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAP X,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB; MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA ,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAM6C,OAA Q,ahO+RhB,cgO/RgB,C;O;KANrD,C;oGAQA,yB;M/GwCA,iB;M+GxCA,4B;QAMqD,O/GwCM,MAAO,OjH+O 7B,ciH/O6B,C;O;K+G9CIE,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAQ,sBhO+QzB,cgO/QyB,C;O;KA N9D,C;8FAQA,yB;MAAA,0D;MhOwWA,6B;MgOxWA,4B;QAOmD,OhO2WZ,cgO3WoB,kBhOsQtB,cgOtQsB, ChO2WpB,C;O;KgOIXvC,C;4FASA,yB;MAAA,wD;MhO+VA,6B;MgO/VA,4B;QAOkD,OhOkWX,cgOIWmB,iB hO6PrB,cgO7PqB,ChOkWnB,C;O;KgOzWvC,C;gFASA,yB;MAAA,4C;MhOsVA,6B;MgOtVA,sC;QAayD,OhOm VIB,cgOnV0B,WhO8O5B,cgO9O4B,EAAW,QAAX,ChOmV1B,C;O;KgOhWvC,C;kFAGBA,yB;MAAA,8C;MhO sUA,6B;MgOtUA,sC;QAa0D,OhOmUnB,cgOnU2B,YhO8N7B,cgO9N6B,EAA Y,QAAX,ChOmU3B,C;O;KgOhV vC,C;oFAGBA,yB;MAAA,gD;MAAA,4B;QAM8C,OAAS,ahNgOhB,cgNhOgB,C;O;KANvD,C;oGAQA,yB;MAA A,gE;MAAA,4B;QAMsD,OAAS,qBhNwNxB,cgNxNwB,C;O;KAN/D,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAM uD,OAAS,sBhNgNzB,cgNhNyB,C;O;KANhE,C;8FAQA,yB;MAAA,0D;MhN6SA,+B;MgN7SA,4B;QAOqD,OhN gTX,egNhToB,kBhNuMvB,cgNvMuB,ChNgTpB,C;O;KgNvT1C,C;4FASA,yB;MAAA,wD;MhNoSA,+B;MgNpS A,4B;QAOoD,OhNuSV,egNvSmB,iBhN8LtB,cgN9LsB,ChNuSnB,C;O;KgN9S1C,C;+EASA,yB;MAAA,4C;MhN 2RA,+B;MgN3RA,sC;QAa2D,OhNwRjB,egNxR0B,WhN+K7B,cgN/K6B,EAAW,QAAX,ChNwR1B,C;O;KgNrS1 C,C;iFAeA,yB;M/GgEA,4C;MjG4MA,+B;MgN5QA,sC;QAa4D,OhNyQIB,eiGzMuB,WjGgG1B,ciGhG0B,EAAW ,C+GhEK,Q/GgEL,IAAX,CjGyMvB,C;O;KgNtR1C,C;oFAeA,yB;MjOwJI,6B;MiO1SJ,gD;MAkJA,4B;QAM8C,O AlJO,ahO+RhB,CDcE,cAAU,cAAL,GAAiB,GAA tB,CCdF,MgO/RgB,C;O;KA4IrD,C;oGAQA,yB;M/G1GA,iB;M +G0GA,4B;QAMsD,O/G1GK,MAAO,OIHuM3B,c0N1Ge,GAA Y,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KOO rD,C;sGAQA,yB;MPbA,kE;MOaA,4B;QAMuD,OPbkB,sB1NkGIC,c0NIGgB,GAAW,GAAO,C;O;KOOzE,C;8FA QA,yB;MAAA,0D;MjO+LA,0B;MAAA,+B;MiO/LA,4B;QAOqD,OjOmMZ,eAAW,OiOnMS,kBjOgGnB,cAAL,G AAIb,GiOhGO,CjOmMT,CAAX,C;O;KiO1MzC,C;4FASA,yB;MAAA,wD;MjOsLA,0B;MAAA,+B;MiOtLA,4B; QAOoD,OjO0LX,eAAW,OiO1LQ,iBjOuFIB,cAAL,GAAiB,GiOvFM,CjO0LR,CAAX,C;O;KiOjMzC,C;gFAUA,y B;MAAA,4C;MjOqJA,+B;MiOrJA,sC;QAa2D,OjOkJjB,eiOIJ0B,WjOmD7B,ciOnD6B,EAAW,QAAX,CjOkJ1B,C ;O;KiO/J1C,C;kFAeA,yB;MAAA,8C;MjOsIA,+B;MiOtIA,sC;QAa4D,OjOmIIB,eiOnI2B,YjOoC9B,ciOpC8B,EAA Y,QAAX,CjOmI3B,C;O;KiOhJ1C,C;oFAeA,yB;M/NgFI,6B;M+N3SJ,gD;MA2NA,4B;QAM+C,OA3NM,ahO+Rh B,CCeE,cAAU,cAAL,GAAiB,KAAtB,CDfF,MgO/RgB,C;O;KAqNrD,C;oGAQA,yB;M/GnLA,iB;M+GmLA,4B;Q

AMuD,O/GnLI,MAAO,OhHkNzB,cwN3CpC,GAAAY,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KOMJ,C;sGAQ
A,yB;MPZA,ke;MOYA,4B;QAMwD,OPZoB,sBxNmCnC,cwNnCe,GAAW,KAAS,C;O;KOM5E,C;8FAQA,yB;M
AAA,0D;M/NuHA,4B;MAAA,iC;M+NvHA,4B;QAOuD,O/N2HZ,gBAAY,Q+N3HQ,kB/NwBrB,cAAL,GAAiB,K
+NxBS,C/N2HR,CAAZ,C;O;K+NII3C,C;4FASA,yB;MAAA,wD;M/N8GA,4B;MAAA,iC;M+N9GA,4B;QAOsD,
O/NkHX,gBAAY,Q+NIHO,iB/NepB,cAAL,GAAiB,K+NfQ,C/NkHP,CAAZ,C;O;K+NzH3C,C;gFAUA,yB;MAA
A,4C;M/NyFA,iC;M+NzFA,sC;QAa6D,O/NsFhB,gB+Nf0B,W/NX9B,c+Nw8B,EAAW,QAAX,C/NsF1B,C;O;K
+NnG7C,C;kFAeA,yB;MAAA,8C;M/N0EA,iC;M+N1EA,sC;QAa8D,O/NuEjB,gB+NvE2B,Y/N1B/B,c+N0B+B,E
AAY,QAAX,C/NuE3B,C;O;K+NpF7C,C;ICtRA,qC;MAEI,SjOuIoD,ciOvI3C,CjOuI2C,EiOvIvC,CjOuIuC,C;MiOt
IpD,SjOsIoD,ciOtI3C,CjOsI2C,EiOvIvC,CjOsIuC,C;MiOrIpD,OjOmDkE,YiOnDvD,EjOmDwE,KAAjB,EiOnDjD,
EjOmD8E,KAA7B,CiOnDvD,KAAAX,GjOkFsD,SiOIFjC,EjOkF2C,KAAK,GiOIF3C,EjOkFuD,KAAZ,IAAf,CiOIFt
D,GjOqEqD,SAAU,CAaT,SiOIFpB,EjOkF8B,KAAK,GiOIF9B,EjOkF0C,KAAZ,IAAf,CaBS,MAAK,GiOrExB,Cj
OqEmC,KAAAX,IAAf,C;K;liOIEzD,qC;MACI,SjNwIsD,eiNxi7C,CjNwI6C,EiNxiZC,CjNwIyC,C;MiNvItD,SjNuIs
D,eiNvI7C,CjNul6C,EiNvIzC,CjNulyC,C;MiNtItD,OjNqDmE,aiNrDxD,EjNqD0E,KAAIB,EiNrDID,EjNqDgF,KA
A9B,CiNrDxD,KAAAX,GjN+EwD,UiN/EnC,EjN+E8C,KAAK,UiN/E9C,EjN+E0D,KAAZ,CAAhB,CiN/ExD,GjNk
EuD,UAAW,CAaV,UiN/EtB,EjN+EiC,KAAK,UiN/EjC,EjN+E6C,KAAZ,CAAhB,CaBU,MAAK,KiNIE3B,CjNkE
sC,KAAAX,CAAhB,C;K;liN/D3D,uD;MAmBI,WAAO,CAAP,C;QAD8E,OjOwBZ,YiOvBID,KjOuBmE,KAAjB,Ei
OvBzC,GjOubsE,KAA7B,CiOvBID,KAD8D,GACHd,GADgD,GjOuDxB,SiOtDf,GjOsDyB,KAAK,GiOtdxB,mB
AAiB,GAAjB,EAAsB,KAAtB,EjO2WV,SiO3WuC,IjO2WvC,CiO3WU,CjOsDoC,KAAZ,IAAf,C;aiOrDtD,WAA
O,CAAP,C;QAF8E,OjOwBZ,YiOtBID,KjOsBmE,KAAjB,EiOtBzC,GjOsBsE,KAA7B,CiOtBID,KAF8D,GAehD,
GAFgD,GjO0CzB,SiOxCd,GjOwCwB,KAAK,GiOxCvB,mBAAiB,KAAjB,EAawB,GAAXB,EjO0WV,SiO1WwC,
CAAC,IAAD,IjO0WxC,CiO1WU,CjOwCkC,KAAAX,IAAf,C;;QiOvC7C,MAAa,gCAAYB,eAAZB,C;K;IAGzB,uD;
MAmBI,sBAAO,CAAP,C;QADkF,OjNqf,aiNPNd,KjNOqE,KAAIB,EiNP1C,GjNOwE,KAA9B,CiNPNd,KADkE,
GACpD,GADoD,GjNkC1B,UiNjCjB,GjNiC4B,KAAK,UiNjC3B,mBAAiB,GAAjB,EAAsB,KAAtB,EjNkWP,UiNl
WoC,IjNkWP,CiNIWO,CjNiCuC,KAAZ,CAAhB,C;aiNhCxD,sBAAO,CAAP,C;QAFkF,OjNqf,aiNNnD,KjNMq
E,KAAIB,EiNN1C,GjNMwE,KAA9B,CiNNnD,KAFkE,GAEPD,GAFOd,GjNqB3B,UiNnBhB,GjNmB2B,KAAK,
KiNnB1B,mBAAiB,KAAjB,EAawB,GAAXB,EjNiWP,UiNjWsC,IAAD,ajNiWrC,CiNjWO,CjNmBqC,KAAAX,CA
AhB,C;;QiNIB/C,MAAa,gCAAYB,eAAZB,C;K;IhOIDC,sB;MAEtB,8B;MAFYD,gB;K;IAEzD,4B;MAAA,gC;MAC
I,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IAN
BtC,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;wGAsBA,iB;MAM0D,OAAa,0BA6OjC,SAAL,GAAiB,KA7OqB,EA
AU,KF403C,KAAL,GAAiB,GE5OqB,C;K;oGAEvE,iB;MAOoE,OAAa,0BAoO3C,SAAL,GAAiB,KApO+B,EA
U,KAOOrD,KAAL,GAAiB,KApO+B,C;K;wGAejF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,YAA
iB,CC8PhD,cAAU,SAAL,GAAiB,KAAtB,CD9PgD,MAAJB,ECAe,KDAc,KAA7B,C;O;KCNIE,C;wGAQA,yB;M
A6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,CfgQhD,eAAW,oBAAL,SAAK,CA
AL,YAAN,CehQgD,MAAlB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2OA,6B;MA3OA,wB;QAEsD,
ODMD,cAAU,CC405B,cAAU,SAAL,GAAiB,KAAtB,CD504B,MAAK,GAAW,CD205C,cEjPsC,KFiP5B,KAA
L,GAAiB,GAAtB,CC304C,MAAX,IAAf,C;O;KCRrD,C;8FAGA,yB;MAwOA,6B;MAxOA,wB;QAEuD,ODGF,c
AAU,CC405B,cAAU,SAAL,GAAiB,KAAtB,CD504B,MAAK,GAAW,CC405C,cA/OuC,KA+07B,KAAL,GAAi
B,KAAtB,CD504C,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MAqOA,6B;MAROA,wB;QAEqD,ODAA,cAAU,CC
405B,cAAU,SAAL,GAAiB,KAAtB,CD504B,MAAK,GCAI,KDAO,KAAAX,IAAf,C;O;KCFrD,C;8FAGA,yB;MA
4OA,aAS6D,0B;MAT7D,+B;MA5OA,wB;QAEuD,OeAA,eAAW,CfmP7B,eAAW,oBAAL,SAAK,CAAL,YAAN,
CenP6B,MAAK,KfAI,KeAO,KAAAX,CAAhB,C;O;KfFvD,C;gGAIA,yB;MA8NA,6B;MA9NA,wB;QAEuD,ODMD
,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAY,CD8N9C,cEpOwC,KFoO9B,KAAL,GA
AiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,
CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAY,CC+N9C,cAlOyC,KAKO/B,KAAL,GAAiB,KAA
tB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAxNA,wB;QAEsD,ODAA,cAAU,CC+N7B,c
AAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,a
AS6D,0B;MAT7D,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CetO8B
,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,ODMD,cAAe,

YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDiN6B,MAAK,EAAY,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,ODGF,cAAe,YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDiN6B,MAAK,EAAY,CCkN9C,cArNyC,KAqN/B,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,ODAA,cAAe,YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDiN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAkNA,aAS6D,0B;MAT7D,+B;MAINA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoMA,6B;MD9LA,4C;MCNA,wB;QAEqD,ODMD,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE1MoC,KF0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCRpD,C;4FAGA,yB;MAiMA,6B;MD9LA,4C;MCHA,wB;QAEsD,ODGF,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAxMqC,KAwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCLpD,C;4FAGA,yB;MA8LA,6B;MD9LA,4C;MCAA,wB;QAEoD,ODAA,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECaKb,KDAiB,C;O;KCFpD,C;4FAGA,yB;MAqMA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfAA,wB;QAEsD,OeAA,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,EfAmB,KeAnB,C;O;KfFd,C;4FAIA,yB;MAuLA,6B;MDzKA,kD;MCDa,wB;QAMqD,ODcD,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cEzLoC,KFyL1B,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KCpBpD,C;4FAOA,yB;MAGLA,6B;MDzKA,kD;MCPA,wB;QAMsD,ODOF,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cAnLqC,KAmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KCbpD,C;4FAOA,yB;MAyKA,6B;MDzKA,kD;MCAA,wB;QAMoD,ODAA,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECaKb,KDAiB,C;O;KCNpD,C;4FAOA,yB;MA4KA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfAA,wB;QAMsD,OeAA,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfAmB,KeAnB,C;O;KfNtD,C;sgAQA,yB;MA0JA,6B;MD9LA,4C;MCoCA,wB;QAMiD,ODxCG,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE5JqC,KF4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KCKpD,C;sgAOA,yB;MAmJA,6B;MD9LA,4C;MC2CA,wB;QAMkD,OD/CE,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAtJsC,KAsJ5B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCycpD,C;sgAOA,yB;MA4IA,6B;MD9LA,4C;MCKDA,wB;QAMgD,ODtDI,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECsDmB,KDtDnB,C;O;KCGpD,C;sgAOA,yB;MA+IA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfsDA,wB;QAMkD,Oe1DI,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,Ef0DoB,Ke1DpB,C;O;KfoDtD,C;4FAQA,yB;MA6HA,6B;MDzKA,kD;MDuOJ,0B;MAAA,+B;ME3LI,wB;QAQ6C,OF8LR,eAAW,OC5OI,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cE7H4B,KF6HIB,KAAL,GAAiB,GAAtB,CC3KiB,CAKlf,KD0DW,CAAX,C;O;KEtMrC,C;4FASA,yB;MAoHA,6B;MDzKA,kD;MCwoJ,4B;MAAA,iC;MAnLI,wB;QAQ+C,OAsLR,gBAAy,QD7OC,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cArH8B,KAqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KA9LvC,C;4FASA,yB;MA2GA,6B;MDzKA,kD;MC8DA,wB;QAQ2C,ODhES,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECgES,KDhEt,C;O;KCwDpD,C;4FASA,yB;MA4GA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfgEA,wB;QAQ6C,OelES,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfkEU,KeIEV,C;O;Kf0DtD,C;4EAUA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAy,QAAL,SAAK,KAAZ,C;O;KAN3C,C;4EAQA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAy,QAAL,SAAK,KAAZ,C;O;KAN3C,C;oGAQA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;M0LnNJ,4B;M1LmNI,wB;QAEqD,uB0LInIc,Q1LkN1B,IAAK,K0LINX,G1LkNoB,KAAAM,K0LINM,C1LkNjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;M0LjNJ,4B;M1LiNI,wB;QAEoD,uB0LhNgC,Q1LgNzB,IAAK,K0LhNX,G1LgNmB,KAAM,K0LhNM,C1LgNhC,C;O;KAFpD,C;4FAGA,yB;MAAA,iC;M0L/MJ,4B;M1L+MI,wB;QAEqD,uB0L9MiC,Q1L8M1B,IAAK,K0L9MX,G1L8MoB,KAAM,K0L9MM,C1L8MjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;M0L7MJ,4B;M1L6MI,mB;QAEkC,uB0L5MsB,QAAP,C1L4MR,S0L5Me,C1L4MtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OfIEE,eAAW,OEjEb,SfIEa,CAAX,C;O;KEIEvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;:::;gC

A3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;liC/WA,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,AAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MAOI,AAAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,YAAT,C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2BAAN,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNIB,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAAwB,oB AAR,YAAQ,EjB0nDhC,OhBx6CA,KiClNgC,C;WjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I,;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,qD;MA CgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K,;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;qCAAA,Y;MAAA ,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAWwC,0C;QA AA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMV,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAy,gCAAW,IAAX,GAA iB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;Igm5ExE,sC;MAQ2D,OAAa,WAAb,SnOwQjB,KAA L,GAAiB,GmOxQkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,SjO+PIB,KAAL,GAAiB,KiO/PmB,E AAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WIOiR5B,oBkOjRc,SIOiRnB,KAAK,CAAL,iBkOjRiC,EAAS,KAAT ,C;K;IAExE,sC;MAOGD,uBAAc,SINyQvB,KkNzQS,EAA6B,WAAW,KAAX,CAA7B,C;K;IAGhD,8B;MAMqC,Q ;MAAA,0DAAMb,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAAkB,SAAl B,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;K;IAE3D,sC;MAOiD,Q;MAAA,2CAAe,KA Af,oBAAyB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAAkB,kBAAkB,SAAlB,C;K;IAErD,oC;MA O6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAEpE,8B;MAMqC,Q;MAAA,0DAAMb,kBAAkB ,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAAkB,SAAlB,C;K;IAMvE,kC;MAM4C, kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I; OAA7C,UAAU,I;MACV,IIO/EkE,YkO+E9D,GIO/E+E,KAAjB,EAA6B,CD6P5D,SmO9KzB,6BAAM,UnO8K6B, KAAL,GAAiB,GAAtB,CC7P4D,MAA7B,CkO+E9D,IAAJ,C;QAA2B,OAAO,I;MACiC,OnO8OqC,UAAW,OmO9 OzC,GIOoL8B,KD0DW,CAAX,C;K;ImO3OzC,mC;MAM8C,mCAAuB,EAAvB,C;K;IAE9C,4C;MASmB,Q;MAA A,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IIOrGkE,YkOqG9D,GIOr G+E,KAAjB,EAA6B,CC8P5D,SiOzJzB,8BAAO,UjOyJ4B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,CkOqG9D,I AAJ,C;QAA4B,OAAO,I;MACnC,OjOyNuC,WAAy,QiOzN5C,GIOwKgC,KCiDY,CAAZ,C;K;liOtN3C,iC;MAM 0C,iCAAqB,EAARb,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACiB,IAAI,WAAU,CAA d,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHb,IAAI,Y AAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,Q AAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,alOuMmC,SkOvMtB,KIOuMsB,C;MkOtMnC,aAAa, W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAE Z,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IIONJ8D,YkOmJ1D,MIONJ2E,KAAjB,EkOmJjD,clOnJ8E,KAA7 B,CkOmJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBIO5FwC,WkO4FvB,KIO5FuB,EkO4Ff,Ml O5Fe,C;YkO8FxC,IIOvJsD,YkOuJlD,MIOvJmE,KAAjB,EkOuJzC,clOvJsE,KAA7B,CkOuJlD,IAAJ,C;cACI,OAA O,I;;YAGX,OAAO,I;;SAIf,SIONHkD,SAAE,YkOmHjE,MIONH4D,KAAK,EkOmHvD,MIONHmE,KAAZ,CAAF,C; QkOqHlD,mBAAmB,M;QACnB,SIOhJiD,SkOgJjD,MIOhJ2D,KAAK,GAAW,CAkU5C,SkOILrB,KIOkLqB,CAIU 4C,MAAX,IAAF,C;QkOiJjD,IIONK8D,YkOmK1D,MIONK2E,KAAjB,EkOmKjD,YIONK8E,KAA7B,CkOmK1D,I AAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAA W,KAAX,C;MAEA,aAAa,SAAK,O;MACiB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM, U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHb,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IA Ae,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB

,gB;MACrB,alN0IqC,UAAW,oBkN1InC,KIN0ImC,CAAX,C;MkNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IIN5M+D,akN4M3D,MIN5M6E,KAAIB,EkN4MID,clN5MgF,KAA9B,CkN4M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBIN1J0C,YkN0JzB,KIN1JyB,EkN0Jb,MIN1JiB,C;YkN4J1C,IINhNuD,akNgNnD,MINhNqE,KAAIB,EkNgN1C,clNhNwE,KAA9B,CkNgNnD,IAAJ,C;cACI,OAAO,I;YAGX,OAAO,I;S AIf,SINjLoD,UkNiLpD,MINjL+D,KAAK,UkNiL1D,MINjLsE,KAAZ,CAAhB,C;QkNmLpD,mBAAmB,M;QACn B,SIN9MmD,UkN8MnD,MIN9M8D,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CAyDR,SkOjHrB,KlOIhQb,CAz DQ,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;QkN+MnD,IIN5N+D,akN4N3D,MIN5N6E,KAAIB,EkN 4NID,YIN5NgF,KAA9B,CkN4N3D,IAAJ,C;UAA2B,OAAO,I;MAGtC,OAAO,M;K;I1N9RX,6B;MACkD,OAAu B,0BAAtB,KAAO,WAAe,EAAU,KAAO,WAAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K ;IAE7E,4B;MACoD,ORiZZ,SAvGI,oBQ1SS,ER0Sd,KAAK,CAAL,iBQ1Sc,KR0ST,oBQ1SuB,ER0S5B,KAAK,C AAL,iBQ1Sc,CRiZH,QAAV,C;K;IQhZxC,+B;MACuD,OR+Yf,SAvGI,oBQxSY,ERwSjB,KAAK,CAAL,iBQxSiB ,QRwSZ,oBQxS0B,ERwS/B,KAAK,CAAL,iBQxSiB,CR+YN,QAAV,C;K;IQ1YxC,6B;MAEI,eAAe,EQkSoB,K; MRjSnC,cAAc,EQiSqB,K;MRhSnC,IAAI,qBAAU,CAAd,C;QACI,OQ6C+D,aR7CpD,EQ6CsE,KAAIB,ER7C/C,E Q6C6E,KAA9B,CR7CpD,IAAJ,GAAa,aAAb,GAA2B,a;OAIc,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAM,aA AW,OAAx,CAAN,C;OAIx,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAApB,CAAD,WAAkC,CAAIC,C;MACf,UA AU,kBAAW,kBAAW,OAAx,CAAX,C;MACV,OAAO,UAAM,iCQkCsD,aAAkB,CRiCzD,UAAM,GAAN,CQkC yD,MAAIB,EAA8B,CRiCvD,UAAM,OAAO,CQkCuD,MAA9B,CRiCvC,KAAJ,GAAC,CAAIC,GAAYC,CAApD ,EAAN,C;K;IAIX,gC;MAKe,Q;MAHX,eAAe,EQ8QoB,K;MR7QnC,cAAc,EQ6QqB,K;MR5QnC,IAAI,qBAAU,C AAd,C;QACW,IQyBwD,aRzBpD,EQyBsE,KAAIB,ERzB/C,EQyB6E,KAA9B,CRzBpD,IAAJ,C;UACH,S;UAEA, OQgDgD,URhDhD,EQgD2D,KAAK,URhD3D,EQgDuE,KAAZ,CAAhB,C;;QRnDpD,W;OAQJ,IAAI,uBAAy,CA AhB,C;QACI,OAAO,UAAM,gBAAW,OAAx,CAAN,C;OAIx,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAApB,C AAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAx,CAAX,C;MACV,OAAO,UAAM,aQUsD,aAAk B,CRV9D,UAAM,GAAN,CQU8D,MAAIB,EAA8B,CRV5D,UAAM,OAAO,CQU4D,MAA9B,CRV5C,KAAJ,GA AkC,OAAIC,KAAN,CAAN,C;K;IAGX,yB;MAEI,IAAE,QAAF,CAAe,CAAF,C;QADyC,OAC5B,W;;QACb,SRw SuC,aQxSiC,4BAAK,URwS0C,KAAb,CQxSvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SRuSuC,aQvSiC,4BAAK, URuS0C,KAAb,CQvSvC,C;YAHyC,OAGP,4BAAK,U;eAcvC,SAAK,UAAL,C;YAJyC,ORkVN,SQ9UX,YAAF, CAAE,CR8UW,C;;YQIVM,ORgBY,SAAU,CakU5B,SQ7UP,YAAAnB,IAAI,UAAe,CR6UO,CAIU4B,MAAK,GA AW,CakU5C,SQ7UY,UR6UZ,CAIU4C,MAAX,IAAf,C;;;K;IQRzD,0B;MAEI,IAAE,QAAF,CAAe,CAAF,C;QA D2C,OAC9B,2B;;QACb,SQkSuC,cRISiC,6BAAM,UQkS0C,KAAAd,CRiSvC,C;UAF2C,OAER,6BAAM,U;;UACz C,SQiSuC,cRjSiC,6BAAM,UQiS0C,KAAAd,CRjSvC,C;YAH2C,OAGR,6BAAM,U;eAczC,4C;YAJ2C,OQwVL,U RpVd,uBAAF,CAAe,CQoVc,C;;YRxVK,OQUY,UAAW,CA8U5B,URjVF,uBAA3B,IAAI,oBAAuB,CQiVE,CA9 U4B,MAAK,KAAW,CRHzB,gCQGyB,MAAX,CAAhB,C;;;K;IRC3D,yB;MAC4C,QAAC,CAAqB,GAAf,UAAP, IAAmC,CAAC,MAAO,EAAW,IAAJ,EAAf,IAAgC,C;K;IAE/G,0B;MAC8C,OAAC,qBAAO,EAAP,CAAW,WAA Z,GAAyB,IAAzB,GAAiC,YAAjC,W;K;IAG9C,0B;MAA8C,uBAAc,CAAd,EAAiB,EAAjB,C;K;IAE9C,kC;MACI ,IAAI,gBAAK,CAAT,C;QAAY,OAAS,WAAF,CAAe,EAAS,IAAT,C;MAErB,eAAiB,qBAAO,CAAP,CAAD,yB AAa,IAAb,EAAD,WAAwB,CAAxB,C;MACf,UAAU,WAAI,sCAAW,IAAX,EAAJ,C;MACV,IAAI,kBAAO,IAA X,C;QACI,uCAAO,IAAP,E;QACA,4CAAY,CAAZ,E;OAEJ,OAAgB,WAAAT,QAAS,EAAS,IAAT,CAAT,GAA8B, WAAJ,GAAI,EAAS,IAAT,C;K;I2N1FzC,qC;K;.....

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:
- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
<http://www.ibm.com>.

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole

responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.201 error_prone_annotations 2.11.0

1.201.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1272059458_1644966512.83/0/error-prone-annotations-2-11-0-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.202 jackson-module-afterburner 2.13.1

1.202.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.203 jackson-module-guice 2.13.1

1.203.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-guice` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

1.204 aop-alliance 1.3.1.34-6.ph2

1.204.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims

brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license

different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any

party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A

is not sufficient to license
the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is
free for all its users. This General Public

License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you
if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice

and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of
this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>
- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.205 aopalliance-repackaged 1.3.1.34-6.ph2

1.205.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor"

means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the

Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.

No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

- i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed
as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program

in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new

free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents.

We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language.

(Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same

sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with

Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier:

EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/glassfish-ha-api>
- * <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- * <https://github.com/eclipse-ee4j/glassfish-shoal>

- * <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- * <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- * <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- * <https://github.com/eclipse-ee4j/glassfish-hk2>
- * <https://github.com/eclipse-ee4j/glassfish-fighterfish>

Third-party Content

This project leverages the following third party content.

None

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.206 xerces-j 2.12.2

1.206.1 Available under license :

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the
public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.207 javax-annotation-api 1.3.2

1.207.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the

applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or

executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-

free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR

OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License.

Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* <https://oss.oracle.com/licenses/CDDL+GPL-1.1>

- * or LICENSE.txt. See the License for the specific
- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception as provided by Oracle in the GPL Version 2 section of the License
- * file that accompanied this code.
- *
- *

Modifications:

- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject to such option by the copyright
- * holder.
- */

1.208 snake-yaml 1.26

1.208.1 Available under license :

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> * Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> * Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

1.209 slf4j 1.7.36

1.209.1 Available under license :

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch Sarl
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

1.210 jul-to-slf4j 1.7.36

1.210.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**

* Copyright (c) 2004-2011 QOS.ch

* All rights reserved.

*

* Permission is hereby granted, free of charge, to any person obtaining

* a copy of this software and associated documentation files (the

* "Software"), to deal in the Software without restriction, including

* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to

* permit persons to whom the Software is furnished to do so, subject to

* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):

* /opt/cola/permits/1281455938_1646319090.87/0/jul-to-slf4j-1-7-36-sources-jar/org/slf4j/bridge/SLF4JBridgeHandler.java

1.211 log4j-over-slf4j 1.7.36

1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1282430134_1646467465.09/0/log4j-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

1.212 jackson-datatype-jsr310 2.13.2

1.212.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.213 error_prone_annotations 2.10.0

1.213.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
*
/opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/NoAllocation.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```


Found in path(s):

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RestrictedApi.java

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/MustBeClosed.java

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompatibleWith.java

*

/opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotMock.java

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatMethod.java

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatString.java

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Found in path(s):

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Error Prone Authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMeValidationDisabled.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMe.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Modifier.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
*
/opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*/

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- * /

Found in path(s):

- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
- *
- /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Var.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Immutable.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
- * /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/ForOverride.java

1.214 bouncycastle-fips 1.0.2.3

1.214.1 Available under license :

- ```
/**
 * The Bouncy Castle License.
 * <p>
 * Copyright (c) 2015 The Legion Of The Bouncy Castle Inc. (http://www.bouncycastle.org)
 * </p><p>
 * Permission is hereby granted, free of charge, to any person obtaining a copy of this software
 * and associated documentation files (the "Software"), to deal in the Software without restriction,
 * including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
 * and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
 * subject to the following conditions:
 * </p><p>
 * The above copyright notice and this permission notice shall be included in all copies or substantial
 * portions of the Software.
 * </p><p>
```

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,  
\* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR  
\* PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR  
\* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR  
\* OTHER  
\* DEALINGS IN THE SOFTWARE.  
\* </p>  
\*/

## 1.215 jackson-datatype-jdk8 2.13.2

### 1.215.1 Available under license :

Apache-2.0

## 1.216 jackson-annotations 2.13.2

### 1.216.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.217 jackson-module-parameter-names

### 2.13.2



## 1.217.1 Available under license :

Apache-2.0

# 1.218 jackson-dataformat-yaml 2.13.2

## 1.218.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

### ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.219 jcl-over-slf4j 1.7.36

## 1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

\* /opt/cola/permits/1288583223\_1647358914.34/0/jcl-over-slf4j-1-7-36-jar/META-INF/maven/org.slf4j/jcl-over-slf4j/pom.xml

# 1.220 jackson-dataformat-cbor 2.13.2

## 1.220.1 Available under license :

Apache-2.0

# 1.221 jackson-jaxrs 2.13.2

## 1.221.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.222 jackson-jaxrs-base 2.13.2

## 1.222.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.223 jackson-xc 2.13.2

### 1.223.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.224 jackson-datatype-guava 2.13.2

### 1.224.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

# 1.225 jackson-module-afterburner 2.13.2

## 1.225.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

### ## Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

### ### ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.226 gson 2.9.0

### 1.226.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
```

```
jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/bind/TreeTypeAdapter.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/UnsafeAllocator.java
*
/opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/LazilyParsedNumber.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/FieldAttributes.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonParser.java
*
/opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/LongSerializationPolicy.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2017 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

```

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/JavaVersion.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/PreJava9DateFormatProvider.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/TypeAdapters.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/JsonTreeReader.java  
\*  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/JsonTreeWriter.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/TypeAdapter.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-

```
jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/TypeAdapterFactory.java
*
```

```
/opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1296849109_1648622539.88/0/gson-2-9-0-sources-
jar/com/google/gson/internal/LinkedTreeMap.java
No license file was found, but licenses were detected in source scan.
```

```
/**
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```



\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/stream/MalformedJsonException.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/stream/JsonWriter.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/stream/JsonToken.java

\*

/opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/stream/JsonReader.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/stream/JsonScope.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Gson authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/ToNumberStrategy.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/ToNumberPolicy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/Streams.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonSyntaxException.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/annotations/JsonAdapter.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/annotations/Until.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonElement.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/Excluder.java  
\*  
/opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/ExclusionStrategy.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/JsonParseException.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/internal/\$Gson\$Preconditions.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonIOException.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonObject.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/InstanceCreator.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/Primitives.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonNull.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/annotations/SerializedName.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/JsonDeserializationContext.java  
\*  
/opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/FieldNamingPolicy.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonPrimitive.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/FieldNamingStrategy.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/Gson.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonSerializer.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/JsonSerializationContext.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/annotations/Since.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonDeserializer.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/reflect/TypeToken.java  
\*  
/opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-  
jar/com/google/gson/internal/ObjectConstructor.java

\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/annotations/Expose.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/GsonBuilder.java  
\* /opt/cola/permits/1296849109\_1648622539.88/0/gson-2-9-0-sources-jar/com/google/gson/JsonArray.java

## 1.227 jackson-databind 2.13.2.2

### 1.227.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability



incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.228 logback-core 1.2.11

## 1.228.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"

means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

### 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the

Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,

each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively

excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows

subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such

Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement

Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

# 1.229 guava 31.1-jre

## 1.229.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/VerifyException.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Verify.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionContext.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSequenceReader.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeVisitor.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimapValues.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractTable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Runnables.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashingInputStream.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Utf8.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby disclaims
 * copyright to this source code.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/SmallCharMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MapMaker.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

```

jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/xml/XmlEscapers.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/SignedBytes.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingFuture.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/TypeResolver.java

```



\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Function.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Throwables.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closeables.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/DeadEvent.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Preconditions.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Supplier.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Primitives.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Objects.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineReader.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interners.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Functions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharStreams.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/EventBus.java

\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Predicates.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DescendingMultiset.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FilteredSetMultimap.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableAsList.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CompactLinkedHashSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableList.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TransformedIterator.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TreeRangeMap.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/LittleEndianByteArray.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/CombinedFuture.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AggregateFutureState.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Platform.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java



\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAddables.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAddable.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Invokable.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAddables.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSource.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/StandardSystemProperty.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractByteHasher.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ClassPath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharSink.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteSource.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteSink.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Written by Doug Lea with assistance from members of JCP JSR-166
 * Expert Group and released to the public domain, as explained at
 * http://creativecommons.org/publicdomain/zero/1.0/
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/LongAdder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/Striped64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Striped64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AtomicDoubleArray.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2009 The Guava Authors
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedAsList.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/MutableClassToInstanceMap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Synchronized.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

```

jar/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Multiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/BiMap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedSetMultimap.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MapDifference.java
*

```

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumHashMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultiset.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Returns an array containing all of the elements in the specified collection. This method

\* returns the elements in the order they are returned by the collection's iterator. The returned

\* array is "safe" in that no references to it are maintained by the collection. The caller is

\* thus free to modify the returned

array.

\*

\* <p>This method assumes that the collection size doesn't change while the method is running.

\*

\* <p>TODO(kevinb): support concurrently modified collections?

\*

\* @param c the collection for which to return an array of elements

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby
disclaims copyright to this source code.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```



Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Traverser.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you

\* may not use this file except in compliance with the License. You may

\* obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

\* implied. See the License for the specific language governing

\* permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableBiMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMap.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/package-info.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/Beta.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Ascii.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Equivalence.java

\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Strings.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2019 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Platform.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group  
\* and released to the public domain, as explained at  
\* <http://creativecommons.org/licenses/publicdomain>

\*

\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's  
\* `java.util.HashMap`

class.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

```
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
 * key. Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated Pass a key of type {@code Comparable}
 to use {@link
 * ImmutableSortedMap#of(Comparable, Object)}.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2011 The Guava Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2009 The Guava Authors
 *
```

```

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/

```

Found in path(s):

```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Partially.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/Network.java

```

```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

```



```
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ImmutableGraph.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MutableNetwork.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/InsecureRecursiveDeleteException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2018 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

```
* the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

```
jar/com/google/common/collect/JdkBackedImmutableSet.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

```
jar/com/google/common/hash/ImmutableSupplier.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

```
jar/com/google/common/util/concurrent/ExecutionSequencer.java
```

```
*
```

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMultiset.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/AbstractIndexedListIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableList.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ArrayTable.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableEntry.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableBiMap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapKeySet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMultimap.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableMapEntrySet.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableCollection.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Table.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Platform.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2021 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/NullnessCasts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/NullnessCasts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/NullnessCasts.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/UnsignedInteger.java
*
```

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/BloomFilter.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Present.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LoadingCache.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Types.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashCode.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/IntMath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Funnel.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BoundType.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LongMath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/package-info.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Cache.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Hashing.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Optional.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/Enums.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/primitives/UnsignedInts.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/cache/RemovalCause.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/hash/AbstractCompositeHashFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/primitives/UnsignedLong.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/base/Absent.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/hash/PrimitiveSink.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/hash/AbstractStreamingHasher.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/cache/ForwardingLoadingCache.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/hash/Funnels.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/net/MediaType.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/math/MathPreconditions.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/base/Ticker.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/cache/ForwardingCache.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/math/BigIntegerMath.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/hash/Hasher.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/util/concurrent/WrappingExecutorService.java  
 \*  
 /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/net/HostAndPort.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/hash/Murmur3\_128HashFunction.java  
 \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
 jar/com/google/common/cache/RemovalNotification.java



```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Queues.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMapMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ForwardingNetwork.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
```

```

jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Comparators.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/UndirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MapRetrievalCache.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ValueGraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphConstants.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/EndpointPair.java

```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/DirectedNetworkConnections.java
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2011 Google Inc. All Rights Reserved.
```

```
Found in path(s):
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/Fingerprint2011.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2019 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CompactHashing.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/graph/IncidentEdgeSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/InetAddresses.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/io/MultiReader.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FluentIterable.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/net/PercentEscaper.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Doubles.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/Chars.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-

```
jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Longs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Ints.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/internal/Finalizer.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Stopwatch.java
*
/opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Converter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
```

\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/Subscriber.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/MoreObjects.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ListenerCallQueue.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/math/Quantiles.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/Dispatcher.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/eventbus/SubscriberRegistry.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GeneralRange.java  
\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Count.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedIterables.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/package-info.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/



Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java
- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Java8Compatibility.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ToDoubleRounder.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2010 The Guava Authors

\*

- \* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at

\*

- \* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and

- \* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RowSortedTable.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java

- \* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ParametricNullness.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParametricNullness.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ParametricNullness.java  
\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ParametricNullness.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ParametricNullness.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/PatternCompiler.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/JdkPattern.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/CommonMatcher.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/base/CommonPattern.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ImmediateFuture.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/FakeTimeLimiter.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java

\*

/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/escape/CharEscaperBuilder.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/TimeoutFuture.java

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java

\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java

\*  
/opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*

\* This following method is a modified version of one found in

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

\* which contained the following notice:

\*

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to

\*

the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

\*

\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.

\*/

Found in path(s):

\* /opt/cola/permits/1301953781\_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/MoreExecutors.java

## 1.230 metrics-jmx 4.1.31

### 1.230.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.jmx

Build-Jdk-Spec: 1.8

Bundle-Description: A set of classes which allow you to report metrics via JMX.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration with JMX

Bundle-SymbolicName: io.dropwizard.metrics.jmx

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.jmx;uses:="com.codahale.metrics,javax.management";version="4.1.31"

Implementation-Title: Metrics Integration with JMX

Implementation-Version: 4.1.31

Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics;version="[4.1,5)",javax.management

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1302235718\_1649326543.63/0/metrics-jmx-4-1-31-jar/META-INF/MANIFEST.MF

# 1.231 metrics 3.2.5

## 1.231.1 Available under license :

No license file was found, but licenses were detected in source scan.

2017. TomTom International BV (<http://tomtom.com>).

~

~ Licensed under the Apache License, Version 2.0 (the "License");

~ you may not use this file except in compliance with the License.

~ You may obtain a copy of the License at

~

~ <http://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS,

~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

~ See the License for the specific language governing permissions and

~ limitations under the License.

Found in path(s):

\* /opt/cola/permits/1302729688\_1649355402.35/0/metrics-3-2-5-sources-1-jar/META-INF/maven/com.tomtom.speedtools/metrics/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012-2017. TomTom International BV (<http://tomtom.com>).

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1302729688\_1649355402.35/0/metrics-3-2-5-sources-1-jar/com.tomtom.speedtools/metrics/MultiMetricsData.java

\* /opt/cola/permits/1302729688\_1649355402.35/0/metrics-3-2-5-sources-1-jar/com.tomtom.speedtools/metrics/MetricsTimeSlot.java

```
* /opt/cola/permits/1302729688_1649355402.35/0/metrics-3-2-5-sources-1-
jar/com/tomtom/speedtools/metrics/MetricsData.java
*
/opt/cola/permits/1302729688_1649355402.35/0/metrics-3-2-5-sources-1-
jar/com/tomtom/speedtools/metrics/MultiMetricsCollector.java
* /opt/cola/permits/1302729688_1649355402.35/0/metrics-3-2-5-sources-1-
jar/com/tomtom/speedtools/metrics/MetricsCollector.java
```

## 1.232 metrics-annotation 4.1.31

### 1.232.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.annotation
Build-Jdk-Spec: 1.8
Bundle-Description: A dependency-less package of just the annotations
used by other Metrics modules.
Bundle-License: https://www.apache.org/licenses/LICENSE-2.0.html
Bundle-ManifestVersion: 2
Bundle-Name: Annotations for Metrics
Bundle-SymbolicName: io.dropwizard.metrics.annotation
Bundle-Version: 4.1.31
Created-By: Apache Maven Bundle Plugin 5.1.4
Export-Package: com.codahale.metrics.annotation;version="4.1.31"
Implementation-Title: Annotations for Metrics
Implementation-Version: 4.1.31
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"
Tool: Bnd-5.1.1.202006162103
```

Found in path(s):

```
* /opt/cola/permits/1304518996_1649672863.66/0/metrics-annotation-4-1-31-jar/META-INF/MANIFEST.MF
```

## 1.233 metrics-health-checks 4.1.31

### 1.233.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
Manifest-Version: 1.0
Automatic-Module-Name: com.codahale.metrics.health
Build-Jdk-Spec: 1.8
Bundle-Description: An addition to Metrics which provides the ability
to run application-specific health checks, allowing you to che
ck your application's heath in production.
Bundle-License: https://www.apache.org/licenses/LICENSE-2.0.html
Bundle-ManifestVersion: 2
```



Bundle-Name: Metrics Health Checks  
Bundle-SymbolicName: io.dropwizard.metrics.healthchecks  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.health;uses:="com.codahale.metrics";version="4.1.31",com.codahale.metrics.health.jvm;uses:="com.codahale.metrics.health,com.codahale.metrics.jvm";version="4.1.31",com.codahale.metrics.health.annotation;version="4.1.31"  
Implementation-Title: Metrics Health Checks  
Implementation-Version: 4.1.31  
Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.health,com.codahale.metrics.health.annotation,com.codahale.metrics.jvm;version="[4.1,5)";resolution:=optional  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1304518989\_1649672861.67/0/metrics-healthchecks-4-1-31-jar/META-INF/MANIFEST.MF

## 1.234 metrics-httpasyncclient 3.2.5

### 1.234.1 Available under license :

Apache-2.0

## 1.235 jna 5.11.0

### 1.235.1 Available under license :

SPDX-License-Identifier: Apache-2.0 OR LGPL-2.1

Java Native Access (JNA) is licensed under the LGPL, version 2.1 or later, or (from version 4.0 onward) the Apache License, version 2.0.

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1", under the same directory as this file.

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0", under the same directory as this file.

Commercial support may be available, please e-mail [twall\[at\]users\[dot\]sf\[dot\]net](mailto:twall[at]users[dot]sf[dot]net).

## 1.236 guava 31.0.1-android

### 1.236.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/eventbus/SubscriberRegistry.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/eventbus/Dispatcher.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/eventbus/Subscriber.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableMapValues.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Table.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Range.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableCollection.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
```

jar/com/google/common/collect/RegularImmutableBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableBiMap.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableEntry.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableMapEntrySet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/UnmodifiableIterator.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CollectPreconditions.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/hash/ImmutableSupplier.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ExecutionSequencer.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Java8Compatibility.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/ToDoubleRounder.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/Java8Compatibility.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/BigDecimalMath.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
```

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Present.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedInts.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalListeners.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Hashing.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheStats.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/MathPreconditions.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/package-info.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/DoubleMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Funnels.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Hasher.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/BloomFilter.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Murmur3\_32HashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/ForwardingLoadingCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/math/DoubleUtils.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ForwardingExecutorService.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FunctionalEquivalence.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/Types.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalNotification.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/IntMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Enums.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ForwardingCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Cache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheLoader.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HostAndPort.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularContiguousSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/BigIntegerMath.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LoadingCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/AbstractCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/PairwiseEquivalence.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeRangeSet.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java

\*



/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

```
jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/ImmutableIntArray.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/ImmutableLongArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ForwardingCondition.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular
* version.
*/
```

```
Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/ShortsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

- \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java
  - \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java
- No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2010 The Guava Authors
  - \*
  - \* Licensed under the Apache License, Version 2.0 (the "License");
  - \* you may not use this file except in compliance with the License.
  - \* You may obtain a copy of the License at
  - \*
  - \* <http://www.apache.org/licenses/LICENSE-2.0>
  - \*
  - \* Unless required by applicable law or agreed to in writing, software
  - \* distributed under the License is distributed on an "AS IS" BASIS,
  - \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedMapDifference.java
- \*
- \*/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RowSortedTable.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/IncidentEdgeSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/CompactHashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2013 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/reflect/TypeVisitor.java
*
```

```
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/HashingInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/FilteredMultimapValues.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
/**
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned
array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
```

\*  
\* @param c the collection for which to return an array of elements  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Strings.java

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/Atomics.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/annotations/Beta.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Equivalence.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/net/package-info.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
```

```
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
```

```
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
```

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractValueGraph.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MapRetrievalCache.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ForwardingNetwork.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Comparators.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/EdgesConnecting.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/NetworkBuilder.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java

\*



/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardMutableGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java

```
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/ElementOrder.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractGraph.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular
* version.
*/
```

```
Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Guava Authors
```

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedMultisets.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedMultiset.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompactLinkedHashSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/RangeMap.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/UnmodifiableSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeRangeMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TreeTraverser.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompactHashSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ForwardingNavigableMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/CompactHashMap.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java  
\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TransformedListIterator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java  
\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/MacHashFunction.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Platform.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ReaderInputStream.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Striped64.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAdder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAdder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Striped64.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Reflection.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/Subscribe.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/MultiInputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Objects.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableSoftReference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LineReader.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Charsets.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableWeakReference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LineBuffer.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Predicate.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteStreams.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Function.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Files.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/AbstractIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/eventbus/DeadEvent.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizablePhantomReference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/FinalizableReferenceQueue.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/Interners.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Predicates.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/CountingInputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/CharStreams.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Suppliers.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ListenableFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Supplier.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/Primitives.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/AbstractFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/EventBus.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/CountingOutputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/Closeables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Defaults.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/Flushables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Throwables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/HashBiMap.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/AllowConcurrentEvents.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/LittleEndianDataInputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Functions.java



\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Resources.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableReference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EnumMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/package-info.java  
\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Preconditions.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/SuccessorsFunction.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MutableGraph.java  
\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Network.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/TopKSelector.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/MutableNetwork.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ImmutableGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ImmutableNetwork.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/MultimapBuilder.java  
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*

\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group

\* and released to the public domain, as explained at

\* <http://creativecommons.org/licenses/publicdomain>

\*

\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's

\* `java.util.HashMap`

class.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

```
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. You are attempting to create a map that may contain a non-{@code Comparable}
 * key. Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated Pass a key of type {@code Comparable}
 to use {@link
 * ImmutableSortedMap#of(Comparable, Object)}.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/Platform.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
```

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/BaseEncoding.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteSink.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/StandardSystemProperty.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Closer.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAddable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ClassPath.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java  
\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeCapture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAddable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSource.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAddables.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteSource.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAddables.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ObjectCountLinkedHashMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java  
\*  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Traverser.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/BaseGraph.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ObjectCountHashMap.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*  
\* This following method is a modified version of one found in  
\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>  
\* which contained the following notice:

\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\*  
the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Floats.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Shorts.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Ints.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/InetAddresses.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Longs.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/MultiReader.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/UnicodeEscaper.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Doubles.java



```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/Chars.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/internal/Finalizer.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Joiner.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Converter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/Booleans.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/io/FileBackedOutputStream.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ArrayTable.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
- \*
- /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableTable.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComputationException.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
- \*
- /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComparisonChain.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableAsList.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableList.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DiscreteDomain.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
- \* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

```

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write { @code Partially.GwtIncompatible } instead of plain
* { @code GwtIncompatible }. This is more accurate for { @link Futures#catching }, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use { @code PartiallyGwtIncompatible } because then the GWT compiler
wouldn't recognize
* it as a { @code GwtIncompatible } annotation. And for { @code Futures.catching }, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/

```

Found in path(s):

```

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/Partially.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Multiset.java
*
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/LexicographicalOrdering.java

```

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingQueue.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EnumHashMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompoundOrdering.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSet.java  
\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMultiset.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SetMultimap.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeMultiset.java

```
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ArrayListMultimap.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ComparatorOrdering.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/BiMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Iterables.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
```

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/hash/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

```
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby
disclaims copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Hashing.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/PatternCompiler.java
```

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/CommonPattern.java
```

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/JdkPattern.java
```

```
*
```

```
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/CommonMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```



```
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims
copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/SmallCharMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
```

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/MapMakerInternalMap.java
```

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HostSpecifier.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeResolver.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Platform.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/GwtIncompatible.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/GwtCompatible.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ReferenceEntry.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedBytes.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteProcessor.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/HtmlEscapers.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/UrlEscapers.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Cut.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Callables.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/InternetDomainName.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteArrayDataInput.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableTable.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MapMaker.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/AbstractService.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/SignedBytes.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2006 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/NullnessCasts.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/NullnessCasts.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullnessCasts.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular version.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/ParametricNullness.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ParametricNullness.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ParametricNullness.java

\*

/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java

\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/xml/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/html/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/net/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/math/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ParametricNullness.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/eventbus/ParametricNullness.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/graph/ParametricNullness.java  
\*  
/opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/io/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/base/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-  
jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/IntsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/Count.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/SortedIterable.java
```



\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java  
\* /opt/cola/permits/1312950193\_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractRangeSet.java

## 1.237 metrics-json 4.1.31

### 1.237.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.json  
Build-Jdk-Spec: 1.8  
Bundle-Description: A set of Jackson modules which provide serializers for most Metrics classes.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Jackson Integration for Metrics  
Bundle-SymbolicName: io.dropwizard.metrics.json  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.json;uses:="com.codahale.metrics,com.fasterxml.jackson.core,com.fasterxml.jackson.databind";version="4.1.31"  
Implementation-Title: Jackson Integration for Metrics  
Implementation-Version: 4.1.31  
Import-Package: com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.health;version="[4.1,5)";resolution:=optional,com.fasterxml.jackson.core;version="[2.9,3)",com.fasterxml.jackson.databind;version="[2.9,3)",com.fasterxml.jackson.databind.module;version="[2.9,3)",com.fasterxml.jackson.databind.ser;version="[2.9,3)",com.fasterxml.jackson.databind.ser.std;version="[2.9,3)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1313278063\_1650562367.15/0/metrics-json-4-1-31-jar/META-INF/MANIFEST.MF

## 1.238 xml-apis 1.4.01

### 1.238.1 Available under license :

xml-commons/java/external/README.dom.txt \$Id: README.dom.txt 477038 2006-11-20 04:40:36Z mrglavas \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about the DOM in this repository are distributed under the license from the W3C, which is provided herein.

LICENSE.dom-software.txt covers all software from the W3C including the following items in the xml-commons project:

`xml-commons/java/external/src/org/w3c`  
and all subdirectories

(Note: SAC (The Simple API for CSS) has been published under an older version of the W3C license. The original license file is LICENSE.sac.html.)

LICENSE.dom-documentation.txt covers all documentation from the W3C including the following items in the xml-commons project:

`xml-commons/java/external/xdocs/dom`  
and all subdirectories

The actual DOM Java Language Binding classes in xml-commons came from:  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.html>

The specification of DOM Level 3's various parts is at:  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/>  
<http://www.w3.org/TR/2004/REC-DOM-Level-3-LS-20040407/>  
<http://www.w3.org/TR/2004/NOTE-DOM-Level-3-XPath-20040226/>

The specification of DOM Level 2's various parts is at:  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Events-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Style-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Traversal-Range-20001113/>  
<http://www.w3.org/TR/2000/REC-DOM-Level-2-Views-20001113/>

The specification of DOM Level 1's various parts is at:  
<http://www.w3.org/TR/1998/REC-DOM-Level-1-19981001/level-one-html.html>

Links to all available W3C DOM Java Bindings can be found at:  
<http://www.w3.org/DOM/DOMTR>

The actual classes of The Simple API for CSS (SAC) came from:  
<http://www.w3.org/Style/CSS/SAC/>  
<http://www.w3.org/2002/06/sacjava-1.3.zip>

The actual DOM Java Language Binding classes for SMIL came from:  
<http://dev.w3.org/cvsweb/java/classes/org/w3c/dom/smil/>

(both ElementTimeControl.java and TimeEvent.java were taken at revision 1.1)

The actual DOM Java Language Binding classes for SVG 1.1 came from:

<http://www.w3.org/TR/SVG11/java.html>

xml-commons/java/external/README.sax.txt \$Id: README.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

HEAR YE, HEAR YE!

All of the .java software and associated documentation about SAX in this repository are distributed freely in the public domain.

LICENSE.sax.txt covers all software and documentation from the megginson.com including the following in the xml-commons project:

xml-commons/java/external/src/org/xml/sax  
and all subdirectories  
xml-commons/java/external/xdocs/sax  
and all subdirectories

The actual SAX classes in xml-commons came from:

<http://www.megginson.com/Software/index.html>

The original versions are tagged 'SAX-2\_0-r2-prerelease'

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or  
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache xml-commons xml-apis ==
== distribution. ==
=====
```

Apache XML Commons XML APIs  
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

xml-commons/java/external/LICENSE.dom-documentation.txt \$Id: LICENSE.dom-documentation.txt 226215  
2005-06-03 22:49:13Z mrglavas \$

This license came from: <http://www.w3.org/Consortium/Legal/copyright-documents-20021231>

#### W3C DOCUMENT LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231>"
3. If it exists, the STATUS of the W3C document.



When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright

FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

-----  
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

Joseph Reagle <[site-policy@w3.org](mailto:site-policy@w3.org)>

Last revised by Reagle \$Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005)

\$

[xml-commons/java/external/LICENSE.dom-software.txt](http://xml-commons/java/external/LICENSE.dom-software.txt) \$Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas \$

This license came from: <http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip>  
(COPYRIGHT.html)

#### W3C SOFTWARE NOTICE AND LICENSE

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,  
European Research Consortium for Informatics and Mathematics, Keio University).  
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original  
version of the W3C Software Copyright Notice and License could  
be found at <http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms

and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising

or

publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at

all times remain with copyright holders.

xml-commons/java/external/LICENSE.sax.txt \$Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru \$

This license came from: <http://www.megginson.com/SAX/copying.html>

However please note future versions of SAX may be covered

under <http://saxproject.org/?selected=pd>

This page is now out of date -- see the new SAX site at

<http://www.saxproject.org/> for more up-to-date

releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain.

SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, [david@megginson.com](mailto:david@megginson.com)

2000-05-05

## 1.239 kotlin 1.6.20

### 1.239.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2010-2016 JetBrains s.r.o.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/String.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Library.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/reflect/KVisibility.kt
- \*
- /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/ArrayIntrinsics.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/internal/InternalAnnotations.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright 2010-2015 JetBrains s.r.o.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Nothing.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Throwable.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/CharSequence.kt
- \*
- /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Iterator.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/reflect/KDeclarationContainer.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Comparable.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/reflect/KParameter.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Any.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/annotation/Annotations.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Number.kt
- \* /opt/cola/permits/1316146529\_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Function.kt

```
* /opt/cola/permits/1316146529_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Char.kt
* /opt/cola/permits/1316146529_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Boolean.kt
*
/opt/cola/permits/1316146529_1672939813.606877/0/kotlin-stdlib-1-6-20-sources-jar/kotlin/Unit.kt
```

## 1.240 logback-access 1.2.11

### 1.240.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2013, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2013, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

## 1.241 metrics-jetty 4.1.31

### 1.241.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.jetty9

Build-Jdk-Spec: 1.8

Bundle-Description: A set of extensions for Jetty 9.3 and higher which provide instrumentation of thread pools, connector metrics, and application latency and utilization.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Jetty 9.3 and higher

Bundle-SymbolicName: io.dropwizard.metrics.jetty9

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.jetty9;uses:="com.codahale.metrics, javax.servlet, javax.servlet.http, org.eclipse.jetty.io, org.eclipse.jetty.server, org.eclipse.jetty.server.handler, org.eclipse.jetty.util.annotation, org.eclipse.jetty.util.component, org.eclipse.jetty.util.thread"

ead";version="4.1.31"

Implementation-Title: Metrics Integration for Jetty 9.3 and higher

Implementation-Version:

4.1.31

Import-Package: javax.servlet;version="[2.5.0,4.0.0)",javax.servlet.http;version="[2.5.0,4.0.0)",com.codahale.metrics;version="[4.1,5)",org.eclipse.jetty.http;version="[9.4,10)",org.eclipse.jetty.io;version="[9.4,10)",org.eclipse.jetty.server;version="[9.4,10)",org.eclipse.jetty.server.handler;version="[9.4,10)",org.eclipse.jetty.util.annotation;version="[9.4,10)",org.eclipse.jetty.util.component;version="[9.4,10)",org.eclipse.jetty.util.thread;version="[9.4,10)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1317858390\_1651151753.72/0/metrics-jetty9-4-1-31-jar/META-INF/MANIFEST.MF

## 1.242 metrics-servlets 4.1.31

### 1.242.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.servlets

Build-Jdk-Spec: 1.8

Bundle-Description: A set of utility servlets for Metrics, allowing you to expose valuable information about your production environment.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Utility Servlets

Bundle-SymbolicName: io.dropwizard.metrics.servlets

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.servlets;uses:="com.codahale.metrics,com.codahale.metrics.health,com.fasterxml.jackson.databind,javax.servlet,javax.servlet.http";version="4.1.31"

Implementation-Title: Metrics Utility Servlets

Implementation-Version: 4.1.31

Import-Package: javax.servlet;version="[2.5.0,4.0.0)",javax.servlet.http;version="[2.5.0,4.0.0)",com.codahale.metrics;version="[4.1,5)",com.codahale.metrics.health;version="[4.1,5)",com.codahale.metrics.json;version="[4.1,5)",com.codahale.metrics.jvm;version="[4.1,5)",com.fasterxml.jackson.databind;version="[2.9,3)",com.fasterxml.jackson.databind.util;version="[2.9,3)",com.papertrail.profiler;version="[1.1,2)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1317858412\_1651160238.08/0/metrics-servlets-4-1-31-jar/META-INF/MANIFEST.MF

## 1.243 metrics-jvm 4.1.31

### 1.243.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.jvm

Build-Jdk-Spec: 1.8

Bundle-Description: A set of classes which allow you to monitor critical aspects of your Java Virtual Machine using Metrics.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: JVM Integration for Metrics

Bundle-SymbolicName: io.dropwizard.metrics.jvm

Bundle-Version: 4.1.31

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.jvm;uses:="com.codahale.metrics,javax.management";version="4.1.31"

Implementation-Title: JVM Integration for Metrics

Implementation-Version: 4.1.31

Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.sun.management;resolution:=optional,com.codahale.metrics;version="[4.1,5)",javax.management

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found

in path(s):

\* /opt/cola/permits/1317858426\_1651160245.48/0/metrics-jvm-4-1-31-jar/META-INF/MANIFEST.MF

## 1.244 metrics-jersey2 4.1.31

### 1.244.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.jersey2

Build-Jdk-Spec: 1.8

Bundle-Description: A set of class providing Metrics integration for Jersey, the reference JAX-RS implementation.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Integration for Jersey 2.x  
Bundle-SymbolicName: io.dropwizard.metrics.jersey2  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.jersey2;uses:="com.codahale.metrics, javax.ws.rs.core, javax.ws.rs.ext, org.glassfish.jersey.server.model, org.glassfish.jersey.server.monitoring";version="4.1.31"  
Implementation-Title: Metrics Integration for Jersey 2.x  
Implementation-Version: 4.1.31  
Import-Package: com.codahale.metrics;version="[4.1,5)", com.codahale.metrics.annotation;version="[4.1,5)", javax.ws.rs.core;version="[2.1,3)", javax.ws.rs.ext;version="[2.1,3)", org.glassfish.jersey.server;version="[2.35,3)", org.glassfish.jersey.server.model;version="[2.35,3)", org.glassfish.jersey.server.monitoring;version="[2.35,3)"  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found in path(s):

\* /opt/cola/permits/1317858419\_1651160233.06/0/metrics-jersey2-4-1-31-jar/META-INF/MANIFEST.MF

## 1.245 metrics-logback 4.1.31

### 1.245.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.codahale.metrics.logback  
Build-Jdk-Spec: 1.8  
Bundle-Description: An instrumented appender for Logback.  
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>  
Bundle-ManifestVersion: 2  
Bundle-Name: Metrics Integration for Logback  
Bundle-SymbolicName: io.dropwizard.metrics.logback  
Bundle-Version: 4.1.31  
Created-By: Apache Maven Bundle Plugin 5.1.4  
Export-Package: com.codahale.metrics.logback;uses:="ch.qos.logback.classic.spi, ch.qos.logback.core, com.codahale.metrics";version="4.1.31"  
Implementation-Title: Metrics Integration for Logback  
Implementation-Version: 4.1.31  
Import-Package: ch.qos.logback.classic;version="[1.2,2)", ch.qos.logback.classic.spi;version="[1.2,2)", ch.qos.logback.core;version="[1.2,2)", com.codahale.metrics;version="[4.1,5)"  
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"  
Tool: Bnd-5.1.1.202006162103

Found



in path(s):

\* /opt/cola/permits/1317858369\_1651151746.66/0/metrics-logback-4-1-31-jar/META-INF/MANIFEST.MF

## 1.246 dropwizard-lifecycle 2.0.29

### 1.246.1 Available under license :

Apache-2.0

## 1.247 drop-wizard-metrics 2.0.29

### 1.247.1 Available under license :

Apache-2.0

## 1.248 dropwizard-util 2.0.29

### 1.248.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.249 dropwizard-validation 2.0.29

## 1.249.1 Available under license :

Apache-2.0

# 1.250 dropwizard-jackson 2.0.29

## 1.250.1 Available under license :

Apache-2.0

# 1.251 servlet-api 3.1.0

## 1.251.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You



offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE

IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and

supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding

source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest

validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These  
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:



Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.252 ion-java 1.0.2

## 1.252.1 Available under license :

Amazon Ion Java

Copyright 2007-2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.253 gson 2.8.9

### 1.253.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Gson authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  - \* See the License for the specific language governing permissions and
  - \* limitations under the License.
- \*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TreeTypeAdapter.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DateTypeAdapter.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ConstructorConstructor.java

\*

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/UnsafeAllocator.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LazilyParsedNumber.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeReader.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java  
\*  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapterFactory.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JsonReaderInternalAccess.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapters.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapter.java  
\*  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeWriter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*/

- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonElement.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonObject.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonArray.java
- \*
- /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingStrategy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/SerializedName.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializationContext.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Excluder.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingPolicy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Preconditions.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializationContext.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParseException.java
- \*
- /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ObjectConstructor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/Gson.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonIOException.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/reflect/TypeToken.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializer.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Expose.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Primitives.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-



jar/com/google/gson/GsonBuilder.java  
\*  
/opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/JsonSerializer.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/annotations/Since.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/JsonPrimitive.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/ExclusionStrategy.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/annotations/Until.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/InstanceCreator.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonNull.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-  
jar/com/google/gson/annotations/JsonAdapter.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 The Android Open Source Project  
\* Copyright (C) 2012 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedHashMap.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedTreeMap.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonReader.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/MalformedJsonException.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonScope.java  
\*

/opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonToken.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonWriter.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Gson authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/ReflectionAccessor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java  
\*

/opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/PreJava9DateFormatProvider.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JavaVersion.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2021 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/ToNumberPolicy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/ToNumberStrategy.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2010 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/JsonSyntaxException.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/Streams.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2008 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/$Gson$Types.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2009 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/JsonStreamParser.java
```

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/LongSerializationPolicy.java
```

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/FieldAttributes.java
```

```
*
```

```
/opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParser.java
```

# 1.254 simpleclient 0.15.0

## 1.254.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1644098851622  
Build-Jdk: 11.0.13  
Built-By: fabian  
Bundle-Description: Core instrumentation library for the simpleclient.  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: Prometheus Java Simpleclient  
Bundle-SymbolicName: io.prometheus.simpleclient  
Bundle-Version: 0.15.0  
Created-By: Apache Maven Bundle Plugin  
Export-Package: io.prometheus.client;uses:="io.prometheus.client.exemplars";version="0.15.0",io.prometheus.client.exemplars;uses:="io.prometheus.client.exemplars.tracer.common";version="0.15.0"  
Import-Package: io.prometheus.client.exemplars.tracer.common;version="[0.15,1)",io.prometheus.client.exemplars.tracer.otel;version="[0.15,1)",io.prometheus.client.exemplars.tracer.otel\_agent;version="[0.15,1)"  
Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

\* /opt/cola/permits/1332541519\_1653371833.439189/0/simpleclient-0-15-0-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1332541519\_1653371833.439189/0/simpleclient-0-15-0-jar/META-INF/maven/io.prometheus/simpleclient/pom.xml

# 1.255 simpleclient-common 0.15.0

## 1.255.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1332541538\_1653371818.1968312/0/simpleclient-common-0-15-0-jar/META-INF/maven/io.prometheus/simpleclient\_common/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Bnd-LastModified: 1644098861383  
Build-Jdk: 11.0.13  
Built-By: fabian  
Bundle-Description: Common code used by various modules of the Simpleclient.  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: Prometheus Java Simpleclient Common  
Bundle-SymbolicName: io.prometheus.simpleclient\_common  
Bundle-Version: 0.15.0  
Created-By: Apache Maven Bundle Plugin  
Export-Package: io.prometheus.client.exporter.common;uses:="io.prometheus.client";version="0.15.0"  
Import-Package: io.prometheus.client;version="[0.15,1)",io.prometheus.client.exemplars;version="[0.15,1)"  
Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

\* /opt/cola/permits/1332541538\_1653371818.1968312/0/simpleclient-common-0-15-0-jar/META-INF/MANIFEST.MF

## 1.256 jsr305 3.0.2

### 1.256.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2005 Brian Goetz
* Released under the Creative Commons Attribution License
* (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net
*/
```

Found in path(s):

\* /opt/cola/permits/1334730768\_1653653249.5131547/0/jsr305-3-0-2-sources-8-jar/javax/annotation/concurrent/GuardedBy.java  
\* /opt/cola/permits/1334730768\_1653653249.5131547/0/jsr305-3-0-2-sources-8-jar/javax/annotation/concurrent/NotThreadSafe.java  
\* /opt/cola/permits/1334730768\_1653653249.5131547/0/jsr305-3-0-2-sources-8-jar/javax/annotation/concurrent/Immutable.java  
\* /opt/cola/permits/1334730768\_1653653249.5131547/0/jsr305-3-0-2-sources-8-jar/javax/annotation/concurrent/ThreadSafe.java

# 1.257 simpleclient-servlet 0.15.0

## 1.257.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1338477676\_1654302170.9522924/0/simpleclient-servlet-0-15-0-jar/META-INF/maven/io.prometheus/simpleclient\_servlet/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1644098926756

Build-Jdk: 11.0.13

Built-By: fabian

Bundle-Description: HTTP servlet exporter for the simpleclient.

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Prometheus Java Simpleclient Servlet - Javax

Bundle-SymbolicName: io.prometheus.simpleclient\_servlet

Bundle-Version: 0.15.0

Created-By: Apache Maven Bundle Plugin

Export-Package: io.prometheus.client;version="0.15.0";uses:="io.prometheus.client.exemplars,io.prometheus.client.servlet.common.adapter,javax.servlet,javax.servlet.http",io.prometheus.client.filter;uses:="javax.servlet";version="0.15.0",io.prometheus.client.exporter;uses:="io.prometheus.client.javax.servlet,javax.servlet.http";version="0.15.0"

Import-Package: io.prometheus.client.exemplars;version="[0.15,1)",io.prometheus.client.servlet.common.adapter;version="[0.15,1)",io.prometheus.client.servlet.common.exporter;version="[0.15,1)",io.prometheus.client.servlet.common.filter;version="[0.15,1)",javax.servlet;version="[3.1,4)",javax.servlet.http;version="[3.1,4)"

Tool: Bnd-2.1.0.20130426-122213

Found in path(s):

\* /opt/cola/permits/1338477676\_1654302170.9522924/0/simpleclient-servlet-0-15-0-jar/META-INF/MANIFEST.MF

# 1.258 okhttp 4.10.0

## 1.258.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:

[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:



<https://mozilla.org/MPL/2.0/>

/\*

\* Copyright (C) 2016 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.259 activation 1.2.2

## 1.259.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j/jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.260 activation-api 1.2.2

## 1.260.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## Third-party Content

This project leverages the following third party content.

JUnit (4.12)



\* License: Eclipse Public License

## 1.261 failureaccess 1.0.1

### 1.261.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349013147\_1655879756.6643403/0/failureaccess-1-0-1-sources-4-  
jar/com/google/common/util/concurrent/internal/InternalFutures.java

\* /opt/cola/permits/1349013147\_1655879756.6643403/0/failureaccess-1-0-1-sources-4-  
jar/com/google/common/util/concurrent/internal/InternalFutureFailureAccess.java

## 1.262 guava 30.0-jre

### 1.262.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/StatsAccumulator.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/SipHashFunction.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/LinearTransformation.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/FilteredKeyMultimap.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/LongAddables.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/reflect/MutableTypeToInstanceMap.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/html/package-info.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/PairedStatsAccumulator.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/ChecksumHashFunction.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/AbstractByteHasher.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/Closer.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/SmoothRateLimiter.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/reflect/Element.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableRangeMap.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/Stats.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/reflect/package-info.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableRangeSet.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/PairedStats.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/LongAddable.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/LongAddables.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-

```
jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/CharSink.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/ClassPath.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/xml/package-info.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/FileWriteMode.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
```

\* Licensed under the Apache License, Version 2.0 (the "License"); you  
\* may not use this file except in compliance with the License. You may  
\* obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedIterable.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/RangeSet.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedIterables.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingSortedMultiset.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ImmutableSortedMultiset.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-

```
jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Count.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/AbstractRangeSet.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
```

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/MapMakerInternalMap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/UnsignedBytes.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/annotations/GwtCompatible.java

```

*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/AbstractIdleService.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/Platform.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/html/HtmlEscapers.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/MapMaker.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/DenseImmutableTable.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

\* Copyright (C) 2006 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/Futures.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-



```
jar/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/CollectionFuture.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/PatternFilenameFilter.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/UncheckedTimeoutException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ForwardingSortedSetMultimap.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/SortedMapDifference.java
```

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingSetMultimap.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/RowSortedTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/ImmutableSupplier.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/JdkBackedImmutableSet.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/JdkBackedImmutableMultiset.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ExecutionSequencer.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/io/CharSequenceReader.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/hash/HashingInputStream.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/FilteredMultimapValues.java
No license file was found, but licenses were detected in source scan.
```

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
```

jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/Atomics.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Strings.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedLists.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/net/package-info.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Ascii.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ContiguousSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/annotations/package-info.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Funnels.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/package-info.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractSortedMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/CacheLoader.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Crc32cHashFunction.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/RemovalCause.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/RegularImmutableMultiset.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/UncheckedExecutionException.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/BoundType.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/reflect/Types.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/Cache.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/HashFunction.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Present.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/ForwardingLoadingCache.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AbstractScheduledService.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/FutureCallback.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/AbstractStreamingHasher.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/HashCode.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/RemovalNotification.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/DoubleUtils.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/ParseRequest.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/MessageDigestHashFunction.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/net/HttpHeaders.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ForwardingExecutorService.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/RemovalListeners.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AsyncFunction.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Hashing.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/Uninterruptibles.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/AbstractCache.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/Weigher.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-

jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/UnsignedLongs.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Absent.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Queues.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/RemovalListener.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/UnsignedInteger.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/ForwardingCache.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/cache/AbstractLoadingCache.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/math/LongMath.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/RegularContiguousSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Funnel.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/FunctionalEquivalence.java  
\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/cache/CacheBuilderSpec.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/BloomFilterStrategies.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/WrappingExecutorService.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ConsumingQueueIterator.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/FarmHashFingerprint64.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/CombinedFuture.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/Platform.java



\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/MacHashFunction.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AggregateFutureState.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AsyncCallable.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/LittleEndianByteArray.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/InterruptibleTask.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/ReaderInputStream.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/package-info.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/CollectSpliterators.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*\*  
\* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/IntsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the  
\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
\* express or implied. See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ImmutableSortedAsList.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This following method is a modified version of one found in  
\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>  
\* which contained the following notice:  
\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to  
\*  
the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>  
\*  
\* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/MoreExecutors.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedMultisets.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedMultiset.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/Platform.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/Internal.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/graph/GraphBuilder.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/graph/StandardValueGraph.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/graph/ElementOrder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-

```

jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/DirectedNetworkConnections.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Comparators.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/UndirectedNetworkConnections.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/GraphConstants.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/AbstractGraph.java

```

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/MoreCollectors.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/CollectCollectors.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/StandardMutableGraph.java  
\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/GraphConnections.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2005 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ServiceManagerBridge.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ReverseNaturalOrdering.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/RegularImmutableSet.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractSortedSetMultimap.java

\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingSortedMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/LinkedHashMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Sets.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/HashMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractSetMultimap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/TreeMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingList.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingObject.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingQueue.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/MutableClassToInstanceMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Ordering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-



jar/com/google/common/collect/ForwardingConcurrentMap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ExplicitOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/UsingToStringOrdering.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractMapBasedMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ImmutableSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ArrayListMultimap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/Synchronized.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingListIterator.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingMap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingMapEntry.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingCollection.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ListMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractBiMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingIterator.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableList.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/MapDifference.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ClassToInstanceMap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/TreeMultimap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/GwtTransient.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/AtomicLongMap.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/FloatsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableMapEntry.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/MoreFiles.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ArrayTable.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ComputationException.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractIndexedListIterator.java  
\*

```
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/EmptyImmutableSetMultimap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/SingletonImmutableList.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableEnumSet.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/CompactHashing.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/IncidentEdgeSet.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby

disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/HashBiMap.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Functions.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/eventbus/AllowConcurrentEvents.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/FinalizableReferenceQueue.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Defaults.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/DirectExecutor.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ExecutionList.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/FinalizableReference.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/Files.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/eventbus/EventBus.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/LineBuffer.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/AbstractFuture.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/CountingOutputStream.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/package-info.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Throwables.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/CharStreams.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Objects.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/ByteStreams.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/Flushables.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/LittleEndianDataOutputStream.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/collect/EnumMultiset.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/Predicate.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/FinalizablePhantomReference.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/eventbus/Subscribe.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/MultiInputStream.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/primitives/Primitives.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/FinalizableSoftReference.java  
 \*  
 /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/Suppliers.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/eventbus/AsyncEventBus.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/util/concurrent/ListenableFuture.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/util/concurrent/package-info.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/LineReader.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/collect/Interners.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/package-info.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/CountingInputStream.java  
 \*  
 /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/eventbus/DeadEvent.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/FinalizableWeakReference.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/Resources.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/AbstractIterator.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/base/Charsets.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/LittleEndianDataInputStream.java  
 \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
 jar/com/google/common/io/Closeables.java



\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Supplier.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Preconditions.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/eventbus/package-info.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Function.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Predicates.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*\*

\* Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}

\* key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy

\* version.

\*

\* @throws UnsupportedOperationException always

\* @deprecated <b>Pass a key of type {@code Comparable}

to use {@link

\* `ImmutableSortedMap#of(Comparable, Object)}`.</b>

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/FilteredEntryMultimap.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/CompactLinkedHashMap.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractNavigableMap.java
- \*
- /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/TransformedListIterator.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingImmutableSet.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/CompactLinkedHashSet.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/CompactHashMap.java
- \*
- /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/FilteredKeySetMultimap.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/AllEqualOrdering.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ForwardingNavigableMap.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/TreeRangeMap.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/EvictingQueue.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-

jar/com/google/common/collect/FilteredKeyListMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/CompactHashSet.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/FilteredSetMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ImmutableEnumMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/RangeMap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/AbstractMultimap.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingDeque.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/RegularImmutableAsList.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/ForwardingImmutableList.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/collect/TransformedIterator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

```

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned
array.
*
* <p>This method assumes that the collection size doesn't change while the method is running.
*
* <p>TODO(kevinb): support concurrently modified collections?
*
* @param c the collection for which to return an array of elements
*/

```

Found in path(s):

```

* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ObjectArrays.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-

```

```

jar/com/google/common/collect/CollectPreconditions.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Range.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/EmptyImmutableListMultimap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/SingletonImmutableBiMap.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Collections2.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/ImmutableMultimap.java

```

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/Table.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableMap.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableCollection.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/ImmutableMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Doubles}. Intended to be empty for regular version.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

```
*/
/**
 * Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2017 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/BaseGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/AbstractBaseGraph.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/ClosingFuture.java
*
 /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/graph/Traverser.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2012 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
```

```
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
* following header:
*
* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims
copyright to this source code.
*/
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/base/SmallCharMatcher.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/primitives/ImmutableDoubleArray.java
```

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/primitives/ImmutableIntArray.java
```

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/ForwardingCondition.java
```

```
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/primitives/ImmutableLongArray.java
```

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/hash/AbstractHashFunction.java
```

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
```



jar/com/google/common/util/concurrent/ForwardingLock.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Written by Doug Lea with assistance from members of JCP JSR-166
 * Expert Group and released to the public domain, as explained at
 * http://creativecommons.org/publicdomain/zero/1.0/
 */
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/hash/LongAdder.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/hash/Striped64.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/cache/Striped64.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/util/concurrent/AtomicDoubleArray.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright (C) 2018 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/JdkBackedImmutableMap.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/IndexedImmutableSet.java
* /opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/BaseImmutableMultimap.java
*
/opt/cola/permits/1349161722_1655893317.3351555/0/guava-30-0-jre-sources-3-
jar/com/google/common/collect/JdkBackedImmutableBiMap.java
```

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular

\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/math/Quantiles.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/eventbus/SubscriberRegistry.java

\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/eventbus/Dispatcher.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/MoreObjects.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/util/concurrent/ListenerCallQueue.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/eventbus/Subscriber.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/PatternCompiler.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/CommonMatcher.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/CommonPattern.java  
\*  
/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-  
jar/com/google/common/base/JdkPattern.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2008 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Joiner.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/FileBackedOutputStream.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/net/InetAddresses.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Chars.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Longs.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/thirdparty/publicsuffix/TrieParser.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Ints.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Converter.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/net/PercentEscaper.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/Stopwatch.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/FluentIterable.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/MultiReader.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Shorts.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/CharMatcher.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Doubles.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/SequentialExecutor.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/ListenableFutureTask.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Bytes.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/base/internal/Finalizer.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/primitives/Booleans.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/Java8Compatibility.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java  
\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/ToDoubleRounder.java

\*

/opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/math/BigDecimalMath.java

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/MutableNetwork.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/MutableGraph.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/Graph.java
  - \*
  - /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/collect/TopKSelector.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/RecursiveDeleteOption.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/ImmutableGraph.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/SuccessorsFunction.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/ImmutableNetwork.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/PredecessorsFunction.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/Network.java
  - \* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/io/InsecureRecursiveDeleteException.java
  - \*
  - /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/graph/Graphs.java
- No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
 \* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
 \* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
 \* express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/hash/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under the License.

\*/

/\*

\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group

\* and released to the public domain, as explained at

\* <http://creativecommons.org/licenses/publicdomain>

\*

\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's

\* `java.util.HashMap`

class.

\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1349161722\_1655893317.3351555/0/guava-30-0-jre-sources-3-jar/com/google/common/util/concurrent/IgnoreJRERRequirement.java

# 1.263 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

## 1.263.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,



and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.264 netty-codec 4.1.78.Final

## 1.264.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DateFormat.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DatagramPacketEncoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/ByteBufChecksum.java

\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/string/LineEncoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/CompressionUtil.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/CodecOutputList.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/string/LineSeparator.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DatagramPacketDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*\*

\* A decoder that splits the received {@link ByteBuf}s dynamically by the  
\* value of the length field in the message. It is particularly useful when you  
\* decode a binary message which has an integer header field that represents the  
\* length of the message body or the whole message.

\*

<p>

\* { @link LengthFieldBasedFrameDecoder } has many configuration parameters so  
\* that it can decode any message with a length field, which is often seen in  
\* proprietary client-server protocols. Here are some example that will give  
\* you the basic idea on which option does what.

\*

\* <h3>2 bytes length field at offset 0, do not strip header</h3>

\*

\* The value of the length field in this example is <tt>12 (0x0C)</tt> which  
\* represents the length of "HELLO, WORLD". By default, the decoder assumes  
\* that the length field represents the number of the bytes that follows the  
\* length field. Therefore, it can be decoded with the simplistic parameter  
\* combination.

\* <pre>

```
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 0 (= do not strip header)
```

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (14 bytes)

```
* +-----+-----+ +-----+-----+
* | Length | Actual Content
* |---->| Length | Actual Content |
* | 0x000C | "HELLO, WORLD" | | 0x000C | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
```

\* </pre>

\*

\* <h3>2 bytes length field at offset 0, strip header</h3>

\*

\* Because we can get the length of the content by calling  
\* { @link ByteBuf#readableBytes() }, you might want to strip the length  
\* field by specifying <tt>initialBytesToStrip</tt>. In this example, we  
\* specified <tt>2</tt>, that is same with the length of the length field, to  
\* strip the first two bytes.

\* <pre>

```
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* initialBytesToStrip = 2 (= the length of the Length field)
```

\*

\* BEFORE DECODE (14 bytes)      AFTER DECODE (12 bytes)

```
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" | | "HELLO, WORLD" |
* +-----+-----+ +-----+
```

\* </pre>

\*

\* <h3>2 bytes length field at offset 0, do not strip header, the length field

\* represents the length of the whole message

\* In most cases, the length field represents the length of the message body only, as shown in the previous examples. However, in some protocols, the length field represents the length of the whole message, including the message header. In such a case, we specify a non-zero `lengthAdjustment`. Because the length value in this example message is always greater than the body length by 2, we specify `-2` as `lengthAdjustment` for compensation.

```
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = -2 (= the length of the Length field)
* initialBytesToStrip = 0
```

```
* BEFORE DECODE (14 bytes) AFTER DECODE (14 bytes)
* +-----+-----+-----+-----+
* | Length | Actual Content |---->| Length | Actual
 Content |
* | 0x000E | "HELLO, WORLD" | | 0x000E | "HELLO, WORLD" |
* +-----+-----+-----+-----+
```

>3 bytes length field at the end of 5 bytes header, do not strip header

\* The following message is a simple variation of the first example. An extra header value is prepended to the message. `lengthAdjustment` is zero again because the decoder always takes the length of the prepended data into account during frame length calculation.

```
* <pre>
* lengthFieldOffset = 2 (= the length of Header 1)
* lengthFieldLength = 3
* lengthAdjustment = 0
* initialBytesToStrip = 0
```

```
* BEFORE DECODE (17 bytes) AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |---->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" |
 | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+
```

>3 bytes length field at the beginning of 5 bytes header, do not strip header

\* This is an advanced example that shows the case where there is an extra header between the length field and the message body. You have to specify a positive `lengthAdjustment` so that the decoder counts the extra

\* header into the frame length calculation.

\* <pre>

\* lengthFieldOffset = 0

\* lengthFieldLength = 3

\* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)

\* initialBytesToStrip = 0

\*

\* BEFORE DECODE (17 bytes)                      AFTER DECODE (17 bytes)

\* +-----+-----+-----+-----+      +-----+-----+-----+-----+

\* | Length | Header 1 | Actual Content |----->| Length | Header 1 | Actual Content |

\* | 0x00000C | 0xCAFE | "HELLO, WORLD" |      | 0x00000C | 0xCAFE | "HELLO, WORLD" |

\* +-----+-----+-----+-----+      +-----+-----+-----+-----+

\* </pre>

\*

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,

\* strip the first header field and the length field</h3>

\*

\* This is a combination of all the examples above. There are the prepended

\* header before the length field and the extra header after the length field.

\* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra

\* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero

\* <tt>initialBytesToStrip</tt> to strip the length field and the prepended

\* header from the frame. If you don't want to strip the prepended header, you

\* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.

\* <pre>

\* lengthFieldOffset = 1 (= the length of HDR1)

\* lengthFieldLength = 2

\* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)

\* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 +  
LEN)

\*

\* BEFORE DECODE (16 bytes)                      AFTER DECODE (13 bytes)

\* +-----+-----+-----+-----+      +-----+-----+-----+-----+

\* | HDR1 | Length | HDR2 | Actual Content |----->| HDR2 | Actual Content |

\* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |      | 0xFE | "HELLO, WORLD" |

\* +-----+-----+-----+-----+      +-----+-----+-----+-----+

\* </pre>

\*

\* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,

\* strip the first header field and the length field, the length field

\* represents the length of the whole message</h3>

\*

\* Let's give another twist to the previous example. The only difference from

\* the previous example is that the length field represents the length of the

\* whole message instead of the message body, just like the third example.

\* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.

\* Please note that we don't need to take the length of HDR2 into account



```

* because
the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* lengthAdjustment = -3 (= the length of HDR1 + LEN, negative)
* initialBytesToStrip = 3
*
* BEFORE DECODE (16 bytes) AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" | | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+-----+ +-----+-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Utility class for {@link ByteBuf} that encodes and decodes to and from
* Base64 notation.
* <p>
* The encoding and decoding algorithm in this class has been derived from
* Robert Harder's Public Domain
* Base64 Encoder/Decoder.

```

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/base64/Base64.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Constants.java

\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Lz4Constants.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/LzfDecoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/json/package-info.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Crc32.java

\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/AsciiHeadersEncoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BitReader.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/MessageAggregationException.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Decoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java  
\*  
/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DecoderResultProvider.java  
\*  
/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/FastLz.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/json/JsonObjectDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java  
\*  
/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java  
No license file was found, but licenses were detected in source scan.  
  
<!--  
~ Copyright 2012 The Netty Project  
~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ <https://www.apache.org/licenses/LICENSE-2.0>  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/serialization/ObjectEncoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/JZlibDecoder.java

\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/base64/Base64Encoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/Delimiters.java

```

* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ObjectDecoder.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/string/package-info.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/DecompressionException.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/base64/package-info.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/protobuf/package-info.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/ZlibEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ClassResolver.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/MessageToMessageCodec.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/string/StringEncoder.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/CompressionException.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/ByteToMessageCodec.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/base64/Base64Decoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-

```

jar/io/netty/handler/codec/DecoderException.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java  
\*  
/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/EncoderException.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/MessageToByteEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/marshalling/MarshallerProvider.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/MessageToMessageEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java  
\*  
/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/CodecException.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/LineBasedFrameDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/package-info.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/MessageToMessageDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/TooLongFrameException.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java  
\*  
/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Snappy.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/ZlibWrapper.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/JZlibEncoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/string/StringDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/package-info.java

```

*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/LengthFieldPrepender.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/CorruptedFrameException.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/package-info.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ReferenceMap.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/package-info.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/ByteToMessageDecoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ClassResolvers.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/MessageAggregator.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/JdkZlibEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/PrematureChannelClosureException.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/bytes/package-info.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/ZlibUtil.java

```

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/ZlibDecoder.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/serialization/CachingClassResolver.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/xml/package-info.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/HeadersUtils.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/ProtocolDetectionState.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/ProtocolDetectionResult.java

\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/UnsupportedValueConverter.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java



\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/JdkZlibDecoder.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Crc32c.java

\*

/opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/xml/XmlFrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

```

* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/BrotliDecoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/DeflateOptions.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/GzipOptions.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/Zstd.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/ZstdConstants.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/Brotli.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/BrotliEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/CompressionOptions.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/StandardCompressionOptions.java
*
/opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/ZstdEncoder.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/BrotliOptions.java
* /opt/cola/permits/1350827689_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-
jar/io/netty/handler/codec/compression/ZstdOptions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**

```

\* Enumeration of supported Base64 dialects.  
\* <p>  
\* The internal lookup tables in this class has been derived from  
\* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert  
Harder's Public Domain  
\* Base64 Encoder/Decoder</a>.  
\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/base64/Base64Dialect.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/ValueConverter.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DefaultHeadersImpl.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/CharSequenceValueConverter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/Headers.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/DefaultHeaders.java

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/EmptyHeaders.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350827689\_1656063912.744552/0/netty-codec-4-1-78-final-sources-1-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

# 1.265 netty 4.1.78.Final

## 1.265.1 Available under license :

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common



control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/*
 * Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
 *
 * @APPLE_LICENSE_HEADER_START@
 *
 * This file contains Original Code and/or Modifications of Original Code
 * as defined in and that are subject to the Apple Public Source License
 * Version 2.0 (the 'License'). You may not use this file except in
 * compliance with the License. Please obtain a copy of the License at
 * https://www.opensource.apple.com/apsl/ and read it before using this
 * file.
 *
 * The Original Code and all software distributed under the License are
 * distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
 * EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
 * INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
 * Please see the License for the specific language governing rights and
 * limitations under the License.
 *
 * @APPLE_LICENSE_HEADER_END@
 */
```

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and



do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa

Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.  
(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This copy of Aalto XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Protocol Buffers - Google's data interchange format

Copyright 2013 Google Inc. All rights reserved.

<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesøy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Netty Project

=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This

product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* <license/LICENSE.jsr166y.txt> (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain



Base64 Encoder and Decoder, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.base64.txt (Public Domain)
- \* HOMEPAGE:
  - \* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.webbit.txt (BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java,  
which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.slf4j.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

- \* NOTICE:
  - \* license/NOTICE.harmony.txt
- \* LICENSE:
  - \* license/LICENSE.harmony.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jbzip2.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jbzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.libdivsufsort.txt (MIT)

License)

\* HOMEPAGE:

\* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

\* LICENSE:

\* license/LICENSE.jctools.txt (ASL2 License)

\* HOMEPAGE:

\* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

\* LICENSE:

\* license/LICENSE.jzlib.txt (BSD style License)

\* HOMEPAGE:

\* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

\* LICENSE:

\* license/LICENSE.compress-lzf.txt (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

\* LICENSE:

\* license/LICENSE.lz4.txt

(Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

\* LICENSE:

\* license/LICENSE.lzma-java.txt (Apache License 2.0)

\* HOMEPAGE:

\* <https://github.com/jponge/lzma-java>

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.zstd-jni.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jfastlz.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.bouncycastle.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.snappy.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jboss-remoting/jboss-marshalling>

This product

optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.caliper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-logging.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.aalto-xml.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hpack.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hyper-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.nghttp2-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-lang.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

- \* LICENSE:
  - \* license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

- \* LICENSE:
  - \* license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
- \* HOMEPAGE:
  - \* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.brotli4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/hyperxpro/Brotli4j>

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).  
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.266 netty-transport 4.1.78.Final

### 1.266.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/nio/NioChannelOption.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/SimpleUserEventChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/OioDatagramChannel.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/oio/AbstractOioMessageChannel.java

\*

/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelPipeline.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelFutureListener.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/FixedRecvByteBufAllocator.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/group/ChannelGroupFuture.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultFileRegion.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/nio/NioServerSocketChannel.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/oio/package-info.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultChannelConfig.java

\*



/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelFlushPromiseNotifier.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/EventLoopException.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/FileRegion.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/group/ChannelGroupFutureListener.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/VoidChannelPromise.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/group/package-info.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/bootstrap/ServerBootstrap.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/Channel.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelPromiseNotifier.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelOutboundHandlerAdapter.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/nio/NioSocketChannel.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/DatagramChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrap.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelInboundHandler.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/DefaultSocketChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/nio/NioEventLoop.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-

```

jar/io/netty/channel/ChannelDuplexHandler.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/nio/NioEventLoopGroup.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/embedded/EmbeddedEventLoop.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/ServerSocketChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/nio/package-info.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelPromise.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/oio/AbstractOioChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/CombinedChannelDuplexHandler.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelOption.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/nio/NioTask.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/local/LocalChannelRegistry.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ThreadPerChannelEventLoop.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/package-info.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ServerChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelHandlerContext.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/oio/AbstractOioByteChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/DatagramChannel.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/bootstrap/Bootstrap.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/embedded/EmbeddedSocketAddress.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/embedded/EmbeddedChannel.java

```

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelPromiseAggregator.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/local/LocalAddress.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultChannelPromise.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/package-info.java  
 \*  
 /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannel.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelMetadata.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/package-info.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/EventLoop.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/local/LocalChannel.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/local/LocalServerChannel.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/local/package-info.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultChannelPipeline.java  
 \*  
 /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/FailedChannelFuture.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/SucceededChannelFuture.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/AbstractServerChannel.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/embedded/package-info.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/nio/package-info.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultEventLoop.java  
 \*  
 /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelFuture.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/DatagramPacket.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/MultithreadEventLoopGroup.java  
 \* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-

```

jar/io/netty/channel/group/CombinedIterator.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/nio/AbstractNioByteChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/SocketChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/nio/AbstractNioChannel.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/InternetProtocolFamily.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/SingleThreadEventLoop.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/nio/AbstractNioMessageChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelOutboundHandler.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/AbstractChannelHandlerContext.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/oio/OioServerSocketChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/oio/OioEventLoopGroup.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/RecvByteBufAllocator.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/DefaultEventLoopGroup.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelInitializer.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/local/LocalEventLoopGroup.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/SocketChannelConfig.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/EventLoopGroup.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/bootstrap/package-info.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/group/DefaultChannelGroupFuture.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelPipelineException.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/CompleteChannelFuture.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelInboundHandlerAdapter.java

```

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/AbstractChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/DuplexChannelConfig.java

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/StacklessClosedChannelException.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/DefaultChannelHandlerContext.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/nio/SelectorProviderUtil.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
```

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/ChannelOutputShutdownException.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/PendingBytesTracker.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DelegatingChannelPromiseNotifier.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/internal/package-info.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/bootstrap/FailedChannel.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/internal/ChannelUtils.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java  
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io.netty/channel/oio/OioByteStreamChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):



\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelFactory.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ReflectiveChannelFactory.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/PendingWriteQueue.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/embedded/EmbeddedChannelId.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/AbstractEventLoop.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/bootstrap/BootstrapConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/WriteBufferWaterMark.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/group/VoidChannelGroupFuture.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/PreferHeapByteBufAllocator.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/SelectStrategy.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultSelectStrategyFactory.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelOutboundInvoker.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/bootstrap/AbstractBootstrapConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-

```
jar/io/netty/channel/socket/DuplexChannel.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelInboundInvoker.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/bootstrap/ServerBootstrapConfig.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/DefaultSelectStrategy.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
* its { @link ChannelPipeline }.
*
* <h3>Sub-types</h3>
* <p>
* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its
subtypes:
*
* { @link
ChannelInboundHandler } to handle inbound I/O events, and
* { @link ChannelOutboundHandler } to handle outbound I/O operations.
*
* </p>
* <p>
* Alternatively, the following adapter classes are provided for your convenience:
*
* { @link ChannelInboundHandlerAdapter } to handle inbound I/O events,
* { @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and
* { @link ChannelDuplexHandler } to handle both inbound and outbound events
*
```

\* </p>

\* <p>

\* For more information, please refer to the documentation of each subtype.

\* </p>

\* <h3>The context object</h3>

\* <p>

\* A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext } object. A { @link ChannelHandler } is supposed to interact with the { @link ChannelPipeline } it belongs to via a context object. Using the context object, the { @link ChannelHandler } can pass events upstream or downstream, modify the pipeline dynamically, or store the information (using { @link AttributeKey }s) which is specific to the handler.

\* <h3>State management</h3>

\* <p>

\* A { @link ChannelHandler } often needs to store some stateful information. The simplest and recommended approach is to use member variables:

\* <pre>

```
* public interface Message {
* // your methods here
* }
*
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } <Message > {
*
* private boolean loggedIn;
*
* { @code @Override }
* public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) message);
* loggedIn = true;
* } else (message instanceof GetDataMessage) {
* if (loggedIn) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
* } else {
* fail();
* }
* }
* }
* ...
* }
* </pre>
```

\* Because the handler instance has a state variable which is dedicated to one connection, you have to create a new handler instance for each new channel to avoid a race condition where a unauthenticated client can get

```

* the confidential information:
* <pre>
* // Create a new handler instance per channel.
* // See { @link ChannelInitializer#initChannel(Channel)}.
* public class DataServerInitializer extends { @link ChannelInitializer}<&{ @link Channel}> {
* { @code @Override}
* public void initChannel({ @link Channel} channel) {
* channel.pipeline().addLast("handler", new DataServerHandler());
* }
* }
*
* </pre>
*
* <h4>Using { @link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use { @link AttributeKey}s which is provided by
* { @link ChannelHandlerContext}:
* <pre>
* public interface Message {
* // your methods here
* }
*
* { @code @Sharable}
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}<&Message> {
* private final { @link AttributeKey}<&{ @link Boolean}> auth =
* { @link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
* { @code @Override}
* public void channelRead({ @link ChannelHandlerContext} ctx, Message message) {
* { @link Attribute}<&{ @link Boolean}> attr = ctx.attr(auth);
* if (message instanceof LoginMessage) {
* authenticate((LoginMessage) o);
* attr.set(true);
* } else (message instanceof GetDataMessage) {
* if (Boolean.TRUE.equals(attr.get())) {
* ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
* } else {
* fail();
* }
* }
* }
* }
* ...
* </pre>
* Now that the

```

state of the handler is attached to the { @link ChannelHandlerContext}, you can add the

\* same handler instance to different pipelines:

\* <pre>

```
* public class DataServerInitializer extends { @link ChannelInitializer}<>{ @link Channel}> {
```

```
*
```

```
* private static final DataServerHandler SHARED = new DataServerHandler();
```

```
*
```

```
* { @code @Override}
```

```
* public void initChannel({ @link Channel} channel) {
```

```
* channel.pipeline().addLast("handler", SHARED);
```

```
* }
```

```
* }
```

```
* </pre>
```

```
*
```

```
*
```

\* <h4>The { @code @Sharable} annotation</h4>

\* <p>

\* In the example above which used an { @link AttributeKey},

\* you might have noticed the { @code @Sharable} annotation.

\* <p>

\* If a { @link ChannelHandler} is annotated with the { @code @Sharable}

\* annotation, it means you can create an instance of the handler just once and

\* add it to one or more { @link ChannelPipeline}s multiple times without

\* a race condition.

\* <p>

\* If this annotation is not specified, you have to create

a new handler

\* instance every time you add it to a pipeline because it has unshared state

\* such as member variables.

\* <p>

\* This annotation is provided for documentation purpose, just like

\* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.

```
*
```

\* <h3>Additional resources worth reading</h3>

\* <p>

\* Please refer to the { @link ChannelHandler}, and

\* { @link ChannelPipeline} to find out more about inbound and outbound operations,

\* what fundamental differences they have, how they flow in a pipeline, and how to handle

\* the operation in your application.

```
*/
```

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-

jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright 2015 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/SimpleChannelPool.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/ChannelPoolMap.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/ChannelPool.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/ChannelHealthChecker.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/ChannelPoolHandler.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/package-info.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/FixedChannelPool.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/AbstractChannelPoolMap.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the  
\* "License"); you may not use this file except in compliance with the License. You may obtain a  
\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-  
jar/io/netty/channel/CoalescingBufferQueue.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-  
jar/io/netty/channel/EventLoopTaskQueueFactory.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-  
jar/io/netty/channel/ExtendedClosedChannelException.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-  
jar/io/netty/channel/ChannelHandlerMask.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/AbstractEventLoopGroup.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/AddressedEnvelope.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/group/ChannelGroup.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelProgressivePromise.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelHandlerAdapter.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelProgressiveFutureListener.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelId.java  
\*  
/opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/DefaultMessageSizeEstimator.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/nio/SelectedSelectionKeySet.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/SimpleChannelInboundHandler.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ConnectTimeoutException.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/bootstrap/ChannelFactory.java  
\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/io/netty/channel/ChannelProgressiveFuture.java  
\*



```
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/group/ChannelMatcher.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/DefaultChannelId.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/DefaultChannelProgressivePromise.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/ChannelOutboundBuffer.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/MessageSizeEstimator.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/group/ChannelGroupException.java
*
/opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/DefaultAddressedEnvelope.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/group/DefaultChannelGroup.java
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/group/ChannelMatchers.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1350828746_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-
jar/io/netty/channel/AbstractCoalescingBufferQueue.java
No license file was found, but licenses were detected in source scan.
```

```
The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

\* /opt/cola/permits/1350828746\_1656063997.4516613/0/netty-transport-4-1-78-final-sources-1-jar/META-INF/native-image/io.netty/transport/native-image.properties

# 1.267 jetty-continuation 9.4.48.v20220622

## 1.267.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this

Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties

and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself

(excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND  
DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and



- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS  
OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd  
unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.  
\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons  
org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2

licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.268 zlib 1.2.11

### 1.268.1 Available under license :

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to

do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/\* zlib.h -- interface of the 'zlib' general purpose compression library  
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

The data format used by the zlib library is described by RFCs (Request for Comments) 1950 to 1952 in the files <http://tools.ietf.org/html/rfc1950> (zlib format), rfc1951 (deflate format) and rfc1952 (gzip format).

\*/

# 1.269 logback-throttling-appender 1.1.9

## 1.269.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.html></url>

Found in path(s):

\* /opt/cola/permits/1368298591\_1658301187.6939363/0/logback-throttling-appender-1-1-9-1-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml

# 1.270 dropwizard-request-logging 2.0.29

## 1.270.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this



License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of  
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.271 dropwizard-servlets 2.0.29

## 1.271.1 Available under license :

Apache-2.0

# 1.272 dropwizard-logging 2.0.29

## 1.272.1 Available under license :

Apache-2.0

# 1.273 oshi-core 6.1.6

## 1.273.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN

NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/perfmon/PerfmonConstants.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/UserGroupInfo.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/proc/Auxv.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/perfmon/PerfmonDisabled.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License  
\*  
\* Copyright (c) 2020-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>  
\*  
\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be included in all  
\* copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
\* IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/software/os/unix/aix/AixInternetProtocolStats.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/driver/mac/net/NetStat.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/driver/windows/registry/NetSessionData.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/driver/windows/perfmon/PhysicalDisk.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/hardware/platform/windows/WindowsHWDiskStore.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/driver/unix/aix/perfstat/PerfstatNetInterface.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/software/os/unix/solaris/SolarisOSThread.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/driver/windows/registry/ProcessWtsData.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/NetStat.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/driver/windows/wmi/OhmSensor.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/software/os/unix/aix/AixOSThread.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

```

jar/oshi/driver/windows/registry/HkeyPerformanceDataUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/aix/perfstat/PerfstatDisk.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32Bios.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/linux/ProcPath.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/aix/perfstat/PerfstatMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/Who.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/Who.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/perfmon/ThreadInformation.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/aix/perfstat/PerfstatProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/aix/AixFileSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixHWDiskStore.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32DiskDriveToDiskPartition.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxHWDiskStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisHWDiskStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacHWDiskStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixCentralProcessor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixNetworkIF.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32Process.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsNetworkIF.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/perfmon/MemoryInformation.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/registry/ThreadPerformanceData.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsGraphicsCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/OhmHardware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32DiskPartition.java

```

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/mac/Who.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/wmi/MSAcpiThermalZoneTemperature.java  
 \*  
 /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/aix/AixNetworkParams.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/registry/SessionWtsData.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/Lscfg.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/proc/ProcessStat.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/mac/MacInternetProtocolStats.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/wmi/Win32ComputerSystemProduct.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/wmi/Win32LogicalDisk.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/freebsd/FreeBsdInternetProtocolStats.java  
 \*  
 /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/aix/AixGlobalMemory.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/Uptime.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/Who.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/LogicalProcessorInformation.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/aix/AixHardwareAbstractionLayer.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/wmi/Win32Fan.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/windows/WindowsInternetProtocolStats.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/perfmon/PagingFile.java  
 \*  
 /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/perfstat/PerfstatConfig.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/perfmon/SystemInformation.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/wmi/Win32BaseBoard.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/wmi/Win32DiskDrive.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/solaris/SolarisOSProcess.java  
 \* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/perfstat/PerfstatCpu.java

```

* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisNetworkIF.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32OperatingSystem.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32ComputerSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/mac/MacOSProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/solaris/Who.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/perfmon/ProcessorInformation.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/registry/HkeyUserData.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacNetworkIF.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32Processor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/freebsd/FreeBsdOSProcess.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/perfmon/ProcessInformation.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixVirtualMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/windows/WindowsOSProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/mac/disk/Fsstat.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/solaris/kstat/SystemPages.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/registry/ProcessPerformanceData.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/freebsd/Who.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32ProcessCached.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/linux/LinuxOSProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/aix/AixOSProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32PhysicalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/Win32VideoController.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-

```



jar/oshi/driver/windows/wmi/Win32LogicalDiskToPartition.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2016-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

/\*\*

\* macOS, previously Mac OS X and later OS X) is a series of proprietary

\* graphical operating systems developed and marketed by Apple Inc. since 2001.

\* It is the primary operating system for Apple's Mac computers.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

jar/oshi/software/os/mac/MacOperatingSystem.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2016-2021 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/linux/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/linux/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/mac/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/solaris/package-info.java

\*

/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/windows/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/mac/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/mac/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/linux/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/windows/package-info.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/solaris/package-info.java

\*

/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/unix/package-info.java

```
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/windows/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/linux/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/common/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/freebsd/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/mac/package-
info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/unix/solaris/package-info.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/unix/freebsd/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* MIT License
```

```
*
```

```
* Copyright (c) 2020-2021 The OSHI Project Contributors: https://github.com/oshi/oshi/graphs/contributors
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
```

```
* of this software and associated documentation files (the "Software"), to deal
```

```
* in the Software without restriction, including without limitation the rights
```

```
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
```

```
* copies of the Software, and to permit persons to whom the Software is
```

```
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in all
```

```
* copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
```

```
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

```
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
```

```
IN NO EVENT SHALL THE
```

```
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
```

```
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
```

```
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
```

```
* SOFTWARE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
```

```

jar/oshi/driver/unix/freebsd/disk/GeomPartList.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/GraphicsCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/mac/MacOSThread.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/aix/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixGraphicsCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/annotation/concurrent/ThreadSafe.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixUsbDevice.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/linux/proc/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/freebsd/disk/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/linux/proc/UpTime.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/tuples/Quintet.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/common/AbstractOSThread.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/common/AbstractOSFileStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/solaris/disk/Prtvtoc.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/solaris/kstat/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/registry/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxNetworkIF.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdHWDiskStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/Lshw.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/mac/package-
info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacGraphicsCard.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/Lspv.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/annotation/concurrent/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/mac/disk/package-

```

info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/common/AbstractInternetProtocolStats.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/aix/AixComputerSystem.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/windows/WindowsOSFileStore.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/tuples/Pair.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/solaris/package-info.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/windows/WindowsOSThread.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/linux/LinuxOSThread.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/freebsd/disk/GeomDiskList.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/unix/freebsd/ProcstatUtil.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/freebsd/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/Dmidecode.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/annotation/concurrent/Immutable.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/Ls.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/mac/MacOSFileStore.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/Sysfs.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/mac/net/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/OSThread.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/Devicetree.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/solaris/disk/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/Lssrad.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/perfstat/package-info.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/solaris/SolarisGraphicsCard.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

```

jar/oshi/software/os/unix/solaris/SolarisOSFileStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/windows/package-
info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixSoundCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/Xrandr.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/Lshal.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/freebsd/FreeBsdOSThread.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/OSSession.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/linux/proc/CpuStat.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixFirmware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/linux/LinuxOSFileStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/freebsd/disk/Mount.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/aix/perfstat/PerfstatProtocol.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/annotation/concurrent/NotThreadSafe.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/aix/AixOSFileStore.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/annotation/concurrent/GuardedBy.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdGraphicsCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/freebsd/FreeBsdOSFileStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxGraphicsCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/InternetProtocolStats.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/solaris/SolarisInternetProtocolStats.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/linux/proc/CpuInfo.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/aix/AixBaseboard.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/perfmon/package-info.java

```

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/linux/proc/DiskStats.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/aix/AixSensors.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/aix/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/solaris/disk/Iostat.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/tuples/Quartet.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractHWDiskStore.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/solaris/disk/Lshal.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractGraphicsCard.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/tuples/Triplet.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractNetworkIF.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/mac/ThreadInfo.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/common/AbstractOSProcess.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/tuples/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/linux/LinuxInternetProtocolStats.java  
No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2019-2021 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/hardware/VirtualMemory.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/hardware/PhysicalMemory.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/hardware/common/AbstractVirtualMemory.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/hardware/platform/unix/solaris/SolarisVirtualMemory.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/software/os/OSService.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2016-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all  
\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

/\*\*



\* Microsoft Windows, commonly referred to as Windows, is a group of several  
\* proprietary graphical operating system families, all of which are developed  
\* and marketed by Microsoft.  
\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-  
jar/oshi/software/os/windows/WindowsOperatingSystem.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2021 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN

NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/FileSystemUtil.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

jar/oshi/hardware/platform/unix/openbsd/OpenBsdSoundCard.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

jar/oshi/software/os/unix/openbsd/OpenBsdOSThread.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

jar/oshi/driver/windows/EnumWindows.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

jar/oshi/driver/unix/openbsd/disk/Disklabel.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-

jar/oshi/hardware/platform/unix/openbsd/OpenBsdUsbDevice.java

\*

```

/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/windows/NtDll.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/Xwininfo.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/LogicalVolumeGroup.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/UnixBaseboard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdSensors.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/UnixDisplay.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdFirmware.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdComputerSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/OpenBsdOperatingSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/OpenBsdInternetProtocolStats.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/openbsd/disk/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractLogicalVolumeGroup.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/OpenBsdOSFileStore.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdVirtualMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/OpenBsdFileSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdHardwareAbstractionLayer.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/OpenBsdNetworkParams.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacLogicalVolumeGroup.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/package-info.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdHWDiskStore.java
*

```

/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/BsdNetworkIF.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/unix/openbsd/package-info.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/openbsd/OpenBsdGraphicsCard.java  
No license file was found, but licenses were detected in source scan.

```
/*
* MIT License
*
* Copyright (c) 2018-2022 The OSHI Project Contributors: https://github.com/oshi/oshi/graphs/contributors
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/solaris/SolarisSoundCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/mac/MacSoundCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/freebsd/FreeBsdSoundCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/windows/WindowsSoundCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/linux/LinuxSoundCard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/PerfDataUtil.java
*
```

/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractSoundCard.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2019-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/linux/LinuxVirtualMemory.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/PerfCounterQueryHandler.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/PerfCounterQuery.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/Memoizer.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/Constants.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/mac/MacVirtualMemory.java

\*

/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/PerfCounterWildcardQuery.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/linux/LinuxLibc.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/windows/WindowsVirtualMemory.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/GlobalConfig.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/freebsd/FreeBsdVirtualMemory.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/WmiQueryHandler.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/windows/WinNT.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2021-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all  
\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/unix/AixLibc.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/mac/SystemConfiguration.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/unix/openbsd/FstatUtil.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/linux/LinuxLogicalVolumeGroup.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/unix/FreeBsdLibc.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/driver/unix/aix/PsInfo.java

\*

```
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsLogicalVolumeGroup.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/unix/openbsd/OpenBsdSysctlUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/openbsd/OpenBsdOSProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/wmi/MSFTStorage.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/unix/SolarisLibc.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdCentralProcessor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/mac/CoreGraphics.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/windows/DeviceTree.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/unix/OpenBsdLibc.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/mac/WindowInfo.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/openbsd/OpenBsdGlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/driver/unix/solaris/PsInfo.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/OSDesktopWindow.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/mac/CFUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* MIT License
```

```
*
```

```
* Copyright (c) 2018-2021 The OSHI Project Contributors: https://github.com/oshi/oshi/graphs/contributors
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
```

```
* of this software and associated documentation files (the "Software"), to deal
```

```
* in the Software without restriction, including without limitation the rights
```

```
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
```

```
* copies of the Software, and to permit persons to whom the Software is
```

```
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in all
```

```
* copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
```

```
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
```

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/SoundCard.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2020-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy  
\* of this software and associated documentation files (the "Software"), to deal  
\* in the Software without restriction, including without limitation the rights  
\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
\* copies of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all  
\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

/\*\*

\* AIX (Advanced Interactive eXecutive) is a series of proprietary Unix  
\* operating systems developed and sold by IBM for several of its computer  
\* platforms.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/aix/AixOperatingSystem.java

No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2016-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/linux/LinuxFirmware.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractHardwareAbstractionLayer.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/HWDiskStore.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/FileSystem.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/freebsd/FreeBsdOperatingSystem.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/EdidUtil.java

\*

/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/mac/MacComputerSystem.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractCentralProcessor.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractComputerSystem.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/mac/SysctlUtil.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/solaris/SolarisFirmware.java

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-



```

jar/oshi/hardware/platform/windows/WindowsFirmware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisSensors.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxCentralProcessor.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/HWPartition.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/CentralProcessor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/OSFileStore.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacBaseboard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdCentralProcessor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdGlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/FileUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/Sensors.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsCentralProcessor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/mac/SystemB.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsBaseboard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/windows/WindowsFileSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/OSProcess.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/OperatingSystem.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacCentralProcessor.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/Firmware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/ParseUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/unix/solaris/KstatUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsGlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/solaris/SolarisFileSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-

```

```

jar/oshi/hardware/platform/mac/MacDisplay.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractDisplay.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractFirmware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdUsbDevice.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdHardwareAbstractionLayer.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/jna/platform/mac/IOKit.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacUsbDevice.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/common/AbstractOperatingSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/HardwareAbstractionLayer.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/unix/freebsd/FreeBsdFileSystem.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/PowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxUsbDevice.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/UsbDevice.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacSensors.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/NetworkIF.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxGlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacHardwareAbstractionLayer.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/ComputerSystem.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/PlatformEnum.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisGlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/SystemInfo.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxComputerSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxSensors.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractGlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsDisplay.java

```

```

* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxHardwareAbstractionLayer.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsSensors.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/linux/LinuxFileSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/windows/WindowsOSSystemInfo.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/mac/MacFirmware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsHardwareAbstractionLayer.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/Util.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractUsbDevice.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/ExecutingCommand.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/software/os/mac/MacFileSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/FormatUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisPowerSource.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisComputerSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/linux/LinuxBaseboard.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/solaris/SolarisUsbDevice.java
*
/opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/GlobalMemory.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/common/AbstractSensors.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/util/platform/mac/SmcUtil.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdFirmware.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/unix/freebsd/FreeBsdComputerSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-
jar/oshi/hardware/platform/windows/WindowsComputerSystem.java
* /opt/cola/permits/1368298633_1658301195.3066697/0/oshi-core-6-1-6-sources-

```

jar/oshi/jna/platform/windows/PowrProf.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/Display.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/common/AbstractBaseboard.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/freebsd/FreeBsdSensors.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/solaris/SolarisOperatingSystem.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/solaris/SolarisCentralProcessor.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/common/AbstractFileSystem.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/freebsd/FreeBsdPowerSource.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/unix/solaris/SolarisHardwareAbstractionLayer.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/mac/MacGlobalMemory.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/linux/LinuxOperatingSystem.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/Baseboard.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/hardware/platform/windows/WindowsUsbDevice.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/unix/freebsd/BsdSysctlUtil.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/util/platform/windows/WmiUtil.java  
No license file was found, but licenses were detected in source scan.

/\*

\* MIT License

\*

\* Copyright (c) 2017-2022 The OSHI Project Contributors: <https://github.com/oshi/oshi/graphs/contributors>

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE  
\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/NetworkParams.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/jna/platform/unix/CLibrary.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/linux/LinuxNetworkParams.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/common/AbstractNetworkParams.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/mac/MacNetworkParams.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/windows/WindowsNetworkParams.java  
\*  
/opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/solaris/SolarisNetworkParams.java  
\* /opt/cola/permits/1368298633\_1658301195.3066697/0/oshi-core-6-1-6-sources-jar/oshi/software/os/unix/freebsd/FreeBsdNetworkParams.java

## 1.274 simpleclient-dropwizard 0.15.0

### 1.274.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1368298584\_1658301201.3646705/0/simpleclient-dropwizard-0-15-0-sources-jar/META-INF/maven/io.prometheus/simpleclient\_dropwizard/pom.xml

## 1.275 dropwizard-jetty 2.0.29

### 1.275.1 Available under license :

Apache-2.0

# 1.276 dropwizard-jersey 2.0.29

## 1.276.1 Available under license :

Apache-2.0

# 1.277 jna-platform 5.11.0

## 1.277.1 Available under license :

SPDX-License-Identifier: Apache-2.0 OR LGPL-2.1

Java Native Access (JNA) is licensed under the LGPL, version 2.1 or later, or (from version 4.0 onward) the Apache License, version 2.0.

You can freely decide which license you want to apply to the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1", under the same directory as this file.

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0", under the same directory as this file.

Commercial support may be available, please e-mail [twall\[at\]users\[dot\]sf\[dot\]net](mailto:twall[at]users[dot]sf[dot]net).

# 1.278 dropwizard-configuration 2.0.29

## 1.278.1 Available under license :

Apache-2.0

# 1.279 dropwizard-core 2.0.29

## 1.279.1 Available under license :

Apache-2.0

# 1.280 openjdk-jre 11.0.16u8

## 1.280.1 Available under license :

```
zlib v1.2.11
```

```
zlib License
```

```
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>
```

```
Mozilla Elliptic Curve Cryptography (ECC)
```

```
Mozilla ECC Notice
```

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a  
[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>)  
of the Elliptic Curve Cryptography library in source  
form with the JDK and OpenJDK source distributions, and as object code in  
the JRE & JDK runtimes.

```
<pre>
```

In the case of the JRE & JDK runtimes, the terms of the Oracle license do

NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.  
Attn: Associate General Counsel,  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and



- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document,  
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of

it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General

Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

#### GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even

though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data

structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any



attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

```
This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
```

```
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
```

```
You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
```

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.
```

```
<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice
```

That's all there is to it!

```
</pre>
jopt-simple v4.6
```

```
MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
freebXML v3.1
```

### freebXML License v1.1.5

<pre>

freebxml: Copyright (c) 2001 freebxml.org. All rights reserved.

The names "The freebXML Registry Project" and "freebxml Software Foundation" must not be used to endorse or promote products derived from this software or be used in a product name without prior written permission. For written permission, please contact [ebxmlrr-team@lists.sourceforge.net](mailto:ebxmlrr-team@lists.sourceforge.net).

This software consists of voluntary contributions made by many individuals on behalf of the the freebxml Software Foundation. For more information on the freebxml Software Foundation, please see <http://www.freebxml.org/>.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

The freebxml License, Version 1.1 5  
Copyright (c) 2001 freebxml.org. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

"This product includes software developed by freebxml.org (<http://www.freebxml.org/>)."

Alternately, this acknowledgement may appear in the software itself, if and wherever such third-party acknowledgements normally appear.

4. The names "The freebXML Registry Project", "freebxml Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact [ebxmlrr-team@lists.sourceforge.net](mailto:ebxmlrr-team@lists.sourceforge.net).

5. Products derived from this software may not be called "freebxml", "freebXML Registry"

nor may freebxml" appear in their names without prior written permission of the freebxml Group.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,

INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE freebxml SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

```
Khronos Group OpenGL Headers v2.1
```

```
Khronos Group License
```

<pre>

Copyright (c) 2007 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

</pre>

This is the copyright file

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

#### 1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:



- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered

\*

\*

\*

\*

\*

\*

\*

\*

\*

\*

Software is \*

\* authorized under this License except under this disclaimer. \*

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability

\*

\* -----

\*

\*

\*

\* Under no circumstances and under no legal theory, whether tort \*

\* (including negligence), contract, or otherwise, shall any \*

\* Contributor, or anyone who distributes Covered Software as \*

\* permitted above, be liable to You for any direct, indirect, \*

\* special, incidental, or consequential damages of any character \*

\* including, without limitation,

damages for lost profits, loss of \*

\* goodwill, work stoppage, computer failure or malfunction, or any \*

\* and all other commercial damages or losses, even if such party \*

\* shall have been informed of the possibility of such damages. This \*

\* limitation of liability shall not apply to liability for death or \*

\* personal injury resulting from such party's negligence to the \*

\* extent applicable law prohibits such limitation. Some \*

\* jurisdictions do not allow the exclusion or limitation of \*

\* incidental or consequential damages, so this exclusion and \*

\* limitation may not apply to You. \*

\*

\*

\*\*\*\*\*

8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place

of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter

shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

##### This Source

Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache XML Resolver Library v1.2

### Apache XML Resolver Notice

<pre>

Apache XML Commons Resolver

Copyright 2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the  
public domain by Arbortext on 10 Apr 2000. See:  
[http://www.arbortext.com/customer\\_support/updates\\_and\\_technical\\_notes/catalogs/docs/README.htm](http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm)

</pre>

### Apache 2.0 License

<pre>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.



"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity"

shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work"

shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work

includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless

required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## JSZip v2.5.0

### MIT License

<pre>

Copyright (c) 2009-2014 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v1.5.4

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java  
Copyright 1999-2015 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or



for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on

behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except

in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

**COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:**

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.0.7, July 1, 2000 through 1.6.34, September 29, 2017 are

Copyright (c) 2000-2002, 2004, 2006-2017 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabuddhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey

Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

END OF COPYRIGHT NOTICE, DISCLAIMER, and LICENSE.

## TRADEMARK:

The

name "libpng" has not been registered by the Copyright owner as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owner claims "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

## OSI CERTIFICATION:

Libpng is OSI Certified Open Source Software. OSI Certified Open Source is a certification mark of the Open Source Initiative. OSI has not addressed the additional disclaimers inserted at version 1.0.7.

## EXPORT CONTROL:

The Copyright owner believes that the Export Control Classification Number (ECCN) for libpng is EAR99, which means not subject to export controls or International Traffic in Arms Regulations (ITAR) because it is open source, publicly available software, that does not contain any encryption software. See the EAR, paragraphs 734.3(b)(3) and 734.7(b).

Glenn Randers-Pehrson

glennrp at users.sourceforge.net

September 29, 2017

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
Apache Commons Byte Code Engineering Library (BCEL) Version 6.0
```

```
Apache Commons BCEL Notice
```

```
<pre>

=====
```

== NOTICE file corresponding to the section 4 d of	==
== the Apache License, Version 2.0,	==
== in this case for the Apache Commons BCEL distribution.	==

```
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

```
</pre>

Apache 2.0 License
<pre>
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

## 2. Grant of

Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from

the Source form of the Work,

excluding those notices that do not pertain to any part of



the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute,

alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,  
Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

```
jQuery v1.20.2
```

```
jQuery License
```

<pre>

```
jQuery v 1.10.2
```

```
Copyright 2005, 2013 jQuery Foundation, Inc. and other contributors
```

```
http://jquery.com/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v1.10.2 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

</pre>

All images in this directory are copyright 1995 by Jeff Dinkins.

## Mesa 3-D Graphics Library v4.1

### Mesa License

<pre>

Mesa 3-D graphics library

Version: 4.1

Copyright (C) 1999-2002 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a

copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

```
International Components for Unicode (ICU4J) v56.1
```

```
ICU4J License
```

<pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

</pre>

NSS is available under the Mozilla Public License, version 2, a copy of which is below.

Note on GPL Compatibility

-----

The MPL 2, section 3.3, permits you to combine NSS with code under the GNU General Public License (GPL) version 2, or any later version of that license, to make a Larger Work, and distribute the result under the GPL. The only condition is that you must also make NSS, and any changes you have made to it, available to recipients under the terms of the MPL 2 also.

Anyone who receives the combined code from you does not have to continue

to dual licence in this way, and may, if they wish, distribute under the terms of either of the two licences - either the MPL alone or the GPL alone. However, we discourage people from distributing copies of NSS under the GPL alone, because it means that any improvements they make cannot be reincorporated into the main version of NSS. There is never a need to do this for license compatibility reasons.

#### Note on LGPL Compatibility

-----

The

above also applies to combining MPLed code in a single library with code under the GNU Lesser General Public License (LGPL) version 2.1, or any later version of that license. If the LGPLed code and the MPLed code are not in the same library, then the copyleft coverage of the two licences does not overlap, so no issues arise.

#### Mozilla Public License Version 2.0

=====

#### 1. Definitions

-----

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

##### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any  
of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14.



"You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its

Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections

3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4.

#### Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support,

indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \*  
 \* 6. Disclaimer of Warranty \*  
 \* ----- \*  
 \* \*  
 \* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire \*  
 \* risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*  
 \* \*

\*\*\*\*\*

\*\*\*\*\*

\* \*  
 \* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \*  
 \* Under no circumstances \*  
 \* and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* \*  
 \* limitation may not apply to You. \*  
 \* \*

\*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing

Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form  
is "Incompatible With Secondary Licenses", as  
defined by the Mozilla Public License, v. 2.0.

## Harfbuzz v1.3.0

### Harfbuzz License

<http://cgit.freedesktop.org/harfbuzz/tree/COPYING>

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual  
files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012, 2013 Google, Inc.

Copyright 2012, 2013 Mozilla Foundation

Copyright 2011 Codethink Limited

Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)

Copyright 2009 Keith Stribley

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Copyright 2009, 2011 Martin Hosken and SIL International

Copyright 2007 Chris Wilson

Copyright 2006 Behdad Esfahbod

Copyright 2005 David Turner

Copyright 2004,2007,2008,2009,2010, 2013 Red Hat, Inc.

Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license

or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:

The contents of this directory are licensed under the following terms:

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
</pre>
X Windows System v6.8.2
```

```
X Windows System License
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c



Copyright (c) 1994 Hewlett-Packard Co.

Copyright (c) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

---

The files in motif/lib/Xm/util included this copyright:  
mkdirhier.man, xmkmf.man, chownxterm.c, makeg.man, mergelib.cpp,  
lndir.man, makestrs.man, checktree.c, lndir.c, makestrs.c

Copyright (c) 1993, 1994 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealing in this Software without prior written authorization from the X Consortium.

---

Xmos\_r.h:  
/\*  
Copyright  
(c) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.  
\*/

---

Copyright notice for extutil.h:  
Copyright 1989, 1998 The Open Group

All Rights Reserved.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except

as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

\*

\* Author: Jim Fulton, MIT The Open Group

\*

\* Xlib Extension-Writing Utilities

\*

\* This package contains utilities for writing the client API for various

\* protocol extensions. THESE INTERFACES ARE NOT PART OF THE X STANDARD AND

\* ARE SUBJECT TO CHANGE!

\*/

---

Copyright notice for HPkeysym.h:

/\*

Copyright 1987, 1998 The Open Group

All Rights Reserved.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts,

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of Hewlett Packard or Digital not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

DIGITAL DISCLAIMS ALL

WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

HEWLETT-PACKARD MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS SOFTWARE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Hewlett-Packard shall not be liable for errors contained herein or direct, indirect, special, incidental or consequential damages in connection with the furnishing, performance, or use of this material.

\*/

---

Copyright notice in keysym2ucs.h:

Copyright 1987, 1994, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from  
The Open Group.

Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Digital not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

DIGITAL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*\*\*\*\*/

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this package are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this package except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape Portable Runtime (NSPR).

The Initial Developer of the Original Code is  
Netscape Communications Corporation.

Portions created by the Initial Developer are Copyright (C) 1998-2000  
the Initial Developer. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice

and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## PKCS #11 Cryptographic Token Interface v2.20 Amendment 3 Header Files

### PKCS #11 Cryptographic Token Interface License

<pre>

License to copy and use this software is granted provided that it is identified as "RSA Security Inc. PKCS #11 Cryptographic Token Interface (Cryptoki)" in all material mentioning or referencing this software.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Security Inc. PKCS #11 Cryptographic Token Interface (Cryptoki)" in all material mentioning or referencing the derived work.

RSA Security Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

</pre>

## Pako v1.0

### Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party



acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
libpng v1.6.23

libpng License
<pre>
```

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.0.7, July 1, 2000 through 1.6.23, June 9, 2016 are Copyright (c) 2000-2002, 2004, 2006-2016 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard

Cosmin Truta  
Gilles Vollant  
James Yu

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"

is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

END OF COPYRIGHT NOTICE, DISCLAIMER, and LICENSE.

```
</pre>
Little Color Management System (LCMS) v2.8
```

```
LCMS License
<pre>
```

Little Color Management System  
Copyright (c) 1998-2016 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"),

to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above

copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

basecvt.pod

gcd.pod

invmod.pod

isprime.pod

lap.pod

mpi-test.pod

prime.txt

prng.pod

## Eastman Kodak Company: Kodak Color Management System (kcms) and portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Double-conversion v1.1.5

### Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,  
BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

pi1k.txt  
pi2k.txt  
pi5k.txt  
## GIFLIB v5.1.4

### GIFLIB License  
<pre>

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Xerces v2.11.0

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java  
Copyright 1999-2010 The Apache Software Foundation  
This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual  
or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but  
not limited to compiled object code, generated documentation,  
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a



copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the

Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available

in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You

represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use,

distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR



CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California

and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any

program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF

ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

## PC/SC Lite for Suse Linux v1.1.1

### PC/SC Lite License

<pre>

Copyright (c) 1999-2004 David Corcoran <corcoran@linuxnet.com>  
Copyright (c) 1999-2004 Ludovic Rousseau <ludovic.rousseau (at) free.fr>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:  
This product includes software developed by:  
David Corcoran <corcoran@linuxnet.com>  
<http://www.linuxnet.com> (MUSCLE)
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JRuby Joni v1.1.9

### JRuby License

<pre>

Jruby 2012



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
ASM Bytecode Manipulation Framework v5.1
```

```
ASM License
```

```
<pre>
```

Copyright (c) 2000-2011 France Tlcom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY

AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact

Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

## Independent JPEG Group: JPEG release 6b

### JPEG License

<pre>

Must reproduce following license in documentation and/or other materials  
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,  
with respect to this software, its quality, accuracy, merchantability, or  
fitness for a particular purpose. This software is provided "AS IS",  
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.

All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright

by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

```
</pre>
Apache Xalan v2.7.1
```

```
Apache Xalan Notice
<pre>
```

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works;

within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission

of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

PRIMES

## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including

modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

## RelaxNG Datatype

### RelaxNG Datatype License

<pre>

Copyright (c) 2005, 2010 Thai Open Source Software Center Ltd  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the  
distribution.

Neither the names of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## JLine v2.12.1

### JLine License

<pre>

Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>  
All rights reserved.

Redistribution and use in source and binary forms, with or  
without modification, are permitted provided that the following  
conditions are met:

Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
CUP Parser Generator for Java v 0.10k
```

```
CUP Parser Generator License
<pre>
```

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action

of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software.

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license  
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share  
and change it. By contrast, the GNU General Public License is intended to  
guarantee your freedom to share and change free software--to make sure the  
software is free for all its users. This General Public License applies to  
most of the Free Software Foundation's software and to any other program whose  
authors commit to using it. (Some other Free Software Foundation software is  
covered by the GNU Library General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our  
General Public Licenses are designed to make sure that  
you have the freedom to  
distribute copies of free software (and charge for this service if you wish),  
that you receive source code or can get it if you want it, that you can change  
the software or use pieces of it in new free programs; and that you know you  
can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny  
you these rights or to ask you to surrender the rights. These restrictions  
translate to certain responsibilities for you if you distribute copies of the  
software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for  
a fee, you must give the recipients all the rights that you have. You must  
make sure that they, too, receive or can get the source code. And you must  
show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2)  
offer you this license which gives you legal permission to copy, distribute  
and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source

code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program),



the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in

spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How  
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software

which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape security libraries.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1994-2000 Netscape Communications Corporation. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## Unicode Common Local Data Repository (CLDR) v29

### CLDR License

<pre>

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in  
<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation

associated with the Data File(s) or  
Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## RelaxNG Object Model/Parser v20061207

### RelaxNG Object Model/Parser License

<pre>

Copyright (c) 2004-2012 RELAXNG

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

All rights reserved.Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Attila Szegedi nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.281 okio 3.0.0

### 1.281.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*



\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/-Base64.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Okio.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/BufferedSink.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Source.kt  
\*  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/BufferedSource.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Buffer.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/RealBufferedSink.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Sink.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/-  
Buffer.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Timeout.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/commonMain/okio/RealBufferedSource.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Utf8.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2015 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/jvmMain/okio/SegmentedByteString.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/commonMain/okio/SegmentedByteString.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/ForwardingTimeout.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/Buffer.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/RealBufferedSource.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/GzipSource.kt

\*

/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/InflaterSource.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/GzipSink.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/SegmentPool.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/ForwardingSink.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/BufferedSource.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/BufferedSink.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/Timeout.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/RealBufferedSink.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/SegmentPool.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/DeflaterSink.kt

\*

/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/JvmOkio.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/AsyncTimeout.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/ForwardingSource.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Segment.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Square Inc.

\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/ByteString.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/-  
Path.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/commonMain/okio/HashingSink.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/jvmMain/okio/NioSystemFileSystem.kt  
\*  
/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Path.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/jvmMain/okio/JvmSystemFileSystem.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/commonMain/okio/ExperimentalFileSystem.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-

jar/commonMain/okio/ForwardingFileSystem.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-

jar/commonMain/okio/HashingSource.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/FileSystem.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/Path.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-

jar/commonMain/okio/FileMetadata.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Square, Inc. and others.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/CipherSource.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/CipherSink.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/-

RealBufferedSink.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/  
SegmentedByteString.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/  
RealBufferedSource.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2016 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/HashingSource.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/Pipe.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/Options.kt  
\*

/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/HashingSink.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/-  
DeprecatedUtf8.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/-  
DeprecatedUpgrade.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-  
jar/commonMain/okio/PeekSource.kt  
\*  
/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/-DeprecatedOkio.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/Throttler.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/-  
ByteString.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/-Util.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/-  
CommonPlatform.kt

\*

/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/-JvmPlatform.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/ByteString.kt

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/-  
Utf8.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more

\* contributor license agreements. See the NOTICE file distributed with

\* this work for additional information regarding copyright ownership.

\* The ASF licenses this file to You under the Apache License, Version 2.0

\* (the "License"); you may not use this file except in compliance with

\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/internal/ZipEntry.kt  
\*  
/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/internal/zip.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/ZipFileSystem.kt  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2021 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/internal/ResourceFileSystem.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/internal/FixedLengthSource.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/FileHandle.kt  
\*  
/opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/JvmFileHandle.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/commonMain/okio/internal/FileSystem.kt  
\* /opt/cola/permits/1387809635\_1660200733.4071565/0/okio-3-0-0-sources-1-jar/jvmMain/okio/FileSystem.kt



# 1.282 openjdk 11.0.16

## 1.282.1 Available under license :

```
zlib v1.2.11
```

```
zlib License
```

```
<pre>
```

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly      Mark Adler  
jloup@gzip.org      madler@alumni.caltech.edu

```
</pre>
```

```
The Unicode Standard, Unicode Character Database, Version 10.0.0
```

```
Unicode Character Database
```

```
...
```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard

or under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,  
<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU  
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of the Unicode data files and any associated documentation  
(the "Data Files") or Unicode software and any associated documentation  
(the "Software") to deal in the Data Files or Software  
without restriction, including without limitation the rights to use,  
copy, modify, merge, publish, distribute, and/or sell copies of  
the Data Files or Software, and to permit persons to whom the Data Files  
or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies  
of the Data Files or Software, or  
(b)  
this copyright and permission notice appear in associated  
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF  
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE  
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS  
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL  
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,  
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER  
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder  
shall not be used in advertising or otherwise to promote the sale,  
use or other dealings in these Data Files or Software without prior

written authorization of the copyright holder.

...

## Mozilla Elliptic Curve Cryptography (ECC)

### Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.  
Attn: Associate General Counsel,  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document,  
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a

restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run

that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the



entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even

though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked

with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library

facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can  
redistribute it and/or  
modify it under the terms of the GNU Lesser General Public  
License as published by the Free Software Foundation; either  
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims  
all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

</pre>

```
Harfbuzz v2.8
```

```
Harfbuzz License
```

```
https://github.com/harfbuzz/harfbuzz/blob/master/COPYING
```

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.  
For parts of HarfBuzz that are licensed under different licenses see individual  
files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.

Copyright 2018,2019,2020 Ebrahim Byagowi  
Copyright 2019,2020 Facebook, Inc.  
Copyright 2012 Mozilla Foundation  
Copyright 2011 Codethink Limited  
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)  
Copyright 2009 Keith Stribley  
Copyright 2009 Martin Hosken and SIL International  
Copyright 2007 Chris Wilson  
Copyright 2006 Behdad Esfahbod  
Copyright 2005 David Turner  
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.  
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted,  
without written agreement and without  
license or royalty fees, to use, copy, modify, and distribute this  
software and its documentation for any purpose, provided that the  
above copyright notice and the following two paragraphs appear in  
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR  
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES  
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN  
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,  
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS  
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO  
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one  
exception is licensed with a slightly  
different MIT variant:

The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any  
purpose with or without fee is hereby granted, provided that the above  
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF



MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
</pre>
xwd v1.0.7
```

```
xwd utility
<pre>
```

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.  
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
CUP Parser Generator for Java v 0.11b
```

```
CUP Parser Generator License
<pre>
```

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

</pre>

This is the copyright file  
Copyright 2005 Sun Microsystems, Inc. All rights reserved.  
Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.  
Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General

Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under

the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability

\*

\* -----

\*

\*

\*

\* Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.



\*

\*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that

such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.  
Copyright 2008, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,  
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Apache Santuario v2.3.0

### Apache Santuario Notice

<pre>

Apache Santuario - XML Security for Java

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for  
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European  
Commission in the <WebSig> project in the ISIS Programme.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity  
authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the  
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,  
including but not limited to software source code, documentation  
source, and configuration files.

"Object" form shall mean any form resulting from mechanical  
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except  
in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache



License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

# This file contains a list of people who've made non-trivial  
# contribution to the Google C++ Testing Framework project. People  
# who commit code to the project are encouraged to add their names  
# here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>  
Balzs Dn <balazs.dan@gmail.com>  
Bharat Mediratta <bharat@menalto.com>  
Chandler Carruth <chandlerc@google.com>  
Chris Prince <cprince@google.com>  
Chris Taylor <taylorc@google.com>  
Dan Egnor <egnor@google.com>  
Eric Roman <eroman@chromium.org>  
Hady Zalek <hady.zalek@gmail.com>  
Jeffrey Yasskin <jyasskin@google.com>  
Ji Sigursson <joi@google.com>  
Keir Mierle <mierle@gmail.com>  
Keith Ray <keith.ray@gmail.com>  
Kenton Varda <kenton@google.com>  
Manuel Klimek <klimek@google.com>

Markus Heule <markus.heule@gmail.com>  
Mika Raento <mikie@iki.fi>  
Mikls Fazekas <mfazekas@szemafor.com>  
Pasi Valminen <pasi.valminen@gmail.com>  
Patrick Hanna <phanna@google.com>  
Patrick Riley <pfr@google.com>  
Peter Kaminski <piotrk@google.com>  
Preston  
Jackson <preston.a.jackson@gmail.com>  
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>  
Russ Cox <rsc@google.com>  
Russ Rufer <russ@pentad.com>  
Sean McAfee <eefacm@gmail.com>  
Sigurur sgeirsson <siggi@google.com>  
Tracy Bialik <tracy@pentad.com>  
Vadim Berman <vadimb@google.com>  
Vlad Losev <vladl@google.com>  
Zhanyong Wan <wan@google.com>  
## OASIS PKCS #11 Cryptographic Token Interface v3.0

### OASIS PKCS #11 Cryptographic Token Interface License  
<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an

"AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

## Cryptix AES v3.2.0

### Cryptix General License

<pre>

## Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## International Components for Unicode (ICU4J) v60.2

### ICU4J License

...

### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the

directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

All images in this directory are copyright 1995 by Jeff Dinkins.

## JRuby Joni v2.1.16

### MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## GIFLIB v5.2.1

### GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c>

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>  
SPDX-License-Identifier: MIT

All images in this directory are copyright 1995 by Jeff Dinkins.  
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

## libpng v1.6.37

### libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

-----

- \* Copyright (c) 1995-2019 The PNG Reference Library Authors.
- \* Copyright (c) 2018-2019 Cosmin Truta.
- \* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- \* Copyright (c) 1996-1997 Andreas Dilger.
- \* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or

other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----  
libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.



Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are

Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson  
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of

merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

</pre>

NSS is available under the Mozilla Public License, version 2, a copy of which is below.

Note on GPL Compatibility

-----

The MPL 2, section 3.3, permits you to combine NSS with code under the GNU General Public License (GPL) version 2, or any later version of that license, to make a Larger Work, and distribute the result under the GPL. The only condition is that you must also make NSS, and any changes you have made to it, available to recipients under the terms of the MPL 2 also.

Anyone who receives the combined code from you does not have to continue to dual licence in this way, and may, if they wish, distribute under the terms of either of the two licences - either the MPL alone or the GPL alone. However, we discourage people from distributing copies of NSS under the GPL alone, because it means that any improvements they make cannot be reincorporated into the main version of NSS. There is never a need to do this for license compatibility reasons.

Note on LGPL Compatibility

-----

The

above also applies to combining MPLed code in a single library with code under the GNU Lesser General Public License (LGPL) version 2.1, or any later version of that license. If the LGPLed code and the MPLed code are not in the same library, then the copyleft coverage of the two licences does not overlap, so no issues arise.

## Mozilla Public License Version 2.0

=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

#### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in

a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any  
of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14.

"You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

-----

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with

the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

##### Sections

3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more

than the cost of  
distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4.

#### Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this

License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
* statutory, including, without limitation, warranties that the
```



\* Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

\*\*\*\*\*

\*\*\*\*\*

**7. Limitation of Liability**

-----

\* Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

\*\*\*\*\*

**8. Litigation**

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

**9. Miscellaneous**

-----  
This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing

Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this

file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form  
is "Incompatible With Secondary Licenses", as  
defined by the Mozilla Public License, v. 2.0.  
## Unicode Common Local Data Repository (CLDR) v33

### CLDR License

---

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,  
<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the  
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard  
or under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,  
<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S  
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU UNEQUIVOCALLY ACCEPT,  
AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## jQuery v3.5.1

### jQuery License

...

jQuery v 3.5.1

Copyright 2005, 2018 jQuery Foundation, Inc. and other contributors  
<http://jquery.com/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/sizzle>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

\*\*\*\*\*

---

## Mozilla Public Suffix List

### Public Suffix Notice

---

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at [https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

---

### MPL v2.0

---

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to

the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its



Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3.

#### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of

the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an

ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*

\*

\* 6. Disclaimer of Warranty

\*

\* -----

\*

\*

\*

\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*

\*

essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*

\*

\*

\*\*\*\*\*

\*\*\*\*\*

\*

\*

\* 7. Limitation of Liability

\*

\* -----

\*

\*

\*

\* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any \*  
 character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\* \*  
 \*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

---

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

\*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*

Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this package are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this package except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape Portable Runtime (NSPR).

The Initial Developer of the Original Code is

Netscape Communications Corporation.

Portions created by the Initial Developer are Copyright (C) 1998-2000 the Initial Developer. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public

License Version 2 or later (the "GPL"), or

the GNU Lesser General Public License Version 2.1 or later (the "LGPL"),

in which case the provisions of the GPL or the LGPL are applicable instead

of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

## c-libutl 20160225

### c-libutl License

^^^

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

^^^

## JLine v3.20.0

### JLine License



<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Pako v1.0

### Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES

("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

basecvt.pod  
gcd.pod  
invmod.pod  
isprime.pod  
lap.pod

mpi-test.pod  
prime.txt  
png.pod  
## JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license \*or\* the GPLv3 license.

### The MIT License  
...

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

### GPL version 3  
...

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed

to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its

users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions

of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible

feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

##### A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.



The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

## 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work

in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source

fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a

network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the

violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

## 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a



covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the

combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING

BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

## Double-conversion v1.1.5

### Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery UI v1.12.1

### jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Within this directory, each of the file listed below is licensed under the terms given in the file LICENSE-MPL, also in this directory.

pi1k.txt

pi2k.txt

pi5k.txt

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

## Apache Xerces v2.12.1

### Apache Xerces Notice

<pre>

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.



6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should

be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## The FreeType Project: Freetype v2.12.0

### FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

The FreeType Project LICENSE

-----

2006-Jan-27

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (^ royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (^ credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

\*\*\*\*  
Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package`, `FreeType Project`, and `FreeType archive` refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project`, be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
  
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<http://www.freetype.org>

...

### GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program



itself is interactive but

does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of

this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to  
give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify  
it under the terms of the GNU General Public License as published by  
the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive  
mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not  
permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#####

--- fthash.c and fthash.h are covered by the following notices ---

/\*

\* Copyright 2000 Computing Research Labs, New Mexico State University

\* Copyright 2001-2015

\* Francesco Zappa Nardelli

\*

\* Permission is hereby granted, free of charge, to any person obtaining a

\* copy of this software and associated documentation files (the "Software"),

\* to deal in the Software without restriction, including without limitation

\* the rights to use, copy, modify, merge, publish, distribute, sublicense,

\* and/or sell copies of the Software, and to permit persons to whom the

\* Software is furnished to do so, subject to the

following conditions:

\*

\* The above copyright notice and this permission notice shall be included in

\* all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL

\* THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY

\* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT

\* OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR

\* THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

/\*\*\*\*\*\*

\*

\* This file is based on code from bdf.c,v 1.22 2000/03/16 20:08:50

\*

\* taken from Mark Leisher's xmbdfed package

\*

\*/

#####

--- FreeType 2 PSaux module

is covered by the following notices ---

Copyright 2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

#####

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact

Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

## PC/SC Lite v1.8.26

### PC/SC Lite License

<pre>

Copyright (c) 1999-2003 David Corcoran <[corcoran@linuxnet.com](mailto:corcoran@linuxnet.com)>  
Copyright (c) 2001-2011 Ludovic Rousseau <[ludovic.rousseau@free.fr](mailto:ludovic.rousseau@free.fr)>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jopt-simple v5.0.4

### MIT License

<pre>



Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## Independent JPEG Group: JPEG release 6b

### JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.

All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are

no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

## Apache Xalan v2.7.2

### Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution. The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a compiled one (The XSLT Compiler (XSLTC)). We \*only\* use the XSLTC part of Xalan; We use the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu ([ovidiu@cup.hp.com](mailto:ovidiu@cup.hp.com)) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

### Apache 2.0 License

<pre>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to  
in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

#### JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian  
Permission to use, copy, modify, and distribute this software and  
its documentation for any purpose and without fee is hereby granted,  
provided that the above copyright notice appear in all copies and that  
both the copyright notice and this permission notice and warranty  
disclaimer appear in supporting documentation, and that the name of  
the authors or their employers not be used in advertising or publicity  
pertaining to distribution of the software without specific, written  
prior permission.

The authors and their employers disclaim all warranties with regard to  
this software, including all implied warranties of merchantability  
and  
fitness. In no event shall the authors or their employers be liable for  
any special, indirect or consequential damages or any damages whatsoever  
resulting from loss of use, data or profits, whether in an action of  
contract, negligence or other tortious action, arising out of or in  
connection with the use or performance of this software. The portions of  
JLex output which are hard-coded into the JLex source code are (naturally)  
covered by this same license.

</pre>

Within this directory, each of the file listed below is licensed under  
the terms given in the file LICENSE-MPL, also in this directory.

PRIMES



## DOM Level 3 Core Specification v1.0

### W3C License

<pre>

## W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written

prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

---

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to [site-policy@w3.org](mailto:site-policy@w3.org).

</pre>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the

software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided

that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so

long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA

BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be



called something  
other than 'show w' and 'show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,  
if any, to sign a "copyright disclaimer" for the program, if necessary. Here  
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Library General Public  
License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are  
subject to the following  
clarification and special exception to the GPL, but  
only where Oracle has expressly included in the particular source file's header  
the words "Oracle designates this particular file as subject to the "Classpath"  
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making  
a combined work based on this library. Thus, the terms and conditions of  
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent modules,  
and to copy and distribute the resulting executable under terms of your  
choice, provided that you also meet, for each linked independent module,  
the terms and conditions of the license of that module. An independent  
module is a module

which is not derived from or based on this library. If

you modify this library, you may extend this exception to your version of  
the library, but you are not obligated to do so. If you do not wish to do  
so, delete this exception statement from your version.

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms

and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
***** BEGIN LICENSE BLOCK *****
Version: MPL 1.1/GPL 2.0/LGPL 2.1
```

The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is the Netscape security libraries.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1994-2000 Netscape Communications Corporation. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of either the GNU General Public License Version 2 or later (the "GPL"), or the GNU Lesser General Public License Version 2.1 or later (the "LGPL"), in which case the provisions of the GPL or the LGPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of either the GPL or the LGPL, and not to allow others to use your version of this file under the terms of the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL or the LGPL. If you do not delete the provisions above, a recipient may use your version of this file under the terms of any one of the MPL, the GPL or the LGPL.

\*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## Dynalink v.5

### Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Mesa 3-D Graphics Library v21.0.3

### Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation



the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

| Component      | Location           | License        |
|----------------|--------------------|----------------|
| Main Mesa code | src/mesa/          | MIT            |
| Device drivers | src/mesa/drivers/* | MIT, generally |
| Gallium code   | src/gallium/       | MIT            |
| Ext headers    | GL/gltext.h        | Khronos        |
|                | GL/gltext.h        | Khronos        |
|                | GL/wglext.h        | Khronos        |
|                | KHR/khrplatform.h  | Khronos        |

\*\*\*\*\*

----  
include/GL/gl.h :

Mesa 3-D  
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*\*\*\*\*

----

```
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

----

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

\*\*\*\*\*

...

## Little Color Management System (LCMS) v2.12

### LCMS License

<pre>

Little Color Management System

Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

## ASM Bytecode Manipulation Framework v6.0

### ASM License

<pre>

Copyright (c) 2000-2011 France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

# 1.283 jetty-util-ajax 9.4.48.v20220622

## 1.283.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,

including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted



under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.284 jetty-security 9.4.48.v20220622

### 1.284.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC



LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such

combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining

the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this

Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with

classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.285 jetty-util 9.4.48.v20220622

### 1.285.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

## Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify

every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY

OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this



Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javac.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javac.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all

copies.

# 1.286 jetty-client 9.4.48.v20220622

## 1.286.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such

Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement,



including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at



<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.287 jackson-annotations 2.13.4

### 1.287.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.288 jackson 2.13.4

## 1.288.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of ==
== the Apache License, Version 2.0, ==
== in this case for the Apache Camel distribution. ==
=====
```

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Please read the different LICENSE files present in the licenses directory of  
this distribution.

Camel :: Jackson  
Copyright 2007-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,



"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.289 jackson-databind 2.13.4

## 1.289.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this

License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

## 1.290 jackson-dataformat-yaml 2.13.4

### 1.290.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the

specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.291 cglib 3.3.0

## 1.291.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute  
copies of the  
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.292 snake-yaml 1.32

## 1.292.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>  
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1415956899\_1663142743.414911/0/snakeyaml-1-32-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: org.yaml.snakeyaml  
Bnd-LastModified: 1662999552851  
Build-Jdk-Spec: 1.8  
Bundle-Description: YAML 1.1 parser and emitter for Java  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: SnakeYAML  
Bundle-SymbolicName: org.yaml.snakeyaml  
Bundle-Version: 1.32.0  
Created-By: Apache Maven Bundle Plugin 5.1.8  
Export-Package: org.yaml.snakeyaml;version="1.32",org.yaml.snakeyaml.comments;version="1.32",org.yaml.snakeyaml.composer;version="1.32",org.yaml.snakeyaml.constructor;version="1.32",org.yaml.snakeyaml.emitter;version="1.32",org.yaml.snakeyaml.env;version="1.32",org.yaml.snakeyaml.error;version="1.32",org.yaml.snakeyaml.events;version="1.32",org.yaml.snakeyaml.extensions.compactnotation;version="1.32",org.yaml.snakeyaml.introspector;version="1.32",org.yaml.snakeyaml.nodes;version="1.32",org.yaml.snakeyaml.parser;version="1.32",org.yaml.snakeyaml.reader;version="1.32",org.yaml.snakeyaml.representer;version="1.32",org.yaml.snakeyaml.resolver;version="1.32",org.yaml.snakeyaml.scanner;version="1.32",org.yaml.snakeyaml.serializer;version="1.32",org.yaml.snakeyaml.tokens;version="1.32",org.yaml.snakeyaml.util;version="1.32"  
Import-Package: org.yaml.snakeyaml;version="[1.32,2)",org.yaml.snakeyaml.comments;version="[1.32,2)",org.yaml.snakeyaml.composer;version="[1.32,2)",org.yaml.snakeyaml.emitter;version="[1.32,2)",org.yaml.snakeyaml.error;version="[1.32,2)",org.yaml.snakeyaml.events;version="[1.32,2)",org.yaml.snakeyaml.introspector;version="[1.32,2)",org.yaml.snakeyaml.nodes;version="[1.32,2)",org.yaml.snakeyaml.parser;version="[1.32,2)",org.yaml.snakeyaml.reader;version="[1.32,2)",org.yaml.snakeyaml.resolver;version="[1.32,2)",org.yaml.snakeyaml.scanner;version="[1

.32,2)",org.yaml.snakeyaml.serializer;version="[1.32,2)",org.yaml.sna  
keyaml.tokens;version="[1.32,2)"  
Require-Capability:  
osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-6.3.1.202206071316

Found in path(s):

\* /opt/cola/permits/1415956899\_1663142743.414911/0/snakeyaml-1-32-jar/META-INF/MANIFEST.MF

# 1.293 jetty-servlets 9.4.48.v20220622

## 1.293.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are



necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,

distribute and sublicense the Contribution of such Contributor,

if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program

in object code form under

its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and

b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent

necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.



Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS  
OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and  
limitations under the License.

=====  
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd  
unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.  
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons  
org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec  
org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----  
Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----  
Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.294 snake-yaml 1.31

### 1.294.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: org.yaml.snakeyaml

Bnd-LastModified: 1661625605519  
Build-Jdk: 1.8.0\_301  
Built-By: somov  
Bundle-Description: YAML 1.1 parser and emitter for Java  
Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
Bundle-ManifestVersion: 2  
Bundle-Name: SnakeYAML  
Bundle-SymbolicName: org.yaml.snakeyaml  
Bundle-Version: 1.31.0  
Created-By: Apache Maven Bundle Plugin  
Export-Package: org.yaml.snakeyaml;version="1.31",org.yaml.snakeyaml.comments;version="1.31",org.yaml.snakeyaml.composer;version="1.31",org.yaml.snakeyaml.constructor;version="1.31",org.yaml.snakeyaml.emitter;version="1.31",org.yaml.snakeyaml.env;version="1.31",org.yaml.snakeyaml.error;version="1.31",org.yaml.snakeyaml.events;version="1.31",org.yaml.snakeyaml.extensions.compactnotation;version="1.31",org.yaml.snakeyaml.introspector;version="1.31",org.yaml.snakeyaml.nodes;version="1.31",org.yaml.snakeyaml.parser;version="1.31",org.yaml.snakeyaml.reader;version="1.31",org.yaml.snakeyaml.representer;version="1.31",org.yaml.snakeyaml.resolver;version="1.31",org.yaml.snakeyaml.scanner;version="1.31",org.yaml.snakeyaml.serializer;version="1.31",org.yaml.snakeyaml.tokens;version="1.31",org.yaml.snakeyaml.util;version="1.31"  
Import-Package: org.yaml.snakeyaml;version="[1.31,2)",org.yaml.snakeyaml.comments;version="[1.31,2)",org.yaml.snakeyaml.composer;version="[1.31,2)",org.yaml.snakeyaml.emitter;version="[1.31,2)",org.yaml.snakeyaml.error;version="[1.31,2)",org.yaml.snakeyaml.events;version="[1.31,2)",org.yaml.snakeyaml.introspector;version="[1.31,2)",org.yaml.snakeyaml.nodes;version="[1.31,2)",org.yaml.snakeyaml.parser;version="[1.31,2)",org.yaml.snakeyaml.reader;version="[1.31,2)",org.yaml.snakeyaml.resolver;version="[1.31,2)",org.yaml.snakeyaml.scanner;version="[1.31,2)",org.yaml.snakeyaml.serializer;version="[1.31,2)",org.yaml.snakeyaml.tokens;version="[1.31,2)"  
Require-Capability:  
  osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.5.0.201709291849

Found in path(s):

\* /opt/cola/permits/1424299971\_1663883632.755729/0/snakeyaml-1-31-3-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1424299971\_1663883632.755729/0/snakeyaml-1-31-3-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml

# 1.295 jetty 9.4.48.v20220622

## 1.295.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
  - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers

warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to



comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.  
\* org.eclipse.jetty.orbit:javax.mail.glassfish

-----  
Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.  
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

#### Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

#### OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

-----

#### Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

-----

#### MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp
- org.apache.tomcat:tomcat-jasper
- org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----  
Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----  
Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

## 1.296 free-type 11.0.16+8

### 1.296.1 Available under license :

```
Files that don't get a copyright, or which are taken from elsewhere.

All lines in this file are patterns (relative to the top-level directory),
including the comment lines; this means that e.g. `FTL.TXT' matches all
files that have this string in the file name (including the path relative
to the current directory, always starting with `./').

Don't put empty lines into this file!

builds/unix/pkg.m4

docs/FTL.TXT
```



```
docs/GPLv2.TXT
#
include/freetype/internal/fthash.h
#
src/base/fthash.c
src/base/md5.c
src/base/md5.h
#
src/bdf/bdf.c
src/bdf/bdf.h
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdflib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
#
src/gzip/adler32.c
src/gzip/ftzconf.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c
src/gzip/zutil.h
#
```

src/tools/apinames.c  
src/tools/frandom/frandom.c  
#  
subprojects/dlg  
#  
#  
EOF

The FreeType Project LICENSE

-----  
2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (^ as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (^ royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (^ credits')

We specifically permit and encourage the inclusion of this

software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
""
Portions
of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""
```

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

## 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

## 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
  
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

## 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project`, `FreeType Engine`, `FreeType library`, or `FreeType Distribution`.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

#### 4. Contacts

-----

There are two mailing lists related to FreeType:

o [freetype@nongnu.org](mailto:freetype@nongnu.org)

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o [freetype-devel@nongnu.org](mailto:freetype-devel@nongnu.org)

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

--- end of FTL.TXT ---

#### FREETYPE LICENSES

-----

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that *\*you\** must choose *\*one\** of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license \*with\* an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in `docs/GPLv2.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files `src/bdf/README` and `src/pcf/README`). The same holds for the source code files `src/base/ftstash.c` and `include/freetype/internal/ftstash.h`; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see `src/gzip/zlib.h`) which too is compatible to the above two licenses.

The files `src/autofit/ft-hb.c` and `src/autofit/ft-hb.h` contain code taken almost verbatim from the HarfBuzz file `hb-ft.cc`, which uses the 'Old MIT' license, compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds) is in the public domain.

--- end of LICENSE.TXT ---

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.



c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to

address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 1.297 jersey-metainf-services 2.35

### 1.297.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0

OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \*
- Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)

- \* Project: jquery.org
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

- \* Project: <http://www.pasella.it/projects/jquery/barcode>

\*

Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0

- \* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)

- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0

- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0

- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

- \* Copyright 2010-2013 Coda Hale and Yammer,

Inc.

W3.org documents

- \* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS



"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS

AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves

the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel

or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.)

You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices



stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how

to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the

Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the

limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF

## TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If

you do not wish to do so, delete this exception statement from your version.

# 1.298 slf4j 1.7.36

## 1.298.1 Available under license :

Copyright (c) 2004-2007 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch Sarl

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to



communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2013 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch  
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)

All rights reserved.



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.299 protobuf-java 3.19.6

### 1.299.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.google.protobuf  
Bnd-LastModified: 1664485905970  
Build-Jdk: 1.8.0\_181-google-v7  
Built-By: mkruskal  
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are a way of encoding structured data in an efficient yet extensible format.  
Bundle-DocURL: <https://developers.google.com/protocol-buffers/>  
Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>  
Bundle-ManifestVersion: 2  
Bundle-Name: Protocol Buffers [Core]  
Bundle-SymbolicName: com.google.protobuf  
Bundle-Version: 3.19.6  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.google.protobuf;version="3.19.6"  
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;version="[3.19,4)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/timestamp.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/struct.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/wrappers.proto

\*

/opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/type.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/empty.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/any.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/descriptor.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/duration.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/field\_mask.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-

jar/google/protobuf/compiler/plugin.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-

jar/google/protobuf/source\_context.proto

\* /opt/cola/permits/1444789790\_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/api.proto

# 1.300 apache-commons-text 1.2

## 1.300.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Text

Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.301 jetty-proxy 9.4.48.v20220622

## 1.301.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform,

distribute and sublicense the Contribution of such Contributor,

if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein,

no assurances are provided by any

Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS



A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
  - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial

product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example,

a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under

applicable

law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====  
Jetty Web Container  
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

\* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

\* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----  
Eclipse

The following artifacts are EPL.  
\* org.eclipse.jetty.orbit;org.eclipse.jdt.core

The following artifacts are EPL and ASL2.  
\* org.eclipse.jetty.orbit;javax.security.auth.message



The following artifacts are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

-----

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* javax.servlet:javax.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

-----

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

\* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

## MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp  
org.apache.tomcat:tomcat-jasper  
org.apache.tomcat:tomcat-juli  
org.apache.tomcat:tomcat-jsp-api  
org.apache.tomcat:tomcat-el-api  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-api  
org.apache.tomcat:tomcat-util-scan  
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el  
org.apache.tomcat:tomcat-jasper-el  
org.apache.tomcat:tomcat-el-api

-----

## Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

## Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

# 1.302 nuprocess 2.0.5

## 1.302.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Ben Hamilton, Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/internal/LibJava8.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/internal/LibJava10.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-  
jar/com/zaxxer/nuprocess/internal/HexDumpElf.java

No license file was found, but licenses were detected in source scan.

// This is free and unencumbered software released into the public domain.

// software to the public domain. We make this dedication for the benefit

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-  
jar/com/zaxxer/nuprocess/windows/WindowsCreateProcessEscape.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Ben Hamilton

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-  
jar/com/zaxxer/nuprocess/codec/NuCharsetEncoder.java

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-  
jar/com/zaxxer/nuprocess/codec/NuCharsetEncoderHandler.java

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-

jar/com/zaxxer/nuprocess/codec/NuCharsetDecoder.java

\*

/opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-

jar/com/zaxxer/nuprocess/codec/NuCharsetDecoderHandler.java

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-

jar/com/zaxxer/nuprocess/codec/NuAbstractCharsetHandler.java

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-

jar/com/zaxxer/nuprocess/internal/ReferenceCountedFileDescriptor.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Ben Hamilton

\*

\* Originally from JNA com.sun.jna.platform.win32 package (Apache

\* License, Version 2.0)

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-

jar/com/zaxxer/nuprocess/windows/NuWinNT.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Brett Wooldridge

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/internal/BasePosixProcess.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/internal/LibC.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/windows/WindowsProcess.java  
\*  
/opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/linux/EpollEvent.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/internal/IEventProcessor.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/linux/ProcessEpoll.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/linux/LibEpoll.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/NuProcess.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/windows/ProcessCompletions.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/windows/NuKernel32.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/NuProcessBuilder.java  
\*  
/opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/linux/LinProcessFactory.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/NuAbstractProcessHandler.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/osx/LibKevent.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/NuProcessHandler.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/osx/OsxProcess.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/windows/WinProcessFactory.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/internal/BaseEventProcessor.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/NuProcessFactory.java  
\*  
/opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/linux/LinuxProcess.java  
\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/osx/ProcessKqueue.java

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/com/zaxxer/nuprocess/osx/OsxProcessFactory.java

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1487555659\_1669619655.845155/0/nuprocess-2-0-5-sources-1-jar/META-INF/maven/com.zaxxer/nuprocess/pom.xml

## 1.303 kotlin 1.13.0

### 1.303.1 Available under license :

Copyright 2013-2020 Sendil Kumar N

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,



use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4.

Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.304 asm 22.10.0

## 1.304.1 Available under license :

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

- notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.305 objenesis 1.10.19

### 1.305.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



# 1.306 libffi 5.11.0

## 1.306.1 Available under license :

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make\_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh an testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions

that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of

running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

libffi - Copyright (c) 1996-2022 Anthony Green, Red Hat, Inc and others.  
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to



permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.307 asm 2.13.2

### 1.307.1 Available under license :

ASM: a very small and fast Java bytecode manipulation framework  
Copyright (c) 2000-2011 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.308 Icms 11.0.16

## 1.308.1 Available under license :

Little CMS

Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

-----

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding.

All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1)

If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may

be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for  
software and other kinds of works.

The licenses for most software and other practical works are designed  
to take away your freedom to share and change the works. By contrast,  
the GNU General Public License is intended to guarantee your freedom to  
share and change all versions of a program--to make sure it remains free  
software for all its users. We, the Free Software Foundation, use the  
GNU General Public License for most of our software; it applies also to  
any other work released this way by its authors. You can apply it to  
your programs, too.

When we speak of free software, we are referring to  
freedom, not  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (and charge for  
them if you wish), that you receive source code or can get it if you  
want it, that you can change the software or use pieces of it in new  
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you  
these rights or asking you to surrender the rights. Therefore, you have  
certain responsibilities if you distribute copies of the software, or if  
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether  
gratis or for a fee, you must pass on to the recipients the same  
freedoms that you received. You must make sure that they, too, receive  
or can get the source code. And you must show them these terms so they  
know their rights.

Developers that use the GNU GPL protect your rights with two steps:

- (1)  
assert copyright on the software, and (2) offer you this License  
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains  
that there is no warranty for this free software. For both users' and  
authors' sake, the GPL requires that modified versions be marked as

changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without

permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally

available free

programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

## 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or

similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

#### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

#### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.



d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

#### 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated

place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the

User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

#### 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or

limiting liability differently from the terms of sections 15 and 16 of this License; or

- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

## 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or

modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that

transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

## 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"



## WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### 17.

#### Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation, either version 3 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License  
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short  
notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, your program's commands  
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,  
if any, to sign a "copyright disclaimer" for the program, if necessary.  
For more information on this, and how to apply and follow the GNU GPL, see  
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications with  
the library. If this is what you want to  
do, use the GNU Lesser General  
Public License instead of this License. But first, please read  
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

## 1.309 jline 11.0.16

### 1.309.1 Available under license :

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.310 mime4j 11.0.16

### 1.310.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.311 gson 2.8.9

### 1.311.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonDeserializationContext.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/internal/Primitives.java
*
/opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/GsonBuilder.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/JsonNull.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonParseException.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
```



```
jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/FieldNamingStrategy.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/JsonArray.java
*
/opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/internal/$Gson$Preconditions.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/internal/Excluder.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/annotations/Until.java
*
/opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/reflect/TypeToken.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/Gson.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/JsonDeserializer.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2021 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
```

- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/ToNumberPolicy.java
- \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/ToNumberStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2020 Google Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2010 The Android Open Source Project
- \* Copyright (C) 2012 Google Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/LinkedTreeMap.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/LinkedHashMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/UnsafeAllocator.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/DateTypeAdapter.java

\*

/opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/TreeTypeAdapter.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/ConstructorConstructor.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/LazilyParsedNumber.java

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2008 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/\$Gson\$Types.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/LongSerializationPolicy.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/JsonParser.java

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/FieldAttributes.java

\*  
/opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/JsonStreamParser.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.

- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/JsonReaderInternalAccess.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/JsonTreeReader.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
  - \*
  - /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/TypeAdapter.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/TypeAdapters.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/JsonTreeWriter.java
  - \* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/TypeAdapterFactory.java
  - \*
  - /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
- No license file was found, but licenses were detected in source scan.

- /\*
- \* Copyright (C) 2010 Google Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/JsonSyntaxException.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/internal/Streams.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/stream/JsonToken.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/stream/JsonScope.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/stream/JsonWriter.java  
\*  
/opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/stream/JsonReader.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-  
jar/com/google/gson/stream/MalformedJsonException.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google Inc.  
\*  
\*/

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/annotations/JsonAdapter.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Gson authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/JavaVersion.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/reflect/ReflectionAccessor.java  
\*  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java  
\* /opt/cola/permits/1550776944\_1675301335.8363905/0/gson-2-8-9-sources-4-jar/com/google/gson/internal/PreJava9DateFormatProvider.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2018 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1550776944_1675301335.8363905/0/gson-2-8-9-sources-4-
jar/com/google/gson/internal/GsonBuildConfig.java
```

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.